Dynamic dot displays reveal material motion network in the human brain

Authors:

Alexandra C. Schmid [1]

Huseyin Boyaci [1,2]

Katja Doerschner [1,2]

1 Justus Liebig University Giessen, Germany

2 Bilkent University, Turkey

Correspondence:

Alexandra.Schmid@psychol.uni-giessen.de (A.C.S.);

hboyaci@bilkent.edu.tr (H.B.);

Katja.Doerschner@psychol.uni-giessen.de (K.D.)

ABSTRACT

There is growing research interest in the neural mechanisms underlying the recognition of

material categories and properties. This research field, however, is relatively recent and limited

compared to investigations of the neural mechanisms underlying object and scene category

recognition. Motion is particularly important for the perception of non-rigid materials, but the

neural basis of non-rigid material motion remains unexplored. Using fMRI we investigated

whether brain regions respond differentially to material motion versus other motions. Stimuli

were dynamic dot animations that induce vivid percepts of various materials in motion, e.g.

flapping cloth, liquid waves, wobbling jelly. Control stimuli were scrambled motion and rigid

three-dimensional rotating dots. We used a block design and the general linear model to contrast

conditions (whole brain analyses). Results showed that isolating material motion properties with

dynamic dots (in contrast with other kinds of motion) activates a network of activity in both

ventral and dorsal visual pathways, including areas normally associated with the processing of

surface properties and shape, and extending to somatosensory and premotor cortices. We suggest

that such a widespread preference for material motion is due to strong associations between

stimulus properties: when you see the dots move in a specific pattern not only do you see

material motion – you see a flexible, non-rigid shape, identify the object as a cloth flapping in

the wind, get a clear sense of its weight under gravity, and feel as though you could reach out

and touch it. These results are a first important step in mapping out the cortical architecture and

dynamics in material related motion processing.

INTRODUCTION

Recognizing and estimating the material qualities of objects is an essential part of our visual

experience. Perceiving material qualities quickly and correctly is critical for guiding decisions or

actions, whether we are deciding what fruit to eat, whether the blanket is soft enough, or how we

should grip a porcelain cup. Despite its importance, it is still not well understood how the brain

accomplishes the task of recognising materials and estimating their properties. Most

neuroscientific studies about material perception have focused on the cortical areas involved in

the visual processing of material properties (see Komatsu & Goda, 2018 for a review). This

focus on visual processing is in part because visual neuroscience is a long-standing field that

provides a great array of established methods and tools (Werner & Chalupa, 2013) that can be

applied to novel questions like how the brain accomplishes material perception. As a

consequence, nearly all neuroimaging and neurophysiological studies investigating material

perception have used static images as stimuli (Komatsu & Goda, 2018). This choice is somewhat

justified because, although material perception is a multisensory experience, many material

qualities can be conveyed through images alone.

Material properties that can be *directly* conveyed through visual information are so called optical

properties. These properties, such as a surface's micro- and meso-structure, or its reflectance-

transmission and refractive properties, give a material its characteristic visual appearance, (e.g.

glossy, plastic-y, metallic, etc.). The neuroimaging literature has heavily focused on how the

brain discriminates between different optical appearances (for a review see Komatsu & Goda,

2018). Non-optical properties, however, can also be conveyed through images: we can

experience the 'feel' of soft silk, just by looking at an image of it owing to previously formed

associations between the different senses when interacting with materials; over time, specific

visual (auditory, proprioceptive, olfactory) information becomes associated with specific tactile

information and vice versa. It is possible that via this *indirect* route (Fleming, 2014) mechanical

and tactile material qualities like softness, viscosity, and roughness, can be conveyed through

optical properties of surfaces and the 3D structure of visual objects (e.g. Baumgartner et al. 2013;

Schmidt et al. 2017; Xiao et al. 2016; Ho et al. 2006; Giesel & Zaidi, 2013; van Assen &

Fleming 2016; Fleming et al. 2013).

But not all material properties can be faithfully conveyed through static images. In fact, it has

been shown that image motion provides information about material qualities over and above the

information available from 2D images (Doerschner et al. 2011, Schmid & Doerschner 2018;

Paulun et al. 2017). For example, most mechanical material properties become much more

vividly apparent with motion: watching a rubber band stretch, a jelly jitter, and hair bending

elicits strong haptic percepts of elasticity, wobbliness, and softness, respectively. It is therefore

quite surprising that only very few studies have investigated the neural mechanisms involved in

material perception using movies as stimuli (but see Okazawa et al. 2012; Kam et al. 2015, Sun

et al. 2016a), and no neuroimaging studies exist that examine the cortical processing of

mechanical properties of nonrigid materials. One possible reason for this is that dynamic stimuli

are complex and it is difficult to find adequate control conditions for such stimuli. Recent

improvements in computing power and an increased ability to simulate such complex materials

with computer graphics now puts us in a position to tackle this problem.

In this study we developed a new class of stimuli for investigating the neural correlates of

material perception, which utilizes the fact that mechanical and tactile qualities of materials can

be convincingly conveyed through image motion alone (in Schmid & Doerschner, 2018; Bi et

al., 2019). Previously these have been called point light stimuli by Schmid & Doerschner (2018),

analogous to 'point light walkers' that have been used extensively in biological motion research

(Johanson, 1973). Similar stimuli have also been called 'dynamic dot stimuli' (Bi et al., 2019).

Here, we name our new movie database '**dynamic dot materials**', where specific nonrigid

material types are solely depicted through the motion of black dots on a gray background.

Research in biological motion (e.g. Servos et al., 2012) and structure from motion (SfM, e.g.

Orban et al. 1999, Preuskens et al., 2004) suggests that the brain can be very sensitive to certain

structured motion. We wanted to investigate whether cortical areas exist that show a preference

for non-rigid material motion over other types of motion.

We envisaged that dynamic dot materials do not only depict mechanical material properties

convincingly, but they also have several advantages over the still images used in previous work.

They:

● isolate dynamic properties from optical cues;

●   capture non-optical aspects of material qualities, in particular mechanical properties;

●   provide more stimulus control compared to 'full cue' videos - they can be motion-

scrambled and the behavior of trajectories and speed of individual dots can be

manipulated;

●   allow us to investigate whether areas previously associated with materials (e.g. CoS, e.g.

Cant & Goodale 2007; Cant & Xu, 2012, 2015, 2016; Gallivan et al. 2014; Eck et al.,

2016; Kitada et al. 2014) are indeed specialized for processing visual (optical) properties

or whether they represent material properties more generally;

●   allow us to investigate whether areas associated with coherent motion preference show a

preference for specific types of coherent motion (non-rigid vs. rigid)

Using fMRI, we investigated whether brain regions respond differentially to these novel dynamic

dot materials versus other types of motions and motion scrambled control stimuli. Anticipating

our results, we find widespread preferential activation for non-rigid material motion. This

suggests that dynamic dot materials are very suitable for mapping the cortical network involved

in the perception of material qualities.

MATERIALS & METHODS

Participants

10 volunteers participated in the experiment (age range: 21-42, 2 males, mean age: 27.3, 1 left

handed). All participants had normal or corrected to normal vision, and had no known

neurological disorders. Participants gave their written consent prior to the MR imaging session.

Protocols and procedures were approved by the local ethics committee of Justus Liebig

University Giessen and in accordance with the Code of Ethics of the World Medical Association

(Deklaration of Helsinki).

Stimuli

Dynamic dot materials. Stimuli were non-rigid materials, generated with Blender (version 2.7)

and Matlab (release 2012a; MathWorks, Natick, MA) and presented using Matlab and the

Psychophysics Toolbox (Brainard, 1997). In general, each dynamic dot material was an

animation that lasted 2s (48 frames) and that depicted the deformation of a specific material

under force. Object deformations were simulated using the Particles System physics engines in

Blender, with either the fluid dynamics or Molecular addon (for technical specifications we refer

the reader to Schmid & Doerschner, 2018). In order to have a variety of non rigid stimuli we

created several materials with different mechanical properties including cloth, liquids, breaking

materials of high, medium and low elasticity, as well as non breaking elastic materials. In brief,

the simulations were created as follows: cloth-like materials (**cloth & cloth_rot)** a sheet of

linked particles was attached at the top of the scene and blown by a wind force field. The second

cloth animation was obtained by simply rotating the original simulation 90 degrees. There were

two animations showing liquids. One animation consisted of a liquid, simulated with fluid

particles that had been dropped into a small round container, causing it to **ripple**. In the second

liquid animation fluid particles had been dropped into a large square container and stirred by an

invisible rod causing larger **waves.** One elastic cube was made of linked unbreaking particles

attached to the ground, and poked with an invisible rod (**pokeWobble**). The same animation was

also rendered from a different camera angle (**pokeWobble_rot**). Another type of elastic cube

made of linked, *unbreaking* particles was attached to invisible solid walls that moved

horizontally appart, causing it to wobble (**stretchBounce).** There were three types of elastic cube

that consisted of linked, *breakable* particles, and in all of these animations particles were

attached to invisible solid walls that moved apart, causing them to rip and wobble to various

degrees: in **stretchWobble** the material wobbled like a hard jelly. **StretchHighWobble** was the

same as stretchWobble but with an even larger wobbling motion, and **stretchDough_rot** showed

a low-elasticity material that ripped apart softly with no wobble motion. This last movie was also

rotated by 90 degrees to provide some variation to the other three "stretch" movies. This yielded

in total 10 animations, showing non-rigid materials under various forces and in different scenes.

Upon creation of these different material types we exported the 3D coordinates of each particle

at each frame. Using Matlab, we calculated the 2D projection for each particle from a specific

viewing angle. For each material only 200 random particles were selected for display, as this

medium density yielded best perceptual impressions in previous work (Schmid & Doerschner,

2018), with the remaining particles set to invisible. The particles were sampled from throughout

the volume of the substance with two exceptions: for cloth and liquids particles were sampled

from the surface of the substance, because sampling from the volume in these cases did not

convey the material qualities of liquids convincingly.

Scrambled control stimuli. In order to create control stimuli that were matched in motion

energy (measured as average velocity magnitude, see Supplementary Figure 1), we shuffled the

position of each particle on the first frame. All dots had the same velocity magnitude as the

material motion; however, the direction of trajectory was rotated by a random (uniform

distribution) amount between 0 and 2pi every 2nd frame. Without this rotation the scrambled

stimuli would still look like non-rigid materials. The trajectory of a given dot was forced to

remain inside the spatial range of the dynamic dot materials (in the 1st frame) by forcing it to

change its direction if it is outside the boundary. This was accomplished by rotating the dot

trajectory to a different direction. As a consequence acceleration between material and control

stimuli were not matched (See Supplementary Figure 2). Example scrambled control stimuli are

shown in Figure 1C.

Structure from Motion control stimuli. In order to generate these control stimuli we selected

one frame of each material motion movie and then rotated the camera back and forth around the

center of the scene. This gave the object an appearance of rotating in depth around the horizontal

(or vertical axis). SfM control stimuli are shown in Figure 1C.

For each stimulus, coordinates, movies, and individual movie frames can be found in the

database provided with the Supplementary Material

(https://www.dropbox.com/sh/nakqpn022lpaptn/AACQkbsgFuVvUIZlRXnoWXrya?dl=0).

Stimulus display

Visual stimuli were presented on an MR-safe LCD screen placed near the rear end of the scanner

bore (Cambridge Research Systems Ltd, Rochester, UK; resolution: 1920 by 1080; refresh rate

120 Hz). Participants viewed the screen through an angled mirror attached to the head-coil while

lying supine inside the scanner bore. Total eye-to-screen optical distance was 140 cm, and the

screen subtended a visual angle of 28 degrees horizontally at this distance. Stimuli were

presented at the center of the screen and approximately subtended 15.75 by 15.75 degrees visual

angle.

Fixation task

To ensure fixation during the scanning session, aid maintaining vigilance and wakefulness, and

limit attentional effects, we asked participants to perform a demanding fixation task throughout

the functional runs. In this task, participants were required to report a brief reduction in the size

of the fixation cross via a button press. The cross shrank by a small amount every 3 seconds with

a random (+/- up to 1.5 seconds) time jitter, in order to make it unpredictable when the shrinking

would occur.

MR Image Acquisition

Magnetic resonance images were collected on a 3 Tesla MRI scanner (Magnetom Prisma,

Siemens AG, Erlangen, Germany) equipped with a 64-channel head coil in BION imaging center

of JLU Giessen. MR sessions contained a structural run and 4-8 functional runs. Structural

images were acquired using a T1-weighted 3-D anatomical sequence (sagittal MP-RAGE,

Spatial resolution: 1 mm^3 isotropic; number of slices: 176). Functional images were acquired

while participants viewed the visual stimuli and were acquired with a T2*-weighted gradient-

recalled echo-planar imaging (EPI) sequence (TR: 2000 ms; TE: 30 ms; spatial resolution: 3x3x3

mm^3; number of slices: 36; slice orientation: parallel to calcarine sulcus). Each participant took

part in one scanning session that lasted about an hour and a half. During functional runs

participant responses were collected using an MR-safe button box.

Experimental Design

During the functional runs, different types of motion stimuli (material, scrambled control, SfM

control) were presented in alternating blocks. The order of blocks was randomized and counter-

balanced. Each block lasted 22 seconds, and contained ten short clips (2 s) of animation

separated by 200 ms interstimulus interval (ISI). Figure 1B depicts the experimental protocol.

There were 3 repeats of each stimulus type (material, scrambled control, SfM control) per run, 4-

8 runs in a session, thus 12-24 repeats of each stimulus per participant. One run lasted 286

seconds.

Figure 1. Example stimuli and block design. During the functional scans participants were presented with alternating blocks of dynamic dots stimuli, motion scrambled control stimuli and structure from motion (SfM) control stimuli. On the right side of panel A we show selected frames of 4 of the 10 possible dynamic dot material animations that were shown in random order in a block. On the left side of the same panel the timing of presentation during a dynamic dot material block is shown. Panel B depicts an example run, and panel C shows selected frames of 1 of the 10 possible random motion control animations (left) and the SfM control stimuli (right).

The timing during a block of these control conditions was identical to that of dynamic dot

material blocks.

MR Data Analysis

All MR image preprocessing and further analyses were performed using BrainVoyager QX,

except an initial inhomogeneity correction step on T1-weighted images, which was conducted

using Freesurfer4 software (http://surfer.nmr.mgh.harvard.edu/). After the initial inhomogeneity

correction with Freesurfer4, anatomical images were imported into BrainVoyager for further

preprocessing. Preprocessing for the anatomical images included the following steps: another

inhomogeneity correction using BrainVoyager (for 8 out 10 participants this led to a better

white-gray matter segmentation), aligning the images in AC-PC plane and converting to

Talairach space, white-gray matter segmentation. After these steps a 3D cortical mesh was

created for each subject and the resulting individual meshes were morphed and aligned using

cortical surface information (sulci and gyri). Finally an average mesh was created and inflated.

Preprocessing steps on functional images included slice acquisition time correction, motion

correction, linear trend removal and high pass filter (temporal). The resulting functional images

were coregistered with the anatomical images per participant. Functional data were spatially

transformed and projected on the inflated 3D average mesh for further analyses. These analyses

included fixed-effects surface based group analyses using the general linear model (GLM).

Specifically we performed several separate GLM analyses (material vs. scrambled, material vs.

3D; 3D vs. scrambled) and a conjunction analysis of (material>scrambled) AND (material>3D).

Active voxels were identified at qFDR > 0.05 level (FDR corrected for multiple comparisons).

RESULTS

Figure 2 shows the results of the GLM analyses. The activation maps on the left and on the right

show that, overall, there are many cortical areas that have a larger BOLD response to dynamic

dot materials (yellow) than to scrambled motion stimuli. Moreover, cortical areas with a material

"preference" appear to constitute a superset of those that respond to 3D motion (Figure 2, left

panel, showing areas - in orange - that respond more to 3D rigid motion than to scrambled

stimuli). The overlap in activation for these two contrasts (material vs. scrambled and 3D vs.

scrambled) is quite expected because 3D rigid motion could simply be a special type of material

motion and thus activity to this type of stimuli should be contained within the general material

motion network. The fact that rigid motion is a subclass of all possible material motions might

also explain why cortical responses to dynamic dot materials are almost always stronger than

those to 3D motion (Figure 2, right panel, orange color maps): seeing just one type of material

motion is likely to cause a relatively weaker cortical response than the rich set of motions that

occur in the dynamic dot condition. We also found these patterns of activation at the individual

participant level (Supplementary Figure 3).The average accuracy in the fixation task was 83%

across observers, suggesting that participants followed our instructions and fixated at the center

of the screen during presentation of the stimuli.

Figure 2. GLM group analyses. *The left panel shows the results of the GLM contrasting average*

BOLD responses to dynamic dot materials with those to scrambled motion stimuli (yellow-blue),

overlaid together with results of a GLM analysis that contrasts average BOLD responses to 3D

rigid motion with those to scrambled stimuli (orange-black). The resulting activity maps suggest

that cortical areas that respond strongly to material motion are a superset of those that respond

to 3D rigid motion. In the right panel we plot the results of the same dynamic dot materials vs

scrambled motion contrast (yellow-blue) together with a GLM contrast of dynamic dot materials

versus 3D rigid motion (orange-black). Here, we see that responses to dynamic dot materials

were almost always stronger than those to 3D rigid motion stimuli. See text for further details.

Overall we see that lower visual areas tended to respond stronger to the scrambled motion

stimuli. This is consistent with the literature (e.g. Murray et al. 2002).

A subsequent conjunction analysis confirmed that there is a widespread network of brain areas

whose BOLD response is stronger for dynamic dot stimuli compared to other types of motion

(scrambled and 3D rigid motion), including object-, texture-, and motion-selective regions, as

well as somatosensory/multisensory and premotor areas (Figure 3). We will discuss these results

next.

***Figure 3. Conjunction analysis.** Cortical areas that respond stronger (hot colors) and weaker*

(cool colors) to material motion compared to both 3D motion and scrambled motion. A large

network of areas are more strongly active under the material motion condition.

DISCUSSION

Dynamic dot materials are a novel class of stimuli that convey non-optical properties of material

qualities purely on the basis of 2D image motion patterns. Here, we introduced a database of

various types of non-rigid materials, though other materials (e.g. rigid, breakable substances) can

also be rendered convingly by the means of this technique (e.g. see Schmid & Doerschner,

2018). In their creation these stimuli are conceptually closely related to "point light walkers"

(Johannson, 1973), where the motion of small light sources affixed to different parts of limbs of

biological species can elicit a very vivid impression of animacy. Similarly, we "attached" small

dots to an otherwise invisible substance and recorded the motion of these dots while the material

reacted to a force. How individual materials change their shape in response to a force strongly

depends on their mechanical properties, and it is this idiosyncratic change of shape information

that appears to convey mechanical qualities of a material. It would be very interesting to pin-

point exactly the motion characteristics that elicit a particular material quality, (Schmid &

Doerschner, 2018, also see Bi et al. 2019), just as it has been done in the field of biological

motion where researchers have tried to understand what it is that makes point light walkers look

"biological" (Treue, 2013). In fact, all biological motion is also non-rigid motion and thus our

stimuli could be suitable to tease apart the contributions of these two factors to neural activity

observed while watching biological motion stimuli. Our stimuli could help to discover the

perceptual boundary between nonrigid animate and inanimate objects, and to investigate

corresponding neural maps and mechanisms (Long, Yu, Konkle, 2018; Grill-Spector & Weiner,

2014). Dynamic dot materials also allow to investigate whether areas previously associated with

materials (e.g. CoS, e.g. Cant & Goodale 2007; Cant & Xu, 2012, 2015, 2016; Gallivan et al.

2014; Eck et al., 2016; Kitada et al. 2014) are indeed specialized for processing visual (optical)

properties or whether they represent material properties more generally (our results so far

suggest the latter, but multivariate design would allow one to better test this). The fact that the

location, direction and speed of individual dots in our stimuli can be manipulated, renders

investigations of research questions like these more feasible.

Using these novel stimuli in an fMRI experiment we found robust and widespread increased

activation across the human brain in response to *dynamic dot materials* when compared to

activation in response to other types of motion stimuli (Figure 3). Regions preferring dynamic

dot materials included several areas in occipito-temporal and, -parietal cortices, secondary

somatosensory cortex, and premotor regions. Given the properties of our stimuli, a widespread

cortical preference is perhaps expected: our stimuli are objects (LOC e.g. Grill-Spector &

Malach, 2004), they are non-rigidly moving structures (e.g., hMT+, MST, PPC e.g. see review

by Erlikhman, et al. 2018; STS e.g. Saygin et al), they elicit a distinct tactile experience (e.g.

Schmid & Doerschner, 2018; Bi et al., 2019)), and such tactile experiences of material qualities

are often associated with certain optical material qualities (CoS e.g. Arnott et al., 2008;

Podrebarac et al., 2014; Sun et al., 2016a and see Komatsu & Goda, 2018 for a review). The

widespread activation in response to quite sparse stimuli also suggests that material perception

must be an inherently distributed process (see Schmid & Doerschner 2019). Consistent with this

idea, there is a growing body of literature suggesting that object category representations are

grounded in distributed networks (e.g. Martin, 2016).

Discovering a network of preferentially more active areas during dynamic dot material viewing

does not mean that all of these areas must be involved in the recognition and differentiation of

materials: to find such finer-tuned responses would require further studies, and our stimuli

provide a convenient way to investigate this as discussed next.

Why studying responses to visually presented materials?

Materials are inherently multidimensional in that they have multiple stimulus properties in

multiple perceptual dimensions, and they are inherently multimodal in that their properties can

be inferred through multiple modalities. For example a velvet cloth looks soft (optical

properties), moves (visual mechanical motion) and folds (visual 3D shape) in a way that suggests

that it is soft, but it also feels soft to the touch (tactile). This multidimensionality and

multimodality makes materials the ideal candidate to develop experimental designs that can help

to understand computational architecture of the cortical representations involved in recognition.

As an example, if a cortical region represents material/object category A based on visual

property X but not the same category based on the visual property Y then this suggests that this
region encodes the visual property X but not the category. Conversely, if this cortical region has
a shared representational structure, i.e. category A is encoded through both visual properties X
and Y, then it likely encodes the concept. Thus, investigating neural responses to stimuli, like the
dynamic dot materials proposed here, we may be able to tease apart the direct encoding of visual
properties from the indirect activation of associated properties (Schmid & Doerschner, 2019).

CONCLUSION

Dynamic dot materials are a novel class of stimuli that convey non-optical properties of material
qualities purely on the basis of 2D image motion patterns. They can be used for mapping the
cortical network involved in the perception of material qualities. From a broader perspective,
owing to their inherently multidimensional and multimodal nature, materials are a unique type of
stimulus that can help neuroimaging research to advance our understanding of the computational
architecture of the cortical representations involved in recognition.

ACKNOWLEDGEMENTS

A.S. and K.D. are supported by a Sofja Kovalevskaja Award endowed by the German Federal
Ministry of Education, awarded to K.D. H.B. and K.D. are also supported by a Marie
Sklodowska-Curie Action – Innovative Training Network (MSCA-ITN/ETN) Grant, DyViTo:
Dynamics in Vision and Touch – the look and feel of stuff. H.B. was also supported by a
TUBITAK (The Scientific and Technological Research Council of Turkey) 1001 Research Grant
(217K163).
356

REFERENCES

Arnott SR, Cant JS, Dutton GN, Goodale MA (2008) Crinkling and crumpling: an auditory
fMRI study of material properties. *NeuroImage* 43:368-378.

Baumgartner E, Wiebel CB, Gegenfurtner KR (2013) Visual and Haptic Representations of
Material Properties. *Multisensory Research* 26: 429–55.
https://doi.org/10.1163/22134808-00002429.

Cant JS, and Goodale MA (2007) Attention to Form or Surface Properties Modulates
Different Regions of Human Occipitotemporal Cortex. *Cerebral Cortex* 17, no. 3:
713–31. https://doi.org/10.1093/cercor/bhk022.

Cant JS, Xu Y (2012) Object ensemble processing in human anterior- medial ventral visual
cortex. *Journal of Neuroscience* 32:7685–7700.

Cant JS, Xu Y (2015) The impact of density and ratio on object- ensemble representation in
human anterior-medial ventral visual cortex. *Cerebral Cortex* 25:4226–4239.

Cant JS, Xu Y (2016) The contribution of object shape and surface properties to object
ensemble representation in anterior-medial ventral visual cortex. *Journal of Cognitive*
Neuroscience 29:398–412.

Doerschner K, Fleming RW, Yilmaz O, Schrater PR, Hartung B, Kersten DJ (2011) Visual
Motion and the Perception of Surface Material." *Current Biology* 21, no. 23: 2010–16.
https://doi.org/10.1016/j.cub.2011.10.036.

Eck J, Kaas AL, Mulders JL, Hausfeld L, Kourtzi Z, and Goebel R (2016) The Effect of
Task Instruction on Haptic Texture Processing: The Neural Underpinning of
Roughness and Spatial Density Perception. *Cerebral Cortex* 26, no. 1: 384–401.
https://doi.org/10.1093/cercor/bhu294.

Erlikhman G, Gurariy G, Mruczek REB, Caplovitz GP (2016) The Neural Representation of
Objects Formed through the Spatiotemporal Integration of Visual Transients.
NeuroImage 142 (2016): 67–78. https://doi.org/10.1016/j.neuroimage.2016.03.044.

Fleming RW, Wiebel CB, Gegenfurtner KR (2013) Perceptual Qualities and Material
Classes. *Journal of Vision* 13, no. 8: 1–20. https://doi.org/10.1167/13.8.9.

Fleming RW (2014) Visual Perception of Materials and Their Properties." *Vision Research*
94: 62–75. https://doi.org/10.1016/j.visres.2013.11.004.

Gallivan JP, Cant JS, Goodale MA, Flanagan JR (2014) Representation of Object Weight in
Human Ventral Visual Cortex. *Current Biology* 24, no. 16: 1866–73.
https://doi.org/10.1016/j.cub.2014.06.046.

Giesel M, Zaidi Q (2013) Frequency-Based Heuristics for Material Perception." *Journal of*
Vision 13, no. 14: 7–7. https://doi.org/10.1167/13.14.7.

Grill-Spector K, Weiner KS (2014) The Functional Architecture of the Ventral Temporal
Cortex and Its Role in Categorization. *Nature Reviews Neuroscience* 15, no. 8: 536–48.
https://doi.org/10.1038/nrn3747.

Grill-Spector K, Malach R(2004) THE HUMAN VISUAL CORTEX. *Annual Review of*
Neuroscience 27: 649–77. https://doi.org/10.1146/annurev.neuro.27.070203.144220.

Ho YX, Landy MS, Maloney LT. (2006) How Direction of Illumination Affects Visually
Perceived Surface Roughness." *Journal of Vision* 6, no. 5: 8.
https://doi.org/10.1167/6.5.8.

Johansson G (1973) Visual perception of biological motion and a model for its analysis.
Perception & Psychophysics 14, 201–211. https://doi.org/10.3758/BF03212378

Kam TE, Mannion DJ, Lee SW, Doerschner K, Kersten DJ (2015) Human Visual Cortical
Responses to Specular and Matte Motion Flows. *Frontiers in Human Neuroscience* 9:
579. https://doi.org/10.3389/fnhum.2015.00579.

Kitada R, Sasaki AT, Okamoto Y, Kochiyama T, Sadato N (2014) Role of the precuneus in
the detection of incongruency between tactile and visual texture information: a
functional MRI study. *Neuropsychologia* 64:252-262.

Komatsu H, Goda N (2018) Neural Mechanisms of Material Perception: Quest on
Shitsukan. *Neuroscience*. https://doi.org/10.1016/J.NEUROSCIENCE.2018.09.001.

Long B, Yu CP, Konkle T (2018) Mid-Level Visual Features Underlie the High-Level
Categorical Organization of the Ventral Stream. *Proceedings of the National Academy*
of Sciences 115, no. 38: E9015–24. https://doi.org/10.1073/pnas.1719616115.

Martin, A. (2016) GRAPES—Grounding Representations in Action, Perception, and
Emotion Systems: How Object Properties and Categories Are Represented in the
Human Brain." *Psychonomic Bulletin and Review* 23, no. 4: 979–90.
https://doi.org/10.3758/s13423-015-0842-3.

Murray SO, Kersten D, Olshausen BA, Schrater P, Woods DL (2002) Shape perception
reduces activity in human primary visual cortex. *PNAS*, 99, 15164-15169.

Okazawa G, Goda N, Komatsu H (2012) Selective Responses to Specular Surfaces in the
Macaque Visual Cortex Revealed by FMRI." *NeuroImage* 63, no. 3 (2012): 1321–33.
https://doi.org/10.1016/j.neuroimage.2012.07.052.

Orban GA, Sunaert S, Todd JT, Van Hecke P, Marchal G (1999) Human cortical regions
involved in extracting depth from motion. *Neuron*. Dec;24(4):929-940. DOI:
10.1016/s0896-6273(00)81040-5.

Paulun VC, Schmidt F, van Assen JJR, Fleming RW (2017) Shape, Motion, and Optical
Cues to Stiffness of Elastic Objects. *Journal of Vision* 17, no. 1: 20.
https://doi.org/10.1167/17.1.20.

Peuskens H, Claeys KG, Todd JT, Norman JF, Van HP, Orban GA (2004) Attention to 3-D
Shape, 3-D Motion, and Texture in 3-D Structure from Motion Displays. *J.Cogn*
Neurosci. 16, no. 4: 665–82. https://doi.org/10.1162/089892904323057371.

Podrebarac SK, Goodale MA, Snow JC (2014) Are visual texture- selective areas recruited
during haptic texture discrimination? *NeuroImage* 94: 129-137.

Schmid AC, Doerschner K (2018) Shatter and Splatter: The Contribution of Mechanical and
Optical Properties to the Perception of Soft and Hard Breaking Materials. *Journal of*
Vision 18, no. 1: 14. https://doi.org/10.1167/18.1.14.

Schmid AC, Doerschner K (2019) Representing stuff in the human brain. *Current Opinion*
in Behavioral Sciences, 30, 178–185. https://doi.org/10.1016/j.cobeha.2019.10.007

Schmidt F, Paulun VC, van Assen JJR, Fleming RW (2017) Inferring the stiffness of
unfamiliar objects from optical, shape, and motion cues. *Journal of Vision*, 17(3):18.
doi: 10.1167/17.3.18

Servos P, Osu R, Santi A, Kawato M (2002) The Neural Substrates of Biological Motion
Perception: an fMRI Study, *Cerebral Cortex*, Volume 12, Issue 7, Pages 772–782,
https://doi.org/10.1093/cercor/12.7.772

Sun HC, Di Luca M, Ban H, Muryy A, Fleming RW, Welchman AE (2016a) Differential
Processing of Binocular and Monocular Gloss Cues in Human Visual Cortex. *Journal*
of Neurophysiology, http://jn.physiology.org/content/jn/115/6/2779.full.pdf.

Troje N (2013) What Is Biological Motion? Definition, Stimuli, and Paradigms. In:
Rutherford, M. D. and Kuhlmeier, V. A. (eds.) Social Perception: Detection and
Interpretation of Animacy, Agency, and Intention. MIT Press. 13 - 36.
10.7551/mitpress/9780262019279.003.0002.

van Assen J JR, Fleming R W (2016) Influence of optical material properties on the
perception of liquids. *Journal of Vision*, *16*(15), 12. https://doi.org/10.1167/16.15.12

Bi W, Jin P, Nienborg H, Xiao B (2019) Manipulating patterns of dynamic deformation
elicits the impression of cloth with varying stiffness. *Journal of Vision*, 19(5):18. doi:
https://doi.org/10.1167/19.5.18.

Werner, John S., and Chalupa, Leo M. (Eds.). The New Visual Neurosciences. The MIT
Press. 2013

Xiao B, Bi W, Jia X, Wei H, Adelson EH (2016) Can You See What You Feel? Color and
Folding Properties Affect Visual–Tactile Material Discrimination of Fabrics. *Journal*
of Vision 16, no. 3 (February 23, 2016): 34. https://doi.org/10.1167/16.3.34.

SUPPLEMENTARY

Supplementary Figure 1: Motion energy (velocity magnitude) for each condition. Y axis units

are based on dot positions being normalised between 0 and 1. **A.** Velocity magnitude for

averaged across particles for each frame of each movie. **B.** Velocity magnitude averaged across

particles and frames for each movie. **C.** Velocity magnitude averaged across particles, frames,

and materials for each condition.

Supplementary Figure 2: Motion energy (acceleration magnitude) for each condition. Y axis

units are based on dot positions being normalised between 0 and 1. **A.** Acceleration magnitude

for averaged across particles for each frame of each movie. **B.** Acceleration magnitude averaged

across particles and frames for each movie. **C.** Acceleration magnitude averaged across particles,

frames, and materials for each condition.

Supplementary Figure 3: GLM results from two participants. Compare to Figure 2 in the main

text.

489