Dynamic dot displays reveal material motion network in the human brain

Authors:

Alexandra C. Schmid [1.3]

Huseyin Boyaci [1,2]

Katja Doerschner [1,2]

[1] Department of Psychology, Justus Liebig University Giessen, Giessen 35394, Germany

[2] Department of Psychology, A.S. Brain Research Center, and National Magnetic Resonance Research Center, Bilkent University, Ankara 06800, Turkey

[3] Present address: Laboratory of Brain and Cognition, National Institute of Mental Health, National Institutes of Health, Bethesda, MD 20892, USA

Correspondence:

Alexandra.Schmid@psychol.uni-giessen.de (A.C.S.);

hboyaci@bilkent.edu.tr (H.B.);

Katja.Doerschner@psychol.uni-giessen.de (K.D.)

ABSTRACT

There is growing research interest in the neural mechanisms underlying the recognition of

material categories and properties. This research field, however, is relatively more recent and

limited compared to investigations of the neural mechanisms underlying object and scene

category recognition. Motion is particularly important for the perception of non-rigid materials,

but the neural basis of non-rigid material motion remains unexplored. Using fMRI, we

investigated which brain regions respond preferentially to material motion versus other types

of motion. We introduce a new database of stimuli – dynamic dot materials – that are

animations of moving dots that induce vivid percepts of various materials in motion, e.g.

flapping cloth, liquid waves, wobbling jelly. Control stimuli were scrambled versions of these

same animations and rigid three-dimensional rotating dots. Results showed that isolating

material motion properties with dynamic dots (in contrast with other kinds of motion) activates

a network of cortical regions in both ventral and dorsal visual pathways, including areas

normally associated with the processing of surface properties and shape, and extending to

somatosensory and premotor cortices. We suggest that such a widespread preference for

material motion is due to strong associations between stimulus properties. For example

viewing dots moving in a specific pattern not only elicits percepts of material motion; one

perceives a flexible, non-rigid shape, identifies the object as a cloth flapping in the wind, infers

the object's weight under gravity, and anticipates how it would feel to reach out and touch the

material. These results are a first important step in mapping out the cortical architecture and

dynamics in material-related motion processing.

Keywords: material perception, motion, fMRI, point-light motion, dynamic dot, structure from

motion

1. Introduction

Recognizing and estimating the material qualities of objects is an essential part of our visual

experience. Perceiving material qualities quickly and correctly is critical for guiding decisions or

actions, whether we are deciding what fruit to eat, if a blanket is soft enough, or how we should

grip a porcelain cup. Despite the importance of recognizing and estimating the properties of

materials, it is still not well understood how the brain accomplishes these tasks. Most

neuroscientific studies about material perception have focused on the cortical areas involved in

the visual processing of material properties, with nearly all of those studies using static images

as stimuli (see Komatsu & Goda, 2018 for a review). Although motion compellingly conveys the

properties of non-rigid materials such as stiffness and elasticity (e.g. Schmid & Doerschner

2018; Schmidt et al. 2017), the neural basis of non-rigid material motion remains unexplored.

Here we investigate whether specialized dynamic dot animations portraying non-rigid material

motion elicit meaningful differences in brain responses when compared to other kinds of

motion using functional magnetic resonance imaging (fMRI).

The use of static images when investigating the visual processing of materials is somewhat

justified because, although material perception is a multisensory (Baumgartner et al. 2013),

dynamic experience (Schmid & Doerschner, 2019), many material qualities can be conveyed

through images alone (Paulun et al. 2017; Schmid & Doerschner, 2018; Schmidt et al. 2017; van

Assen & Fleming 2016). Material properties that can be conveyed *directly* through visual

information are so called optical properties. These properties, such as a surface's micro- and

meso-structure, or its reflective-, transmissive- and refractive properties, give a material its

characteristic visual appearance (e.g. glossy, plastic-y, metallic, etc.). Literature investigating

neural mechanisms of material perception has so far heavily focused on how the brain

discriminates between different optical appearances (Komatsu & Goda, 2018). Non-optical

properties, however, can also be conveyed through images: we can infer the 'feel' of soft silk or

fur just by looking at an image of it (Baumgartner et al. 2013, Xiao et al. 2016) owing to

previously formed associations between the different senses when interacting with materials;

over time, specific visual (or auditory, proprioceptive, or olfactory) information becomes

associated with specific tactile information and vice versa. It is possible that via this *indirect*

route (Schmidt et al. 2017) mechanical and tactile material qualities like softness, viscosity, and

roughness can be conveyed through optical properties of surfaces and the 3D structure of

visual objects (e.g. Baumgartner et al. 2013; Fleming, 2014, 2017; Fleming et al. 2013; Giesel &

Zaidi, 2013; Ho et al. 2006; van Assen & Fleming 2016; Xiao et al. 2016).

But not all material properties can be faithfully conveyed through static images, and most

mechanical material properties become much more vividly apparent with motion: watching a

rubber band stretch, a jelly jitter, and hair bending elicits strong impressions of elasticity,

wobbliness, and softness, respectively. In fact, image motion has been shown to provide

information about material qualities over and above the information available from 2D images

(Doerschner et al. 2011, Schmid & Doerschner 2018; Schmidt et al. 2017). Furthermore,

recognizing materials in natural environments likely entails integrating spatiotemporally

segregated information into coherent percepts, similar to when detecting animate objects

(think of detecting a tiger through long, swaying grass). Given that many brain regions are

sensitive to certain kinds of motion structure (for reviews see Erlikhman et al., 2018; Kourtzi et

al., 2008; Nishida et al., 2018), it is surprising that only very few studies have investigated the

neural mechanisms involved in material perception using dynamic stimuli (but see Okazawa et

al. 2012; Kam et al. 2015; see Sun et al. 2016a for binocular stimuli). These studies investigated

the neural mechanisms of gloss perception using rigid objects. To date, no studies have

examined the cortical processing of nonrigid materials. One possible reason for this is that it is

difficult to find adequate control conditions for such complex, dynamic stimuli. Recent

improvements in computing power and an increased ability to simulate such complex materials

with computer graphics now puts us in a position to tackle this problem.

In this study we developed a new class of stimuli for investigating the neural correlates of

material perception, which utilize the fact that mechanical and tactile qualities of materials can

be convincingly conveyed through image motion alone (in Schmid & Doerschner, 2018; Bi et al.,

2019). Previously these have been called point light stimuli by Schmid & Doerschner (2018),

analogous to 'point light walkers' that have been used extensively in biological motion research

(Johanson, 1973). Similar stimuli have also been called 'dynamic dot stimuli' (Bi et al., 2019).

Here, we name our new movie database '**dynamic dot materials**', where specific nonrigid

material types are solely depicted through the motion of black dots on a gray background.

Investigations into biological motion (e.g. Servos et al., 2012) and structure from motion (SfM,

e.g. Orban et al. 1999, Peuskens et al., 2004) suggest that the brain can be very sensitive to

certain structured motion. Yet so far, the neural mechanisms of motion perception has largely

been investigated separately for material and object recognition (Grill-Spector & Weiner, 2014;

Komatsu & Goda, 2018). Here we investigated whether cortical areas exist that show a

preference for non-rigid material motion over other types of motion.

Dynamic dot materials not only depict mechanical material properties convincingly, but they

also have several advantages over the static images used in previous work. In particular, they:

• isolate dynamic properties from optical cues;

• capture non-optical aspects of material qualities, in particular mechanical properties;

• provide more stimulus control compared to 'full cue' videos - they can be motion-

scrambled and the behavior of trajectories and speed of individual dots can be

manipulated;

• could provide a way to investigate whether areas previously associated with materials

(e.g. CoS, e.g. Cant & Goodale 2007; Cant & Xu, 2012, 2015, 2016; Gallivan et al. 2014;

Eck et al., 2016; Kitada et al. 2014) are indeed specialized for processing visual (optical)

properties or whether they represent material properties more generally;

• could provide a way to investigate whether areas associated with coherent motion

preference (e.g. hMT+/V5 and posterior parietal cortex, e.g. Orban et al. 1999;

Peuskens, 2004); show a preference for specific types of coherent motion (non-rigid vs.

rigid)

Using fMRI, we investigated which brain regions respond preferentially to these novel dynamic

dot materials versus other types of motions and motion scrambled control stimuli. Anticipating

our results, we find widespread preferential activation for non-rigid material motion. This

suggests that dynamic dot materials are very suitable for mapping the cortical network involved

in the perception of material qualities.

2. Materials & methods

2.1. Participants

10 volunteers participated in the experiment (age range: 21-42, 2 males, mean age: 27.3, 1 left

handed). All participants had normal or corrected to normal vision and had no known

neurological disorders. Participants gave their written consent prior to the MR imaging session.

Protocols and procedures were approved by the local ethics committee of Justus Liebig

University Giessen and in accordance with the Code of Ethics of the World Medical Association

(Deklaration of Helsinki).

2.2. Stimuli

2.2.1. Dynamic dot materials. Stimuli were non-rigid materials, generated with Blender

(version 2.7) and Matlab (release 2012a; MathWorks, Natick, MA) and presented using Matlab

and the Psychophysics Toolbox (Brainard, 1997). Each dynamic dot material was a 2s animation

(48 frames) that depicted the deformation of a specific material under force. Object

deformations were simulated using the Particles System physics engines in Blender, with either

the fluid dynamics or Molecular addon (for technical specifications we refer the reader to

Schmid & Doerschner, 2018). For variety, we simulated non-rigid materials with different

mechanical properties under various forces (details shown in Table 1), including cloth flapping

in the wind, liquids rippling and waving, breaking materials of high, medium, and low elasticity,

as well as non-breaking elastic materials. Upon creation of these different material types we

exported the 3D coordinates of each particle at each frame. Using Matlab, we calculated the 2D

projection for each particle from a specific viewing angle. For each material only 200 random

particles were selected for display, as this medium density yielded best perceptual impressions

in previous work (Schmid & Doerschner, 2018), with the remaining particles set to invisible. The

particles were sampled from throughout the volume of the substance with the following

exception: for liquids the particles were sampled from the surface because sampling from the

volume in these cases did not convey the material qualities as convincingly. In total we

rendered ten animations (Table 1).

Material motion name	Particle physics	Blender simulation details	Part of simulation rendered
cloth	Linked, unbreaking particles	A sheet of linked particles was attached at the top of the scene and blown by a wind force field.	Cloth blowing in the wind.
cloth_rot	Linked, unbreaking particles	Same as cloth.	Cloth movie rotated 90 degrees.
ripple	Fluid particles	Fluid particles were dropped into a small round container, causing it to ripple.	Liquid rippling.
waves	Fluid particles	Fluid particles were dropped into a large square container and stirred by an invisible rod causing larger waves.	Liquid waves.
pokeWobble	Linked, unbreaking particles	Elastic cube made of linked particles was attached to the ground and poked with an invisible rod.	Cube wobbling.
pokeWobble_rot	Linked, unbreaking particles	Same as pokeWobble.	Cube wobbling, rendered from a different camera angle to pokeWobble.
stretchBounce	Linked, unbreaking particles	Elastic cube made of linked particles was attached to invisible solid walls that moved horizontally apart. Elastic cube stretched and bounced.	Cube stretching and bouncing.
stretchWobble	Linked, breaking particles	Same as stretchBounce but elastic cube ripped and wobbled like hard jelly.	Cube stretching, ripping, and wobbling.
stretchHighWobble	Linked, breaking particles	Same as stretchBounce but elastic cube ripped and wobbled substantially.	Cube stretching, ripping, and wobbling.

			Cube stretching and ripping. Movie was
stretchDough_rot	Linked, breaking particles	Same as stretchBounce but the cube was made of low-elastic material that ripped apart softly with no wobble motion.	Cube stretching and ripping. Movie was rotated 90 degrees to provide variation to the other three "stretch" movies.

Table 1: Simulation and rendering details for each material motion animation. *Animations*

were 2s clips of materials being deformed in various ways. The first column shows the name of

the movie provided in the Supplementary Material. The second column shows whether each

material was simulated as linked particles (breaking or unbreaking) or fluid particles (see main

text). The third column shows details of how the simulation was set up in Blender. The fourth

column shows what part of the simulation was rendered in the final animation.

2.2.2. Scrambled control stimuli. We wanted to find cortical regions that are sensitive to

material motion over and above other kinds of motion. That is, we wanted to exclude regions

that are sensitive to motion generally but do not show a preference for material motion.

Therefore we created "scrambled" control stimuli that were matched in motion energy to the

dynamic dot materials (measured as average velocity magnitude, see Supplementary Figure 1).

We created a scrambled version of each material stimulus by shuffling the position of each

particle on the first frame. All dots in the scrambled motion stimuli had the same velocity

magnitude as the material motion; however, the direction of trajectory was rotated by a

random (uniform distribution) amount between 0 and 2π every 2nd frame. Without this

rotation the scrambled stimuli would still look like non-rigid materials. The trajectory of a given

dot was forced to remain inside the spatial range of the dynamic dot materials (in the 1st

frame) by forcing it to change its direction if it is outside the boundary. This was accomplished

by rotating the dot trajectory to a different direction. As a consequence, acceleration between

material and control stimuli were not matched (See Supplementary Figure 2). Example

scrambled control stimuli are shown in Figure 1C.

2.2.3. Structure from Motion (SfM) control stimuli. We also wanted to make sure any

preference for material motion within a brain region was not just a preference for global

coherent 3D motion, or "object-ness". Therefore, we created 3D structure-from-motion control

stimuli. In order to generate these control stimuli, we selected one frame of each material

motion movie and then rotated the camera back and forth around the center of the scene. This

gave the object an appearance of rotating in depth around the horizontal (or vertical axis). SfM

control stimuli are shown in Figure 1C.

2.3. Stimulus display

Visual stimuli were presented on an MR-safe LCD screen placed near the rear end of the

scanner bore (Cambridge Research Systems Ltd, Rochester, UK; resolution: 1920 by 1080;

refresh rate 120 Hz). Participants viewed the screen through an angled mirror attached to the

head-coil while lying supine inside the scanner bore. Total eye-to-screen optical distance was

140 cm, and the screen subtended a visual angle of 28 degrees horizontally at this distance.

Stimuli were presented at the center of the screen and approximately subtended 15.75 by

15.75 degrees visual angle.

2.4. Fixation task

To ensure fixation during the scanning session, aid maintaining vigilance and wakefulness, and

limit attentional effects, we asked participants to perform a demanding fixation task

throughout the functional runs. In this task, participants were required to report a brief

reduction in the size of the fixation cross via a button press. The cross shrank by a small amount

every 3 seconds with a random (+/- up to 1.5 seconds) time jitter to make it unpredictable

when the shrinking would occur.

2.5. MR Image Acquisition

Magnetic resonance images were collected on a 3 Tesla MRI scanner (Magnetom Prisma,

Siemens AG, Erlangen, Germany) equipped with a 64-channel head coil in BION imaging center

of JLU Giessen. MR sessions contained a structural run and 4-8 functional runs. Structural

images were acquired using a T1-weighted 3-D anatomical sequence (sagittal MP-RAGE, Spatial

resolution: 1 mm^3 isotropic; number of slices: 176). Functional images were acquired while

participants viewed the visual stimuli and were acquired with a T2*-weighted gradient-recalled

echo-planar imaging (EPI) sequence (TR: 2000 ms; TE: 30 ms; spatial resolution: 3x3x3 mm^3;

number of slices: 36; slice orientation: parallel to calcarine sulcus). Each participant took part in

one scanning session that lasted about an hour and a half. During functional runs participant

responses were collected using an MR-safe button box.

2.6. Experimental Design

During the functional runs, different types of motion stimuli (material, scrambled control, SfM

control) were presented in alternating blocks. The order of blocks was randomized and counter-

balanced. Each block lasted 22 seconds and contained ten short clips (2 s) of animation

separated by 200 ms interstimulus interval (ISI). Figure 1B depicts the experimental protocol.

There were 3 repeats of each stimulus type (material, scrambled control, SfM control) per run,

4-8 runs in a session, thus 12-24 repeats of each stimulus per participant. One run lasted 286

seconds.

Figure 1. Example stimuli and block design. During the functional scans participants were

presented with alternating blocks of dynamic dot stimuli, motion scrambled control stimuli and

*structure from motion (SfM) control stimuli. On the right side of panel **A** we show selected*

frames of 4 of the 10 possible dynamic dot material animations that were shown in random

order in a block. On the left side of the same panel the timing of presentation during a dynamic

*dot material block is shown. Panel **B** depicts an example run, and panel **C** shows selected frames*

of 1 of the 10 possible random motion control animations (left) and the SfM control stimuli

(right). The timing during a block of these control conditions was identical to that of dynamic

dot material blocks.

2.7. MR Data Analysis

All MR image preprocessing and further analyses were performed using BrainVoyager QX,

except an initial inhomogeneity correction step on T1-weighted images, which was conducted

using Freesurfer version 4 software (http://surfer.nmr.mgh.harvard.edu/). After the initial

inhomogeneity correction with Freesurfer4, anatomical images were imported into

BrainVoyager for further preprocessing. Preprocessing for the anatomical images included the

following steps: another inhomogeneity correction using BrainVoyager (for 8 out 10

participants this led to a better white-gray matter segmentation), aligning the images in AC-PC

plane and converting to Talairach space, white-gray matter segmentation. After these steps a

3D cortical mesh was created for each subject and the resulting individual meshes were

morphed and aligned using cortical surface information (sulci and gyri). Finally, an average

mesh was created and inflated. Preprocessing steps on functional images included slice

acquisition time correction, motion correction, linear trend removal and high pass filter

(temporal). The resulting functional images were coregistered with the anatomical images per

participant. Functional data were spatially transformed and projected on the inflated 3D

average mesh for further analyses. These analyses included whole brain random-effects

surface-based group analyses using the general linear model (GLM), and region of interest (ROI)

analyses.

For the whole brain analyses, we performed several separate GLM analyses (material vs.

scrambled, material vs. SfM, SfM vs. scrambled). Active voxels were identified at $p < 0.05$ level

(using BrainVoyager's cluster correction for multiple comparisons). For the ROI analyses, we

used half the data (odd runs) to define ROIs, and half the data (even runs) to extract volume

time courses for each participant. ROIs were identified using fixed-effects surface-based group

GLM analyses (material vs. scrambled, material vs. SfM; active voxels were identified at p < 0.05

level). For each participant and ROI, average percent signal change (from fixation baseline,

using BOLD signal and middle 5 TRs from each block) was calculated for each condition

(material, SfM, scrambled), and these data were subjected to a 3 (condition: material, SfM,

scrambled) X 2 (hemisphere: RH, LH) repeated-measures ANOVA. Significant ANOVA results

were followed up with paired t-tests using Sidak-corrected p-values for multiple comparisons

(single pooled variance).

2.8. Data/code availability statement

The stimuli used in this study come from the "Dynamic dot materials database". We provide

access to this database, which contains each stimulus in the form of movies, individual movie

frames, and the coordinates of each point for each frame. These can be accessed through the

following link:

https://www.dropbox.com/sh/nakqpn022lpaptn/AACQkbsgFuVvUIZlRXnoWXrya?dl=0).

3. Results

3.1 Whole Brain GLM Results

Figure 2 shows the results of the whole-brain GLM analyses. The activation map in Figure 2A

shows that, overall, there are many cortical areas that have a larger BOLD response to dynamic

dot materials than to scrambled motion stimuli. This widespread network of brain areas (hot

colours in Figure 2A) includes dorsal and ventral visual regions in addition to multisensory,

somatosensory, and premotor areas. Only early visual areas responded more strongly to the

scrambled motion (cool colours in Figure 2A). This is in line with our motion energy

measurements of the stimuli (Supplementary Figures 1 and 2) and suggests that higher

activation for material versus control motion in other regions is not due to low-level differences

in motion energy between the conditions.

A black outline of the activation map in Figure 2A is superimposed over the activation maps in

Figure 2C and D. Figure 2C shows that cortical areas with a material "preference" (black

outlines) appear to constitute a superset of those that respond to 3D rigid motion (SfM). The

overlap in activation for these two contrasts (material vs. scrambled and SfM vs. scrambled) is

perhaps not surprising because 3D rigid motion could simply be a special type of material

motion and thus activity to this type of stimuli should be contained within the general material

motion network. The fact that rigid motion is a subclass of all possible material motions might

also explain why cortical responses to dynamic dot materials are almost always stronger than

those to 3D rigid motion (Figure 2D): seeing just one type of material motion is likely to cause a

relatively weaker cortical response than the rich set of motions that occur in the dynamic dot

condition.

Broadly, the stronger response for material motion versus scrambled and 3D rigid motion (SfM)

overlap with the results of our ROI analysis (next section). This "material motion network"

encompasses ventral visual regions (light green regions labelled 3 in Figure 2B); occipito-

temporal and -parietal regions (yellow regions labelled 4), dorsal visual and

somatosensory/multisensory regions (though not primary somatosensory cortex; orange

regions labelled 5); pre-motor regions (light purple regions labelled 6); and superior temporal

regions (blue region labelled 7).

The average accuracy in the fixation task was 83% across observers, suggesting that participants

followed our instructions and fixated at the center of the screen during presentation of the

stimuli.

Figure 2. GLM group analyses. For all analyses, active voxels were identified at p < 0.05 level

(cluster corrected; see section 2.7: MR Data Analyses). *A. Results of the GLM contrasting*

average BOLD responses to dynamic dot materials with those to scrambled motion stimuli. Only

early visual areas respond more weakly to material motion (cool colours). A large network of

areas is more strongly active under the material motion condition (hot colours). The results of

this contrast (material vs. scrambled) are overlaid as a black outline in (C) and (D). **B.** *ROIs*

identified for subsequent analyses (see section 3.2: ROI Results). The ROIs largely overlap with

activation maps in (A), (C), and (D). Broadly the "material motion network" encompasses ventral

visual regions (3. Light green); occipito-temporal and -parietal regions (4. Yellow); dorsal visual

and somatosensory/multisensory regions (5. Orange); pre-motor regions (6. Light purple); and

superior temporal regions (7. Blue). **C.** *Results of a GLM analysis that contrasts average BOLD*

responses to 3D rigid motion (SfM) with those to scrambled stimuli. The resulting activity maps

suggest that cortical areas that respond strongly to material motion (black outline) are a

superset of those that respond to 3D rigid motion (hot-coloured activation maps). **D.** *The results*

of the same dynamic dot materials vs. scrambled motion contrast (black outline) together with a

GLM contrast of dynamic dot materials versus 3D rigid motion (SfM; hot-coloured activation

maps). Here, we see that responses to dynamic dot materials were almost always stronger than

those to 3D rigid motion (SfM) stimuli. See section 3.1: Whole Brain GLM Results for further

details. Overall, lower visual areas tended to respond stronger to the scrambled motion stimuli.

This is consistent with the literature (e.g. Murray et al. 2002).

3.2 ROI Results

To evaluate the reliability of the results found with the whole-brain analyses, we also

conducted a region of interest (ROI) analysis. Six ROIs (EVC, cingulate, ventral, occipital,

somatosensory, and premotor) were defined with the contrast material vs. scrambled, and one

ROI (superior temporal sulcus; STS) was defined with the contrast material vs. SfM (active

voxels were identified at $p < 0.05$ level). Data used to define ROIs (shown in Figure 2B) were

separate to the data extracted from the ROIs for analysis (see section 2.7: MR Data Analyses).

Figure 3 plots the mean percent signal change from baseline (fixation blocks) for each ROI,

condition, and hemisphere. A 3 (condition: material, SfM, scrambled) X 2 (hemisphere: RH, LH)

repeated-measures ANOVA revealed a main effect of hemisphere for only for the premotor

357 ROI, $F_{(1, 9)} = 5.317$, p=0.0466, where on average percent signal change was larger for the left

358 versus the right hemisphere. There was a main effect of condition for six of the ROIs: cingulate,

359 $F_{(2, 18)} = 6.914$, p=0.0059; ventral, $F_{(2, 18)} = 19.03$, p<0.0001; occipital, $F_{(2, 18)} = 59.44$,

360 p<0.0001; somatosensory, $F_{(2, 18)} = 11.43$, p=0.0006; premotor, $F_{(2, 18)} = 6.886$, p=0.0060;

361 and STS[1], $F_{(2, 18)} = 8.467$, p=0.0026 (starred ROIs in Figure 3). There was a significant

362 interaction between condition and hemisphere for two ROIs: occipital, $F_{(2, 18)} = 6.035$,

363 p=0.0099, and somatosensory $F_{(2, 18)} = 5.530$, p=0.0134 (double starred ROIs in Figure 3).

365 For these two ROIs (occipital and somatosensory), follow-up tests showed significant

366 differences between all conditions (p < 0.0001 for all tests, Sidak-adjusted p-values). That is, for

367 both hemispheres, there was a greater BOLD response to material motion versus both control

368 motions (SfM and scrambled), and a greater response for SfM versus scrambled motion (see

369 Figure 3, occipital and somatosensory ROIs).

371 For the other ROIs where there was a main effect of condition (cingulate, ventral, premotor,

372 and STS; single starred ROIs in Figure 3), follow-up tests revealed a larger response for material

373 motion versus scrambled motion (p < 0.01 for all tests, Sidak-adjusted). Ventral and STS ROIs

374 additionally showed a larger response for material motion versus SfM (p < 0.01 for all tests,

375 Sidak-adjusted). However, the cingulate and premotor ROIs did not show a difference between

376 these two conditions (p>0.05, Sidak-adjusted). The cingulate ROI, however, did show a greater

377 response to SfM versus scrambled motion, suggesting that this region does not prefer material

378 motion per se, but rather coherent motion structure.

380 For EVC there were no significant main effects of condition, $F_{(2, 18)} = 1.090$, p=0.3574, or

381 hemisphere, $F_{(1, 9)} = 0.3470$, p=0.5703, nor a significant interaction between condition and

382 hemisphere, $F_{(2, 18)} = 1.110$, p=0.3511.

---

[1] Since the STS ROI was only present in the right hemisphere, a one-way ANOVA was performed.

More details about the follow-up tests and to see effect sizes for each contrast (in the form of

confidence intervals), see Supplementary Figure 3. We also show that the effects reported here

are extremely consistent across participants, as shown in Supplementary Figures 4 and 5.

Figure 3. ROI analysis. *Each graph shows percent signal change for each hemisphere (left*

hemisphere, LH; right hemisphere; RH), and each condition (Mat = material motion, SfM = shape

from motion control; Scram = scrambled motion control). Starred ROI labels indicate a

significant main effect of condition. Double starred labels indicate a significant interaction

between condition and hemisphere. Starred contrasts indicate a significant difference between

those conditions from a follow-up test (p < 0.05 level, Sidak-adjusted). See section 3.2: ROI

Results for details. Error bars are one standard error of the mean and show variability between

observers (see also Supplementary Figure 3 for confidence intervals associated with each

contrast, and Supplementary Figures 4 and 5 for plots of each subject's data separately).

4. DISCUSSION

Using these novel stimuli in an fMRI experiment we found robust and widespread increased

activation across the human brain in response to *dynamic dot materials* when compared to

activation in response to other types of motion stimuli (Figures 2 and 3). Regions preferring

dynamic dot materials included several areas in occipito-temporal and, -parietal cortices,

secondary somatosensory cortex, and premotor regions. Ventral visual areas (labelled 3 in

Figure 2b; light green) have previously been implicated in the processing of surfaces and

textures in static scenes (Cant & Goodale, 2007; Cavina-Pratesi et al., 2010a, 2010b; Hiramatsu

et al., 2011). Occipito-temporal and -parietal areas (labelled 4; yellow) include motion-, object-,

face-, and place-selective areas (Grill-Spector & Mallach, 2004). Posterior parietal areas are

sensitive to aspects of 3D shape, structure-from-motion, optic flow, multisensory information,

and visuomotor control (Culham, et al., 2006; Erlikhman et al., 2018; Uesaki & Ashida, 2015).

Recently it has been found that activity patterns in secondary somatosensory cortex (labelled 5;

orange) could reliably discriminate visual properties, such as surface gloss and roughness (Sun

et al., 2016b). Greater responses to biological versus scrambled point-light stimuli have been

found in superior temporal areas (labelled 7; blue) and premotor areas (labelled 6; light purple)

(Saygin et al., 2004). Note that the higher responses for material versus the two control

motions does *not* include primary somatosensory nor primary motor cortices, but does

encompass secondary somatosensory, multisensory, and premotor areas, in addition to nearly

all extrastriate regions that are responsive to visual stimuli.

4.1 Relation to previous work

Dynamic dot materials are a novel class of stimuli that convey the non-optical properties of

material qualities purely on the basis of 2D image motion patterns. Here, we introduced a

database of various types of non-rigid materials, though other materials (e.g. rigid, breakable

substances) can also be rendered convincingly by the means of this technique (e.g. see Schmid

& Doerschner, 2018). In their creation, these stimuli are conceptually closely related to "point

light walkers" (Johannson, 1973), where the motion of small light sources affixed to different

parts of limbs of biological species can elicit a very vivid impression of animacy. Similarly, we

"attached" small dots to an otherwise invisible substance and recorded the motion of these

dots while the material reacted to a force. How individual materials change their shape in

response to a force strongly depends on their mechanical properties, and it is this idiosyncratic

change of shape information that appears to convey mechanical qualities of a material. It would

be very interesting to pin-point exactly the motion characteristics that elicit a particular

material quality (Schmid & Doerschner, 2018; also see Bi et al. 2019), just as it has been done in

the field of biological motion where researchers have tried to understand what it is that makes

point light walkers look "biological" (Troje, 2013). In fact, all biological motion is also non-rigid

motion, so our stimuli could be suitable for teasing apart the contributions of these two factors

to neural activity observed while watching biological motion stimuli. Our stimuli could help to

discover the perceptual boundary between non-rigid animate and inanimate objects, and to

investigate corresponding neural maps and mechanisms (Long, Yu, Konkle, 2018; Grill-Spector

& Weiner, 2014). Dynamic dot materials could also be used to investigate whether areas

previously associated with materials (e.g. CoS, e.g. Cant & Goodale 2007; Cant & Xu, 2012,

2015, 2016; Gallivan et al. 2014; Eck et al., 2016; Kitada et al. 2014) are indeed specialized for

processing visual (optical) properties or whether they represent material properties more

generally. Our results so far suggest the latter, but further investigation, for example using a

multivariate design and analysis approach, would allow one to better test this (Schmid &

Doerschner, 2019). The fact that the location, direction and speed of individual dots in our

stimuli can be manipulated, renders investigations of research questions like these more

feasible.

Given the properties of our stimuli, a widespread cortical preference is perhaps expected: our

stimuli are objects (LOC, e.g. Grill-Spector & Malach, 2004), they are non-rigidly moving

structures (e.g. hMT+, MST, PPC, e.g. see review by Erlikhman, et al., 2018; STS, e.g. Saygin et

al., 2004), they elicit a distinct tactile experience (e.g. Schmid & Doerschner, 2018; Bi et al.,

2019), and such tactile experiences of material qualities are often associated with certain

optical material qualities (CoS, e.g. Arnott et al., 2008; Podrebarac et al., 2014; Sun et al.,

2016b; and see Komatsu & Goda, 2018 for a review). The widespread activation in response to

quite sparse stimuli also suggests that material perception must be an inherently distributed

process (see Schmid & Doerschner 2019). Consistent with this idea, there is a growing body of

literature suggesting that object category representations are grounded in distributed networks

(e.g. Kravitz et al., 2011; 2013; Martin, 2016).

Discovering a network of preferentially more active areas during dynamic dot material viewing

does not mean that all of these areas must be involved in the recognition and differentiation of

materials: to find such finer-tuned responses would require further studies, and our stimuli

provide a convenient way to investigate this, as discussed next.

4.2. Advantages of studying cortical responses to visually presented materials

Materials are inherently multidimensional in that they have multiple stimulus properties in

multiple perceptual dimensions, and they are inherently multimodal in that their properties can

be inferred through multiple modalities. For example, a velvet cloth looks soft (optical

properties), moves (visual mechanical motion) and folds (visual 3D shape) in a way that

suggests that it is soft, but it also feels soft to the touch (tactile). This multidimensionality and

multimodality makes materials the ideal candidate to develop experimental designs that can

help to understand computational architecture of the cortical representations involved in

recognition. As an example, if a cortical region represents material/object category A based on

visual property X but not the same category based on the visual property Y then this suggests

that this region encodes the visual property X but not the category. Conversely, if this cortical

region has a shared representational structure, i.e. category A is encoded through both visual

properties X and Y, then it likely encodes the concept. Thus, investigating neural responses to

stimuli, like the dynamic dot materials proposed here, we may be able to tease apart the direct

encoding of visual properties from the indirect activation of associated properties (Schmid &

Doerschner, 2019). Note that we are referring to a generic kind of association between

properties; we did not find a preference for material motion in cortical regions involved in

memory or contextual associations, such as the angular gyrus, medial parietal cortex, or
anterior parahippocampal cortex (Kravitz et al., 2013; Bar et al., 2008).
486
5. Conclusion
Dynamic dot materials are a novel class of stimuli that convey non-optical properties of
material qualities purely on the basis of 2D image motion patterns. Our results act as a proof of
principle that such stimuli can be used for mapping the cortical network involved in the
perception of material qualities. From a broader perspective, owing to their inherently
multidimensional and multimodal nature, materials are a unique type of stimulus that can help
neuroimaging research to advance our understanding of the computational architecture of the
cortical representations involved in recognition.
495
496   **6. Acknowledgements**

497   This work was supported by a Sofja Kovalevskaja Award endowed by the German Federal
498   Ministry of Education; a Marie Sklodowska-Curie Action – Innovative Training Network (MSCA-
499   ITN/ETN) Grant, DyViTo: Dynamics in Vision and Touch – the look and feel of stuff. We thank
500   Chris Baker for helpful comments on earlier versions of this manuscript.

7. References

Arnott SR, Cant JS, Dutton GN, Goodale MA (2008) Crinkling and crumpling: an auditory fMRI study of material properties. *NeuroImage* 43:368-378.

Bar M, Aminoff E, Schacter, D (2008) Scenes unseen: The parahippocampal cortex intrinsically subserves contextual associations, not scenes of places per se. The Journal of Neuroscience 28(34): 8539-8544. DOI:10.1523/JNEUROSCI.0987-08.2008

Baumgartner E, Wiebel CB, Gegenfurtner KR (2013) Visual and Haptic Representations of Material Properties. *Multisensory Research* 26: 429–55. https://doi.org/10.1163/22134808-00002429.

Bi, W, Jin, P, Nienborg, H, Xiao, B (2020) Manipulating patterns of dynamic deformation elicits the impression of cloth with varying stiffness. *Journal of Vision, 19*(5):18: 1-18. https://doi.org/10.1167/19.5.18

Cant JS, and Goodale MA (2007) Attention to Form or Surface Properties Modulates Different Regions of Human Occipitotemporal Cortex. *Cerebral Cortex* 17, no. 3: 713–31. https://doi.org/10.1093/cercor/bhk022.

Cant JS, Xu Y (2012) Object ensemble processing in human anterior- medial ventral visual cortex. *Journal of Neuroscience* 32:7685–7700.

Cant JS, Xu Y (2015) The impact of density and ratio on object- ensemble representation in human anterior-medial ventral visual cortex. *Cerebral Cortex* 25:4226–4239.

Cant JS, Xu Y (2016) The contribution of object shape and surface properties to object ensemble representation in anterior-medial ventral visual cortex. *Journal of Cognitive Neuroscience* 29:398–412.

Cavina-Pratesi, C Kentridge, RW, Heywood, CA, Milner, AD (2010a) Separate processing of

texture and form in the ventral stream: evidence from fMRI and visual agnosia.

Cerebral Cortex, 20: 433-446. doi:10.1093/cercor/bhp111

Cavina-Pratesi, C, Kentridge, RW, Heywood, CA, Milner, AD (2010b) Separate channels for

processing form, texture, and colour: evidence from fMRI adaptation and visual

object agnosia. *Cerebral Cortex, 20:* 2319-2332. Doi:10.1093/cercor/bhp298

Culham, JC, Cavina-Pratesi, C, Singhal, A (2006) The role of parietal cortex in visuomotor

control: What have we learned from neuroimaging? Neuropsychologia 44, 2688-2684.

doi:10.1016/j.neuropsychologia.2005.11.003

Doerschner K, Fleming RW, Yilmaz O, Schrater PR, Hartung B, Kersten DJ (2011) Visual

Motion and the Perception of Surface Material." *Current Biology* 21, no. 23: 2010–16.

https://doi.org/10.1016/j.cub.2011.10.036

Eck J, Kaas AL, Mulders JL, Hausfeld L, Kourtzi Z, and Goebel R (2016) The Effect of Task

Instruction on Haptic Texture Processing: The Neural Underpinning of Roughness and

Spatial Density Perception. *Cerebral Cortex* 26, no. 1: 384–401.

https://doi.org/10.1093/cercor/bhu294

Erlikhman G, Gurariy G, Mruczek REB, Caplovitz GP (2016) The Neural Representation of

Objects Formed through the Spatiotemporal Integration of Visual Transients.

NeuroImage 142 (2016): 67–78. https://doi.org/10.1016/j.neuroimage.2016.03.044

Fleming RW, Wiebel CB, Gegenfurtner KR (2013) Perceptual Qualities and Material Classes.

Journal of Vision 13, no. 8: 1–20. https://doi.org/10.1167/13.8.9

Fleming RW (2014) Visual Perception of Materials and Their Properties. *Vision Research*

94: 62–75. https://doi.org/10.1016/j.visres.2013.11.004

Fleming RW (2017) Material Perception. *Annual Review of Vision Science, 3:* 365-388.

https://doi.org/10.1146/annurev-vision-102016- 061429

Gallivan JP, Cant JS, Goodale MA, Flanagan JR (2014) Representation of Object Weight in
Human Ventral Visual Cortex. *Current Biology* 24, no. 16: 1866–73.
https://doi.org/10.1016/j.cub.2014.06.046.

Giesel M, Zaidi Q (2013) Frequency-Based Heuristics for Material Perception." *Journal of*
Vision 13, no. 14: 7–7. https://doi.org/10.1167/13.14.7.

Grill-Spector K, Weiner KS (2014) The Functional Architecture of the Ventral Temporal
Cortex and Its Role in Categorization. *Nature Reviews Neuroscience* 15, no. 8: 536–48.
https://doi.org/10.1038/nrn3747.

Grill-Spector K, Malach R (2004) The human visual cortex. *Annual Review of Neuroscience*
27: 649–77. https://doi.org/10.1146/annurev.neuro.27.070203.144220.

Ho YX, Landy MS, Maloney LT (2006) How Direction of Illumination Affects Visually
Perceived Surface Roughness. *Journal of Vision* 6, no. 5: 8.
https://doi.org/10.1167/6.5.8.

Hiramatsu, C, Goda, N, Komatsu, H (2011) Transformation from image-based to perceptual
representation of materials along the human ventral visual pathway. *NeuroImage, 57:*
482-494. Doi:10.1016/j.neuroimage.2011.04.056

Johansson G (1973) Visual perception of biological motion and a model for its analysis.
Perception & Psychophysics 14, 201–211. https://doi.org/10.3758/BF03212378

Kam TE, Mannion DJ, Lee SW, Doerschner K, Kersten DJ (2015) Human Visual Cortical
Responses to Specular and Matte Motion Flows. *Frontiers in Human Neuroscience* 9:
579. https://doi.org/10.3389/fnhum.2015.00579.

Kitada R, Sasaki AT, Okamoto Y, Kochiyama T, Sadato N (2014) Role of the precuneus in the
detection of incongruency between tactile and visual texture information: a
functional MRI study. *Neuropsychologia* 64:252-262.

Komatsu H, Goda N (2018) Neural Mechanisms of Material Perception: Quest on
Shitsukan. *Neuroscience*. https://doi.org/10.1016/J.NEUROSCIENCE.2018.09.001

Kourtzi, Z, Krekelberg, B, van Wezel, JA (2008) Linking form and motion in the primate
brain. *Trends in Cognitive Sciences, 12*(6): 230-236.

Kravitz, DJ, Saleem, KS, Baker, CI, Mishkin, M (2011) A new neural framework for
visuospatuial processing. *Nature Reviews Neuroscience, 12:* 217-230.
doi:10.1038/nrn3008

Kravitz, DJ, Saleem, KS, Baker, CI, Ungerleider, LG, Mishkin, M (2013). *Trends in Cognitive*
Sciences, 17(1): 26-49. http://dx.doi.org/10.1016/j.tics.2012.10.011

Long B, Yu CP, Konkle T (2018) Mid-Level Visual Features Underlie the High-Level
Categorical Organization of the Ventral Stream. *Proceedings of the National Academy*
of Sciences 115, no. 38: E9015–24. https://doi.org/10.1073/pnas.1719616115.

Martin, A. (2016) GRAPES—Grounding Representations in Action, Perception, and Emotion
Systems: How Object Properties and Categories Are Represented in the Human
Brain." *Psychonomic Bulletin and Review* 23, no. 4: 979–90.
https://doi.org/10.3758/s13423-015-0842-3.

Murray SO, Kersten D, Olshausen BA, Schrater P, Woods DL (2002) Shape perception
reduces activity in human primary visual cortex. *PNAS*, 99, 15164-15169.

Nishida, S, Kawabe, T, Sawayama, M, Fukiage, T (2018). Motion perception: from detection
to interpretation. *Annual Review of Vision Science, 4(20):* 1-23.
https://doi.org/10.1146/annurev-vision-091517-

Okazawa G, Goda N, Komatsu H (2012) Selective Responses to Specular Surfaces in the
Macaque Visual Cortex Revealed by FMRI." *NeuroImage* 63, no. 3 (2012): 1321–33.
https://doi.org/10.1016/j.neuroimage.2012.07.052.

Orban GA, Sunaert S, Todd JT, Van Hecke P, Marchal G (1999) Human cortical regions
involved in extracting depth from motion. *Neuron*. Dec;24(4):929-940. DOI:
10.1016/s0896-6273(00)81040-5

Paulun VC, Schmidt F, van Assen JJR, Fleming RW (2017) Shape, Motion, and Optical Cues
to Stiffness of Elastic Objects. *Journal of Vision* 17, no. 1: 20.
https://doi.org/10.1167/17.1.20

Peuskens H, Claeys KG, Todd JT, Norman JF, Van HP, Orban GA (2004) Attention to 3-D
Shape, 3-D Motion, and Texture in 3-D Structure from Motion Displays. *J.Cogn*
Neurosci. 16, no. 4: 665–82. https://doi.org/10.1162/089892904323057371

Podrebarac SK, Goodale MA, Snow JC (2014) Are visual texture- selective areas recruited
during haptic texture discrimination? *NeuroImage* 94: 129-137.

Saygin, AP, Wilson, SM, Hagler, DJJ, Bates, E, Sereno, MI (2004). Point-light biological
motion perception activates human premotor cortex. The Journal of Neuroscience,
24(27): 6181-6188. DOI:10.1523/JNEUROSCI.0504-04.2004

Schmid AC, Doerschner K (2018) Shatter and Splatter: The Contribution of Mechanical and
Optical Properties to the Perception of Soft and Hard Breaking Materials. *Journal of*
Vision 18, no. 1: 14. https://doi.org/10.1167/18.1.14

Schmid AC, Doerschner K (2019) Representing stuff in the human brain. *Current Opinion in*
Behavioral Sciences, 30, 178–185. https://doi.org/10.1016/j.cobeha.2019.10.007

Schmidt F, Paulun VC, van Assen JJR, Fleming RW (2017) Inferring the stiffness of
unfamiliar objects from optical, shape, and motion cues. *Journal of Vision*, 17(3):18.
doi: 10.1167/17.3.18

Servos P, Osu R, Santi A, Kawato M (2002) The Neural Substrates of Biological Motion
Perception: an fMRI Study, *Cerebral Cortex*, Volume 12, Issue 7, Pages 772–782,
https://doi.org/10.1093/cercor/12.7.772

Sun HC, Di Luca M, Ban H, Muryy A, Fleming RW, Welchman AE (2016a) Differential

Processing of Binocular and Monocular Gloss Cues in Human Visual Cortex. *Journal of*

Neurophysiology, http://jn.physiology.org/content/jn/115/6/2779.full.pdf

Sun, HC, Welchman, AE, Chang, DHF, Di Luca, M. (2016b). Look but don't touch: visual cues

to surface structure drive somatosensory cortex. *Neuroimage, 128:* 353-361.

http://dx.doi.org/10.1016/j.neuroimage.2015.12.054

Troje N (2013) What Is Biological Motion? Definition, Stimuli, and Paradigms. In:

Rutherford, M. D. and Kuhlmeier, V. A. (eds.) Social Perception: Detection and

Interpretation of Animacy, Agency, and Intention. MIT Press. 13 - 36.

10.7551/mitpress/9780262019279.003.0002.

Uesaki, M, Ashida, H (2015) Optic-flow selective cortical sensory regions associated with

self-reported states of vection. *Frontiers in Psychology. 6*(775), 1-9. doi:

10.3389/fpsyg.2015.00775

van Assen J JR, Fleming R W (2016) Influence of optical material properties on the

perception of liquids. *Journal of Vision*, *16*(15), 12. https://doi.org/10.1167/16.15.12

Xiao B, Bi W, Jia X, Wei H, Adelson EH (2016) Can You See What You Feel? Color and

Folding Properties Affect Visual–Tactile Material Discrimination of Fabrics. *Journal of*

Vision 16, no. 3 (February 23, 2016): 34. https://doi.org/10.1167/16.3.34