Application of metallo-supramolecular branched polymer improves particle distribution and orientation in single-particle cryo-EM

Yixin Xu[1], Lang Wang[2], Yuqi Qin[1], Yingyi Zhang[3], Yufeng Wang[2,*], Shangyu Dang[1,4,5,*]

[1]Division of Life Science, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

[2]Department of Chemistry, The University of Hong Kong, Hong Kong, China

[3]Biological Cryo-EM Center, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

[4]Hong Kong Branch of Southern Marine Science and Engineering Guangdong Laboratory (Guangzhou), The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

[5]Center of Systems Biology and Human Health, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China

*Corresponding author

Abstract

Recent technological breakthroughs in single-particle cryo-electron microscopy (cryo-EM) enabled rapid atomic structure determination of biological macromolecules. A major bottleneck in the current single particle cryo-EM pipeline is to prepare good quality frozen cryo-EM grids, which often is a trial-and-error process. Among many issues, preferred particle orientation and sample damaging by air-water interface (AWI) are common problem in practice. Here we reported a method of applying metallo-supramolecular branched polymer (MSBP) in the cryo-sample preparation for high-resolution single-particle cryo-EM. Our data shows that applying MSBP keeps majority of particles away from air-water interface and mitigates preferred orientation, as demonstrated by analysis of both apoferritin and hemagglutinin (HA) trimer. Together, the use of MSBP is a simple method and could be applied to improve particle distribution for high-resolution structure determination using single-particle cryo-EM.

Introduction

Visualization of biological macromolecules at atomic resolution provides valuable information for unravelling the fundamental mechanisms of many biological processes and also for driving the development of drugs for diseases caused by dysfunctional biological macromolecules. Recent technical breakthroughs in single-particle cryo-EM have powered a "resolution revolution" in structural biology by circumventing the major challenges faced when using traditional X-ray crystallography method[1–4]. Despite the advances, there are still some recurring problems limiting the application of cryo-EM. Among these challenges, preparations of cryo-specimen that are suitable for high-resolution 3D reconstruction using single-particle cryo-EM is still a bottleneck in many cases because vitrification of specimen is a delicate process[5]. For some

proteins, this is the most difficult obstacle to overcome, as a large proportion of protein particles tend to be absorbed to the air-water interface (AWI) in grids, which causes particle disruptions and introduce preferred orientations, making high-resolution structural determinations difficult.

Air-water interface is the main factor causing serious problems in sample preparation because the process for particles hitting the AWI is much faster than the vitrification process of specimen by plunge freezing[6]. As a result, the particles adsorbed and trapped in the AWI may partially unfold and cause structural deformation or even denaturation[7]. Another common situation is that the particles on the AWI exhibit strong orientation preference[8]. Insufficient native conformation protein particles in random orientations make reconstructing a reliable three-dimensional structure at high resolution difficult if not impossible[9].

Several methods have been developed to improve particle behavior in vitreous ice. In some cases, adding detergent, like CHPASO, can eliminate particle adsorption to AWI[10]. Coating of cryo-EM grids with a thin layer of graphene materials as supporting film also improves sample quality in vitreous ice[11–13]. Furthermore, effect of AWI can be reduced by using a new rapid plunge-freezing robots, Spotiton, by decreasing the plunge freezing time compared with conventional vitrification devices[14,15]. In addition, collecting tilted images can also address the insignificant preferred orientation problem[16]. However, requirement of special devices or complicated techniques limit the wide application of these methods. Here, we aim to address these problems of AWI by introducing a novel and simple approach from a new perspective.

Metallo-supramolecular polymers are an emerging type of material that combines the advantages of traditional polymers with coordination chemistry. They can be synthesized by simply mixing polymeric ligands with metal ions to realize tailored structures and properties (charges, magnetic and mechanical

properties, etc.)[17-19]. In this work, we built metallo-supramolecular branched

polymers (MSBP) as the additive to assist in the single-particle cryo-EM.

Polyethylene glycol (PEG) is employed, which has been extensively used in a

variety field, including nanotechnology, nanomedicine and electron microscopy

due to their biocompatibility and chemical stability at the relevant milieu[20,21].

The MSBP is formed by functionalizing the chain ends of the PEG with

bispyridyl ligands and introducing palladium ions (Pd^{2+}) at room temperature

(Fig.1a). The system was previously shown to form hyper-branched polymers[22],

which may potentially surround and trap the proteins in central of the solution

thus protect them from hitting the AWI.

Here we report on the introduction of MSBP in the sample preparation process,

which significantly reduces the AWI effect. First, we confirmed that apoferritin

prepared using MSBP can achieve a 2.16 Å high resolution by single-particle

cryo-EM method. Second, we showed using cryo-ET technique that apoferritin

particles with MSBP are uniformly distributed in the central layer of the vitreous

ice, avoiding assembling at the AWI observed for apoferritin without MSBP. In

addition, we showed that application of MSBP enabled structure determination

of hemagglutinin (HA) trimer at 3.19 Å by minimizing preferred orientation

problem of HA trimer as previously reported[15]. All these results suggest that

applying MSBP is a straightforward and promising method that can improve

particle distribution and orientation of cryo-specimen in vitreous ice for single-

particle cryo-EM study.

Results

MSBP does not affect the final resolution of apoferritin

To ensure the practicality and biocompatibility of our approach for high-

resolution structural determination using single-particle cryo-EM, we prepared

cryo-specimen of apoferritin following the standard protocol except adding

MSBP for the data collection and 3D reconstruction. Briefly, apoferritin was mixed with bispyridyl PEG (MW: 5,000 in this study) and palladium nitrate; the mixture was then immediately applied to cryo-grids and incubated for several minutes to allow formation of metallo-supramolecular structure before blotting and plunge freezing (Fig.1b). The concentration of MSBP has been optimized to ensure proper ice thickness and reduce background noise caused by the metallo-supramolecular structure. Although the concentration of the polymer (2 mg/ml) used to form a branched architecture is well below the gel point (about 30 mg/ml), changes of the solution physical properties, especially the viscosity, are obvious (Supplementary video 1). The raw image of apoferritin prepared with MSBP (Fig.1c) shows homogenous and monodisperse apoferritin particles without obvious background noise that may be contributed by the polymer. In addition, the overall ice quality in grids prepared using MSBP is even better than that in grids without application of MSBP (data not shown), indicating that the metallo-supramolecular structures may influence the AWI to improve reproducibility of cryo-grids by generating better vitreous ice. The good particles of apoferritin, sorted out by 2D and 3D classification, were used to generate 3D reconstructions. The final resolution, calculated using gold-standard Fourier shell correlation (FSC), reaches 2.16 Å, very close to Nyquist limit of acquired micrographs (Fig.1d, Supplementary Fig.1). Local resolutions show high qualities that enable the fitting of individual residues from the published structure (PDB:7KOD) to the density map unambiguously (Fig.1e). This result showed that application of MSBP in sample preparation of single-particle cryo-EM can achieve near-atomic resolution of proteins.

To evaluate the possible resolution reduction because of background noise introduced by MSBP, we also collected apoferritin only dataset under the similar setting and performed a systemically comparison with dataset of apoferritin with MSBP applied. The overall resolution of density map for apoferritin with MSBP is lightly (but not significantly) better compared to the one for apoferritin only

(Supplementary Fig. 2). We then studied the relationship between particle number and resolution. For each dataset, particles used for final 3D reconstruction were split into several 50k particle groups randomly and performed 3D refinement with one or combined groups. Consistently, apoferritin with MSBP resolves a slightly higher resolution density map using under the same number of particle (50k, 100k, 150k), further prove introduction of MSBP has almost no effect on final resolution (Supplementary Fig. 2a). Surprisingly, when we performed contrast transfer function (CTF) refinement (global and local), the improvement for apoferritin with MSBP is much larger than apoferritin only, contributed mainly by local CTF refinement (Supplementary Fig. 2b). Although further evaluation needs to be done, MSBP may benefit the final map quality by providing a better ice quality with more evenly distributed ice thickness. One possible explanation is that MSBP pushed most of the particles into the central layer of the vitreous ice, while the majority particles of apoferritin only are attracted into a limited area close to AWI (Fig. 2, Supplementary Fig. 3a, b). So the defocus of these particles from apoferritin with MSBP will be further optimized, consistent with the large defocus changes for these particles (Supplementary Fig. 2c), thus contribute to the significant resolution improvement. Together, our systematical assessment demonstrated application of MSBP will not affect high-resolution structural determination in single-particle cryo-EM.

MSBP improves particle distribution of apoferritin

To further investigate if MSBP can improve particle distribution in vitreous ice by preventing attraction of particles into the AWI during plunge freezing, we applied cryo-ET approach to locate individual particles in vitreous ice[15]. We collected cryo-ET dataset for apoferritin with or without MSBP for comparison (Supplementary Videos 2, 3) and picked individual particles automatically by template-matching from reconstructed tomograms. For apoferritin without

MSBP, an abundance of apoferritin particles were trapped in the AWI, and only

a small number of particles were found staying in the middle section of the

tomogram (Fig.2a, b, Supplementary Fig.3a). In contrast, for apoferritin treated

with MSBP, particles were distributed uniformly throughout the vitreous ice layer

with few particles appearing at the AWI (Fig.2c, d, Supplementary Fig. 3b).

These distinct particle distributions are more obvious when compared in side

(Y-Z) views of the tomograms (Supplementary Fig.4a, b). Also, the obvious air-

water interfaces, indicated by the big ice contaminations, shown a thinner ice

layer for sample treated with MSBP. We also collected and analyzed cryo-ET

datasets of apoferritin treated with PEG or palladium nitrate only, both showing

similar particle distribution as the dataset of apoferritin only (Supplementary

Fig.3d, e, Supplementary Fig.4d, e). All these results showed that application

of MSBP improves particle distribution in an even thinner vitreous ice by

keeping particles away from AWI.

MSBP alleviates preferential orientations

We investigated whether particle orientations in vitreous ice are also changed

by keeping away from AWI. To test this hypothesis, we collected and analyzed

single-particle cryo-EM datasets for hemagglutinin trimer treated with or without

MSBP. Consistent to previous studies[15,23], the cryo-EM density map

reconstructed using HA trimer only dataset showed distorted feature, indicating

severe preferred orientation problem of the data. In contrast, application of

MSBP to HA trimer generated a high-resolution map at 3.19 Å that can fit the

structure (PDB: 6WXB) very well (Fig.3a, Supplementary Fig.5a, b). To evaluate

the map quality, we performed directional FSC (dFSC) analysis for both maps

of HA trimer reconstructed from dataset with and without MSBP. For HA trimer

only, dFSC showed a wider resolution distribution, suggesting some views were

missing in particles used for final reconstruction. For HA trimer with MSBP, a

more concentrated resolution distribution of dFSC curves indicated particles

used for final reconstruction were almost equally distributed in different angular
directions. This result further confirmed that preferred orientation problem of HA
particles in vitreous ice is minimized by introducing MBSP in cryo-sample
preparation.

2D classifications were also performed to analyze angular distribution of HA
particles in vitreous ice. 2D averages of HA trimer particles showed three
distinct orientations: top view, side view, and tilted view (Supplementary Fig.5c,
d). We then calculated the number of particles grouped into each of these three
categories for the two respective datasets (Fig.3c). The dataset of HA trimer
without MSBP exhibited an obvious preferred orientation problem, with more
than 50% of particles oriented in top views while only about 13% particles
showing typical side views, consistent with previous studies[15,24]. For HA trimer
treated with MSBP, the proportion of particles representing top views decreased
dramatically (from 57.4% to 23.9%), while particles from both side and tilted
views increased correspondingly. It is also worth noting that particles are almost
proportionately distributed into three different views in dataset of HA trimer
treated with MSBP. 2D averages of top or side views both contain about 30%
of total particles, while more than 40% particles are presented as tilted views,
the largest category in this dataset. Comparing the statistics of the two HA
datasets under different conditions clearly shows that the application of MSBP
can alleviate the preferred orientation problem of HA trimmer by protecting
particles from AWI such that particles can rotate and distribute more freely in
vitreous ice.

Conclusion and Discussion

In summary, we developed a simple and promising method to improve particle
behavior in vitreous ice by applying the MSBP for high-resolution single-particle
cryo-EM structure determination. We have shown that involvement of MSBP in
cryo-specimen preparation not only reduce particles trapped at AWI, but also

alleviate the preferred orientation problem by producing more randomly

distributed particles in vitreous ice. Although further investigation need to be

performed, trapping particles away from AWI by MSBP may also benefit

proteins from denature or partial denature, which is usually caused by

adsorption of particles into AWI[25]. In addition to other reported methods such

as modification of cryo-grids with graphene oxide, the simplicity of our approach

provides an alternative strategy to optimize cryo-sample preparation conditions

for challenging protein complexes that do not behave optimally on holey carbon

girds.

The PEG-based polymer have many applications in the biology field, such as

facilitating cytoskeletal organization of osteoblasts in bone tissue engineering[26]

and inhibition of cell migration[27]. MSBP in this study consists of chain-end-

modified PEG and palladium ions. PEG has been proven a biological friendly

reagent and rarely introduce artificial structures. There are also some papers

using photoaffinity palladium reagents to study protein-protein interactions[28]. All

these information indicates MSBP is biocompatible. Although the probability is

very small, more studies need to be performed to see if MSBP would cause

protein damage or change protein structures in future.

As far as we know, this is the first report of applying MSBP for sample

preparations in cryo-EM study. Interestingly, we observed that in the air-water

interfaces of cryo-grid prepared using MSBP, plenty of uniformly arranged small

polymeric particles formed a network, which seem to shield protein particles

away from the AWI (Supplementary Video 3, 4, Supplementary Fig.3b, c,

Supplementary Fig.4b, c). We did not observe similar networks in cryo-grids

without addition of MSBP (Supplementary Video 2, Supplementary Fig.3a, 4a),

suggesting the network is formed by the MSBP. We hypothesize that the

presence of the branched polymer in the solution may change the local viscosity

of the solution[29] and retards the adsorption rate of the protein into the AWI

(Supplementary Video 1). Although different to high-speed freezing[15], our

method shares the same idea to reduce spread rate of particles to AWI by

increasing solution viscosity. Alternatively, the MSBP may be recruited to the

AWI with a speed faster than protein particles and form a network that protects

particles from adsorption into AWI. The exact mechanism of how MSBP

facilitates to redistribute protein complexes is yet to be determined.

Although application of MSBP for cryo-sample preparation would introduce

some background noise in collected micrographs, the final 3D reconstruction is

affected little since these random background noises could be averaged out by

data processing. For protein with large mass, like apoferritin in this study, the

3D reconstruction actually is benefited by application of MSBP, giving a higher

reported resolution for cryo-EM density map generated using the same number

of particles (Supplementary Fig.2a, b), which further suggested attaching of

protein particles into AWI may cause instability or even damage of the protein.

For proteins with small mass like HA trimer, the resolution is affected by these

background noises, due to a lower signal-to-noise ratio (SNR) in micrographs

with application of MSBP. However, this problem could be compensated by

collecting a larger set of particles, in which way to strengthen SNR and further

improve resolution. Using a larger dataset for HA with MSBP, we finally obtained

a high quality cryo-EM density map for structural analysis (Fig.3a,

Supplementary Fig.5a, b).

In some cases, addition of detergent can also improve particle distribution in

vitreous ice[10]. Systematical study shown nonionic and zwitterionic but not ionic

detergent could separate protein particles from AWI[30]. Specially, addition of low

concentration cetyltrimethylammonium bromide (CTAB), a cationic surfactant,

to cryo-sample of HA trimer could provide more evenly distributed protein

particles in vitreous ice to facilitate high-resolution structure determination,

although most of the protein particles were still absorbed to AWI[30]. Different

from surfactant that is favored to attach in AWI and expose their hydrophobic

tail outside, MSBP is highly hydrophilic and has a more random distribution in

solution. In addition, MSBP increases viscosity of the solution, which might be

one of the reasons to provide a random distribution of protein particles inside.

Furthermore, addition of detergent to improve protein angular distribution is also

a trial-and-error process. For other proteins than HA trimer, introducing of CTAB

limited particle distribution in a narrower angular range than that without CTAB[30].

Comparison of particle distribution for HA trimer with or without MSBP further

demonstrated our method can facilitate an evenly distribution of protein

particles in vitreous ice with a different mechanism than that using surfactant

(Supplementary Fig.6).

Protecting biological macromolecules from AWI is a reasonable way to avoid

recurring problems in cryo-specimen preparation for single particle cryo-EM

studies. Previously, different methods have been developed to address AWI

problem, including tracking proteins away from AWI using graphene oxide

based substrate approach[12], changing protein surface properties by

PEGylation[31,32], and so on. In a long term, we aim to develop a universal

method that can be applied to most of the biological macromolecules, despite

difference they may have. In this study, we introduced MSBP in cryo-sample

preparation to reduce the probability of particle interacting with AWI. Although

the concentration we used is quite lower than the required concentration for gel

formation, the physical properties of the solution has changed obviously

(Supplementary Video 1). Following this idea, if we can find some reagents that

could form biological compatible branched structures or network (either

chemical or protein network) at a lower concentration, their ability of trapping

protein particles away from AWI would increase dramatically compared to

MSBP. These kinds of network are more ideal for application to sample

preparation in single particle cryo-EM to minimize AWI effects. Inside of the

network, particles are surrounded randomly, thus the potential noise introduced

by network certainly could be averaged out during data processing and would

affect little of the final map quality. We are looking for the network with above

mentioned properties, which to be applied in cryo-sample preparation process

to facilitate the structural determination using single particle cryo-EM.

Briefly, our approach described here will help cryo-sample preparation by

diminishing AWI effects and eventually contribute to resolution improvement

with a wide applicable potential, eventually benefitting the whole cryo-EM

community.

Figure Legend

Fig.1 Apoferritin, with application of metallo-supramolecular branched

polymer (MSBP) in sample preparation, can achieve a high resolution. (a)

Schematic diagram of local structure of MSBP in solution. Branched polymers

are formed in solution. **(b)** Workflow for preparation of apoferritin cryo-specimen

with MSBP. Apoferritin, mixed with 2 mg/mL modified PEG5000 and 0.24

mg/mL $Pd(NO_3)_2$, was loaded onto the holey carbon grid. **(c)** A representative

cryo-micrograph of apoferritin prepared with MSBP. Fourier transformation of

the micrograph is also shown in left bottom with Thon rings extending to 3Å. **(d)**

3D reconstruction of apoferritin prepared with MSBP at 2.16-Å resolution. **(e)**

Representative cryo-EM densities of one α helix of apoferritin. The density is

shown as grey mesh and the corresponding structural model (PDB: 7KOD) in

blue with side chains of residues depicted to demonstrate the quality of the map.

Fig.2 Particle distribution of apoferritin in vitreous ice layer analyzed by

cryo-ET. (a) Localization of particles from apoferritin without MSBP grid shown

most of particles were absorbed to the top air-water interface. Particles were

picked by template matching in Dynamo. **(b)** Particle distribution of apoferritin

without MSBP in three layers along the Z axis of the tomogram. **(c)** Localization

of particles from apoferritin with MSBP grid shown more uniform distribution.

Particles were picked by template matching in Dynamo. **(d)** Particle distribution

of apoferritin with MSBP in three layers along the Z axis of the tomogram.

Regular arranged small particles are observed in two air-water interfaces.

Fig.3 Cryo-EM analysis of hemagglutinin (HA) trimer. (a) Local resolution of

HA trimer in two different views, as estimated by cryoSPARC and shown with

pseudo-color representation of resolution. **(b)** dFSC from different Fourier

cones for HA with or without MSBP. Each curve indicates a different direction.

(c) Statistics of HA trimer particles in three different views. Obviously, top views

are the preferred orientation of HA trimer without MSBP. The proportions of the

side views and tilted views of HA trimer with MSBP increased significantly.

Materials and Methods

Synthesis of bispyridyl polyethylene glycol (bispyridyl PEG).

The synthesis of succinylated bispyridyl ligand L-COOH.

4-((3,5-di(pyridin-4-yl)benzyl)oxy)-4-oxobutanoic acid. To a 50 mL Schlenk flask

equipped with a magnetic stirring bar were added [3,5-di(pyridine-4-

yl)phenyl]methanol (2.5 g, 9.54 mmol), succinic anhydride (1.15 g, 11.5 mmol),

and 4-dimethylaminopyridine (1.4 g, 11.5 mmol). The flask was capped with a

septum and evacuated and refilled with nitrogen three times. To the flask via

syringe were added 30 mL anhydrous dichloromethane (DCM) under nitrogen.

The flask was placed at room temperature for overnight. The contents of the

flask was concentrated via rotary evaporation to give crude product which was

subjected to chromatography on silica gel (CH_2CL_2/MeOH/CH_3COOH step

gradient, 10:0:0→97:1.5:1.5→94:3:3); the fractions containing desired product

were combined, concentrated to yield a light yellow solid. The product was

further purified by washing with de-ionized water for 8-10 times to remove the

excess of succinic acid and acetic acid, and dried by lyophilization to give off-

white powdery solid. HRMS (EI): calcd. for $C_{21}H_{18}O_4N_2$, most abundant m/z =

362.1261; found, 362.1270.

Polyethylene glycol were then coupled with the succinylated ligand via a DIC

(*N,N'*-diisopropylcarbodiimide) mediating coupling protocol. Typically, to a 25

mL Schlenk flask equipped with a magnetic stirring bar were added the OH-

PEG$_{5k}$-OH (300 mg, 0.06 mmol), the succinylated bispyridyl ligand (87 mg, 0.24

mmol), and 4-dimethylaminopyridine (8.0 mg, 0.065 mmol), the flask was

capped with a septum and evacuated and refilled with nitrogen three times. To

the flask via syringe were added 10 mL anhydrous dichloromethane (DCM) and

2 mL anhydrous *N,N*-dimethylformamide (DMF) under nitrogen. DIC (80 μL,

0.52 mmol) was then added under nitrogen. The flask was placed at room

temperature for 48 h. The crude product was purified by prep-HPLC, eluent flow

rate was 10 mL/min, and the eluent composition consisted of mixtures of

ultrapure water and HPLC grade acetonitrile. The eluent gradient consisted of

a linear ramp from 35% to 80% acetonitrile during 0-30 min, followed by a ramp

to 95% acetonitrile during 30-45 min. Fractions containing the product were

combined, froze and lyophilized.

Sample preparation

Cryo-grids preparation of apoferritin

The mouse heavy chain apoferritin sample was expressed and purified

following the standard protocol[33].

Bispyridyl PEG-5k (L-PEG-L) was dissolved to 50 mg/ml in H_2O, and $Pd(NO_3)_2$

was dissolved to 5 mg/ml in DMSO as stock solution. The stock solution was

further diluted to the indicated concentrations using buffer the same as proteins

before mixing with protein sample. The holey carbon grids (Quantifoil 300 mesh

Cu R1.2/1.3) were glow-discharged for 30s before application of all cryo-

specimen used in this study.

For single-particle cryo-EM grid, 1 µL apoferritin (2 mg/ml), 1 µL L-PEG-L (6

mg/ml) and 1 µL $Pd(NO_3)_2$ (0.72 mg/ml) were well mixed and applied to holey

carbon grids. After 60 s incubation on the grids at 22 °C under 100% humanity,

the grids were blotted with filter paper (TED PELLA 595) for 6 s and plunge-

frozen into liquid ethane cooled by liquid nitrogen using a FEI MarkIV Vitrobot.

To prepare cryo-grids for cryo-ET studies, a similar protocol was used except

gold tracers (BSA tracer Conventional, 10 nm, AURION) were mixed with

sample before loading to the grids. The MSBP grids were prepared by replacing

apoferritin by buffer.

To prepare the cryo-grid of apoferritin without MSBP, 3 µL apoferritin (0.67

mg/ml) was loaded on the holey carbon grids (Quantifoil 400 mesh Cu R1.2/1.3)

which was glow discharged for 30s. The grid was plunge-frozen by the same

protocol.

Cryo-grids preparation of hemagglutinin

The HA trimer recombinant protein purchased from MyBioSource (Catalog

number MBS434205) was dissolved in PBS buffer to indicated concentration.

To prepare HA trimer only grid for single-particle cryo-EM studies, 3 µL HA

trimer (0.75 mg/ml) was applied to holey carbon grid (Quantifoil 400 mesh Au

R1.2/1.3) which was glow discharged 30 s at 15 mA. After 30 s incubation at

22 °C under 100% humanity, the grid was blotted with filter paper (TED PELLA

595) for 4 s and plunge-frozen into liquid ethane cooled by liquid nitrogen. To

prepare HA trimer with MSBP grid for single-particle cryo-EM studies, 3 µL HA

trimer (1 mg/ml), 0.5 µL L-PEG-L (8 mg/ml) and 0.5 µL $Pd(NO_3)_2$ (1 mg/ml) was

applied to holey carbon grid (Quantifoil 200 mesh Cu R2/2) which was glow

discharged 45 s at 15 mA. After 120 s incubation at 22 °C under 100% humanity, the grid was blotted with filter paper (TED PELLA 595) for 7 s and plunge-frozen into liquid ethane cooled by liquid nitrogen.

To prepare HA trimer only grid for cryo-ET studies, 3 μL HA trimer (0.75 mg/ml) was applied to holey carbon grid (Quantifoil 400 mesh Cu R1.2/1.3) which was glow discharged 30 s at 15 mA. After 60 s incubation at 22 °C under 100% humanity, the grid was blotted with filter paper (TED PELLA 595) for 4 s and plunge-frozen into liquid ethane cooled by liquid nitrogen. To prepare HA trimer with MSBP grid for cryo-ET studies, a similar protocol was used except 0.5 μL L-PEG-L (4 mg/ml) and 0.5 μL $Pd(NO_3)_2$ (0.5 mg/ml) were mixed with 3 μL HA trimer (1 mg/ml) for grid loading.

Data collection and processing

All cryo-EM data collection was done with a FEI Titan Krios G3i electron microscope (Thermo Fisher Scientific) equipped with a high-brightness field emission gun operated at 300 kV.

For single-particle cryo-EM, images were recorded with a K3 Summit direct electron detector (Gatan) using EPU[34] in counting mode at a calibrated magnification of 81,000X (1.06 Å physical pixel size). The slit width of the Gatan Imaging Filter (GIF) Bio Quantum was set to 20 eV. 2090 micrographs were collected over 8 s with 7.13 $e^-/Å^2/s$ dose rate for the dataset of apoferritin. 1587 micrographs were collected over 8 s with 7.13 $e^-/Å^2/s$ dose rate for the dataset of apoferritin with MSBP. 576 micrographs were collected over 5 s with 10.35 $e^-/Å^2/s$ dose rate for the dataset of HA trimer. 3861 micrographs were collected over 4.5 s with 11.31 $e^-/Å^2/s$ dose rate for the dataset of HA trimer with MSBP. All micrographs with 40 frames were collected with defocus values from −2.5 μm to −1.3 μm.

Drift correction of the micrographs was performed using MotionCor2[35]. Motion-corrected sums without does-weighting were used for contrast transfer function (CTF) estimation with GCTF[36]. Motion-corrected sums with does-weighting were used for all other image processing. Particles picked by Gautomatch (https://www.mrclmb.cam.ac.uk/kzhang/Gautomatch/) were extracted by RELION[37] and then imported into CryoSPARC[38] for further processing. The initial model was generated using ab initio reconstruction. Well-sorted particles by iterative 2D classification and heterogeneous refinement were finally subjected to homogenous and non-uniform refinement to generate the final maps. CTF refinement was performed to further improve the final resolution. Detailed information of data processing of apoferritin can be found in Supplementary Fig.1.

Similar approaches were used to process HA trimer dataset. In this case, 2D averages were used to evaluate the angular distribution of the particles. The final 2D classification results for HA trimer with or without MSBP can be found in Supplementary Fig.5 c, d. 2D templates of HA trimer with MSBP generated by a 3D density map were used to pick more particles from images for further processing to generate final map. Detailed information of data processing of HA trimer with MSBP can be found in Supplementary Fig.5a.

For cryo-ET data of apoferritin, tilt series from -60° to 60° with 3° increments, were collected with a K3 Summit direct electron detector (Gatan) using Tomography (Thermo Fisher Scientific)[39] in counting mode at a calibrated magnification of 42,000X (2.09 Å physical pixel size). A total dose of 2.16 e^-/Å^2 (for apoferritin only and MSBP only), 2.92 e^-/Å^2 (for apoferritin with MSBP) and 2.72 e^-/Å^2 (for apoferritin with PEG and apoferritin with $Pd(NO_3)_2$) was used to expose every micrograph for around 1s (4 frames per image) with a defocus near -4 μm.

For cryo-ET data of HA trimer, tilt series from -45° to 45° with 3° increments,

were collected with a K3 Summit direct electron detector (Gatan) using

Tomography (Thermo Fisher Scientific)[39] in counting mode at a calibrated

magnification of 53,000X (1.7 Å physical pixel size). A total dose of 4.19 e$^-$/Å^2

(for HA trimer with and without MSBP) was used to expose every micrograph

for around 1.8 s (6 frames per image) with a defocus near -5 μm.

The micrographs were aligned by MotionCor2 without CTF correction. The tilt

series were aligned based on gold fiducials by making seed model manually in

Etomo[40]. After the generation of tomograms, the particles were picked by

template matching in Dynamo[41].

References

1. Wu, M. & Lander, G. C. Present and Emerging Methodologies in Cryo-EM Single-Particle Analysis. *Biophysical Journal* **0**, (2020).

2. Nakane, T. *et al.* Single-particle cryo-EM at atomic resolution. *Nature* **587**, 152–156 (2020).

3. Yip, K. M., Fischer, N., Paknia, E., Chari, A. & Stark, H. Atomic-resolution protein structure determination by cryo-EM. *Nature* **587**, 157–161 (2020).

4. Cheng, Y. Single-particle cryo-EM—How did it get here and where will it go. *Science (80-.).* **361**, 876–880 (2018).

5. Passmore, L. A. & Russo, C. J. *Specimen Preparation for High-Resolution Cryo-EM. Methods in Enzymology* **579**, (Elsevier Inc., 2016).

6. Lyumkis, D. Challenges and opportunities in cryo-EM single-particle analysis. *J. Biol. Chem.* **294**, 5181–5197 (2019).

7. Glaeser, R. M. Proteins, interfaces, and cryo-EM grids. *Curr. Opin. Colloid Interface Sci.* **34**, 1–8 (2018).

8. Drulyte, I. *et al.* Approaches to altering particle distributions in cryo-electron microscopy sample preparation. *Acta Crystallogr. Sect. D Struct. Biol.* **74**, 560–571 (2018).

9. Lyumkis, D. Challenges and opportunities in cryo-EM single-particle analysis. *J. Biol. Chem.* **294**, 5181–5197 (2019).

10. Chen, J., Noble, A. J., Kang, J. Y. & Darst, S. A. Eliminating effects of particle adsorption to the air/water interface in single-particle cryo-electron microscopy: Bacterial RNA polymerase and CHAPSO. *J. Struct. Biol. X* **1**, 100005 (2019).

11.   Han, Y. *et al.* High-yield monolayer graphene grids for near-atomic
resolution cryoelectron microscopy. *Proc. Natl. Acad. Sci. U. S. A.* **117**,
1009–1014 (2020).

12.   Wang, F. *et al.* Amino and PEG-amino graphene oxide grids enrich and
protect samples for high-resolution single particle cryo-electron
microscopy. *J. Struct. Biol.* **209**, 107437 (2020).

13.   Liu, N. *et al.* Bioactive Functionalized Monolayer Graphene for High-
Resolution Cryo-Electron Microscopy. *J. Am. Chem. Soc.* **141**, 4016–
4025 (2019).

14.   Jain, T., Sheehan, P., Crum, J., Carragher, B. & Potter, C. S. Spotiton: A
prototype for an integrated inkjet dispense and vitrification system for
cryo-TEM. *J. Struct. Biol.* **179**, 68–75 (2012).

15.   Noble, A. J. *et al.* Reducing effects of particle adsorption to the air–water
interface in cryo-EM. *Nat. Methods* **15**, 793–795 (2018).

16.   Zi Tan, Y. *et al.* Addressing preferred specimen orientation in single-
particle cryo-EMthrough tilting. *Nat. Methods* **14**, 793–796 (2017).

17.   Beck, J. B., Ineman, J. M. & Rowan, S. J. Metal/Ligand-Induced
Formation of Metallo-Supramolecular Polymers. *Macromoleculos* **38**,
5060–5068 (2005).

18.   Winter, A. & Schubert, U. S. Synthesis and characterization of metallo-
supramolecular polymers. *Chem. Soc. Rev.* **45**, 5311–5357 (2016).

19.   Whittell, G. R., Hager, M. D., Schubert, U. S. & Manners, I. Functional
soft materials from metallopolymers and metallosupramolecular
polymers. *Nature Materials* **10**, 176–188 (2011).

20.   Zalipsky, S. & Harris, J. M. Introduction to Chemistry and Biological

Applications of Poly(ethylene glycol). *ACS Symp. Ser.* **680**, 1–13 (1997).

21.   Wolosewick, J. J. The application of polyethylene glycol (PEG) to electron
microscopy. *J. Cell Biol.* **86**, 675–681 (1980).

22.   Zhukhovitskiy, A. V. *et al.* Highly branched and loop-rich gels via formation
of metal–organic cages linked by polymers. *Nat. Chem.* **8**, 33–41 (2016).

23.   Tan, Y. Z. *et al.* Addressing preferred specimen orientation in single-
particle cryo-EM through tilting. *Nat. Methods* **14**, 793–796 (2017).

24.   Tan, Y. Z. & Rubinstein, J. L. Through-grid wicking enables high-speed
cryoEM specimen preparation. *Acta Crystallogr. Sect. D Struct. Biol.* **76**,
1092–1103 (2020).

25.   Klebl, D. P. *et al.* Need for Speed: Examining Protein Behavior during
CryoEM Grid Preparation at Different Timescales. *Structure* **28**, 1238-
1248.e4 (2020).

26.   Burdick, J. A. & Anseth, K. S. Photoencapsulation of osteoblasts in
injectable RGD-modified PEG hydrogels for bone tissue engineering.
Biomaterials **23**, 4315–4323 (2002).

27.   Raeber, G. P., Lutolf, M. P. & Hubbell, J. A. Molecularly engineered PEG
hydrogels: A novel model system for proteolytically mediated cell
migration. *Biophys. J.* **89**, 1374–1388 (2005).

28.   Zheng, Q. *et al.* Photoaffinity palladium reagents for capture of protein-
protein interactions. *Org. Biomol. Chem.* **17**, 6369–6373 (2019).

29.   Yates, C. R. & Hayes, W. Synthesis and applications of hyperbranched
polymers. *Eur. Polym. J.* **40**, 1257–1281 (2004).

30.   Li, B., Zhu, D., Shi, H. & Zhang, X. Effect of charge on protein preferred

orientation at the air–water interface in cryo-electron microscopy. *J. Struct.*
Biol. **213**, 107783 (2021).

31. Zhang, Z., Shigematsu, H., Shimizu, T. & Ohto, U. Improving particle
quality in cryo-EM analysis using a PEGylation method. *Structure* (2021).
doi:10.1016/J.STR.2021.05.004

32. Wu, X., Cabanos, C. & Rapoport, T. A. Structure of the post-translational
protein translocation machinery of the ER membrane. *Nat. 2018 5667742*
566, 136–139 (2018).

33. Wu, M., Lander, G. C. & Herzik, M. A. Sub-2 Angstrom resolution
structure determination using single-particle cryo-EM at 200 keV. *J. Struct.*
Biol. X **4**, 100020 (2020).

34. Hillsboro, T. P. EPU Software User ' s Guide.

35. Zheng, S. Q. *et al.* MotionCor2: Anisotropic correction of beam-induced
motion for improved cryo-electron microscopy. *Nat. Methods* **14**, 331–332
(2017).

36. Zhang, K. Gctf: Real-time CTF determination and correction. *J. Struct.*
Biol. **193**, 1–12 (2016).

37. Zivanov, J., Nakane, T. & Scheres, S. H. W. Estimation of high-order
aberrations and anisotropic magnification from cryo-EM data sets in
RELION-3.1. *IUCrJ* **7**, 253–267 (2020).

38. Punjani, A., Rubinstein, J. L., Fleet, D. J. & Brubaker, M. A. CryoSPARC:
Algorithms for rapid unsupervised cryo-EM structure determination. *Nat.*
Methods **14**, 290–296 (2017).

39. Benefits, K. Tomography 5 Software. 3–6

40. Kremer, J. R., Mastronarde, D. N. & McIntosh, J. R. Computer visualization of three-dimensional image data using IMOD. *J. Struct. Biol.* **116**, 71–76 (1996).

41. Castaño-Díez, D., Kudryashev, M., Arheit, M. & Stahlberg, H. Dynamo: A flexible, user-friendly development tool for subtomogram averaging of cryo-EM data in high-performance computing environments. *J. Struct. Biol.* **178**, 139–151 (2012).

Data Availability

Cryo-EM density map of mouse apoferritin has been deposited in the Electron Microscopy Data Bank (accession no. EMD-XXXX). All other data are available from the corresponding authors upon reasonable request.

Acknowledgments

We thank Bik Tye and Yifan Cheng for their critical reading of the manuscript, Masa Kikkawa at University of Tokyo for generously sharing mouse heavy chain apoferritin plasmid with us. We also thank Chunlin He, Zhongguang Yang, and Fei Sun for their helpful discussion in the early stage of this project. All cryo-EM data were collected at the Biological Cryo-EM Center at HKUST, generously supported by a donation from the Lo Kwee Seong Foundation. This project is supported by grants of S.D. from Hong Kong Research Grants Council (ECS26101919, GRF16103321, C7009-20GF, C6001-21EF), the Hong Kong Branch of Southern Marine Science and Engineering Guangdong Laboratory (Guangzhou) (SMSEGL20SC01), Guangdong Natural Science Foundation (GDST21SC04), Shenzhen Science and Technology Innovation Committee (SZ-SZSTI2108) and HKUST start-up and initiation grants. Y.W. acknowledges support from General Research Fund from Hong Kong Research Grants Council (17308518) and Croucher Innovation Award 2019 (Croucher

607   Foundation, Hong Kong).

Author contributions

609   Y.X., Y.Q. and S.D. designed and performed single-particle cryo-EM

610   experiments. Y.X., Y.Q. and Y.Z. performed cryo-ET experiments. Y.X. and L.W.

611   prepared specimen using MSBP. S.D. and Y.W. supervised experiments and

612   data analysis. All authors contributed to manuscript preparations.

Competing financial interest

615   The method applying metallo-supramolecular branched polymer (MSBP) in

616   sample preparation of single particle cryo-electron microscopy (cryo-EM) is

617   described in a provisional patent application.

Figure.1

Figure.2

Figure.3