Cytoskeletal networks are adaptive active elastic filamentous materials that design their own shape in response to system geometry

Livne, Gefen[1], Gat, Shachar[1], Armon, Shahaf[2], and Bernheim-Groswasser, Anne[1,*]

[1]Department of Chemical Engineering, Ilse Kats Institute for Nanoscale Science and Technology, Ben Gurion University of the Negev, Beer-Sheva 84105, Israel. [2]Department of Physics, Weizmann Institute of Science, Rehovot 76100, Israel.

[*]To whom correspondence should be addressed. Email: bernheim@bgu.ac.il

Abstract

Living systems adopt diversity of shapes. These morphological changes, which range from cell to organismal scales[1–4], commonly rely on intrinsic contractile stresses generated by myosin in the cell cytoskeleton, an adaptive active contractile filamentous material, whose molecular constituents, convert chemical energy to produce mechanical work[5–7]. How these intrinsically active stresses arise in complex 3D shapes and how shape deformation is controlled remains poorly understood. Here, we demonstrate that, initially homogenous *not-prepatterned* elastic actomyosin networks spontaneously self-organize in a family of 3D shapes through distinct dynamical patterns. Shape selection is encoded in system size to thickness aspect ratio, indicating shaping scalability. The final configurations show surprisingly simple scaling dependence on system dimensions. Altogether, cytoskeletal networks form a class of adaptive active materials, autonomously designing their own shape in response to system geometry, without needing specific pre-programming. This simplicity present huge advantage for developing bio-soft robots with desired target shapes.

Living systems can adopt a variety of shapes. These morphological changes, underly biological processes such as cell migration and tissues morphogenesis and range from cell to organismal scales[1–4]. These shape deformations, which commonly rely on active contractile stresses generated by myosin motors in the cell cytoskeleton – a poroelastic active material[8] of crosslinked networks of actin filaments, may be guided by topological defects in aligned actin filaments[9] and in

arrangements of the stress-generating components[10]. The cell cytoskeleton is thus a paradigmatic example of an adaptive, and intrinsically active, contractile filamentous materials[5–7]. Because of the complexity of cells, however, how these intrinsically active stresses result in complex 3D shapes and how shape deformation is controlled during various biologically relevant processes, remain poorly understood.

A powerful alternative approach is to use bio-inspired, intrinsically active, crosslinked actomyosin networks. These intrinsically active materials exhibit spontaneous contraction and self-organization arising in different 2D contraction patterns[11–16] and in the spontaneous wrinkling of thin elastic actomyosin gel sheets[17]. Thin elastic sheets undergo buckling in response to non-uniform strains, and this phenomenon is harnessed in diverse material science applications to robustly generate complex 3D shapes[18], which can exhibit oscillatory shape transformation capabilities[19]. However, in contrast to global externally stimulated chemically crosslinked gel sheets[20–23], the contraction and buckling instability of elastic actomyosin gel sheets[17] occurs spontaneously without requiring pre-imposed gradients in the network material properties. How these, not pre-patterned, intrinsically actomyosin gels, can undergo different spontaneous shape deformations, and how shape transition is governed, remain poorly understood.

Here we show that initially homogeneous, elastic actomyosin networks of controllable extent and material properties can spontaneously self-organize in diverse 3D shapes, through a well-controlled robust process. These macroscopically contractile elastic actomyosin networks are prepared as described previously in[17,24]. In short, a drop of solution containing actin monomers, myosin motors, the strong cross-linker fascin, and ATP is squeezed between two, PEG-passivated, glass coverslips. The spacing h between the two glasses sets the network initial thickness. The system (initial) aspect ratio is defined as $AR_{t_0} = \frac{R}{h}$, where R is the drop radius (Figs. 1A). Network formation initiates by actin filaments polymerization, which get crosslinked into bundles by fascin. The myosin motors, assembled in aggregates, then bind to the actin bundles to form an interconnected network which locally deform and coarsen with time. Network contraction initiates from the boundary and propagates inwards[17]. Buckling follows this initial network forming period, until a mechanically stable buckled state is reached at t_{end} (Fig. 1A). The final thickness and (projected) radius are denoted by b and r (Fig. 1B). Two main types of 3D shape are spontaneously generated: (i) wrinkled shapes of *single* wavy mode with $m \geq 2$ number of nodes, where $m = 2$ corresponds to a traditional 2-peak saddle, and (ii) large-scale buckled symmetric configurations

with a dome shape ($m = 1$).

Dome and wrinkled shapes form through distinct contraction and buckling processes (Fig. 1). The temporal projected radius $r(t)$ and thickness $e(t)$ are extracted from confocal microscopy images (Figs. S1-S4), from which the variation in gel aspect ratio $AR(t) = r(t)/e(t)$ and radial and vertical strains, $\varepsilon_r(t) = \frac{r(t)-R}{R}$ and $\varepsilon_z(t) = \frac{e(t)-h}{h}$ are derived.

For all systems, the dynamics are characterized by two main contraction phases. For systems forming dome shapes (Fig. 1C-E), the in-plane radial contraction is initially more significant than the gel vertical contraction (Figs. S1, S2, Movie S1), while the second phase is governed by vertical contraction, with only minor changes in projected radius. The gradual decrease in aspect ratio with time (Fig. 1I and 1J, orange dots) and the radial *vs.* vertical strains profile (Fig. 1J), orange dots) reflects the changes in thickness and projected radius.

These global changes in gel dimensions are accompanied by the local enrichment of the actin density at the gel periphery, notably, at the top and bottom surfaces (Fig. 1E). This local enrichment may be attributed to network poroelasticity and to the outward water flow generated by gel contraction[17]. Also, a *pronounced* azimuthal alignment of the actin bundles at the gel periphery accompanies radial contraction, with the bulk gel remaining isotropic (Fig. 1C, bottom row and Movie S2). This annular orientational order persists as contraction advances, though is more difficult to resolve as the gel densifies. As radial contraction advances the system spontaneously buckles into a dome shape, through which the disc center adopts a non-vanishing curvature (t_{buckle}), which breaks the system up/down symmetry. The buckling instability is preceded by local deformations of the gel close to its boundary, that propagate inwards concomitant to radial contraction, turning the local deformation into a global one (Figs. 1D, S1B, Movie S1). The initial symmetric distribution of the actin density across the thickness turns into an asymmetric one upon buckling (Fig. 1E), such that the top and bottom surfaces are no longer equivalent. After buckling onset, the gel continues to contract primally along its thickness at slow pace, until a mechanical stable state is reached (t_{end}). Among the various dome shapes analyzed, 60% point upwards ($N = 10$) suggesting that the top/down symmetry is spontaneously broken.

For systems evolving into wrinkled shapes, gel contraction initiates in vertical direction through which a thin sheet, enriched in actin density, at the top and bottom surfaces, is formed (Figs. 1G,

1H, S3A, Movie S3). The thin sheets then contract radially (Fig. 1F). Despite the overall 10-fold decrease in sheet radius, which promotes an increase in gel density, the thickness remains unchanged, except for small fluctuations (10%) due to recoiling effects (Fig. S4). As radial contraction advances wrinkles spontaneously develop at the sheet periphery (t_{buckle}), after which contraction proceeds slowly until a mechanically stable state is reached (t_{end}) (Figs. 1F, 1G, S4). The actin density remains symmetrically distributed across the sheet thickness throughout contraction and wrinkling phases, with the top and bottom, surfaces being equivalent, inferring that in-plane gradients must develop in the sheet to promote its wrinkling instability (Fig. 1H). The sheets remain structurally isotropic throughout radial contraction and wrinkling, except for vanishingly small, aligned region of the actin bundles at the gel periphery (Figs. 1F - bottom row, S3B, Movie S4). This local alignment, combined with the tension-dependent catch-bond of myosin[25], may be sufficient for such in-plane gradients in active stresses to develop in the sheet.

The observed non-monotonous variation in aspect ratio reflects the temporal changes in the measured thickness and projected radius (Figs. 1I, green dots). It also explains the inversed radial *vs.* vertical strains profile, which exhibit a much-pronounced time separation between the, vertical and radial, dominated contraction phases compared to domes (Fig. 1J, green dots). *All* systems forming wrinkled shapes, exhibit similar contraction patterns (Fig. 1K), which interestingly, also holds for, the very few, systems forming intermediate shapes (Fig. 1K, inset). Even more surprisingly, all systems, independently of their final configuration, exhibit a similar net reduction in their aspect ratio, where $\frac{AR_{t_{end}}}{AR_{t_0}} \cong 0.4$ (Fig. 1K).

The geometry of the domes and wrinkled shapes can be characterized by calculating the local Gaussian curvature, $K(x, y)$, an intrinsic property of non-flat surfaces which also provides a measure of the local in-plane compression/streching through Gauss theorem[26]. To extract the Gaussian curvature, the topography $z(x, y)$ of the gels' upper surface is constructed from a stack of xy cross-section images, then fitted to a 2D polynomial function (Fig. 2A). The local Gaussian curvature is computed at each point along this surface (Fig. 2B) from which its averaged value, $\langle K \rangle$, is calculated (Fig. 2C, dashed line). Plotting the distribution of the Gaussian curvature, $K(\theta, \rho)$, against the azimuthal angle, θ, at specific geodesic distances along the curved surfaces, ρ, show that for domes the Gaussian curvature is on average positive ($\langle K \rangle > 0$) and grossly radially symmetric, except for some defects around the gel edge (Fig. 2C). For wrinkled shapes the average

Gaussian curvature is negative ($\langle K \rangle < 0$), and $K(\theta, \rho)$ oscillates between positive and negative values with amplitudes larger than the average that decay to vanishing values as we retract from the sheet boundary. This plot also clearly demonstrates that the wrinkled shapes have a single undulation mode, with no apparent higher order forming buckles. Plotting the measured perimeter on the curved surface against the geodesic distance and comparing it to the perimeter of the projected (flat) surface, $\beta \rho$ ($\beta = 2\pi$ for a perfect disc, Fig. S5), shows that for domes the perimeter increases slower than linearly while for wrinkled shapes the perimeter increases faster, as expected in view of the increase in the oscillation amplitudes as the sheet boundary is approached (Fig. 2D).

We can now turn ask how the final 3D configurations vary with the system initial aspect ratio? To achieve a two-order magnitude variation in initial aspect ratio, $AR_{t_0} = 2 - 50$, we fabricate gels in a range of initial thicknesses ($65 - 330$ µm) and radii ($1200 - 6500$ µm). The diverse shapes collapse on a universal linear line (slope ~ 0.4, see also Fig. 1K), where domes, intermediate, and wrinkled shapes, segregate to low, intermediate, and large initial (and final) aspect ratios, respectively (Fig. 3A and B). For $AR_{t_0} \geq 10$, the increase in aspect ratio produces a set of shape transformations, expressed in refinement of the wrinkled configurations (Fig. 3B). While different combinations of $(\frac{r}{R}, \frac{b}{h})$ could produce the same net reduction in aspect ratio, we find that *all* systems, regardless of their final configuration and dynamic pathway, exhibit the same net radial ($r/R \cong 0.1$) and vertical ($b/h \cong 0.25$) shrinking (Fig. 3C), inferring that all gels eventually compact similarly. This signifies that these are intrinsic material properties which do not depend on the system dimensions and geometry. Those systems thus having the same initial aspect ratio adopt the same steady state configuration, independent of their actual initial dimensions, indicating shaping scalability.

We can now turn to ask what is the explicit dependence of the number of nodes m on the initial thickness and radius? This dependence can be estimated from the ratio of the measured steady state projected perimeter, $p = \beta r$, and the wrinkles wavelength λ. For uniaxially stretched thin elastic sheets of thickness b, the minimization of the stretching and bending elastic energies yields $\lambda \sim L^{0.5} b^{0.5}$ [27,28], where L is the length of the wrinkled domain perpendicular to the wrinkling direction. For discs, this 'penetration' length describes how far the undulations propagate radially into the sheet and it can be evaluated from the deviation of the local Gaussian curvature from its average value squared, $\Delta K^2(r, \theta) \equiv (K(r, \theta) - \langle K \rangle)^2$, which oscillates azimuthally matching the

sheet wrinkling deformation. The measured (mean) penetration length L thus corresponds to the distance from the boundary where $\Delta K^2(r)$, the azimuthal average of $\Delta K^2(r, \theta)$, vanishes (Fig. S6). In contrast to uniaxially stretched sheets[27], both L and λ are insensitive to system size, i.e., final projected radius r (Fig. S7), which may be attributed to tensile azimuthal stresses developed in the sheet. Both lengths are governed by the sheet thickness (Fig. 4A). Explicitly, we find that $L \sim b^{1.2}$ (Fig. 4A, inset), and $\lambda = \alpha b^{0.5}$ which states that thinner sheets are more prompt to bend, and as shown, α is a numerical pre-factor independent of system size (Fig. 4A). The same relation for λ has been found for thin chemically crosslinked gel discs pre-programmed with a constant negative target Gaussian curvature[29].

Altogether, these relations yield: $m = \frac{p}{\lambda} = \frac{\beta(r/R)R}{\alpha(b/h)^{0.5}h^{0.5}}$, suggesting that $m \sim \frac{R}{h^{0.5}}$, in accord with our experiments (Fig. 4B, green dots). The numerical pre-factor, $\frac{\beta(r/R)}{\alpha(b/h)^{0.5}} = 0.025$, estimated from the measured parameter values, $\frac{r}{R}, \frac{b}{h}$, and β, averaged over experimental data, matches with the value extracted from the fit (dashed line). While this scaling is derived for wrinkled shapes, domes (Fig. 4B, orange dots) fall on the continuation of that same line, signifying that the intrinsic active stresses and elastic modulus governing shape deformation, are determined by the actin, crosslinker, and myosin densities, which are the same for all the studied systems.

Here we show that intrinsically active (not-prepatterned) elastic actomyosin gels, are well-controlled systems to study mechanically induced spontaneous shape transitions in active matter. The buckling instability results from system self-organization and from the spontaneous emergence of gradients in active stresses driven by myosin contractility.

Our results suggest that while the dynamical pathways may depend on the poroelastic fluid dynamics[8,17] and on the detailed interactions of the different microscopic components, the final shapes seem to be predicted by the general theory of elastic deformations of thin sheets[26]. However, unlike passive elastic systems where the favored shape is always the minimal energy configuration for a specified distribution of forces, here the distribution of stresses can change as the system continues to deform until it reaches a mechanically stable state[28].

It remains to be explored how the self-organized structural order of actin filaments within the gel, set up the gradient of active stresses that drive shape deformation. Moreover, how the

dynamical pathways of network contraction, which are distinct for gels ending up in domes and wrinkled shapes, depend on the poroelastic fluid dynamics.

From practical purposes, these bio-inspired active materials present huge advantage towards the development of bio-compatible elastic active materials with controllable, molecularly induced, active stresses. These design principles can be then used to create desired, soft robots of target shapes, that are both tunable and robust.

Materials and Methods (online)

Methods

Protein purification

G-actin is purified from rabbit skeletal muscle acetone powder by gel filtration[30] (HiPrep™ 26/60 Sephacryl™ S-300HR, GE Healthcare), stored on ice, and used within 2 weeks. Actin is labeled on Cys374 with Alexa-Fluor 488. Fascin is produced as a GST-fusion protein. Purification of myosin II skeletal muscle is performed following standard protocols[31]. Myosin II is labeled with Alexa-Fluor 647 at pairs of engineered cysteine residues[13,32].

Experimental procedure

Preparation of intrinsically contractile elastic actomyosin gels

Macroscopically contractile elastic actomyosin networks are formed by polymerizing G-actin with myosin motors, added in the form of large aggregates (~150 myosin dimers/aggregates), the strong crosslinker fascin, and ATP (see also[17,24]). Specifically, the solution contains 10 mM HEPES pH = 7.0, 1 mM $MgCl_2$, 25 mM KCl, 1 mM ATP, kept constant using an ATP-regenerating system (0.5 mg mL^{-1} creatine kinase and 5 mM creatine phosphate), 200 µM EGTA, an anti-bleaching solution (0.1 mg mL^{-1} glucose oxidase, 0.018 mg mL^{-1} catalase, and 5 mg mL^{-1} glucose), 5 µM G-actin, 280 nM fascin, and 16.7 nM of myosin II. The percentage of labeled G-actin and myosin II is 5% (molar percentage).

A drop of that solution is squeezed between two PEG-passivated coverslips, placed in a homemade sample holder which fits the dimensions of a standard microscope stage[24]. We use Teflon, Parafilm, or tape spacers to control the spacing between the two coverslips, through which the drop height h, which defines the gel initial thickness, is controlled. By varying the drop volume and spacer type we generate discs of controllable initial radii R. In our experiments, the gel initial thickness and radius range between 65 and 330 µm and 1200 and 6500 µm, respectively.

Microscopy techniques

Samples are imaged using a laser scanning confocal microscope (LSM 880, Zeiss Germany) in fast Airyscan mode using a ZEN software (Zeiss Germany). We minimize the acquisition time between frames by working in single channel mode (i.e., the actin channel, Ex. wavelength of

488 nm). Confocal images of the 3D steady state shapes are collected in standard Airyscan mode to optimize sampling resolution, imaging both actin (Ex. 488 nm) and myosin (Ex. 647nm).

Data quantification

Analysis of the contraction and buckling dynamics of the gel discs and the 3D steady state shapes.

Laser scanning confocal microscopy imaging is used to follow the contraction and buckling dynamics of the gels with time and image their 3D shape at the end of the contraction process when the gels reach a mechanical stable (steady) state. To quantify the contraction dynamics, the temporal radius $r(t)$ and (mean) temporal thickness, $e(t)$, are extracted from the confocal images. Then, the variation in gel aspect ratio, $AR(t) = 2r(t)/e(t)$, and radial and vertical strains, $\varepsilon_r(t) = \frac{r(t)-R}{R}$ and $\varepsilon_z(t) = \frac{e(t)-h}{h}$ are derived at each time point. The distribution of actin density normal to the thickness is also extracted from the confocal images as well as the in-plane local actin filaments alignment in the network structure. Finally, we extract parameters value including the spacing between the two coverslips, h, which sets the gel initial thickness, the drop (i.e., gel) initial radius, R, the final projected radius r and thickness b, the number of wrinkles per gel, m, and the mean wrinkles' wavelength, λ. Data quantification is performed using Matlab (MathWorks, MA, USA), Zen Black 2.1 (Zeiss, Germany), Huygens Professional software package (Huygens; Scientific Volume Imaging, Hilversum, Netherlands), Origin (OriginLab Corp., MA, USA), and ImageJ software.

Temporal projected radius $r(t)$: From practical purposes, i.e., accessible field of view, quantification of the contraction and buckling dynamics are restricted to gels with initial diameters $2R \leq 3800$ μm, where R is the initial drop radius. We extract the temporal projected radius $r(t)$ from confocal, xy cross-section, images by fitting the gel area to a circle. If less than a quarter of the gel is visible in the field of view, which usually happens at the very initial stages of gel contraction, the radius is evaluated from the changes in the position of the gel boundary between two sequential time points. For gels forming a dome shape, this analysis is performed in maximal intensity projection (MIP) mode, such that the gel widest projected diameter is probed at each instant.

Temporal mean thickness $e(t)$ and final thickness b. We evaluate the temporal mean thickness $e(t)$ from, xz and yz cross-sections, confocal images and use it to calculate the temporal vertical strain $\varepsilon_z(t)$. For each time point, we use between 25-50 data points, localized at different positions along the gel surface, where each value corresponds to the normal distance between the top and bottom, surfaces at that position. Errors correspond to standard deviations of the experimental values. For gels forming wrinkled and intermediate shapes these data points span the whole gel sheet. For gels ending up in a dome shape, thickness measurement is restricted to the central region of the disc up to the time point the thickness becomes homogeneous everywhere. The thickness is extracted from confocal microscopy images in standard imaging mode except for gels forming wrinkled and intermediate shapes. For these gels, the thickness is extracted from maximal intensity projection (MIP) images, which allows to resolve the gels', top and bottom, surfaces during vertical contraction. Once the gel becomes sufficiently dense, which usually corresponds to the onset of the lateral contraction phase, the thickness is measured in standard imaging mode. The final steady state thickness b is evaluated similarly on images acquired after the gels have reached a mechanically stable state (t_{end}). Data is corrected for index refraction mismatch between the objective immersion liquid and our aqueous sample by multiplying the measured thickness by $\frac{n_{sample}}{n_{immersion}} = \frac{n_{water}}{n_{air}} = 1.33.$[33]

Drop initial thickness h and radius R. These parameter values are measured on images acquired after the systems have reached a mechanically stable state (t_{end}). The gel initial thickness h corresponds to the distance between the two coverslips, determined from side-view, xz or yz cross-section, confocal images. Data is corrected for index refraction mismatch between the objective immersion liquid (here air) and the aqueous sample ($\frac{n_{water}}{n_{air}} = 1.33$)[33]. To evaluate the gel (drop) initial diameter, $2R$, multiple top-view, xy cross-section, confocal images are acquired with 10% overlap and stitched into a single image. The number of images used for stitching (usually 7x7) depends on the size of the drop and objective magnification. The drop (and gel) initial radius R is determined by fitting the drop perimeter to a circle.

Temporal density distribution of actin across the thickness. For a given time point, the average density distribution of actin, normal to the gel, top and bottom, surfaces is calculated from 15-25 individual density profiles, each 30-pixel in width. Errors correspond to standard deviations of the experimental values.

In plane local orientation of the actin filaments/bundles. For a given time point, the in plane local orientation of the filaments is evaluated using the OrientationJ Analysis plugin in ImageJ via which a structure tensor, characterizing the filaments' mean orientation and isotropy in a local window, is computed. The local window is characterized by a 2D Gaussian function of standard deviation σ, of the size of the structure of interest (e.g., thickness of the filament/bundles). The results are presented in color map in HSB mode, where hue corresponds to mean local orientation, saturation is coherency, and brightness is the source (original) image[34].

Extracting the topography $z(x, y)$ and the local Gaussian curvatures $K(x, y)$ of the 3D steady state shapes. This analysis is performed on gels having reached a mechanically stable state (t_{end}). For each gel, the topography $z(x, y)$ of the top surface is reconstructed from a stack of, initially binarized, xy cross-section confocal images. This surface, which has a unit-pixel depth and a resolution of 1 μm in the lateral x, y plane, is smoothed by fitting it to a 2D polynomic equation using 'polyfit2D' function in Matlab (MathWorks, MA, USA) using $(N + 1) \cdot (N + 2)/2$ polynomial coefficients[35]. We find empirically that for all gels the smoothed surface optimally fits the actual gel top surface for $N = m + 2$, where m is the number of nodes of an actual gel. This smoothed surface is assumed to reliably represents the shape and local curvatures of the gel sheet mid-surface at steady state. This is explicitly true for wrinkled and intermediate shapes which form thin sheets (i.e., $b/r \ll 1$). For domes, which are relatively thicker (i.e., $b/r < 8$), these values provide a lower bound estimate of the local and average, Gaussian curvatures. The local Gaussian $(K(x, y))$ curvature is then computed at each point along that smoothed surface, using the second and first fundamental forms II and I[36].

$$K(x, y) = \frac{z_{xx} \cdot z_{yy} - (z_{xy})^2}{(1 + z_x^2 + z_y^2)^2}$$

The average Gaussian curvature $\langle K \rangle$ is computed from the sum of the local Gaussian curvature values divided by the total number of data points.

Distribution of the local Gaussian curvature as a function of the azimuthal angle for different geodesic distances. To compute the distribution of the local Gaussian curvature, $K(\theta, \rho)$, against the azimuthal angle, θ, at specific geodesic distances along the curved surfaces, ρ, we match a

semi-geodesic coordinate system (ρ, θ) to the polynomial-fitted smoothed surfaces. We compute the local geodesic distances on the deformed surfaces by using the Heat diffusion method[37] with an optimal time step of $t = 10$. For dome shapes, the local geodesic distance is calculated relative to the gel center $\rho(x, y)$. The gel center is thus defined as $\rho \equiv 0$. In that case, the gel center is defined at the location of the highest point (in z-axis) of the smoothed surface. In wrinkled shapes the buckling instability occurs at the gel periphery; the undulation amplitude decays as we retract from the gel periphery. Thus, for these gels it is more natural to calculate the geodesic distances from the boundary, $\rho'(x, y)$. The gel boundary (edge) is detected using 'bwboundaries' (MATLAB library function) and is defined as $\rho' \equiv 0$. The sheet center now corresponds to the location of the maximal geodesic distance ρ'_{max}, from which the local geodesic distance measured relative to the sheet center can be evaluated, $\rho(x, y) = \rho'_{max} - \rho'(x, y)$. Note, that choosing the gel boundary as the origin for calculating the geodesic distances allows to evaluate the sheets perimeter (projected and actual) and quantify its deviation from perfect circularity (disc). In our experiments, the deviation from perfect circles is usually observed for gels with initial diameters larger than 4200 µm which are more prompt to deform upon squeezing.

Non-circularity coefficient β. For each gel we extract the parameter, β, which provides a measure of the non-circularity of the gels. This parameter is evaluated from the slope of the linear fit of the function relating the measured projected (2D) perimeter p and the projected radial distance, r, that means $p = \beta r$. Note that for a perfect disc $\beta = 2\pi$. The local projected radial distances are computed using the two-dimensional Multistencil Fast Marching Method (MSFM2D)[38]. Here we employ a similar strategy as done for calculating the geodesic distances. That is, for dome shapes the local projected radial distance is calculated relative to the gel center, $r(x, y)$. For wrinkled shapes, the local projected radial distance is first calculated relative to the sheet boundary $r'(x, y)$. Then, the local projected radial distance measured from the gel center is evaluated at each point from $r(x, y) = r'_{max} - r'(x, y)$, where r'_{max} is the maximal projected radius calculated from the sheet boundary. For each gel, the changes in measured projected (2D) perimeter, $p(r)$, is evaluated by creating contour lines along the surface at various projected radial distances r, using the 'contour' MATLAB library function, and computing the length of each contour using 'contourlengths' (MATLAB library function).

Gel (3D) perimeter vs. geodesic distance ρ. The measured perimeters on the deformed surface (so-called 3D perimeters) at different geodesic distances, $p(\rho)$, are extracted similarly. This is done by creating 3D curves representing all the topographic points $z(\rho)$ at a given geodesic distance ρ, and computing the length of this contour line using the 'arclength' MATLAB function[39], which compute the arc length of a space curve represented as a sequence of points. These contour lines are created using the 'contour' MATLAB library function and then, the topographic points along these contours are extracted by 'C2xyz' MATLAB function[40].

Wrinkles penetration depth L. We use the square of the deviation of the local Gaussian curvature from its average value, $\Delta K^2(r, \theta) \equiv (K(r, \theta) - \langle K \rangle)^2$, to evaluate the wrinkles penetration depth, L. θ is the polar angle and $\langle K \rangle$ is the average measured Gaussian curvature. These local values are then averaged along the polar angle θ for each projected radial distance r, yielding $\Delta K^2(r) \equiv \langle (K(r, \theta) - \langle K \rangle)^2 \rangle_\theta$. The wrinkles penetration depth L, defines the distance from the boundary at which $\Delta K^2(r)$ vanishes and it corresponds to the local minima of $\Delta K^2(r)$ *vs.* r in log-log representation. It provides an average value of the penetration depth of all the wrinkles on a given sheet.

Acknowledgments

We would like to thank Eran Sharon, Kinneret Keren, and Nir Gov for useful discussions. We also thank Dina Aranovich for protein purification and labelling. G.L. is grateful to the Israel Ministry of Science, Technology and Space for the Jabotinsky PhD Scholarship. A.B.G. is grateful to the Israel Science Foundation (grant 2101/20) and the Ministry of Science and Technology - State of Israel (grant 3-17491) for financial support.

Contributions

L.G. Performed experiments, developed all analytical methods for data quantification, analyzed the experimental results, prepared the Figures and Movies, and wrote the manuscript.

G.S. Designed and performed experiments.

A.S. Developed analytical methods for data quantification.

A.B.G. Developed the experimental system, analyzed the experimental results, and wrote the manuscript.

Competing interests

The authors declare no competing interests.

Data availability

The data that support the findings of this study are available from the corresponding author upon reasonable request.

References

1.   Fritzsche, M. *et al.* Cytoskeletal actin dynamics shape a ramifying actin network underpinning immunological synapse formation. *Sci. Adv.* **3**, (2017).

2.   Lou, S. S. *et al.* Elastic wrinkling of keratocyte lamellipodia driven by myosin-induced contractile stress. *Biophys. J.* **120**, 1578–1591 (2021).

3.   Lecuit, T. & Lenne, P. F. Cell surface mechanics and the control of cell shape, tissue patterns and morphogenesis. *Nat. Rev. Mol. Cell Biol.* **8**, 633–644 (2007).

4.   Tozluoglu, M. & Mao, Y. On folding morphogenesis, a mechanical problem. *Philos. Trans. R. Soc. B Biol. Sci.* **375**, (2020).

5.   Prost, J., Jülicher, F. & Joanny, J. F. Active gel physics. *Nat. Phys.* **11**, 111–117 (2015).

6.   Bernheim-Groswasser, A., Gov, N. S., Safran, S. A. & Tzlil, S. Living Matter: Mesoscopic Active Materials. *Adv. Mater.* **30**, 1707028 (2018).

7.   Banerjee, S., Gardel, M. L. & Schwarz, U. S. The Actin Cytoskeleton as an Active Adaptive Material. *Annual Review of Condensed Matter Physics* vol. 11 421–439 (2020).

8.   Moeendarbary, E. *et al.* The cytoplasm of living cells behaves as a poroelastic material. *Nat. Mater.* **12**, 253–261 (2013).

9.   Maroudas-Sacks, Y. *et al.* Topological defects in the nematic order of actin fibres as organization centres of Hydra morphogenesis. *Nat. Phys.* **17**, 251–259 (2021).

10.   Pearce, D. J. G., Gat, S., Livne, G., Bernheim-Groswasser, A. & Kruse, K. Defect-driven shape transitions in elastic active nematic shells. (2020).

11.   Backouche, F., Haviv, L., Groswasser, D. & Bernheim-Groswasser, A. Active gels: Dynamics of patterning and self-organization. *Phys. Biol.* **3**, 264–273 (2006).

12.   Soares E Silva, M. *et al.* Active multistage coarsening of actin networks driven by myosin motors. *Proc. Natl. Acad. Sci. U. S. A.* **108**, 9408–9413 (2011).

13.   Ideses, Y., Sonn-Segev, A., Roichman, Y. & Bernheim-Groswasser, A. Myosin II does it all: Assembly, remodeling, and disassembly of actin networks are governed by myosin II activity. *Soft Matter* **9**, 7127–7137 (2013).

14.   Alvarado, J., Sheinman, M., Sharma, A., Mackintosh, F. C. & Koenderink, G. H. Molecular motors robustly drive active gels to a critically connected state. *Nat. Phys.* **9**, 591–597 (2013).

15.   Ennomani, H. *et al.* Architecture and Connectivity Govern Actin Network Contractility. *Curr. Biol.* **26**, 616–626 (2016).

16.   Linsmeier, I. *et al.* Disordered actomyosin networks are sufficient to produce cooperative and telescopic contractility. *Nat. Commun.* **7**, 1–9 (2016).

17.   Ideses, Y. *et al.* Spontaneous buckling of contractile poroelastic actomyosin sheets. *Nat. Commun.* **9**, 1–13 (2018).

18. Holmes, D. P. Elasticity and stability of shape-shifting structures. *Curr. Opin. Colloid Interface Sci.* **40**, 118–137 (2019).

19. Levin, I., Deegan, R. & Sharon, E. Self-Oscillating Membranes: Chemomechanical Sheets Show Autonomous Periodic Shape Transformation. *Phys. Rev. Lett.* **125**, (2020).

20. Klein, Y., Efrati, E. & Sharon, E. Shaping of elastic sheets by prescription of non-Euclidean metrics. *Science* **315**, 1116–1120 (2007).

21. Kim, J., Hanna, J. A., Byun, M., Santangelo, C. D. & Hayward, R. C. Designing responsive buckled surfaces by halftone gel lithography. *Science* **335**, 1201–1205 (2012).

22. Aharoni, H., Xia, Y., Zhang, X., Kamien, R. D. & Yang, S. Universal inverse design of surfaces with thin nematic elastomer sheets. *Proc. Natl. Acad. Sci. U. S. A.* **115**, 7206–7211 (2018).

23. Siéfert, E., Reyssat, E., Bico, J. & Roman, B. Bio-inspired pneumatic shape-morphing elastomers. *Nat. Mater.* **18**, 24–28 (2019).

24. Choudhary, S., Livne, G., Gat, S. & Bernheim-Groswasser, A. The Mechanics of (Poro-)Elastic Contractile Actomyosin Networks As a Model System of the Cell Cytoskeleton. *JoVE* e64377 (2023) doi:10.3791/64377.

25. Guo, B. & Guilford, W. H. Mechanics of actomyosin bonds in different nucleotide states are tuned to muscle contraction. *Proc. Natl. Acad. Sci. U. S. A.* **103**, 9844–9849 (2006).

26. Sharon, E. & Efrati, E. The mechanics of non-Euclidean plates. *Soft Matter* **6**, 5693–5704 (2010).

27. Cerda, E. & Mahadevan, L. Geometry and Physics of Wrinkling. *Phys. Rev. Lett.* **90**, 4 (2003).

28. Zakharov, A. & Dasbiswas, K. Modeling mechanochemical pattern formation in elastic sheets of biological matter. *Eur. Phys. J. E. Soft Matter* **44**, 82 (2021).

29. Klein, Y., Efrati, E. & Sharon, E. Shaping of elastic sheets by prescription of non-Euclidean metrics. *Science* **315**, 1116–1120 (2007).

30. Spudich, J. A. & Watt, S. The regulation of rabbit skeletal muscle contraction. I. Biochemical studies of the interaction of the tropomyosin-troponin complex with actin and the proteolytic fragments of myosin. *J. Biol. Chem.* **246**, 4866–4871 (1971).

31. Margossian, S. S. & Lowey, S. [7] Preparation of Myosin and Its Subfragments from Rabbit Skeletal Muscle. *Methods Enzymol.* **85**, 55–71 (1982).

32. Quinlan, M. E., Forkey, J. N. & Goldman, Y. E. Orientation of the myosin light chain region by single molecule total internal reflection fluorescence polarization microscopy. *Biophys. J.* **89**, 1132–1142 (2005).

33. Diel, E. E., Lichtman, J. W. & Richardson, D. S. Tutorial: avoiding and correcting sample-induced spherical aberration artifacts in 3D fluorescence microscopy. *Nat. Protoc.* **15**, 2773–2784 (2020).

34. Püspöki, Z., Storath, M., Sage, D. & Unser, M. Transforms and operators for directional bioimage analysis: A survey. *Adv. Anat. Embryol. Cell Biol.* **219**, 69–93 (2016).

35. Mikofski, M. polyVal2D and polyFit2D (https://www.mathworks.com/matlabcentral/fileexchange/41097-polyval2d-and-polyfit2d), MATLAB Central File Exchange. Retrieved October 27, 2021. (2021).

36.   O'Neill, B. *Elementary Differential Geometry, Revised 2nd Edition*. *Elementary Differential Geometry, Revised 2nd Edition* (2006). doi:10.1016/C2009-0-05241-6.

37.   Crane, K., Weischedel, C. & Wardetzky, M. Geodesics in heat: A new approach to computing distance based on heat flow. *ACM Trans. Graph.* **32**, (2013).

38.   Hassouna, M. S. & Farag, A. A. Multistencils fast marching methods: A highly accurate solution to the Eikonal equation on Cartesian domains. *IEEE Trans. Pattern Anal. Mach. Intell.* **29**, 1563–1574 (2007).

39.   John D'Errico. arclength (https://www.mathworks.com/matlabcentral/fileexchange/34871-arclength), MATLAB Central File Exchange. Retrieved August 31, 2022. (2022).

40.   Chad Greene. C2xyz contour matrix to coordinates (https://www.mathworks.com/matlabcentral/fileexchange/43162-c2xyz-contour-matrix-to-coordinates), MATLAB Central File Exchange. Retrieved February 16, 2023. (2023).

Figures – Main text

Figure 1. Domes and wrinkled shapes form through distinct dynamic pathways. A) (Left) t_0 - A drop of actomyosin solution (radius R and thickness h) is placed between two glass coverslips. (Right) Example of a wrinkled shape at steady state, t_{end}. **B)** Schematic steady state shapes. (Left to right) dome, traditional 2-peak saddle, and a wrinkled shape. m – number of nodes, final thickness, b, and (projected) radius, r. Color code: surface high relative to the sheet mid-surface. **(C-E, I-K) Large-scale buckling into domes. C)** (Upper row) top-view confocal images, measured along the dotted lines in (D) and (bottom row) local filaments orientation, color coded to the orientational angle. **D)** Confocal side-view images measured along the dotted lines in (C). **(E)** Normalized actin density profiles measured normal to the thickness from bottom-to-top, along the dashed lines in (D). The bold lines and surrounding colored area correspond to mean $\pm$ SD ($N = 25$ profiles). **(F-H, I-K) Wrinkling of thin sheets.** F-H are as for the dome in C-E. **(G)** Maximal Intensity Projection (MIP) images are shown for $t \leq 120$ sec. Scale bars: 100 μm. **I)** Aspect ratio, $AR(t) = \frac{r(t)}{e(t)}$, vs. time ($r(t)$ and $e(t)$ - temporal projected radius and thickness) and **(J)** lateral and vertical strains, $\varepsilon_r = \frac{r(t)-R}{R}$ and $\varepsilon_z = \frac{e(t)-h}{h}$, from t_0 to t_{end} (purple dots), for the gels in (C,D) and (F,G). The dashed lines

and crosses in **(I)** and **(J)** mark the wrinkling onset (green, $t_{buckle} = 165$ sec) and dome buckling (orange, $t_{buckle} = 230$ sec) times; I-IV are as in (C,D) and (F,G), respectively. **(K)** Normalized aspect ratio $AR(r)/AR_{t_0}$ vs. time of various final shapes: dome (orange, $AR_{t_0} = 7$), intermediate (inset, $AR_{t_0} = 8.5$), and wrinkled shapes with 3 and 4 nodes ($AR_{t_0} = 23.6$ and 26). All systems exhibit a similar net reduction in aspect ratio of $\frac{AR_{t_{end}}}{AR_{t_0}} = 0.4$ (dashed line).

Figure 2. Distribution of Gaussian curvature along the surface - domes *vs.* wrinkled shapes. A) Topography $z(x, y)$ of the (smoothed) upper surface and **B)** a top view 2D map of the measured local Gaussian curvature, $K(x, y)$, for a dome (left) and a wrinkled shape with $m = 6$ nodes (right). For the dome, $K(x, y)$ is overall positive, except for some defects around the edge and is, grossly, radially symmetric. For the wrinkled shape, it oscillates around the gel edge and gradually decays to vanishing values when moving inwards. Lines of constant geodesic distances, ρ, are highlighted in white. The black dot defines the center of the curved surface, i.e., $\rho = 0$: it defines the highest (z) point on the dome surface and corresponds to the maximal geodesic distance measured from the wrinkled sheet boundary (see Methods). **C)** The measured local Gaussian curvature along the three geodesic distances in (B) against the azimuthal angle, θ. The Gaussian curvature of the wrinkled shape oscillates between positive and negative values with amplitudes larger than its mean. These oscillations correlate with the surface undulations in (B). The Gaussian curvature of the dome is, grossly, radially symmetric near the dome peak, and decreases toward the gel edges. The spatial average values of $\langle K \rangle$ are marked by the dashed black lines: $6 \cdot 10^{-6}\ \mu m^{-2}$ (dome) and $-6 \cdot 10^{-7}\ \mu m^{-2}$ (wrinkled shape). **D)** The measured perimeter against the geodesic distance compared to the perimeter of the flat (projected) gel, $\beta\rho$ (dashed line). For the gels shown, $\beta \cong 2\pi$ (dome) and $\beta \cong 1.2 \cdot 2\pi$ (wrinkled shape).

Figure 3. Scalability of shaping - shape selection is encoded in the system initial size to thickness aspect ratio. A) Phase diagram of steady state shapes against the initial (and final) aspect ratios. Domes, intermediate chair-like, and wrinkled shapes, segregate to low, intermediate, and large initial aspect ratios, respectively. Shown are representative images of the steady state shapes. **B)** Confocal microscopy images of final selected shapes against the initial aspect ratio. The wrinkled shapes have a single undulation mode, with no apparent higher order forming buckles. Top (a-e) and side views (f-j) laser scanning confocal images and three-dimensional representations, showing height maps (k-o) and surface plots (p-t), of a dome (a,f,k,p; $AR_{t_0} = 7.9$), a traditional 2-peak saddle (b,g,l,q; $AR_{t_0} = 9.8$), and wrinkled shapes with 3 (c,h,m,r; $AR_{t_0} = 15.4$), 6 (d,i,n,s; $AR_{t_0} = 17.8$), and 12 (e,j,o,t; $AR_{t_0} = 40.7$) nodes. Top views in a,b,c,d, and e, are measured along the white dotted lines in f,g,h,i, and j, respectively. Side views in f,g,h,i, and j are measured along the white dotted lines in a,b,c,d, and e, respectively. Actin is labeled in green and myosin motors in magenta. Scale bars: 100 μm. **C)** Net contraction in radial, $\frac{r}{R}$, and vertical, $\frac{b}{h}$, directions for the three main shapes. Shown are individually measured data points and their corresponding mean $\pm$ SD values.

Figure 4. The steady state wrinkled configurations show simple scaling dependence on system initial dimensions. (A) A log-log plot of the measured wrinkles wavelength, λ, against the steady state thickness, b, yields $\lambda = \alpha b^{0.51 \pm 0.04}$ where the pre-factor $\alpha = 64\ \mu m^{0.5}$ is independent of final projected radius r (dashed line). Data corresponds to mean $\pm$ SD ($N = 3 - 4$ gels with variable final radii). (Inset) Penetration depth, L, against the steady state thickness, b, yields $L \sim b^{1.2 \pm 0.14}$. **(B)** Number of (nodes) m vs. $\frac{R}{h^{0.5}}$ of individual gels are shown. R and h are the initial gels' radius and thickness. Wrinkled shapes (green dots): m grows linearly with $\frac{R}{h^{0.5}}$. The pre-factor, $\frac{\beta(r/R)}{\alpha(b/h)^{0.5}} = 0.025$, estimated from the parameter values, $\frac{r}{R} = 0.11 \pm 0.02$ and $\frac{b}{h} = 0.27 \pm 0.07$ (Fig. 3C), and $\beta = 2\pi(1.2 \pm 0.02)$ (mean $\pm$ SD), averaged over all gels forming wrinkled shapes, agrees very well with the value (slope) extracted from the fit, 0.033 ± 0.003 (mean $\pm$ SD) (dashed line). Data for domes ($m = 1$, orange dots) follows the same global trend.

Supplementary Information

Supplementary Figures S1-7

Supplementary Movies S1-4

Figure S1. Analysis of the contraction dynamics of the gel in Fig. 1C-E that self-organize into a dome shape. A) Extracting the temporal projected radius $r(t)$. Shown are Maximal Intensity Projection (MIP) of top view, xy cross-section, laser scanning confocal images acquired in fast Airyscan mode of the gel at different time points. The temporal projected radius, $r(t)$ is evaluated by fitting the gel area to a circle (red). If less than a quarter of the gel is visible in the field of view, the radius is evaluated from the changes in the position of the gel boundary between two sequential time points. **B) Temporal thickness $e(t)$ and buckling onset.** Shown are side view yz cross-section confocal images (standard mode) measured along the white dotted lines in (A). The thickness $e(t)$ is measured perpendicular to the gel, top and bottom, surfaces. For each time point, between 25-50 data points, localized at different positions along the gel surface, are used. Each value corresponds to the normal distance between the top and bottom, surfaces at that position (see e.g., white arrows). Errors correspond to standard deviations of the experimental values. The images are corrected for index refraction mismatch between the objective immersion liquid (here air) and the aqueous sample (see Methods). Thickness measurement is restricted to the central region of the disc up to the time point the thickness becomes homogeneous everywhere ($t = 266$ sec). The buckling onset (blue rectangle) corresponds to the time point the gel center adopts a non-vanishing curvature. The steady

state thickness b is evaluated similarly, but on high resolution images acquired in standard Airyscan mode (not shown). Scale bars are 100 μm. Gel initial dimensions: $h = 245$ μm and $2R = 3400$ μm.

Figure S2. Temporal thickness $e(t)$ and projected radius $r(t)$ of the gel in Fig. 1C,D (main text) and Fig. S1. The orange dashed line marks the dome buckling onset ($t_{\text{buckle}} = 231$ sec). Gel initial dimensions: $h = 245$ μm and $2R = 3400$ μm.

Figure S3. (A) Thin sheet formation - probing the changes in temporal thickness for gels ending up in wrinkled and intermediate shapes. Shown are laser scanning confocal side view images of the gel in Fig. 1F-H (main text) during the vertical contraction phase. The temporal thickness $e(t)$ is extracted from Maximal Intensity Projection (MIP), xz and yz side view cross-section images (right column) as the thickness cannot be resolved in standard imaging mode (left column). $t = 120$ sec, marks the end of the vertical contraction phase and the initiation of the lateral (in-plane) contraction phase. At this point, the gel usually becomes sufficiently dense to be visualized in standard imaging mode. Gel initial dimensions: $h =$

63 μm, $2R = 3260$ μm ($m = 4$). **(B)** Top view, xy cross-section, laser scanning confocal images acquired in fast Airyscan mode of a gel ending in a wrinkled shape with 3 nodes, with the local filaments orientation, color coded to the orientational angle. The sheets remain structurally isotropic throughout radial contraction and wrinkling except for vanishingly small, aligned region of the actin bundles at the gel periphery. Gel initial dimension: $h = 80$ μm, $2R = 3780$ μm ($m = 3$). Scale bars in (A) and (B) are 100 μm.

Figure S4. Temporal thickness $e(t)$ and projected radius $r(t)$ of the gel in Fig. 1G,H (main text). The green dashed line marks the wrinkling onset ($t_{buckle} = 165$ sec). Gel initial dimensions: $h = 63$ μm, $2R = 3260$ μm ($m = 4$).

Figure S5. Extracting the non-circularity coefficient β from projected perimeter. Shown are the projected (2D) perimeter p against the projected distance r for the dome (left) and wrinkled shape (right) shown in Fig. 2. For a perfect circular disc, this relation $p = \beta r$, yields $\beta = 2\pi$. For each gel β is extracted by fitting the measured perimeter to a linear function. Inset: image of the gels' contour lines of the projected perimeters at different projected distances r.

Figure S6. Extracting the wrinkles penetration depth *L*. Angular average of the deviation of the local Gaussian curvature from its average value squared ($\Delta K^2(r)$) against the projected radial distance r. The wrinkles penetration depth L defines the distance from the boundary at which $\Delta K^2(r)$ vanishes (red dot). In log-log representation it defines the position of the local minima (inset, red dot).

Figure S7. Wrinkles penetration depth *L* and wavelength are independent of system size, i.e., steady state projected radius *r*. (A) Measured wrinkles penetration depth L normalized by $b^{1.2}$, which eliminates the dependence of L on the steady state thickness b (see Fig. 4A inset), for the various analyzed gels shows that the penetration depth is independent of system size (i.e., r). **(B)** Similarly, we find that the measured wrinkles wavelength λ, normalized by $b^{0.5}$, is independent of the final project radius.

Supplementary Movies

Movie S1. Contraction dynamics and buckling of a gel that self-organizes into a dome shape. Laser scanning confocal microscopy imaging of the gel shown in Fig. 1C,D (main text) and Fig. S1. Three views of the gel are shown: top view, xy cross-sections, measured along the dotted lines in the side view, xz (top) and yz (right) cross-section images. Similarly, side view, xz (top) and yz (right) cross-section images, are measured along the dotted lines in the xy cross-sections. Actin is labeled with Alexa-Fluor 488. Scale bar is 100 μm.

Movie S2. Local actin bundles orientation in the gel shown in Supplementary Movie S1. The results are presented in color map in HSB mode, where hue corresponds to mean local orientation, saturation is coherency, and brightness corresponds to the source (original) image. Scale bar is 100 μm.

Movie S3. Vertical contraction dynamics of the gel in Fig. 1F, H (main text) and Fig. S3A that self-organizes in a wrinkled shape. Shown are top view (xy cross-sections) and side view (xz (top) and yz (right) cross-sections) Maximal Intensity Projection (MIP) images of the gel. Actin is labeled with Alexa-Fluor 488. Scale bar is 100 μm.

Movie S4. Local actin filaments/bundles orientation of the gel in Fig. S3B that self-organize in a wrinkled shape with $m = 3$ nodes. The results are presented in color map in HSB mode, where hue corresponds to mean local orientation, saturation is coherency, and brightness is the source (original) image. Scale bar is 100 μm.