PNAS

Main Manuscript for

A redox switch allows binding of Fe(II) and Fe(III) ions in the cyanobacterial iron binding protein FutA from *Prochlorococcus*

Rachel Bolton[a,b], Moritz M. Machelett[a,c], Jack Stubbs[a,b], Danny Axford[b], Nicolas Caramello[d,e], Lucrezia Catapano[f,g], Martin Malý[a], Matthew J. Rodrigues[a,b,h], Charlotte Cordery[a,b], Graham J. Tizzard[i], Fraser MacMillan[j], Sylvain Engilberge[d], David von Stetten[k], Takehiko Tosha[l], Hiroshi Sugimoto[l], Jonathan A.R. Worrall[m], Jeremy S. Webb[a,b], Mike Zubkov[c,n], Simon Coles[i], Eric Mathieu[o], Roberto A. Steiner[f,p], Garib Murshudov[g], Tobias E. Schrader[q], Allen M. Orville[b,r], Antoine Royant[d,o], Gwyndaf Evans[b,s], Michael A. Hough[b,m,r], Robin L. Owen[b], Ivo Tews[a]

[a] Biological Sciences, Institute for Life Sciences, University of Southampton, Southampton, SO17 1BJ, UK

[b] Diamond Light Source, Harwell Science and Innovation Campus, Didcot, Oxfordshire, OX11 0DE, UK

[c] National Oceanography Centre, Southampton SO14 3ZH, UK

[d] European Synchrotron Radiation Facility, 38043 Grenoble Cedex 9, France

[e] Hamburg Centre for Ultrafast Imaging, HARBOR, Universität Hamburg, Luruper Chaussee 149, 22761 Hamburg, Germany

[f] Randall Centre of Cell and Molecular Biophysics, King's College London, New Hunt's House, Guy's Campus, London, SE1 1UL, UK

[g] MRC Laboratory of Molecular Biology, Francis Crick Avenue, Cambridge Biomedical Campus, Cambridge, CB2 0QH, UK

[h] Laboratory of Biomolecular Research, Paul Scherrer Institute, 5232 Villigen, Switzerland

[i] School of Chemistry, University of Southampton, Southampton, SO17 1BJ, UK

[j] School of Chemistry, University of East Anglia, Norwich NR4 7TJ, UK

[k] European Molecular Biology Laboratory (EMBL), Hamburg Unit, Notkestraße 85, 22607 Hamburg, Germany

[l] Synchrotron Radiation Life Science Instrumentation Team, RIKEN SPring-8 Center, 1-1-1 Kouto, Sayo, Hyogo 679-5148, Japan

[m] School of Life Sciences, University of Essex, Wivenhoe Park, Colchester CO4 3SQ, UK

[n] Scottish Association for Marine Science, Oban PA37 1QA, Scotland, UK

[o] Univ. Grenoble Alpes, CNRS, CEA, Institut de Biologie Structurale (IBS), 38044 Grenoble Cedex 9, France

ᵖ Department of Biomedical Sciences, University of Padova, via Ugo Bassi 58/B, 35131 Padova,
Italy

�q Forschungszentrum Jülich GmbH, Jülich Centre for Neutron Science (JCNS), Lichtenbergstraße
1, 85748 Garching, Germany

ʳ Research Complex at Harwell, Harwell Science and Innovation Campus, Didcot, OX11 0FA,
United Kingdom

ˢ Rosalind Franklin Institute, Harwell Science and Innovation Campus, Didcot, Oxfordshire, OX11
0QX, UK

*Corresponding author: Ivo Tews, Biological Sciences, Institute for Life Sciences, University of
Southampton, Southampton, SO17 1BJ, UK, m: ivo.tews@soton.ac.uk

Email: ivo.tews@soton.ac.uk

Author Contributions: Investigation: RB, MMM, JS, DA, NC, CC, GJT, FMM, SE, EM, TS, AR,
MH, RLO, IT; Formal Analysis: RB, JS, DA, NC, LC, MM, MJR, FMM, TS, AR, IT; Methodology:
DA, NC, LC, MJR, SE, DvS, TT, HS, JW, RAS, GM, TS, AR, MH, RLO, IT; Funding acquisition:
JSW, MZ, SC, AMO, GE, MH, IT; Writing – original draft: RB, MMM, IT, Writing – review &
editing: RB, DA, AMO, AR, MH, RLO, IT.

Competing Interest Statement: The authors do not declare competing interests.

Classification: Biological Sciences / Biophysics and Computational Biology.

Keywords: cyanobacteria, serial femtosecond crystallography, radiation damage, iron, ABC
transporter.

This file includes:

Main Text
Figures 1 to 4

Abstract

The marine cyanobacterium *Prochlorococcus* is a main contributor to global photosynthesis,
whilst being limited by iron availability. Cyanobacterial genomes typically encode two different
types of FutA iron binding proteins: periplasmic FutA2 ABC transporter subunits bind Fe(III), while
cytosolic FutA1 binds Fe(II). Owing to their small size and their economized genome
Prochlorococcus ecotypes typically possess a single *futA* gene. How the encoded FutA protein
might bind different Fe oxidation states was previously unknown. Here we use structural biology
techniques at room temperature to probe the dynamic behavior of FutA. Neutron diffraction
confirmed four negatively charged tyrosinates, that together with a neutral water molecule
coordinate iron in trigonal bipyramidal geometry. Positioning of the positively charged Arg103 side
chain in the second coordination shell yields an overall charge-neutral Fe(III) binding state in
structures determined by neutron diffraction and serial femtosecond crystallography.
Conventional rotation X-ray crystallography using a home source revealed X-ray induced
photoreduction of the iron center with observation of the Fe(II) binding state; here, an additional
positioning of the Arg203 side chain in the second coordination shell maintained an overall
charge neutral Fe(II) binding site. Dose series using serial synchrotron crystallography and an
XFEL X-ray pump-probe approach capture the transition between Fe(III) and Fe(II) states,
revealing how Arg203 operates as a switch to accommodate the different iron oxidation states.
This switching ability of the *Prochlorococcus* FutA protein may reflect ecological adaptation by
genome streamlining and loss of specialized FutA proteins.

Significance Statement

Oceanic primary production by marine cyanobacteria is a main contributor to carbon and nitrogen
fixation. *Prochlorococcus* is the most abundant photosynthetic organism on Earth, with an annual
carbon fixation comparable to the net global primary production from agriculture. Its remarkable
ecological success is based on the ability to thrive in low nutrient waters. To manage iron
limitation, *Prochlorococcus* possesses the FutA protein for iron uptake and homeostasis. We
reveal a molecular switch in the FutA protein that allows it to accommodate binding of iron in
either the Fe(III) or Fe(II) state using structural biology techniques at room temperature and
provide a plausible mechanism for iron binding promiscuity.

Main Text

Introduction

Iron is the fourth most abundant element in the Earth's crust (1). However, because of the poor
solubility, primary production in large oceanic and freshwater environments is limited by iron
uptake (2). In oxygenated aqueous environments, iron predominantly exists in Fe(III)
oxyhydroxides (3) with a solubility of 10^{-18} M (4) and consequently precipitates to severely limit
bioavailability (5). Marine phytoplankton require iron in the photosynthetic electron transport chain
(6) and in the nitrogenase enzyme (7, 8); thus, iron availability directly limits photosynthesis (9)
and nitrogen fixation (10).

Cyanobacteria of the *Prochlorococcus* genus are able to fix four gigatons of carbon per annum,
which is comparable to the net primary production of global agriculture (11). *Prochlorococcus*
bacteria dominate bacterial populations in tropical and subtropical oligotrophic ocean regions
(12). One of the factors for ecological success is the exceptional ability of this bacterium to thrive
in low nutrient waters (13). Adaptation includes reduction in size to 0.5 – 0.7 μm, making
Prochlorococcus not only the most abundant but also the smallest photosynthetic organism on
Earth (14). Reduction in size maximizes the surface-area-to-volume ratio for metabolic efficiency,
to a tradeoff of genome reduction, and *Prochlorococcus* maintains the smallest genome (1.6-2.7
Mb) known for any free-living phototroph (15).

Typically, cyanobacteria harbor multiple iron uptake systems (16). In the common TonB transport
system, organic ligands (siderophores) are used to solubilize iron (17). The majority of the
Prochlorococcus species lack genes for siderophore biosynthesis (18, 19); instead, the bacterium
relies on the Fut ABC transporter for iron uptake (20). Here, specialized periplasmic proteins
sequester elemental iron (16); FutA2 is such a substrate binding protein (SBP) that binds Fe(III)
to deliver it to the Fut ABC transporter (21, 22). A functional homologue of FutA2 is the cytosolic
protein FutA1 that binds Fe(II) and protects the photosystem against oxidative stress (23-25);
however, FutA1 has also been shown to bind Fe(III) (21, 26). We have previously reported dual
localization and function for the single FutA protein of the marine cyanobacterium *Trichodesmium*
(27), suggesting it can bind both iron species. Similarly, *Prochlorococcus* harbors a single *futA*
gene (20), we wanted to understand whether and how a single FutA protein can bind both iron
species, and how redox plasticity was structurally encoded.

It is challenging to obtain crystallographic models without alteration of the metal sites, since site-
specific damage occurs extremely quickly and at very low doses (28), particularly for iron (29, 30).
Indeed, the FutA structure determined from a conventional diffraction experiment on an X-ray
home source reported here represented the photo-reduced, Fe(II) binding state, corroborated by
spectroscopic evidence. A serial femtosecond crystallography approach (SFX) using an XFEL
source and a complementary neutron diffraction approach were required to avoid the
manifestations of X-ray induced photoreduction in order to determine the Fe(III) state and give
protonation states of iron coordinating amino acid side chains. Using a fixed-target silicon chip
system for crystal delivery (31) at both synchrotron and XFEL radiation sources, we studied the
transition between Fe(III) to Fe(II) states whilst making use of the effects of X-ray induced
photoreduction, varying dose and time. The resulting protein structures support a dual binding
mode for iron and give insight into protein adaptation to evolutionary pressures.

Results

The structure of FutA. The crystallographic X-ray structure of FutA was determined from a
single crystal to 1.7 Å resolution, using a standard rotation protocol with the crystal in a sealed
capillary at a home source setup (**Table S1**). Substrate binding domains such as FutA can be
classified based on overall fold and *Prochlorococcus* FutA classifies as "D type" substrate binding
protein. The N-terminal (amino acids 1-98 and 232-280, light grey) and C-terminal domains
(amino acids 99-231 and 281-314, dark grey) are highlighted in **Fig. 1A**.

The substrate-binding cleft bears the iron-binding site that is open to the surrounding solvent. The
four tyrosine side chains of Tyr13 from N-terminal and Tyr143, Tyr199 and Tyr200 from C-
terminal domains coordinate the iron, **Fig. 1B**, in this Class IV substrate binding protein (32). The
trigonal bipyramidal coordination involves Tyr13, Tyr143 and Tyr200 to form the trigonal plane
with iron at its center, while Tyr199 and a coordinating solvent molecule are the axial ligands.

Interestingly, the structure reveals a positioning of two arginine side chains, Arg103 and Arg203,
in a second shell around the iron binding site, **Fig. 1C**. One might assume the tyrosine side
chains are negatively charged tyrosinates, and arginine side chains would each provide a positive
charge, with a neutral solvent molecule. To understand the charge state, we used spectroscopy
and confirmed protonation states using neutron diffraction.

Determination of the Fe(III) iron binding state by spectroscopy. A refolding protocol in
presence of iron sulfate was used to purify FutA. The burgundy red color of the purified protein
that can readily be bleached by excess sodium dithionite likely resulted from the ligand to metal
charge transfer (LMCT) bands between the tyrosinate residues coordinating the Fe(III) ion, **Fig.
2A**.

The electron paramagnetic resonance (EPR) spectrum of purified FutA shows a sharp signal at a
g-value of 4.29, **Fig. 2B**. This signal is indicative of a $|\pm3/2\rangle$ doublet from a $3d^5$, high-spin (S = 5/2)

isotropic system (E/D ≈ 1/3), consistent with an Fe(III) ion bound to FutA (33). The weaker signals
(g = 5.67, g = 7.90) derive from either $|\pm1/2\rangle$ ground state transitions or from $|\pm3/2\rangle$ resonances
from rhombic species of the Fe(III) iron. However, given the very high transition probabilities for
the g = 4.29 signal compared to the lower transition probability for ground state or anisotropic
species, the latter resonances likely represent a significant fraction of the total spins in the
sample. Excess of sodium dithionite leads to the loss of the EPR signal, **Fig. 2B**. This could result
from loss of iron binding and reduction in solution, or reduction of Fe(III) iron to a colorless and
$3d^6$ EPR-silent (probably S=2) Fe(II) state within the active site.

Protonation state of Fe(III) coordinating residues as determined by neutron diffraction. We
determined the crystallographic structure of FutA by neutron diffraction to 2.1 Å resolution
(**Tables S1 & S2**). Positive density in the neutron F_o-F_c omit map indicates sites of successful
hydrogen-deuterium exchange. The lack of deuterium on the iron coordinating Tyr13, Tyr143,
Tyr199 and Tyr200 suggests these residues are tyrosinates, **Fig. 2C**. The nuclear density for the
metal-bound solvent is consistent with neutral water. Arg203 is not engaged in any interactions
and does not contribute to the second shell (**Fig. S1**), in contrast to the X-ray structure, **Fig. 1**.
However, side chain of Arg103 in the second shell is fully protonated and positively charged, thus
together with the four negatively charged tyrosinates Fe(III) binding results in an overall charge
balanced binding site.

The Fe(III) iron state structure determined by serial femtosecond crystallography (SFX).
The SFX experiment used short (10 fs), high-intensity X-ray pulses from the SACLA XFEL to
provide diffraction patterns that are collected before the crystal is destroyed (34). It has been
shown that data can be recorded free of the effects of radiation induced changes as long as
sufficiently short pulses (<20 fs) are used (35). Crystallization conditions were optimized to obtain
microcrystal slurries suitable for SFX, as described by us previously (36). For data collection,
crystals of approximately 20 x 7 x 7 μm^3 were applied onto a fixed-target silicon chip, with the
final dataset merged from three chips (**Table S1**).

SFX and neutron diffraction structures are similar (see comparison in SI), with the Arg103 side
chain contributing to the second shell, but the side chain of Arg203 pointing away from the
binding site, **Fig. 2D**. EPR data, neutron diffraction and SFX agree and are consistent with iron
binding in the Fe(III) state. In turn, this suggests that the structure determined from the X-ray
home source with the Arg203 side chain pointing towards the binding site as shown in **Fig. 1** may
represent the Fe(II) state.

Characterization of X-ray induced photoreduction of Fe(III) FutA. The home source rotation
experiment might either fortuitously have captured the reduced state, or this observation had
resulted from X-ray induced photoreduction of Fe(III) to Fe(II). Photoreduction was highly likely,
considering the bleaching of the burgundy-red appearance in the X-ray exposed area of the
crystal during data collection. We thus went on to characterize the effect of X-ray exposure using
in crystallo optical spectroscopy (37).

The electronic absorption peak (λ_{max} = 438 nm) corresponding to the Fe(III) iron (38)
progressively decays on incident X-ray irradiation at a synchrotron beamline, **Fig. 3A**. As X-rays
induce light-absorbing chemical species in the solvent that overlap with the Fe(III) iron specific
signal, the 620 nm wavelength was chosen to minimize the effect of this artefact and characterize
photoreduction of the iron center, plotting absorbance against accumulated radiation dose, **Fig.**
3B. Measuring five different crystals, we determined a half-photoreduction dose of 128 ± 21 kGy;
the dose at which 80% of the molecules had been photoreduced was 204 ± 27 kGy.

Tracking of X-ray induced photoreduction from an SSX dose series. A fixed target serial
synchrotron crystallography (SSX) approach described by us previously (31) was used, as it is
well suited for low dose investigations. A series of ten images was taken from each microcrystal,

where each image incrementally increases the dose, allowing us to follow structural changes of
the FutA iron complex in response to X-ray induced photoreduction.

Two different dose series with dose increments of 5 kGy and 22 kGy are reported (**Tables S3 &**
S4). Images corresponding to each dose point are merged to provide a series of datasets
corresponding to these dose points. The isomorphous difference density indicates an alternative
conformation for Arg203. The feature is readily visible at 22 kGy and strongest at 88 kGy, **Fig.**
3C. Indeed, overlay with the conformation observed in the home source structure, **Fig. 1C**, shows
that both structures are similar, suggesting the photoreduced state was observed in either case.

An XFEL X-ray pump-probe (XRPP) approach captures the transition between Fe(III) and
Fe(II) states. We designed a novel serial femtosecond crystallography experiment where a first
pulse, attenuated using a sapphire wafer mounted on a fast flipper, was followed by a second,
unattenuated pulse (**Fig. S2)**. Using SACLA's repetition rate of 30 Hz, the 10 fs pump and probe
were spaced 33 ms apart. While several different levels of attenuation were explored, data for a
350 kGy pump (94% attenuated) yielded structural changes consistent with photoreduction.
Interestingly, in contrast to the SSX series, **Fig. 3C**, this experiment preserved the iron
coordinating water that was clearly resolved in electron density, **Fig. 4**, consistent with penta-
coordinated Fe(II) iron. Ensuing refinement confirms presence of the alternative conformation of
Arg203 (**Fig. S3**). For the high occupancy state of Arg203 with the guanidino group closest to the
iron center, distances were 4.8 Å between the η1 amide of Arg203 and the phenolate oxygen of
Tyr200, and 4.6 Å between the η2 amide of Arg203 and the alkoxy group of Tyr13. The XRPP
experiment thus induced specific alteration(s) and created the FutA Fe(II) state *in situ*.

Discussion

The adaptation of the marine cyanobacterium *Prochlorococcus* is a remarkable story of ecological
success, making this photosynthetic organism the most abundant on earth. Two factors are
particularly important, the ability to survive under limiting nutrient conditions and physical size
reduction where both factors put evolutionary pressure on the iron uptake system of the
bacterium (13, 14). This study addresses the challenge of how a single gene product, FutA, can
bind both Fe(III) and Fe(II) iron.

The structural analyses reported at ambient (room) temperature allow delineating a plausible
mechanism for iron binding in two different oxidation states, showing how FutA Arg203 operates
as a switch between states. The side chain of this residue is not engaged in polar contacts in the
Fe(III) states, which is hinting at its intrinsic dynamics, allowing it to be recruited and engage in
interaction with the iron center and contribute a balancing charge in the Fe(II) state, **Fig. 3D**.

X-ray crystallographic study of RedOx active metallo-proteins is challenging as X-ray induced
photoreduction can occur. Transition metals are particularly sensitive to specific radiation damage
(28, 39), and observation of the FutA Fe(III) state required SFX / neutron diffraction. Changes in
the oxidation state induced by X-rays were previously documented for doses as low as 30 - 20
kGy (30, 40, 41). For Fe(III), we show that the half-point for photoreduction in FutA corresponds
to a dose of 128 +/- 21 kGy, as shown by spectroscopic analysis, **Fig. 2B**.

We exploited the effects of X-ray induced photoreduction to study the transition between Fe(III)
and Fe(II) states, using a SSX dose series and an SFX X-ray pump probe setup, both allowing us
to map conformational changes at ambient temperatures (42). The major difference observed
between these approaches occurred for density of the coordinating water, which disappeared
with accumulating dose in SSX, **Fig. 3C**, while the SFX XRPP approach preserved the electron
density, **Fig. 4**. The reported doses delivered were 350 kGy in a 10-femtosecond pulse in the
SFX XRPP pump which was 3.2 and 4 times higher than the doses used in the home source and
SSX experiments, respectively, both of which used continuous X-ray exposure which could lead
to difference in heat load. Beam sizes were also different, with 300 micron for home source, 10

micron for SSX and 1.5 micron for SFX experiments, providing an important difference for photo-
electron escape (43). Further work is needed to understand radiation chemistry arising from these
different conditions (see additional discussion in SI).

Discovery of a mechanism to bind two different iron oxidation states prompted us to revisit
homologues of the FutA iron binding protein, and we found that a similar switch may exist for the
iron binding protein FbpA from *Thermus thermophilus* with structures in two states reported (**Fig.
S4**). *Synechocystis* has two specialized iron binding proteins, with FutA2 being assigned a Fe(III)
binding function in the oxidative environment of the periplasm, while FutA1 binds Fe(II) iron
favored under reducing conditions in the cytosol. For these proteins, conservation of the arginine
residue equivalent *Prochlorococcus* Arg203 (**Fig. S5**) may relate to biological ability to bind iron at
different oxidation states, as discussed in supplementary text.

Conclusion: Structures with iron bound in different oxidation states help explain how the intrinsic
structural plasticity of FutA accommodate Fe(II) as well as Fe(III) iron species. Translated into a
molecular mechanism, an arginine side chain flip provides a charge balance. The acute sensitivity
of FutA to specific radiation damage illustrates the requirement for dose limiting data collection
regimes. We have used photoreduction as an advantage to study the transition of Fe(III) to Fe(II)
binding state. The X-ray pump probe approach demonstrated here has the potential to become a
straightforward-to-implement approach to induce redox state changes probing structural
transitions. We envisage that more complex experiments could generate photoreduced states
akin to anaerobic conditions that are amenable for further modification by ligand addition.

Materials and Methods

The sections *molecular biology*; *protein purification*; *protein crystallization*; *sample preparation for
serial crystallography; crystallographic data processing; structure determination and refinement*;
in crystallo UV-vis spectroscopy are found in SI. All studies (except EPR) were performed at
ambient (room) temperature. Crystallization used the natural pH of the purification buffer (0.1 M
Tris buffered at pH 9.0, containing 320 mM NaCl), and 12% (w/v) PEG3350 / 0.2 M NaSCN in
vapor diffusion for the home source and in batch for neutron diffraction structures. Seeded batch
crystallization with 20% (w/v) PEG3350 / 0.2 M NaSCN was used for serial crystallography.
Diffraction-weighted doses (DWD) reported include photoelectron escape calculation with
RADDOSE-3D (version 2.1) (44) (for a critical discussion on dose calculation see SI).

Home source crystal structure. Data were collected from a single crystal grown from batch
crystallization and measuring 0.23 x 0.24 x 0.12 mm^3, mounted in a 0.7 mm sealed quartz
capillary on a Rigaku 007 HF (High Flux) diffractometer equipped with a HyPix 6000HE detector.
The X-ray beam with a flux of 2.5 x 10^9 ph/s at 8.1 keV was collimated at 200 μm^2. The total
exposure time of 1 hr equated to a total dose of 110 kGy.

Neutron crystallography. For hydrogen-deuterium exchange, Fe(III) loaded FutA crystals grown
from batch crystallization were transferred into a deuterated solution of the same crystallization
conditions, in two subsequent exchanges for 24 hrs. Crystals with a volume larger than 0.2 mm^3
were mounted in 1 mm sealed quartz capillaries. Data collection at BIODIFF (45),
Forschungsreaktor München II (Germany) used a monochromatic neutron beam. The final
dataset was merged from two isomorphous crystals collected at wavelengths of 3.1 Å (calibrated
to 4DP with an Yttrium Iron Garnet powder sample).

Serial synchrotron crystallography (SSX). SSX data were collected at beamline I24, Diamond
Light Source, using silicon chips with 12 μm apertures. For each dose series, ten images (10 ms
per image) were collected at each aperture. Images were separated into individual dose points for
processing to obtain ten dose points (40). Datasets above a total dose of 110 kGy were no longer
isomorphous with the lowest dose point, with increased B-factors corroborating global damage.

Serial femtosecond crystallography (SFX). SFX data were collected at SACLA beamline BL2
EH3, Japan, using the MPCCD detector. The XFEL was operated at an X-ray energy of 11.0 keV
with a pulse length of 10 fs and a repetition rate of 30 Hz. Synchronizing chip translation with the
XFEL pulse, data collection took roughly 14 mins per chip.

SFX X-ray pump probe. For the XRPP experiments, a flipper-attenuator was used to reduce the
flux of alternate XFEL pulses. A fast, self-restoring rotary shutter (Branstrom Instruments, USA)
mounted upstream of the sample and containing Sapphire wafer in a range of thicknesses was
triggered, via TTL from a signal generator, to move the wafer into and out of the X ray beam path.
Pump and probe diffraction images were separated based on total scattering intensity using the
dxtbx.radial_average function from the DIALS software package (**Fig. S2**).

UV-vis absorption spectroscopy. In solution spectra were collected in purification buffer (0.1 M
Tris buffered at pH 9.0, containing 320 mM NaCl) on a Shimadzu UV-2600 spectrophotometer at
a protein concentration of 4.75 mg/ml (0.14 mM). In the chemical reaction experiment, $Na_2S_2O_4$
was added to a final concentration of 1.4 mM under aerobic conditions. *In crystallo* X-ray dose
dependent UV-vis absorption spectroscopy was performed at ESRF beamline BM07-FIP2 with a
200 x 200 μm^2 X-ray top-hat beam at 12.66 keV (4.1 and 5.0 x 10^{11} ph/s photon flux). Spectra
were acquired at 0.4 Hz with a loop-mount crystal using a humidity controller (HC-Lab, Arinax)
(46) bathed in the X-ray beam on an online microspectrophotometer with a focal volume of 50 x
50 x ~100 μm^3 (37, 47).

Electron paramagnetic resonance. FutA at a concentration of 50 μM was shock-frozen in liquid
nitrogen. In the chemical reduction experiment, $Na_2S_2O_4$ was added to a final concentration of
500 μM under aerobic conditions prior to freezing. Data collection was carried out in EPR quartz
tubes at liquid helium temperature. X-band continuous wave EPR spectra (10 Gauss modulation
amplitude, 2 mW microwave power) were recorded on a Bruker eleXsys E500 spectrometer using
a standard rectangular Bruker EPR cavity (ER4102T) equipped with an Oxford helium cryostat
(ESR900) at 5 – 6 K.

Acknowledgments

We thank Chris Holes for macromolecular crystallization, Peter Horton for diffraction, and Peter
Roach for critical discussion at the University of Southampton (UoS). Financial support: Japan
Partnering Award, Biological Sciences Research Council (BBSRC) BB/R021015/1,
BB/W001950/1 to JW, MH, RO; Diamond Doctoral Studentship Programme to RB, JS, MR, CC;
South Coast Biosciences Doctoral Training Partnership SoCoBio DTP BBSRC BB/T008768/1 to
JS; PhD studentships by Hamburg University and the European Synchrotron Radiation Facility
(ESRF) to NC, the Collaborative Computing Project 4 (CCP4) to LC (#7920S22020007); the
Institute for Life Sciences (Southampton) to CC; Wellcome Investigator Award 210734/Z/18/Z to
AMO; Royal Society Wolfson Fellowship RSWF\R2\182017 to AMO. We acknowledge facility
access to the National Crystallography Service (NCS) Southampton; DLS MX15722, NT14493,
NT23570; SACLA 2022A8002, 2022B8041; Forschungsreaktor München ID:16106; ESRF BM07-
FIP2 and *ic*OS, MX2373, MX2374; Diamond Light Source (DLS) UK XFEL hub and ESRF for
travel support. We are grateful to beamline staff, in particular Shigeki Owada and Kensuke Tono
at SACLA.

References

1. K. Hans Wedepohl, The composition of the continental crust. *Geochimica et*
Cosmochimica Acta **59**, 1217-1232 (1995).
2. P. W. Boyd *et al.*, Mesoscale Iron Enrichment Experiments 1993-2005: Synthesis and
Future Directions. *Science* **315**, 612-617 (2007).

3. W. Stumm, B. Sulzberger, The cycling of iron in natural environments: Considerations
based on laboratory studies of heterogeneous redox processes. *Geochimica et*
Cosmochimica Acta **56**, 3233-3257 (1992).
4. M. L. Wells, N. M. Price, K. W. Bruland, Iron chemistry in seawater and its relationship to
phytoplankton: a workshop report. *Marine Chemistry* **48**, 157-182 (1995).
5. H. W. Rich, F. M. M. Morel, Availability of well-defined iron colloids to the marine diatom
Thalassiosira weissflogii. *Limnology and Oceanography* **35**, 652-662 (1990).
6. J. A. Raven, M. C. W. Evans, R. E. Korb, The role of trace metals in photosynthetic
electron transport in O2-evolving organisms. *Photosynthesis Research* **60**, 111-150
(1999).
7. S. Richier *et al.*, Abundances of Iron-Binding Photosynthetic and Nitrogen-Fixing Proteins
of Trichodesmium Both in Culture and In Situ from the North Atlantic. *PLoS ONE* **7**,
e35571 (2012).
8. J. T. Snow *et al.*, Quantifying Integrated Proteomic Responses to Iron Stress in the
Globally Important Marine Diazotroph Trichodesmium. *PLOS ONE* **10**, e0142626 (2015).
9. Z. S. Kolber *et al.*, Iron limitation of phytoplankton photosynthesis in the equatorial Pacific
Ocean. *Nature* **371**, 145-149 (1994).
10. M. C. Moore *et al.*, Large-scale distribution of Atlantic nitrogen fixation controlled by iron
availability. *Nature Geoscience* **2**, 867-871 (2009).
11. M. A. Huston, S. Wolverton, The global distribution of net primary production: resolving
the paradox. *Ecological Monographs* **79**, 343-377 (2009).
12. P. Flombaum *et al.*, Present and future global distributions of the marine cyanobacteria
Prochlorococcus and Synechococcus. *Proceedings of the National Academy of Sciences*
110, 9824-9829 (2013).
13. S. J. Biller, P. M. Berube, D. Lindell, S. W. Chisholm, Prochlorococcus: the structure and
function of collective diversity. *Nature Reviews Microbiology* **13**, 13-27 (2015).
14. F. Partensky, W. R. Hess, D. Vaulot, Prochlorococcus, a Marine Photosynthetic
Prokaryote of Global Significance. *Microbiology and Molecular Biology Reviews* **63**, 106-
127 (1999).
15. P. M. Berube *et al.*, Single cell genomes of Prochlorococcus, Synechococcus, and
sympatric microbes from diverse marine environments. *Sci Data* **5**, 180154 (2018).
16. R. Sutak, J.-M. Camadro, E. Lesuisse, Iron Uptake Mechanisms in Marine Phytoplankton.
Frontiers in Microbiology **11** (2020).
17. M. Sandy, A. Butler, Microbial Iron Acquisition: Marine and Terrestrial Siderophores.
Chemical Reviews **109**, 4580-4595 (2009).
18. D. B. Rusch, A. C. Martiny, C. L. Dupont, A. L. Halpern, J. C. Venter, Characterization of
Prochlorococcus clades from iron-depleted oceanic regions. *Proceedings of the National*
Academy of Sciences **107**, 16184-16189 (2010).
19. R. R. Malmstrom *et al.*, Ecology of uncultured Prochlorococcus clades revealed through
single-cell genomics and biogeographic analysis. *International Society for Microbial*
Ecology Journal **7**, 184-198 (2013).
20. G. Rocap *et al.*, Genome divergence in two Prochlorococcus ecotypes reflects oceanic
niche differentiation. *Nature* **424**, 1042-1047 (2003).
21. H. Katoh, N. Hagino, A. R. Grossman, T. Ogawa, Genes essential to iron transport in the
cyanobacterium Synechocystis sp. strain PCC 6803. *Journal of Bacteriology* **183**, 2779-
2784 (2001).
22. A. Badarau *et al.*, FutA2 is a ferric binding protein from Synechocystis PCC 6803. *Journal*
of Biological Chemistry **283**, 12520-12527 (2007).
23. P. Exss-Sonne, J. Tölle, K. P. Bader, E. K. Pistorius, K.-P. Michel, The IdiA protein of
Synechococcus sp. PCC 7942 functions in protecting the acceptor side of Photosystem II
under oxidative stress. *Photosynthesis Research* **63**, 145-157 (2000).
24. J. Tölle *et al.*, Localization and function of the IdiA homologue Slr1295 in the
cyanobacterium Synechocystis sp. strain PCC 6803. *Microbiology* **148**, 3293-3305
(2002).

396	25. K. P. Michel, E. K. Pistorius, Adaptation of the photosynthetic electron transport chain in
397	cyanobacteria to iron deficiency: The function of IdiA and IsiA. *Physiologia Plantarum*
398	**120**, 36-50 (2004).
399	26. H. Katoh, N. Hagino, T. Ogawa, Iron-binding activity of FutA1 subunit of an ABC-type iron
400	transporter in the cyanobacterium Synechocystis sp. Strain PCC 6803. *Plant and Cell*
401	*Physiology* **42**, 823-827 (2001).
402	27. D. Polyviou *et al.*, Structural and functional characterization of IdiA/FutA (Tery_3377), an
403	iron-binding protein from the ocean diazotroph Trichodesmium erythraeum. *Journal of*
404	*Biological Chemistry* **293**, 18099-18109 (2018).
405	28. E. F. Garman, M. Weik, Radiation Damage in Macromolecular Crystallography. *Methods*
406	*Mol Biol* **1607**, 467-489 (2017).
407	29. J. A. R. Worrall, M. A. Hough, Serial femtosecond crystallography approaches to
408	understanding catalysis in iron enzymes. *Curr Opin Struc Biol* **77** (2022).
409	30. V. Pfanzagl *et al.*, X-ray–induced photoreduction of heme metal centers rapidly induces
410	active-site perturbations in a protein-independent manner. *Journal of Biological*
411	*Chemistry* **295**, 13488-13501 (2020).
412	31. S. Horrell *et al.*, Fixed Target Serial Data Collection at Diamond Light Source. *J Vis Exp*
413	10.3791/62200 (2021).
414	32. S. Wang *et al.*, A novel mode of ferric ion coordination by the periplasmic ferric ion-
415	binding subunit FbpA of an ABC-type iron transporter from Thermus thermophilus HB8.
416	*Acta Crystallographica Section D* **70**, 196-202 (2014).
417	33. G. Palmer, The electron paramagnetic resonance of metalloproteins. *Biochem Soc Trans*
418	**13**, 548-560 (1985).
419	34. H. N. Chapman, X-Ray Free-Electron Lasers for the Structure and Dynamics of
420	Macromolecules. *Annu Rev Biochem* **88**, 35-58 (2019).
421	35. K. Nass *et al.*, Structural dynamics in proteins induced by and probed with X-ray free-
422	electron laser pulses. *Nat Commun* **11**, 1814 (2020).
423	36. J. H. Beale *et al.*, Successful sample preparation for serial crystallography experiments.
424	*Journal of Applied Crystallography* **52**, 1385-1396 (2019).
425	37. D. von Stetten *et al.*, In crystallo optical spectroscopy (icOS) as a complementary tool on
426	the macromolecular crystallography beamlines of the ESRF. *Acta Crystallogr D Biol*
427	*Crystallogr* **71**, 15-26 (2015).
428	38. A. M. Orville, N. Elango, J. D. Lipscomb, D. H. Ohlendorf, Structures of competitive
429	inhibitor complexes of protocatechuate 3,4-dioxygenase: multiple exogenous ligand
430	binding orientations within the active site. *Biochemistry* **36**, 10039-10051 (1997).
431	39. M. A. Hough, R. L. Owen, Serial synchrotron and XFEL crystallography for studies of
432	metalloprotein catalysis. *Curr Opin Struct Biol* **71**, 232-238 (2021).
433	40. A. Ebrahim *et al.*, Dose-resolved serial synchrotron and XFEL structures of radiation-
434	sensitive metalloproteins. *International Union of Crystallography Journal* **6**, 543-551
435	(2019).
436	41. I. G. Denisov, D. C. Victoria, S. G. Sligar, Cryoradiolytic reduction of heme proteins:
437	Maximizing dose-dependent yield. *Radiation Physics and Chemistry* **76**, 714-721 (2007).
438	42. J. S. Fraser *et al.*, Accessing protein conformational ensembles using room-temperature
439	X-ray crystallography. *Proc Natl Acad Sci U S A* **108**, 16247-16252 (2011).
440	43. S. L. S. Storm *et al.*, Measuring energy-dependent photoelectron escape in microcrystals.
441	*IUCrJ* **7**, 129-135 (2020).
442	44. C. S. Bury, J. C. Brooks-Bartlett, S. P. Walsh, E. F. Garman, Estimate your dose:
443	RADDOSE-3D. *Protein Science* **27**, 217-228 (2018).
444	45. T. S. A. Ostermann, BIODIFF: Diffractometer for large unit cells. *Journal of large-scale*
445	*research facilities* **1**, A2 (2015).
446	46. J. Sanchez-Weatherby *et al.*, Improving diffraction by humidity control: a novel device
447	compatible with X-ray beamlines. *Acta Crystallogr D Biol Crystallogr* **65**, 1237-1246
448	(2009).

47. J. McGeehan *et al.*, Colouring cryo-cooled crystals: online microspectrophotometry. *J*
Synchrotron Radiat **16**, 163-172 (2009).

Figures and Tables

Figure 1. The Fe(II) state FutA structure from an X-ray home source determined to 1.7 Å
resolution. (*A*) FutA has a bi-lobal structure with the substrate binding cleft between the N-
terminal (light grey) and C-terminal domains (dark grey). Amino acid side chains contributing to
iron binding are shown in stick representation (yellow). (*B*) Trigonal bipyramidal coordination of
the iron, with Tyr199 and a solvent molecule as axial ligands. (*C*) The two arginine side chains of
Arg103 and Arg203 are in a second coordination shell, shown here with refined density ($2F_{obs}$ −
F_{calc}, blue map, contoured at 1.5 σ). Color coding is yellow for carbon, red for oxygen, blue for
nitrogen, orange for iron, with the solvent molecule in light blue.

Figure 2. The FutA Fe(III) state characterized by UV-vis and EPR spectroscopy, neutron
diffraction and serial femtosecond crystallography. (*A*) The UV-vis spectrum of recombinantly
produced and purified FutA (blue) shows an absorbance maximum at 438 nm, consistent with
Fe(III) bound to FutA. The peak at 438 nm disappears after addition of 10-fold molar excess
sodium dithionite; the absorbance maximum at 315 nm indicates free sodium dithionite (yellow).
(*B*) EPR spectrum of purified and sodium dithionite reduced FutA. The peaks observed were: g1
= 4.29 g, g2 = 5.67 g, g3 = 7.9 g. (*C*) The positive nuclear density in the neutron diffraction crystal
structure (green mesh, F_{obs} − F_{calc} omit map at 3σ, 2.1 Å resolution) indicates sites that have
undergone hydrogen-deuterium exchange, showing an oriented water as axial ligand (refined
deuterium fraction > 0.80). Arg103 fully protonated and positively charged, while the four tyrosine
side chains do not show difference density, suggesting they are negatively charged tyrosinates.
(*D*) The SFX crystal structure shows that the side chain of Arg203 is not oriented towards the
binding site and does not engage in polar interactions (similar to the neutron diffraction structure
Fig. S1). Carbons shown blue (neutron diffraction) or green (SFX), heteroatoms colored as in
Fig. 1.

Figure 3. X-ray induced photoreduction of FutA characterized by spectroscopy and SSX. (*A*)
Successive UV-vis absorption spectra collected *in crystallo* plotted for a FutA crystal during X-ray
exposure, from 0 kGy (red) to 500 kGy (blue). Photoreduction was monitored at a wavelength of
620 nm (arrow). (*B*) Evolution of the normalized absorbance at 620 nm, collected on a single
crystal. In the example shown, 80% of the signal was lost at 204 ± 27 kGy (red lines). Inset:
geometry of the experiment. The light path for the spectroscopic measurement is indicated in
grey. (*C*) SSX dose series at RT. Top: refined structure at 5 kGy (carbon atoms shown in purple;
2Fo-Fc density in blue contoured at 1.5 σ, Fo-Fc in green contoured at 3 σ). Pronounced
difference density is seen at 22 kGy and 88 kGy, suggesting Arg203 takes an alternative
conformation, as indicated by overlay with the conformation seen in the Fe(II) state determined
from the home source (Arg203 carbons shown in yellow for the 88 kGy dose point). Heteroatoms
colored as in **Fig. 1**. (*D*) Charges of amino acids contributing to the coordination sphere and
second shell for the Fe(III) and Fe(II) binding states, assuming an overall neutral state of the
binding site.

Figure 4. SFX X-ray pump probe experiment. The model of the Fe(III) iron state determined SFX
(compare **Fig. 2D**) was used in refinement against an SFX probe dataset, collected after a 350
kGy pump. Refined electron density shows Tyr13 in a double conformation, but limited density for
the Arg203 guanidino group (2Fo-Fc, blue, 1.5 σ); however, difference density (Fo-Fc, green, 3 σ)
suggests that Arg203 takes an alternative conformation similar to the conformation observed in
the Fe(II) state determined from the home source (Arg203 carbons shown in yellow).
Heteroatoms colored as in **Fig. 1**.