A Versatile and Open Source One- and Two-Photon Light-Sheet Microscope Design

Thomas Panier[*1,2]**, Geoffrey Migault**[*1]**, Antoine Hubert**[1]**,
Hugo Trentesaux[1]**, Benoît Beaudou**[3]**, Georges Debrégeas**[1]**,
and Volker Bormuth[1,✉]

[1]Sorbonne Université, CNRS, Institut de Biologie Paris-Seine (IBPS), Laboratoire Jean Perrin (LJP), Paris, France.
[2]Sorbonne Université, CNRS, Institut de Biologie Paris-Seine (IBPS), , Plateforme d'Imagerie, 75005 Paris, France.
[3]GLOphotonics, Limoges Cedex, France
[*]equal contribution

Two-photon light sheet microscopy offers great potential for a range of biological applications, but its practical implementation is impeded by the high cost of laser sources, the complexity of construction, and the challenges associated with adapting to existing microscope setups. Here, we release an open-source design that addresses these limitations by providing detailed building instructions for the transformation of a brightfield microscope into a versatile one- and two-photon light sheet system. Our design incorporates a specially designed broadband hollow core fiber, enabling the simultaneous utilization of an expansive pulsed laser source from another setup alongside a visible laser. This integration allows for uncompromised image resolution and speed. Furthermore, the design reduces the complexity of construction, alignment, and overall cost, thereby significantly enhancing the accessibility of this technology (https://github.com/LJPZebra/OLU).

Light-sheet Microscopy| Two-Photon Microscopy | Hollow Core Fiber | Negative Curvature Fiber | Open Source

Correspondence: *volker.bormuth@upmc.fr*

Light-sheet microscopy applications in biology are far-reaching, from developmental biology (1, 2) to cell biology (3), organoid research (4, 5) and neuroscience (6–9). Compared to single-photon systems, two-photon light sheet microscopes offer an increase in penetration depth and a reduction in the background signal by minimizing photon scattering and absorption in tissues (10, 11). Furthermore, the infrared source used in two-photon imaging lies outside the visible spectrum of most animals, thus preventing interference with the visual system (6, 7) during functional imaging. However, the dissemination of two-photon light-sheet microscopes remains limited due to several factors: (i) they require a dedicated femtosecond laser source, which is costly; (ii) they are difficult to adapt to existing microscopes and thus require a complete custom-made system; and (iii) they are relatively complex to build and challenging to align.

To overcome these limitations, we release a versatile open-source one- and two-photon light-sheet microscope. The design features a compact module for light sheet formation (Figure 1a and Supplementary Note 4A) with a small footprint, measuring 6 x 9 x 10 cm^3 (12), allowing compatibility with standard commercial microscopes. We have successfully integrated this module with an electrophysiology microscope from Scientifica (UK), effectively transforming it into a one- and two-photon light sheet system (Figure 1b, Video S1, and Supplementary Note 3). Step-by-step detailed building instructions and blueprints are provided in the open-source online material (https://github.com/LJPZebra/OLU) that is also accessible in printed format (see supplementary note 7).

A key feature of this unique dual light-sheet system is the delivery of the two laser sources through a single broadband optical fiber. Fiber technology for the delivery of high-energy pulsed lasers is challenging but has seen tremendous progress over the last decades (13). In the present design, we leveraged hollow core negative curvature fiber technology to develop an optical fiber with broad transmission bands covering the wavelengths required for one-, two-, and three-photon imaging of most fluorescent proteins (Figure 1c and Supplementary Note 5). The laser travels through the air-filled fiber core with only minimal interactions with the fiber material. This ensures high transmission efficiency (> 93 % 1 m fiber length), negligible temporal distortion of the femtosecond pulses required for two-photon microscopy (dispersion < 1 dB km^{-1} nm^{-1}), while maintaining the Gaussian profile (Figure 1d) required to form a high-quality light-sheet (Figure 1f).

In our design, the unit is directly mounted to the vertical motorized stage of the microscope that drives the objective of the scope (Figure 1b). Therefore, slow volumetric recordings can be performed using the built-in microscope software that controls the objective stage without additional computer interfacing (see Video S2). For fast volumetric scanning, two piezo actuators drive high-speed synchronous motions of the imaging objective and the fiber outlet (see Video S3). For alignment, the entire light-sheet formation unit is simply manually translated along the z and x axes to bring the light sheet into the focal plane of the detection objective or to bring the light-sheet waist to the center of the field of view (see Videos S4 and S5, and Supplementary Note 4B). This procedure can be performed safely and easily in the one-photon mode. Importantly, no further alignment is required in 2P mode since the lasers exiting the fiber are coaligned. The use of an optical fiber for the delivery of the femtosecond laser allows delivering the source from another imaging system, thus significantly reducing the overall cost of the microscope.

To illustrate the system's uncompromising imaging performances in resolution and speed, we first recorded brain-wide cellular resolution 3D stacks of an immobilized larval zebrafish in one- and two-photon mode (Figure 1g and Video S6). Second, we performed fast whole-brain functional imaging of spontaneous brain activity (see Video S7), which required the delivery of several hundreds of milliwatts of laser power into the sample. This was possible thanks to the fiber's

Fig. 1. (a) 3D model of the 1P- & 2P-light-sheet forming unit. (b) 3D design model showing how the one- and two-photon light-sheet unit is mounted on the Scientifica scope. The unit is attached to the motorized stage of the system that moves the objective. (c) Attenuation and dispersion spectrum of the hollow-core negative curvature fiber with two transmission bands (loss < 300dB/km) highlighted in yellow. Inset left: Schematic of the cross section of the hypocycloid fiber with 8 cladding tubes. Inset right: EM cross-section image of the fiber (scale bar 10 μm). (d) Near and far field profile of the fiber output at 515 nm and 1030 nm laser wavelength. (e) Schematic of the fiber with its FC/PC connectorization and the lens to increase the numerical aperture (NA) to match the NA of the collimation objective (Obj1 in a). (f) Measured light-sheet profile. (g) Single layers of a volumetric brain scan recorded in one- and two-photon mode of a 6 dpf old zebrafish larva expressing pan-neuronally GCaMP6f and localized to the cell nucleus (Elav3-H2B-GCaMP6f).

high transmission efficiency and damage threshold.

The system is compatible with further enhancements such as multicolor two-photon imaging (14) due to the fiber's broadband transmission, with line confocal imaging (15) to improve the signal-to-noise ratio because the unit creates a digitally scanned light sheet, and with the delivery of high-energy pulses at lower repetition rates to increase imaging speed at decreased phototoxicity (11) due to the fiber's high damage threshold.

This original design, released as an open-source project, includes a comprehensive online tutorial that features step-by-step instructions with 3D animations, illustrations of the construction process, detailed information on the underlying physical principles, and rationale for component selection. This tutorial, combined with the recent availability of this commercially connectorized broadband optical fiber, enhances the accessibility and affordability of multiphoton light-sheet microscopy. Additionally, the capability to share broadband femtosecond laser sources among multiple installations contributes to resource optimization and cost-efficiency, which is valuable not only in the field of light-sheet microscopy but also in other multiphoton applications.

ACKNOWLEDGEMENTS
The authors thank the IBPS fish facility staff for maintaining the fish. We thank Misha Ahrens for providing transgenic fish lines. We are grateful to Carounagarane Dore for his contribution to the design of the experimental setup. We thank Loic Royer for his valuable feedback and discussions related to the manuscript and the online material. This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research innovation program, grant agreement number 715980. Furthermore, it was supported by grants from Région Ile-de-France, specifically by DIM cerveau et pensée and DIM-ELICIT. Moreover, the project received partial funding from the CNRS and Sorbonne Université. GM had a Ph.D. fellowship from the Doctoral School in Physics, Ile de France (EDPIF), HT had a Ph.D. fellowship from Ile de France (ARDoC 17012950).

Bibliography

1. Raju Tomer, Khaled Khairy, Fernando Amat, and Philipp J Keller. Quantitative high-speed imaging of entire developing embryos with simultaneous multiview light-sheet microscopy. *Nature Methods*, 9(7):755–763, 2012. ISSN 1548-7091. doi: 10.1038/nmeth.2062.
2. Gregory T. Reeves, Nathanie Trisnadi, Thai V. Truong, Marcos Nahmad, Sophie Katz, and Angelike Stathopoulos. Dorsal-Ventral Gene Expression in the Drosophila Embryo Reflects the Dynamics and Precision of the Dorsal Nuclear Gradient. *Developmental Cell*, 22(3): 544–557, 2012. ISSN 1534-5807. doi: 10.1016/j.devcel.2011.12.007.
3. Liang Gao, Lin Shao, Bi-Chang Chen, and Eric Betzig. 3D live fluorescence imaging of cellular dynamics using Bessel beam plane illumination microscopy. *Nature protocols*, 9(5): 1083 – 1101, 2014. doi: 10.1038/nprot.2014.087.
4. Jordi Andilla, Raphael Jorand, Omar E. Olarte, Alexandre C. Dufour, Martine Cazales, Yoann L. E. Montagner, Romain Ceolato, Nicolas Riviere, Jean-Christophe Olivo-Marin, Pablo Loza-Alvarez, and Corinne Lorenzo. Imaging tissue-mimic with light sheet microscopy: A comparative guideline. *Scientific Reports*, 7(1):44939, 2017. doi: 10.1038/srep44939.
5. Dylan J. Richards, Yang Li, Charles M. Kerr, Jenny Yao, Gyda C. Beeson, Robert C. Coyle, Xun Chen, Jia Jia, Brooke Damon, Robert Wilson, E. Starr Hazard, Gary Hardiman, Don-

ald R. Menick, Craig C. Beeson, Hai Yao, Tong Ye, and Ying Mei. Human cardiac organoids for the modelling of myocardial infarction and drug cardiotoxicity. *Nature Biomedical Engineering*, 4(4):446–462, 2020. doi: 10.1038/s41551-020-0539-4.

6. Sébastien Wolf, Willy Supatto, Georges Debrégeas, Pierre Mahou, Sergei G Kruglik, Jean-Marc Sintes, Emmanuel Beaurepaire, and Raphaël Candelier. Whole-brain functional imaging with two-photon light-sheet microscopy. *Nature methods*, 12(5):379 – 380, 04 2015. doi: 10.1038/nmeth.3371.

7. Sébastien Wolf, Alexis M Dubreuil, Tommaso Bertoni, Urs Lucas Böhm, Volker Bormuth, Raphaël Candelier, Sophia Karpenko, David G C Hildebrand, Isaac H Bianco, Remi Monasson, and Georges Debrégeas. Sensorimotor computation underlying phototaxis in zebrafish. *Nature Communications*, 8(1):651, 09 2017. doi: 10.1038/s41467-017-00310-3.

8. Misha B Ahrens, Michael B Orger, Drew N Robson, Jennifer M Li, and Philipp J Keller. Whole-brain functional imaging at cellular resolution using light-sheet microscopy. *Nature methods*, 10(5):413 – 420, 2013. doi: 10.1038/nmeth.2434.

9. Thomas Panier, Sebastián A Romano, Raphaël Olive, Thomas Pietri, Germán Sumbre, Raphaël Candelier, and Georges Debrégeas. Fast functional imaging of multiple brain regions in intact zebrafish larvae using Selective Plane Illumination Microscopy. *Frontiers in neural circuits*, 7:65, 2013. doi: 10.3389/fncir.2013.00065.

10. Thai V Truong, Willy Supatto, David S Koos, John M Choi, and Scott E Fraser. Deep and fast live imaging with two-photon scanned light-sheet microscopy. *Nature Methods*, 8(9): 757–760, 2011. ISSN 1548-7091. doi: 10.1038/nmeth.1652.

11. Vincent Maioli, Antoine Boniface, Pierre Mahou, Júlia Ferrer Ortas, Lamiae Abdeladim, Emmanuel Beaurepaire, and Willy Supatto. Fast in vivo multiphoton light-sheet microscopy with optimal pulse frequency. *Biomedical Optics Express*, 11(10):6012, 2020. ISSN 2156-7085. doi: 10.1364/boe.400113.

12. Geoffrey Migault, Thijs L. van der Plas, Hugo Trentesaux, Thomas Panier, Raphaël Candelier, Rémi Proville, Bernhard Englitz, Georges Debrégeas, and Volker Bormuth. Whole-Brain Calcium Imaging during Physiological Vestibular Stimulation in Larval Zebrafish. *Current Biology*, 28(23):3723 – 3735.e6, 12 2018. ISSN 0960-9822. doi: 10.1016/j.cub.2018.10.017.

13. Fei Yu, Mengrong Xu, and Jonathan C Knight. Experimental study of low-loss single-mode performance in anti-resonant hollow-core fibers. *Optics express*, 24(12):12969 – 12975, 2016. doi: 10.1364/oe.24.012969.

14. Pierre Mahou, Julien Vermot, Emmanuel Beaurepaire, and Willy Supatto. Multicolor two-photon light-sheet microscopy. *Nature methods*, 11(6):600 – 601, 2014. doi: 10.1038/nmeth.2963.

15. Eugen Baumgart and Ulrich Kubitscheck. Scanned light sheet microscopy with confocal slit detection. *Optics express*, 20(19):21805 – 21814, 09 2012.

16. Sean Quirin, Nikita Vladimirov, Chao-Tsung Yang, Darcy S Peterka, Rafael Yuste, and Misha B Ahrens. Calcium imaging of neural circuits with extended depth-of-field light-sheet microscopy. *Optics letters*, 41(5):855 – 858, 03 2016. doi: 10.1364/ol.41.000855.

17. Fritjof Helmchen, Winfried Denk, and Jason N D Kerr. Miniaturization of two-photon microscopy for imaging in freely moving animals. *Cold Spring Harbor protocols*, 2013(10):904 – 913, 10 2013. doi: 10.1101/pdb.top078147.

18. Yingying Wang, Meshaal Alharbi, Thomas D. Bradley, Coralie Fourcade-Dutin, Benoît Debord, Benoît Beaudou, Frédéric Gerôme, and Fetah Benabid. Hollow-core photonic crystal fibre for high power laser beam delivery. *High Power Laser Science and Engineering*, 1(1): 17–28, 2013. ISSN 2095-4719. doi: 10.1017/hpl.2013.3.

19. RF Cregan, BJ Mangan, JC Knight, TA Birks, PS Russell, PJ Roberts, and DC Allan. Single-Mode Photonic Band Gap Guidance of Light in Air. *Science (New York, NY)*, 285(5433): 1537 – 1539, 09 1999. doi: 10.1126/science.285.5433.1537.

20. Shih-Peng Tai, Ming-Che Chan, Tsung-Han Tsai, Shi-Hao Guol, Li-Jin Chen, and Chi-Kuang Sun. Two-photon fluorescence microscope with a hollow-core photonic crystal fiber. *Optics express*, 12(25):6122, 2004. doi: 10.1364/opex.12.006122.

21. Benjamin A Flusberg, Juergen C Jung, Eric D Cocker, Erik P Anderson, and Mark J Schnitzer. In vivo brain imaging using a portable 3.9?gram two-photon fluorescence microendoscope. *Optics letters*, 30(17):2272 – 2274, 2005. doi: 10.1364/ol.30.002272.

22. Christoph J Engelbrecht, Richard S Johnston, Eric J Seibel, and Fritjof Helmchen. Ultra-compact fiber-optic two-photon microscope for functional fluorescence imaging in vivo. *Optics express*, 16(8):5556 – 5564, 2008. doi: 10.1364/oe.16.005556.

23. Wibool Piyawattanametha, Eric D Cocker, Laurie D Burns, Robert P J Barretto, Juergen C Jung, Hyejun Ra, Olav Solgaard, and Mark J Schnitzer. In vivo brain imaging using a portable 2.9 g two-photon microscope based on a microelectromechanical systems scanning mirror. *Optics letters*, 34(15):2309 – 2311, 2009. doi: 10.1364/ol.34.002309.

24. Heejin Choi and Peter T C So. Improving femtosecond laser pulse delivery through a hollow core photonic crystal fiber for temporally focused two-photon endomicroscopy. *Scientific reports*, 4:6626, 2014. doi: 10.1038/srep06626.

25. Andrey D Pryamikov, Alexander S Biriukov, Alexey F Kosolapov, Victor G Plotnichenko, Sergei L Semjonov, and Evgeny M Dianov. Demonstration of a waveguide regime for a silica hollow–core microstructured optical fiber with a negative curvature of the core boundary in the spectral region > 3.5 μm. *Optics express*, 19(2):1441 – 1448, 01 2011. doi: 10.1364/oe.19.001441.

26. Fei Yu, William J Wadsworth, and Jonathan C Knight. Low loss silica hollow core fibers for 3-4 μm spectral region. *Optics express*, 20(10):11153 – 11158, 05 2012. doi: 10.1364/oe.20.011153.

27. B Debord, A Amsanpally, M Chafer, A Baz, M Maurel, J M Blondy, E Hugonnot, F Scol, L Vincetti, F G e r o me, and F Benabid. Ultralow transmission loss in inhibited-coupling guiding hollow fibers. *Optica*, 4(2):209 – 217, 2017. doi: 10.1364/optica.4.000209. Rc fiber core inner radius δ inter-tube gap t thickness of capillaries tube wall.

28. Feng Li, Zhi Yang, Zhiguo Lv, Yishan Wang, Qianglong Li, Yufeng Wei, Yang Yang, Xiaojun Yang, and Wei Zhao. High Energy Femtosecond Laser Micromachining with Hollow Core Photonic Crystal Fiber Delivery. *Optik*, page 163093, 2019.

29. Ben Sherlock, Fei Yu, Jim Stone, Sean Warren, Carl Paterson, Mark A A Neil, Paul M W French, Jonathan Knight, and Chris Dunsby. Tunable fibre-coupled multiphoton microscopy with a negative curvature fibre. *Journal of biophotonics*, 9(7):715 – 720, 2016. doi: 10.1002/jbio.201500290.

30. Josef Lazar, Alexey Bondar, Stepan Timr, and Stuart J Firestein. Two-photon polarization microscopy reveals protein structure and function. *Nature methods*, 8(8):684–690, 2011.

31. Giuseppe de Vito, Pietro Ricci, Lapo Turrini, Vladislav Gavryusev, Caroline Müllenbroich, Natascia Tiso, Francesco Vanzi, Ludovico Silvestri, and Francesco Saverio Pavone. Effects of excitation light polarization on fluorescence emission in two-photon light-sheet microscopy. *Biomedical Optics Express*, 11(8):4651, 2020. ISSN 2156-7085. doi: 10.1364/boe.396388.

SUPPLEMENTAL INFORMATION

Contents

Supplementary Note 1: Supplemental videos

Video S1 **Animated 3D model of the design of the light sheet microscope.** The video sequence begins with an overview of the system, highlighting the sample positioning. It then demonstrates the manual focusing on the sample, which automatically adjusts the position of the light sheet to match the sample plane. The video further zooms in on the light-sheet unit to showcase the precise adjustments made to optimize the light-sheet waist position and improve image quality. Lastly, the animation illustrates both the slow scan mode and the fast scan mode.

Video S2 **Slow scan mode, manual or computer controlled.** This video demonstrates the slow volumetric scanning mode of the light-sheet microscope. The highlighted parts, shown in red, move together as a unit to perform the scan. These components are attached to the motorized stage of the microscope stand, which is typically used for controlling the focus of the microscope objective. By manual or computer-controlled adjustments of the stage, the sample can be scanned, while always illuminating the focal plane with the light sheet.

Video S3 **Fast High-Precision Volumetric Scanning Mode.** This video showcases the fast and high-precision volumetric scanning mode of the light-sheet microscope. The objective and the optical fiber, highlighted in red, move together and are micro-positioned using piezo crystals, also depicted in red. These components are synchronized in their movement, controlled by a computer, to perform a scan through the sample while continuously illuminating the focal plane with the light sheet.

Video S4 **Alignment of the light-sheet into the detection objective focal plane.** This video demonstrates the alignment process to position the light sheet precisely within the detection objective's focal plane. The animation highlights the movement of the light-sheet unit along the z-direction, which can be adjusted using the z-stage control screw. The inset video on the right illustrates the changes in focus as the alignment is adjusted, with the laser visualized using a fluorescein solution. The inset video on the left shows the impact of alignment on the recording quality, utilizing a brain sample from a 6-day-old zebrafish.

Video S5 **Alignment of the laser waist within the field-of-view center.** This video demonstrates the alignment procedure for positioning the laser waist precisely at the center of the field of view. The animation highlights the movement of the light-sheet unit along the laser axis, which can be adjusted using the x-stage control screw. The inset video on the right shows the laser waist's movement within the field of view of the detection objective, with the laser visualized using a fluorescein solution. The inset video on the left showcases the impact of the alignment on the recording quality, utilizing a brain sample from a 6-day-old zebrafish.

Video S6 **Example Anatomical Brain Recording in One- and Two-Photon Mode.** This video demonstrates ventral to dorsal scans through a 6-day-old larval zebrafish brain expressing the pan-neuronal fluorescence calcium sensor GCaMP6f (Tg(Elav3-GCaMP6f)). The video on the left was recorded in one-photon mode using the 488 nm laser, while the video on the right was recorded in two-photon mode at a wavelength of 915 nm. Both recordings were performed consecutively on the same fish, providing a comparison between the two imaging modalities.

Video S7 **Spontaneous Brain Activity Recorded in Two-Photon Mode.**
This video showcases the high-precision fast scan mode and its application in recording spontaneous brain activity in a 6-day-old larval zebrafish brain expressing the pan-neuronal fluorescence calcium sensor GCaMP6f (Tg(Elav3-GCaMP6f)). The video was recorded in two-photon mode at a wavelength of 915 nm. The video displays four brain slices simultaneously recorded at different heights, starting from the most dorsal layer, with the signals displayed represented as DFF. The video is shown at 10x speed for enhanced visualization.

Supplementary Note 2: Methods details

A. Experimental model and subject details. All experiments were conducted on zebrafish nacre mutants of age 6-7 days post-fertilization (dpf). Larvae were reared in Petri dishes filled with E3 solution under a 14/10 hr light/dark cycle at 28 °C. Fish were provided with powdered nursery food daily from 6 dpf. Calcium imaging experiments were performed in nacre mutant larvae expressing the calcium indicator GCaMP6f. The expression was controlled by the nearly pan-neuronal promoter elavl3 and located in the nucleus Tg(elavl3:H2B-GCaMP6f). The GCaMP6f line was provided by Misha Ahrens and published in Quirin et al. (16). The experimental protocols were approved by Le Comitée d'Ethique pour l'Expérimentation Animale Charles Darwin C2EA-05 (02601.01 and A750525).

B. Characterization of the light-sheet profile. To characterize the light-sheet profile, we followed the protocol presented in Wolf et al. 2015 (6). In brief, we acquired a high-resolution stack of a sample containing sub-diffraction-sized fluorescent beads (FluoSpheres, 505/515, Molecular Probes, USA) with a diameter of 100 nm embedded in 2 % low melting point agarose. The spacing between consecutively imaged sections was set at $0.5\,\mu$m. We fitted the fluorescence profile of each bead across the light sheet with a Gaussian function and extracted the half width at $1/e^2$. The width of the fluorescence bead profile depends on the bead position relative to the light-sheet waist and corresponds to the beam profile of the Gaussian beam generating the light sheet. To determine the light-sheet waist ω_0, we then fitted the dependency of the fluorescence bead profile width as a function of the position, x, along the light-sheet using the equation of the Gaussian beam profile Eq.1 for the one photon profile and Eq.2 for the two-photon profile (6):

$$\omega_0(x) = \omega_0 \sqrt{1 + \left(\frac{x\lambda}{\pi\omega_0^2 n} \right)^2} \tag{1}$$

$$\omega_0(x) = \frac{\omega_0}{\sqrt{2}} \sqrt{1 + \left(\frac{x\lambda}{\pi\omega_0^2 n} \right)^2} \tag{2}$$

with the laser wavelength λ, the refractive index n, and the waist of the Gaussian beam ω_0.

C. Acquisition and processing of functional light-sheet data. Image acquisition, mirror scanning, and objective translation were controlled and synchronized using National Instrument cards (NI 9402 and NI-9263, National Instruments) and a custom-written program in MATLAB (The MathWorks) which is open source available here (https://github.com/LaboJeanPerrin/Lightsheet). Image pre-processing, and calcium transients (ΔF/F) extraction were performed offline using MATLAB, according to the workflow previously reported (9, 12). The acquisition parameters for the brain recordings in Figure 1g were set as follows: For the one-photon recording, the interlayer interval was 1 μm, the exposure time was 20 ms, and the laser power (continuous) was approximately 1 mW, and the wavelength used was 488 nm . In the case of the two-photon recording, the interlayer interval was also 1 μm, the exposure time was 11 ms, the mean laser power in the sample was 710 mW, the pulse duration was 100 fs, the pulse repetition rate was 80 MHz, and the wavelength used was 915 nm.

Supplementary Note 3: 3D model of the microscope setup

We have generated a 3D model of the microscope setup, as depicted in Figure S1. To interactively explore the model, click on the following link: https://a360.co/3C0TOAm. This link will open an online model browser that allows you to navigate the model, create detailed views of specific components, conduct section analysis, and utilize measurement tools for a comprehensive examination of the setup.

Fig. S1. 3D model of the complete setup. The model can be interactively explored by following this link: https://a360.co/3C0TOAm

Supplementary Note 4: The compact light-sheet unit

A. The design. In brief, the light-sheet unit employed the following optical path: the laser emitted from the fiber was collimated by a first objective, directed towards a galvanometric scanning mirror, and then projected onto the illumination objective, which focused the laser into the sample. The collimation and illumination objectives formed a telescope with a magnification of one, and all-optical elements were optimized for near-infrared transmission.

By rapidly scanning the laser using the scanning mirror across the sample, a digitally scanned light sheet was created. The fiber output and the light-sheet waist were conjugated through the two objectives, with the mode field diameter of the fiber determining the light-sheet waist and thus the z-sectioning resolution of the imaging system.

To enhance the z-resolution of the system in the multiphoton version, we implemented a lens after the fiber outlet to demagnify the fiber output by a factor of five. For further details see section D. This configuration allowed us to achieve a light-sheet thickness of less than 10μm over a length of 400μm.

Fig. S2. Different views of the light-sheet unit.

B. Alignment. One notable feature of the presented light-sheet design is its simplified alignment requirement. During the assembly of the light-sheet unit, only two adjustments were necessary: coarse positioning of the galvanometric mirror to a 45-degree position, (the fine-tuning can be done by adjusting the controller offset), ensuring that the laser exits the light-sheet unit centered on the opening, and adjustment of the distance between the fiber and the collimation objective to achieve proper collimation of the laser. After mounting the unit onto the microscope stand, no further alignment of optical elements was necessary to position the light sheet within the imaging objective focal plane and align its waist with the center of the field of view. The compact size of the unit allowed for simple adjustments by translating the entire unit in the z-axis to move the light sheet into the focal plane and along the x-axis to adjust the waist to the center of the field of view (see Figure S3).

Fig. S3. Alignment procedure by pure mechanical manipulation of the entire light-sheet unit. (a) Alignment of the light-sheet into the imaging objective focal plane: the light-sheet unit (LU) is moved up and down (yellow arrow) using a mechanical z-stage to align the light-sheet with the imaging objective focal plane. **(b)** Alignment of the light-sheet waist into the center of the imaging objective field of view: the light-sheet unit (LU) is moved forward and backward (yellow arrow) using a mechanical x-stage to align the light-sheet waist with the center of the imaging objective field of view, where the sample will be placed.

Supplementary Note 5: Broad-band fiber delivery of femtosecond lasers for multiphoton microscopy

A. Brief review on optical fiber technology. Efficient, dispersion-free, and broadband fiber coupling of a two-photon laser source is a long-standing challenge in the field of two-photon microscopy (17) and of fiber optics design (18). The difficulty arises from the fact that standard single-mode optical glass fibers are associated with strong linear and non-linear pulse dispersion, which reduces the two-photon efficiency. Pre-compensation methods are only efficient at low laser powers and are therefore impractical in the context of fast volumetric two-photon imaging, which requires high photonic fluxes.

The development of single-mode photonic bandgap fibers, in which the light travels through an air-filled hollow core, dramatically reduces dispersion and nonlinear effects and achieves transmission ratios greater than 50% (18, 19). These fibers have been successfully used for pulsed laser delivery in the context of multiphoton imaging (20–24). However, as the light guiding mechanism is based on the creation of an optical bandgap, these fibers only allow single-wavelength transmission and are currently only commercially available for laser wavelengths of 800 nm or 1064 nm (NTK photonics). However, with the rapidly growing collections of genetically encoded actuators and sensors, broadband fiber delivery of the near-infrared spectrum and optimally extended to visible wavelengths, is a prerequisite to taking full advantage of 2P-LSFM in all possible applications while enabling laser source sharing between different setups.

Broadband fiber delivery spanning the visible and the near-infrared spectrum is possible with negative curvature hollow-core photonic crystal fibers (NCF), which do not rely on an optical bandgap to confine the laser light to the fiber's core (13, 25, 26). The simplest cross-sectional geometry of an NCF is based on a ring of touching or non-touching tubes surrounding the core (25). Core diameter, tube diameter, inter-tube distance, and tube wall thickness together control the spectral transmission bands, the attenuation level, the quality of higher-order mode suppression, and the sensitivity of the optical properties to bending. Attenuation levels < 0.07 dB/km and bending loss < 0.03 dB/m are reported (27). Due to the minimal lattice structure and the reduced light interaction with the cladding structure, these fibers have very high damage thresholds and can even be used for very high laser energy delivery of up to 100 μJ peak power when the core is vacuum pumped to reduce nonlinear effects at these high powers (28). Negative curvature fibers are on the verge of being used in several applications such as laser micromachining and laser surgery. A recent study demonstrated the successful use of a custom HC-NCF with a transmission band of 600 – 830 nm at < 0.3 dB/m attenuation in the design of a handheld two-photon microscopy scanner for human skin autofluorescence (29).

B. Characteristics of the Utilized Negative Curvature Hollow Core Fiber in this Study". We developed a negative curvature hollow-core crystal (HC-NCF) that exhibits optical characteristics ideally suited for laser delivery in the context of one- and two-photon light-sheet microscopy (Figure 1). The fiber has an outer diameter is 200 $\pm$ 2 μm and a fiber coating diameter of 600 $\pm$ 30 μm. Its unique design features an air-filled 30 μm-in-diameter core surrounded by a ring of eight non-contacting cladding tubes, each with an approximate diameter of 10 μm. This hypocycloid fiber structure enables the creation of a negative curvature core contour, which is essential for achieving the desired optical properties. The dimensions of the tubes, inter-tube distance, tube wall thickness, and core size collectively determine the fiber's transmission spectrum. Remarkably, this NC-NCF fiber exhibits two broad transmission bands that are well suited for 1, 2, and 3P imaging (see Figure 1c). The first transmission band spans the visible spectrum from 400 to 535 nm (I), while the second transmission band covers the near-infrared range from 700 to 1500 nm (II). Within these spectral bands, the fiber demonstrates low loss, measuring less than 300 dB/km (equivalent to a transmission efficiency of over 93 % for a one-meter-long fiber), and minimal pulse dispersion, with less than 1 dB/(km·nm) of the spectral pulse width. Furthermore, this fiber is commercially available as patch chord cable with standard FC/PC connectors, allowing for convenient disconnection and reconnection to the optical setup without the need for a subsequent realignment on either end. The small core diameter in comparison to the large infrared wavelength ensures near single-mode guidance while preserving the Gaussian beam properties of the laser at the fiber output. Our measurements indicate M^2 values of 1.23 and 1.18 at laser wavelengths of 1030 nm and 515 nm, respectively. The near field and far field profiles exhibit high symmetry, with minimal ellipticity of 97.25 %, and 85.57 %, respectively. The mode field diameters at $1/e^2$ are 23 $\pm$ 1 μm and 26 $\pm$ 1 μm respectively, corresponding to a fiber numerical aperture of NA$\approx$0.02. In addition, the HC-NCF fibers demonstrate a very high damage threshold due to negligible interactions between the light and the fiber material. In our tests, we observed no fiber damage even peak powers of 40 μJ (1030 nm) and 10 μJ (515 nm) for 400 fs pulses, corresponding to average laser powers of 20 W and 4 W, respectively. These characteristics highlight the fiber's ability to deliver high-quality pulsed Gaussian beams across a broad spectral range, ensuring high transmission efficiency, and low dispersion, and making it an excellent choice for high-resolution multiphoton microscopy applications.

C. Fiber coupling optical path and procedure. We achieved laser coupling into the fiber using a femtosecond pulsed Ti:Sapphire laser (MaiTai, Coherent, USA), along with three mirrors (M1-3), a dichroic (D), and a coupling lens (L1, f=40mm, Thorlabs, AC254-040-B-ML). The fiber was held in place by a differential xyz-translation stage. The continuous blue laser (488 nm, Oxxius, France) was coupled into the same hollow core fiber through the aforementioned dichroic using two additional mirrors (M4-5) and a collimation lens (L2). For efficient optical coupling and suppression of higher laser modes, the width

of the laser focus projected onto the fiber input side must match the mode field diameter of the fiber. For the femtosecond laser, we positioned the coupling unit at a distance from the laser source where the slightly diverging laser beam reached the desired beam diameter, necessary to match the mode field diameter in combination with the chosen coupling lens. For the blue laser, we adjusted the beam diameter by selecting the focal distance of the collimation lens with the formula: $f_{collimation} = f_{coupling} \cdot \frac{NA_{HC\text{-}NCF\ fiber}}{NA_{laser\ fiber}} = 40mm \cdot \frac{0.02}{0.13}$, which boils down to the fact to choose the collimation lens focal distance such that the collimated laser beam diameter matches the diameter of the infrared beam that we previously coupled into the fiber using the chosen coupling lens.

Due to the very low numerical aperture of the fiber (NA_{fiber}=0.02), coupling a laser into the fiber is not a trivial task. However, we developed a pre-alignment protocol to easily accomplish this task: We first injected a fiber-coupled visible laser through a fiber-to-fiber connector (Thorlabs, ADAF1) from the opposite side of the hollow core fiber. This was easily accomplished thanks to the FC/PC-connectorization of our hollow core fiber. In this configuration, the visible laser traveled through the coupling optics in reverse order. We pre-align the optical components such that the laser was collimated by the coupling lens and projected centered onto both lasers' output apertures. After the pre-alignment, we disconnected the fiber of the visible laser from the hollow core fiber outlet, placed a power meter after the hollow core fiber outlet, and started the femtosecond laser at low power to avoid fiber damage during further alignment. The achieved laser transmission after the pre-alignment step was sufficient to proceed with aligning the coupling elements until we reached laser transmission of $> 90\,\%$. At a wavelength of 915 nm, corresponding to the central two-photon absorption peak of GFP and its calcium-sensitive derivative GCaMP, we delivered 100 fs laser pulses through 1,5 m fiber length with 98% power transmission efficiency and minimal pulse dispersion of 28 nm (1 dB/km·nm), which we fully precompensated with the Deepsee element of the MaiTai laser source. At 488 nm, the one-photon excitation maximum of GFP and GCaMP, we achieved a transmission efficiency of 75 %.

Fig. S4. Schematic and 3D model of the optical system to realize efficient fiber coupling of the laser. The model can be interactively explored by following this link: https://a360.co/434IdMt

D. Matching the NA of the light-sheet unit. Our compact light-sheet unit operates on the principle of using an optical fiber to bring a laser to the unit. The laser undergoes collimation by a first objective at the fiber outlet, followed by focusing on the sample using a second objective (see Figure S5a). This arrangement forms a one-to-one telescope, ensuring a magnification of 1 and projecting the fiber output directly into the sample. Consequently, the light-sheet waist matches the mode field diameter of the connected optical fiber.

In the one-photon implementation described by Migault et al, a single-mode optical fiber with a mode field diameter of 2.8 - 4.1 μm at 488 nm laser wavelength was utilized, offering an ideal light-sheet waist and z-resolution for cellular resolution microscopy.

However, in our presented multiphoton implementation, we employed a hollow core fiber with a mode field diameter of 23 μm, which was five times larger than that of the single-mode fiber used previously. Consequently, the numerical aperture was reduced to 0.02. To achieve the same resolution as in the one-photon implementation, an additional lens was necessary after

the fiber. This lens demagnified the laser waist from the fiber output by a factor of five to less than $5\,\mu$m while simultaneously increasing the divergence angle of the laser to match the numerical aperture of the collimation objective (NA 0.1).

To achieve the desired demagnification factor of m = 1/5 = 0.2, we placed a lens with a small focal distance of f = 2mm at a distance of $s = f \cdot (1/m - 1) = 8\,\text{mm}$ after the fiber outlet (see Figure S5b). This positioning allowed the lens to refocus the laser to a new position at $s' = f \cdot [1 + 1/(s/f - 1)] = 2.4\,\text{mm}$ after the lens, resulting in a waist of $w'_0 = m \cdot w_0 = 0.2 \cdot 23\,\mu m = 4.6\,\mu m$ (see Figure S5d). Additionally, the lens adjusted the laser divergence angle to $m \cdot 0.02 = 0.1$, matching the numerical aperture of the collimation objective. It is worth noting that the utilized lens had a numerical aperture of 0.5, ensuring avoidance of laser clipping.

The small lens could be directly fixed to the optical fiber outlet using a small lens tube. This add-on, which we call "NA-expander," enabled seamless interchangeability of the fiber with a standard single-mode fiber configuration.

Fig. S5. NA expander for the hollow core fiber output.

E. Polarization. Two-photon light-sheet microscopy necessitates not only the delivery of high laser power through the fiber but also precise control over the polarization state. This is crucial due to the nature of fluorescence emission, which primarily occurs perpendicular to the dipole moment and, consequently, perpendicular to the polarization plane of the excitation light (30). If the laser is polarized perpendicular to the light-sheet plane, fluorescence is emitted mainly perpendicular to the optical axis of the detection objective, resulting in poor collection efficiency (31).

Cycloid fibers are not polarization maintaining (27), meaning that the polarization state can change when the fiber is bent or twisted, leading to rotation and changes in ellipticity. To address this, we carefully adjusted the laser polarization by incorporating a lambda half plate before the fiber coupling unit. This allowed us to optimize the fluorescence signal recorded in the sample once the fiber was installed. By rotating the laser polarization, we ensured that the fluorescence emission was maximized and properly aligned with the detection objective.

Supplementary Note 6: Parts List

One-Photon Multicolor System: Parts List

	PART	SOURCE	REFERENCE	AMOUNT Slow Scan	Fast Scan
Laser & Fiber	Continuous laser at 488 nm with fiber coupler	Oxxius	LBX-488-50-CSB-PP	1	1
	Optical fiber (single mode)	Thorlabs	P1-460-FC-2	1	1
	Optional: Second continuous laser at other wavelength	Oxxius		1	1
	Optional: 50:50 Fiber Optic Couplers	Thorlabs	TW470R5F2	1	1
Light-Sheet Unit	Collimation & illumination objectives	Zeiss	EC Plan-Neofluar 5x/0.16 M27 (FWD=18.5mm)	2	2
	Lens tube	Thorlabs	SM05M10	1	1
	FC/PC Fiber Adapter Plate with External SM05	Thorlabs	SM05FC	1	1
	z-piezo nanopositioner + Amplificator	Piezo Jena	PZ 400 OEM SG + E-440-111		1
	Galvanometer mirror	Thorlabs	GVS011	1	1
	Power supply for Galvo mirro	Thorlabs	GPS011-EC	1	1
	Function generator	Agilent	EDU33211A	1	1
	Acquisition board	National Instruments	NI PCIe-6363		1
Microscope	Microscope body	Scientifica	Scientifica SliceScope Pro 6000	1	1
Detection Path	Detection objective (NA 0.95, 25x)	Leica	HC FLUOTAR W VISIR	1	1
	Objective piezo drive + Driver	Piezo Jena	Mipos 500 SG,Triptics + NV 40/1 CLE	1	1
	GFP filter (525 nm)	Thorlabs	MF525-39	1	1
	Notch filter (488 nm)	Thorlabs	NF488-15	1	1
	Camera (sCMOS)	Hamamatsu	C13440 V3	1	1
Sample Chamber	Capillary + pistons	alphalabs	5-000-2050	1	1
	O-rings	www.oring.fr	101300	1	1
	Beam Block	Thorlabs	LB2	1	1

Two-Photon Upgrade: Parts List

	PART	SOURCE	REFERENCE	AMOUNT
Laser & Fiber	Femtosecond tunable laser	Spectra-Physics	MaiTai 90077043	1
	Precompensator	Spectra-Physics	Deep See	1
	Negative curvature fiber	Glophotonics	PMC-C-9005 B2	1
Laser-to-Fiber Coupling	Motorized Filter Flip Mount with Ø1" Optic Holder, M4 Tap	Thorlabs	MFF101/M	1
	High-Precision Rotation Mount	Thorlabs	PRM1/M	2
	Half-Wave Plate	Newport	10RP52-2B	2
	Polarizing Beamsplitter Cube	Thorlabs	CCM5-PBS202/M	1
	Beam Trap	Thorlabs	BT610/M	1
	Protected Silver Mirrors	Thorlabs	PF05-03-P01 - Ø1/2"	5
	Mirror Mount	Thorlabs	POLARIS-K05 - Polaris® Ø1/2"	5
	Hex Key Adjusters (4 per pack)	Thorlabs	HKTS-5/64	1
	Optical Post	Thorlabs	TR75/M	5
	Universal Post Holder	Thorlabs	UPH50/M	5
	3-Axis NanoMax Stage, Differential Drives	Thorlabs	MAX313D/M	1
	Long, Fixed Mounting Bracket, 56 mm Long	Thorlabs	AMA009	1
	FC/PC Fiber Adapter Plate with External SM1	Thorlabs	SM1FC2	1
	SM1-Compatible Flexure Stage Mount	Thorlabs	HCS031	1
	Injection lens (40 mm)	Thorlabs	AC254-040-B-ML	1
	fiber-to-fiber connector (Ceramic)	Thorlabs	ADAF1	1
NA-Expander	NA expander lens (f = 2.00 mm, NA = 0.50, ARC: 600 - 1050 nm)	Thorlabs	C151TMD-B	1
	Adapters for M6 x 0.5 Threaded Aspheres	Thorlabs	S05TM06	1
Accessories	IR Detector Card, 700 - 1400 nm	Thorlabs	VRC5	1
	Power meter	Thorlabs	PM130D	1
	Fiber Inspection Scope	Thorlabs	FS201	1
	Cable Continuity Tester	Fluke Networks	VisiFault	1
	Laser safety glasses	Thorlabs	LG3	1
Light-Sheet Unit	Collimation & illumination objectives	Olympus	LMPLN5xIR/0.10	2
	RMS to M27 Adapter	Thorlabs	RMSA3	2
Detection Path	Multiphoton short-pass emission filter	Semrock	FF01-750/SP-25	1

Supplementary Note 7: Printed version of the open-source online tutorial

🔗 A Versatile and Open Source One- and Two-Photon Light-Sheet Microscope Design

Two-photon light sheet microscopy offers great potential for a range of biological applications, but its practical implementation is impeded by the high cost of laser sources, the complexity of construction, and the challenges associated with adapting to existing microscope setups. Here, we release an open-source design that addresses these limitations by providing detailed building instructions for the transformation of a brightfield microscope into a versatile one- and two-photon light sheet system. Our design incorporates a specially designed broadband hollow core fiber, enabling the simultaneous utilization of an expansive pulsed laser source from another setup alongside a visible laser. This integration allows for uncompromised image resolution and speed. Furthermore, the design reduces the complexity of construction, alignment, and overall cost, thereby significantly enhancing the accessibility of this technology.

BUILDING INSTRUCTIONS:

Here we provide a comprehensive online tutorial that features step-by-step building instructions along with 3D animations, illustrations of the construction process, detailed information on the underlying physical principles, and rationale for components selection. In conjunction with the availability of commercially accessible and connectorized broadband optical fiber, our aim is to promote greater accessibility and affordability in the field of multiphoton light-sheet microscopy. To access this online resource, please follow the links provided below:

1. Build first a multicolor one-photon version of the microscope with fiber delivery of lasers in the visible spectrum with a standard single-mode optical fiber technology.

2. Upgrade the one-photon unit into a two-photon system by exploiting advanced hollow core fiber technology.

Citation:

If you use the hardware designs, please cite us:

A Versatile and Open Source One- and Two-Photon Light-Sheet Microscope Design

Thomas Panier*, Geoffrey Migault*, Antoine Hubert, Hugo Trentesaux, Benoît Beaudou, Georges Debrégeas, Volker Bormuth

Explorable 3D model of the full system

Click the images to open the model browser.

3D Animation of the functionality of the system

BraintegrationComplete.mp4 ▾

Slow scan mode

SlowScanL.mp4 ▾

Fast scan mode

High-resolution zebrafish brain scans (elav3:H2B-GCaMP6)

- Left: one-photon mode excited @ 488nm
- Right: two-photon mode excited @ 915nm

0:07   0:16

Spontaneous brain activity recorded in a two-photon mode

📹 DFFPixel2P.mp4 ▾

0.30
DF/F
0.07

CAD models

CAD models

The Multicolor One-Photon Light Sheet Design

This comprehensive guide provides detailed instructions for building the one-photon light-sheet system. Whether your ultimate goal is to construct the two-photon system or utilize the one-photon configuration, we highly recommend starting with the installation of the one-photon system. This sequential approach allows you to gain a solid foundation and a better understanding of the system's components and functionality, which will facilitate a smoother transition to the advanced two-photon configuration if desired.

The construction of the system can be done on two levels. At the first level, the light-sheet unit is a standalone light source. This basic configuration allows you to perform light-sheet imaging experiments in the same manner as you would normally acquire epifluorescence images or stacks. At the second level, the concerted motion of the light-sheet and imaging objective is computer-controled and allows you to perform fast, high-precision volumetric scans. This advanced level of control opens up additional capabilities and enhances the versatility of the light-sheet unit for various imaging applications.

If your ultimate goal is to set up the two-photon version, you have the option to directly use optics optimized for infrared transmission in the initial one-photon installation. This strategic choice ensures compatibility and paves the way for a seamless transition to the two-photon configuration at minimal cost by avoiding the need for component replacements when upgrading to the two-photon version.

Click the images to open the model browser.

Table of Content

Table of contents generated with markdown-toc

Building Instructions

Purchase List

List of parts

Custom Parts

Parts to Send for Milling

These parts are milled from an aluminum block. If you do not have a mechanical workshop in-house then you can send the *.step files that we provide below to an online milling service. For parts with threaded holes, join the mechanical drawings to the .step file.

- The light-sheet unit central cube: View the 3D model or download the CAD model as a step file and mechanical drawings.
- The fiber holder : View the 3D model or download the CAD model as a step file and mechanical drawings.
- Adaptor plate 1 : View the 3D model or download the CAD model as a step file and mechanical drawings.
- Adaptor plate 2 : View the 3D model or download the CAD model as a step file and mechanical drawings.
- Custom bracket : View the 3D model or download the CAD model as a step file and mechanical drawings.
- Sample chamber holder : View the 3D model or download the CAD model as step file and mechanical drawings.
- T-bracket to hold the beam trap : View the 3D model or download the CAD model as step file and mechanical drawings.
- Piezoactuator dummy : View the 3D model or download the CAD model as step file and mechanical drawings. This piece is only necessary if you do not want to install the piezo actuator required for the fast scan mode.

Parts for 3D Printing

- Sample chamber. You can download the CAD model as step file to send it to your 3D

printing service.

Screw kit

You will need Hex Head Socket Cap metric screws:

type	length (cm)	amount
M3	10	4
M4	30	4
M4	25	2
M4	20	5
M4	10	2
M5	30	2
M6	20	3

E.g. this Srew kit will do it.

Let's Start to Assemble

The Light-Sheet Unit

Laser and Fiber Coupling

(1) Purchase continous lasers whose wavelength are adapted to your favorite fluorescence probes. We use a blue 488nm and a green 561nm laser. Choose the option with prealigned fiber coupler.

(2) To combine the two lasers into a single-mode fiber, attach the two inputs of the fiber optic coupler to the FC/PC connector of each laser. The blue and green lasers will be combined and available at both output fiber ports.

(3-5) Assemble the Fiber support tube: Take the FC/PC connector which will later hold the optical fiber that delivers the laser. Screw the connector into the lens tube (black) but not too far so that you can easily attach and detach the optical fiber. Fix the connector with the two retaining rings.

Adapt the Scientifica Scope to receive the light-sheet unit

You will need to unscrew the bracket that holds the objective support plate from the original Scientifica setup.

This bracket will then be replaced with a custom bracket that has holes to allow the light sheet unit to be attached to the Scientifica system in the next steps.

(1-2) Attach the top plate (previously unscrewed from the Scientifica Scope) to the Custom Bracket (custom piece) using the original screws.

(3) Attach the Adapter Plate 1 (custom part) with four M4x30 screws.

(4) Attach the assembly to the topmost Z-stage of the microscope with two original screws.

Assemble the light-sheet unit

(1) Start from the Adapter Plate 2 (blue, custom piece).

(2) Attach the Horizontal Manual Stage to the Adapter Plate 2 with the four M3 screws included with the stage.

(3) Attach the Vertical Manual Stage to the Horizontal Manual Stage with the four M3 screws included with the stage.

(4) Attach the Light-Sheet Unit Central Cube (green, custom piece) to the Vertical Manual stage with four M3x10 screws.

(5) Insert the Galvanometer Mirror (light blue), align it at 45° relative to the sides of the Light-sheet Cube, and fasten it in place with two M5x30 screws.

(6) Attach the Piezocrystal (PZ 400 SG OEM). If you want to start with a simple low-cost version that uses only the slow scanning mode then install instead the Piezo Dummy (custom piece) to the Light-sheet Cube with two M4x20 screws.

(7) Attach the Fiber Holder (red, custom piece) to the Piezo with two M4x25 screws.

(8) Insert the Fiber support tube (see points 3-5) into the Fiber Holder, fasten it with one M4x20 screw and attach one of the output fibers of the fiber optic coupler to the connector (2).

(9) Screw in the Zeiss Plan-Neofluar Objectives (5x/0.16 M27). If your ultimate goal is to build the two-photon version then you should use instead the Olympus LMPLN5xIR/0.1 objectives, which is optimized for near-infrared transmission.

(10) Attach the Light-sheet Unit to the Scientifica Scope by fixing the adapter Plate 2 onto the Adapter Plate 1 using three M6x20 screws.

Laser Alignement

Before turning on the laser, prepare the room for laser safety (remove any jewelry, make sure no one is in the path of the laser, and that the laser does not hit any reflective surfaces). Unscrew the focusing objective (Obj 2) of the light-sheet unit. Switch on the galvanometric mirror and then switch on the laser at low power. By moving the fiber support tube (black) relative to the fiber holder (red), adjust the distance of the fiber outlet to the collimation objective (Obj 1) until the beam exiting the cube is well collimated.

Next, carefully center the beam in the opening where Obj 2 will be located by adjusting the orientation of the galvanometer mirror. Once this is done, secure the mirror position with the fixing screw. Secure Obj 2 in place again by screwing it in.

The Detection Path

To configure the detection path, use the standard ports and configuration of the Scientifica scope.

- Use a detection objective that is best adapted to your application. If you want to install the fast z-scan mode then attach the objective via an objective scanning piezo system.

- Position the filters into the filter wheel adapted to your application. For GFP imaging:
    - a notch filter to block the 488nm laser line
    - a GFP Emission Filter.
- Attach the camera to the camera port. In our systel, we use the Hamamatsu ORCA-

Driving the Light-Sheet Unit

The light-sheet unit can be operated in two modes:

Mode 1: Stand-Alone Light-Sheet Source Without the Need for Additional Computer Interfacing

To drive the galvanometer, a simple and affordable function generator is sufficient. Set the mirror to oscillate at approximately 400Hz with a triangular or sawtooth waveform.

If your image acquisition software allows the acquisition of z-stacks by controlling either the motorized stage of the z-focus or the piezo objective scanner, then you can operate the light-sheet unit in two modes.

Slow Scan Mode:

Even if you have not installed the piezo-control of the objective and optical fiber, you can still perform volumetric recordings. Simply control the movement of the objective using the motorized stage of the Scientifica scope, similar to a standard epifluorescence recording. Since the light-sheet unit is attached to the same stage as the objective, it will move along with the objective, ensuring that the light-sheet always illuminates the focal plane.

Mode 2: A Computer-Controlled Light-Sheet Scanner

Fast Scan Mode:

If you have installed a piezoactuator for both the imaging objective and the fiber, you can achieve high precision and fast volumetric recordings. Synchronizing the movement of the fiber with that of the objective is crucial to ensure that the light sheet remains in the focal plane of the objective throughout the volumetric acquisition.

- To control the light-sheet volumetric scanning you can use our custom developed control software written in Matlab. Via a national instrument card PCIe-6363, this software simultaneously drives the objective piezo scanner, the galvomirror and the piezo that moves the fiber in order to scan the light-sheet through the sample. The software is open source.

- Alternatively, you can use:
  - ScanImage, the control software provided by Scientifica

- , which supports the control of all Scientifica stages as well as of most common objective scanners from e.g. Physical Instrument or Piezo Jena.
- or the open-source python software presented here:
  https://www.frontiersin.org/articles/10.3389/fcell.2022.875044/full

The Sample Chamber Holder and Sample Chamber

- Install the sample chamber holder (custom part).
- 3D print the sample chamber.

- Take the 3D printed sample chamber and use cyanoacrylate or UV-curing adhesive to glue a glass window on each side as well as an O-ring into the hole on the short side, which will allow you later to introduce and position the sample via a capillary (inner diameter 0.85mm, outer diameter 1.47mm, length 115mm) for the imaging sessions.

- Place the sample chamber into the predefined opening of the sample chamber holder.

Ensuring Laser Safety

Protect the experimenter from the laser by installing a beam blocker in front of the sample chamber. Fix the T-bracket (custom piece) with two M4x20 screws to the sample chamber holder and then fix the beam blocker with two M4x10 screws to the T-bracket.

Now Let's Align the System

- Fill the sample chamber with water and add a few drops of a 1.5mM fluorescein solution into the water-filled sample chamber to visualize the laser. Switch on the laser at low power until you can see the fluorescence laser profile. Be careful not to look directly into the laser and to keep working at low power (<1mW after the second illumination objective) for alignment.

- The use of fluorescein requires cleaning with ethanol or isopropanol after alignment to remove residual fluorophores that may cause imaging noise.

- It is also possible to use an agarose cylinder and to observe the scattered light from the laser, to do this remove the filter between the detection objective and the camera and follow the same procedure.

- Align the laser waist under the detection objective by moving the entire light-sheet forming unit with the x-translation stage

- Switch on the camera and align the laser into the focal plane of the detection objective

by moving the light-sheet forming unit with the z-translation stage until you see a sharp image of the laser beam with the camera. If you do not see the laser beam, move the galvanometer mirror to bring it within the field of view.

- Precisely align the laser waist in the center of the field of view using the x-translation stage

- Remove the fluorescein solution from the sample chamber and clean it.

- Now generate the light sheet by driving the galvanometer with a saw tooth pattern either with a function generator or via the control software (see above). Adjust the amplitude of the movement such that the light sheet covers the field of view.

- Now you can place your preferred sample into the light sheet and image it. Fine-tune the z-position and x-position of the light-sheet until you get the sharpest image possible.

- you can now produce 3D scans of your sample by manually moving the objective focus of the microscope or by recording 3D time-lapse movies using your microscope control software.

- Troubleshooting: if your image is not uniformly sharp throughout the field of view, the light sheet might be tilted with respect to the focal plane of the detection objective. In this case, you can correct this by tilting slightly the entire unit. For this, untighten the screws that connect the unit via the adapter plate to the microscope translation stage. Use a sheet of paper as a spacer between the adapter plate and the stage to tilt the unit in the correct direction once the screws are tighten. Repeat this procedure until your image is in focus across the entire field of view.

Pictures of the System in Combination with an Electrophysiology System:

Example Recordings:

Using the green laser. Shown is a high-resolution recording of a zebrafish brain (6dpf) with a pan-neuronally expressed red calcium indicator (elav3-jRGECO):

🎥 Movie_StackHD_jRGECO_s.mp4 ▾

A Conference Talk Presenting the System:

Upgrade the One-Photon Unit into a Two-Photon System by using a Hollowcore Crystal Fiber

Click here for detailed instructions

OLU / **2P-Upgrade.md**

Two-photon upgrade

This comprehensive guide provides detailed instructions for upgrading the system to the two-photon configuration. Assuming that you have already built the one-photon version of the system, the upgrade primarily involves two main steps. First, you need to fiber couple a two-photon femtosecond pulsed laser into a negative hollow-core optical fiber. Additionally, the fiber's numerical aperture at the output side should be increased for compatibility with the light-sheet unit. Secondly, if not already implemented, the objectives used in the light-sheet unit must be replaced with objectives optimized for near-infrared transmission. Finally, a filter must be installed in the detection path to block the infrared laser. These modifications will enable efficient two-photon imaging with the system.

Table of Content

Table of contents generated with markdown-toc

Part List

[List of parts](#)

Custom Parts to Send for Milling

These parts are milled from an aluminum block. If you do not have a mechanical workshop in-house then you can send the *.step files that we provide below to an [online milling service](#). For parts with threaded holes, join the mechanical drawings to the .step file.

- Custom part for compatibility with a MaiTai laser: [View the 3D model](#) or [download the CAD model as a step file](#) and the [Mechanical drawing](#).

Building Instructions

Multiphoton Light-Sheet Unit

The multiphoton light-sheet unit is basically identical in its design to the one-photon multicolor design. To build the two-photon system follow [the building instruction of the 1P-Multicolor system](#) but take into account the following modification:

For both the collimation and illumination objectives (step (9) of the building instruction of the Light-sheet Unit), use the [Olympus LMPLN5xIR/0.1](#) objective optimized for near-infrared transmission. Although it is not optimized for visible wavelength, one can use this objective for one-photon imaging as well. To screw it into the light-sheet cube use a [thread adaptor](#).

A Comprehensive Guide for Achieving Efficient Fiber Coupling of the Femtosecond Two-Photon Laser

Introducing Our Developed Negative Curvature Hollow Core Crystal Fiber

Together with GLO Photonics, we selected an HC-NCF fiber whose optical characteristics are ideally suited for laser delivery in the context of combined one- and two-photon light-sheet microscopy.

The outer fiber diameter is 200 ± 2 μm and the fiber coating diameter is 600 ± 30 μm. The fiber has an air-filled 30 μm-in-diameter core surrounded by a ring of eight non-contacting ~10 μm-in-diameter cladding tubes. In this so-called hypocycloid fiber structure, the negative curvature of the core contour is created by the tubes surrounding the core. Tube diameters, inter-tube distance, tube wall thickness, and core size together control the fiber transmission spectrum. They yield two broad transmission bands that are compatible with 1, 2, and 3P imaging, respectively (see figure above): One in the near-infrared from 700 - 1500 nm (I), and another in the visible spectrum from 400 - 535 nm (II). Within these spectral bands, the loss is less than 300 dB/km (corresponding to a transmission efficiency of more than 93% for a one-meter-long fiber), and the pulse dispersion is less than 1 dB/(km·nm) of spectral pulse width.

The fiber is commercially available as a patch chord cable with standard FC/PC connectors. This proves extremely convenient as it allows one to disconnect and reconnect the fiber to the optical setup without the need for subsequent realignment on either end. The small core diameter compared to the infrared wavelength further ensures near single-mode guidance.

The Gaussian beam properties of the laser are also well preserved at the fiber output with M^2 values of 1.23 and 1.18, measured at 1030 nm and 515 nm laser wavelength respectively. The near-field and far-field profiles are symmetric with minimal ellipticity of 97.25% and 85.57%. The mode field diameters at 1/e^2 are 23 ± 1 μm and 26 ± 1 μm, respectively, which correspond to a fiber's numerical aperture (NA) of approximately 0.02. Due to negligible interactions between the light and the fiber material, the fiber exhibits a very high damage threshold: we could not observe any fiber damage up to the maximal tested peak powers of 40 μJ at 1030 nm and 10 μJ at 515 nm for 400 fs pulses, corresponding to an average laser power of 20W and 4W, respectively. These characteristics demonstrate that high-quality Gaussian beams can be delivered with this fiber across a broad spectral range with high transmission and low dispersion, which is a prerequisite for its application in high-resolution microscopy.

The Optical Path for Laser-to-Fiber Coupling

The following schematic and 3D model that you can interactively explore show a possible optical path for the laser coupling. You can adapt the arrangement to the space availability on your setup (mirror, **M**, lens, **L**, dichroic, **D**, wave plate, **W**, polarizer, **P**, beam trap, **BT**):

If you do not have space on your table you can mount a platform on top of your IR-pulsed laser source and bring the laser beam with a periscope up to the platform.

In the following, we propose a step-by-step explanation of how to build this optical path and how to align the optical components to achieve optimal fiber coupling. But before we begin, we will give some preparatory notes and general background:

Tips and Techniques for Laser Coupling into the Broadband Hollowcore Crystal Fiber

For the alignment we will follow a protocol well explained in an excellent YouTube tutorial that you find here and that we advise you to watch carefully before starting. The video explains a first pre-alignment step based on the backpropagation of a laser in the reverse direction. To use this trick first connect a standard single-mode fiber to the coupling unit. Use a fiber tester to inject a visible laser through the fiber. Then follow the steps as in the tutorial to co-align the alignment laser and the IR laser. Then disconnect the fiber and connect the hollow core fiber. If the first step was done correctly you should have enough transmission through the fiber to be able to further optimize the fiber coupling as described in the tutorial. To watch the video just click on the snapshot:

Mastering the Handling of Hollow Core Fibers: Tips and Techniques

- Here you find the fiber spec sheet of our hollow-core negative curvature fiber

- Attention !: The hollow core fiber front face is not protected and cannot be easily polished, which is a standard procedure used for conventional single-mode fibers. Work clean and remove dust before connecting the fiber to a porte. Also never try to clean the fiber outlet with ethanol or acetone because these solutions will enter the fiber core by capillary forces making the fiber unusable. You can use a fiber inspection scope to inspect the fiber core.

- The fiber has a very high damage threshold but only if the laser is well coupled. So it is advised to do the alignment procedure at low laser power. This improves also laser safety. You can control the laser intensity with a rotatable lambda wave plate installed in series with a polarizor.

Selecting the Optimal Coupling Lens: Criteria and Considerations

- For efficient optical coupling and suppression of higher laser modes, the diameter of the laser spot projected onto the fiber input side has to match the mode field diameter of the fiber. Or in other words, the opening angle of the focused laser beam has to match the numerical aperture of the fiber. Our fiber has a numerical aperture of 0.02 (see fiber spec sheet). The numerical aperture of the coupling system is given by $\mathrm{NA} = \frac{D}{2f}$, with D the diameter of the laser beam at the position of the coupling lens, and f the coupling lens' focal length. The laser company normally gives the beam width and the beam divergent angle. In our case, the Ti:Sapphire laser (MaiTai, Coherent, USA) has an output beam waist $< 1.2\mathrm{mm}$ and a divergent angle of $< 0.001\mathrm{mrad}$. We measured a beam diameter of 1.6mm at the position where we decided to install the coupling unit and we thus chose a coupling lens with focal length $f = \frac{D}{2\mathrm{NA}} = \frac{1.6\mathrm{mm}}{2\cdot 0.02} = 40\mathrm{mm}$. We got reasonable coupling with the achromatic coupling lens. If you want to further optimize the coupling you can use an objective as coupling lens. And you can install a telescope to adjust the beam diameter to match the fiber numerical aperture with the chosen coupling lens focal distance. Further tips for fiber coupling can be found in the manual from GLO-photonics.

- To measure the laser beam diameter, you may use either a beam profiler (Thorlabs BC207VIS/M) or the moving knife technique. For the latter, fix a razor plate on a linear translation stage. For this use a thin plate holder, a right angle clamp and a post system. Then move the knife perpendicular to the laser path step-by-step out of the laser beam while measuring the laser intensity as a function of the knife-edge position. The measured normalized power as a function of knife-edge position, x, can be fitted by $P_N(x) = 0.5 \left[1 + erf\left(\frac{x-x0}{w_{e^{-1}}}\right)\right]$. The fit parameter $w_{e^{-1}}$ is the beam radius at e^{-1}. You can also read $w_{e^{-1}}$ from the graph as half of the distance between the positions where the normalized power has a value between 0.08 and 0.92. Note that the beam diameter, D, relevant to calculate the numerical aperture is measured at e^{-2} and is thus given by $D = 2 \cdot w_{e^{-2}} = 2 \cdot \sqrt{2}w_{e^{-1}}$

Let's Get Started: Building the System

Coupling the IR Laser into the Broadband Fiber

- Position the motorized flip mount (**FM**) holding a protected silver mirror directly after the infrared laser output to hijack the laser for coupling into the optical fiber. Flipping the mirror allows you to select the setup into which you want to direct the laser. Alternatively, you can use a beam splitter to use the laser source on both setups

simultaneously. The pertinence of the latter solution depends on the laser power that you need in both setups for your experiments. For a standard scanning two-photon system, you will generally need less than 100mW. A MaiTai laser has an average output power of 1.8W at 915nm wavelength. With a 90:10% beam splitter and assuming 50% loss of laser power until the sample you can perform light-sheet microscopy with an average laser power of 400mW and two-photon scanning on the standard system with a mean power of 90mW.

- Next install the optics to control the laser intensity. Position the lambda wave plate and the polarizor in series.
- Before switching on the laser, prepare for laser safety in the room and wear laser safety glasses to protect your eyes!
- Install the power meter to measure the laser power after the polarizer (**P**)
- Switch on the laser and rotate the wave plate until the transmitted laser power is minimal.
- Increase again slowly the laser power until you start seeing the laser spot on the IR detection card
- Close the laser shutter
- Position the two protected silver mirrors (**M1, M2 & M3**) mounted in kinematic mirror mounts. With mirror **M2** and **M3** you will later align the laser with the fiber axis. A good distance between these two mirrors is about 20cm. Adjust the height of the posts that hold the mirrors with the height of your laser beam. Tighten them on the optical table with Universal Post Holders.
- Install the long pass dichroic mirror (**D**) that is transparent for the infrared laser but reflects the visible spectrum. This will allow later the coupling of an additional visible laser into the same fiber.
- Mount the differential **xyz-translation stage** (MAX313D/M) at about 20cm from the mirror **M3**. With this stage, you will position the fiber outlet precisely into the focal point of the coupling lens. You might have to mount this stage on a platform to match the beam height (**Custom piece for compatibility with a MaiTai laser: Mechanical drawing, .stl file and .step file**). Alternatively, you can lower the beam path with a periscope.
- Install the half-wave plate (W2) mounted in a high-precision rotation mount to adjust the polarization of the laser. For the highest signal in two-photon microscopy, the laser polarisation needs to be aligned with the light-sheet plane. You can do this later by rotating this waveplate until you observe a maximum of the fluorescence signal.
- Fix the mounting bracket onto the non-moving front of the **xyz-stage** and mount onto it a SM1-Compatible Flexure Stage Mount to hold the coupling lens **L1**.
- Screw the coupling lens into the holder (AC254-040-B-ML)
- Mount the SM1-compatible flexure stage mount onto the moving platform of the xyz-stage and screw into this mount the FC/PC fiber adapter plate with its external SM1 threading. This FC/PC adapter will later receive the optical fiber.
- Attach the single mode fiber for prealignment to the FC/PC adaptor plate.

- Attach the other side of the fiber to the [cable continuity tester](#) for pre-alignment.
- Switch on the red laser of the continuity tester. You should see the laser exiting out of the other side of the fiber
- Adjust the distance of the coupling lens (**L1**) relative to the fiber outlet until the red laser light from the continuity tester is well collimated by the coupling lens.
- Now follow the alignment steps explained in the YouTube tutorial. Eventually, watch the video again.
- Now that you know how to do it ensure laser safety in the room and wear [laser safety glasses](#) to protect your eyes!
- Prepare a [VIS/IR Detector Card](#) to visualize the invisible infrared laser
- Open the laser shutter.
- Now move the two mirrors **M2** and **M3** to co-align the red laser and the IR laser as was explained in the video.
- Switch off the laser shutter
- Detach the single-mode fiber from the coupling unit
- Attach the [negative curvature broadband hollow core fiber](#) to the coupling unit.
- Position the power meter before the coupling lens and adjust the power to about ??? mW.
- Install an FC/PC adaptor plate and fix to it the other end of the fiber. Install the power meter just after the fiber to measure the transmitted laser power.
- Open again the laser shutter. You should measure laser transmission through the fiber.
- Now adjust the mirrors **M2** and **M3** as was described in the video until you get > 90% laser transmission.
- Close the laser shutter

Coupling the Visible Laser into the Broadband Fiber

- Fix the [fiber coupled laser](#) onto the table.
- Position mirror **M3** and **M4** with a distance of about 20cm between each other such that mirror **M4** is placed about 20cm from the coupling lens. As mirrors choose again [protected silver mirrors](#) mounted in [kinematic mirror mounts](#) to align the laser with the fiber axis. Select the length of the [posts](#) compatible with the height of your laser beam.
- Attach the fiber splitter to the laser that you purchased with the prealigned fiber coupler.
- Install a [prealigned fiber collimators](#) **L2** that you mount into a [kinematic mirror mount](#) using an [adaptor](#) and positioned onto the adequate [posts](#) and its [universal post holder](#).
  - We selected the collimation lens focal distance with the formula:
    $f_{collimation} = f_{coupling} \cdot \frac{NA_{fiber}}{NA_{laserfiber}} = 40\text{mm} \cdot \frac{0.02}{0.13}$ which boils down to the fact to choose the collimation lens focal distance such that the collimated laser beam diameter matches the diameter of the infrared beam that we previously coupled into the fiber using the chosen coupling lens.

- Attach one of the outputs of the fiber coupler to this collimator lens.
- Attach the other side to the FC/PC connector plate on the **xyz-stage** of the coupling unit. If the fiber is to short you can extend it with a fiber-to-fiber connector and the single mode fiber that you have used in the previous pre-alignment step.
- prepare laser safety and switch on the laser at the lowest power possible where you can see with the VIS/IR Detector Card the laser.
- Now use the mirror **M3** and **M4** to co-align the two laser beams that travel in the reverse direction through the system as explained in the alignment YouTube tutorial.
- Switch off the laser and replace the single-mode fiber that is connected to the coupling unit with the negative curvature fiber.
- Switch the laser again on.
- You should detect with the power meter a transmission through the fiber.
- Adjust mirror **M3** and **M4** until you have more than 75% percent of transmission

At 915nm wavelength, the central two-photon absorption peak of GFP and of its calcium sensitive derivative GCaMP, we delivered through 1.5m fiber length 100fs laser pulses with 98% power transmission efficiency and minute pulse dispersion of 28nm (1dB/km·nm) that we fully precompensated with the Deepsee element of the MaiTai laser source. At 488nm, the one-photon excitation maximum of GFP and GCaMP, we achieved a transmission efficiency of ~75%.

Go back to the main page

Increasing the Fiber Numerical Aperture for Compatibility with the Light-Sheet Unit

- The collimation and illumination objective form a one-to-one telescope. If we would simply connect the hollow core fiber to the light-sheet unit as we did in the 1P-Multicolor system then the light-sheet thickness would correspond to the mean field diameter of the hollow core fiber which is $23\mu m$ (fiber spec sheet). To get the same resolution as in the one-photon implementation we have to install an extra lens after the fiber to demagnify the laser waist from the fiber output to about $5\mu m$ and at the same time to increase the divergence angle of the laser to match the numerical aperture of the collimation objective. The numerical aperture of the fiber is 0.02 and thus a factor 5 times smaller compared to the numerical aperture of the detection objective.
- With a lens with a focal distance of f = 2mm and a numerical aperture of 0.5 you can demagnify the laser output from the fiber by a magnification of m = 0.2. Mount this lens via an adaptor into the lens tube which you prepared in step (5-7) of the manual of the 1P-Multicolor unit.
- Place the lens at a distance $s = f\left(\frac{1}{m} - 1\right) = f\left(5 - 1\right) = 4 \cdot f = 8\text{mm}$ after the fiber output. The lens refocuses the laser at a new position
$s' = f \cdot \left[1 + \frac{1}{s/f - 1}\right] = 1.2 \cdot f = 2.4\text{mm}$ after the lens down to a waist of

$w_0' = m \cdot w_0 = 0.2 \cdot 23\mu m = 4.6\mu m$ with an angle of divergence of the laser corresponding to a numerical aperture of $m \cdot 0.02 = 0.1$ thus matching the numerical aperture of the collimation objective.

[Focusing of spherical Gaussian beams by Sidney A. Self](#)

Modifying the Fluorescence Detection Path to Block Infrared Illumination

- Install in addition the multiphoton short-pass emission filter to block also the pulsed infrared laser source.

Alignment of the setup

- Align the system in one-photon mode following the instructions provided for the 1P-Multiphoton system. This alignment procedure will also align the two-photon pathway.

- Align the polarization of the two-photon laser within the light-sheet plane. Visualize the two-photon laser using a fluorescein solution. Rotate wave plate W2, which is installed in front of the xyz-translation stage in the fiber coupling optical pathway. Continue rotating the wave plate until the fluorescence signal is maximized, indicating the optimal position.

- Note that the alignment and transmission efficiency of the hollow-core fiber in the infrared are not affected by fiber bendings. However, bending the fiber will indeed affect the polarization by changing its direction and ellipticity. Once you have set the rotation angle of wave plate W2, it is crucial not to move the fiber any further. If the fiber is inadvertently moved, the rotation angle of the wave plate will need to be readjusted accordingly to ensure optimal performance. For further information regarding the dependency of light-sheet fluorescence microscopy on polarization, please refer to Vito et al. Optic Express 2020.

Example of High-Resolution Zebrafish Brain Recordings in One- and Two-Photon Mode (elav3:H2B-GCaMP6)

- Left: one-photon mode excited @ 488nm
- Right: two-photon mode excited @ 915nm

📹 Movie_StackHD.mp4 ▾

Supplementary Note 8: Mechanical drawings of custom parts

Fig. S6. Custom bracket.

Fig. S7. Adapter Plate 1.

Fig. S8. Adapter Plate 2.

Fig. S9. Light-sheet unit central cube.

Dept.	Technical reference	Created by Thomas Panier 25/11/2022	Approved by	
Scale: 2:1 Material: Aluminum alloy		Document type	Document status	
		Title Fiber Holder	DWG No.	
			Rev.	Date of issue	Sheet 1/1

Fig. S10. Fiber holder.

Fig. S11. Piezo dummy.

Fig. S12. Sample holder.

Fig. S13. Sample holder.