MAASTY: A (dis)ordered copolymer for structural determination of human membrane proteins in native nanodiscs

Ciara F. Pugh[1], Lukas P. Feilen[1], Dušan Zivković[2], Kaia F. Præstegaard[3], Charalampos Sideris[3], Neil J. Borthwick[3], Casper de Lichtenberg[1], Jani R. Bolla[2], Anton A. A. Autzen[3*] & Henriette E. Autzen[1*]

Affiliations

[1]Department of Biomedical Sciences, University of Copenhagen, Copenhagen N, DK-2200, Denmark

[2]Department of Biology, University of Oxford, Oxford, OX1 3RB, United Kingdom

[3]Department of Health Technology, Technical University of Denmark, Kgs. Lyngby, DK-2800, Denmark

Corresponding authors

Anton A. A. Autzen (aaas@dtu.dk) & Henriette E. Autzen (henriette.autzen@sund.ku.dk)

Abstract

Amphiphilic copolymers capable of extracting membrane proteins directly from cellular membranes into "native nanodiscs" offer a simplified approach for preparing membrane proteins in lipid nanodiscs compared to approaches that rely on detergent. Amphiphilicity, length, and composition influence the performance of copolymers, in addition to the protein itself and the purification conditions used. Here, we report a copolymer composed of methacrylic acid and styrene, which we term MAASTY, leveraging the inherent monomer reactivity ratios to create an anionic copolymer with a statistical distribution of monomers. We show that MAASTY can be used for high-resolution structural determination of a human membrane protein with single particle cryo-electron microscopy, preserving endogenous lipids including cholesterol and exhibiting an enrichment of phosphatidylinositol. Moreover, MAASTY copolymers effectively solubilize a broad range of lipid species and a wide range of different, eukaryotic membrane

25   proteins from mammalian cells. We find that MAASTY copolymers are promising as effective

26   solubilizers of membrane proteins and offer a chemical platform for structural and functional

27   characterization of membrane proteins in native nanodiscs.

28   **Keywords:** native nanodiscs, membrane protein structures, cryo-electron microscopy, polymer chemistry

Introduction

Integral membrane proteins represent an important class of therapeutic targets necessitating

comprehensive understanding of their functional properties and structural attributes to facilitate rational

drug development[1]. Specifically, structural characterization of integral membrane proteins has witnessed

substantial progress the past decade, particularly driven by the technological advancements in single

particle cryoelectron microscopy (cryo-EM)[2]. High-resolution cryo-EM has sparked an increased focus on

reconstituting integral membrane proteins in lipid nanodiscs to effectively mimic native-like membrane

environments[3]. The dominating approach for incorporating membrane proteins into lipid nanodiscs relies

on detergent solubilization followed by subsequent re-lipidation, enabling the insertion of the membrane

protein into a synthetic lipid bilayer encased by membrane scaffold proteins (MSPs) or saposin (Fig. 1a,

black arrows)[4,5]. While reconstitution into synthetic nanodiscs facilitates the study of membrane proteins

in a lipid environment, it inevitably comes at a cost of the native lipids, which are either partially or

completely substituted by synthetic lipids. Consequently, only native lipids that exhibit exceptionally high

affinity for the target protein remain associated with the reconstituted membrane protein[6–8]. Importantly,

these reconstitution methods for the use of synthetic nanodisc systems disrupt the inherent asymmetry of

the native membrane, may destabilize the membrane protein of interest through use of detergent-based

extraction, and altogether, necessitate extensive and time-consuming optimization.

Nanodisc-forming copolymers, characterized by their amphipathic nature, have emerged as a promising

alternative to traditional approaches for reconstituting integral membrane proteins into lipid nanodiscs[9–14].

These polymers are able to dissolve membranes and directly embed integral membrane proteins into what

are coined 'native nanodiscs', bypassing the requirement for initial detergent extraction before lipid

reconstitution (Fig. 1a, blue arrows). Although the native nanodisc method was established nearly two

decades ago[12], the method remains in an early stage of development; nevertheless, it has demonstrated

significant potential for cryo-EM studies and functional characterizations of various membrane proteins

expressed in both bacterial[9,15–17] and mammalian cells[18–22]. However, despite the promise of the native

nanodisc method, the limited number of high-resolution structures of membrane proteins embedded in

native nanodiscs indicates certain limitations inherent to the catalog of currently available copolymers.

The initial adoption of poly(styrene-co-maleic acid) (SMA) copolymers marked a significant milestone in

the development of the native nanodisc technology, and their continued utilization remains extensive[12,23–

25]. However, SMA suffers from notable drawbacks, such as its negative charge and high dispersity in

molecular weight, limitations that collectively restrict its applicability in structural and functional

characterization of membrane proteins[26–28]. Alternative copolymers aiming to address these challenges

include poly(diisobutyleneco-maleic acid) (DIBMA)[29], polymethacrylate (PMA)[30], stilbene-maleic

anhydride (STMA)[31], pentyl-inulin[32], poly(acrylic acid-co-styrene) (AASTY)[18], in addition to various

SMA derivative copolymers to mention a few[33–36].

Here, we explore the use of a copolymer for native nanodisc formation, poly(methacrylic acid-co-styrene)

composed of methacrylic acid (MAA) and styrene (STY), which we term MAASTY, and its applicability

toward forming native nanodiscs. We hypothesized that MAASTY copolymers act as effective nanodisc-

forming polymers on account of their structural similarity to SMA and AASTY and their highly

alternating behavior due to the reactivity ratios between MAA and STY in radical polymerizations.

MAASTY was developed on the framework of the copolymer AASTY[18], composed of acrylic acid (AA)

and STY, but differing by a methyl on the backbone of the acid bearing monomer (Fig. 1b). This methyl

influences the monomer reactivity ratios and the linear sequence of monomers in the resulting

copolymers, as well as their overall amphiphilicity due to the hydrophobicity of the methyl group. Similar

to AASTY, MAASTY can be synthesized by reversible addition-fragmentation chain-transfer (RAFT)

polymerization, allowing control of the copolymer length and the dispersity of size compared to free-

radical polymerization[37]. We decided to investigate MAASTY because of its moderately irregular

monomer composition and reduced composition drift in bulk polymerizations, enabling the exploration of

a broader range of homogeneous monomer compositions compared to AASTY.

We demonstrate that MAASTY can be used to extract and purify the human transient potential melastatin

4 (hTRPM4) ion channel from mammalian cells, allowing determination of its high-resolution structure

with single particle cryo-EM. Using fluorescent size-exclusion chromatography (FSEC), we show that

MAASTY copolymers extract a wide range of eukaryotic membrane proteins composed of different

numbers of subunits in native nanodiscs and form nanodiscs independent of the bulk lipid head group

charge, thus expanding the application potential of MAASTY copolymers across a variety of systems

with intricate membrane lipid compositions.

Results

Synthesis and chemical characterization of MAASTY

Motivated by our previous work on AASTY copolymers[18,38], we synthesized six MAASTY copolymers

with a broad range of polymer compositions, varying the initial MAA monomer composition in the

reactions from 40-65% whilst aiming for a molecular weight between 7 and 8 kDa (Table 1). The

MAASTY copolymers are named according to their M_n (number-average molecular weight) and initial

MAA fraction. In radical polymerizations, a given monomer composition in a copolymerization will not

necessarily result in copolymers with identical polymer compositions due to relative differences in the

monomer reactivity ratios. This is evident from comparing the final MAA fraction (MAA frac) in the

polymers (Table 1) with the initial MAA fraction. Monomers are consumed at different rates, leading to a

composition drift of monomers along the chain. The composition drifts are simulated in Fig. 2a for

libraries of MAASTY and AASTY copolymers using their respective reactivity ratios (MAASTY; MAA:

0.4065, STY: 0.2911, AASTY; AA: 0.21, STY: 0.082)[39–41]. The copolymer composition drifts are

displayed for initial monomer compositions (40-65%) of MAA or AA. As shown in Fig. 2a, AASTY

initially has similar copolymer compositions across the simulated starting conditions due to its highly

alternating nature, resulting in a significant drift in polymer composition at higher conversions. The

compositions of MAASTY, on the other hand, are more dispersed at all conversions. This moderately

alternating nature of MAASTY is further highlighted by its determined simulated chemical correlation

factor, λ, of approximately -0.5 for all tested copolymers (Table 1). This behavior is also apparent when

comparing the regularity of monomer sequences as run lengths of each monomer (Fig. 2b). Here, a

perfectly alternating copolymer would have a run length of 1, with any deviation indicating a higher

degree of randomness. With a run length of 1.29, AASTY is highly alternating in terms of the monomer

sequence, while MAASTY is more irregular with a run length of 1.68. A similar pattern can be observed

in the product of the reactivity ratios (r_1r_2) for both copolymers, as r_1r_2 for AASTY is 0.017[41], whereas the

r_1r_2 for MAASTY is 0.119[39]. Ultimately, this moderately alternating nature of the MAASTY co-

polymerization allows for synthesis of a broader range of compositions without a significant drift in

comparison to AASTY copolymerization.

We have previously shown that the charge state of the AASTY copolymer depends on the pH of the

solution as acid groups are protonated at acidic pH values causing the polymer to become insoluble and

unable to form lipid nanodiscs[18]. As MAASTY copolymers contain MAA groups, we decided to

characterize the ionization state of the MAASTY copolymer library as a function of pH, identifying their

respective pKa values and pH tolerances (Fig. S2; Table 1). The MAASTY copolymers displayed a single

pKa in the range of 7.2-8.2. The broader polymer compositions give MAASTY copolymers an extended

effective working pH range compared to AASTY copolymers with pKa values between 6.5 and 7.0 using

initial AA fractions of 40%, 45%, 50% and 55%, respectively[18]. For MAASTY copolymers, the pKa

decreases with increasing MAA fraction and correspondingly decreasing copolymer hydrophobicity

(Table 1). This suggests that the solvation of phenyl moieties in water has a greater energetic barrier than

the intra-chain charge repulsion from carboxylates. For instance, MAASTY$_{8.0}$-65 exhibits the lowest

degree of protonation at lower pH values than the other MAASTY copolymers in the library indicating

that this copolymer may be more effective in solubilizing lipids and proteins at a more acidic pH

compared to a higher pH. Indeed, we see that MAASTY$_{8.0}$-65 performs better at pH 7 and 7.4 than 8 (Fig.

S3). It should be noted that all experiments in this study were carried out at pH 7.4, mimicking a

physiological pH; however, this may not be the optimal test conditions for the MAASTY copolymers on

either end of the MAA composition spectrum.

In addition to being pH sensitive, polyanionic copolymers are chelators of divalent cations through their

carboxylate moieties. This may cause complications when working with Ca^{2+} or Mg^{2+}-dependent proteins

in polymer-stabilized nanodiscs. Consequently, we assessed the Ca^{2+} sensitivity of MAASTY copolymers

using a colorimetric detection assay of free Ca^{2+} ions with o-cresolphthalein complexone (oCPC), as

carried out previously for AASTY[38]. oCPC yields a bright purple complex with an absorbance maximum

at 575 nm upon chelating divalent cations, allowing a measurement of the free Ca^{2+} ions left in solution

following copolymer exposure (Fig. S4a, b). For the tested MAASTY copolymers, the total escaped Ca^{2+}

ions remained consistent at 1.2 ± 1.5 % for the 1 mM and 3 mM $CaCl_2$ conditions (Fig. S4c). We

measured a sudden increase to 5.1 ± 0.8 % of total escaped Ca^{2+} ions with 7 mM added $CaCl_2$ for all

copolymers except $MAASTY_{7.0}$-45. This increase may occur as the copolymer becomes saturated with

Ca^{2+} at this concentration. Overall, a higher absolute copolymer MAA fraction does not equate to higher

Ca^{2+} binding capacity, within the concentration range tested. This is similar to what we found previously

for AASTY copolymers[38]. Contrarily, the affinity of MAASTY copolymers for Ca^{2+} is seemingly higher

than AASTY, given a drastically different 21% of total escaped Ca^{2+} ions was measured for equivalent

assayed concentrations in the presence of AASTY[38]. This lower Ca^{2+} tolerance of MAASTY compared to

AASTY may be due to its increased hydrophobicity, resulting in Ca^{2+} being kinetically trapped within

solubilized aggregates of MAASTY-Ca^{2+} complex.

To further understand the impact of divalent cations on the nanodisc-forming ability of MAASTY

copolymers, we produced fluorescent nanodiscs by solubilizing small unilamellar vesicles (SUVs)

composed of 1-palmitoyl-2-oleoyl-sn-glycero-3-phosphocholine (POPC) and 2% fluorescent 1,2-

dioleoyl-sn-glycero-3-phosphoethanolamine-N-(lissamine rhodamine B sulfonyl) (LissRhod)

phosphatidylethanolamine (PE) with MAASTY copolymers in the presence of specific $CaCl_2$ and $MgCl_2$

concentrations and subjected them to FSEC (Fig. S5). As previously exhibited for SMA and AASTY

copolymers[27,38], solubilization by MAASTY copolymers is more sensitive to Ca^{2+} ions than Mg^{2+} ions.

Additionally, as divalent cation concentrations increase, the fraction of larger soluble species also

increases, a phenomenon that may be caused by rouleaux stacking of nanodiscs under these conditions[42].

In contrast to the free copolymer assessed in the oCPC assay (Fig. S4), the tolerance towards Ca^{2+} and

Mg^{2+} ions during nanodisc-formation appears to depend on copolymer composition. Of note, MAASTY

copolymers with higher MAA content than STY ($MAASTY_{8.2}$-55, $MAASTY_{8.1}$-60 and $MAASTY_{8.0}$-65)

were observed to better tolerate the presence of divalent cations during nanodisc-formation, solubilizing

lipids either as well or to a greater extent in the presence of Ca^{2+} or Mg^{2+} ions (Fig. S5g).

MAASTY facilitates high-resolution structural determination of integral membrane proteins

To benchmark the utility of MAASTY copolymers for structural determination of integral membrane

proteins, we screened the solubilization capacity of our MAASTY copolymer library on full-length

hTRPM4, N-terminally tagged with StrepTag-IIeGFP, and recombinantly expressed in HEK293 cells

with FSEC (Fig. S6) and compared it to detergent-solubilization (Fig. S7). hTRPM4 is a Ca^{2+}-activated,

non-selective monovalent cation channel that is broadly expressed and contributes to the pathophysiology

of cardiovascular diseases, prostate cancer, and diseases of the central nervous system[43]. Notably,

solubilization with MAASTY outperforms DDM-CHS (Fig. S7). In accordance with FSEC screening of

the MAASTY copolymer library, hTRPM4 was solubilized and purified in $MAASTY_{7.1}$-50 nanodiscs

(Fig. S6; S8; S9), and subjected to single-particle cryo-EM analysis, resulting in a structure with an

overall resolution of 3.5 Å (Fig. 3a; Fig. S10; S11; Table S1). The transmembrane domain and

extracellular loops, the N-terminal, cytosolic TRPM homology region 4 (MHR4) and the central coiled-

coil in the C-terminus were well-resolved, and overall identical to previously determined cryo-EM

hTRPM4 structures in detergent micelles or MSP nanodiscs[44–47]. Despite extensive 3D classifications and

focused refinements imposing either C1 or C4 symmetry, the portions of the cytosolic domain composed

by the MHR1-3 of hTRPM4 in MAASTY nanodiscs were unresolved, likely due to conformational

flexibility under the experimental conditions (Fig. 3b). Structural flexibility of this part of the cytosolic

domain is also evident from the structure of hTRPM4 in MSP2N2 nanodiscs performed in parallel with

hTRPM4 in MAASTY nanodiscs (Fig. S12; S13) and as previously described[45], albeit not as severe as in

MAASTYstabilized nanodiscs. Notably, a recent structure of hTRPM4 in SMA nanodiscs also resulted in

an unresolved cytosolic region of MHR1-2[21], underscoring that hTRPM4 is more flexible in copolymer-

based lipid nanodiscs, possibly due to larger heterogeneity in the lipid composition compared to the

reconstituted MSP nanodisc system and detergent micelles or, in part, due to differences in lipid packing

protection provided by the nanodisc-stabilizing copolymers or proteins.

From analyzing the hTRPM4-MAASTY structure, we found several extra densities that we identified as

lipids (Fig. 3c). Along with observing densities of lipids, we modelled three densities as cholesterol

(CLR) molecules due to its distinct shape and location (Fig. 3d). The identified CLR molecules in site 1

and site 2 (CLR-1 and CLR-2, respectively) lie within sites previously annotated as cholesteryl

hemisuccinate (CHS) binding sites by Autzen *et al.*[45], and discerned in the hTRPM4-MSP2N2 structure

of this study (Fig. S12; S13). CLR-1 is located at the pre-S1 elbow, creating a cavity with S1, S4 and

MHR4 helix 7, and CLR-2 lines the pore, interacting with the pore helix and S6, supposedly stabilizing

the pore conformation[45]. CLR site 3 (CLR-3) is situated between S1, S5 and the pore helix of the adjacent

proteomer, and was also observed in the structure of hTRPM4 in SMA nanodiscs[21]. Both hTRPM4

structures determined in SMA[21] and MSP2N2[45], including this study, identified CLR or CHS in a binding

site that corresponds to the vanilloid binding pocket of TRPV1[48]. We also observed a similar density at

that location in the hTRPM4-MAASTY structure, however due to low occupancy, we were unable to

definitively model it as CLR.

In order to assess the endogenous lipid species co-purified with hTRPM4 in MAASTY native nanodiscs,

we extracted the lipids from the purified sample and analyzed it with MALDI-TOF mass spectrometry

(MS). This confirmed the presence of CLR in the nanodiscs, in addition to POPC (Fig. S14). As a further,

in-depth evaluation of the relative abundance of the extracted lipid species, we subjected the hTRPM4-

MAASTY nanodisc sample to lipidomics analysis. This identified a variety of putative endogenous lipid

species co-extracted with hTRPM4 (Fig. S15), including lipids belonging to the phospholipid classes

phosphatidylinositol (PI), phosphatidylcholine (PC), phosphatidylethanolamine (PE),

phosphatidylglycerol (PG) and phosphatidylserine (PS). PE, PI and PC constituted a majority of the

identified lipid classes. The lipidomics analysis also detected plasmenyl-, plasmanyl- and

lysophospholipids, highlighting the complexity of membrane lipid species stabilizing, and possibly

regulating, hTRPM4 in an endogenous lipid environment.

Interestingly, the MAASTY nanodisc encapsulating hTRPM4 exhibits a distinct shape. When looking

down the ion channel pore axis, the nanodisc is observed as a "square" with an overall shape similar to

the transmembrane domain of hTRPM4 itself, rather than circular as for hTRPM4 in MSP2N2 nanodiscs

(Fig. 3a; S12b)[45]. This resolved nanodisc shape was also observed for hTRPM4 in SMA nanodiscs[21],

appearing as an extension of the shape formed by the TM domains themselves, and likely derived from

the higher degrees of freedom in flexibility of the copolymer compared to, for example, the rigidity of

MSP helices. This is an attribute shared by other resolved cryo-EM structures of copolymer-encapsulated

nanodiscs[16,49,50]. Despite the discrepancy in nanodisc shapes, the transmembrane domains were identical

between the hTRPM4 structures in MAASTY and MSP2N2 nanodiscs with matching pore profiles (Fig.

3e).

Next, we sought to estimate the composition of the hTRPM4-MAASTY particles. The mass contribution

from the individual components in the nanodisc is apparent when assessing the sample by mass

photometry (MP) and spectroscopic quantification of hTRPM4 and MAASTY copolymers in the

nanodiscs. MP of hTRPM4 in MAASTY revealed a peak around 760 kDa (Fig. S8c). Subtracting the

mass of hTRPM4 (540 kDa for the cleaved tetramer), the excess mass of approximately 220 kDa may be

attributed to extracted lipids and surrounding copolymers of the nanodisc. To assess the composition of

the solubilized particles, we solubilized and purified hTRPM4 in $MAASTY_{7.1}$-50 with a trithiocarbonate

(ttc) moeity at the terminal, which has a maximum absorbance at 310 nm, and quantified hTRPM4-

$MAASTY_{7.1}$-50$_{ttc}$ with FSEC and the Bradford protein assay (Fig. S8d, e). We estimate that for each

solubilized particle, the copolymer contributes approximately 110 kDa, with 110 kDa remaining as

contribution from lipids. At the molecular level, this means that every hTRPM4-MAASTY particle

contains an average of 13 MAASTY copolymers.

Finally, from analysis of the hTRPM4-MAASTY structure, we observed an apparent density representing

a Ca^{2+} ion in the established Ca^{2+}-binding site (Fig. 3f), coordinated by side chain groups of Glu^{828}, Gln^{831},

Asn^{865} and Asp^{868} located at the S2-S3 helices[44,45,47]. This observation indicates that hTRPM4 in

MAASTY nanodiscs can capture endogenous Ca^{2+} without the need to supplement it throughout

purification or cryo-EM sample preparation. Moreover, it lends promise to the potential use of MAASTY

copolymers to characterize divalent cation-bound membrane proteins despite being polyanionic.

MAASTY solubilizes a diverse test set of membrane proteins

Next, we assessed the the versatility of the MAASTY copolymers across varying protein types through

the solubilization of three additional eukaryotic integral membrane proteins, fused with eGFP, and

recombinantly expressed in HEK293 cells. The test set included three differing oligomeric configurations,

represented by the rabbit sarco/endoplasmic reticulum Ca^{2+}-ATPase 1a (rSERCA1a, monomeric), the

human potassium channel subfamily K member 18 (hKCNK18, homodimeric), and the chicken acid

sensing ion channel 1 (cASIC1, homotrimeric), in addition to the homotetrameric hTRPM4 presented in

the previous section (Fig. S6). For each membrane protein, we compared the solubilization efficacy of the

MAASTY copolymer library with a selection of six AASTY copolymers with initial AA content of 45%,

50% and 55% and masses of either 6 kDa or 11 kDa, respectively (Fig 4; Table S2; Fig. S16).

rSERCA is a P-type ATPase that pumps Ca^{2+} ions from the cytoplasm into the sarcoplasmic or

endoplasmic reticulum, and plays a critical role in muscle contraction and cellular Ca^{2+} homeostasis[51].

With 79 deposited models in the PDB, rSERCA is structurally and functionally well-characterized.

Solubilization of rSERCA1a with both MAASTY and AASTY copolymers, produced a largely

monodisperse peak with a trailing shoulder at longer retention times (Fig. S16a). $MAASTY_{7.4}$-40 and

$MAASTY_{7.0}$-45 were most effective at solubilizing rSERCA1a, with decreasing solubilization efficiency

as the MAA content of the copolymer increased, with two of six MAASTY copolymers performing worse

than the best AASTY copolymer (Fig. 4b; Fig. S16a). While most of the copolymers showed the same

retention times, three of the MAASTY copolymers, MAASTY$_{8.2}$-55, MAASTY$_{8.1}$-60, and MAASTY$_{8.0}$-

65 showed slightly earlier retention times, which may be indicative of larger discs compared to the later

eluting species (Fig. S16a).

hKCNK18 is a potassium channel implicated in regulation of neuronal excitability and associated with

certain types of migraines[52]. The structure of hKCNK18 is yet to be determined, probably due to

difficulties in its expression and stabilization outside the cell membrane. For hKCNK18, all MAASTY

copolymers led to FSEC traces with shoulders, making it difficult to estimate the solubilization efficacy

and the retention volumes (Fig. S16b). MAASTY$_{7.0}$-40 seemingly displayed the highest solubilization

capacity, producing a more uniform peak than the five other MAASTY copolymers and any of the tested

AASTY copolymers (Fig 4b; Fig. S16b).

cASIC1 is a proton-gated Na$^+$ channel involved in detection of acidic environments. With approximately

90% sequence identity to human ASIC1a, a protein implicated in a variety of neuropathologies[53], cASIC1

is the most structurally well-characterized of the ASICs amounting to 19 deposited models in the PDB. A

majority of these were determined in detergent micelles, but some were resolved in SMA[19]. For cASIC1,

both MAASTY and AASTY copolymers acted as effective solubilizers, generating a uniform presumed

protein-nanodisc peak with a trailing shoulder on the right side of the main peak (Fig. S16c).

MAASTY$_{7.0}$-45 and MAASTY$_{7.1}$-50 were the most potent solubilizers, however, most of the MAASTY

copolymers solubilized cASIC almost as well (Fig. 4b). As with rSERCA1a, four of six MAASTY

copolymers produce higher peak intensities than the best-performing AASTY copolymer. Interestingly,

there was a distinct difference in retention volumes between MAASTY and AASTY copolymer nanodiscs

for cASIC1, with MAASTY copolymers eluting at earlier volumes forming evidently larger cASIC1-

containing nanodiscs than AASTY copolymers (Fig. S16c). This may also be the case for hKCNK18,

indicating a possibility that MAASTY copolymers form larger protein-containing nanodiscs than AASTY

copolymers.

MAASTY is compatible with a broad selection of lipids

As previously described, the efficiency of nanodisc formation by AASTY copolymers is highly dependent on membrane charge, specifically favoring more zwitterionic lipid compositions[18], whereas the anionic SMA and DIBMA copolymers reportedly solubilize irrespective of lipid charge[54–56]. To assess the effect of lipid composition on MAASTY solubilization, we dissolved 2% fluorescent LissRhod PE and one of three lipid mixtures: POPC, soy polar lipid extract (PLEx) and *E. coli* PLEx with MAASTY copolymers to form protein-free or "empty" nanodiscs. Using FSEC, we determined the lipid solubilization capacity for each MAASTY copolymer from the fluorescence intensity (Fig. 5; Fig. S17). All six MAASTY copolymers formed nanodiscs with all three lipid compositions, and although the efficiencies vary, the MAASTY library forms nanodiscs with both the synthetic lipid POPC and the two lipid extracts (Fig. 5b). This is in contrast to AASTY, which showed significantly decreased efficiency for soy PLEx and *E. coli* PLEx, likely owing to their content of charged lipid species[18]. From the MAASTY library, MAASTY$_{7.0}$-45 and MAASTY$_{7.1}$-50 were the most effective copolymers for all three of the tested lipid compositions. In contrast, MAASTY$_{8.0}$-65, which is the copolymer with the highest MAA fraction (63%), was the least effective at solubilizing the three lipid compositions. MAASTY$_{8.0}$-65 was particularly poor at solubilizing *E. coli* PLEx, which has a high content of negatively charged lipid species such as cardiolipin ($\sim$10%) and phosphatidylglycerol ($\sim$23%); This could be a charge effect as MAASTY$_{8.1}$-60, with the second highest MAA fraction (59%), also displayed a diminished capacity to solubilize *E. coli* PLEx (Fig. 5b). Indeed, with pKa values at 7.2 and 7.4, respectively, these two copolymers are likely either predominantly charged or at least 50% charged at pH 7.4 (Table 1; Fig. S2).

Notably, we observed a disparity in retention volumes across the tested MAASTY copolymers and lipid compositions (Fig. 5c). Overall, there appears to be a trend of lower retention volumes with increasing copolymer MAA content. For example, MAASTY$_{8.0}$-65, which has the highest MAA fraction of all tested copolymers, has the smallest retention volumes, particularly when forming nanodiscs of POPC and *E. coli* PLEx. In general, POPC and *E. coli* PLEx containing nanodiscs display lower retention volumes than soy

304   PLEx for each of the MAASTY copolymers, except MAASTY$_{7.4}$-40. Whether the dissimilarity in

305   retention volume is an indication of differences in the relative disc sizes, i.e. a creation of larger nanodiscs

306   from lower retention volumes, or rather a result of the charge state of the polymer, remains to be assessed

307   further.

Discussion

The limited number of structural studies of membrane proteins in native nanodiscs underscores a requirement to improve our current repertoire of nanodisc-forming copolymers. Only recently did the first high resolution structures of human membrane proteins in native nanodiscs emerge, emphasizing the potential of the method[21,22]. Here we introduce the copolymer MAASTY, which can solubilize membrane proteins in native nanodiscs and facilitate high-resolution structural determination. We previously conceptualized AASTY as an effective copolymer for formation of native nanodiscs, based on the structural regularity of this copolymer[18]. Since then, it was found that altering the hydrophobicity of the styrenic moiety of alternating SMA copolymers also yields effective nanodisc forming copolymers[57]. On this basis, we envisioned that changing AA to MAA could result in an improvement, as the methyl group of MAA is more hydrophobic. Previous research into nanodisc forming copolymers shows that the main properties determining nanodisc-forming capabilities are the amphiphilicity, size, monomer sequence and monomer composition of the copolymers[57–60]. Delineating the effects of these four properties on nanodisc formation is non-trivial as exchanging a monomer with another results in a different statistical distribution of monomers along the chain (Fig. 2). Our rationale for designing AASTY and our hypothesis on why it is an effective solubilizer was that the alternating monomer sequence, in combination with a similar amphiphilicity to effective SMA compositions, would be more effective than SMA due to the high regularity in monomer sequence[18]. As such, we were somewhat surprised that MAASTY, which is more irregular than AASTY, proved to be as effective in nanodisc-formation and, for some targets, seemingly performed better than AASTY. However, by using MAA instead of AA, we change both the amphiphilicity and the statistical distribution of monomers in the polymer, emphasizing that observed differences between MAASTY and AASTY, or other copolymers for that matter, with regard to nanodisc formation cannot be attributed to one particular polymer property. The key difference of MAASTY to AASTY is the increased hydrophobicity of MAASTY, and it could be that the packing of the methyl group into the lipid bilayer is beneficial for the stabilization of nanodiscs. As polymers with methylated backbones have lower glass transition temperatures than their non-methylated acrylate counterparts, this

feature could result in a more rigid structure, conferring higher stability of the disc. The more

hydrophobic nature of the MAASTY copolymers will also likely result in increased sensitivity to divalent

cations, at least for the free copolymers, as the charge of the carboxylates are neutralized by Ca^{2+} ions,

resulting in precipitation. We hypothesize that this is the reason for the pronounced Ca^{2+} ion binding we

see with MAASTY copolymers in the oCPC assay (Fig. S4). Furthermore, the large span of pKa values

for the MAASTY copolymer library synthesized in this study is a result of the wider range of

compositions enabled by the less-alternating nature of the copolymerization in comparison to AASTY

(Table 1). More MAA in a copolymer results in a markedly lower pKa, which can only mean that the

energy penalty for deprotonating MAA afforded by the local hydrophobic environment of STY moieties

is larger than the penalty from adjacent negative charges from deprotonated carboxylates. In practice

however, this likely means that MAASTY copolymers can be tailored to perform optimally at a desired

pH.

The high-resolution cryo-EM structure of hTRPM4 in MAASTY native nanodiscs showcases the

applicability of MAASTY copolymers and expands the toolbox for membrane protein characterization

(Fig. 3; 4). The structure elaborates on our previous research on AASTY copolymers in which sample and

conformational heterogeneity yielded low-resolution reconstructions of hTRPM4 in native nanodiscs[18].

There may be many possible explanations for the successful use of MAASTY for high-resolution

structural determination of hTRPM4 by cryo-EM in comparison to AASTY, such as altered orientational

distribution, number of particles at the air-water interface and conformational flexibility resulting from

differences in overall charge of the protein-nanodisc complex. In addition, we cannot exclude that a high

resolution structure with AASTY may have been feasible to obtain from a larger dataset. It is also

possible that potential differences in the co-purified lipids between AASTY and MAASTY contribute to

the success of MAASTY for the structural determination of hTRPM4. Indeed, lipid solubilization with

MAASTY and AASTY show different lipid preferences for the two copolymers; AASTY displayed a

lower propensity to solubilize negatively-charged lipids[18], while MAASTY solubilizes lipids

independently of head-group charge (Fig. 5).

According to lipidomics analysis of hTRPM4-MAASTY nanodiscs, two of the top five most abundant

lipid species co-extracted with hTRPM4 are the negatively charged lipid species PI and PS (Fig. S15).

Notably, with an observed relative abundance of 15-25%, PI co-purified in hTRPM4-MAASTY

nanodiscs far exceeds the typical plasma membrane content of 1-2%[61]. Whether the enrichment of PI and

PS is due to hTRPM4, the HEK293 cells or the MAASTY copolymers should be further tested. Along

with its reported role in channel regulation, the phosphorylated PI, phosphatidylinositol 4,5-bisphosphate

(PIP2), has been hypothesized to aid in conformationally stabilizing hTRPM4[62,63]. We speculate that

differences in extraction of charged lipids between AASTY and MAASTY copolymers may have resulted

in less co-purified PI in the hTRPM4-AASTY sample, along with other negatively-charged lipids,

consequently displaying increased conformational heterogeneity and potentially contributing to the

yielding of a lower resolution structure, among other aformentioned possibilities. Furthermore, other

lipids such as CLR may be necessary to stabilize hTRPM4[18,44–46,64]. The stability of the transmembrane

domain by lipids may also play a role in the missing cytosolic MHR1-3 domains in the hTRPM4-

MAASTY structure which we assume is caused by structural flexibility. This structural flexibility could

even be potentiated by the copolymers themselves either through direct or indirect interactions with the

protein. Indeed, this has been reported for membrane proteins in MSP nanodiscs whereby amphipathic

interactions with the MSP may influence the local dynamics of the membrane protein[65]. Lastly,

MAASTY copolymers consistently solubilize hTRPM4 to a greater extent than AASTY copolymers, with

MAASTY$_{7.1}$-50 as the most efficacious, potentially contributing to better sample quality (Fig. S6).

hTRPM4 solubilization by MAASTY$_{7.1}$-50 was even shown to outperform DDM-CHS (Fig. S7).

Endogenous lipids are clearly visible in the hTRPM4-MAASTY structure and further confirmed by

lipidomics analyses (Fig. 3; S14; S15). The observed arrangement of lipid densities in the hTRPM4

MAASTY structure differed from that of hTRPM4 in MSP2N2. Specifically, we identified the locations

of three CLR binding sites; two of which are also occupied in the hTRPM4-SMA structure[21], and a novel

location previously annotated as a CHS-binding region[45], adding to our current knowledge on lipid

organization in hTRPM4. MS analyses highlighted the complexity of the co-purified endogenous lipid

species unassigned in the hTRPM4-MAASTY structure. These identified lipids may be implicated in

hTRPM4 activity, regulation, and/or stabilization. For example, the detection of lysophospholipid classes

could indicate a potential role in channel modulation, as established in other TRP channels[66,67].

In addition to endogenous lipids, hTRPM4 in MAASTY nanodiscs were bound to endogenous Ca^{2+} ions,

according to an observed density in the Ca^{2+}-binding site without having supplemented the sample with

$CaCl_2$ during purification or cryoEM sample preparation. The binding of Ca^{2+} from an endogenous source

was also eluded to in the hTPRM4-SMA structure[21], while this was not reported for any of the detergent-

solubilized structures[44–46,64]. The ability to capture a Ca^{2+}-bound state of hTRPM4 gives evidence towards

the use of MAASTY copolymers to characterize divalent cation sensitive membrane proteins despite the

polyanionic nature of MAASTY and consequent propensity to bind Ca^{2+}. Indeed, we show that

MAASTY-encasing protein-free nanodiscs are tolerant of $CaCl_2$ and $MgCl_2$ (Fig. S5). These observations

underscore the importance of assessing tolerance to solvent compositions, such as the addition of divalent

cations, under nanodisc-forming conditions, as opposed to solely measuring the impact on free copolymer

(Fig. S4). While the enhanced tolerance of higher MAA content copolymers suggest they may be

particularly well suited for studying Ca^{2+} or Mg^{2+} sensitive proteins, this is likely also influenced by the

properties of the solubilized membrane protein. In general, the decrease in accessible divalent cations by

copolymer chelation, and consequent concentration change throughout membrane protein purification, are

both essential effects to be aware of.

Finally, we demonstrate that MAASTY is a versatile copolymer capable of solubilizing a range of

disease-relevant membrane proteins and diverse lipid compositions (Fig. 4; 5). Interestingly, we noted

differences in SEC elution volumes between MAASTY and AASTY nanodiscs incorporating membrane

proteins, as well as retention volume differences for MAASTY-encasing protein-free nanodiscs of

increasing negatively-charged lipid compositions. These observations indicate that solubilization efficacy

is dependent on the membrane protein solubilized, the lipid species, and the copolymer itself.

While it is unlikely that there is a one-size-fits-all solution of nanodisc-forming copolymers, MAASTY is

an easily synthesized copolymer, able to yield a high resolution structure in a nanodisc without the need

for extensive reconstitution optimization. Understanding the mechanism of how MAASTY and other

copolymers work will ease the identification of which copolymers are effective for specific protein targets

in a given membrane composition. Further lipidomics analyses of native nanodiscs could help elucidate

how lipids influence other target-copolymer combinations. We conclude that our work showcases the

potential of MAASTY in membrane protein biochemistry and structural biology, and lends promise to its

further use in the field as an effective solubilizer of integral membrane proteins in native lipid nanodiscs

across varying recombinant-expression and native systems.

Methods

Synthesis and characterization of MAASTY copolymers

Methacrylic acid (MAA) and styrene (STY) were distilled under vacuum. The RAFT agent 2-Methyl-2-

[(dodecylsulfanylthiocarbonyl)sulfanyl]propanoic acid (194 mg, 0.531 mmol) and azobisisobutyrunitrile

(17.4 mg, 0.106 mmol) were added to six ampules. Styrene and methacrylic acid were added to the

ampules; $MAASTY_{7.4}$-40 (MAA: 1.7 mL, 1.7 g, 20 mmol, STY: 3.44 mL, 3.13 g, 30 mmol),

$MAASTY_{7.0}$-45 (MAA: 1.91 mL, 1.94 g, 22.5 mmol, STY: 3.15 mL, 2.85 g, 27.5 mmol), $MAASTY_{7.1}$-

50 (MAA: 2.12 mL, 2.15 g, 25 mmol, STY: 2.86 mL, 2.60 g, 25 mmol), $MAASTY_{8.2}$-55

(MAA: 2.33 mL, 2.37 g, 27.5 mmol, STY: 2.58 mL, 2.34 g, 27.5 mmol), $MAASTY_{8.1}$-

60 (MAA: 2.55 mL, 2.60 g, 30 mmol, STY: 2.29 mL, 2.10 g, 20 mmol), $MAASTY_{8.0}$-65 (MAA: 2.76

mL, 2.80 g, 32.5 mmol, STY: 2.05 mL, 1.82 g, 18.5 mmol). The ampules were degassed by four freeze-

pump-thaw cycles, and sealed under vacuum while frozen. They were then placed in a water bath in a 60

°C oven for 17h, forming yellow solids. The solids were removed by ampule shattering and each

dissolved in 10 mL absolute ethanol. At this point, samples for determining conversion by NMR were

taken. 20 equiv. of H_2O_2 (30% in water) was added with respect to end-groups. These mixtures were

heated to 70 °C overnight resulting in non-colored solutions. The solutions were precipitated into heptane

and the white precipitate was recovered by filtration. The polymers were converted to their respective

sodium salts by suspending them in ultrapure water and titrating in 1 M NaOH until the pH was stable at

approximately pH 8.0, and the bulk of the suspended polymer was dissolved. These solutions were

filtered through 0.22 µM PES syringe filters and freeze-dried.

Bjerrum diagrams were constructed by dissolving 50 mg of respective polymer in 10 mL water and

adjusting the pH to approximately 11 with 1 M NaOH. 0.33 M HCl solution was titrated in 5 µL

increments whilst measuring the pH on a Mettler Toledo SevenCompact S210 pH meter.

We were unable to use aqueous SEC Multi-Angle Light static Scattering (MALS) to characterize the

MAASTY copolymers. Even at minimal concentration, MALS would report masses that were orders of

magnitude higher, than expected for the given elution time. Expecting these effects were due to

micellization, we performed the analysis in organic SEC, after methylation, as previously described[68]. The

analysis showed a greater dispersity than what could be expected for RAFT made polymers. We believe

that this is due to incomplete methylation resulting in aggregation or crosslinking of polymers.

NMR characterization of MAASTY

449   Conversion of monomers were determined by [1]H-NMR using a Bruker Avance III 400 MHz system using

450   d6-DMSO and a probe temperature of 25 °C. The [1]H-NMR of the purified polymers converted to sodium

451   salts were obtained in D_2O (Fig.S1).

Methylation and SEC characterization of MAASTY polymers

MAASTY polymer (1 equiv.) was suspended in a 1 w% 1-methyl-3-*p*-tolyltriazene (MTT) solution (1.2

equiv.) in toluene. The mixture was left to stir overnight. The reaction was finished when all polymer had

dissolved in the toluene. Once the reaction was finished, the toluene was washed twice with 1 M HCl and

the solvent was removed under vacuum. The degree of methylation was confirmed with NMR.

Methylated MAASTY was dissolved in THF to a concentration of 2.5 mg/mL. Measurements were

performed on a Viscotek Differential Refractometer viscometer with SIL-10AD VP Shimadzu

Autosampler and LC-10ADVP Shimadzu Pump using THF as solvent and PLgel 3um MIXED E Column

of 300 mm x 7.5 mm cross-linked porous polystyrene divinylbenzene matrix from Polymer Laboratories.

Determination of free Ca^{2+} concentrations

To measure the concentration of free Ca^{2+} ions in the presence of MAASTY, copolymers were mixed with

buffer for a final composition of 20 mM HEPES/NaOH (pH 7.4), 100 mM NaCl, and 0, 1, 3, or 7 mM

$CaCl_2$ and either 0.1% or 1% weight per volume (w/v) copolymer. After 15 min of incubation, ~10 µL of

buffer without copolymer was isolated using a Vivaspin-500 centrifugal concentrator with a 10 kDa

MWCO cutoff. In a 96-well plate, 5 µL of this solution was then mixed with 95 µL of 0.13 mg/mL *o*-

cresolphthalein complexone (oCPC) in 0.1 M CAPS, pH 10. The absorbance at 575 nm was measured on

a Tecan Infinite M200 pro microplate reader and quantified on the basis of a standard $CaCl_2$ curve (Fig.

S4c).

Preparation of protein-free lipid nanodiscs

Preparartion of protein-free lipid nanodiscs was carried out as described by Smith *et al.*[18] and Timcenko *et*

al.[38]. In short, dried lipids were hydrated in HBS (50 mM HEPES/NaOH (pH 7.4 unless otherwise stated)

and 150 mM NaCl) to 10 mM final concentration for the tested lipid mixtures: 1-palmitoyl-2-oleoyl-*sn*-

glycero-3-phosphocholine (POPC); soy polar lipid extract (Soy PLE); *E. coli* polar lipid extract (*E. coli*

PLEx), which were mixed with 0.12 mM fluorescent 1,2-dioleoyl-*sn*-glycero-3-phosphoethanolamine-N-

(lissamine rhodamine B sulfonyl) (LissRhod PE). All lipids were purchased from Avanti Polar Lipids Plc.

Empty fluorescent nanodiscs were then prepared by mixing 1% MAASTY copolymer with 1 mM total

lipids (small unilameller vesicles (SUVs) composed of 2% LissRhod PE and 98% chosen lipid mixture)

in HBS with or without specified $CaCl_2$ or $MgCl_2$ concentrations in a 50 μL total volume. The mixture

was incubated on rotation for 2 h at 4 °C, followed by ultracentrifugation at 113,700 xg for 15 min at 4 °C

to remove insoluble material. The lipid nanodisc mixture was filtered through a 0.22 μm spin-filter before

injection onto a Superose 6 Increase 5/150 GL column (Cytiva) equilibrated in HBS at 4 °C. The eluent

was detected by a Shimadzu (Shimadzu Europa GmbH) liquid chromatography system equipped with an

autosampler (SIL-40), a fluorometer (RF-20A), and a PDA detector (SPD-M40). LissRhod PE was

detected with an excitation wavelength of 554 nm and emission of 576 nm. Each sample was injected at

least twice to check reproducibility.

Membrane protein expression

All tested membrane proteins were expressed in HEK293 suspension cells using the baculovirus

expression system and a modified version of the BacMam vector pEG[69]. HEK293 cells were cultured at

37 °C, 8 % CO_2. rSERCA1a (rabbit sarcoendoplasmic reticulum Ca^{2+} ATPase) with a C-terminal eGFP-

StrepII tag and cASIC1 (chicken acid-sensing ion channel 1) with an N-terminal His_8-eGFP tag were

expressed in HEK293S GnTI⁻ cells (ATCC) and enhanced with 10 mM sodium butyrate (NaBu) 10 h

post-transduction. Cells were harvested 72 h and 48 h post-transduction, respectively. hKCNK18 (human

potassium channel subfamily K member 18) with an N-terminal StrepII-eGFP tag was expressed in

FreeStyle™ 293-F (HEK293F) cells (Thermo Fisher Scientific, TFS) and enhanced with 10 mM NaBu 10

h post transduction and harvested 48 h post-transduction. hTRPM4 (human transient receptor potential

melastatin type 4) fused with an N-terminal StrepTagII-eGFP tag was expressed in HEK293F cells and

enhanced with 10 mM NaBu 24 h post-transduction and collected 48 h post-transduction as described in

Autzen *et al.*[45].

FSEC of membrane proteins in copolymer lipid nanodiscs

HEK293 cell pellets were resuspended in HBS supplemented with cOmplete™ EDTA-free protease

inhibitor cocktail (Sigma-Aldrich) at 50 μL/~1 million cells/condition. 50 μL of the cell suspension was

mixed with 50 µL 4% (w/v) polymer in HBS for a final concentration of 2% (w/v), briefly sonicated with

a probe sonicator and incubated on a rolling table for 2-4 h at 4 °C. Large aggregates were removed from

the suspension by ultracentrifugation at 113,700 xg for 15 min and the supernatant containing protein-

filled lipid nanodiscs was filtered with a 0.22 µm spin filter before being loaded onto a Superose 6

Increase 5/150 GL column (Cytiva) equilibrated with HBS at 4 °C. The eluent was detected by a

Shimadzu (Shimadzu Europa GmbH) liquid chromatography system equipped with an autosampler (SIL-

40), a fluorometer (RF-20A), and a PDA detector (SPD-M40). eGFP was detected with an excitation

wavelength of 488 nm and emission of 507 nm. Each sample was injected at least twice to check

reproducibility.

Purification of hTRPM4 in MAASTY$_{7.1}$-50 lipid nanodiscs

Harvested hTRPM4-expressing HEK293F cell pellets were resuspended in HBS supplemented with

Sigmafast^{TM} EDTA-free protease inhibitor cocktail (Sigma-Aldrich) and lyzed by pressure homogenizer

(Avestin Emulsiflex) with 3 passes at 1500 psi. Lysates were centrifuged at 26,000 xg for 25 min (Sorvall

RC 5B Plus) followed by membrane isolation through ultracentrifugation at 55,000 pm for 1 h (Beckman,

Type 70 Ti Rotor). Membranes were resuspended in HBS by mortar and pestle at 20 mL/g and snap-

frozen in LN$_2$ before storage at -80 °C until further use. Purification of hTRPM4 was carried out similarly

to the procedure described in Smith et $al.$[18]. In short, isolated membranes were solubilized in 2% (w/v)

MAASTY$_{7.1}$-50 (1 g/40 mL) for 2 h at 4 °C on a rolling table and insoluble fragments separated by

centrifugation at 30,000 xg for 30 min. The supernatant was incubated overnight at 4 °C with StrepTactin

beads (Cytiva) in HBS with 250 mM L-Arginine-HCl. Under gravity flow, the beads were washed in

HBS with 250 mM L-Arginine-HCl, then the protein eluted upon addition of 5 mM desthiobiotin.

Protein-positive fractions were pooled and spin-concentrated to less than 500 µL. TEV protease was

added at a 1:5 molar ratio (TEV:hTRPM4) and incubated overnight at 4 °C to remove the fusion tag. The

sample was filtered with a 0.22 µm spin filter unit before loading onto a Superose 6 Increase 10/300 GL

column (Cytiva) equilibrated with HBS on an AKTA Pure Pro-¨ tein Purification System (Cytiva). Peak

fractions were pooled and spin-concentrated (determined by NanoDrop UV-vis spectrophotometer 280

nm, 1 mg = 1 Abs) before assessment by either single-particle cryo-EM, MALDI-TOF MS or lipidomics

analysis. Eluted fractions from size-exclusion chromatography were assessed for purity by SDS-PAGE

(Fig. S8).

MALDI-TOF MS

533 Purified hTRPM4 in MAASTY$_{7.1}$-50 nanodiscs (0.1 mL) were extracted with a 9:1 CHCl$_3$/MeOH

534 solution (0.3 mL). The extract was mixed with 2,5-dihydroxybenzoic acid (DHB) (20 mg/mL) in 9:1

535 CHCl$_3$/MeOH matrix to a final concentration of 10 mg/mL of DHB. Mass spectra were recorded on a

536 Bruker AutoflexTM MALDI-TOF MS Spectrometer.

Lipidomics analysis

Purified hTRPM4 in MAASTY$_{7.1}$-50 lipid nanodiscs (∼2 mg/mL) was mixed with trypsin (Promega,

sequencing grade) in a 1:25 molar ratio in 100 mM ammonium bicarbonate pH 8, and digested overnight

at 37 °C. Lyophilized mix of peptides and lipids was dissolved in 68% solution A (acetonitrile:H$_2$O

60:40, 10 mM ammonium formate and 0.1% formic acid) and 32% solvent B (isopropanol:acetonitrile

90:10, 10 mM ammonium formate and 0.1% formic acid) for analysis by reverse-phase liquid

chromatography tandem MS (RP LC–MS/MS). RP LC–MS/MS was performed using a Dionex UltiMate

3000 RSLC Nano system coupled to an Orbitrap Eclipse Tribrid Mass Spectrometer (TFS). The

peptide/lipid mixture was loaded onto a C18 column (Acclaim PepMap 100, C18, 75 µm x 15 cm,

Thermo Scientific^{TM}) at a flow rate of 300 nL min^{-1}. After 10 min, solvent B was ramped to 65% over 1

min, then 80% over 6 min, before being held at 80% for 10 min, then ramped to 99% over 6 min and held

for 7 min for a total run of 45 min.

The mass spectrometer was set with a spray voltage of 2.4 kV and capillary temperature of 320 °C.

Analysis was done in negative mode, as a data-dependant acquisition. Survey full-scan MS spectra were

acquired on the Orbitrap (m/z 300–2,000) with a resolution of 120,000. Higher-energy Collision-induced

Dissociation (HCD) fragmentation was done for the N most intense ions within 3 second cycle time, with

max injection time of 50 ms and normalized collision energy of 25%, followed by a ramp to to 30%. The

MS/MS analysis was done in the Orbitrap, at 15,000 resolution and the first mass at 75 m/z, max injection

time of 50 ms and isolation window of 1.5 m/z.

Lipid identification was performed using LipiDex software (v.1.1) with the LipiDex HCD _ Formic

library. The MS and MS/MS search tolerances were set to 0.01 m/z. List of potential adducts was

manually curated, whereby a singly charged ion with formate adduct ([M + HCOO]$^-$) was added to the

list, as well as singly charged deprotonated ion ([M-H]$^-$). Chromatogram integration and lipid

quantification was carried out using MZmine (v.2.54), adapting the integrated LipiDex-MZmine

workflow proposed by Hutchins *et al.*[70].

MP analysis

MP analyses were performed with a Refeyn Two^{MP} mass photometer (Refeyn Ltd). Data was acquired

using AcquireMP (Refeyn Ltd, version 2.3). The instrument was calibrated using in-house prepared

protein standards of Dynamin ΔPRD, which forms oligomeric configurations of the following masses: 90,

180, 360 kDa[71]. Strict linear response for calibration curves was observed and extrapolated with high

confidence. Purified hTRPM4 in MAASTY$_{7.1}$-50 lipid nanodiscs in its isolation buffer from SEC was

diluted in phosphate-buffered saline (PBS) immediately before the MP acquisition to a final concentration

of 50-300 nM, depending on the run. The focal plane was located using 15 μL PBS, immediately after,

the protein was mixed into the PBS droplet, diluting it 4 times in the process. The acquisitions were

collected in the large field of view mode for 60 sec. The raw data were processed and manually curated

using DiscoverMP (Refeyn Ltd, version 2.3) to calculate the histograms of the binding events for mass

determination and integrate them for quantification of different mass species. Factory-set video

processing settings were used for mass histogram calculations.

Determination of the hTRPM4-MAASTY nanodisc composition

Harvested HEK293F cell membranes expressing hTRPM4 were solubilized with 1% (w/v) $MAASTY_{7.1}$-50_{ttc} and purified as described above. Final protein concentration was determined through Bradford assay against a BSA standard curve. A calculated 10 µg purified hTRPM4 was injected onto a Superose 6 Increase 5/150 gel filtration column and measured for absorbance at 280 nm (protein) and 310 nm (ttc). Specified concentrations of $MAASTY_{7.1}$-50_{ttc} copolymer were injected onto a Superose 6 Increase 5/150 gel filtration column and measured at 310 nm absorbance to construct a standard curve of ttc concentration. Total $MAASTY_{7.1}$-50_{ttc} per mole hTRPM4 was then calculated using the peak 310 nm absorbance values. Remaining lipid content was calculated using the MP analysis, which determined the molecular weight per particle, the molecular weight of hTRPM4, and the molecular weight of the encasing copolymers.

Purification of hTRPM4 in MSP2N2 lipid nanodiscs

hTRPM4 was purified in n-Dodecyl-beta-D-maltoside (DDM) and cholesteryl hemisuccinate (CHS) and reconstituted in MSP2N2 nanodiscs as described in Autzen *et al.*[45]. The final concentration of the sample was 2.2 mg/mL to which $CaCl_2$ was added to a final of 5 mM just before vitrification.

Negative stain EM of hTRPM4 and HEK293F membranes

EM grids of negatively stained hTRPM4-MAASTY nanodiscs or MAASTY solubilized HEK293 membranes were prepared by applying 3 µL of sample (0.06-0.3 mg/mL for hTRPM4-MAASTY, determined by Implen UV-vis NanoPhotometer 280 nm, 1 mg = 1 Abs) to a 400-mesh copper grid covered with continuous carbon film and stained with 2 % (w/v) uranyl acetate. Negative-stain EM grids were imaged on a CM100 microscope (Philips) operated at 100 kV and equipped with an Olympus Veleta camera. Images were recorded at a nominal magnification of 135,000x, corresponding to a pixel size of 3.8 Å.

Cryo-EM sample preparation and data collection

Cryo-EM grids were prepared by adding 4 µL of ~1.4 mg/mL purified hTRPM4-MAASTY or 2.2 mg/mL hTRPM4-MSP2N2 in lipid nanodiscs to glow-discharged Quantifoil R1.2/1.3 300-mesh Au holey carbon grids (Quantifoil, Micro Tools GmbH). The grids were blotted with Whatman Grade 1 filter paper for 3 s at 4 °C and 100% humidity, then plunge-frozen into liquid ethane using a by Vitrobot™ Mark IV (TFS). Datasets were collected on a Titan Krios G2cA cryo-transmission electron microscope equipped with a Thermo Scientific™ Selectris X imaging filter and a Falcon4i detector. Grid squares were manually selected and movies were recorded in counting mode using EPU (TFS) at a nominal magnification of 165kx, corresponding to a physical pixel size of 0.725 Å. Data were collected with a defocus range of 0.8 to 2.5 µm and a total electron dose of 52 e⁻/Å². Images were saved as Electron Event Recordings (EER). Details on data collections are included in Table S1.

Image processing

Pre-processing of both nanodisc samples was performed in cryoSPARC live v4.4.0 for initial assessment of sample quality during which patch-based motion correction was used for aligning EM movie stacks, and applying dose-dependent weighting[72]. Further processing was performed using a combination of cryoSPARC v4.4.0[72] and Relion 5.0[73].

For hTRPM4 in MAASTY$_{7.1}$-50 nanodiscs, a total of 6308 movies at 0.749 Å/pixel were collected. This predetermined pixel size was later corrected to 0.725 Å/pixel in post-processing following an accurate determination of pixel size, better reflecting the detector specifications. In cryoSPARC v4.4.0, motion corrected micrographs were patch-based CTF corrected before curating to 6070 micrographs. Particle picking was first carried out using blob picker, from which two rounds of 2D classifications identified classes used as templates for template-based picking. These 1,306,897 particles underwent three rounds of 2D classification leaving 126,417 particles remaining. An *ab initio* model was generated and classified using heterogeneous refinement. The best class of 87,697 particles was refined further by non-uniform

refinement, resulting in a reconstruction with an estimated resolution of 3.23 Å. Due to lower local

resolution in the cytosolic regions, we re-extracted the refined particles in Relion 5.0, after particle stack

conversion by pyEM[74], from micrographs motion-corrected using the CPU-based implementation of

MotionCor2[75]. The particles underwent refinement applying C4 symmetry and BLUSH regularization[76]

resulting in a 3.46 Å resolution reconstruction following post-processing with a soft mask. Details on

image processing and final reconstructions of hTRPM4 in MAASTY nanodiscs are included in Fig. S10,

S11, and Table S1.

For this study, we solved the hTRPM4-MSP2N2 structure from cryo-EM data collected on gold grids in

contrast to the structures from Autzen *et al.*[45] which were solved from data collected on copper grids. For

hTRPM4 in MSP2N2 nanodiscs, a total of 7,945 EER format movies at 0.725 Å/pixel were collected and

imported into Relion 5.0[73]. Movies were motion corrected with the CPU-based implementation of

MotionCor2 using an EER fractionation of 40, and dividing whole frames into 5×5 patches[75].

Micrographs were CTF corrected with ctffind 4.1[77], manually curated and micrographs with resolution

lower than 6 Å were discarded, resulting in 7627 micrographs to pick particles from. Particle picking was

first carried out using a Laplacian-of-Gaussian (LoG) filter from which a round of 2D classifications

helped identify classes that were used as templates for template-based picking. 1,104,004 particles were

subjected to a single round of 2D classification (EM algorithm, 25 iterations) resulting in 255,586 good

looking particles. These particles were used for determination of an *ab initio* model and subjected to 3D

classification. The particles belonging to the two best looking classes were combined and refined in 3D

with BLUSH regularization[76] resulting in a reconstruction with an estimated resolution of 3.8 Å. Details

on image processing and final reconstructions of hTRPM4 in MSP2N2 nanodiscs are included in Fig.

S13, Fig. S12 and Table S1.

Model building and refinement

Atomic models for hTRPM4 in MAASTY$_{7.1}$-50 and MSP2N2 were built using Coot v0.9.8.94[78] using the

hTRPM4-MSP2N2 Ca^{2+} model 6BQV[45] as the initial model. Residues missing from the reconstructions

were not modeled. In the case of the MAASTY$_{7.1}$-50 structure, this included MHR1-3, in addition to

residues predicted to be unstructured which were missing from both structures. Table S1 provides an

overview of the residues included in the final, refined models in addition to their refinement and

validation statistics by Phenix and MolProbity (within Phenix version 1.21.1-5286)[79,80]. Both models were

subjected to real-space refinement using Phenix v1.21.1-5286 with a general restaints setup. As cross-

validations, the final models were refined against the finalized maps generated by Relion 5.0 (Fig. S10;

Fig. S13). The program HOLE[81] was used to calculate the pore profiles shown in Fig.3e. UCSF

ChimeraX was used to prepare figures[82].

Data Availability

The reconstructed maps are available from the EMDB under access codes EMD-52611 (hTRPM4 in

MAASTY) and EMD-????? (hTRPM4 in MSP2N2). The atomic models are available from the PDB

under access codes PDB 9I3R (hTRPM4 in MAASTY) and ???? (hTRPM4 in MSP2N2). The raw cryo-

EM movies data used in our study are available under access codes EMPIAR-????? and EMPIAR-?????.

Plasmids and other data that support the findings of this study are available from the corresponding

authors upon reasonable request. Source data are provided in this paper.

Code Availability

663 The code used for data analysis in this study was implemented using Python 3.10.6. All scripts and

664 computational workflows necessary to reproduce the results are available upon reasonable request from

665 the corresponding authors.

References

1. Santos, R., Ursu, O., Gaulton, A., Bento, A. P., Donadi, R. S., Bologa, C. G., Karlsson, A., Al-Lazikani,
B., Hersey, A., Oprea, T. I. & Overington, J. P. A comprehensive map of molecular drug targets.
Nat Rev Drug Discov **16,** 19–34 (2016).

2. Cheng, Y. Single-particle cryo-EM—How did it get here and where will it go. *Science* **361,** 876–
880 (2018).

3. Autzen, H. E., Julius, D. & Cheng, Y. Membrane mimetic systems in CryoEM: keeping membrane
proteins in their native environment. *Curr Opin Struct Biol* **58,** 259–268 (2019).

4. Denisov, I. G. & Sligar, S. G. Nanodiscs for structural and functional studies of membrane
proteins. *Nat Struct Mol Biol* **23,** 481–486 (2016).

5. Frauenfeld, J., Löving, R., Armache, J. P., Sonnen, A. F. P., Guettou, F., Moberg, P., Zhu, L.,
Jegerschöld, C., Flayhan, A., Briggs, J. A. G., Garoff, H., Löw, C., Cheng, Y. & Nordlund, P. A
saposin-lipoprotein nanoparticle system for membrane proteins. *Nat Methods* **13,** 345–351
(2016).

6. Duan, J., Li, J., Chen, G.-L., Ge, Y., Liu, J., Xie, K., Peng, X., Zhou, W., Zhong, J., Zhang, Y., Xu, J.,
Xue, C., Liang, B., Zhu, L., Liu, W., Zhang, C., Tian, X.-L., Wang, J., Clapham, D. E., Zeng, B., Li, Z. &
Zhang, J. Cryo-EM structure of TRPC5 at 2.8-Å resolution reveals unique and conserved structural
elements essential for channel function. *Sci Adv* **5,** 7935–7959 (2019).

7. Bolla, J. R., Corey, R. A., Sahin, C., Gault, J., Hummer, A., Hopper, J. T. S., Lane, D. P., Drew, D.,
Allison, T. M., Stansfeld, P. J., Robinson, C. V. & Landreh, M. A Mass-Spectrometry-Based
Approach to Distinguish Annular and Specific Lipid Binding to Membrane Proteins. *Angewandte*
Chemie **132,** 3551–3556 (2020).

8. Bechara, C. & Robinson, C. V. Different modes of lipid binding to membrane proteins probed by
mass spectrometry. *J Am Chem Soc* **137,** 5240–5247 (2015).

9. Dörr, J. M., Koorengevel, M. C., Schäfer, M., Prokofyev, A. V., Scheidelaar, S., van der Cruijsen, E.
A. W., Dafforn, T. R., Baldus, M. & Killian, J. A. Detergent-free isolation, characterization, and
functional reconstitution of a tetrameric K+ channel: The power of native nanodiscs. *Proceedings*
of the National Academy of Sciences **111,** 18607–18612 (2014).

10. Gulati, S., Jamshad, M., Knowles, T. J., Morrison, K. A., Downing, R., Cant, N., Collins, R.,
Koenderink, J. B., Ford, R. C., Overduin, M., Kerr, I. D., Dafforn, T. R. & Rothnie, A. J. Detergent-
free purification of ABC (ATP-binding-cassette) transporters. *Biochemical Journal* **461,** 269–278
(2014).

11. Orwick-Rydmark, M., Lovett, J. E., Graziadei, A., Lindholm, L., Hicks, M. R. & Watts, A. Detergent-
free incorporation of a seven-transmembrane receptor protein into nanosized bilayer lipodisq
particles for functional and biophysical studies. *Nano Lett* **12,** 4687–4692 (2012).

12. Knowles, T. J., Finka, R., Smith, C., Lin, Y. P., Dafforn, T. & Overduin, M. Membrane proteins
solubilized intact in lipid containing nanoparticles bounded by styrene maleic acid copolymer. *J*
Am Chem Soc **131,** 7484–7485 (2009).

13. Krishnarjuna, B. & Ramamoorthy, A. Detergent-Free Isolation of Membrane Proteins and
Strategies to Study Them in a Near-Native Membrane Environment. *Biomolecules* **12,** (2022).

14. Brown, C. J., Trieber, C. & Overduin, M. Structural biology of endogenous membrane protein
assemblies in native nanodiscs. *Curr Opin Struct Biol* **69,** 70–77 (2021).

15. Parmar, M., Rawson, S., Scarff, C. A., Goldman, A., Dafforn, T. R., Muench, S. P. & Postis, V. L. G.
Using a SMALP platform to determine a sub-nm single particle cryo-EM membrane protein
structure. *Biochimica et Biophysica Acta (BBA) - Biomembranes* **1860,** 378–383 (2018).

16. Sun, C., Benlekbir, S., Venkatakrishnan, P., Wang, Y., Hong, S., Hosler, J., Tajkhorshid, E.,
Rubinstein, J. L. & Gennis, R. B. Structure of the alternative complex III in a supercomplex with
cytochrome oxidase. *Nature* **557,** 123–126 (2018).

17. Swainsbury, D. J. K., Hawkings, F. R., Martin, E. C., Musiał, S., Salisbury, J. H., Jackson, P. J.,
Farmer, D. A., Johnson, M. P., Siebert, C. A., Hitchcock, A. & Hunter, C. N. Cryo-EM structure of
the four-subunit *Rhodobacter sphaeroides* cytochrome bc_1 complex in styrene maleic acid
nanodiscs. *Proceedings of the National Academy of Sciences* **120,** (2023).

18. Smith, A. A. A., Autzen, H. E., Faust, B., Mann, J. L., Muir, B. W., Howard, S., Postma, A.,
Spakowitz, A. J., Cheng, Y. & Appel, E. A. Lipid Nanodiscs via Ordered Copolymers. *Chem* **6,** 2782–
2795 (2020).

19. Yoder, N. & Gouaux, E. The His-Gly motif of acid-sensing ion channels resides in a reentrant 'loop'
implicated in gating and ion selectivity. *Elife* **9,** 1–18 (2020).

20. Harwood, C. R., Sykes, D. A., Hoare, B. L., Heydenreich, F. M., Uddin, R., Poyner, D. R., Briddon, S.
J. & Veprintsev, D. B. Functional solubilization of the β2-adrenoceptor using diisobutylene maleic
acid. *iScience* **24,** 103362 (2021).

21. Ekundayo, B., Arullampalam, P., Gerber, C. E., Hämmerli, A.-F., Guichard, S., Boukenna, M., Ross-
Kaschitza, D., Lochner, M., Rougier, J.-S., Stahlberg, H., Abriel, H. & Ni, D. Identification of a
binding site for small molecule inhibitors targeting human TRPM4. *Nat Commun* **16,** 833 (2025).

22. Adair, B. D., Xiong, J.-P., Yeager, M. & Arnaout, M. A. Cryo-EM structures of full-length integrin
αIIbβ3 in native lipids. *Nat Commun* **14,** 4168 (2023).

23. Di Mauro, G. M., La Rosa, C., Condorelli, M. & Ramamoorthy, A. Benchmarks of SMA-Copolymer
Derivatives and Nanodisc Integrity. *Langmuir* **37,** 3113–3121 (2021).

24. Catalano, C., Ben-Hail, D., Qiu, W., Blount, P., des Georges, A. & Guo, Y. Cryo-em structure of
mechanosensitive channel ynai using sma2000: Challenges and opportunities. *Membranes
(Basel)* **11,** (2021).

25. Sinha, S., Kumar, S., Singh, K., Umam, F., Agrawal, V., Aggarwal, A. & Imperiali, B.
Immunochemical characterisation of styrene maleic acid lipid particles prepared from
Mycobacterium tuberculosis plasma membrane. *PLoS One* **18,** (2023).

26. Dörr, J. M., Scheidelaar, S., Koorengevel, M. C., Dominguez, J. J., Schäfer, M., van Walree, C. A. &
Killian, J. A. The styrene–maleic acid copolymer: a versatile tool in membrane research. *European
Biophysics Journal* **45,** 3–21 (2016).

27. Kopf, A. H., Dörr, J. M., Koorengevel, M. C., Antoniciello, F., Jahn, H. & Killian, J. A. Factors
influencing the solubilization of membrane proteins from Escherichia coli membranes by
styrene–maleic acid copolymers. *Biochim Biophys Acta Biomembr* **1862,** (2020).

28.   Krishnarjuna, B., Ravula, T. & Ramamoorthy, A. Detergent-free extraction, reconstitution and
746   characterization of membrane-anchored cytochrome-b5 in native lipids. *Chemical*
747   *Communications* **56,** 6511–6514 (2020).

748   29.   Oluwole, A. O., Danielczak, B., Meister, A., Babalola, J. O., Vargas, C. & Keller, S. Solubilization of
749   Membrane Proteins into Functional Lipid-Bilayer Nanodiscs Using a Diisobutylene/Maleic Acid
750   Copolymer. *Angewandte Chemie - International Edition* **56,** 1919–1924 (2017).

751   30.   Yasuhara, K., Arakida, J., Ravula, T., Ramadugu, S. K., Sahoo, B., Kikuchi, J. I. & Ramamoorthy, A.
752   Spontaneous Lipid Nanodisc Fomation by Amphiphilic Polymethacrylate Copolymers. *J Am Chem*
753   *Soc* **139,** 18657–18663 (2017).

754   31.   Esmaili, M., Brown, C. J., Shaykhutdinov, R., Acevedo-Morantes, C., Wang, Y. L., Wille, H.,
755   Gandour, R. D., Turner, S. R. & Overduin, M. Homogeneous nanodiscs of native membranes
756   formed by stilbene-maleic-acid copolymers. *Nanoscale* **12,** 16705–16709 (2020).

757   32.   Ravula, T. & Ramamoorthy, A. Synthesis, Characterization, and Nanodisc Formation of Non-ionic
758   Polymers**. *Angewandte Chemie International Edition* **60,** 16885–16888 (2021).

759   33.   Burridge, K. M., Harding, B. D., Sahu, I. D., Kearns, M. M., Stowe, R. B., Dolan, M. T., Edelmann, R.
760   E., Dabney-Smith, C., Page, R. C., Konkolewicz, D. & Lorigan, G. A. Simple Derivatization of RAFT-
761   Synthesized Styrene-Maleic Anhydride Copolymers for Lipid Disk Formulations.
762   *Biomacromolecules* **21,** 1274–1284 (2020).

763   34.   Esmaili, M., Acevedo-Morantes, C., Wille, H. & Overduin, M. The effect of hydrophobic alkyl
764   sidechains on size and solution behaviors of nanodiscs formed by alternating styrene maleamic
765   copolymer. *Biochimica et Biophysica Acta (BBA) - Biomembranes* **1862,** 183360 (2020).

766   35.   Ravula, T., Hardin, N. Z., Ramadugu, S. K. & Ramamoorthy, A. pH Tunable and Divalent Metal Ion
767   Tolerant Polymer Lipid Nanodiscs. *Langmuir* **33,** 10655–10662 (2017).

768   36.   Fiori, M. C., Jiang, Y., Altenberg, G. A. & Liang, H. Polymer-encased nanodiscs with improved
769   buffer compatibility. *Sci Rep* **7,** 1–10 (2017).

770   37.   Moad, G., Rizzardo, E. & Thang, S. H. Living Radical Polymerization by the RAFT Process – A Third
771   Update. *Aust J Chem* **65,** 985 (2012).

772   38.   Timcenko, M., Autzen, A. A. A. & Autzen, H. E. Characterization of Divalent Cation Interactions
773   with AASTY Nanodiscs. *ACS Appl Polym Mater* **4,** 1071–1083 (2022).

774   39.   Sahloul, N. & Penlidis, A. Styrene/Methacrylic Acid Monomer Reactivity Ratio Estimation in Bulk
775   and Solution at High Temperatures. *Polym Plast Technol Eng* **44,** 771–782 (2005).

776   40.   Smith, A. A. A., Hall, A., Wu, V. & Xu, T. Practical Prediction of Heteropolymer Composition and
777   Drift. *ACS Macro Lett* **8,** 36–40 (2019).

778   41.   Harrisson, S., Ercole, F. & Muir, B. W. Living spontaneous gradient copolymers of acrylic acid and
779   styrene: One-pot synthesis of pH-responsive amphiphiles. *Polym Chem* **1,** 326–332 (2010).

42. Ravula, T., Dai, X. & Ramamoorthy, A. Solid-State NMR Study to Probe the Effects of Divalent
Metal Ions (Ca2+ and Mg2+) on the Magnetic Alignment of Polymer-Based Lipid Nanodiscs.
Langmuir **37,** 7780–7788 (2021).

43. Ilka, M., Jacobs, G., Kecskes, M., Menigoz, A., Philippaert, K. & Vennekens, R. *Mammalian*
Transient Receptor Potential (TRP) Cation Channels. *Handb Exp Pharmacol* **1,** 461-487 (2014).

44. Winkler, P. A., Huang, Y., Sun, W., Du, J. & Lü, W. Electron cryo-microscopy structure of a human
TRPM4 channel. *Nature* **552,** 200–204 (2017).

45. Autzen, H. E., Myasnikov, A. G., Campbell, M. G., Asarnow, D., Julius, D. & Cheng, Y. Structure of
the human TRPM4 ion channel in a lipid nanodisc. *Science* **359,** 228–232 (2018).

46. Duan, J., Li, Z., Li, J., Santa-Cruz, A., Sanchez-Martinez, S., Zhang, J. & Clapham, D. E. Structure of
full-length human TRPM4. *Proceedings of the National Academy of Sciences* **115,** 2377–2382
(2018).

47. Hu, J., Park, S. J., Walter, T., Orozco, I. J., O'Dea, G., Ye, X., Du, J. & Lü, W. Physiological
temperature drives TRPM4 ligand recognition and gating. *Nature* **630,** 509–515 (2024).

48. Gao, Y., Cao, E., Julius, D. & Cheng, Y. TRPV1 structures in nanodiscs reveal mechanisms of ligand
and lipid action. *Nature* **534,** 347–351 (2016).

49. Tascón, I., Sousa, J. S., Corey, R. A., Mills, D. J., Griwatz, D., Aumüller, N., Mikusevic, V., Stansfeld,
P. J., Vonck, J. & Hänelt, I. Structural basis of proton-coupled potassium transport in the KUP
family. *Nat Commun* **11,** 626 (2020).

50. Deng, Y., Kashtoh, H., Wang, Q., Zhen, G., Li, Q., Tang, L., Gao, H., Zhang, C., Qin, L., Su, M., Li, F.,
Huang, X., Wang, Y., Xie, Q., Clarke, O. B., Hendrickson, W. A. & Chen, Y. Structure and activity of
SLAC1 channels for stomatal signaling in leaves. *Proceedings of the National Academy of Sciences*
118, (2021).

51. Hasselbach, W. The sarcoplasmic calcium pump. *Current Topics in Chemistry Biochemistry* **78,** 1–
56 (2006).

52. Schreiber, J. A., Düfer, M. & Seebohm, G. The Special One: Architecture, Physiology and
Pharmacology of the TRESK Channel. *Cellular Physiology and Biochemistry* **56,** 663–684 (2022).

53. Rook, M. L., Musgaard, M. & MacLean, D. M. Coupling structure with function in acid-sensing ion
channels: challenges in pursuit of proton sensors. *Journal of Physiology* **599,** 417–430 (2021).

54. Dominguez Pardo, J. J., Dörr, J. M., Iyer, A., Cox, R. C., Scheidelaar, S., Koorengevel, M. C.,
Subramaniam, V. & Killian, J. A. Solubilization of lipids and lipid phases by the styrene–maleic acid
copolymer. *European Biophysics Journal* **46,** 91–101 (2017).

55. Scheidelaar, S., Koorengevel, M. C., Pardo, J. D., Meeldijk, J. D., Breukink, E. & Killian, J. A.
Molecular Model for the solubilization of membranes into nanodisks by styrene maleic acid
copolymers. *Biophys J* **108,** 279–290 (2015).

56. Voskoboynikova, N., Margheritis, E. G., Kodde, F., Rademacher, M., Schowe, M., Budke-
Gieseking, A., Psathaki, O. E., Steinhoff, H. J. & Cosentino, K. Evaluation of DIBMA nanoparticles

of variable size and anionic lipid content as tools for the structural and functional study of
membrane proteins. *Biochim Biophys Acta Biomembr* **1863,** (2021).

57.   Kopf, A. H., Lijding, O., Elenbaas, B. O. W., Koorengevel, M. C., Dobruchowska, J. M., Van Walree,
C. A. & Killian, J. A. Synthesis and Evaluation of a Library of Alternating Amphipathic Copolymers
to Solubilize and Study Membrane Proteins. *Biomacromolecules* **23,** 743–759 (2022).

58.   Smith, A. A. A., Autzen, H. E., Laursen, T., Wu, V., Yen, M., Hall, A., Hansen, S. D., Cheng, Y. & Xu,
T. Controlling Styrene Maleic Acid Lipid Particles through RAFT. *Biomacromolecules* **18,** 3706–
3713 (2017).

59.   Kamilar, E., Bariwal, J., Zheng, W., Ma, H. & Liang, H. SMALPs Are Not Simply Nanodiscs: The
Polymer-to-Lipid Ratios of Fractionated SMALPs Underline Their Heterogeneous Nature.
Biomacromolecules **24,** 1819–1838 (2023).

60.   Cunningham, R. D., Kopf, A. H., Elenbaas, B. O. W., Staal, B. B. P., Pfukwa, R., Killian, J. A. &
Klumperman, B. Iterative RAFT-Mediated Copolymerization of Styrene and Maleic Anhydride
toward Sequence- And Length-Controlled Copolymers and Their Applications for Solubilizing Lipid
Membranes. *Biomacromolecules* **21,** 3287–3300 (2020).

61.   van Meer, G., Voelker, D. R. & Feigenson, G. W. Membrane lipids: where they are and how they
behave. *Nat Rev Mol Cell Biol* **9,** 112–124 (2008).

62.   Nilius, B., Mahieu, F., Prenen, J., Janssens, A., Owsianik, G., Vennekens, R. & Voets, T. The Ca2+-
activated cation channel TRPM4 is regulated by phosphatidylinositol 4,5-biphosphate. *EMBO
Journal* **25,** 467–478 (2006).

63.   Zhang, Z., Okawa, H., Wang, Y. & Liman, E. R. Phosphatidylinositol 4,5-Bisphosphate rescues
TRPM4 channels from desensitization. *Journal of Biological Chemistry* **280,** 39185–39192 (2005).

64.   Guo, J., She, J., Zeng, W., Chen, Q., Bai, X. C. & Jiang, Y. Structures of the calcium-activated, non-
selective cation channel TRPM4. *Nature* **552,** 205–209 (2017).

65.   Koh, Y. H., Kim, S. & Roh, S. Unraveling membrane protein localization and interactions in
nanodiscs. *FEBS Lett* (2024).

66.   Benítez-Angeles, M., Romero, A. E. L., Llorente, I., Hernández-Araiza, I., Vergara-Jaque, A., Real, F.
H., Gutiérrez Castañeda, Ó. E., Arciniega, M., Morales-Buenrostro, L. E., Torres-Quiroz, F., García-
Villegas, R., Tovar-Y-Romo, L. B., Liedtke, W. B., Islas, L. D. & Rosenbaum, T. Modes of action of
lysophospholipids as endogenous activators of the TRPV4 ion channel. *J Physiol* **601,** 1655–1673
(2023).

67.   Bang, S., Yoo, S., Oh, U. & Hwang, S. W. Endogenous lipid-derived ligands for sensory TRP ion
channels and their pain modulation. *Arch Pharm Res* **33,** 1509–1520 (2010).

68.   Blumstein, R., Murphy, G. J., Blumstein, A. & Watterson, A. C. An improved methylating agent for
poly-(methacrylic) acid: 1-methyl-3-p-tolyltriazene. *Journal of Polymer Science: Polymer Letters
Edition* **11,** 21–23 (1973).

69. Goehring, A., Lee, C. H., Wang, K. H., Michel, J. C., Claxton, D. P., Baconguis, I., Althoff, T., Fischer,
S., Garcia, K. C. & Gouaux, E. Screening and large-scale expression of membrane proteins in
mammalian cells for structural studies. *Nat Protoc* **9,** (2014).

70. Hutchins, P. D., Russell, J. D. & Coon, J. J. LipiDex: An Integrated Software Package for High-
Confidence Lipid Identification. *Cell Syst* **6,** 621-625.e5 (2018).

71. Becker, J., Peters, J. S., Crooks, I., Helmi, S., Synakewicz, M., Schuler, B. & Kukura, P. A
Quantitative Description for Optical Mass Measurement of Single Biomolecules. *ACS Photonics*
10, 2699–2710 (2023).

72. Punjani, A., Rubinstein, J. L., Fleet, D. J. & Brubaker, M. A. cryoSPARC: algorithms for rapid
unsupervised cryo-EM structure determination. *Nat Methods* **14,** 290–296 (2017).

73. Burt, A., Toader, B., Warshamanage, R., von Kügelgen, A., Pyle, E., Zivanov, J., Kimanius, D.,
Bharat, T. A. M. & Scheres, S. H. W. An image processing pipeline for electron cryo-tomography in
RELION-5. *FEBS Open Bio* **14,** 1788–1804 (2024).

74. Asarnow, D., Palovcak, E. & Cheng, Y. UCSF pyem v0.5. *Zenodo* (2019).

75. Zheng, S. Q., Palovcak, E., Armache, J.-P., Verba, K. A., Cheng, Y. & Agard, D. A. MotionCor2:
anisotropic correction of beam-induced motion for improved cryo-electron microscopy. *Nat*
Methods **14,** 331–332 (2017).

76. Kimanius, D., Jamali, K., Wilkinson, M. E., Lövestam, S., Velazhahan, V., Nakane, T. & Scheres, S.
H. W. Data-driven regularisation lowers the size barrier of cryo-EM structure determination.
bioRxiv (2023).

77. Rohou, A. & Grigorieff, N. CTFFIND4: Fast and accurate defocus estimation from electron
micrographs. *J Struct Biol* **192,** 216–221 (2015).

78. Emsley, P. & Cowtan, K. Coot: Model-building tools for molecular graphics. *Acta Crystallogr D Biol*
Crystallogr **60,** 2126–2132 (2004).

79. Afonine, P. V., Klaholz, B. P., Moriarty, N. W., Poon, B. K., Sobolev, O. V., Terwilliger, T. C., Adams,
P. D. & Urzhumtsev, A. New tools for the analysis and validation of cryo-EM maps and atomic
models. *Acta Crystallogr D Struct Biol* **74,** 814–840 (2018).

80. Williams, C. J., Headd, J. J., Moriarty, N. W., Prisant, M. G., Videau, L. L., Deis, L. N., Verma, V.,
Keedy, D. A., Hintze, B. J., Chen, V. B., Jain, S., Lewis, S. M., Arendall, W. B., Snoeyink, J., Adams, P.
D., Lovell, S. C., Richardson, J. S. & Richardson, D. C. MolProbity: More and better reference data
for improved all-atom structure validation. *Protein Science* **27,** 293–315 (2018).

81. Smart, O. S., Neduvelil, J. G., Wang, X., Wallace, B. A. & Sansom, M. S. P. HOLE: A program for the
analysis of the pore dimensions of ion channel structural models. *J Mol Graph* **14,** 354–360
(1996).

82. Pettersen, E. F., Goddard, T. D., Huang, C. C., Meng, E. C., Couch, G. S., Croll, T. I., Morris, J. H. &
Ferrin, T. E. UCSF ChimeraX: Structure visualization for researchers, educators, and developers.
Protein Science **30,** 70–82 (2021).

Acknowledgements

The authors thank senior research scientists Tillmann Hanns Pape, Nicholas Heelund Sofos and Michael James Johnson for their support for cryo-EM experiments at the Core Facility for Integrated Microscopy at University of Copenhagen. The authors thank members of the Autzen Group for data discussion. hTRPM4 was expressed in a modified version of a BacMam vector gifted from Eric Gouaux (Addgene plasmid # 160680). Subsets of the figures were created with BioRender.com.

Funding

H.E.A acknowledges the Novo Nordisk Foundation (NNF20OC0060692), the Carlsberg Foundation (CF20-0533), and Independent Research Fund Denmark (1131-00023B) for support. A.A.A.A. acknowledges Independent Research Fund Denmark (0171-00081B) for support. J.R.B. acknowledges the Royal Society for the support through the University Research Fellowship grant (URF\R1\211567).

Author Contributions

H.E.A., and A.A.A.A. conceived the project. C.F.P., H.E.A., and A.A.A.A. designed the experimental procedures. A.A.A.A., K.F.P., C.S., and N.J.B. carried out copolymer synthesis. N.J.B. carried out NMR. C.F.P. carried out expression of all membrane proteins, FSEC screening of membrane proteins and fluorescent lipid nanodiscs, purification and vitrification of hTRPM4 in MAASTY nanodiscs, and preparation of hTRPM4 for lipidomics and MP analysis. L.P.F. purified hTRPM4 in MSP2N2 nanodiscs and C.d.L vitrified the sample for cryo-EM. C.F.P. and L.P.F. performed image acquisition. C.F.P. and H.E.A. performed single particle analysis. C.F.P. built atomic models. K.F.P. carried out calcium binding experiments and pH sensitivity. A.A.A.A. did MALDI-TOF analysis of hTRPM4 in MAASTY. D.Z. and J.R.B. carried out lipidomics analysis and MP. C.F.P., H.E.A. and A.A.A.A wrote the manuscript. C.F.P., H.E.A. and A.A.A.A. prepared figures. All authors read and reviewed the manuscript.

Competing interests

914   The authors declare the following competing interests: N.J.B., A.A.A.A., and H.E.A. are listed as

915   inventors on a pending patent application describing the technology reported in this manuscript. All other

916   authors declare no competing interests.

Inclusion and Ethics

918   In preparing this manuscript, we ensured equitable recognition of all contributors. This study did not

919   involve human participants, human tissues, or animal research requiring ethical approval. The research

920   adheres to Nature Portfolio's policies on integrity, accessibility, and reproducibility, ensuring

921   transparency and rigor in scientific reporting.

Supplementary Information

923   The accompanying supplementary figures and tables are provided as a separate file.

Tables

Table 1: MAASTY copolymer characteristics. Abbreviations and symbols used: Methacrylic acid, MAA; conversion, conv.; simulated MAA fraction at given conversion, MAA frac; chemical correlation parameter, λ ($\lambda = 0$ is a perfectly random copolymer, $\lambda = -1$ is perfectly alternating); number-average molecular weight, M_n; dispersity, Đ= M_w/M_n, where M_w is the weight average molecular weight; acid dissociation constant, pKa. [1]H-NMR of all MAASTY copolymers is contained in Fig. S1. pKa was determined from the Bjerrum plot in Fig. S2.

Table 1 MAASTY copolymer characteristics.

MAASTY coolymer	Initial MAA (%)	Conv (%)	MAA frac (%)	λ	M_n kDa [1]H-NMR	M_n kDa SEC	Đ SEC	pKa
7.4-40	40	81	44	-0.48	7.4	5.9	1.68	8.23
7.0-45	45	73	48	-0.49	7.0	3.5	1.55	7.95
7.1-50	50	75	51	-0.49	7.1	8.9	1.99	7.75
8.2-55	55	88	55	-0.48	8.2	5.6	1.69	7.62
8.1-60	60	88	59	-0.46	8.1	6.2	1.35	7.44
8.0-65	65	88	63	-0.42	8.0	6.2	1.74	7.18

Figures

Fig. 1: Overview of membrane mimetics systems and chemical composition of MAASTY

copolymers. a Overview of the synthetic (white circles, black arrows) and native nanodisc (blue circles,

blue arrows) approaches. Reconstitution into synthetic nanodiscs is typically carried out using detergents

(steps 1–5, white circles). First, cells are treated with detergent to solubilize the proteins (step 1). The

detergent-solubilized, recombinant protein is then purified using affinity chromatography (step 2), then

reconstituted into a lipid bilayer by adding detergent-solubilized lipids and MSP or saposin (step 3)

during which detergent is removed with bio-beads (step 4). Finally, aggregates and/or empty discs are

removed by size-exclusion chromatography (SEC, step 5). In the native nanodisc approach, membrane

proteins are purified with amphiphilic copolymers, leaving the membrane protein in a nanodisc that

contains endogenous or native lipids (steps 1–3, blue circles). First, cells are incubated with the

copolymer (step 1), during which the native nanodiscs form. Next, the protein in native nanodiscs is

purified by affinity chromatography (step 2) and SEC (step 3). **b** Chemical structures of MAASTY

characterized in this study and AASTY from previous studies[18,38]. MAASTY is composed of MAA (blue)

and STY (red), while AASTY

949   is

composed by AA (blue) and STY (red).

Fig. 2: Simulated composition drift and run length analyses of MAASTY and AASTY copolymers.

a MAASTY (left) and AASTY (right) copolymers at six different starting compositions of monomers

ranging from 40-65%. X-axes represent the global monomer conversion, and y-axes represent the

percentage of MAA or AA copolymerized at the given conversion[40]. All six simulated MAASTY

copolymers were synthesized for this study. **b** Run lengths of MAASTY (left) and AASTY (right) at

equimolar MAA or AA to STY copolymerization, with red bars showing STY run lengths, and blue bars

showing MAA or AA.

Fig. 3: Structure of hTRPM4 in MAASTY native lipid nanodiscs. a Top and side views of

sharpened cryo-EM density maps of hTRPM4 in MAASTY nanodiscs with the four protein subunits

colored in light green, salmon, sky blue and khaki overlaid with the unsharpened cryo-EM density map

(black outline). The unsharpened map represents the raw reconstruction, showing the full range of

densities, including weaker and flexible regions such as copolymers and lipids in the nanodiscs. The

sharpened map has been processed with a B-factor of -92 Å² to enhance high-resolution features,

improving clarity in well-ordered regions. Contour levels for both maps were adjusted for optimal

visualization of key structural features. **b** Atomic model of the monomeric hTRPM4 in MAASTY

nanodiscs in ribbons with domains labelled and separately colored. Unresolved domains of MHR1-3 are

displayed as transparent ribbons using the atomic model of monomeric hTRPM4 in MSP2N2 nanodiscs. **c**

Top and side views of resolved lipid densities among the transmembrane domain of hTRPM4 in

MAASTY. The atomic model of hTRPM4 is represented as ribbons and colored as in **a**. Lipid densities

are shown in grey and densities characterized as CLR molecules are shown in pink. **d** Close-up views of

the positions of identified CLR molecules: CLR-1, CLR-2 and CLR-3, identified in hTRPM4-MAASTY

structure. The cryo-EM map densities are represented as mesh and modelled CLR molecules shown as

licorice in pink. Domains are labelled and colored as in **c**. **e** Pore profiles of hTRPM4-MAASTY (purple)

and hTRPM4-MSP2N2 (blue) structures exhibiting similarly closed states. **f** Identified Ca^{2+} binding site

shown as coordination of the bound Ca^{2+} ion by residues Glu^{828}, Gln^{831}, Asn^{865}, and Asp^{868}. Distances are

labelled and domains denoted as in **c**.

Fig. 4: Solubilization of eukaryotic membrane proteins by MAASTY copolymers. a Schematic of

preparation of MAASTY-solubilized integral membrane proteins from HEK293 cell lysate. First, 2%

MAASTY copolymer is added to HEK293 cells recombinantly expressing eGFP-tagged membrane

protein and incubated to enable formation of protein-loaded nanodiscs. Insoluble material is then removed

via ultra-centrifugation and the soluble fraction is assessed by FSEC using an excitation wavelength of

488 nm and emission of 507 nm. In this study, we assessed the solubilization efficiency of MAASTY

copolymers using a test set of membrane proteins including monomeric rSERCA1a, homodimeric

hKCNK18, and homotrimeric cASIC1. The displayed example FSEC traces for each test protein (box)

represent those with the highest peak intensity at the presumed proteinnanodisc peak. All FSEC traces

from all tested copolymers for each membrane protein is found in Fig. S16. Each unique membrane

protein copolymer sample was injected twice or more to check reproducibility. **b** Normalized maximum

fluorescence intensity values of the protein peaks from the FSEC traces of each tested copolymer to

compare differences in solubilization efficiencies. For each protein, the performance of MAASTY

copolymers are compared to the best performing AASTY copolymer, as determined by the maximum

fluorescence intensity of the presumed protein-nanodisc peak. The maximum fluorescent intensity values

of all tested copolymers for each membrane protein is found in Fig. S16.

Fig. 5: Solubilization of lipids into nanodiscs by MAASTY copolymers.

a Schematic of preparation of empty native nanodiscs from hydrated lipid films, illustrating the process.

First, 2% LissRhod PE is added to a defined lipid composition forming multilamellar vesicles. MAASTY

copolymer is added and the mixture and incubated to allow for solubilization. Next, insoluble material is

removed via ultra-centrifugation, while the remaining soluble material is assessed by FSEC using an

excitation wavelength of 554 nm and emission of 576 nm. Finally, resulting FSEC traces of the tested

MAASTY copolymers for differing lipid compositions are compared. **b** Max peak values of the

MAASTY-forming empty nanodisc FSEC traces with POPC, Soy PLEx and *E. coli* PLEx mixed with 2%

Liss Rhod PE from Fig. S17. Values are normalized relative to the highest detected signal for the

contained data. **c** The retention volumes determined from the max peak values of the MAASTY-forming

empty nanodisc FSEC traces with POPC, soy PLEx and *E. coli* PLEx from Fig. S17 compared to the

initial MAA content (%) of the tested MAASTY copolymers.

1009

Supporting Information

MAASTY: A (dis)ordered copolymer for structural determination of human membrane proteins in native nanodiscs

Ciara F. Pugh,[†] Lukas P. Feilen,[†] Dušan Živković,[‡] Kaia F. Præstegaard,[¶]
Charalampos Sideris,[¶,†] Neil J. Borthwick,[¶] Casper de Lichtenberg,[†] Jani R.
Bolla,[‡] Anton Allen Abbotsford Autzen,[*,¶] and Henriette Elisabeth Autzen[*,†]

[†]Department of Biomedical Sciences, University of Copenhagen, Copenhagen N, DK-2200,
Denmark

[‡]Department of Biology, University of Oxford, Oxford, OX1 3RB, United Kingdom

[¶]Department of Health Technology, Technical University of Denmark, Kgs. Lyngby,
DK-2800, Denmark

E-mail: aaas@dtu.dk; henriette.autzen@sund.ku.dk

Figure S1: ¹H-NMR of MAASTY copolymers. ¹H-NMR (D₂O, 400 MHz): δ [ppm] = 7.5 - 6.5 (phenyl H), 3.0 - 0.3 (aliphatic H). STY content is seen in the part of the spectrum marked by ph (shaded in grey, curly brackets in structure). The shoulder at 6.8 ppm arises from an increase in adjacent STY-STY monomers with increasing STY content, which changes the local chemical environment for the protons in the phenyl. The methyl signal from MAA is seen to increase in proportion with MAA content in the part of the spectrum marked by Me (shaded in grey, red in structure). The MAA content is in correspondence with the initial feed of MAA.

Figure S2: Bjerrum diagram of MAASTY copolymers describing copolymer pKa and pH tolerance. Bjerrum diagrams were constructed by dissolving 50 mg of each MAASTY copolymer in 10 mL water and adjusting the pH to approximately 11 with 1 M NaOH. The pH was measured on a Mettler Toledo SevenCompact S210 pH meter while 0.33 M HCl solution was titrated in 5 μL increments into the dissolved copolymer solution.

Figure S3: MAASTY$_{8.0}$-65 solubilization of lipid vesicles at different pH. Fluorescent, protein-free nanodiscs were produced as described in methods and as illustrated in Fig. 5a. Raw FSEC traces of protein-free nanodiscs generated by solubilizing 1 mM POPC with 2% fluorescent LissRhod PE lipid vesicles with 1% (w/v) of MAASTY$_{8.0}$-65 in specified pH. Samples were injected onto a Superose 6 Increase 5/150 gel filtration column and detected for LissRhod PE with excitation at 554 nm and emission at 576 nm. Insert bar graph represents maximum fluorescence intensities of the traces, normalized to maximum detected peak intensity. Each bar represents a single data point.

Figure S4: Assessment of Ca^{2+} sensitivity of MAASTY copolymers with o-cresolphthalein complexone (oCPC). a Schematic representation of the assay. Tested MAASTY copolymers were solubilized and mixed in buffers of examined CaCl$_2$ concentrations. Buffer was then isolated from the copolymer using a 10 kDa MWCO centrifugal concentrator and mixed with oCPC in a 96-well plate. Finally, absorbance at 575 nm was measured in a plate reader to calculate free Ca^{2+} concentration. **b** Standard curve of measured oCPC in increasing CaCl$_2$ concentrations. Data points represent triplicate measurements $\pm$ standard deviation (SD, error bars), R^2 = 0.995. **c** Free Ca^{2+} concentration in solution following exposure to 1% MAASTY copolymer as measured using oCPC. Data points represent triplicate measurements $\pm$ SD (error bars).

Figure S5: Solubilization of lipid vesicles by MAASTY copolymers in the presence of divalent cations. Fluorescent, protein-free nanodiscs were produced as described in methods and as illustrated in Fig. 5a. **a-f** Raw FSEC traces of protein-free nanodiscs generated by solubilizing 1 mM POPC with 2% fluorescent LissRhod PE lipid vesicles with 1% (w/v) of a given MAASTY copolymer in the presence of specified $CaCl_2$ and $MgCl_2$ concentrations. Samples were injected onto a Superose 6 Increase 5/150 gel filtration column and detected for LissRhod PE with excitation at 554 nm and emission at 576 nm. **g** Analysis of area under the curve (AUC) for the nanodisc peak which elutes at a retention volume of $\sim$2.3 mL. Each datapoint is normalized to the AUC of the 0 mM $CaCl_2$/$MgCl_2$ condition for each respective MAASTY copolymer. The nanodisc-containing peak for each condition was determined as that which overlaps with the 0 mM divalent cation condition (solid color). Bar sections with a diagonal line fill represent the larger, soluble species determined as AUC from a lower retention volume than the 0 mM divalent cation condition. Each bar represents a single datapoint.

Figure S6: Solubilization of hTRPM4 in MAASTY copolymers. a Raw FSEC traces of hTRPM4 solubilized by the MAASTY library presented in this study and for comparison the AASTY library presented in Smith *et al.*[1]. The samples were injected onto a Superose 6 Increase 5/150 gel filtration column and detected for eGFP using an excitation wavelength of 488 nm and emission of 507 nm. From the chromatogram, a void peak is seen at approximately 1.2 mL with the presumed protein-nanodisc peak denoted by an arrow. **b** Maximum fluorescence intensities of the traces in **a**, normalized to maximum detected peak intensity. **c** Peak retention volumes of the traces in **a**. Each unique membrane protein copolymer sample was injected twice or more to check reproducibility.

Figure S7: Solubilization comparison of hTRPM4 by MAASTY$_{7.1}$-50 and DDM-CHS. Raw FSEC traces of hTRPM4 solubilized by 2% (w/v) MAASTY$_{7.1}$-50 (blue) and 20 mM DDM with 4 mM CHS (red). The samples were injected onto a Superose 6 Increase 5/150 gel filtration column equilibrated in HBS or buffer containing 100 mM NaCl, 0.5 mM DDM and 20 mM HEPES/NaOH, pH 7.4 for the MAASTY or DDM-CHS conditions, respectively, and detected for eGFP using an excitation wavelength of 488 nm and emission of 507 nm. Insert represents each trace normalized to maximum GFP intensity showing the distribution of each trace.

Figure S8: Purification of hTRPM4 in MAASTY lipid nanodiscs. a Chromatogram of absorbance at 280 nm of purified hTRPM4 in MAASTY native nanodiscs from Superose 6 Increase 10/300 gel filtration column. Sample fractions (highlighted in grey) were pooled and concentrated for structural determination of hTRPM4 in MAASTY by cryo-EM. The peak at 10 mL and shoulder at ∼12.5 mL derive from the void and heterogeneous aggregates of hTRPM4, respectively. The peak at 20 mL contains TEV protease and the StrepTagII-eGFP tag as analyzed by SDS-PAGE in **b** in the lanes denoted by #. **b** SDS-PAGE analysis of hTRPM4-containing MAASTY native nanodiscs representing (from left to right): hTRPM4-MAASTY before the addition of TEV protease, hTRPM4-MAASTY after O/N cleavage by TEV protease, purified hTRPM4 in MAASTY native nanodiscs for downstream analyses (repeated), 2 fractions from the peak denoted by # in **a**. The protein band at ∼134 kDa represents the proteomer of hTRPM4 in MAASTY nanodiscs and is marked by *. The faint band above is partially uncleaved purified hTRPM4 in MAASTY as identified by in-gel fluorescence (data not shown).**c** Negative stain TEM image of hTRPM4-MAASTY with representative 2D classes. **d** Negative stain TEM image of MAASTY-solubilized HEK293F membranes expressing hTRPM4.

Figure S9: Compositional analysis of hTRPM4 in MAASTY lipid nanodiscs.
a Mass photometry analysis of peak fractions from purification of hTRPM4 in MAASTY nanodiscs as shown in Fig. S8a. Two 500 μL fractions of purified hTRPM4-MAASTY were collected and analyzed. Peak fraction 1 (blue) comprises the majority of the protein peak with hTRPM4-MAASTY likely representing the 760 kDa species, whereas peak fraction 2 (orange) comprises the right-side of the peak (larger retention volume) as evident by the higher abundance of smaller species. **b** Molecular structure of MAASTY copolymer with the trithiocarbonate (ttc) moeity (RAFT reagent), which has a maximum absorbance of 310 nm. **c** Raw SEC traces of specified masses of MAASTY$_{7.1}$-50$_{ttc}$ copolymer injected on to a Superose 6 Increase 5/150 gel filtration column and measured at 310 nm absorbance. Insert represents a standard curve derived from the maximum intensity values from the copolymer peak ($\sim$2.3 mL retention volume). **d** Raw SEC traces from the injection of 10 μg purified hTRPM4 in MAASTY$_{7.1}$-50$_{ttc}$ lipid nanodiscs on to a Superose 6 Increase 5/150 gel filtration column measured at 280 nm (blue) and 310 (red) nm absorbance, representing total protein and MAASTY$_{7.1}$-50$_{ttc}$ copolymer, respectively. Insert represents a BSA standard curve from the Bradford protein assay used to determine the concentration of purified hTRPM4 in MAASTY$_{7.1}$-50$_{ttc}$ lipid nanodiscs prior to SEC.

Figure S10: Cryo-EM data processing of hTRPM4 in MAASTY lipid nanodiscs.
a Cryo-EM data processing pipeline for hTRPM4 in MAASTY. Motion correction, CTF estimation, particle picking, 2D classification and primary refinement steps were carried out in CryoSPARC[2] (blue arrows). Refined particles were then re-extracted in Relion 5.0[3] after particle stack conversion by pyEM[4], and refined using BLUSH regularization[5] (purple arrows). Despite an overall slightly lower estimated resolution, the reconstructions obtained from refinement in Relion 5.0 with BLUSH regularization and sharpening showed higher occupancy and better-resolved cytosolic domains than the map determined from non-uniform refinement in CryoSPARC. This led us to continue with the Relion 5.0 reconstructions, with an estimated overall resolution of 3.46 Å, for further analyses. **b** Representative motion-corrected micrograph imaged at 165,000x magnification. **c** Representative 2D class averages. **d** Fourier shell correlation (FSC) half-map and model-map curves, adopted from Relion 5.0 and Phenix Mtriage[6], respectively. The gold standard FSC curve from the two half maps (FSC_{map}) is shown in blue with resolution at FSC = 0.143 indicated by an arrow. The FSC curve generated from the map and atomic model ($FSC_{map\ vs.\ model}$) is shown in brown with resolution at FSC = 0.5 indicated by an arrow. **e** Local resolution representation of the best reconstruction. **f** Angular distribution of particles used in the final reconstruction.

Figure S11: Representative regions from the best reconstruction of hTRPM4 in MAASTY nanodiscs. Shown are representative labelled segments of hTRPM4 with the fitted atomic model.

Figure S12: Purification and structural determination of hTRPM4 in MSP2N2 reconstituted nanodiscs. a Chromatogram of absorbance at 280 nm of purified hTRPM4 in MSP2N2 nanodiscs from Superose 6 Increase 10/300 gel filtration column. Sample fractions (highlighted in red) were pooled and concentrated for structural determination of hTRPM4 in MSP2N2 by cryo-EM. **b** Side and top views of sharpened cryo-EM density maps of hTRPM4 in MSP2N2 reconstituted nanodiscs with the four protein subunits colored in light green, salmon, sky blue and khaki, overlaid with the unsharpened cryo-EM density map (black outline). The unsharpened map represents the raw reconstruction, showing the full range of densities, including weaker and flexible regions such as copolymers and lipids in the nanodiscs. The sharpened map has been processed with a B-factor of -147 Å^2 to enhance high-resolution features, improving clarity in well-ordered regions. Contour levels for both maps were adjusted for optimal visualization of key structural features.

hTRPM4 in MSP2N2 nanodiscs

a

7945 movies → Motion correction (MotionCor2), CTF estimation (CTFFIND4), Movie curation, Relion 5 → 7627 micrographs → Auto-pick (Laplacian), then 2D classification, EM, then Auto-pick (template), 3.5 x binning, 2.5 Å/pix → 1,104,004 particles → 2D classification (EM algorithm, (one round)) → 255,586 particles

Ab initio model, 3D classification, C1 symmetry

104,254 particles ← 3D autorefine, BLUSH, C4 symmetry, Unbinned, 0.725 Å/pix

3.8 Å ← Sharpening b-factor of -147 Å² ← 4.1 Å

b

50 nm

c

d

Fourier Shell Correlation

FSC_map
FSC_map vs. model

3.9 Å
3.8 Å

Resolution (1/Å)
0.1 0.2 0.3 0.4 0.5

e

90°

3.5 4.25 5.0

f

Figure S13: Cryo-EM data processing of hTRPM4 reconstituted in MSP2N2 lipid nanodiscs. **a** Cryo-EM data processing pipeline for hTRPM4 in MSP2N2. Motion correction, CTF estimation, particle picking, 2D classification, 3D classification and 3D refinement were carried out in Relion 5.0 [3]. Blush regularization was applied during 3D refinement [5]. **b** Representative motion-corrected micrograph imaged at 165,000x magnification. **c** Representative 2D class averages. **d** Fourier shell correlation (FSC) half-map and model-map curves, adopted from Relion 5.0 and Phenix Mtriage [6], respectively. The gold standard FSC curve from the two half maps (FSC_map) is shown in blue with resolution at FSC = 0.143 indicated by an arrow. The FSC curve generated from the map and atomic model (FSC_map vs. model) is shown in brown with resolution at FSC = 0.5 indicated by an arrow. **e** Local resolution representation of the best reconstruction. **f** Angular distribution of particles used in the final reconstruction.

Figure S14: Analysis of lipids co-purified with hTRPM4 in MAASTY lipid nanodiscs by MALDI-TOF mass spectrometry. Representative spectra of identified lipids: POPC (**a**) and cholesterol (**b**).

Figure S15: Lipidomics analysis of hTRPM4 in MAASTY lipid nanodiscs. Bar graphs show the relative abundance of phospholipids from the purified hTRPM4 lipid microenvironment analyzed from two separate protein expressions and purifications (grey and blue bars) with two and three technical replicates, respectively. Error bars represent ± SD. The phospholipids, PE, PI, PC and PS constituted the majority of observed lipid species. All the lipid types observed in the lipidomics analysis are supplied as Source Data.

Figure S16: Solubilization of rSERCA1a (a), hKCNK18 (b), and cASIC1 (c) with MAASTY and AASTY copolymers, as examined by FSEC. All membrane proteins were recombinantly expressed with an eGFP fusion tag. The samples were injected onto a Superose 6 Increase 5/150 gel filtration column and and detected for eGFP with excitation at 489 nm and emission at 507 nm. The first column shows raw FSEC traces with a void peak around 1.2 mL, and arrows that denote the presumed protein-nanodisc peak. The second column displays the maximum fluorescence intensities of the denoted protein-nanodisc peak, normalized to maximum detected peak intensity. The third column exhibits peak retention volumes. Each unique membrane protein copolymer sample was injected twice or more to check reproducibility.

Figure S17: Solubilization of lipids into nanodiscs by MAASTY copolymers.
FSEC traces of MAASTY-stabilized empty nanodiscs with the following lipids: POPC (**a**),
Soy PLEx (**b**), and *E. coli* PLEx (**c**), mixed with 2% LissRhod PE with excitation at 554
nm and emission at 576 nm.

Supplementary Table 1: Data acquisition and processing, modelling statistics and validation scores.

	hTRPM4 in MAASTY	hTRPM4 in MSP2N2
Data collection		
Pixel size (Å)	0.749/0.725	0.725
Dose (e$^-$Å^2)	52	52
Defocus range (µm)	0.5-2.5	0.5-2.5
Total micrographs	6308	7945
Data processing		
Curated micrographs	6070	7627
Picked particles	1,306,897	1,104,004
Selected particles (post 2D)	126,417	255,586
Selected particles (post 3D)	87,697	103,254
Map resolution (Å)	3.46	3.78
Map sharpening B factor (Å^2)	-92	-147
Model refinement		
Protein residues	558-711, 767-835, 850-1089, 1107-1108, 1116-1166	558-711, 767-835, 842-1094, 1107-1181
Ligands (pr. chain)	3 CLR, 1 Ca^{2+}	3 CHS, 1 Ca^{2+}
R.M.S. deviations		
Length (Å)	0.002	0.002
Angles (º)	0.531	0.618
Ramachandran		
Favored (%)	96.21	93.30
Allowed (%)	3.79	6.70
Outliers (%)	0.00	0.00
Model validation		
MolProbity score	1.70	2.37
Clash score	8.22	11.06
Rotamer outliers (%)	0.57	3.15
Rama-Z score	1.23	0.01

Supplementary Table 2: Overview of AASTY copolymers used in this study. Abbreviations: acrylic acid, AA; number-average molecular weight, M_n.

Nomenclature	Initial AA (%)	M_n (kDa)
AASTY$_6$-45	45	6
AASTY$_{11}$-45	45	11
AASTY$_6$-50	50	6
AASTY$_{11}$-50	50	11
AASTY$_6$-55	55	6
AASTY$_{11}$-55	55	11

References

(1) Smith, A. A.; Autzen, H. E.; Faust, B.; Mann, J. L.; Muir, B. W.; Howard, S.; Postma, A.; Spakowitz, A. J.; Cheng, Y.; Appel, E. A. Lipid Nanodiscs via Ordered Copolymers. *Chem* **2020**, *6*, 2782–2795, DOI: `10.1016/j.chempr.2020.08.004`.

(2) Punjani, A.; Rubinstein, J. L.; Fleet, D. J.; Brubaker, M. A. cryoSPARC: algorithms for rapid unsupervised cryo-EM structure determination. *Nature Methods* **2017**, *14*, 290–296, DOI: `10.1038/nmeth.4169`.

(3) Burt, A.; Toader, B.; Warshamanage, R.; von Kügelgen, A.; Pyle, E.; Zivanov, J.; Kimanius, D.; Bharat, T. A. M.; Scheres, S. H. W. An image processing pipeline for electron cryo-tomography in RELION-5. *FEBS Open Bio* **2024**, *14*, 1788–1804, DOI: `10.1002/2211-5463.13873`.

(4) Asarnow, D.; Palovcak, E.; Cheng, Y. UCSF pyem v0.5. *Zenodo* **2019**, DOI: `https://doi.org/10.5281/zenodo.3576630`.

(5) Kimanius, D.; Jamali, K.; Wilkinson, M. E.; Lövestam, S.; Velazhahan, V.; Nakane, T.; Scheres, S. H. W. Data-driven regularisation lowers the size barrier of cryo-EM structure determination. *bioRxiv* **2023**, DOI: `10.1101/2023.10.23.563586`.

(6) Afonine, P. V.; Klaholz, B. P.; Moriarty, N. W.; Poon, B. K.; Sobolev, O. V.; Terwilliger, T. C.; Adams, P. D.; Urzhumtsev, A. New tools for the analysis and validation of cryo-EM maps and atomic models. *Acta Crystallographica Section D: Structural Biology* **2018**, *74*, 814–840, DOI: `10.1107/S2059798318009324`.