A Minimal Genetic Circuit for Cellular Anticipation

Jordi Pla-Mauri[1, 2, *] and Ricard Solé[1, 2, 3, †]

[1]*ICREA-Complex Systems Lab, Universitat Pompeu Fabra, Dr Aiguader 88, 08003 Barcelona.*
[2]*Institut de Biologia Evolutiva, CSIC-UPF, Pg Maritim de la Barceloneta 37, 08003 Barcelona.*
[3]*Santa Fe Institute, 1399 Hyde Park Road, Santa Fe NM 87501, United States.*

Living systems have evolved cognitive complexity to reduce environmental uncertainty, enabling them to predict and prepare for future conditions. Anticipation, distinct from simple prediction, involves active adaptation before an event occurs and is a key feature of both neural and non-neural biological agents. Recent work by Steven Frank proposed a minimal anticipatory mechanism based on the moving average convergence-divergence principle from financial markets. Here, we implement this principle using synthetic biology to design and evaluate minimal genetic circuits capable of anticipating environmental trends. Through deterministic and stochastic analyses, we demonstrate that these motifs achieve robust anticipatory responses under a wide range of conditions. Our findings suggest that simple genetic circuits could be naturally exploited by cells to prepare for future events, providing a foundation for engineering predictive biological systems.

Keywords: Anticipation, basal cognition, stochastic environment, adaptive behavior

I. INTRODUCTION

Living agents evolved cognitive complexity as a way to reduce environmental uncertainty or, in other words, as a way to predict their worlds better [1–4]. Anticipatory behaviour is a key component of cognition in neural agents, i.e. multicellular organisms equipped with neuron-based circuits and sensors, but not limited to them [5–9]. In addition to memory and learning, anticipation is an essential component of the toolkit for basal cognition [10] and has played a crucial role in the evolution of cognitive agents [11], and can play a key role in organismal homeostasis [12]. Theoretical work on anticipation traces back to cybernetics [13, 14] and was formalized by Nathan Rosen, who described it as a system's capacity to prepare for future events using available knowledge [15] Unlike simple prediction, anticipation involves an active process in which a system adapts and responds before an event occurs [16, 17].

Rosen distinguished three components required to build an anticipatory system, sketched in Fig. (1a). First, the system Σ is understood as some cognitive agent (but can also be mechanical) interacting with its environment. A system processes information and makes adjustments based on its anticipated future states. Secondly, within this system, a model M (a representation of reality) enables the system to predict outcomes. Finally, anticipation involves the controller C (also known as the effector), which is the component that transforms anticipation into action. It allows the system to respond proactively rather than reactively. When the model predicts a future event, the effector allows the system to adjust its behavior in advance [15].

Anticipation is also present in single cells, providing a strong adaptive advantage by allowing faster responses to changing conditions, which can improve survival [10, 18]. An example is provided by chemotaxis, i.e. the movement of bacteria toward beneficial chemicals, like nutrients, and away from harmful ones by sensing and responding to chemical gradients. This behavior is anticipatory because bacteria do not simply react to stimuli but compare past and present conditions to predict future outcomes. Adjusting their movement according to environmental trends, they effectively "anticipate" better conditions, demonstrating a basic form of forward-looking behavior [19]. Oscillatory genetic circuits can also contribute to anticipatory behavior, especially in cells that experience periodic environmental changes. Circadian rhythms in cyanobacteria, for example, allow them to anticipate daily light-dark cycles and optimize photosynthesis [20, 21].

Some simple genetic motifs can be used to design genetic circuits that implement this feature. Minimal genetic circuits enabling anticipation can be obtained from the feedforward loop (FFL), where an input regulates an intermediate factor and a final output. In an incoherent type 1 FFL, for instance, the input activates both the target gene and a repressor, creating a transient anticipatory response [22]. Empirical evidence suggests that simple cellular organisms could have evolved to discern and utilize temporal correlations in environmental signals to predict future conditions [23]. A notable example of this is sugar metabolism within the intestinal tract, where the detection of one sugar prepares the cell for the subsequent encounter with another [5, 24]. A similar adaptive response has also been achieved under experimental evolutionary conditions [25]. There is thus a diversity of possible designs, but what is the minimal implementation allowing for anticipation?

In a recent paper, Steven Frank proposed a simple design principle for a biological system capable of anticipating trends [26]. This circuit (Fig. 1b) would be implemented by computing the difference of two moving averages of an input signal: short-term and long-term. This

---

Figure 1. Anticipatory circuits. In (a) a basic diagram of Rosen's anticipatory system is shown, involving three key components. In Frank's model (b) anticipation is achieved by dealing with trends using the difference $x - y$ between two signals displaying different time scales of response. In (c), a genetic circuit is designed to anticipate an input signal u. When u binds, a single operon co-expresses both kinase and phosphatase enzymes, with their relative expression levels set by differential RBS strengths. The kinase is further regulated through a degradation tag to ensure faster turnover. Real-time monitoring of the kinase-phosphatase ratio can then be achieved via a fluorescent-based sensor targeted by both enzymes. An alternative design is shown in (d), where the signal u induces the expresson of both an *shRNA* and its target *mRNA*. The *shRNA*-derived complex effectively reduces translatable *mRNA* and consequently output protein.

difference is similar to the moving average convergence-divergence indicator commonly used in financial markets to predict asset price trends. It allows the circuit to estimate the momentum of the current trend and, consequently, predict the future direction of change in the environment. Natural systems employ similar strategies, such as the bacterial *mazEF* toxin-antitoxin system [27]. This system maintains a balance between toxin and antitoxin through differential degradation and stoichiometry, allowing rapid activation of toxin under stress by disrupting this balance and leading to *mRNA* cleavage.

Within cognitive science, the concept of anticipation (or prediction) has generally been accepted without much controversy. Neural agents—including humans—use their cognitive machinery to make predictions [28–32]. However, the idea that such predictive capacity can also present within non-neural systems has been oftentimes controversial [33]. Recent work on learning in aneural systems, however, provides empirical and theoretical support for this possibility [34, 35]. Synthetic biology provides a different way to study the requirements for anticipation and thus gives us another path for exploration. Since engineered circuits allow for full control over the requirements and dynamical outcomes, quantitative measures of anticipation become possible without ambiguities. Previous studies have shown how other key features

of basal cognition can be engineered in cells or cellular consortia. These include memory circuits [36, 37], associative learning [38, 39], or collective intelligence [40], but no anticipatory designs have been proposed so far.

Following Frank's proposal, here we suggest a potential implementation, using synthetic biology, of his basic design principle. A minimal anticipation motif is proposed, and its potential for anticipation is evaluated. The response of this anticipation motif to deterministic (constant, periodic) changes and stochastic fluctuations is analyzed using a Wiener process (as done in [26]). Anticipatory responses are shown to be achieved under a broad range of conditions, suggesting that such minimal circuits could be easily exploited by cells to deal with future events.

II. METHODS

Our proposed minimal motif is a simple two-gene genetic circuit, with both genes activated by an input signal u, which generates two distinct moving averages, x and y, over different timescales. By comparing these averages, the system can effectively determine in which direction the trend is heading [26]. Such moving averages can be

modeled by a system of two differential equations

$$\frac{dx}{dt} = \alpha \, u(t) - \delta \, x, \tag{1}$$

$$\frac{dy}{dt} = \gamma \, (\alpha \, u(t) - \delta \, y), \tag{2}$$

where $\alpha \geq 0$ is a production rate in response to the input signal, $\delta \geq 0$ represents the degradation/dilution rate, and $0 < \gamma < 1$ is a scaling factor that makes one gene respond more slowly than the other, creating the different timescales.

A possible synthetic biological implementation using a push-pull motif can be achieved by assigning kinase activity to x and phosphatase activity to y, both targeting the same constitutively expressed protein P (see Fig. 1c). In this configuration, x catalyzes the phosphorylation of protein P to its active form P^*, while y catalyzes the dephosphorylation reaction, returning P^* to its dephosphorylated state P. The circuit output is a constitutively expressed tandem of fluorescent proteins linked by a phosphorylation target sequence. The kinase catalyzes the phosphorylation of this target, causing a conformational change in the fluorescent protein tandem. This leads to Förster resonance energy transfer (FRET) and a shift in excitation/emission spectra. This change in fluorescence serves as the circuit's output signal, indicating the predicted trend of the input u.

Assuming a normalized steady state concentration for the total observable $P + P^* = 1$, the dynamics are described by the coupled differential equation system

$$\frac{dP}{dt} = \sigma \, x \, P - \varsigma \, y \, P^*, \tag{3}$$

$$\frac{dP^*}{dt} = \varsigma \, y \, P^* - \sigma \, x \, P, \tag{4}$$

where σ and ς represent the kinetic rates of phosphorylation and dephosphorylation, respectively. Using the constraint $P = 1 - P^*$, the previous system can be reduced to a single equation:

$$\begin{aligned} \frac{dP^*}{dt} &= \varsigma \, y \, P^* - \sigma \, x \, (1 - P^*) \\ &= (\sigma \, x + \varsigma \, y) \, P^* - \sigma \, x. \end{aligned} \tag{5}$$

Under the assumption that post-transcriptional modifications occur at a significantly faster timescale than protein production and degradation, P^* is considered to reach steady-state rapidly, yielding:

$$\frac{dP^*}{dt} \approx 0 \implies P^* \approx \frac{\sigma \, x}{\sigma \, x + \varsigma \, y}. \tag{6}$$

Deviations from this equilibrium indicate the direction of the trend: a higher proportion of active proteins suggests an upward trend, while a lower proportion suggests a downward trend.

An alternative implementation uses direct inhibition of the output, analogous to the synthetic system shown in Figure (1d) or to the natural toxin-antitoxin mechanisms. In the synthetic system, both the *shRNA* (y) and its target *mRNA* (x) are transcriptionally repressed by a shared regulatory protein. After incorporation into the *RISC* complex, the processed *shRNA* guides sequence-specific cleavage of the target *mRNA* 3' UTR, thereby depleting the cellular pool of intact *mRNA* available for translation into an output protein.

Both implementations share a common expression for the point at which a change in trend sign is predicted:

$$\sigma \, x(t) - \varsigma \, y(t) = 0, \tag{7}$$

which depends on the kinetic rates and the stoichiometry of the reactions involving x and y. For simpler analytical tractability, the equivalence $\sigma = \varsigma$ will be assumed in all subsequent derivations.

In the next section, several different case studies are considered, dealing with a diverse range of input signals (constant, periodic, fluctuating) and the responses associated with the minimal anticipation circuit presented. As it will be shown, anticipatory behaviour is obtained under well-defined ranges of conditions.

III. RESULTS

A. Deterministic Input

To explore the anticipatory capabilities of the proposed genetic circuits, we first analyze their response to deterministic input signals. By considering inputs with well-defined dynamics, we can derive analytical solutions that reveal the core principles underlying anticipation.

Most results are derived from an analysis of the long-time dynamics, with full derivations in the Supplementary Material (SM).

1. Constant Drift Input

The simplest case study of a time-dependent input signal would correspond to linear changes. Let us consider first an input signal $u(t)$ with a constant rate of change, as described by:

$$\frac{du}{dt} = \beta, \qquad u(t) = \beta \, t + u_0, \tag{8}$$

the system's behavior at long times ($t \to \infty$) can be approximated by the following solutions (see SM I B for full derivation):

$$\begin{aligned} \lim_{t \to \infty} x(t) &= \frac{\alpha \, (\beta \, t + u_0)}{\delta} - \frac{\alpha \, \beta}{\delta^2}, \\ \lim_{t \to \infty} y(t) &= \frac{\alpha \, (\beta t + u_0)}{\delta} - \frac{\alpha \, \beta}{\delta^2 \gamma}. \end{aligned} \tag{9}$$

Figure 2. (a) Time τ_r where trend predictions recover the correct trend after the input's rate of change abruptly shifts from β_1 to β_2. When the signs of the initial and final rates are the same ($\text{sgn}(\beta_1) = \text{sgn}(\beta_2)$), no prediction failures occur, and hence no τ_r value can be computed. This corresponds to the empty areas of parameter space. This defines the two symmetric scenarios of slope (trend) change (where we have $\beta_1 \beta_2 < 1$) are depicted in (b) and (c). Parameters were fixed at $\alpha = 10^{-1}$, $\gamma = 10^{-2}$, and $\delta = 10^{-1}$.

The anticipated trend, determined by the sign of the difference of the moving averages, is then given by:

$$\lim_{t \to \infty} x(t) - y(t) = \frac{\alpha \beta}{\delta^2 \gamma} (1 - \gamma), \qquad (10)$$

which correctly predicts the trend, as its sign matches that of the input's slope, β.

A more complex scenario involves an input signal whose rate of change is piecewise constant. The input initially changes at a constant rate β_1 during the time interval $t \in [t_0, t_s)$. At time t_s, the rate of change abruptly transitions to a new constant value, β_2. This behavior is captured by the following piecewise input function:

$$u(t) = \begin{cases} \beta_1 t + u_0, & t < t_s, \\ \beta_2 (t - t_s) + \beta_1 t_s + u_0, & t \geq t_s. \end{cases}$$

For $t < t_s$, the sign prediction is identical to the constant rate input case, as described by equation (10). However, for $t \geq t_s$, assuming t_s sufficiently large such that the transient dynamics before the switch are negligible, and taking $\tau := t - t_s$, the difference of moving averages can be approximated as (see SM I C for full derivation):

$$x(\tau) - y(\tau) \approx \frac{\alpha}{\delta^2 \gamma} (\beta_2 (1 - \gamma) + (\beta_2 - \beta_1) E(\tau)), \quad (11)$$

where $E(\tau) = \gamma e^{-\delta \tau} - e^{-\delta \gamma \tau}$.

At the moment of the switch ($\tau = 0$), $E(\tau) = (\gamma - 1)$, and the difference of moving averages, $x(\tau) - y(\tau)$, simplifies to equation (10), predicting the sign of the initial rate, β_1. At long times ($\tau \to \infty$), $E(\tau) \approx 0$, and the difference of moving averages again resembles equation (10), but now, instead of predicting β_1, it correctly predicts the sign of the new rate, β_2. In this case, the system exhibits a period of incorrect predictions only when the rate of change of the input signal changes direction. This occurs because the system's internal model, represented by the two moving averages, requires a finite time to adjust to the new trend.

This adjustment period can be quantified by finding the recovery time τ_r, at which the prediction of the trend direction stops being wrong after the change in the input's rate of change. Determining the precise recovery time τ_r, where the prediction corrects itself, involves solving a transcendental equation $x(\tau) - y(\tau) = 0$, but some insight can be gained by focusing on the dynamics in limiting scenarios, or solving the equation numerically (see Figure 2). A small initial rate ($\beta_1 \to 0$) leads to a small difference of moving averages, allowing rapid adaptation and a short recovery time ($\tau_r \to 0$). In contrast, a small final rate ($\beta_2 \to 0$) results in a slow convergence of the moving averages before the sign of the difference reverses. Consequently, the time required to adapt to the new trend becomes increasingly large, which causes the recovery time to diverge ($\tau_r \to \infty$).

2. Oscillating Input

Our second class of deterministic models considers an important phenomenon, namely the presence of periodic driving inputs associated with environmental cycles (such as daily fluctuations). Let us consider a model of an input signal following:

$$\frac{du}{dt} = \beta \cos(\beta t), \qquad u(t) = \sin(\beta t) + u_0, \qquad (12)$$

an oscillatory signal with frequency $\beta \geq 0$ and initial condition $u_0 \geq 1$ to preserve the positivity of concentration.

The system's dynamics as $t \to \infty$ is given by (see SM I D for full derivation):

$$\lim_{t \to \infty} x(t) = \frac{\alpha (\delta \sin(\beta t) - \beta \cos(\beta t))}{\beta^2 + \delta^2} + \frac{\alpha}{\delta},$$

$$\lim_{t \to \infty} y(t) = \frac{\alpha \gamma (\delta \gamma \sin(\beta t) - \beta \cos(\beta t))}{\beta^2 + \delta^2 \gamma^2} + \frac{\alpha}{\delta}, \qquad (13)$$

In this case, the difference of moving averages becomes

$$\lim_{t \to \infty} x(t) - y(t) = C \cos(\beta t) - S \sin(\beta t), \qquad (14)$$

Figure 3. Predicting trends of periodic signals. In black lines, the derivative of the input u. In dashed gray lines, the difference of moving averages $x - y$. The colored area is blue if the predicted trend is equal to the derivative sign and red otherwise. From top to bottom: $\beta = 2.5 \cdot 10^{-4}$, $\beta = 10^{-2}$, $\beta = 2.5 \cdot 10^{-1}$. Parameters were fixed at $\alpha = 10^{-1}$, $\gamma = 10^{-2}$, and $\delta = 10^{-1}$.

with

$$C := \left(\frac{\alpha \beta \gamma}{\beta^2 + \delta^2 \gamma^2} - \frac{\alpha \beta}{\beta^2 + \delta^2} \right),$$

$$S := \left(\frac{\alpha \delta \gamma^2}{\beta^2 + \delta^2 \gamma^2} - \frac{\alpha \delta}{\beta^2 + \delta^2} \right).$$

The predicted trend periodically changes at

$$\beta t = \arctan(\theta) + n\pi, \quad \theta = \frac{\beta^2 - \gamma \delta^2}{\beta \delta (1 + \gamma)}, \quad n \in \mathbb{Z}.$$

which consists of a phase shift with respect to the cosine sign change from equation (12), with prediction sign in the intervals (t_n, t_{n+1}) positive for even n and negative for odd n.

The union of time spans T where predictions are correct, $\mathrm{sgn}(\cos(\beta t)) = \mathrm{sgn}(x(t) - y(t))$ is given by:

$$\beta T = \bigcup_{n \in \mathbb{Z}} \left(\arctan(\theta) + n\pi, \ \frac{\pi}{2} + n\pi \right).$$

This shows that the system predicts incorrectly immediately after each input trend reversal, exhibiting a delay before recovering accuracy.

When the input oscillates slowly, $\beta \to 0$, the input trend and the prediction are in phase. When the input oscillates rapidly, $\beta \to \infty$, the input trend and the prediction are in anti-phase.

B. Stochastic Input

Understanding the behavior of random processes is crucial in many real-world scenarios, as most signals are not deterministic like those assumed in previous examples. A fundamental starting point for modeling such stochasticity is the Wiener process (also known as Brownian motion), which describes the path of a particle undergoing random movements.

For a standard Wiener process $W(t)$ with normally-distributed, independent increments $dW(t)$, the conditional probabilities satisfy:

$$\mathbb{P}(\Delta W(t) > 0) = \mathbb{P}(\Delta W(t) < 0) = \frac{1}{2}.$$

Thus, making any attempt to predict the future direction is no better than a random guess.

Assuming external additive noise for input induction, the system of equations (1, 2) becomes a pair of Ornstein-Uhlenbeck (OU) processes as described by a stochastic differential equation system (SDE):

$$\begin{aligned} dx &= [\alpha u(t) - \delta x] \, dt + \eta \alpha \, dW_x(t), \\ dy &= \gamma [\alpha u(t) - \delta y] \, dt + \eta \gamma \alpha \, dW_y(t). \end{aligned} \quad (15)$$

These processes exhibit mean-reverting behavior, with long-term expectations matching the deterministic solutions ($\eta = 0$):

$$\mathbb{E}[x(t)] = \alpha \int_0^t u(s) e^{-\delta(t-s)} \, ds,$$

$$\mathbb{E}[y(t)] = \gamma \alpha \int_0^t u(s) e^{-\gamma \delta(t-s)} \, ds,$$

as the expectation of a well-defined Itô integral of an adapted stochastic process is always zero. Meanwhile, the stationary variances remain constant due to noise additivity:

$$\mathrm{Var}[x(t)] = \frac{\eta^2 \alpha^2}{2\delta}, \qquad \mathrm{Var}[y(t)] = \frac{\eta^2 \gamma \alpha^2}{2\delta}.$$

The expected difference of moving averages is straightforward:

$$\mu := \mathbb{E}[x(t) - y(t)] = \mathbb{E}[x(t)] - \mathbb{E}[y(t)]. \quad (16)$$

However, computing the variance is more subtle, as it depends on the correlation between the stochastic processes. Assuming that both variables are co-expressed, $dW(t) := dW_x(t) = dW_y(t)$. The stationary variance, given the variables are correlated, will converge to:

$$\sigma^2 := \lim_{t \to \infty} \mathrm{Var}[x(t) - y(t)] = \frac{\eta^2 \alpha^2 (1 - \gamma)^2}{2\delta(1 + \gamma)}, \quad (17)$$

which, as expected, vanishes as $\gamma \to 1$.

Since $u(t)$ is inherently discrete (e.g., molecule counts in a cell), its granularity becomes significant at low levels. The Wiener process effectively models the accumulation of many small random fluctuations that arise from this discreteness. When $u(t) >> 0$, the deterministic part of the dynamics dominates, rendering the noise negligible.

In the case of a constant input $u(t) = u_0$, the deterministic part of the dynamics vanishes, reducing the predictions to random guessing $(x - y) \sim \mathcal{N}(0, \sigma)$, effectively trying to predict the noise trend dW.

1. Constant Drift with Additive Noise

When the system is instead driven by an input with constant drift like (8) in a noisy environment, the expected difference of moving averages μ converges to the deterministic solution (10), while the variance σ^2 remains the same as the general case (17) as it is independent of the input (see SM II E).

Although environmental noise introduces variability, the long-term expected prediction remains unbiased and matches the deterministic case. However, individual predictions fluctuate around this expected trend due to stochastic effects.

The probability of a correct trend prediction at any given time is given by:

$$\mathbb{P} = \Phi\left(\frac{|\mu|}{\sigma}\right), \tag{18}$$

where $\Phi(\cdot)$ is the standard normal cumulative distribution function. As can be seen in Figure (4a), his probability approaches 1 as $|\beta| \to \infty$ reflecting the dominant position of the drift in stochastic noise, but instead converges to a random guess $P = 1/2$ as $|\beta| \to 0$.

2. Oscillating Input with Additive Noise

Consider the case where the input signal is an oscillating signal (12) in a noisy environment.

Again, the expected value μ is given by the deterministic solution (14) and the variance σ^2 given by (17).

The probability of correct trend prediction becomes time-dependent:

$$\mathbb{P}(t) = \begin{cases} \Phi\left(+\frac{|\mu(t)|}{\sigma}\right) & \text{if } \mathrm{sgn}(\mu(t)) = \mathrm{sgn}(\cos(t)), \\ \Phi\left(-\frac{|\mu(t)|}{\sigma}\right) & \text{if } \mathrm{sgn}(\mu(t)) \neq \mathrm{sgn}(\cos(t)). \end{cases} \tag{19}$$

which varies periodically with the input's derivative.

As illustrated in Figure 4b, the prediction accuracy decays to chance level in both limiting regimes: $\beta \to 0^+$ and $\beta \to \infty$. This behavior sharply contrasts with the deterministic case, where the system exhibits: (i) asymptotically perfect prediction accuracy as $\beta \to 0^+$, and (ii) systematically incorrect predictions as $\beta \to \infty$. The system enters a noise-governed phase in both limits, as the deterministic contribution vanishes, effectively randomizing the output.

3. Exponentially Weighted Moving Averages

Consider a Wiener process $u = \{W(t_k)\}$ sampled at equally spaced time points:

$$T_W = \{t_0 + k\,\Delta t_W \mid k \in \mathbb{N}_0\}.$$

Figure 4. Long-term probabilities of correct prediction under a noisy environment. In (a), the probability of correct trend prediction for an input with a constant drift (18). The x-axis is symlog-scaled with a linear region for $|\beta| < 10^{-8}$ to show values outside $\mathbb{R}^+$ [41]. In (b), the average probability of correct trend prediction over a full period for an oscillatory input (19). Parameters were fixed at $\alpha = 10^{-1}$, $\gamma = 10^{-2}$, and $\delta = 10^{-1}$.

with a time step of size Δt_W. To introduce predictability, a transformed process $\hat{u}$ is constructed via exponentially weighted moving averages (EWMA) [42]. The transformation applies time-series smoothing by assigning exponentially decreasing weights to past observations, emphasising recent data, while retaining the diminishing influence of past values.

The transformed process at the discrete time points $t_k \in T_W$ is computed using EWMA as follows:

$$\hat{u}(t_k) = (1 - \lambda)\,u(t_k) + \lambda\,\hat{u}(t_{k-1}), \qquad \lambda \in [0, 1],$$

with initial condition $\hat{u}(t_0) = u(t_0)$.

A continuous-time approximation $\hat{u}(t)$ for $t \notin T_W$ is then obtained by linear interpolation

$$\hat{u}(t) = \hat{u}(t_k) + \frac{t - t_k}{\Delta t_W}\left(\hat{u}(t_{k+1}) - \hat{u}(t_k)\right), \quad t \in [t_k,\ t_{k+1}).$$

Here, the input signal is precomputed and shifted so that no negative concentrations are present.

To numerically evaluate the system, stochastic simulations are conducted with zero initial conditions and allowed to evolve until sufficient time has elapsed for transient dynamics to become negligible (see Figure 5a as an example). The true trend, denoted as

$$\phi(t) := \mathrm{sgn}(u(t)),$$

and the predicted trend, namely

$$\psi(t) := \mathrm{sgn}(x(t) - y(t)),$$

Figure 5. Trend prediction of EWMA-transformed Wiener processes. In (a), a sample time-series from a simulation. In black, the input signal u, and in grey the output observable P^*. The background is colored depending on the level of P^*: blue if the trend is predicted to be positive $(x - y > 0)$, red if the prediction is negative $(x - y < 0)$. In (b), a surface showing the expected fraction of time-series where the predictions are expected to be at least as good as a random guesser, $\hat{S}_M = 1/2$. The dashed line at the $1/2$ level represents the expected outcome of a random guesser (see SM II B, II C). The divergent color map is centered around this value to show how much the expectation differs. Parameters were fixed at $\alpha = 10^{-1}$, $\gamma = 10^{-2}$, $\delta = 10^{-1}$, $\lambda = 2 \cdot 10^{-1}$, and $M = 10^{6}$.

can then be computed and compared to assess system performance.

Of particular interest are predictions of the trend at time t for a future time $t + \tau$, as any downstream effector requires a finite time interval to exert its influence.

The prediction accuracy $A(\tau)$ quantifies the empirical probability that the system's predicted trend at a given time $\psi(t_i)$ correctly anticipates the true trend $\phi(t_i + \tau)$ at a time horizon τ. It can be computed over N uniformly sampled time points $\{t_i = i \, \Delta t\}_{i=0}^{N-1}$ as:

$$A(\tau) = \frac{1}{N} \sum_{i=0}^{N-1} \mathbf{1} \left\{ \phi(t_i + \tau) = \psi(t_i) \right\}, \qquad (20)$$

where $\mathbf{1}\{\cdot\}$ is an indicator function which returns 1 if the condition is true and 0 otherwise. This measure computes a normalized, shifted cross-correlation over a time series, with $A(\tau) = 1$ indicating perfect prediction, $A(\tau) = 1/2$ corresponding to random guessing, and $A(\tau) = 0$ signifying complete opposition to the true trend.

To assess system robustness, revealing whether prediction accuracy is consistently achievable or heavily dependent on specific realisations of the input, an ensemble of M simulations with different stochastic trajectories for the input can be performed. The empirical cumulative distribution function (eCDF) of the prediction accuracy across the ensemble can be estimated following Vaart [43] as:

$$\hat{F}_M(a) = \frac{1}{M} \sum_{j=1}^{M} \mathbf{1} \left\{ A_j(\tau) \leq a \right\}, \qquad (21)$$

where parameter a represents a threshold accuracy level of interest, allowing one to compute the fraction of sim-

ulations in the ensemble that achieve an accuracy of at most a. To assess the probability that the system will exceed the threshold, the empirical survival function can be derived as the complement of the eCDF:

$$\hat{S}_M(a) = 1 - \hat{F}_M(a).$$

This function provides a direct measure of robustness: If $\hat{S}_M(1/2) \to 1$, an individual is expected to perform better than random, while $\hat{S}_M(1/2) < 1/2$ indicates individuals are expected to perform systematically worse than random.

Moving beyond purely independent predictions, an alternative system could be developed where individuals exchange information and work towards a consensus before making a collective prediction, a concept inspired by biological *quorum sensing* [44, 45]. This collective approach can potentially lead to more robust decisions in some cases [46, 47], but would inevitably introduce some additional delay.

In such a system, each cell would still process input and produce an initial prediction, represented as a diffusible molecule detectable by other cells. A collective prediction would only be generated if a *quorum*—a minimum concentration of this molecule in the environment— is reached.

Under the assumption of independent predictions by individual cells, the proposed system mirrors the core concepts of an extended Condorcet Jury Theorem where heterogeneous voters with different competence levels make collective decisions [48, 49]. Within this framework, each simulation in an ensemble can be viewed as an independent "voter" and the prediction accuracy corresponds to the voter's competence.

In the cases where $\hat{S}_M(1/2) > 1/2$, the ensemble's average probability of correct prediction is also better than random chance, mirroring the scenario where voters are competent on average. Statistical consensus naturally enhances robustness, as majority voting improves accuracy compared to individual predictions.

In contrast, if the average individual prediction is worse than random, aggregated predictions underperform both random guessing and individual efforts. These two regimes are illustrated in Figure (5b). At short input autocorrelation times ($\Delta t_W \to 0$), the system struggles to adapt to rapid fluctuations, resulting in expected performance worse than random.

As autocorrelation increases, the system achieves a higher expected prediction accuracy and maintains reliable predictions into the future. However, since the input correlations remain local in time, accuracy decays to random levels as the prediction horizon increases ($\tau \to \infty$).

IV. DISCUSSION

Anticipation is considered a crucial component of cognitive complexity. In general terms, it involves the use of past and present information to make possible predictions about future events. The concept has traditionally been tied to human psychology and the behavior of neural agents, but this view has changed, embracing organisms and systems of many different kinds. Anticipation can be found across scales in biology [9], including aneural organisms [10]. An important challenge in all these cases is to properly define a measure of anticipation that can help avoid ambiguities regarding the nature and efficiency of the prediction, particularly in stochastic environments.

In this paper, we have taken a different path to explore the problem of anticipation by considering how to build a minimal circuit that can implement trend prediction within a cell. The starting point is Frank's model [26, 50], which we explicitly map to a specific genetic motif. The goal here is twofold. On the one hand, provide a formally well-defined engineering design that can be constructed, and secondly a quantitative assessment of the conditions under which anticipatory behavior is expected to occur. This has been done both mathematically and numerically, showing that anticipation is an expected property of this system. In all the considered cases, there is a well-defined domain where anticipation is shown to be present, and the bounds are precisely determined.

Given the simplicity of our circuit design (and its potential alternatives), we conjecture that anticipatory behavior (with different levels of accuracy) might be widespread in cellular networks. Moreover, the potential for the design of novel circuits to be engineered within living cells opens the door to studying the evolution of synthetic behavior and its evolutionary dynamics [51]. Further extensions of our work should consider the coupling between single- and multicellular scales. In this context, both microbial communities [18, 52] and tissues [12, 53, 54] display collective intelligence characteristics that could be enhanced through synthetic biology [40].

ACKNOWLEDGMENTS

The authors thank the members of the Complex Systems Lab for their valuable discussions and insights and the Santa Fe Institute. They also thank Carlos Greykey for inspiring ideas. This research was supported by the AGAUR 2021 SGR 0075 grant. J.P.M. acknowledges funding from the Spanish Ministry of Science and Innovation (MCIN/AEI) through a grant "PRE2020-091968".

V. REFERENCES

[1] J. Wagensberg, Biology and philosophy **15**, 493 (2000).
[2] R. R. Llinás, *I of the vortex: From neurons to self* (MIT press, 2002).
[3] R. Solé, M. Moses, and S. Forrest, Philosophical Transactions of the Royal Society B **374**, 20190040 (2019).
[4] K. J. Mitchell, *Free Agents: How Evolution Gave Us Free Will* (Princeton University Press, Princeton, NJ, 2023).
[5] A. Mitchell, G. H. Romano, B. Groisman, A. Yona, E. Dekel, M. Kupiec, O. Dahan, and Y. Pilpel, Nature **460**, 220 (2009).
[6] A. Mitchell and Y. Pilpel, Proceedings of the National Academy of Sciences **108**, 7271 (2011).
[7] S. J. Nasuto and Y. Hayashi, Biosystems **148**, 22 (2016).
[8] F. Baluška and M. Levin, Frontiers in psychology **7**, 902 (2016).
[9] C. Deans, Frontiers in physiology **12**, 672457 (2021).
[10] P. Lyon, F. Keijzer, D. Arendt, and M. Levin, Reframing cognition: getting down to biological basics (2021).
[11] S. Ginsburg and E. Jablonka, Philosophical Transactions of the Royal Society B **376**, 20190766 (2021).
[12] E. Lagasse and M. Levin, Trends in molecular medicine **29**, 687 (2023).
[13] N. Wiener, *Cybernetics: Or Control and Communication in the Animal and the Machine*, 2nd ed., The MIT Press (MIT Press, London, England, 1961).
[14] W. R. Ashby, *An introduction to cybernetics* (J. Wiley, 1956).
[15] R. Rosen, *IFSR International Series in Systems Science and Systems Engineering*, Vol. 41 (Springer New York, 2012).
[16] R. C. Conant and W. R. Ashby, International Journal of Systems Science **1**, 89–97 (1970).
[17] W. T. Powers, ed., *Behavior: The Control of Perception* (Aldine Publishing Company, Somerset, NJ, 1973).
[18] P. Lyon, Frontiers in microbiology **6**, 264 (2015).
[19] A. J. Tjalma, V. Galstyan, J. Goedhart, L. Slim, N. B. Becker, and P. R. Ten Wolde, Proceedings of the National Academy of Sciences **120**, e2303078120 (2023).
[20] S. S. Golden, M. Ishiura, C. H. Johnson, and T. Kondo, Annual Review of Plant Physiology and Plant Molecular Biology **48**, 327–354 (1997).
[21] T. Mori and C. H. Johnson, Seminars in Cell & Developmental Biology **12**, 271–278 (2001).

[22] W. Ma, A. Trusina, H. El-Samad, W. A. Lim, and C. Tang, Cell **138**, 760–773 (2009).

[23] I. Tagkopoulos, Y.-C. Liu, and S. Tavazoie, Science **320**, 1313–1317 (2008).

[24] N. Rai, M. Kim, and I. Tagkopoulos, International Journal of Molecular Sciences **23**, 5985 (2022).

[25] A. Mahilkar, P. Venkataraman, A. Mall, and S. Saini, Frontiers in Microbiology **12**, 10.3389/fmicb.2021.796228 (2022).

[26] S. A. Frank, Evolution Letters **8**, 719–725 (2024).

[27] E. Aizenman, H. Engelberg-Kulka, and G. Glaser, Proceedings of the National Academy of Sciences **93**, 6059–6063 (1996).

[28] I. P. Pavlov, *Conditioned reflexes: an investigation of the physiological activity of the cerebral cortex.* (Oxford Univ. Press, Oxford, England, 1927) pp. xv, 430.

[29] N. A. Bernstein, *The Co-Ordination and Regulation of Movements* (Pergamon Press, Oxford, 1967).

[30] P. K. Anokhin, *Biology and Neurophysiology of the Conditioned Reflex and its Role in Adaptive Behavior*, International Series of Monographs in Cerebrovisceral and Behavioral Physiology and Conditioned Reflexes, Vol. 3 (Elsevier, 1974).

[31] M. Domjan, *Principles of Learning and Behavior*, 6th ed. (Wadsworth Cengage Learning, 2010).

[32] A. Clark, Behavioral and Brain Sciences **36**, 181–204 (2013).

[33] J. Gunawardena, Proceedings of the IEEE **110**, 590–612 (2022).

[34] T. Saigusa, A. Tero, T. Nakagaki, and Y. Kuramoto, Physical Review Letters **100**, 018101 (2008).

[35] P. Lyon, Biology & Philosophy **32**, 443–465 (2017).

[36] P. Siuti, J. Yazbek, and T. K. Lu, Nature biotechnology **31**, 448 (2013).

[37] A. Urrios, J. Macia, R. Manzoni, N. Conde, A. Bonforti, E. de Nadal, F. Posas, and R. Solé, ACS synthetic biology **5**, 862 (2016).

[38] C. T. Fernando, A. M. Liekens, L. E. Bingle, C. Beck, T. Lenser, D. J. Stekel, and J. E. Rowe, Journal of the Royal Society Interface **6**, 463 (2009).

[39] J. Macia, B. Vidiella, and R. V. Solé, Journal of The Royal Society Interface **14**, 20170158 (2017).

[40] R. Solé, D. R. Amor, S. Duran-Nebreda, N. Conde-Pueyo, M. Carbonell-Ballestero, and R. Montañez, Biosystems **148**, 47 (2016).

[41] J. B. W. Webber, Measurement Science and Technology **24**, 027001 (2012).

[42] D. R. Cox, Journal of the Royal Statistical Society Series B: Statistical Methodology **23**, 414–422 (1961).

[43] A. W. v. d. Vaart, *Asymptotic Statistics* (Cambridge University Press, 1998).

[44] K. H. Nealson, T. Platt, and J. W. Hastings, Journal of Bacteriology **104**, 313–322 (1970).

[45] B. L. Bassler, Current Opinion in Microbiology **2**, 582–587 (1999).

[46] D. J. T. Sumpter, *Collective Animal Behavior* (Princeton University Press, Princeton, New Jersey, 2010).

[47] J. A. Marshall, R. H. Kurvers, J. Krause, and M. Wolf, eLife **8**, 10.7554/elife.40368 (2019).

[48] P. J. Boland, The Statistician **38**, 181 (1989).

[49] D. Berend and J. Paroush, Social Choice and Welfare **15**, 481–488 (1998).

[50] S. A. Frank, arXiv preprint arXiv:2408.09604 **abs/2408.09604**, 10.48550/arxiv.2408.09604 (2024).

[51] R. Sole, Philosophical Transactions of the Royal Society B: Biological Sciences **371**, 20150438 (2016).

[52] E. B. Jacob, I. Becker, Y. Shapira, and H. Levine, Trends in Microbiology **12**, 366 (2004).

[53] J. Davies and M. Levin, Nature Reviews Bioengineering **1**, 46 (2023).

[54] M. Levin, Cellular and Molecular Life Sciences **80**, 142 (2023).