Ultrabright NIR-II Nanoprobes for *Ex Vivo* Bioimaging: Protein Nanoengineering Meets Molecular Engineering

Isabella Vasquez,[1,2,3] Asma Harun,[1,3] Robert Posey,[2] Ruhan Reddy,[1,4] Ulrich Bickel,[3,5] Joshua Tropp,[2,3] and Indrajit Srivastava,[1,3,] *

1. Department of Mechanical Engineering, Edward E. Whitacre Jr. College of Engineering, Texas Tech University, Lubbock, Texas 79409, United States

2. Department of Chemistry & Biochemistry, Texas Tech University, Lubbock, Texas 79409, United States

3. Texas Center for Comparative Cancer Research (TC3R), Amarillo, Texas, 79106, United States

4. Lubbock High School, Lubbock, Texas, 79401, United States

5. Department of Pharmaceutical Sciences, Jerry H. Hodge School of Pharmacy, Texas Tech University Health Sciences Center, Amarillo, Texas 79106, United States

Authors to whom correspondence should be addressed: indrajit.srivastava@ttu.edu

ABSTRACT. Near-infrared (NIR) fluorescence imaging is a powerful, non-invasive tool for cancer diagnosis, enabling real-time, high-resolution visualization of biological systems. While most probes target the first NIR window (NIR-I, 750-950 nm), recent advances focus on the second window (NIR-II, 1000-1700 nm), which offers deeper tissue penetration and reduced interferences from scattering and autofluorescence. However, many current NIR-II nanoprobes show suboptimal brightness and limited validations in more human-centric models. Here, we present an orthogonal strategy combining molecular engineering, by modulating the amount and position of thiophene moieties in semiconducting polymers (SPs), with protein nanoengineering to develop ultrabright NIR-II imaging probes optimized for *ex vivo* bioimaging in large animal models. The molecular tuning amplifies the NIR-II fluorescence brightness while screening endogenous proteins as encapsulating matrices to improve colloidal stability and enable active targeting. Molecular docking identified bovine serum albumin as the effective candidate, and the resulting protein-complexed nanoprobes were characterized for size, colloidal stability under physiological conditions, and optical performances. Imaging performances were evaluated using tumor-mimicking phantoms in porcine lungs, simulating cancer surgery, and injected at clinically relevant concentrations into ovine brains and porcine ovaries for microvascular visualization and tissue discrimination, respectively. In all scenarios, our protein-complexed nanoprobes outperformed the FDA-approved clinical dye indocyanine green in signal-to-background ratios. Initial *in vitro* assays confirmed their hemocompatibility, biocompatibility, and cellular uptake in ovarian adenocarcinoma cells. This integrated approach offers a promising platform for developing next-generation ultrabright NIR-II nanoprobes with improved brightness and stability, advancing the potential for image-guided surgery and future clinical translation.

KEYWORDS. molecular engineering, semiconducting polymer nanoparticles, bovine serum albumin, nanoengineering, NIR-II, bioimaging

INTRODUCTION.

Light-based techniques have revolutionized biomedical imaging and diagnostics in recent years. [1-3] Near-infrared (NIR) fluorescence imaging has had a substantial impact on clinical diagnosis and navigation surgery owing to its operational simplicity and high spatial resolution.[4-6] However, despite its exuberance, high sensitivity, real-time monitoring, and non-invasive features, its reliance on the visible or near-infrared (NIR-I, 700-900 nm) region suffers from poor tissue penetration and limited spatial resolution. Ushering in a new generation of NIR imaging in the second near-infrared (NIR-II, 1000-1700 nm) window has presented a promising solution preceding the traditional visible light or NIR-I window, whereby it significantly reduces tissue scattering and autofluorescence. These ideal optical traits improve penetration depth and impart high signal-to-background ratios (SBR) with excellent resolution of the anatomic structures due to the intrinsic advantages of negligible light scattering from tissues.[7-15]

The pursuit of NIR-II fluorescence imaging and the clinical need for improved biological imaging has led to a significant interest in the development of NIR-II probes capable of emitting in the NIR-II window. To date, varieties of NIR-II probes, including single-walled carbon nanotubes, quantum dots, metal nanoclusters, and semiconducting polymers (SPs), have been developed as promising candidates for constructing probes for pre-clinical bioimaging applications in the NIR-II spectral window.[16-24] Among them, nanoprobes developed from semiconducting polymers have shown the most significant potential in terms of clinical applications due to their minimal toxicity concerns and impressive optical properties, including absorption cross-section, photostability, and fluorescence quantum yield; however, they do require further improvements.[25] To this end, molecular engineering strategies have been actively pursued to enhance the performance of SPs.

These strategies include tuning donor–acceptor–donor (D–A–D) molecular frameworks, modifying polymer backbones, or engineering side chains to systematically investigate and improve their optical performance, including NIR-II brightness.[24, 26-30]

Building on recent advancements, semiconducting polymers (SPs), which are typically hydrophobic and water-insoluble, generally require processing with amphiphilic polymers to form hydrophilic nanoparticles known as semiconducting polymer nanoparticles (SPNs), enabling their use in *in vitro*, *in vivo*, and *ex vivo* bioimaging applications.[31-34] A commonly used amphiphilic matrix is DSPE-PEG2000, which enhances the colloidal stability and aqueous dispersibility of SPNs.[35, 36] However, while DSPE-PEG2000 improves nanoparticle dispersion, it does not significantly enhance key optical properties such as fluorescence brightness, particularly in the NIR-II window.[32, 37] As a result, the brightness of SPNs remains limited, restricting their effectiveness in larger animal models despite promising performance in small-animal studies.[38-40]

This limitation underscores the need for alternative amphiphilic materials that offer functional benefits beyond stabilization. One such candidate is albumin, a naturally abundant, biocompatible protein with intrinsic binding capabilities.[41-43] Recent studies have shown that albumin can enhance both the fluorescence brightness and photostability of cyanine dyes, largely due to its ability to encapsulate these dyes within its hydrophobic pockets through covalent interactions.[44] This encapsulation reduces nonradiative decay pathways caused by intramolecular rotations or vibrations, thereby significantly increasing the fluorescence quantum yield. Additionally, the albumin shell protects against collisional quenching and contributes to improved photostability and biocompatibility.[45-47] Albumin-based carriers may also enable active targeting via gp60-mediated endocytosis.[48, 49] While albumin encapsulation has shown promise for small-molecule

dyes, systematic comparisons between SPNs stabilized with DSPE-PEG2000 *via* conventional nanoengineering and those coated with albumin through protein-based nanoengineering remain limited. Thus, the direct construction of albumin-coated SPNs represents a practical and promising strategy that is currently underexplored and lacks a head-to-head comparison with conventional amphiphilic formulations. Moreover, to our knowledge, no study has directly investigated the combined use of molecular engineering and protein nanoengineering strategies in SPNs to assess their respective and synergistic impacts on enhancing NIR-II optical performance.

Here, in this work, we adopt a dual approach to develop high-performance NIR-II SPN-based imaging nanoprobes by combining molecular engineering with protein nanoengineering strategies. Specifically, we tuned the SP backbone by varying the number and placement of thiophene-based donors within the D-A backbone to improve fluorescence brightness in the NIR-II window (Figure 1). In parallel, we explored protein nanoengineering to replace conventional amphiphilic coatings. Through molecular docking, bovine serum albumin (BSA) was identified as a highly compatible encapsulation matrix, offering both stability and biological functionality. The resulting BSA-coated SPN nanoprobes were systematically characterized for size, charge, colloidal behavior, and optical performance under physiological conditions. Their imaging capabilities were tested in realistic biological models, including tumor phantoms in porcine lungs and clinically relevant animal systems such as ovine brains and porcine ovaries, demonstrating superior visualization of microvasculature and tissue boundaries, respectively. Across all experiments, our new nanoprobes outperformed indocyanine green (ICG), a Food and Drug Administration (FDA)-approved dye, in signal-to-background ratios. Biocompatibility was validated through preliminary *in vitro* toxicity assays, and cellular uptake studies demonstrated enhanced internalization in tumor cells. Overall, this combined engineering strategy provides a

promising route for advancing the design of ultrabright, stable NIR-II nanoprobes suitable for image-guided interventions and potential clinical applications.

Figure 1. Schematic illustration of bovine serum albumin (BSA)-coated semiconducting polymers with varying thiophene donors within the D-A backbones (T, TT, and 2T). After dye encapsulation, the resulting nanoprobes (BSA@T, TT, 2T) exhibit ultrabright NIR-II fluorescence and have been applied towards bioimaging applications in multiple *ex vivo* tissue models.

MATERIALS AND METHODS.

Materials. All materials were purchased from Sigma-Aldrich and used without modification, unless otherwise stated. Porcine skin tissue was obtained from local grocery stores. Preserved ovine brains with dura mater, porcine ovaries, and dry-preserved porcine lung tissue were purchased from Nasco Education.

Molecular Docking. The molecular docking between Bovine Serum Albumin (BSA) and the thiophene-derivative polymers was performed using the UCSF Chimera software. The 3D crystal structure of BSA (PDB ID: 4f5s) was chosen as the receptor for molecular docking. The ligand structure of the three SPs (PDFT-T, PDFT-2T, PDFT-TT) was generated using the Avogadro software. Following Dock Prep preparation of the protein, specific parameters for the active pocket of the protein were defined for the grid box. PDFT-T fits within the dimensions x=68.49, y=25.40, z=92.10 and docked with dimensions x=87.70, y=57.28, z=87.83 for chain-B of BSA. PDFT-2T fits within the dimensions x=7.41, y=18.35, z=101.93, with docking dimensions of x=99.54, y=73.70, z=66.33 for chain-A of BSA. PDFT-TT fits within the dimensions x=65.71, y=28.11, z=91.30 and docks with the dimensions x=75.72, y=59.45, z=75.12 for chain-B of BSA. Using the docked protein complexes, the Pymol software was used to determine binding energies and clarify the interacting amino acids.

Preparation of DSPE-PEG@T. For preparing DSPE-PEG@T, 0.5 mg of T fluorophore was co-dissolved in 2 mL of THF with 5 mg of surfactant, DSPE-PEG2K. This was followed by a dropwise addition to 8 mL PBS1X solution in a 20 mL vial under probe sonication for 4 min. THF was subsequently evaporated from the solution by stirring at 450 rpm at room temperature overnight. The mixture solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (DSPE-PEG@T) was collected and stored at 4 °C.

Preparation of DSPE-PEG@2T. For preparing DSPE-PEG@2T, 0.5 mg of 2T fluorophore was co-dissolved in 2 mL of THF with 5 mg of surfactant, DSPE-PEG2K. This was followed by a

dropwise addition to 8 mL PBS1X solution in a 20 mL vial under probe sonication for 4 min. THF was subsequently evaporated from the solution by stirring at 450 rpm at room temperature overnight. The mixture solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (DSPE-PEG@2T) was collected and stored at 4 °C.

Preparation of DSPE-PEG@TT. For preparing DSPE-PEG@TT, 0.5 mg of TT fluorophore was co-dissolved in 2 mL of THF with 5 mg of surfactant, DSPE-PEG2K. This was followed by a dropwise addition to 8 mL PBS1X solution in a 20 mL vial under probe sonication for 4 min. THF was subsequently evaporated from the solution by stirring at 450 rpm at room temperature overnight. The mixture solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (DSPE-PEG@TT) was collected and stored at 4 °C.

Preparation of BSA@T. 0.5 mg of T fluorophore was dissolved in 2 mL of THF. 52.8 mg of BSA was dissolved in 8 mL of PBS1X in a separate vial and heated to approximately 37 °C to ensure homogeneity. The THF solution was then added dropwise to 8 mL of BSA-PBS1X solution and sonicated for 4 min. THF was subsequently evaporated overnight by stirring at 450 rpm. The mixed solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors or unreacted BSA. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (BSA@T) was collected and stored at 4 °C.

Preparation of BSA@2T. 0.5 mg of 2T fluorophore was dissolved in 2 mL of THF. 52.8 mg of BSA was dissolved in 8 mL of PBS1X in a separate vial and heated to approximately 37 °C to ensure homogeneity. The THF solution was then added dropwise to 8 mL of BSA-PBS1X solution and sonicated for 4 min. THF was subsequently evaporated overnight by stirring at 450 rpm. The mixed solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors or unreacted BSA. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (BSA@2T) was collected and stored at 4 °C.

Preparation of BSA@TT. 0.5 mg of TT fluorophore was dissolved in 2 mL of THF. 52.8 mg of BSA was dissolved in 8 mL of PBS1X in a separate vial and heated to approximately 37 °C to ensure homogeneity. The THF solution was then added dropwise to 8 mL of BSA-PBS1X solution and sonicated for 4 min. THF was subsequently evaporated overnight by stirring at 450 rpm. The mixed solution was ultrafiltered at 4500 rpm for 10 min and washed 3 times with PBS1X to remove any excess precursors or unreacted BSA. The nanoparticle solution was filtered using a 0.22-micron PTFE (Polytetrafluoroethylene) filter, and the final product (BSA@TT) was collected and stored at 4 °C.

Physicochemical and Optical Characterization. Hydrodynamic diameter and polydispersity index (PDI) were determined via dynamic light scattering (DLS), using the Litesizer DLS 700 Particle Analyzer instrument (Anton Paar). Measurements were recorded using solutions of 30 µL of nanoparticle solution combined with 970 µL of PBX1X. ζ-potential measurements also used the Litesizer DLS 700 Particle Analyzer. Ultraviolet-visible-near infrared (UV-VIS-NIR) absorption was recorded using the Genesys 30 Visible Spectrophotometer (ThermoFisher Scientific). All absorbance measurements were recorded with scanning intervals of 1 nm from 325

to 1100 nm. Fluorescence characterization was performed using a dual absorbance and fluorescence spectrophotometer (Olis DSM 142 UV/Vis/NIR) featuring extended InGaAs detectors to assess the NIR emission of each SP. Fluorescence spectra were obtained by exciting at the corresponding $\lambda_{max, abs}$ of each SP.

IR Vivo Imaging of NPs. Microcentrifuge tubes with stock solutions of NPs at concentrations of 200 µg/mL were imaged with the IR Vivo imager (Photon etc.). Fluorescence images were collected with the excitation wavelengths 760 and 808 nm and 3 emission filters: NIR-I (800 – 975 nm), NIR-II (1000 – 1600 nm), and LP1250 (1250-1600 nm).

Evaluating Fluorescence Quenching in Blood. 100 µL of BSA@TT (200 µg/mL) was mixed with 100 µL of 10% packed porcine red blood cells in a microcentrifuge tube at room temperature. Using the IR Vivo imager (Photon etc.), images were collected for excitation wavelength 808 nm and emission windows NIR-I, NIR-II, and LP1250. The packed porcine red blood cells used in this study were obtained from Innovative Research.

Relative Quantum Yield Calculations. Relative quantum yield (ϕ) was determined using ICG in PBS1X as the reference standard (taken as $\phi = 1.7\%$).[50] The fluorescent intensity at 808 nm excitation was plotted against absorbance for four different concentrations of each nanoprobe where absorbance was < 0.1, and the slope from the linear fit was used in the following equation:

$$\phi_{sample} = \phi_{ICG}(\frac{Slope_{sample}}{Slope_{ICG}}) \cdot (\frac{n_{sample}^2}{n_{ICG}^2})$$

where ϕ_{sample} and ϕ_{ICG} are the quantum yields of the sample and reference, respectively. Slope$_{sample}$ and Slope$_{ICG}$ are the slopes of the NIR-II fluorescent intensity vs. absorbance plots obtained from the four concentrations, and n is the refractive index (equal to 1.334 for all samples in PBS1X).

Extinction Coefficient Determination. For each nanoprobe/contrast agent: ICG, DSPE-PEG@TT, and BSA@TT, absorbance measurements were collected at four different concentrations where the absorbance was <0.1. A linear regression of absorbance at 808 nm versus concentration was used to determine ε_m in units of L·g^{-1}·cm^{-1}.

Fluorescence Brightness Calculation. Fluorescence brightness was calculated as the product of the mass extinction coefficient and quantum yield:

Brightness $= \varepsilon_m \times \phi$

Brightness values were calculated for each nanoprobe using the ε_m and ϕ values derived from the datasets.

***Ex Vivo* Porcine Tissue Penetration Studies.** To evaluate the optical performance of BSA@TT through varying tissue depths, NMR tubes containing 1 mL of BSA@TT solution (200 µg/mL) were imaged through increasing porcine skin thicknesses (0, 2, and 4 mm) with the IR Vivo imager (Photon etc.). Images were collected for excitation wavelengths of 760 and 808 nm and emission windows of NIR-I, NIR-II, and LP1250. Imaging exposure time was altered according to laser wavelength, emission window, and penetration depth.

***Ex Vivo* Ovine Brain and Porcine Ovary Experiment.** Sheep brains with dura mater and pig ovaries were obtained from NASCOguard. 200 µl of ICG (10 µM) and 200 µL of BSA@TT (200 µg/mL) were injected approximately 2 cm below the surface of the superior frontal lobe and posterior parietal lobe, respectively. To avoid significant fluorescence interference, injections

were done on laterally opposite regions of the brains (n=3). 100 µl of ICG (10 µM) and 100 µL of BSA@TT (200 µg/mL) were injected directly into the follicles of separate porcine ovaries (n=3). The IR Vivo imager (Photon etc.) was used to collect fluorescent images with an 808 nm laser and emission windows ranging from 850 to 1600 nm.

Ex Vivo Porcine Lung Tumor Delineation Experiment. Dry-preserved swine lungs were obtained from SPECTRUM Nasco Educational Supplies. Tumor-mimicking phantoms with increasing concentration of BSA@TT (10, 50, 100, and 200 µg/mL) and ICG (10 µM) were created using a recipe previously reported by our group (n=2).[51, 52] To simulate an exposed tumor lesion following surgical resection, each tumor phantom was imaged in a hollowed portion of the lung using the IR Vivo imager (Photon etc.). Images were collected for excitation wavelengths of 760 and 808 nm and emission windows of NIR-I, NIR-II, and LP1250.

Cytotoxicity Evaluation in Ovarian Cancer Cells. To assess the cytotoxicity effects of DSPE-PEG@TT and BSA@TT NPs, a colorimetric MTT assay was used for both treatments at increasing concentrations (1, 5, 10, 25, 50, and 100 µg/ mL). A control group was established by only treating cells with reconstituted Dulbecco's Modified Eagle Medium (DMEM). OVCAR8 cells were plated overnight in a 96-well plate at 10^5 cells per well, and each well was treated with 20 µL of a 5mg/ mL MTT solution.[53-56] After 4 hours of incubation at 37°C and 5% CO_2 in the Heracell Vios 160i (Thermo Scientific), the formazan crystals were dissolved with 200 µL of DMSO. The DMSO-filled wells were incubated for an additional 15 minutes at 37°C and shaken for 5 seconds. Immediately following this, the absorbance values were collected at 592 nm using the BioTek Epoch 2 Microplate Spectrophotometer (Agilent).

RESULTS AND DISCUSSION.

Design and Synthesis of PDFT Copolymers. To achieve absorption or emission in the NIR within semiconducting conjugated polymers (SPs) donor-acceptor (D-A) backbones are typically required to narrow the bandgap through molecular orbital hybridization and perturbation theory.[24, 57] Due to the energy gap law, very few organic materials feature bright emission in the NIR-II – also referred to as the shortwave infrared (SWIR).[58] As there are few examples of D-A copolymers that emit strongly beyond 1000 nm, our approach centers on modifying a previously reported, high-performing SP (PDFT) featuring the furan-flanked diketopyrrolopyrrole acceptor unit.[33] We recently showed that adjusting the electron-donating thiophene unit within the PDFT backbone is a viable strategy for tuning the polymer's fluorescence brightness. In particular, the copolymer featuring a thieno[3,4-b]thiophene (TT) donor exhibited superior performance, which is attributed to the increased planarity and rigidity of its polymer backbone.

Here, we selected three electron-rich donor motifs, thiophene (T), bithiophene (2T), and thieno[3,4-b]thiophene (TT), to introduce increasing degrees of π-conjugation and backbone rigidity (Figure 2a). These donors provide a rational design space for exploring how conformational flexibility affects both photophysical properties and protein binding. More flexible backbones (e.g., PDFT-2T) may adopt different orientations within albumin's hydrophobic pockets compared to more rigid analogs like PDFT-TT, which we previously showed enhances NIR-II brightness due to increased planarity and reduced torsional disorder. These structural differences could directly influence encapsulation behavior, nanoprobe stability, and bioimaging performance. Each of the PDFT materials were synthesized according to previously reports using microwave-assisted Stille copolymerization procedures.[59, 60] The weight-average molecular weight (M_w) and dispersity ($Đ$) were determined by high-temperature gel permeation chromatography

(HT-GPC) at 120 °C in 1,2,4-trichlorobenzene (1 mg mL^{-1}, stabilized with 125 ppm of BHT) using a Tosoh EcoSEC High Temperature GPC system with two TSK gel columns in series (G3000Hhr by G2000Hhr) at a flow rate of 1 mL min^{-1} (Figure 2b, 2c). The optical properties of the polymers were then measured, confirming that their absorption and emission spectra were consistent with prior reports (Figure 2d, 2e).

Figure 2. Design and Synthesis of PDFT Copolymers. (a) Polymerization of PDFT-T, PDFT-2T, and PDFT-TT copolymers with branched aliphatic side chains via Stille polycondensation. (b) High-temperature gel-permeation chromatography (GPC) of each polymer batch with (c) corresponding structural analysis. (d) Normalized absorption and (e) near infrared emission optical profiles of each D-A SP in THF.

***In Silico* Analysis of Protein Interactions with T-Derivative Polymers.** To evaluate the theoretical binding sites of the thiophene-derived polymers (T, TT, and 2T) investigated in this study, we conducted a series of computational modeling experiments. These analyses aimed to (i) identify the specific protein chains associated with each polymer, and (ii) visualize the amino acid residues involved in each binding pocket, along with their interactions with various segments of the polymer structures (Figure 3a-g). The binding energies varied according to the polymers' attachment sites: -6.1 kcal/mol for PDFT-T (or T); -6.4 kcal/mol for PDFT-2T (or 2T); and -7.3 kcal/mol for PDFT-TT (TT) (Figure 3h). PDFT-T and PDFT-TT docked within the B chain of BSA's tertiary structure and interacted with the well-characterized Sudlow binding site I.[61] Despite targeting the same site, their binding scores differed due to the variations in polar bonding, ligand orientation, and the surrounding hydrophobic amino acids.[61, 62] Notably, PDBT-TT (TT)'s structure enables the formation of two covalent bonds with oxygen atoms in the polymer's backbone, facilitating interactions with both negatively charged glutamate and positively charged arginine residues (Figure 3i). The difference in binding affinities among the polymers can also be attributed to the number of aromatic rings present in each backbone. Since Sudlow site I is known to preferentially bind aromatic compounds, such as ibuprofen and diflunisal, the additional thiophene ring in PDFT-TT's structure may account for its stronger association with BSA at this particular location.[63, 64] Interestingly, PDBT-2T preferentially binds to a hydrophobic pocket found in Domain III of BSA. Although PDFT-2T and PDFT-TT share similar overall aromaticity, the sigma bond separating the thiophene units in 2T resulted in markedly different binding orientation and affinity towards BSA. Overall, this preliminary docking study demonstrated that the optimal candidate for albumin chaperoning within these three thiophene variations is PDFT-TT (or TT).

Figure 3. Molecular docking studies to evaluate polymer-protein binding. 3D crystal structure of BSA showing the preferential binding site of (a) PDFT-T, (b) PDFT-2T, and (c) PDFT-TT. The binding interactions and amino acid residues within 4.5 Å of (b) PDFT-T, (d) PDFT-2T, and (f) PDFT-TT. (g) Electrostatic potential mapping of the T-derivative polymers within their respective BSA hydrophobic pocket. The protein pocket is color-coded by electrostatic potential; the potential becomes more positive as the color changes from red to blue. (h) Binding affinity scores (in kcal/mol) with BSA for different T-derivative polymers (n=3). (i) Docking site around the PDFT-TT molecule, showing surrounding residues from BSA, depicted as lines. All interacting amino acid residues within the BSA pocket are highlighted (Hydrophilic: Black, Hydrophobic: Red, Polar Bonds: Highlighted in rose red box) surrounding PDFT-TT molecule.

Synthesis, Physicochemical and Photophysical Characterization of BSA-Coated PDFT-Derivative Nanoprobes. For the development of BSA@T/ BSA@TT, or BSA@2T nanoprobes, a modified nanoprecipitation method was used (Figure 4a). PDFT-T/TT/2T polymers were independently dissolved in THF and quickly added dropwise to the BSA containing PBS1x solution under continuous probe sonication. For the development of our control nanoprobes (DSPE-PEG@T, DSPE-PEG@TT, or DSPE-PEG@2T), a routine nanoprecipitation method was adapted (Figure 4a), which involved co-dissolving PDFT-T/TT/2T polymers and DSPE-PEG2k in THF and adding dropwise to PBS1x solution under continuous probe sonication. Once the post-processing was done, they were then subjected to further physicochemical and optical characterizations. The BSA@T, BSA@TT, and BSA@2T nanoprobes exhibited similar hydrodynamic diameters ranging from ~96 to ~111 nm, showing no significant difference in the size, polydispersity index (PDI) value, or ζ-potential from variation in the polymer (Figure 4b, c, and Figure S4-S6). A comprehensive characterization for all DSPE-PEG@T, DSPE-PEG@TT, and DSPE-PEG@2T nanoprobes was also conducted (Figure S1-S3). Specifically, BSA@TT NPs displayed a hydrodynamic size with an average of 95.44 ± 11 nm and a PDI value of $24.05 \pm 4\%$, while also maintaining their spherical morphology in anhydrous conditions as shown by transmission electron microscopy (TEM) images (Figure 4b, d). UV-Vis-NIR absorption spectra of BSA@TT nanoprobes were collected, which exhibited a broad absorption center with a major peak at 650 nm (Figure 4e). Subsequently, measuring their NIR-II emission spectra revealed that the NIR-II fluorescence intensity of the BSA@TT increased compared to BSA@2T and BSA@T NPs, showing a similar trend to the fluorescence of the polymers before nanoprobe formation (Figure 2e, 4f). To further illustrate the amplified NIR-II fluorescence performance of the PDFT-TT polymer when coated with either a lipid (DSPE-PEG) or a functional protein (BSA), NIR-II

fluorescence imaging was conducted using the IR Vivo Imager. Notably, BSA@TT (200 µg/mL) exhibited significantly stronger NIR-II brightness, outperforming DSPE-PEG@TT (200 µg/mL), showcasing the unique advantage of using a functional albumin matrix (Figure 4g).

Moreover, a strong positive correlation was observed between NIR-II fluorescent intensity and BSA@TT nanoprobe concentration, which was systematically varied from 200 μg/mL to 10 μg/mL, yielding an R^2 value of 0.98 (Figure 4h). To further assess the bioimaging potential of BSA@TT's, NIR-II fluorescent intensities were measured through increasing tissue depths. Impressively, BSA@TT (200 µg/ mL) generated a detectable signal through more than 4mm of porcine skin and resolved the contours of the NMR tube containing the solution (Figure 4i). The ability of BSA@TT nanoprobes to maintain a strong, localized fluorescence signal beneath the tissues highlights their resistance to the light scattering and absorption typically encountered in biological environments. The BSA@TT nanoprobes also exhibited long-term colloidal stability in both physiologically and biologically relevant environments (Figure S7). Furthermore, their NIR-II optical properties remained largely unaffected upon interaction with porcine blood (Figure S8), a medium known to quench the fluorescence of many investigational nanoprobes, likely due to several factors: (i) robust surface passivation offered by BSA, (ii) their emission beyond the primary absorption range of hemoglobin, and (iii) inherent resistance to aggregation and biological quenchers.[65]

The optical properties of DSPE-PEG@TT, and BSA@TT nanoprobes were evaluated, with key parameters including quantum yield (ϕ), mass extinction coefficient (ξ_m), and brightness (B) summarized in Table S1. ICG, a clinically approved dye, has its modest quantum yield (1.7%).[50]

Both DSPE-PEG@TT and BSA@TT nanoprobes exhibited significantly amplified optical performance, despite their SP content being tested at much lower concentrations (5.54×10^{-7} mol/L). DSPE-PEG@TT displayed a quantum yield of 2.75% and a mass extinction coefficient of 15,230 L/mg.cm, resulting in a brightness of 418.825. BSA@TT outperformed DSPE-PEG@TT with a higher quantum yield of 3.82% and a similar extinction coefficient of 15,230 L/mg.cm, leading to an even greater brightness of 581.786, which is ~1.5 times brighter than DSPE-PEG@TT (Figure S9).

The mass extinction coefficient (ε_m) describes the absorbance of a substance per unit mass at a given wavelength. While this parameter reflects how strongly a sample absorbs light, fluorescence brightness is determined by the product of ε_m and the quantum yield (ϕ), which quantifies the efficiency with which absorbed photons are converted into emitted fluorescence. Consequently, samples with comparable mass extinction coefficients can exhibit markedly different fluorescence intensities if their quantum yields differ. In the case of BSA@TT displaying greater fluorescence brightness than DSPE-PEG@TT despite similar ε_m values, this is likely due to the BSA matrix providing a more favorable microenvironment for the fluorophore. This stabilization may reduce non-radiative decay pathways and enhance quantum yield.[44,66] Additionally, BSA may mitigate aggregation or quenching effects that can occur in DSPE-PEG@TT systems. These results demonstrate the importance of the nanoprobe design and the surrounding chemical environment in tuning the optical properties of NIR-II fluorescent nanoprobes. BSA encapsulation provides a promising strategy to maximize fluorescence brightness for improved bioimaging applications.

Figure 4. Physicochemical and photophysical characterization of BSA-coated T-derivative NPs. (a) Nanoprecipitation scheme used to synthesize NPs with fluorescent dyes (T, 2T, TT) and stabilizing (DSPE-PEG2k or BSA) amphiphiles. (b) Representative hydrodynamic diameter intensity graph for BSA@TT, measured *via* dynamic light scattering. (c) Hydrodynamic diameter, PDI, and ζ-potential values for BSA@T, TT, and 2T NPs. (d) Transmission electron microscopy (TEM) images (scale bar: 100 nm) and (e) UV-VIS-NIR absorbance spectra of BSA@TT NPs. (f) NIR-II fluorescence spectra of BSA@T, TT, and 2T NPs (λ_ex: 808 nm, λ_em: 900 – 1150 nm). (g) NIR-II fluorescence images with line intensity analysis of PBS1X (control), DSPE-PEG@TT, and BSA@TT (left to right). (h) NIR-II fluorescence intensity of BSA@TT NPs at increasing concentrations (10, 25, 50, 100, and 200 μg/ mL) with inset showing the corresponding NIR-II

fluorescence image. (i) Tissue penetration analysis with NIR-II fluorescence delineation plots and images of BSA@TT-filled NMR tubes at increasing porcine skin layers (0, 2, and 4 mm).

Tumor-Margin Delineation in *Ex Vivo* Porcine Tissues Embedded with Tumor-Mimicking Phantoms Containing BSA@TT Nanoprobes. To accurately assess the bioimaging potential of BSA@TT nanoprobes under conditions that mimic image-guided surgery, it is critical to replicate the complex optical properties of biological tissues. In real surgical scenarios, imaging agents must perform within an environment that includes endogenous fluorophores, high scattering, and strong absorption – all of which interfere with fluorescence detection. These challenges can be addressed by shifting the fluorescence emission of our imaging probes further into the NIR-II (1000 – 1600 nm) range, where minimal spectral overlap is observed from such components (endogenous fluorophores, scattering, absorption). In this study, we considered the complex optical environment that our nanoprobe would encounter once at a tumor-tissue site by developing tumor-mimicking phantoms and incorporating intralipid (light-scattering component) and hemoglobin (light-absorbing component) with BSA@TT nanoprobes (NIR-II fluorescence component) (Figure 5a). This strategy, previously reported by our group,[51, 52] offers a reproducible, cost-effective, and adaptable platform for evaluating the optical performance of a myriad of dyes across a range of surgical applications.

For anatomical context, tumor-mimicking phantoms were embedded within freeze-dried porcine lung tissue to simulate buried solid tumors surrounded by healthy parenchyma, a common scenario for solid tumor cases.[67] To evaluate the ability of BSA@TT NP-containing tumor phantoms to differentiate from surrounding healthy tissues, we incorporated BSA@TT nanoprobes at increasing concentrations (10, 50, 100, and 200 µg/ mL) within a tumor-mimicking phantom

(Figure 5b). To establish a control, a tumor-mimicking phantom was developed comprising the usual elements and indocyanine green (ICG). Although ICG is an FDA-approved fluorescent dye and is commonly used for pre-clinical tumor surgeries, it is susceptible to a detrimental amount of photobleaching and spectral interference in complex tissue environments. All BSA@TT concentrations exhibited tumor phantom-to-normal tissue fluorescence ratios of at least 3.81 (n = 2), significantly outperforming ICG (10 µM) in the NIR-II window, which exhibited a tumor phantom-to-normal tissue ratio of 1.34 $\pm$0.06 (n=2) (Figure 5c, d). Specifically, at 10 µg/mL and 200 µg/mL, BSA@TT exhibited 2.9-fold and 6.6-fold higher contrast ratios than ICG, respectively. All four BSA@TT concentrations similarly outperformed ICG (10µM) in terms of tumor phantom-to-normal tissue fluorescence ratios within the NIR-I and LP1250 emission windows (Figure S10). These results provide quantitative evidence that BSA@TT nanoprobes enable more accurate delineation of the tumor boundaries under optically realistic conditions, highlighting their potential as a next-generation imaging agent for solid tumor visualization.

Figure 5. Image-guided surgery simulation using *ex vivo* porcine lung tissue with embedded tumor-mimicking phantoms. (a) Schematic illustration depicting tumor phantom synthesis and its use in tissue discrimination studies. (b) NIR-II fluorescence imaging of embedded tumor phantoms incorporating BSA@TT at increasing concentrations (10, 50, 100, and 200 µg/ mL) and ICG (10µM) with their respective tumor-to-normal tissue ratios (c, d).

Comparative Study of Microvasculature Visualization in *Ex Vivo* Ovine Brain using BSA@TT Nanoprobes. Building upon our initial efforts to simulate buried tumor lesions, we further investigated the potential of BSA@TT nanoprobes to delineate anatomical features in *ex vivo* ovine brain models. Given that ICG is widely used in clinical settings for visualizing organ-specific blood flow and assessing tissue perfusion, we sought to compare its imaging performance directly with BSA@TT nanoprobes under similar experimental conditions. We first injected *ex vivo* ovine brains with 100 µL of both ICG (10 µM, clinical dose)[68] and BSA@TT (200 µg/ mL) (Figure 6a). Notably, BSA@TT demonstrated superior performance over ICG across all three NIR-II emission windows (925-1000, >1000, and > 1250 nm) in microvasculature structures. Line profile analysis of fluorescence intensity across the injection sites revealed distinct intensity peaks that appeared for the BSA@TT nanoprobes, showcasing their capability to resolve microvasculature networks extending beyond the sulci (indented brain fissures). Upon excitation with an 808 nm laser, BSA@TT nanoprobes successfully identified four discrete anatomical structures within the 925-1000 and > 1250 nm emission windows and two structures within the >1000 nm emission window (Figure 6b-e). In contrast, under identical imaging conditions and the same brain model (to maintain consistent vasculature structure and structure density), ICG failed to resolve any discernible structures. Quantitatively, BSA@TT nanoprobes achieved fluorescence signal-to-background ratio (SBR) of 3.63, 3.11, and 3.09 across the 925-1000, >1000, and >1250 nm emission windows, respectively. This heightened sensitivity of BSA@TT nanoprobes within this *ex vivo* ovine brain model further highlights its potential to be employed for future bioimaging applications such as blood flow visualization and lymph node mapping in small-scale or complex anatomical contexts.

Figure 6. Microvasculature visualization and tissue discrimination studies using *ex vivo* ovine brain and porcine ovaries. (a) Schematic illustration of the *ex vivo* ovine brain injection method used for microvasculature visualization. (b) Representative NIR-II fluorescence images of location-specific injections of BSA@TT NP solution and ICG dye, at *in vivo* -representative concentrations. *Ex vivo* ovine brain NIR-II fluorescence images (λ_{ex}: 808 nm) and microvasculature delineation plots of BSA@TT and ICG injections with emission windows (c) 925 – 1000 nm, (d) >1000 nm, and (e) >1250 nm, n=3. (f) Schematic illustration of the *ex vivo* porcine ovary injection method used for tissue discrimination analysis. (g) Representative NIR-II fluorescence image and intensity graph of BSA@TT-filled porcine ovary follicle, n = 3 injections (λ_{ex}: 808 nm, λ_{em}: 925-1000 nm).

Discrimination Between Tumor and Healthy Tissue in *Ex Vivo* Porcine Ovaries *via* BSA@TT Nanoparticles. To further investigate the extent of our BSA@TT's nanoprobes tissue discrimination abilities, we conducted a comparative imaging study using *ex vivo* porcine ovaries as a tumor-mimicking model. *In vivo,* nanoprobe accumulation in ovarian tumors can occur due to enhanced vascular permeability, irregular angiogenesis, and impaired lymphatic drainage which are the hallmarks of the enhanced permeability and retention (EPR) effect commonly leveraged by nanoprobe-based cancer bioimaging.[69-71] To simulate this localized accumulation in a controlled setting, 100 µL of BSA@TT (200 µg/mL) and ICG (10 µM) was directly injected into the follicular cavity of a mature ovary follicle (Figure 6f). The antral space in these follicles provides an ideal structurally relevant reservoir, while the ~3mm of overlying tissue offers a realistic depth for assessing NIR-II signal penetration and resolution. This comparative study revealed that BSA@TT nanoprobes precisely delineated the injection site and produced fluorescent intensities 4.25 times higher than the surrounding ovarian tissue within the 925 – 1000 nm emission window (Figure 6g). Additional NIR-II imaging of this same ovary revealed fluorescent intensities 2.09 and 3.04 times greater than surrounding tissues within the emissions windows >1000 and >1250 nm, respectively (Figure S11). Conversely, ICG injections resulted in poor spatial localization, low contrast, and inconsistent fluorescence profiles across all emission windows (Figure S12).

These experiments further showcase BSA@TT nanoprobes provide significantly improved anatomical contrast and tissue discrimination compared to FDA-approved ICG, supporting their potential for tumor localization and margin assessment in cancer bioimaging.

***In Vitro* Cytotoxicity Assessments and Cellular Internalization of BSA@TT Nanoprobes.**
Upon a rigorous physicochemical and NIR-II optical characterization of BSA@TT nanoprobes
and their counterpart DSPE-PEG@TT nanoprobes, we next attempted to assess their
biocompatibility and ability to be internalized by *in vitro* OVCAR8 ovarian tumor cells. Both
DSPE-PEG@TT and BSA@TT nanoprobes exhibited minimal toxicity in the OVCAR8 cells,
even at high concentrations of 100 μg/mL (Figure S13). To examine their cellular internalization,
we utilized fluorescence spectroscopy and IVIS imaging to quantify uptake into OVCAR8 cells.
Both DSPE-PEG@TT and BSA@TT nanoprobes demonstrated a time-dependent cellular uptake
with the maximum uptake at 12 hours for both the probes, but BSA@TT nanoprobes showed
significantly higher uptake compared to DSPE-PEG@TT nanoprobes (Figure S14). Such a trend
could be attributed to the presence of secreted proteins acidic and rich in cysteine (SPARC)
receptors that are highly expressed on metastatic tumor cells, including OVCAR8, which are
known to bind to albumin.[72-74] These receptors likely facilitate a selective endocytosis uptake
mechanism for BSA@TT nanoprobes.

Hemocompatibility Assessments of BSA@TT Nanoprobes. Evaluating the interactions
between nanoprobes and red blood cells is an important step in the preliminary assessment of
biocompatibility. To this end, we quantified the level of hemolysis, defined by the erythrocyte cell
destruction, that occurred when porcine red blood cells were incubated with our BSA@TT NPs at
increasing concentrations (1, 5, 10, 50, and 100 µg/mL) (Figure 7a). Hemolysis assays were
conducted in parallel using standard controls: phosphate-buffered saline (PBS1X) as a negative
control, and deionized water as a positive control (Figure 7b). All BSA@TT nanoprobes-treated
samples retained red blood cell pellets at the bottom of the microcentrifuge tube, indicating the
preservation of cell integrity. In contrast, the DI water control resulted in complete hemolysis,

evidenced by a uniformly red supernatant and the absence of a cell pellet (Figure 7c). PBS-treated cells formed a dense pellet with a clear supernatant, consistent with minimal hemolysis. The BSA@TT nanoprobes treated samples of all concentrations induced hemolysis levels below the 10% threshold for blood biocompatibility, with the lowest rate observed at 10 µg/ mL (3.12 +/- 1.08%) (Figure 7d). These results confirm that BSA@TT nanoprobes are hemocompatible across the tested dose range and unlikely to induce red blood cell lysis under physiological conditions.

These preliminary findings showcase negligible *in vivo* toxicity to healthy porcine blood, at least within our tested dosage range, making them suitable for potential *in vivo* applications. However, further investigations are warranted to systematically explore both short-term and long-term toxicity of these nanoprobes across various doses in *in vivo* models, but that is beyond the scope of the current study..[75, 76]

Figure 7. Hemocompatibility studies of BSA@TT NPs with porcine blood. Inverted microscopic images at 200X magnification of a) BSA@TT NPs (100, 50, 10, 5, and 1 µg/mL), b) PBS1X (negative control), and DI water (positive control) after one hour of incubation at 37°C with

porcine blood. c) White light image of RBC pellets from each incubated sample: (1) 100 µg/mL, (2) 50 µg/mL, (3) 10 µg/mL, (4) 5 µg/mL, (5) 1 µg/mL, (6) PBS1X, and (7) DI water. (d) Relative hemolysis percentages of all BSA@TT treatment and control groups.

CONCLUSIONS.

In summary, we have developed a next-generation NIR-II imaging nanoprobe platform through two complementary techniques: molecular engineering and protein nanoengineering. By optimizing the placement of thiophene units within the semiconducting polymer backbone and leveraging bovine serum albumin as a biologically functional encapsulation matrix, we generated ultrabright, colloidal stable nanoprobes with superior imaging performance compared to the FDA-approved dye, ICG. These BSA@TT nanoprobes exhibited amplified NIR-II fluorescence brightness, excellent colloidal stability in biologically relevant environments, and deep tissue penetration, significantly outperforming conventional lipid-coated nanoprobes (DSPE-PE@TT) or ICG. Their imaging capability was validated in *ex vivo* large-animal models across diverse applications, including buried tumor lesion localization, tumor margin delineation, and microvascular visualization, demonstrating their strong potential for clinical translation in image-guided surgery and diagnostics. This dual-engineering approach offers a robust and versatile framework for advancing NIR-II nanoprobe development towards real-world bioimaging applications.

ASSOCIATED CONTENT

Supporting Information. A listing of the contents of each file supplied as Supporting Information should be included. For instructions on what should be included in the Supporting Information as well as how to prepare this material for publications, refer to the journal's Instructions for Authors. The following files are available free of charge.

AUTHOR INFORMATION

Corresponding Author

*indrajit.srivastava@ttu.edu.

Author Contributions

I.S. conceived the idea and designed all the experiments. I.V. led the study and was involved in data collection and curation, formal analysis, investigation, methodology, validation, and visualization of all the experiments under the supervision of I.S. Synthesis of T, TT, and 2T was conducted R.P. under the supervision of J.T. Processing and physicochemical characterization of DSPE-PEG@T, TT, 2T, and BSA@T, TT, 2T were performed by I.V., R.R., and A.H. under the supervision of I.S. Molecular docking studies were conducted by A.H. *Ex vivo* tissue studies were performed by I.V. and A. H. under the supervision of I.S. and U.B. *In vitro* toxicity studies were performed by I.V. under the supervision of I.S. Hemocompatibility studies were conducted by R. R. and I.V. under the supervision of I.S. The manuscript was written by I.V. and I.S. with edits from J.T. All authors have approved the final version of the manuscript.

ACKNOWLEDGMENTS.

I.S. acknowledges the Edward E. Whitacre Jr. College of Engineering and Texas Tech University for research support. Imaging studies on the IR VIVO system were funded by the Core Facility Support Award (grant number RP200572) from the Cancer Prevention and Research Institute of Texas (CPRIT) to the Imaging Core, Texas Tech University Health Sciences Center at Amarillo. The authors acknowledge Md. Hasnat Rashid for acquiring TEM images and Nikita Gill for collecting absorption and fluorescence spectra of the polymer solutions. All graphics in this paper were made in BioRender.

REFERENCES.

(1) Vasquez, I.; Xue, R.; Srivastava, I. Surface-Enhanced Raman Scattering Nanotags: Design Strategies, Biomedical Applications, and Integration of Machine Learning. *WIREs Nanomedicine and Nanobiotechnology* **2025**, *17* (3), e70015. DOI: https://doi.org/10.1002/wnan.70015.

(2) Lin, L. L.; Alvarez-Puebla, R.; Liz-Marzán, L. M.; Trau, M.; Wang, J.; Fabris, L.; Wang, X.; Liu, G.; Xu, S.; Han, X. X.; et al. Surface-Enhanced Raman Spectroscopy for Biomedical Applications: Recent Advances and Future Challenges. *ACS Applied Materials & Interfaces* **2025**, *17* (11), 16287-16379. DOI: 10.1021/acsami.4c17502.

(3) Cao, J.; Zhu, B.; Zheng, K.; He, S.; Meng, L.; Song, J.; Yang, H. Recent Progress in NIR-II Contrast Agent for Biological Imaging. *Frontiers in Bioengineering and Biotechnology* **2020**, *Volume 7 - 2019*, Review. DOI: 10.3389/fbioe.2019.00487.

(4) Wang, Y.; Jiao, W.; Yin, Z.; Zhao, W.; Zhao, K.; Zhou, Y.; Fang, R.; Dong, B.; Chen, B.; Wang, Z. Application of near-infrared fluorescence imaging in the accurate assessment of surgical margins during breast-conserving surgery. *World Journal of Surgical Oncology* **2022**, *20* (1), 357. DOI: 10.1186/s12957-022-02827-4.

(5) Matsui, A.; Tanaka, E.; Choi, H. S.; Winer, J. H.; Kianzad, V.; Gioux, S.; Laurence, R. G.; Frangioni, J. V. Real-time intra-operative near-infrared fluorescence identification of the

extrahepatic bile ducts using clinically available contrast agents. *Surgery* **2010**, *148* (1), 87-95. DOI: https://doi.org/10.1016/j.surg.2009.12.004.

(6) Hu, Z.; Fang, C.; Li, B.; Zhang, Z.; Cao, C.; Cai, M.; Su, S.; Sun, X.; Shi, X.; Li, C.; et al. First-in-human liver-tumour surgery guided by multispectral fluorescence imaging in the visible and near-infrared-I/II windows. *Nature Biomedical Engineering* **2020**, *4* (3), 259-271. DOI: 10.1038/s41551-019-0494-0.

(7) Li, Y.; Cai, Z.; Liu, S.; Zhang, H.; Wong, S. T. H.; Lam, J. W. Y.; Kwok, R. T. K.; Qian, J.; Tang, B. Z. Design of AIEgens for near-infrared IIb imaging through structural modulation at molecular and morphological levels. *Nat Commun* **2020**, *11* (1), 1255. DOI: 10.1038/s41467-020-15095-1 .

(8) Wang, C.; Lin, H.; Ge, X.; Mu, J.; Su, L.; Zhang, X.; Niu, M.; Yang, H.; Song, J. Dye-Sensitized Downconversion Nanoprobes with Emission Beyond 1500 nm for Ratiometric Visualization of Cancer Redox State. *Advanced Functional Materials* **2021**, *31*. DOI: 10.1002/adfm.202009942.

(9) Xu, G.; Yan, Q.; Lv, X.; Zhu, Y.; Xin, K.; Shi, B.; Wang, R.; Chen, J.; Gao, W.; Shi, P.; et al. Imaging of Colorectal Cancers Using Activatable Nanoprobes with Second Near-Infrared Window Emission. *Angewandte Chemie International Edition* **2018**, *57* (14), 3626-3630. DOI: https://doi.org/10.1002/anie.201712528.

(10) Kenry; Duan, Y.; Liu, B. Recent Advances of Optical Imaging in the Second Near-Infrared Window. *Advanced Materials* **2018**, *30* (47), 1802394. DOI: https://doi.org/10.1002/adma.201802394.

(11) Tang, Y.; Pei, F.; Lu, X.; Fan, Q.; Huang, W. Recent Advances on Activatable NIR-II Fluorescence Probes for Biomedical Imaging. *Advanced Optical Materials* **2019**, *7* (21), 1900917. DOI: https://doi.org/10.1002/adom.201900917.

(12) Li, Y.; Li, X.; Xue, Z.; Jiang, M.; Zeng, S.; Hao, J. Second near-infrared emissive lanthanide complex for fast renal-clearable in vivo optical bioimaging and tiny tumor detection. *Biomaterials* **2018**, *169*, 35-44. DOI: 10.1016/j.biomaterials.2018.03.041.

(13) Pei, P.; Hu, H.; Chen, Y.; Wang, S.; Chen, J.; Ming, J.; Yang, Y.; Sun, C.; Zhao, S.; Zhang, F. NIR-II Ratiometric Lanthanide-Dye Hybrid Nanoprobes Doped Bioscaffolds for In Situ Bone Repair Monitoring. *Nano Letters* **2022**, *22* (2), 783-791. DOI: 10.1021/acs.nanolett.1c04356.

(14) Wan, H.; Yue, J.; Zhu, S.; Uno, T.; Zhang, X.; Yang, Q.; Yu, K.; Hong, G.; Wang, J.; Li, L.; et al. A bright organic NIR-II nanofluorophore for three-dimensional imaging into biological tissues. *Nature Communications* **2018**, *9* (1), 1171. DOI: 10.1038/s41467-018-03505-4.

(15) Zhu, S.; Hu, Z.; Tian, R.; Yung, B. C.; Yang, Q.; Zhao, S.; Kiesewetter, D. O.; Niu, G.; Sun, H.; Antaris, A. L.; et al. Repurposing Cyanine NIR-I Dyes Accelerates Clinical Translation of Near-Infrared-II (NIR-II) Bioimaging. *Advanced Materials* **2018**, *30* (34), 1802546. DOI: https://doi.org/10.1002/adma.201802546.

(16) Nagai, Y.; Hamano, R.; Nakamura, K.; Widjaja, I. A.; Tanaka, N.; Zhang, M.; Tanaka, T.; Kataura, H.; Yudasaka, M.; Fujigaya, T. Bright NIR-II fluorescence from biocompatible gel-coated carbon nanotubes for in vivo imaging. *Carbon* **2024**, *218*, 118728. DOI: https://doi.org/10.1016/j.carbon.2023.118728.

(17) Takeuchi, T.; Iizumi, Y.; Yudasaka, M.; Kizaka-Kondoh, S.; Okazaki, T. Characterization and Biodistribution Analysis of Oxygen-Doped Single-Walled Carbon Nanotubes Used as in Vivo Fluorescence Imaging Probes. *Bioconjugate Chemistry* **2019**, *30* (5), 1323-1330. DOI: 10.1021/acs.bioconjchem.9b00088.

(18) Li, Y.; Bai, G.; Zeng, S.; Hao, J. Theranostic Carbon Dots with Innovative NIR-II Emission for in Vivo Renal-Excreted Optical Imaging and Photothermal Therapy. *ACS Applied Materials & Interfaces* **2019**, *11* (5), 4737-4744. DOI: 10.1021/acsami.8b14877.

(19) Xue, X.; Li, J.; Chen, T.; Cui, M.; Liang, H.; Zhang, Y.; Xue, M.; Xiao, H.; Ge, J.; Wang, P. Molecularly Engineered NIR-II Emitting Carbon Dots Assemblies for Unprecedented High-Resolution Angiography and Synergistic Photodynamic/Photothermal Tumor Therapy. *Chemical Engineering Journal* **2025**, *505*, 159356. DOI: https://doi.org/10.1016/j.cej.2025.159356.

(20) Guo, M.; Zhang, G.; Zhao, R.; Ma, H.; Yan, Y.; Yang, S.; Meng, J.; Huang, Y.; Zhang, X.-D.; Wang, H.; et al. Ligand Engineering of Gold Nanoclusters for NIR-II Imaging. *ACS Applied Nano Materials* **2023**, *6* (17), 15945-15958. DOI: 10.1021/acsanm.3c02888.

(21) Li, D.; Liu, Q.; Qi, Q.; Shi, H.; Hsu, E.-C.; Chen, W.; Yuan, W.; Wu, Y.; Lin, S.; Zeng, Y.; et al. Gold Nanoclusters for NIR-II Fluorescence Imaging of Bones. *Small* **2020**, *16* (43), 2003851. DOI: https://doi.org/10.1002/smll.202003851.

(22) Li, J.; Jiang, R.; Wang, Q.; Li, X.; Hu, X.; Yuan, Y.; Lu, X.; Wang, W.; Huang, W.; Fan, Q. Semiconducting polymer nanotheranostics for NIR-II/Photoacoustic imaging-guided

photothermal initiated nitric oxide/photothermal therapy. *Biomaterials* **2019**, *217*, 119304. DOI: https://doi.org/10.1016/j.biomaterials.2019.119304.

(23) Men, X.; Geng, X.; Zhang, Z.; Chen, H.; Du, M.; Chen, Z.; Liu, G.; Wu, C.; Yuan, Z. Biomimetic semiconducting polymer dots for highly specific NIR-II fluorescence imaging of glioma. *Materials Today Bio* **2022**, *16*, 100383. DOI: https://doi.org/10.1016/j.mtbio.2022.100383.

(24) Gill, N.; Srivastava, I.; Tropp, J. Rational Design of NIR-II Emitting Conjugated Polymer Derived Nanoparticles for Image-Guided Cancer Interventions. *Advanced Healthcare Materials* **2024**, *13* (26), 2401297. DOI: https://doi.org/10.1002/adhm.202401297.

(25) Tropp, J.; Rivnay, J. Design of biodegradable and biocompatible conjugated polymers for bioelectronics. *Journal of Materials Chemistry C* **2021**, *9* (39), 13543-13556, 10.1039/D1TC03600A. DOI: 10.1039/D1TC03600A.

(26) Yang, Q.; Hu, Z.; Zhu, S.; Ma, R.; Ma, H.; Ma, Z.; Wan, H.; Zhu, T.; Jiang, Z.; Liu, W.; et al. Donor Engineering for NIR-II Molecular Fluorophores with Enhanced Fluorescent Performance. *Journal of the American Chemical Society* **2018**, *140* (5), 1715-1724. DOI: 10.1021/jacs.7b10334.

(27) Zhu, Y.; Zhang, R.; Cai, X.-M.; Zhang, L.; Wu, B.; Tan, H.; Zhou, K.; Wang, H.; Liu, Y.; Luo, Y.; et al. Acceptor Elongation Boosted Intersystem Crossing Affords Efficient NIR Type-I and AIE-Active Photosensitizers for Targeting Ferroptosis-Based Cancer Therapy. *Advanced Healthcare Materials* **2025**, *14* (7), 2404505. DOI: https://doi.org/10.1002/adhm.202404505.

(28) Liu, S.; Ou, H.; Li, Y.; Zhang, H.; Liu, J.; Lu, X.; Kwok, R. T. K.; Lam, J. W. Y.; Ding, D.; Tang, B. Z. Planar and Twisted Molecular Structure Leads to the High Brightness of Semiconducting Polymer Nanoparticles for NIR-IIa Fluorescence Imaging. *Journal of the American Chemical Society* **2020**, *142* (35), 15146-15156. DOI: 10.1021/jacs.0c07193.

(29) Li, J.; Zhang, Z.; Jiang, S.; Kang, M.; Wang, D.; Li, X.; Huang, P.; Gao, X.; Wang, D.; Tang, B. Z. NIR-II Excitable Semiconducting Polymers with AIE Characteristics for Fluorescence-Photoacoustic Imaging-Guided Synergistic Phototherapy. *Advanced Functional Materials* **2024**, *34* (32), 2401627. DOI: https://doi.org/10.1002/adfm.202401627 .

(30) Hu, X.; Chen, Z.; Ao, H.; Fan, Q.; Yang, Z.; Huang, W. Rational Molecular Engineering of Organic Semiconducting Nanoplatforms for Advancing NIR-II Fluorescence Theranostics.

Advanced Optical Materials **2022**, *10* (20), 2201067. DOI: https://doi.org/10.1002/adom.202201067.

(31) Zhu, H.; Fang, Y.; Zhen, X.; Wei, N.; Gao, Y.; Luo, K. Q.; Xu, C.; Duan, H.; Ding, D.; Chen, P.; et al. Multilayered semiconducting polymer nanoparticles with enhanced NIR fluorescence for molecular imaging in cells, zebrafish and mice††Electronic supplementary information (ESI) available. See DOI: 10.1039/c6sc01251e. *Chemical Science* **2016**, *7* (8), 5118-5125. DOI: https://doi.org/10.1039/c6sc01251e.

(32) Yuan, Y.; Diao, S.; Ni, X.; Zhang, D.; Yi, W.; Jian, C.; Hu, X.; Li, D.; Yu, A.; Zhou, W.; et al. Peptide-based semiconducting polymer nanoparticles for osteosarcoma-targeted NIR-II fluorescence/NIR-I photoacoustic dual-model imaging and photothermal/photodynamic therapies. *Journal of Nanobiotechnology* **2022**, *20* (1), 44. DOI: 10.1186/s12951-022-01249-4.

(33) Shou, K.; Tang, Y.; Chen, H.; Chen, S.; Zhang, L.; Zhang, A.; Fan, Q.; Yu, A.; Cheng, Z. Diketopyrrolopyrrole-based semiconducting polymer nanoparticles for in vivo second near-infrared window imaging and image-guided tumor surgery. *Chemical Science* **2018**, *9* (12), 3105-3110, 10.1039/C8SC00206A. DOI: 10.1039/C8SC00206A.

(34) Wen, G.; Li, X.; Zhang, Y.; Han, X.; Xu, X.; Liu, C.; Chan, K. W. Y.; Lee, C.-S.; Yin, C.; Bian, L.; et al. Effective Phototheranostics of Brain Tumor Assisted by Near-Infrared-II Light-Responsive Semiconducting Polymer Nanoparticles. *ACS Applied Materials & Interfaces* **2020**, *12* (30), 33492-33499. DOI: 10.1021/acsami.0c08562.

(35) Guo, B.; Sheng, Z.; Hu, D.; Liu, C.; Zheng, H.; Liu, B. Through Scalp and Skull NIR-II Photothermal Therapy of Deep Orthotopic Brain Tumors with Precise Photoacoustic Imaging Guidance. *Advanced Materials* **2018**, *30* (35), 1802591. DOI: https://doi.org/10.1002/adma.201802591.

(36) Huang, Y.; Jiang, K.; Zhang, X.; Chung, E. J. The effect of size, charge, and peptide ligand length on kidney targeting by small, organic nanoparticles. *Bioengineering & Translational Medicine* **2020**, *5* (3), e10173. DOI: https://doi.org/10.1002/btm2.10173.

(37) Pu, T.; Liu, Y.; Pei, Y.; Peng, J.; Wang, Z.; Du, M.; Liu, Q.; Zhong, F.; Zhang, M.; Li, F.; et al. NIR-II Fluorescence Imaging for the Detection and Resection of Cancerous Foci and Lymph Nodes in Early-Stage Orthotopic and Advanced-Stage Metastatic Ovarian Cancer Models. *ACS Applied Materials & Interfaces* **2023**, *15* (27), 32226-32239. DOI: 10.1021/acsami.3c04949.

(38) Xue, D.; Zhou, H.; Abudureheman, Z.; Lu, Z.; Rexiati, M.; Liu, J.; Li, G. 915 nm Laser Excited Semiconducting Polymer Nanoparticles for High-Resolution and Large-Depth NIR-IIb Bioimaging. *ACS Applied Materials & Interfaces* **2025**, *17* (28), 41080-41092. DOI: 10.1021/acsami.5c07563.

(39) Guo, B.; Chen, J.; Chen, N.; Middha, E.; Xu, S.; Pan, Y.; Wu, M.; Li, K.; Liu, C.; Liu, B. High-Resolution 3D NIR-II Photoacoustic Imaging of Cerebral and Tumor Vasculatures Using Conjugated Polymer Nanoparticles as Contrast Agent. *Advanced Materials* **2019**, *31* (25), 1808355. DOI: https://doi.org/10.1002/adma.201808355.

(40) Yang, Y.; Fan, X.; Li, L.; Yang, Y.; Nuernisha, A.; Xue, D.; He, C.; Qian, J.; Hu, Q.; Chen, H.; et al. Semiconducting Polymer Nanoparticles as Theranostic System for Near-Infrared-II Fluorescence Imaging and Photothermal Therapy under Safe Laser Fluence. *ACS Nano* **2020**, *14* (2), 2509-2521. DOI: 10.1021/acsnano.0c00043.

(41) Zhang, Y.; Jia, Y.; Zhu, S. NIR-II cyanine@albumin fluorophore for deep tissue imaging and imaging-guided surgery. *SmartMat* **2024**, *5* (4), e1245. DOI: https://doi.org/10.1002/smm2.1245.

(42) Chen, Q.; Chen, J.; Yang, Z.; Zhang, L.; Dong, Z.; Liu, Z. NIR-II light activated photodynamic therapy with protein-capped gold nanoclusters. *Nano Research* **2018**, *11* (10), 5657-5669. DOI: 10.1007/s12274-017-1917-4.

(43) Zhou, C.; Song, X.; Guo, C.; Tan, Y.; Zhao, J.; Yang, Q.; Chen, D.; Tan, T.; Sun, X.; Gong, T.; et al. Alternative and Injectable Preformed Albumin-Bound Anticancer Drug Delivery System for Anticancer and Antimetastasis Treatment. *ACS Applied Materials & Interfaces* **2019**, *11* (45), 42534-42548. DOI: 10.1021/acsami.9b11307.

(44) Xu, J.; Han, T.; Wang, Y.; Zhang, F.; Li, M.; Bai, L.; Wang, X.; Sun, B.; Wang, X.; Du, J.; et al. Ultrabright Renal-Clearable Cyanine-Protein Nanoprobes for High-Quality NIR-II Angiography and Lymphography. *Nano Letters* **2022**, *22* (19), 7965-7975. DOI: 10.1021/acs.nanolett.2c03311.

(45) Zhang, Y.; Yue, X.; Kim, B.; Yao, S.; Bondar, M. V.; Belfield, K. D. Bovine Serum Albumin Nanoparticles with Fluorogenic Near-IR-Emitting Squaraine Dyes. *ACS Applied Materials & Interfaces* **2013**, *5* (17), 8710-8717. DOI: 10.1021/am402361w.

(46) Cohen, S.; Pellach, M.; Kam, Y.; Grinberg, I.; Corem-Salkmon, E.; Rubinstein, A.; Margel, S. Synthesis and characterization of near IR fluorescent albumin nanoparticles for optical

detection of colon cancer. *Materials Science and Engineering: C* **2013**, *33* (2), 923-931. DOI: https://doi.org/10.1016/j.msec.2012.11.022.

(47) An, F. F.; Zhang, X. H. Strategies for Preparing Albumin-based Nanoparticles for Multifunctional Bioimaging and Drug Delivery. *Theranostics* **2017**, *7* (15), 3667-3689. DOI: 10.7150/thno.19365.

(48) Sheng, Z.; Hu, D.; Zheng, M.; Zhao, P.; Liu, H.; Gao, D.; Gong, P.; Gao, G.; Zhang, P.; Ma, Y.; et al. Smart Human Serum Albumin-Indocyanine Green Nanoparticles Generated by Programmed Assembly for Dual-Modal Imaging-Guided Cancer Synergistic Phototherapy. *ACS Nano* **2014**, *8* (12), 12310-12322. DOI: 10.1021/nn5062386.

(49) Lin, T.; Zhao, P.; Jiang, Y.; Tang, Y.; Jin, H.; Pan, Z.; He, H.; Yang, V. C.; Huang, Y. Blood–Brain-Barrier-Penetrating Albumin Nanoparticles for Biomimetic Drug Delivery via Albumin-Binding Protein Pathways for Antiglioma Therapy. *ACS Nano* **2016**, *10* (11), 9999-10012. DOI: 10.1021/acsnano.6b04268.

(50) Thavornpradit, S.; Usama, S. M.; Park, G. K.; Shrestha, J. P.; Nomura, S.; Baek, Y.; Choi, H. S.; Burgess, K. QuatCy: A Heptamethine Cyanine Modification With Improved Characteristics. *Theranostics* **2019**, *9* (10), 2856-2867, Research Paper. DOI: 10.7150/thno.33595.

(51) Harun, A.; Bendele, N.; Khalil, M. I.; Vasquez, I.; Djuanda, J.; Posey, R.; Rashid, M. H.; Christopher, G. F.; Bickel, U.; Gruev, V.; et al. 3D Tumor-Mimicking Phantom Models for Assessing NIR I/II Nanoparticles in Fluorescence-Guided Surgical Interventions. *ACS Nano* **2025**, *19* (21), 19757-19776. DOI: 10.1021/acsnano.5c01919.

(52) Bendele, N.; Kitamura, K.; Vasquez, I.; Harun, A.; Carroll, M.; Srivastava, I. Near-Infrared Afterglow Luminescence Amplification via Albumin Complexation of Semiconducting Polymer Nanoparticles for Surgical Navigation in Ex Vivo Porcine Models. *Advanced Functional Materials* **2024**, *34* (38), 2407753. DOI: https://doi.org/10.1002/adfm.202407753.

(53) Srivastava, I.; Misra, S. K.; Ostadhossein, F.; Daza, E.; Singh, J.; Pan, D. Surface chemistry of carbon nanoparticles functionally select their uptake in various stages of cancer cells. *Nano Research* **2017**, *10* (10), 3269-3284. DOI: 10.1007/s12274-017-1518-2.

(54) Srivastava, I.; Misra, S. K.; Bangru, S.; Boateng, K. A.; Soares, J. A. N. T.; Schwartz-Duval, A. S.; Kalsotra, A.; Pan, D. Complementary Oligonucleotide Conjugated Multicolor

Carbon Dots for Intracellular Recognition of Biological Events. *ACS Applied Materials & Interfaces* **2020**, *12* (14), 16137-16149. DOI: 10.1021/acsami.0c02463.

(55) Alafeef, M.; Srivastava, I.; Pan, D. Machine Learning for Precision Breast Cancer Diagnosis and Prediction of the Nanoparticle Cellular Internalization. *ACS Sensors* **2020**, *5* (6), 1689-1698. DOI: 10.1021/acssensors.0c00329.

(56) Srivastava, I.; Moitra, P.; Brent, K. M.; Wang, K.; Pandit, S.; Altun, E.; Pan, D. Biodegradable and Switchable Near-Infrared Fluorescent Probes for Hypoxia Detection. *Nanomedicine* **2023**, *18* (16), 1061-1073. DOI: 10.2217/nnm-2023-0095.

(57) Zubair, T.; Hasan, M. M.; Ramos, R. S.; Pankow, R. M. Conjugated polymers with near-infrared (NIR) optical absorption: structural design considerations and applications in organic electronics. *Journal of Materials Chemistry C* **2024**, *12* (23), 8188-8216, 10.1039/D4TC01391C. DOI: 10.1039/D4TC01391C.

(58) Friedman, H. C.; Cosco, E. D.; Atallah, T. L.; Jia, S.; Sletten, E. M.; Caram, J. R. Establishing design principles for emissive organic SWIR chromophores from energy gap laws. *Chem* **2021**, *7* (12), 3359-3376. DOI: https://doi.org/10.1016/j.chempr.2021.09.001.

(59) Li, Y.; Sonar, P.; Singh, S. P.; Zeng, W.; Soh, M. S. 3,6-Di(furan-2-yl)pyrrolo[3,4-c]pyrrole-1,4(2H,5H)-dione and bithiophene copolymer with rather disordered chain orientation showing high mobility in organic thin film transistors. *Journal of Materials Chemistry* **2011**, *21* (29), 10829-10835, 10.1039/C1JM11290B. DOI: 10.1039/C1JM11290B.

(60) Gill, N.; Posey, R.; Alfaro, B.; Garza, H.; Tran, J.; Mahmud, K.; Fritz, A.; Oyshi, T.; Srivastava, I.; Bickel, U.; Tropp, J. Multivariable Design of a Minimalist Conjugated Polymer Nanoparticle with Bright NIR-II Emission. DOI: 10.26434/chemrxiv-2025-h942k.

(61) Vinod, S. M.; Murugan Sreedevi, S.; Krishnan, A.; Ravichandran, K.; Karthikeyan, P.; Kotteswaran, B.; Rajendran, K. Complexity of the Role of Various Site-Specific and Selective Sudlow Binding Site Drugs in the Energetics and Stability of the Acridinedione Dye–Bovine Serum Albumin Complex: A Molecular Docking Approach. *ACS Omega* **2023**, *8* (6), 5634-5654. DOI: 10.1021/acsomega.2c07111.

(62) Lee, P.; Wu, X. Review: modifications of human serum albumin and their binding effect. *Curr Pharm Des* **2015**, *21* (14), 1862-1865. DOI: 10.2174/1381612821666150302115025.

(63) Jalali, E.; Sargolzaei, J.; Rajabi, P. Mechanistic insights into the interaction of anxiolytic drugs with human serum albumin in a ternary system utilizing spectroscopic and molecular

modeling approaches. *Scientific Reports* **2024**, *14* (1), 25480. DOI: 10.1038/s41598-024-76544-1.

(64) Wani, T. A.; Bakheit, A. H.; Abounassif, M. A.; Zargar, S. Study of Interactions of an Anticancer Drug Neratinib With Bovine Serum Albumin: Spectroscopic and Molecular Docking Approach. *Frontiers in Chemistry* **2018**, *Volume 6 - 2018*, Original Research. DOI: 10.3389/fchem.2018.00047.

(65) Ou, Y. F.; Ren, T. B.; Yuan, L.; Zhang, X. B. Molecular Design of NIR-II Polymethine Fluorophores for Bioimaging and Biosensing. *Chem Biomed Imaging* **2023**, *1* (3), 220-233. DOI: 10.1021/cbmi.3c00040 From NLM.

(66) Xu, J.; Zhu, N.; Du, Y.; Han, T.; Zheng, X.; Li, J.; Zhu, S. Biomimetic NIR-II fluorescent proteins created from chemogenic protein-seeking dyes for multicolor deep-tissue bioimaging. *Nature Communications* **2024**, *15* (1), 2845. DOI: 10.1038/s41467-024-47063-4.

(67) Srivastava, I.; Xue, R.; Huang, H.-K.; Wang, Z.; Jones, J.; Vasquez, I.; Pandit, S.; Lin, L.; Zhao, S.; Flatt, K.; et al. Biomimetic-Membrane-Protected Plasmonic Nanostructures as Dual-Modality Contrast Agents for Correlated Surface-Enhanced Raman Scattering and Photoacoustic Detection of Hidden Tumor Lesions. *ACS Applied Materials & Interfaces* **2024**, *16* (7), 8554-8569. DOI: 10.1021/acsami.3c18488.

(68) Blair, S.; Garcia, M.; Davis, T.; Zhu, Z.; Liang, Z.; Konopka, C.; Kauffman, K.; Colanceski, R.; Ferati, I.; Kondov, B.; et al. Hexachromatic bioinspired camera for image-guided cancer surgery. *Science Translational Medicine* **2021**, *13* (592), eaaw7067. DOI: 10.1126/scitranslmed.aaw7067.

(69) Prabhakar, U.; Maeda, H.; Jain, R. K.; Sevick-Muraca, E. M.; Zamboni, W.; Farokhzad, O. C.; Barry, S. T.; Gabizon, A.; Grodzinski, P.; Blakey, D. C. Challenges and Key Considerations of the Enhanced Permeability and Retention Effect for Nanomedicine Drug Delivery in Oncology. *Cancer Research* **2013**, *73* (8), 2412-2417. DOI: 10.1158/0008-5472.CAN-12-4561.

(70) Carmeliet, P.; Jain, R. K. Principles and mechanisms of vessel normalization for cancer and other angiogenic diseases. *Nature Reviews Drug Discovery* **2011**, *10* (6), 417-427. DOI: 10.1038/nrd3455.

(71) New Insights into "Permeability" as in the Enhanced Permeability and Retention Effect of Cancer Nanotherapeutics. *ACS Nano* **2017**, *11* (10), 9567-9569. DOI: 10.1021/acsnano.7b07214.

(72) Zheng, B.; Chen, Y.; Niu, L.; Zhang, X.; Yang, Y.; Wang, S.; Chen, W.; Cai, Z.; Huang, W.; Huang, W. Modulating the tumoral SPARC content to enhance albumin-based drug delivery for cancer therapy. *Journal of Controlled Release* **2024**, *366*, 596-610. DOI: https://doi.org/10.1016/j.jconrel.2023.12.057.

(73) Bergsten, T. M.; Lusk, H. J.; Haughan, M. A.; Guerrero, J. A.; Levy, S. E.; Lantvit, D. D.; Sanchez, L. M.; Burdette, J. E. Fallopian Tube-Derived High-Grade Serous Cancers Influence Ovarian Production of Norepinephrine and Generate Specific Metabolomic Signatures. *ACS Pharmacology & Translational Science* **2024**, *7* (7), 2185-2195. DOI: 10.1021/acsptsci.4c00238.

(74) Hoang, B.; Ernsting, M. J.; Roy, A.; Murakami, M.; Undzys, E.; Li, S.-D. Docetaxel-carboxymethylcellulose nanoparticles target cells via a SPARC and albumin dependent mechanism. *Biomaterials* **2015**, *59*, 66-76. DOI: https://doi.org/10.1016/j.biomaterials.2015.04.032.

(75) Tropp, J.; Mehta, A. S.; Ji, X.; Surendran, A.; Wu, R.; Schafer, E. A.; Reddy, M. M.; Patel, S. P.; Petty, A. J., II; Rivnay, J. Versatile Poly(3,4-ethylenedioxythiophene) Polyelectrolytes for Bioelectronics by Incorporation of an Activated Ester. *Chemistry of Materials* **2023**, *35* (1), 41-50. DOI: 10.1021/acs.chemmater.2c02315.

(76) Mehta, A. S.; Zhang, S. L.; Xie, X.; Khanna, S.; Tropp, J.; Ji, X.; Daso, R. E.; Franz, C. K.; Jordan, S. W.; Rivnay, J. Decellularized Biohybrid Nerve Promotes Motor Axon Projections. *Advanced Healthcare Materials* **2024**, *13* (30), 2401875. DOI: https://doi.org/10.1002/adhm.202401875.

TOC.