Comparative biomechanical characterization of maize brace roots within and between plants

Lindsay Erndwein[1], Elahe Ganji[2], Megan L. Killian[2], Erin E. Sparks[1]

1. Department of Plant and Soil Sciences and the Delaware Biotechnology Institute, 2. Department of Biomedical Engineering, University of Delaware.

ABSTRACT:

As the world faces the challenge of feeding a growing population and increasingly

unpredictable weather patterns, it is important to understand the plant features that will sustain

food production under stress. One type of stress that plants experience is mechanical, and

crops are susceptible to yield loss is by mechanical failure, called lodging. Brace roots (BR),

aerial nodal roots of maize (Zea mays L.), are proposed to impart mechanical stability on plants,

but little is known about the properties of BR that contribute to this function. Here, we define a 3-

point bending method to test the comparative biomechanics of maize BRs within and between

plants. We show that BR stiffness does not vary significantly within a plant neither along the

length of a BR nor between BRs of different whorls. However, there are significant differences

between plants of the same genotype. The differences manifested from variable BR diameter

and thus nonideal span lengths for 3-point bending. The results presented here provide the

foundation for widespread evaluation of BR mechanical properties and understanding their link

to plant mechanical stability.

15
16

INTRODUCTION:

Importance of Maize to Agriculture

With the human population projected to reach 9.8 billion by 2050, farmers must

maximize yields with increasingly limited resources. Compounded with this rising demand,

climate change is jeopardizing yields by creating unpredictable weather patterns. Sudden and

severe weather events can cause large patches of crops to either fall over or be blown over with

wind, a phenomenon known as lodging. Lodging is responsible for between 10 and 66% of

annual yield losses (Rajkumara 2008). There are two forms of lodging, root lodging and stalk

lodging. Stalk lodging involves the breakage of the stalk at any point below the corn ear. Root

lodging occurs when crops are up-rooted. Common causes of root lodging include strong winds,

under-developed root systems, heavy rain, drought, and insect herbivory (Spike and Tollefson

1991; Elmore et al. 2005). The type of lodging and magnitude of risk is highly dependent on

plant (Berry et al. 2004) and age (Carter and Hudelson 1988), with late season lodging resulting

in significant yield loss. Despite the prevalence and impact of lodging, the plant phenotypes and

physiological features that reduce the risk of late season crop lodging remain poorly understood.

Maize Brace Roots

Several cereal crops, including maize and sorghum, have structural organs called brace

roots (BR). BRs are aerial nodal roots that have been theorized to brace the plants from

mechanical loads and promote additional nutrient absorption (Wang et al. 1994; Van Deynze et

al. 2018). A feature of BR cell walls is the deposition of lignin that is known to provide structure

and stability (Hoppe et al. 1986). This lignification suggests that BRs are key structural

components of plants and provide resistance to shear forces. However, it remains unknown how

BRs contribute to plant stability and lodging resistance, or whether BR mechanical properties

depend on genotype or environment. Here, we aimed to determine the within and between plant

variation of BR mechanical properties as the first step towards dissecting their role in structural

stability.

Mechanical Characterization of Biological Materials

The American Society for Testing and Materials (ASTM) defines material testing

standards for a variety of engineering materials including metals, polymers, ceramics, lumber,

and composites, but not for living materials such as plants. The development of mechanical

testing strategies requires an understanding of sample deformation under applied load such as

tension, compression, shear, bending, and torsion. The mechanical characterization of plant

tissues is particularly advantageous for investigating stress response and failure modalities

involved in crop damage. Engineering theory and mechanical testing methodologies have been

employed to examine the effects of mechanical stress on development in a variety of plants

including tomatoes (Coutand et al. 2000), trees (Dean et al. 2002), barley (Kokubo et al. 1989)

and maize (Robertson et al. 2015a, 2015b, 2016, 2017; Al-Zube et al. 2017, 2018; Stubbs et al.

2019). In particular, Robertson et al. (Robertson et al. 2015a) used mechanical testing in maize

to investigate the interplay between stalk strength and stalk lodging resistance. Another study

compared the mechanical properties of maize stems using different loading strategies: tension,

compression, and 3-point bending (Al-Zube et al. 2018). Resulting elastic moduli were

reproducible among the three testing approaches (test-to-test variation < 5%), but sample

preparation involved in 3-point bending was the simplest. While these studies provide a

foundation for the evaluation of BR mechanical properties, the small size of BRs compared to

stalks introduces new challenges in mechanical testing.

This study aims to define a method to test the comparative biomechanics of maize BRs

within and between plants. Using 3-point bending tests, we show that BR stiffness does not vary

significantly within a plant, neither along the length of a BR nor between BRs of different whorls.

However, there are significant differences between plants of the same genotype. These results

lay the foundation for understanding the link between BR biomechanics and plant stability.

MATERIALS AND METHODS:

Plant Material

Maize plants, genotype B73, were grown in a greenhouse to at least vegetative leaf

stage 9 (V9). Plants were harvested by cutting the stalks with a pruning saw approximately 15

cm above the superior-most node with BRs and in the soil beneath the inferior-node with BRs.

Plant cuttings were rinsed with water to remove soil and BRs were excised with a razor as close

as possible to the stalk. BRs were dried (10-15% water weight) in a drying oven at 57 °C for 12

hours, to mimic conditions when maize is most susceptible to late season root lodging and to

prevent water from introducing variability in results. For testing reproducibility along the BR

length, three BRs per whorl per plant (18 BRs total) were chosen with the longest length and

least curvature. Each BR was then cut into three smaller sections using a Dremel saw (3000

Series, 0.5 inch EZ lock stainless steel rotary blades). Sample dimensions (length, large

diameter ($d1$) and small diameter ($d2$) were measured with a digital caliper (NEIKO 01407A, 0-6

inch, China). $d1$ and $d2$ measurements were taken at the midpoint of the BR section, because it

is the loading site during 3-point bending. Selection of BR samples was limited by curvature,

and selected samples ranged from 17.26 mm to 23.96 mm in length.

Naming Convention

A naming convention was defined to keep track of the BR sample classifications. Whorl

(WR) was used to refer to a node with emerged BRs. Whorls were numbered from top to bottom

of the plant with whorl 1 (WR1) as the superior-most WR with BRs present, and whorl 3 (WR3)

the inferior-most whorl. Sections (S) 1, 2, 3 indicate the sample's location along the BR length

(with S1 being closest to the stalk, and S3 closest to the BR tip). Plants (P) were specified: P1,

P2, and P3.

Mechanical Testing

A custom 3-point bend fixture was machined with 13.0 mm span length. Testing was

conducted using an Instron 5695 (Norwood, Massachusetts USA) equipped with a 100 N load

cell (Instron 2530 Series static load cell, Norwood, Massachusetts USA). Data were captured

with Bluehill 3 software (Norwood, Massachusetts USA). Each BR sample was placed in the

fixture and adjusted for mid-point loading. The specimen was tare loaded to approximately 0.2

N, gauge length was reset, and the test started. Specimen were loaded at a displacement rate

of 1 mm/min. Testing was stopped upon fracture. Fracture was defined as the first observed

crack in the BR section. This manifested in a sharp vertical drop in the force vs. displacement

graph. Stiffness (k) was defined as the linear slope of the force vs. displacement curve and was

extracted using a custom MATLAB code. To limit the subjectivity of the analysis, the linear slope

was measured twice and averaged.

Analysis

Two-tailed unpaired t-tests were conducted to compare k values between sections, WRs, and

plants. Sample size analyses were performed with G*Power, using the "Means: Difference from

Constant (one sample case)" statistical t test, and "A priori: Compute required sample size –

given alpha, power, and effect size". Graphs were constructed in R statistical computing

software with ggplot2 data visualization package (Wickham 2016). Regression analyses were

conducted to decipher how independent variables (average diameter and span length)

influenced variation.

RESULTS:

Stiffness Within Plants

To determine the variation in BR mechanical properties within a plant, we compared *k*

for samples collected from 1) along the length of the BR and 2) between BRs of different whorls.

The *k* of sections along the BR length, with S1 closest to the stalk and S3 closest to the BR tip,

were not statistically different (**Fig.1A)** (2-tailed unpaired t test between: S1 & S2: P = 0.19, S2

& S3: P = 0.39, S1 & S3: P = 0.07). Further, the *k* of BR extracted from each of the whorls, with

WR1 closest to the top and WR3 closest to the soil, were not statistically different between

WR1, WR2, and WR3 **(Fig.1B)** (2-tailed unpaired t test between: WR1 & WR2: P = 0.79, WR2 &

WR3: P = 0.66, WR1 & WR3: P = 0.88). This suggests that there is no statistical difference in

BR biomechanics within plants.

Sample Geometry Variation

Although there was no significant difference in BR biomechanics within plants, there was

a large distribution of *k*-values. To determine if this variation correlated with features of the

samples themselves, *k* was regressed by average diameter (*d*) and ratio of ideal span length

(**Fig.2**). As *d* increases, the *k* also increases in a direct linear relationship (R2 = 0.67) (**Fig.2A**).

We expect to see a distinct relationship between *k* and span length because diameter

influences the ratio of span length to diameter. Due to the layering of the dermal tissues with the

internal vasculature, we treated BRs as a "sandwich structured" polymer matrix composite (Al-

Zube et al. 2018). According to ASTM Standards D726, ideal span length to sample diameter

ratio for such composites is 16:1. This ratio was not attainable, because BR sample lengths

were limited by natural curvature and variation of sample diameter. Instead, the span length of

the mechanical testing fixture was machined to be 13 mm in length, because it was the longest

span length possible for testing all BR samples. A constant span length resulted in the span

length to diameter ratio for BR samples to range from 3:1 to 12:1.

To determine if the use of non-ideal span length ratios contributed to the variation in our
results, we calculated the Actual Span Length to Ideal Span Length (*ASL:ISL*) ratio and
regressed *k* by this ratio **(Fig.2B)**.   *k*-values decrease with the increase of ASL:ISL, until
ASL:ISL = 0.4, where the regression flattened out. At ASL:ISL = 0.4, in each 0.1 ASL:ISL
increase, the sum of residuals decreases by a factor of 3. This indicated that as testing span
length ≥ 40% of sample's ideal span length, sample *k*-value is less dependent on the testing
span length. Thus both sample diameter and span length affect the measurement of *k.*

Stiffness Between Plants

To determine the variation of BR biomechanics between plants, we compared the
distribution of test results from each plant. Color coding each data point by plant shows the
measurements of diameters and *k* tend to cluster by plant (**Fig.2**). Analysis of *k* between the
three plants of the same genotype show significant differences between plants (**Fig.3**) (2-tailed
unpaired t test between: P1 & P2: P = 9.1×10^{-6}, P2 & P3: P = 0.81, P1 & P3: P = 2.2×10^{-8}).
This suggests that there is a statistical difference in BR biomechanics between plants.

DISCUSSION:

Stiffness Reproducibility Along Roots

It is difficult to test identical sections of BRs with repeatable results because of their
short length and variably geometry. Curvature and warping of BRs is dependent on BR growth
and the drying process, which may influence mechanical properties. Spatially restricting testing
samples would result in many unusable sections. Although choosing the straightest sample in
any section along the BR might be a feasible alternative approach, reproducibility among
sections of the same BR was unclear. Here, we showed that comparative mechanical
characterization of BRs is repeatable along the length of a BR.

Stiffness Reproducibility Between Whorls

We sought to reveal how k varied between BR WRs. Because BRs in WR3 were all touching the soil, and lateral roots were closer to the stem than in WR1 and WR2, it is difficult to obtain samples from these BR that are long and straight enough for testing. Here we determined that k-values were not significantly different between the three BR WRs. The longest, straightest sections of BRs can thus be chosen from any section on any WR in a plant of a particular genotype to obtain comparable k-values. This simplifies future studies involving the comparison of BR k-values between multiple genotypes.

Technical Variation: The Effect of Diameter and Span Length on BR Stiffness

Despite k between sections and WRs not varying significantly, there is variation within these data. Visualizing the relationship between k and BR average diameter (**Fig.2A**) shows as BR average diameter increased, so does the k. This relationship was directly linear; however, as $d > 2$ mm for each 0.5 mm increase of d, the sum of k residuals increased by a factor of 10. Higher diameters and consequently non-ideal span lengths enable shear forces that initiate slipping. Slipping introduces error that manifests in falsely high k-values.

Regression analyses describe the effect of BR geometry on k variability within samples. It revealed that ideal BR samples would have average diameters 2 mm or less and testing span lengths of at least 40% ideal span length. Due to biological variation and the wide range of BR sample geometry, limiting our analysis to just these ideal samples would restrict our ability to compare BR biomechanics.

Biological Variation: Stiffness Between Plants of the Same Genotype

Even though plants used in this study were grown from the same seed batch in identical controlled conditions, there is variation in BR geometry between plants. In order to compare results from different genotypes in futures studies, this biological variation can be overcome by

testing BR samples from a large enough population of plants. Indeed a sample size analysis

suggests that 5 plants is sufficient to determine differences between B73 and another genotype.

Limitations

Here we utilize 3-point bending to determine k, because it is the easiest and quickest

way to test large sample sizes, which are limited by length. Robertson et al. (Robertson et al.

2015b) highlighted one major pitfall of 3-point bending when loading maize stems that internode

loaded stalks resulted in premature failure, a type of transverse deformation called brazier

buckling. To acquire comparable k measurements and minimize brazier buckling, it is important

to design bending experiments that cause material to fail on the surface experiencing tension -

opposite anvil application. To confirm there was no brazier buckling in BR testing, macro images

were taken every ten seconds of each 3-point bend test to qualitatively investigate any

transverse deformation and other unusual loading patterns. Although brazier buckling was a

concern, images showed that BRs failed opposite anvil application (data not shown). This most

likely resulted because BRs, unlike maize rind, do not contain a spongy parenchymal pith.

The characterization of biological plant materials through theoretical engineering

approaches is often difficult because the properties of plant materials depend on genetics and

environment. Even when these independent variables are controlled for, there exists significant

variation among properties and phenotypes. In order to develop standards for BR mechanical

testing, we mitigated as many of these interfering variables as possible. Variation was

minimized by using the same maize genotype (B73), growing all plants in the identical

environments, harvesting at the same or similar growth stages, and drying all BRs in a drying

oven for a controlled amount of time.

Despite these controls, several aspects of this methodology may have introduced slight

variation in the results. First, samples were limited in length and number due to BR curvature.

Several samples tested still exhibited slight curvature that may have contributed to inaccurate

increase in k before fracture. In addition to said possible sources of error, biological variability

between maize plants was also unavoidable. For example, differences plant nutrient availability,

energy diverted to fight pathogens, genetic variation, and growth timing can all manifest as

differences in BR diameter and ideal span length, which may result in k variation.

Implications

At the intersection of plant biology and engineering, plant biomechanics is a quickly

growing field. To facilitate its growth, methodologies for material testing and characterization

should be clearly defined. We have shown that mechanical properties are reproducible and

scalable along the BR. Overall, this research outlines a methodology that yields reproducible

results, establishes a tolerance limit of BR diameter and span length ratios, and enables the

comparison of BR biomechanics between different maize genotypes.

ACKNOWLEDGEMENTS

We would like to thank Nathan Harlan for assisting in plant watering, members of the Sparks

Laboratory for providing feedback on the manuscript, and Dr. Dawn Elliott's Laboratory at the

University of Delaware for providing access to the mechanical testing equipment. This research

was funded by the University of Delaware Research Foundation Award to EES.

REFERENCES:

Al-Zube, L.A., Robertson, D.J., Edwards, J.N., Sun, W., and Cook, D.D. 2017. Measuring the compressive modulus of elasticity of pith-filled plant stems. Plant Methods **13**: 99.

Al-Zube, L., Sun, W., Robertson, D., and Cook, D. 2018. The elastic modulus for maize stems. Plant Methods **14**: 11.

Berry, P.M., Sterling, M., Spink, J.H., Baker, C.J., Sylvester-Bradley, R., Mooney, S.J., Tams, A.R., and Ennos, A.R. 2004. Understanding and Reducing Lodging in Cereals. *In* Advances in Agronomy. Academic Press. pp. 217–271.

Carter, P.R., and Hudelson, K.D. 1988. Influence of Simulated Wind Lodging on Corn Growth and Grain Yield. J. Prod. Agric. **1**: 295–299. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America, Madison, WI.

Coutand, C., Julien, J.L., Moulia, B., Mauget, J.C., and Guitard, D. 2000. Biomechanical study of the effect of a controlled bending on tomato stem elongation: global mechanical analysis. J. Exp. Bot. **51**(352): 1813–1824.

Dean, T.J., Roberts, S., Gilmore, D., Maguire, D.A., Long, J.N., O'Hara, K.L., and Seymour, R.S. 2002. An evaluation of the uniform stress hypothesis based on stem geometry in selected North American conifers. Trees **16**(8): 559–568.

Elmore, R.W., Marx, D.B., Klein, R.G., and Abendroth, L.J. 2005. Wind effect on corn leaf azimuth. Crop Sci. **45**(6): 2598–2604. Crop Science Society of America. [accessed 11 February 2019].

Hoppe, D.C., McCully, M.E., and Wenzel, C.L. 1986. The nodal roots of Zea: their development in relation to structural features of the stem. Can. J. Bot. **64**(11): 2524–2537. NRC Research Press.

Kokubo, A., Kuraishi, S., and Sakurai, N. 1989. Culm strength of barley : correlation among maximum bending stress, cell wall dimensions, and cellulose content. Plant Physiol. **91**(3): 876–882.

Rajkumara, S. 2008. Lodging in Cereals-A Review. Agricultural Reviews **29**(1): 55. Agricultural Research Communication Centre Sudan.

Robertson, D.J., Julias, M., Gardunia, B.W., Barten, T., and Cook, D.D. 2015a. Corn Stalk Lodging: A Forensic Engineering Approach Provides Insights into Failure Patterns and Mechanisms. Crop Sci. **55**: 2833–2841. The Crop Science Society of America, Inc., Madison, WI.

Robertson, D.J., Julias, M., Lee, S.Y., and Cook, D.D. 2017. Maize Stalk Lodging: Morphological Determinants of Stalk Strength. Crop Sci. **57**: 926–934. The Crop Science Society of America, Inc., Madison, WI.

Robertson, D.J., Lee, S.Y., Julias, M., and Cook, D.D. 2016. Maize Stalk Lodging: Flexural Stiffness Predicts Strength. Crop Sci. **56**: 1711–1718. The Crop Science Society of America, Inc., Madison, WI.

Robertson, D.J., Smith, S.L., and Cook, D.D. 2015b. On measuring the bending strength of septate grass stems. Am. J. Bot. **102**(1): 5–11.

Spike, B.P., and Tollefson, J.J. 1991. Yield Response of Corn Subjected to Western Corn Root worm (Coleoptera: Chrysomelidae) Infestation and Lodging. J. Econ. Entomol. **84**(5): 1585–1590. Oxford University Press. [accessed 11 February 2019].

310
311 Stubbs, C.J., Sun, W., and Cook, D.D. 2019. Measuring the transverse Young's modulus of maize rind
312   and pith tissues. J. Biomech. **84**: 113–120.
313
314 Van Deynze, A., Zamora, P., Delaux, P.-M., Heitmann, C., Jayaraman, D., Rajasekar, S., Graham, D.,
315   Maeda, J., Gibson, D., Schwartz, K.D., Berry, A.M., Bhatnagar, S., Jospin, G., Darling, A., Jeannotte,
316   R., Lopez, J., Weimer, B.C., Eisen, J.A., Shapiro, H.-Y., Ané, J.-M., and Bennett, A.B. 2018. Nitrogen
317   fixation in a landrace of maize is supported by a mucilage-associated diazotrophic microbiota. PLoS
318   Biol. **16**(8): e2006352.
319
320 Wang, X.L., McCully, M.E., and Canny, M.J. 1994. The branch roots of Zea : IV. The maturation and
321   openness of xylem conduits in first-order branches of soil-grown roots. New Phytol. **126**(1): 21–29.
322
323 Wickham, H. 2016. ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York.
324   http://ggplot2.org.

Fig.1 Stiffness *(k)* distribution plots reveal that there exists no significant variation between sections along a brace root nor between whorls of the same genotype. For 3-point bend tests, brace roots were cut into sections, with S1 closest to the stalk and S3 closest to the root tip. Brace roots were collected from three bottom whorls of each plant, with WR1 as the superior whorl of brace roots. *k* distribution plots were constructed for (**A**) three sections (S1, S2, S3) along the length of the brace root and (**B**) between whorls (WR1, WR2, WR3). There were no significant differences in *k* ($P > 0.05$) between sections along the root length (S1 & S2: p = 0.19, S2 & S3: p = 0.39, S1 & S3: p = 0.07), nor between whorls (WR1 & WR2: p = 0.79, WR2 & WR3: p = 0.66, WR1 & WR3: p = 0.88) [Unpaired t tests] Complete brace roots (BR) refer to those with S1, S2, and S3. Incomplete BR are those without S3.

Fig.2 Variation in stiffness *(k)* is linearly correlated with changes in sample diameter and ratio of actual span length to ideal span length. *k* was regressed by (**A**) brace root average diameter (*d*) and (**B**) ratio of actual span length (13 mm) to ideal span length (16*d*) (ASL:ISL). The resulting regressions show that increases in diameter linearly correlate with increases in *k* (R^2 = 0.67). As average diameter reaches (*d* > 2 mm), sum of residuals for each *d* + 1 mm step increases by at least a factor of 10. Non-ideal spans (0 - 0.39% ideal) accumulate error and *k*-values are highly effected by nonideal span lengths until about 40% ideal. As ASL:ISL > 0.4, sum of residuals for each ASL:ISL + 0.1 decreases by at least a factor of 3 and the ASL:ISL is inversely correlated with *k*. This analysis shows that brace roots with *d* ≤ 2 mm and span length ≥ 40% (ASL:ISL ≥ 0.4) will yield the most reproducible stiffness (Dashed line).

Fig.3 Stiffness *(k)* distribution plots between brace root samples grouped by plant show significant differences. P1 exhibited significantly lower *k*-values (P < 0.05) than P2 and P3 (P1 & P2: $p = 9.1 \times 10^{-6}$, P2 & P3: $p = 0.81$, P1 & P3: $p = 2.2 \times 10^{-8}$) [Unpaired t tests].