

A Critical Review on the Use of Support Values in Tree Viewers and Bioinformatics Toolkits

Lucas Czech,^{1*} Jaime Huerta-Cepas² and Alexandros Stamatakis^{1,3}

¹ Heidelberg Institute for Theoretical Studies, Schloss-Wolfsbrunnenweg 35, 69118 Heidelberg, Germany.

² Structural and Computational Biology Unit, European Molecular Biology Laboratory, Meyerhofstrasse 1, 69117 Heidelberg, Germany.

³ Karlsruhe Institute of Technology, Institute for Theoretical Informatics, Am Fasanengarten 5, 76131 Karlsruhe, Germany.

*Corresponding author: lucas.czech@h-its.org

Abstract—Phylogenetic trees are routinely visualized to present and interpret the evolutionary relationships of species. Virtually all empirical evolutionary data studies contain a visualization of the inferred tree with support values. Ambiguous semantics in tree file formats can lead to erroneous tree visualizations and therefore to incorrect interpretations of phylogenetic analyses.

Here, we discuss problems that can and do arise when displaying branch support values on trees after re-rooting. Branch support values are typically stored as node labels in the widely-used Newick tree format. However, support values are attributes of branches. Storing them as node labels can yield errors when re-rooting trees. This depends on the mostly implicit semantics that tools deploy to interpret node labels. We reviewed 10 tree viewers and 7 bioinformatics toolkits that can re-root trees. We found that 12 out of 17 of these tools did not permit users choosing the semantics of node labels. Thus, unaware users might get incorrect results when rooting trees produced by common phylogenetic inference programs. We illustrate such an incorrect mapping through several test cases and real examples taken from the literature. This review has led to improvements and workarounds in 5 of the tested tools. We suggest tools should provide an option that explicitly forces users to define the semantics of branch support values.

(Keywords: Phylogenetic trees; Tree visualization; Tree viewers; Bioinformatics toolkits; Newick format; Branch support values; Branch labels; Software; Bugs)

I. INTRODUCTION

A. Problem Description

The Newick format is widely used to store and visualize phylogenies. Archie et al. introduced it in 1986 [1]. Since then, it has become the de-facto standard for storing, exchanging, and displaying phylogenies. It uses parentheses and commas to specify the nesting structure of the tree and also allows for storing node labels and branch lengths.

In many cases, however, additional vital information needs to be associated with the branches of a tree. Published phylogenies usually display branch support values, such as bootstrap [2], Bayesian posterior probability [3], or aLRT

test [4] values. These values are associated with branches (splits/bipartitions) of the tree and not nodes of the tree. In the original specification of the Newick format, the authors had not foreseen an option for specifying branch labels or other meta-data associated to branches.

Thus, as a workaround, branch support values are often stored as inner node labels in the output of phylogenetic inference tools. Node labels of tip nodes usually contain the species name of the extant organisms. Inner nodes, however, represent hypothetical common ancestors and do therefore generally not have a species name. Thus, these inner node labels can be (mis-)used to store branch support information.

While the original Newick format is well-defined, there is no official standard for it, including respective semantics. Hence, there is also no officially correct way of using it attributes of branches and nodes can essentially be interpreted ad libitum. Thus, users need to be aware of the semantics of such attributes. Their interpretation depends on the convention used when storing those values in Newick format.

The convention, or rather workaround, for storing branch support values as node labels exhibits potential pitfalls. This is because, in an unrooted binary tree, it is not clear to which of the three outgoing branches of an inner node such a node label refers to.

However, for rooted trees, there is an unambiguous mapping of node labels to branches: The node label (support value) at an inner node can always be associated with (or mapped to) the outgoing branch that points toward the root. Note that, unrooted trees often have a dedicated inner node that serves as a hook for both, computing, and visualizing the tree. This so called top-level trifurcation is not a root in the strict sense, but required for storing and parsing the tree, because we need to recursively start traversing the tree from somewhere. We can choose the inner node that serves as top-level trifurcation arbitrarily. That is, the same underlying unrooted tree can be displayed or written to file in many distinct ways. For n taxa, an unrooted binary tree

has $n - 2$ inner nodes, hence we can choose $n - 2$ such top-level trifurcations. For each of these possible top-level trifurcations, we can then also freely choose by which order we descend into the sub-trees defined by the three outgoing branches to print out or visualize the tree. The chosen top-level trifurcation induces an artificial orientation for branches in the tree, and can thus be used to unambiguously associate node labels with branches. Figure 1 shows an unrooted tree with this structure.




Figure 1: Original rooting (via top-level trifurcation) and visual representation of our Newick test tree T_N . Inner nodes and branches are colored according to the correct node label to branch mapping of T_N .

Thus, both rooted and unrooted trees in Newick format explicitly (root) or implicitly (top-level trifurcation) encode a direction for branches. Therefore, the mapping between branch support values and node labels in Newick files is well defined in principle: For restoring the correct association between node labels and branches, the direction towards the top-level node (root or top-level trifurcation) can be used. This however entails an implicit semantic interpretation. When reading a Newick-formatted tree, the user or program needs to know if inner node labels need to be rather interpreted as branch values. When this semantic distinction is not made, node labels need to be interpreted as being associated to the nodes, because this is what the Newick format originally intended. When node labels that should be interpreted as branch labels (e.g., support values) are erroneously interpreted as node labels, this can lead to incorrect visualizations as well as interpretations of phylogenies. These issues can potentially affect downstream analysis tools that parse phylogenies with node labels, e.g., tools for computing the weighted Robinson-Foulds distance [5] between phylogenies with support values.

Here, we show that 12 out of 17 common tree viewers and general purpose bioinformatics toolkits do not offer an explicit option for specifying the semantics of inner node labels. A simple way to examine the behavior of tools in this regard, is to (re-)root a given tree – an option that all tested viewers and toolkits offer. If node labels shall represent branch labels, the association of some node labels

with corresponding branches has to be changed during the re-rooting process. This is because the direction towards the root (or top-level trifurcation) changes. We found that, 7 out of 17 tools exhibit incorrect behaviour when re-rooting trees.

B. Test Case

Our unrooted bifurcating Newick test tree with inner node labels

$$T_N = ((C,D)1,(A,(B,X)3)2,E)R;$$

has six leaf nodes (A...E) and four inner nodes (labeled 1...3, and the top-level trifurcation R). For the sake of simplicity, we ignore branch length values. We use T_N throughout this review to test the behavior of tree viewers and toolkits when re-rooting the original topology. We also outline potential problems that may arise due to the mostly implicit semantics of inner node labels in Newick trees.

Note that, some programs can output branch support values as Newick comments in square brackets instead of node labels. The tree

$$T_C = ((C,D)[1],[A,(B,X)[3]][2],E)[R];$$

shows an example for this notation and contains the same information as tree T_N . For the semantics and the association of those comments with branches, the same convention applies as for the node label notation. Some of the tested tools are able to correctly parse and display this format, but, in general, the same semantic issues and mapping problems arise.

For example, the output formats for phylogenies with branch support values of three widely-used phylogenetic inference tools are different. PHYML [6] reports support values as node labels, see [7]. RAxML [8] generates two tree files, one with comments and one with node labels. Finally, MrBayes [9], [10] uses its own Nexus-based format, which internally uses a variation of Newick comments to report support values (posterior probabilities). Those different idiosyncratic output formats illustrate the difficulties associated to working with trees having branch support values.

In Figure 1 we show tree T_N , where colours indicate the correct mapping of inner node labels to nodes and branches.

If we now (re-)root T_N at the branch that leads to tip X, the mappings between all nodes and branches that lie on the path between the old and the new top-level node have to be altered. In our example, the nodes on the path from R to X are the inner nodes 2 and 3. In Figure 2, we display the incorrect (2(a)) and correct (2(b)) mapping of inner node labels to nodes and branches after re-rooting. Note that, this rooted binary tree now contains one more node, which is the newly created root node R. In both Figures, the inner node labels are correctly assigned to their corresponding nodes.

However, the association of those labels to the corresponding branches is only correct in Figure 2(b).




Figure 2: Tree T_N (and T_C) rooted on the branch leading to the tip node X. It contains an additional root node R' . (a) Node labels are mapped incorrectly to branches, resulting in a tree with an erroneous node label to support value mapping. (b) Node labels are correctly mapped to the branches of the tree.

An incorrect mapping of node labels to branches as presented in Figure 2(a) will lead to incorrectly displayed branch support values in empirical phylogenetic studies. In addition, since a typically large fraction of the results and discussion sections of such studies is dedicated to interpreting the support values of the phylogeny, the conclusions of these studies might also be incorrect.

In the following, we examine different popular tree viewers and several bioinformatics toolkits to determine if they maintain the correct branch support mapping when re-rooting our test tree T_N at the branch leading to tip node X.

Finally, since Dendroscope [11], one of the most commonly used tree viewers tested, yielded incorrect mappings for all versions prior to v. 3.5.0 (released 2016-01-07), we also assessed if there exist published empirical phylogenetic studies using Dendroscope with incorrectly visualized support values.

II. REVIEW

A. Experimental Setup

Given a Newick tree with inner node labels (e.g., tree T_N with labels 1, 2 and 3), we distinguish between two possible interpretations for those labels: i) They are actual node labels (e.g., ancestral species names). We call this the “node interpretation”, and ii) they represent branch labels (e.g., support values). We call this the “branch interpretation”. The same applies to trees that use comments instead of node labels (e.g., tree T_C). For a program to support both interpretations, a reasonable solution would be to offer an

option for choosing between the two, that is, to include an explicit semantic interpretation dialogue.

We tested the tree viewers as follows:

- Check whether the tool has an option to specify the semantics of inner values.
- Load trees T_N and T_C from the corresponding Newick file.
- Check how the tool interprets the values.
- Re-root the tree at the branch leading to node X.
- Check whether the viewer works correctly based on its interpretation.

In Table I, we provide an overview of the tested tree viewers and bioinformatics toolkits. While the list does not cover all available tools, we focus on highly used resources offering re-rooting capabilities, as the impact of potential errors in these tools on published phylogenies is larger. We also tested some less known tools, in order to assess how widely spread the issue is.

In the following, we discuss our observations for the aforementioned tree viewers and general purpose toolkits. In Table II we provide an overview of these results.

B. Results – Tree Viewers

Archaeopteryx is aware of the semantic issue, see [28]. It offers an option to define the semantics of annotated values. The default is to interpret nodes labels as node labels, thus the re-rooted tree is correctly displayed only for the node interpretation. When activating the option “Internal Node Names are Confidence Values”, re-rooting algorithms correctly shift support values to the corresponding branches. Prior to v. 0.9911, there was a minor issue in displaying these values on screen. This was fixed after we contacted the developers. Archaeopteryx does not support the comment notation (e.g., tree T_C).

ATV is the predecessor to Archaeopteryx. Different versions seem to alternate between the two possible interpretations of inner node labels. The one we tested uses the branch interpretation of node labels and thus correctly re-roots.

Dendroscope versions prior to v. 3.5.0 only offered the node labels as node labels interpretation for our test trees. This led to incorrect results when re-rooting trees with node labels that actually represented branch support values. Only if the tree also contains branch lengths, Dendroscope interpreted the Newick comments as support values (e.g., tree T_C plus branch lengths). The alternative notation using inner node labels (e.g., tree T_N) is not affected by this and always applies the node label interpretation. This behavior was not fully documented in the manual. We assess the impact of this behavior on published empirical phylogenetic studies in Section “Impact on Empirical Phylogenetic Studies”. In the latest versions of Dendroscope (v. 3.5.0 up to v. 3.5.4), all of our recommendations (see Section “Conclusions”) made in the first bioRxiv preprint [29] of this review were implemented by Daniel Huson. When reading a Newick file

Table I: Evaluated tree viewers and bioinformatics toolkits with accumulated number of citations (<https://scholar.google.com/>, accessed on 2016-08-15).

Viewer	Version	Citation	Citations
Archaeopteryx	0.9911	[12]	258
ATV	4.00 alpha 13	[13]	283
Dendroscope	3.4.0 and 3.5.3	[11]	1,279
ETE2 (GUI)	2.3.10	[14]	210
EvolView	Accessed 2015-12-22	[15]	96
FigTree	1.4.2	[16]	91
iTOL	N/A	[17]	768
PhyloWidget	Accessed 2015-12-22	[18]	108
TreeView	1.6.6 (Windows)	[19]	10,431
T-REX	N/A	[20]	114
APE	3.4	[21]	3,688
BioPerl	1.006925	[22]	1,389
BioPython	1.63b	[23]	744
Dendropy	4.1.0	[24]	490
ETE3 (API)	3.0.0b35	[25]	5
Newick Utilities	1.6	[26]	87
Pycogent/scikit-bio	1.5.3	[27]	144
Total			20,185

Table II: Evaluation of tree viewers and bioinformatics toolkits. The columns “Nodes” and “Branches” indicate which of the two interpretations of Newick node labels the tool supports. The last column shows whether the re-rooting behavior is correct according to the interpretation offered or implied by the tool.

Tool	Nodes	Branches	Default behavior	Correct re-rooting
Archaeopteryx	✓	✓	nodes	✓
ATV		✓	branches	✓
Dendroscope	✓	✓*	dialogue*	✓*
ETE2 (GUI)	✓	✓	branches	✓
EvolView		✓	branches	
FigTree	✓	✓	both	
iTOL	✓	✓	input dependent	✓
PhyloWidget	✓		nodes	
TreeView		✓	branches	✓
T-REX		✓	branches	(✓)
APE	✓	✓*	nodes	✓*
BioPerl	✓	✓	nodes	✓
BioPython	✓		nodes	
Dendropy	✓	✓*	nodes	(✓)
ETE (API)	✓	✓	branches	✓
Newick Utilities	✓	✓*	nodes	✓*
Pycogent/scikit-bio		✓	branches	✓

* Option added or improved after this review.

with node labels, Dendroscope now explicitly asks the user for the intended interpretation. It also has a menu option to chose between the interpretations.

ETE (GUI) is another viewer that supports both interpretations. When reading a Newick formatted tree, it offers an option for specifying label semantics. The comment notation is not supported (e.g., tree T_C).

EvolView is able to display numerical values at inner nodes. Re-rooting however misplaces those values to wrong nodes and sets some of them to zero. Re-rooting a given tree several times at different branches results in all inner node values becoming zero. Furthermore, re-rooting does not resolve the initial trifurcation properly, so that the resulting tree contains a multifurcation at node R. The developers are

aware of these issues, and intend to fix them in a future release.

FigTree is able to display multiple inner node labels using both semantic interpretations. When re-rooting the tree, however, there is no option to define the interpretation of the node labels, that is, FigTree internally always assumes the branch interpretation. Thus, after re-rooting actual node labels, the labels are mapped to wrong nodes. In addition, it can not parse certain Newick variants, such as trees that contain both, branch lengths, and support values stored as comments.

iTOL works correctly. If the inner values are numbers, it implicitly applies the branch support values interpretation. If they are strings, they are interpreted as inner node names. In

both cases, re-rooting works as expected. However, it does not offer an explicit option to change this behaviour, that is, to interpret numbers as belonging to the nodes, or strings as belonging to the branches.

PhyloWidget interprets node labels as node labels. Thus, re-rooting a tree with branch support values yields errors. Also, re-rooting does not resolve the initial trifurcation, similar to *EvolView*. *PhyloWidget* is no longer maintained, thus its authors recommend not to use it for re-rooting phylogenies or displaying branch support values. Therefore, it is marked as not correct in Table II.

TreeView interprets node labels as branch support values and correctly re-roots under this interpretation. However, it displays the values next to the nodes instead of the branches, which may lead to potential confusion.

T-REX also applies the branch interpretation and correctly re-roots. The values are however always displayed as percentages, that is, followed by a “%” sign. This is not always the correct or desired way for displaying branch support values. The developers plan to fix this in the next release. Hence, we marked it as almost correct in Table II. *T-REX* does not work with the comment notation.

C. Results – Bioinformatics Toolkits

APE interprets inner node labels as node attributes when re-rooting. We reported this issue to the project maintainers and a new version of the package (v. 3.6) is now available that allows handling node labels as support values when rooting. In addition, a workaround solution is provided in the supplementary material of this manuscript that patches previous *APE* versions.

BioPerl offers options to explicitly load node labels as branch or node attributes. When the branch interpretation is selected, re-rooting algorithms work correctly.

BioPython, with the *BioPhylo* module for handling trees [30], interprets inner node labels as confidence values when parsing a Newick tree. However, those values are handled as node attributes rather than as branch attributes when re-rooting the tree, therefore leading to incorrect positions of the support values. The same behaviour is observed when explicitly loading support values using the *PhyloXML* format. This is currently a known issue in the project and a fix is being developed.

Dendropy loads inner node labels as node attributes. Therefore, if those labels are meant to represent support values, re-rooting will lead to incorrect results. The *Dendropy* documentation explains this behaviour in detail, and a workaround is available that permits to re-root trees where bootstrap values are encoded as node labels in the Newick format. A new option has been added in version 4.2 that allows to automatically translate node labels into branch support values when loading a Newick tree, so re-rooting algorithms can be safely applied without further tree processing.

ETE (API) offers the same options as when used for tree visualization (see above). Node labels can be loaded as node names (node attributes) or branch support values (branch attributes). When re-rooting, branch support values will be correctly re-mapped to branches.

Newick Utilities does not handle node labels as branch attributes by default, therefore leading to incorrect results when re-rooting newick trees. After reporting the issue, a previously undocumented option (`-s`) has been made available that permits to automatically handle inner node labels as branch support attributes.

Pycogent interprets inner node labels as support values by default and those are correctly handled by the rooting functions.

D. Impact on Empirical Phylogenetic Studies

Users, who are not aware of the implicit semantic assumptions of tree manipulation tools, might obtain tree visualizations with incorrectly mapped support values. This is particularly the case if the node interpretation is wrongly applied to branch support values. Most prominently, older versions of *Dendroscope* (before version 3.5.0, see Section “Results”) implicitly interpret node labels as, simply that, node labels. The extent to which this affects published phylogenies is hard to quantify. This is because, all visualized phylogenies in all published papers citing *Dendroscope* (over 1,200 for the two *Dendroscope* papers based on Google scholar, accessed on 2016-08-15) would need to be checked and all original tree files would need to be available, which they should be, in principle. Hence, this is also an issue of reproducibility of scientific results – even if in our case it simply boils down to making available a published Newick tree with support values for download. To at least get a feeling of the visualization and reproducibility issue, we contacted the authors of 14 papers that used *Dendroscope* to visualize trees with support values, published in journals such as *Nature*, *PLOS*, *BMC*, and *JBC*. Out of the contacted authors, 5 replied, but only two were finally able to provide us with the trees that were used to generate the visualizations in their publications.

In the following, we analyze the trees visualized for these two papers with respect to the correctness of the branch support value mapping.

The first article [31] presents a phylogeny of 80 *Arabidopsis* accessions (see Fig. 4(b) of [31]) along with bootstrap values for some of the branches. The tree and bootstrap values were inferred with *RAxML* 7.3.5 [32], which writes a tree file that uses Newick comments for storing support values. *Dendroscope* [11] was used to re-root and visualize the tree. As already mentioned the tool is able to correctly handle this variant of stored support values. Thus, the error did not occur in this paper and the tree is correctly visualized.

The second article [33] presents several phylogenies for all three domains of life. The trees were inferred using RAxML v7.2.6 [32], [34], [35] and PHYML v3.0 [6], [36], [37]. Branch support values were estimated with PHYML using the SH-like likelihood ratio test [4], which reports support values as node labels. All trees in Figures 2 and 4-7 of [33] were re-rooted using Dendroscope such that they can be more easily compared to the comprehensive trees presented in Figure 1 of the article. In all cases, branch support values were mapped incorrectly to the re-rooted trees in these Figures.

We illustrate this in Figure 3. Sub-figure (a) is the original Newick tree used to generate Figure 2(a) in [33]. We have marked the branch used for (re-)rooting the tree by a red cross. We colored the sub-trees so that their corresponding position in the re-rooted tree is easily visible. Sub-figure (b) shows the re-rooted tree using Dendroscope v. 3.4.0, which is identical to the one presented in [33]. The branch support values between the old and the new root node in our Figure 3 are not mapped to the same bipartition in sub-figure (a) and (b). For example, in sub-figure (a) the support value underlined in green refers to the bipartition `green taxa | blue taxa, red taxa` whereas in sub-figure (b) it refers to the bipartition `red taxa | green taxa, blue taxa`. Fortunately, in this specific case, the incorrectly mapped support values do not change the conclusions of the paper (pers. comm. with Daniel Lundin on 2015-12-28). In sub-figure (c) of Figure 3, we show the correctly re-rooted tree, created with the updated Dendroscope version 3.5.3. The value underlined in green now refers to the correct bipartition. Furthermore, the value underlined in red is correctly duplicated at both outgoing branches of the root.

III. CONCLUSIONS

Our results indicate that an explicit convention and explicit semantics for interpreting node and branch values in tree viewers and other common bioinformatics tools are clearly missing. From the tested viewers, only three (Archaeopteryx, ETE, and Dendroscope from v. 3.5.0 onwards) offer a user dialogue to define the semantics of node labels. Older versions of Dendroscope offer an implicit choice depending on the input format. Others viewers can not read certain Newick variants (e.g., Tree T_C). Similarly, bioinformatics toolkits differ in the way node labels are interpreted, with “node interpretation” being the the default behavior. Four out the seven tested toolkits did not provide explicit options for interpreting node labels as branch values. At the moment of writing, APE, Dendropy and Newick Utilities have now included options for automatically interpreting node labels as branch values when reading and re-rooting trees.

In summary, the tools treat node labels and branch support values in their own, often undocumented and implicit, ways.

Users must therefore be aware and simply accept the implicit interpretation a particular tool implements.

Furthermore, programs that can infer branch support values use a plethora of distinct output formats. Developers of phylogenetic inference programs may consider storing branch support values using explicit tags as supported by formats such as Extended Newick or PhyloXML [38]. PhyloXML trees are, however, more difficult to parse and yield substantially larger tree files. For instance, our test tree T_N requires 24 bytes in Newick, but 856 bytes in PhyloXML format. Another exemplary 512 taxon tree with branch lengths requires 40,303 bytes in Newick and 239,795 bytes in PhyloXML.

To address the general problem, we suggest that all tree viewers and toolkits shall offer an explicit option to choose between the two possible interpretations of node labels. Ideally, users should be forced to define the semantics of their node labels before the tree is displayed or re-rooted by the respective tool. This way, accidentally wrong interpretations are avoided and even unaware users will learn about the semantics of inner node labels.

Finally, we suggest that published phylogenies should be re-assessed, if branch support values were stored as node labels in the original Newick files and trees were manipulated using bioinformatics tools (e.g. if Dendroscope prior to v. 3.5.0 was used for re-rooting and tree visualization).

We conclude with some practical suggestions for users of phylogenetic tree viewing tools.

- Pay attention to the options a tool offers for interpreting node labels in Newick files.
- If available, use the option to set the desired interpretation (e.g., Archaeopteryx, ETE, Dendroscope).
- Double-check your results, maybe try other tools, or conduct a visual inspection, particularly if the original trees were re-rooted or otherwise manipulated.
- The behavior of tools can easily be tested with our example trees T_N and T_C that are available for download at <https://github.com/stamatak/tree-viz-issues>.

COMPETING INTERESTS

The authors declare that they have no competing interests.

AUTHOR’S CONTRIBUTIONS

LC collected the data, carried out the experiments on tree viewers, and drafted the manuscript. JHC carried out the experiments on bioinformatics toolkits and helped to draft the manuscript. AS conceived the study, participated in its design as well as coordination, and helped to draft the manuscript. All authors read and approved the final manuscript.

ACKNOWLEDGEMENTS

This work was financially supported by the Klaus Tschira Foundation and the European Molecular Biology Laboratory (EMBL).




Figure 3: Example of a published phylogeny showing that the issue occurred in real-life data. We used the original data from [33] to recreate Figure 2(a) of [33]. (a) The original tree with the branch used for re-rooting marked by a red cross. (b) The re-rooted tree with incorrectly placed branch support values (e.g., the one underlined in green). This tree was created using Dendroscope 3.4.0. (c) The same re-rooted tree, this time using the updated Dendroscope 3.5.3. The error does not occur, because the correct interpretation of the values was selected. Note that, the value underlined in red is now correctly duplicated at both ends of the root branch. We colored the subtrees to highlight their positions after re-rooting.

We wish to thank the authors of the papers described in Section “Impact on Empirical Phylogenetic Studies” for sending us their original tree files:

- Anthony Poole and Daniel Lundin [33].
- Artem Pankin and Franziska Turck [31].

Furthermore, we want to particularly thank Daniel Huson. He implemented fixes to Dendroscope [11], [39], [40] according to our suggestions shortly after the bioRxiv preprint of this review [29] became available. We highly appreciate his feedback on this review and his positive response to our critique and suggestions. We also want to thank Emmanuel Paradis, Jeet Sukumaran, Mark T. Holder and the developers of all tools tested for useful discussion and feedback.

REFERENCES

- [1] J. Archie, W. H. Day, W. Maddison, C. Meacham, F. J. Rohlf, D. Swofford, and J. Felsenstein, “The newick tree format,” Online, accessed 2015-07-26., June 1986, <http://evolution.genetics.washington.edu/phyloip/newicktree.html>.
- [2] J. Felsenstein, “Confidence Limits on Phylogenies: An Approach Using the Bootstrap,” *Evolution*, vol. 39, no. 4, pp. 783–791, Jul. 1985. [Online]. Available: <http://www.jstor.org/stable/2408678>
- [3] J. P. Huelsenbeck, F. Ronquist, R. Nielsen, and J. P. Bollback, “Bayesian inference of phylogeny and its impact on evolutionary biology.” *Science (New York, N.Y.)*, vol. 294, no. 5550, pp. 2310–4, Dec. 2001. [Online]. Available: <http://www.sciencemag.org/content/294/5550/2310.abstracthttp://www.sciencemag.org/content/294/5550/2310.short>
- [4] M. Anisimova and O. Gascuel, “Approximate likelihood-ratio test for branches: A fast, accurate, and powerful alternative.” *Systematic biology*, vol. 55, no. 4, pp. 539–52, Aug. 2006. [Online]. Available: <http://sysbio.oxfordjournals.org/content/55/4/539.short>
- [5] D. Robinson and L. R. Foulds, “Comparison of phylogenetic trees,” *Mathematical Biosciences*, vol. 53, no. 1, pp. 131–147, 1981.
- [6] S. Guindon, J.-F. Dufayard, V. Lefort, M. Anisimova, W. Hordijk, and O. Gascuel, “New algorithms and methods to estimate maximum-likelihood phylogenies: assessing the

- performance of phylml 3.0,” *Systematic biology*, vol. 59, no. 3, pp. 307–321, 2010.
- [7] “A fast implementation of aLRT in PhyML.” Online, accessed 2016-03-07., 2006, <http://www.atgc-montpellier.fr/phylml/alrt/>.
- [8] A. Stamatakis, “Raxml version 8: a tool for phylogenetic analysis and post-analysis of large phylogenies,” *Bioinformatics*, vol. 30, no. 9, pp. 1312–1313, 2014.
- [9] F. Ronquist and J. P. Huelsenbeck, “Mrbayes 3: Bayesian phylogenetic inference under mixed models,” *Bioinformatics*, vol. 19, no. 12, pp. 1572–1574, 2003.
- [10] F. Ronquist, M. Teslenko, P. van der Mark, D. L. Ayres, A. Darling, S. Höhna, B. Larget, L. Liu, M. A. Suchard, and J. P. Huelsenbeck, “Mrbayes 3.2: efficient bayesian phylogenetic inference and model choice across a large model space,” *Systematic biology*, vol. 61, no. 3, pp. 539–542, 2012.
- [11] D. H. Huson and C. Scornavacca, “Dendroscope 3: an interactive tool for rooted phylogenetic trees and networks,” *Systematic biology*, p. sys062, 2012.
- [12] M. V. Han and C. M. Zmasek, “phyloXML: XML for evolutionary biology and comparative genomics.” *BMC bioinformatics*, vol. 10, p. 356, Jan. 2009. [Online]. Available: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2774328&tool=pmcentrez&rendertype=abstract>
- [13] C. M. Zmasek and S. R. Eddy, “ATV: display and manipulation of annotated phylogenetic trees.” *Bioinformatics (Oxford, England)*, vol. 17, no. 4, pp. 383–384, Apr. 2001. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/17/4/383.short>
- [14] J. Huerta-Cepas, J. Dopazo, and T. Gabaldón, “ETE: a python Environment for Tree Exploration.” *BMC bioinformatics*, vol. 11, no. 1, p. 24, Jan. 2010. [Online]. Available: <http://www.biomedcentral.com/1471-2105/11/24>
- [15] H. Zhang, S. Gao, M. J. Lercher, S. Hu, and W.-H. H. Chen, “EvolView, an online tool for visualizing, annotating and managing phylogenetic trees,” *Nucleic Acids Research*, vol. 40, no. W1, pp. 569–572, Jul. 2012. [Online]. Available: <http://nar.oxfordjournals.org/content/40/W1/W569.short>
- [16] A. Rambaut, “FigTree, a graphical viewer of phylogenetic trees.” Online, accessed 2015-07-27., 2007, <http://tree.bio.ed.ac.uk/software/figtree/>.
- [17] I. Letunic and P. Bork, “Interactive Tree of Life v2: Online annotation and display of phylogenetic trees made easy,” *Nucleic Acids Research*, vol. 39, no. SUPPL. 2, pp. 1–4, Jul. 2011. [Online]. Available: <http://nar.oxfordjournals.org/content/early/2011/04/04/nar.gkr201.abstract>
- [18] G. E. Jordan and W. H. Piel, “PhyloWidget: web-based visualizations for the tree of life.” *Bioinformatics (Oxford, England)*, vol. 24, no. 14, pp. 1641–2, Jul. 2008. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/24/14/1641.short>
- [19] Roderic D. M. Page, “TreeView: an application to display phylogenetic trees on personal computers.” *Computer applications in the biosciences : CABIOS*, vol. 12, no. 4, pp. 357–358, 1996.
- [20] B. Alix, D. A. Boubacar, M. Vladimir, A. Boc, A. B. Diallo, and V. Makarenkov, “T-REX: A web server for inferring, validating and visualizing phylogenetic trees and networks,” *Nucleic Acids Research*, vol. 40, no. W1, pp. 573–579, Jul. 2012. [Online]. Available: <http://nar.oxfordjournals.org/content/40/W1/W573.short>
- [21] E. Paradis, J. Claude, and K. Strimmer, “Ape: Analyses of phylogenetics and evolution in r language,” *Bioinformatics*, vol. 20, no. 2, pp. 289–290, 2004. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/20/2/289.abstract>
- [22] J. E. Stajich, D. Block, K. Boulez, S. E. Brenner, S. A. Chervitz, C. Dagdigian, G. Fuellen, J. G. Gilbert, I. Korf, H. Lapp, H. Lehvsliho, C. Matsalla, C. J. Mungall, B. I. Osborne, M. R. Pocock, P. Schattner, M. Senger, L. D. Stein, E. Stupka, M. D. Wilkinson, and E. Birney, “The bioperl toolkit: Perl modules for the life sciences,” *Genome Research*, vol. 12, no. 10, pp. 1611–1618, 2002. [Online]. Available: <http://genome.cshlp.org/content/12/10/1611.abstract>
- [23] P. J. A. Cock, T. Antao, J. T. Chang, B. A. Chapman, C. J. Cox, A. Dalke, I. Friedberg, T. Hamelryck, F. Kauff, B. Wilczynski, and M. J. L. de Hoon, “Biopython: freely available python tools for computational molecular biology and bioinformatics,” *Bioinformatics*, vol. 25, no. 11, pp. 1422–1423, 2009. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/25/11/1422.abstract>
- [24] J. Sukumaran and M. T. Holder, “Dendropy: a python library for phylogenetic computing,” *Bioinformatics*, vol. 26, no. 12, pp. 1569–1571, 2010. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/26/12/1569.abstract>
- [25] J. Huerta-Cepas, F. Serra, and P. Bork, “ETE 3: Reconstruction, Analysis, and Visualization of Phylogenomic Data,” *Molecular Biology and Evolution*, vol. 33, no. 6, pp. 1635–1638, jun 2016. [Online]. Available: <http://mbe.oxfordjournals.org/lookup/doi/10.1093/molbev/msw046>
- [26] T. Junier and E. M. Zdobnov, “The newick utilities: High-throughput phylogenetic tree processing in the unix shell,” *Bioinformatics*, 2010. [Online]. Available: <http://bioinformatics.oxfordjournals.org/content/early/2010/05/13/bioinformatics.btq243.abstract>
- [27] R. Knight, P. Maxwell, A. Birmingham, J. Carnes, J. G. Caporaso, B. C. Easton, M. Eaton, M. Hamady, H. Lindsay, Z. Liu, C. Lozupone, D. McDonald, M. Robeson, R. Sammut, S. Smit, M. M. J. Wakefield, J. Widmann, S. Wikman, S. Wilson, H. Ying, G. A. Huttley, A. Butterfield, V. Vedagiri, E. Lang, C. Lawrence, M. M. J. Wakefield, A. Isaev, G. A. Huttley, G. A. Huttley, R. Nielsen,

- Z. Yang, A. Siepel, D. Haussler, Z. Yang, J. Thompson, D. Higgins, T. Gibson, S. Altschul, W. Gish, W. Miller, E. Myers, D. Lipman, L. Blackford, J. Demmel, J. Dongarra, I. Duff, S. Hammarling, G. Henry, M. Heroux, L. Kaufman, A. Lumsdaine, A. Petitet, R. Gentleman, V. Carey, D. Bates, B. Bolstad, M. Dettling, S. Dudoit, B. Ellis, L. Gautier, Y. Ge, J. Gentry, A. Stamatakis, S. Altschul, T. Madden, A. Schaffer, J. Zhang, Z. Zhang, W. Miller, D. Lipman, W. Kent, R. Edgar, B. Morgenstern, T. Bailey, C. Elkan, H. Yang, F. Jossinet, N. Leontis, L. Chen, J. Westbrook, H. Berman, E. Westhof, I. Hofacker, W. Fontana, P. Stadler, L. Bonhoeffer, M. Tacker, P. Schuster, N. Goldman, Z. Yang, S. Muse, B. Gaut, M. Kimura, A. Clark, S. Glanowski, R. Nielsen, P. Thomas, A. Kejariwal, M. Todd, D. Tanenbaum, D. Civello, F. Lu, B. Murphy, G. A. Huttley, S. Easteal, M. Southey, G. Giles, M. McCredie, J. Hopper, D. Venter, R. Durbin, S. Eddy, A. Krogh, G. Mitchinson, A. Löytynoja, N. Goldman, W. Goffe, G. Ferrier, J. Rogers, M. Powell, N. Saitou, M. Nei, J. Felsenstein, M. Wolf, S. Easteal, M. Kahn, B. McKay, L. Jermini, S. Sunyaev, V. Ramensky, I. Koch, W. Lathe, A. Kondrashov, P. Bork, M. Miller, S. Kumar, G. Glazko, E. Koonin, I. Rogozin, I. Gorlov, O. Gorlova, C. Amos, A. Martin, A. Facchiano, A. Cuff, T. Hernandez-Boussard, M. Olivier, P. Hainaut, J. Thornton, D. Jones, W. Taylor, J. Thornton, Z. Yang, W. Wong, R. Nielsen, J. Felsenstein, G. Churchill, Z. Yang, J. Emsley, M. Cruz, R. Handin, R. Liddington, M. M. J. Wakefield, P. Maxwell, G. A. Huttley, C. Lozupone, R. Knight, C. Lozupone, M. Hamady, R. Knight, M. Hamady, E. Peden, R. Knight, R. Singh, J. Widmann, M. Hamady, and R. Knight, "PyCogent: a toolkit for making sense from sequence." *Genome biology*, vol. 8, no. 8, p. R171, 2007. [Online]. Available: <http://genomebiology.biomedcentral.com/articles/10.1186/gb-2007-8-8-r171>
- [28] "Archaeopteryx Documentation." Online, accessed 2016-03-07., 2015, <https://sites.google.com/site/cmzmasek/home/software/archaeopteryx/documentation#TOC-Internal-Node-Names-are-Confidence-Vales>.
- [29] L. Czech and A. Stamatakis, "Do Phylogenetic Tree Viewers correctly display Support Values?" *bioRxiv*, 2015. [Online]. Available: <http://biorxiv.org/content/early/2015/12/25/035360>
- [30] E. Talevich, B. M. Invergo, P. J. P. Cock, B. B. A. Chapman, J. Felsenstein, R. Vos, J. Caravas, K. Hartmann, M. Jensen, C. Miller, J. Leebens-Mack, T. Vision, E. Brenner, J. Bowers, S. Cannon, M. Clement, C. Cunningham, C. DePamphilis, R. DeSalle, J. Doyle, J. Eisen, X. Gu, J. Harshman, R. Jansen, E. Kellogg, E. Koonin, B. Mishler, H. Philippe, J. Pires, Y. Qiu, S. Rhee, K. Sjölander, D. Soltis, P. Soltis, D. Stevenson, K. Wall, T. Warnow, C. Zmasek, F. Prosdociami, B. Chisham, E. Pontelli, J. Thompson, A. Stoltzfus, M. Han, C. Zmasek, R. Vos, J. Balhoff, J. Caravas, M. Holder, H. Lapp, W. Maddison, P. Midford, A. Priykar, J. Sukumaran, X. Xia, A. Stoltzfus, E. Paradis, B. Bolker, J. Claude, H. Cuong, R. Desper, J. Duthel, O. Gascuel, C. Heibl, D. Lawson, V. Lefort, J. Lemon, Y. Noel, J. Nylander, R. Opgen-rhein, D. Vienne, J. Stajich, D. Block, K. Boulez, S. Brenner, S. Chervitz, C. Dagdigian, G. Fuellen, J. Gilbert, I. Korf, H. Lapp, H. Lehväsliho, C. Matsalla, C. Mungall, B. Osborne, M. Pocock, P. Schattner, M. Senger, L. Stein, E. Stupka, M. Wilkinson, E. Birney, W. Maddison, D. Maddison, P. J. P. Cock, T. Antao, J. Chang, B. B. A. Chapman, C. Cox, A. Dalke, I. Friedberg, T. Hamelryck, F. Kauff, B. Wilczynski, M. de Hoon, R. Holland, T. Down, M. Pocock, A. Prlić, D. Huen, K. James, S. Foisy, A. Dräger, A. Yates, M. Heuer, M. Schreiber, N. Goto, P. Prins, M. Nakao, R. Bonnal, J. Aerts, T. Katayama, P. Prins, H. Lapp, D. Maglott, J. Ostell, K. Pruitt, T. Tatusova, S. Altschul, T. Madden, aa Schäffer, J. Zhang, Z. Zhang, W. Miller, D. Lipman, C. Camacho, G. Coulouris, V. Avagyan, N. Ma, J. Papadopoulos, K. Bealer, T. Madden, T. Oliphant, R. Knight, P. Maxwell, A. Birmingham, J. Carnes, J. Caporaso, B. Easton, M. Eaton, M. Hamady, H. Lindsay, Z. Liu, C. Lozupone, D. McDonald, M. Robeson, R. Sammut, S. Smit, M. Wakefield, J. Widmann, S. Wikman, S. Wilson, H. Ying, G. Huttley, J. Sukumaran, M. Holder, J. Huerta-Cepas, J. Dopazo, T. Gabaldón, P. Foster, D. Maddison, D. Swofford, W. Maddison, J. Archie, W. Day, W. Maddison, C. Meacham, F. Rohlf, D. Swofford, J. Felsenstein, E. Gansner, A. Hagberg, D. Schult, P. Swart, C. Zmasek, Q. Zhang, Y. Ye, A. Godzik, J. Hunter, C. Zmasek, S. Eddy, P. Rice, I. Longden, A. Bleasby, S. Guindon, J. Dufayard, V. Lefort, M. Anisimova, W. Hordijk, O. Gascuel, A. Stamatakis, Z. Yang, F. Kauff, C. Cox, F. Lutzoni, L. Pritchard, J. White, P. Birch, I. Toth, R. Beiko, E. Talevich, A. Mirza, N. Kannan, S. Smith, J. Beaulieu, A. Stamatakis, M. Donoghue, T. Davies, T. Barraclough, M. Chase, P. Soltis, D. Soltis, and V. Savolainen, "Bio.Phylo: A unified toolkit for processing, analyzing and visualizing phylogenetic trees in Biopython." *BMC Bioinformatics*, vol. 13, no. 1, p. 209, 2012. [Online]. Available: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3468381/>
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3468381/pdf/1471-2105-13-209.pdf>
<http://bmcbioinformatics.biomedcentral.com/articles/10.1186/1471-2105-13-209>
- [31] L. Liu, J. Adrian, A. Pankin, J. Hu, X. Dong, M. von Korff, and F. Turck, "Induced and natural variation of promoter length modulates the photoperiodic response of flowering locus t," *Nature communications*, vol. 5, 2014.
- [32] A. Stamatakis, P. Hoover, and J. Rougemont, "A rapid bootstrap algorithm for the raxml web servers," *Systematic biology*, vol. 57, no. 5, pp. 758–771, 2008.
- [33] D. Lundin, S. Gribaldo, E. Torrents, B.-M. Sjöberg, and A. Poole, "Ribonucleotide reduction - horizontal transfer of a required function spans all three domains," *BMC Evolutionary Biology*, vol. 10, no. 1, p. 383, 2010. [Online]. Available: <http://www.biomedcentral.com/1471-2148/10/383>
- [34] A. Stamatakis, "Raxml-vi-hpc: maximum likelihood-based phylogenetic analyses with thousands of taxa and mixed models," *Bioinformatics*, vol. 22, no. 21, pp. 2688–2690, 2006.
- [35] —, "Phylogenetic models of rate heterogeneity: a high performance computing perspective," pp. 8–pp, 2006.
- [36] S. Guindon and O. Gascuel, "A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood," *Systematic biology*, vol. 52, no. 5, pp. 696–704, 2003.
- [37] S. Q. Le, N. Lartillot, and O. Gascuel, "Phylogenetic mixture models for proteins," *Philosophical Transactions of the Royal Society B: Biological Sciences*, vol. 363, no. 1512, pp. 3965–3976, 2008.

- [38] “phyloXML: XML for evolutionary biology and comparative genomics,” Online, accessed 2016-08-15., 2016, <http://www.phyloxml.org/>.
- [39] D. H. Huson and C. Scornavacca, “Dendroscope 3: An interactive viewer for rooted phylogenetic trees and networks.” *In preparation*, vol. 61, no. July, pp. 1061–7, Dec. 2011. [Online]. Available: <http://sysbio.oxfordjournals.org/content/early/2012/07/10/sysbio.sys062.short>
- [40] D. H. Huson, D. C. Richter, C. Rausch, T. DeZulian, M. Franz, and R. Rupp, “Dendroscope: An interactive viewer for large phylogenetic trees.” *BMC bioinformatics*, vol. 8, no. 1, p. 460, Jan. 2007. [Online]. Available: <http://www.biomedcentral.com/1471-2105/8/460>