The Prevalence of Inappropriate Image Duplication in Biomedical Research Publications

Elisabeth M. Bik[1], Arturo Casadevall*[2,3], Ferric C. Fang*[4]

[1]Department of Medicine, Division of Infectious Diseases, Stanford School of Medicine,

Stanford, California, USA

[2]Department of Molecular Microbiology and Immunology, Johns Hopkins Bloomberg School of

Public Health, Baltimore, Maryland, USA

[3]Department of Medicine, Johns Hopkins School of Medicine, Baltimore, Maryland, USA

[4]Departments of Laboratory Medicine and Microbiology, University of Washington School of

Medicine, Seattle, Washington, USA

*contributed equally to this work

Corresponding author: Elisabeth M. Bik, VAHCS Palo Alto, 3801 Miranda Ave, Palo Alto, CA

94034. Telephone: +1 650-493-5000, extension 63163, eliesbik@stanford.edu

Condensed title: **Image duplication prevalence in biomedical papers**

Number of characters: 25,711

ABSTRACT

Inaccurate data in scientific papers can result from honest error or intentional falsification. This

study attempted to determine the percentage of published papers containing inappropriate

image duplication, a specific type of inaccurate data. The images from a total of 20,621 papers

in 40 scientific journals from 1995-2014 were visually screened. Overall, 3.8% of published

papers contained problematic figures, with at least half exhibiting features suggestive of

deliberate manipulation. The prevalence of papers with problematic images rose markedly

during the past decade.   Additional papers written by authors of papers with problematic

images had an increased likelihood of containing problematic images as well. As this analysis

focused only on one type of data, it is likely that the actual prevalence of inaccurate data in the

published literature is higher. The marked variation in the frequency of problematic images

among journals suggest that journal practices, such as pre-publication image screening,

influence the quality of the scientific literature.

Keywords: Research misconduct, ethics in science, biomedical research, peer review

INTRODUCTION

Inaccuracies in scientific papers have many causes. Some result from honest mistakes, such as incorrect calculations, use of the wrong reagent, or improper methodology (Casadevall et al., 2014). Others are intentional and constitute research misconduct, including situations in which data are altered, omitted, manufactured or misrepresented in a way that fits a desired outcome. The prevalence of honest error and misconduct in the scientific literature is unknown. One review estimated the overall frequency of serious research misconduct, including plagiarism, to be 1% (Steneck, 2006). A meta-analysis by Fanelli, combining the results of 18 published surveys, found that 1.9% of researchers have admitted to modification, falsification or fabrication of data (Fanelli, 2009).

There is also little firm information on temporal trends regarding the prevalence of error and misconduct. Research error and misconduct have probably always existed. Even scientific luminaries such as Darwin, Mendel, and Pasteur have been accused of manipulating or misreporting their data (Lüscher, 2013; Geison, 1996). However, the perception of error and misconduct in science has been recently magnified by high profile cases and a sharp rise in the number of retracted manuscripts (Alberts et al., 2015). In recent years, retractions have increased at a rate that is disproportionately greater than the growth of the scientific literature (Steen et al., 2013). Although this could be interpreted as an increase in problematic papers, the actual causes may be more complex and could include a greater inclination by journals and authors to retract flawed work (Steen et al., 2013). Retractions are a poor indicator of error because most retractions result from misconduct (Fang et al., 2012), and many erroneous

studies are never retracted (Casadevall et al., 2014). In fact, only a very small fraction of the

scientific literature has been retracted. As of April 2016, the PubMed bibliographic database

listed 8,735 retracted publications among more than 25 million articles (0.035%).

Concerns about misconduct have been accompanied by increasing concerns about the

reproducibility of the scientific literature. An analysis of 53 landmark papers in oncology

reported that only 6 could be reproduced (Begley and Ellis, 2012), and other pharmaceutical

industry scientists have also reported low rates of reproducibility of published findings, which in

some cases led to the termination of drug development projects (Prinz et al., 2011). In the field

of psychology, less than half of experimental and correlational studies are reportedly

reproducible (Open Science Collaboration, 2015). Inaccurate data can result in societal injury.

For example, a now-retracted study associating measles vaccination with autism continues to

resonate and may be contributing to low vaccination rates (Flaherty, 2011). Corrosion of the

literature, whether by error or misconduct, may also impede the progress of science and

medicine. For example, false leads may be contributing to increasing disparities between

scientific investment and measurable outcomes, such as the discovery of new pharmacological

agents (Bowen and Casadevall, 2015).

In this study we sought to estimate the prevalence of a specific type of inaccurate data

that can be readily observed in the published literature, namely inappropriate image

duplication. The results demonstrate that problematic images are disturbingly common in the

biomedical literature and may be found in approximately 1 out of every 25 published articles

containing photographic image data, in particular Western blots.

RESULTS

Papers containing inappropriately duplicated images

A total of 20,621 research papers containing the search term "western blot" from 40 different

journals and 14 publishers were examined for inappropriate duplications of photographic

images, with or without repositioning or evidence of alteration (Table S1). Of these, 8,138

(39.8%) were published by a single journal (*PLOS ONE*) in 2013 and 2014; the other 12,483

(60.5%) papers were published in 39 journals spanning the years 1995-2014 (Fig. 1). Overall,

782 (3.8%) of these papers were found to include at least one figure containing inappropriate

duplications.

Classification of inappropriately duplicated images

Problematic images were classified into three major categories: simple duplications,

duplications with repositioning, and duplications with alteration.

● Category I: Simple Duplications. Figures containing two or more identical panels, either

within the same figure or between different figures within the same paper, purporting

to represent different experimental conditions, were classified as simple duplications.

The most common examples in this category were beta-actin loading controls that were

used multiple times to represent different experiments or identical microscopy images

purporting to be obtained from different experiments. For papers containing such

figures, the methods and results were reviewed to establish that the duplicated figures

were indeed re-used for different experiments. The re-use of loading controls in

different figures obtained from the same experiment was not considered to be a

problem. Examples of simple duplication are shown in Fig. 2.

● Category II: Duplication with Repositioning. This category included microscopic or blot

images with a clear region of overlap, where one image had been shifted, rotated, or

reversed in respect to the other. Fig. 3 shows examples of duplicated figures with

repositioning.

● Category III: Duplication with Alteration. This category consisted of images that were

altered with complete or partial duplication of lanes, bands, or groups of cells,

sometimes with rotation or reversal in respect to each other, within the same image

panel or between panels or figures. This category also includes figures containing

evidence of "stamping" in which a defined area is duplicated multiple times within the

same image, "patching" in which part of an image is obscured by a rectangular area of

different background, and FACS images sharing conserved regions and other regions in

which some data points have been added or removed. Examples of duplicated images

with alteration are shown in Fig. 4.

Two additional types of image modification were not scored as problematic, although they may

represent questionable research practices by current standards and would not be accepted by

certain journals (i.e., *Journal of Cell Biology*):

● Cuts. Abrupt vertical changes in the background signal between adjacent lanes in a blot

or gel suggest that the lanes were not next to each other in the original gel. These

splices are of potential concern but do not necessarily indicate inaccurate data

representation.

● Beautification. Part of the background of a blot or gel where no band of interest is

expected may show signs of patching, perhaps to remove a smudge or stain. This is not

considered to represent best practice according to contemporary guidelines for data

presentation (Rossner and Yamada, 2004) but does not necessarily indicate inaccurate

data representation.

Although researcher intent could not be definitively determined in this study, the three

categories of duplicated images were felt to have different implications with regard to the

likelihood of scientific misconduct. Category I (simple duplication) images are most likely to

result from honest errors, in which an author intended to insert two similar images but

mistakenly inserted the same image twice. Alternatively, simple duplications may result from

misconduct, for example, if an author intentionally recycled a control panel from a different

experiment because the actual control was not performed. Category II (duplication with

repositioning) and category III (duplication with alteration) may be somewhat more likely to

result from misconduct, as conscious effort would be required for these actions.

In our study, a paper was classified as containing an inappropriate duplication when at

least one category I, II, or III problem was identified. Papers were classified according to the

highest category of duplicated image; e.g., a paper containing both category I and category II

images was classified as a category II paper.

Among the 782 problematic papers found in this study, 230 (29.4%) contained simple

duplications, 356 (45.5%) contained duplicated images with repositioning, while the remaining

196 (25.1%) contained duplicated figures with alteration.

Temporal trends in image duplication

To investigate the prevalence of image duplications and alterations over time, we plotted the

percentage of papers containing inappropriate image duplication as a function of publication

year (Fig. 5). The percentage of papers with image duplications appeared to be relatively low (<

2%) from 1995-2002, with no problematic images found among the 194 papers screened from

1995. However, a sharp increase in the percentage of papers with duplicated images was

observed in the year 2003 (3.6%), after which the percentages have remained close to or above

4%. This pattern remained very similar when only a subset of 16 journals for which papers were

scanned from all 20 years was considered, except for a decline in the duplications found in

2014, the last year of our screen (2.2%) (Fig. 5).

Correlation of impact factor with image duplication

Substantial variation in the prevalence of papers with image duplication was observed among

the 40 journals investigated. In *PLOS ONE*, from which the largest number of papers was

screened, 4.3% of the papers were found to contain inappropriately duplicated images,

whereas the percentage of papers with image duplication ranged from 0.3% (*Journal of Cell*

Biology) to 12.4% (*International Journal of Oncology*) among the other journals, with a mean of

4.2%. Hence, even though *PLOS ONE* was the journal that provided the largest set of papers

evaluated in this study, it is not an outlier with regard to inappropriately duplicated images

relative to the other journals examined. To assess the possibility that journals with higher

impact factors might be better at detecting problematic images and/or authors might be more

careful in preparing images for publication in such journals, the relationship between the

prevalence of image duplication and journal impact factor was examined (Fig. 6). For this

analysis, only papers published between 2005 and 2014 were included, because the prevalence

of problematic images was lower in older publications, and older papers were only evaluated

for selected journals. A negative correlation between image duplication and journal impact

factor was observed (Pearson's correlation; p-value 0.019), with the lowest percentage of

problematic images found in journals with high impact factors. The prevalence of image

duplication in 12 open access journals was not significantly different from that in 28 non-open

access journals (p = 0.38, chi-squared test).

Country of origin of papers containing image duplication

To determine whether inappropriate image duplication was more frequent in some countries

than in others, the country of origin for each of the 348 papers from *PLOS ONE* containing

duplicated images was compared to the country of origin for all papers published by that

journal during the same time interval that were included in our search. In cases where the

authors of a paper were affiliated with institutions in multiple countries, all countries were

taken into account. A majority of the 8,138 screened papers published in *PLOS ONE* during the

16-month study period from 2013-2014 were affiliated with China (26.2%) and the US (40.9%)

(Fig. 7). However, papers from China had a 1.89-fold higher probability of containing

problematic images than would have been predicted from the frequency of publication (chi-

squared test, p-value < 0.001), while papers from the US had a lower probability (0.60-fold)

(chi-squared test, p-value < 0.001). Other countries with a higher-than-predicted ratio of

papers containing image duplication were India (1.93) and Taiwan (1.20), whereas the

prevalence of image duplication was lower than predicted in papers from the UK (0.47), Japan

(0.26) and Germany (0.34).

Number of authors and image duplication

Errors or misconduct might be predicted to be more frequent in papers with fewer authors, due

to reduced scrutiny. The mean number of authors per paper for the 781 papers containing

inappropriate image duplication was 7.28. No significant difference between the mean number

of authors for papers with or without image duplication was found (p > 0.1).

Problematic images in multiple papers by the same author

Our dataset of 782 problematic papers contained 28 papers (i.e., 14 pairs) of papers with a

common first author. To determine whether authors of papers containing inappropriate image

duplication were more likely to have published additional papers containing image duplication,

we screened other papers written by the first and last authors of 559 papers (all from unique

first authors) identified during initial screening. This analysis encompassed 2,425 papers, or a

mean of 4.3 additional papers for each primary paper. In 217 cases (38.8%), at least one

additional paper containing duplicated images was identified. In total, 269 additional papers

containing duplicated images (11.1%) were found out of the 2,425 papers in the secondary

dataset. The percentage of papers with duplicated images in the secondary dataset was

significantly higher than that of the first dataset (11.1% vs. 3.8%, chi-squared test: p<0.001),

indicating that other papers by first or last authors of papers with duplicated images have an

increased probability of also containing duplicated images.

DISCUSSION

The quality and integrity of the scientific literature has been increasingly questioned

(Begley and Ellis, 2012; Fang et al., 2012; Ioannidis, 2005; Collins and Tabak, 2014). The present

study attempts to empirically determine the prevalence of one type of problematic data,

inappropriate image duplication, by visual inspection of electrophoretic, microscopic and flow

cytometric data from more than 20,000 recent papers in 40 primary research journals. The

major findings of this study are: (1) figures containing inappropriately duplicated images can be

readily identified in published papers through visual inspection without the need for special

forensic software methods or tools; (2) approximately 1 of every 25 published papers contains

inappropriately duplicated images; (3) the prevalence of papers with inappropriate image

duplication rose sharply after 2002 and has since remained at increased levels; (4) the

prevalence of inappropriate image duplication varies among journals and correlates inversely

with journal impact factor; (5) papers containing inappropriately duplicated images originated

more frequently from China and India and less frequently from the US, UK, Germany, Japan, or

Australia; and (6) other papers by authors of papers containing inappropriately duplicated

images often contained duplicated images as well. These findings have important implications

for the biomedical research enterprise and suggest a need to improve the literature though

greater vigilance and education.

The finding that figures with inappropriate duplications can be readily identified by

simple inspection suggests that greater scrutiny of publications by authors, reviewers, and

editors might be able to identify problematic figures prior to publication. The *Journal of Cell*

Biology was among the first to call attention to the problem of figure alteration in manuscripts

(Rossner, 2002), and this journal instituted a policy to carefully inspect all manuscripts for

image manipulation prior to publication (Rossner and Yamada, 2004). The low prevalence of

problematic images in this journal (0.3%) suggests that these measures have been effective.

The *EMBO Journal*, which was not part of the present study, has also instituted a manual

screening process for aberrant images (Pulverer, 2014). Our findings are consistent with the

notion that greater scrutiny by journals can reduce the prevalence of problematic images.

However, this is likely to require a concerted effort by all journals, so that authors of papers

with problematic data do not simply avoid publication in venues that employ rigorous screening

procedures.

The prevalence of papers containing inappropriate image duplication increased

markedly in 2003 and has remained high in subsequent years. This coincides with the observed

increase in retracted publications (Fang et al., 2012) and provides empirical evidence that the

increased prevalence of problematic data is not simply a result of increased detection, as has

been suggested (Fanelli et al., 2015). Although the causes of the increased frequency of image

duplication since 2003 are not known, we have considered several possible explanations. First,

older papers often contain figures with lower resolution, which may have obscured evidence of

manipulation. Second, the widespread availability and usage of digital image modification

software in recent years may have provided greater opportunity for both error and intentional

manipulation. Third, the increasing tendency for images to be directly prepared by authors

instead of by professional photographers working in consultation with authors has removed a

potential mechanism of quality control. One possible mechanism to reduce errors at the

laboratory level would be to involve multiple individuals in the preparation of figures for

publication. The lack of correlation between author number and the frequency of image

duplication suggests that the roles of most authors are compartmentalized or diluted, such that

errors or misconduct are not readily detected. A fourth consideration is that increasing

competition and career-related pressures may be encouraging careless or dishonest research

practices (Anderson et al., 2007).

A large variation in the prevalence of papers containing inappropriately duplicated

images was observed among journals ranging from the *Journal of Cell Biology* (0.3%) to the

International Journal of Oncology (12.4%), a difference of more than 40-fold. The differences

among journals are important because, as noted above, these suggest that journal editorial

policies can have a substantial impact on this problem. The inverse correlation between the

prevalence of problematic papers and journal impact factor contrasts with the positive

correlation observed for research misconduct resulting in retraction (Fang and Casadevall,

2011; Fang et al., 2012; Cokol et al., 2007; Liu, 2006). Although the association was weak, this

may suggest that higher impact journals are better able to detect anomalous images prior to

publication. Alternatively, authors submitting to such journals may be more careful with figure

preparation. Nevertheless, we note that even the most highly selective journals contain some

papers with figures of concern.

China and the United States were responsible for the majority of papers containing

inappropriately duplicated images, which is not surprising given the large research output of

these countries. However it is noteworthy that the proportion of *PLOS ONE* papers from China

and India that were found to contain problematic images was higher than would be predicted

from their overall representation, whereas the opposite was true for papers from the US, UK,

Germany, Japan and Australia. This suggests that ongoing efforts at scientific ethics reform in

China and India should pay particular attention to issues relating to figure preparation (Yidong

and Xin, 2006; Patnaik, 2015). The analysis of geographic origin was limited to papers published

in *PLOS ONE*, because this journal offered an online tool to search for this information. The

geographic distribution of papers with problematic images may be different in other journals.

In nearly 40% of the instances in which a problematic paper was identified, screening of

other papers from the same authors revealed additional problematic papers in the literature.

This suggests that image duplication results from systematic problems in figure preparation by

individual researchers, which tend to recur.

Our findings suggest that as many as 1 out of every 25 published papers containing

Western blot or other photographic images could contain data anomalies. This is likely to be an

underestimate of the extent of problematic data in the literature for several reasons. First, only

image data were analyzed, thus errors or manipulation involving numerical data in graphs or

tables would not have been detected. Second, only duplicated images within the same paper

were examined, thus the reuse of images in other papers by the same author(s) would not have

been detected. Third, since problematic images were detected by visual inspection, the false-

negative rate could not be determined; we readily acknowledge that our screen may have

missed problematic papers. It should be noted that our findings contrast with a recent small

study by Oksvold that examined 120 papers from 3 different cancer research journals, reporting

duplicated images in 24.2% of the papers examined (Oksvold, 2015). Many of the reported

image duplications in the Oksvold study involved representation of identical experiments,

which we do not regard as necessarily inappropriate, as this form of duplication does not alter

the research results. For comparison, we screened 427 papers from the same 3 journals

examined by Oksvold and found the average percentage of problematic papers in these

journals to be 6.8, which is closer to our findings for other journals. Moreover, our study

included more than 20,000 papers from 40 journals; in addition to more rigorous inclusion

criteria, we required consensus between three independent examiners for an image to be

classified as containing inappropriate duplication, ensuring a low false-positive rate.

The high prevalence of inaccurate data in the literature should be a finding of

tremendous concern to the scientific community, since the literature is the record of scientific

output upon which future research progress depends. Papers containing inaccurate data can

reduce the efficiency of the scientific enterprise by directing investigators to pursue false leads

or construct unsupportable hypotheses. Although our findings are disturbing, they also suggest

specific actions that can be taken to improve the literature. Increased awareness of recurring

problems with figure preparation, such as control band duplication, can lead to the reform of

laboratory procedures to detect and correct such issues prior to manuscript submission. The

variation among journals in the prevalence of problematic papers suggests that individual

journal practices, such as image screening, can reduce the prevalence of problematic images

(Rossner, 2002; Pulverer, 2014). The problems identified in this study provide further evidence

for the scientific establishment that current standards are insufficient to prevent flawed papers

from being published. Our findings call for the need of greater efforts to ensure the reliability

and integrity of the research literature.

MATERIALS AND METHODS

Selection strategy

A total of 20,621 papers were selected from 40 different scientific journals in the fields of

microbiology and immunology, cancer biology, and general biology. These journals were

published by 14 organizations (average of 2.9 journals per publisher, range 1-6) (Table S1). All

journals included in the search were indexed in PubMed, with a mean impact factor of 6.9

(range 1.3 - 42.4, Thomson Reuters 2013). Papers were examined if they contained the search

term "western blot," using the search tool provided at the journal's website. Only original

research papers containing figures were included; retracted papers, review papers, and

conference abstracts were excluded. Corrected papers were included only if the correction

involved issues other than the problems identified by the present analysis (e.g., incorrect grant

statement). From a single journal (*PLOS ONE*), 8,138 papers published in 2013 and 2014 were

included in the study, comprising 39.5% of the dataset. From the remaining journals, a mean of

320.1 (range 77 - 1070) papers per journal were included. For most of these journals, if more

than 50 papers were found in a given year, screening was limited to the first 40-50 papers that

were shown in the search field. The selected papers spanned the years 1995-2014, with most

papers published in 2013-2014, primarily as a result of the large contribution of papers from

PLOS ONE (Fig. 1). The large number of *PLOS ONE* papers analyzed reflects both the journal

format, which facilitates image analysis, and the fact that *PLOS ONE* is currently the world's

largest scientific journal with approximately 30,000 new articles per year

(https://en.wikipedia.org/wiki/PLOS_ONE).

Visual screening

All papers were screened by examining images at the publisher's website. Although papers

were selected using the search term "western blot," all types of photographic image were

examined, including protein and nucleic acid electrophoretic gels and blots, histology or

microscopy images, and photos of culture plates, plants, and animals. Fluorescence-activated

cell sorting (FACS) plots were included as well since these, like photographic images,

purportedly represent raw data. Figure panels containing line art such as bar graphs or line

graphs were not included in the study. Images within the same paper were visually inspected

for inappropriate duplications, repositioning, or possible manipulation (e.g., duplications of

bands within the same blot). All papers were initially screened by one of the authors (EMB). If

a possible problematic image or set of images was detected, figures were further examined for

evidence of image duplication or manipulation using the Adjust Color tool in Preview software

on an Apple iMac computer. No additional special imaging software was used. Supplementary

figures were not part of the initial search but were examined in papers in which problems were

found in images in the primary manuscript. All figures found by the screening author (EMB) to

contain possible duplications were independently reviewed by the two co-authors (FCF and AC).

Consensus had to be reached among all three authors for a paper to be considered to contain

unequivocal evidence of inappropriate figure duplication. Consensus among all three authors

was reached in 90.4% of the papers selected during primary screening.

Statistical analysis

The R software package was used to plot and analyze data. The stat_smooth method

implemented in the R ggplot2 library was applied to find the best fit for a linear regression

model on semi-log transformed data examining the relationship between the 2013 Thomson

Reuters impact factor and percentage of papers with inappropriately duplicated images for the

40 journals included in this study. Pearson's correlation and Pearson's Chi-square tests with

Yates' continuity correction were performed in basic R. R code is available as Supplemental

Data S1.

SUPPLEMENTAL MATERIAL

1. Supplemental Table S1: The 40 journals screened in this study

2. Supplemental Data S1: R code

REFERENCES

Alberts, B., R.J. Cicerone, S.E. Fienberg, A. Kamb, M. McNutt, R.M. Nerem, R. Schekman, R.

Shiffrin, V. Stodden, S. Suresh, M.T. Zuber, B.K. Pope, and K.H. Jamieson. 2015.

SCIENTIFIC INTEGRITY. Self-correction in science at work. *Science*. 348:1420–1422.

doi:10.1126/science.aab3847.

Anderson, M.S., E.A. Ronning, R. De Vries, and B.C. Martinson. 2007. The perverse effects of

competition on scientists' work and relationships. *Sci Eng Ethics*. 13:437–461.

doi:10.1007/s11948-007-9042-5.

Begley, C.G., and L.M. Ellis. 2012. Drug development: Raise standards for preclinical cancer

research. *Nature*. 483:531–533. doi:10.1038/483531a.

Bowen, A., and A. Casadevall. 2015. Increasing disparities between resource inputs and

outcomes, as measured by certain health deliverables, in biomedical research. *Proc Natl*

Acad Sci U S A. doi:10.1073/pnas.1504955112.

Casadevall, A., R.G. Steen, and F.C. Fang. 2014. Sources of error in the retracted scientific

literature. *FASEB J*. 28:3847–3855. doi:10.1096/fj.14-256735.

Cokol, M., I. Iossifov, R. Rodriguez-Esteban, and A. Rzhetsky. 2007. How many scientific papers

should be retracted? *EMBO Rep*. 8:422–423. doi:10.1038/sj.embor.7400970.

Collins, F.S., and L.A. Tabak. 2014. Policy: NIH plans to enhance reproducibility. *Nature*.

505:612–613.

Fanelli, D. 2009. How many scientists fabricate and falsify research? A systematic review and

meta-analysis of survey data. *PLoS ONE*. 4:e5738. doi:10.1371/journal.pone.0005738.

Fanelli, D., R. Costas, and V. Larivière. 2015. Misconduct Policies, Academic Culture and Career

Stage, Not Gender or Pressures to Publish, Affect Scientific Integrity. *PLoS ONE*.

10:e0127556. doi:10.1371/journal.pone.0127556.

Fang, F.C., and A. Casadevall. 2011. Retracted science and the retraction index. *Infect Immun*.

79:3855–3859. doi:10.1128/IAI.05661-11.

Fang, F.C., R.G. Steen, and A. Casadevall. 2012. Misconduct accounts for the majority of

retracted scientific publications. *Proc Natl Acad Sci U S A*. 109:17028–17033.

doi:10.1073/pnas.1212247109.

Flaherty, D.K. 2011. The vaccine-autism connection: a public health crisis caused by unethical

medical practices and fraudulent science. *Ann Pharmacother*. 45:1302–1304.

doi:10.1345/aph.1Q318.

Friedman-Levi, Y., M. Mizrahi, K. Frid, O. Binyamin, and R. Gabizon. 2013. PrP(ST), a soluble,

protease resistant and truncated PrP form features in the pathogenesis of a genetic

prion disease. *PLoS ONE*. 8:e69583. doi:10.1371/journal.pone.0069583.

Friedman-Levi, Y., M. Mizrahi, K. Frid, O. Binyamin, and R. Gabizon. 2015. Correction: PrPST, a

Soluble, Protease Resistant and Truncated PrP Form Features in the Pathogenesis of a

Genetic Prion Disease. *PLoS ONE*. 10:e0133911. doi:10.1371/journal.pone.0133911.

Geison, G.L. 1996. The Private Science of Louis Pasteur. illustrated, revised. Princeton University

Press.

Ioannidis, J.P. 2005. Why most published research findings are false. *PLoS Med*. 2:e124.

doi:10.1371/journal.pmed.0020124.

Liu, J., P. Xu, C. Collins, H. Liu, J. Zhang, J.P. Keblesh, and H. Xiong. 2013. HIV-1 Tat protein

increases microglial outward K(+) current and resultant neurotoxic activity. *PLoS ONE*.

8:e64904. doi:10.1371/journal.pone.0064904.

Liu, S.V. 2006. im1.biz/TopRetraction.pdf. *Scientific Ethics*. 1:91–93.

Liu, Y., Y. Liu, C. Sun, L. Gan, L. Zhang, A. Mao, Y. Du, R. Zhou, and H. Zhang. 2014. Carbon ion

radiation inhibits glioma and endothelial cell migration induced by secreted VEGF. *PLoS*

ONE. 9:e98448. doi:10.1371/journal.pone.0098448.

Liu, Y., Y. Liu, C. Sun, L. Gan, L. Zhang, A. Mao, Y. Du, R. Zhou, and H. Zhang. 2015. Correction:

Carbon Ion Radiation Inhibits Glioma and Endothelial Cell Migration Induced by Secreted

VEGF. *PLoS ONE*. 10:e0135508. doi:10.1371/journal.pone.0135508.

Lüscher, T.F. 2013. The codex of science: honesty, precision, and truth--and its violations. *Eur*

Heart J. 34:1018–1023. doi:10.1093/eurheartj/eht063.

Oksvold, M.P. 2015. Incidence of Data Duplications in a Randomly Selected Pool of Life Science

Publications. *Sci Eng Ethics*. doi:10.1007/s11948-015-9668-7.

Open Science Collaboration. 2015. PSYCHOLOGY. Estimating the reproducibility of psychological

science. *Science*. 349:aac4716. doi:10.1126/science.aac4716.

Patnaik, P.R. 2015. Scientific Misconduct in India: Causes and Perpetuation. *Sci Eng Ethics*.

doi:10.1007/s11948-015-9677-6.

Prinz, F., T. Schlange, and K. Asadullah. 2011. Believe it or not: how much can we rely on

published data on potential drug targets? *Nat Rev Drug Discov*. 10:712.

doi:10.1038/nrd3439-c1.

Pulloor, N.K., S. Nair, K. McCaffrey, A.D. Kostic, P. Bist, J.D. Weaver, A.M. Riley, R. Tyagi, P.D.

Uchil, J.D. York, S.H. Snyder, A. García-Sastre, B.V. Potter, R. Lin, S.B. Shears, R.J. Xavier,

and M.N. Krishnan. 2014. Human genome-wide RNAi screen identifies an essential role

for inositol pyrophosphates in Type-I interferon response. *PLoS Pathog*. 10:e1003981.

doi:10.1371/journal.ppat.1003981.

Pulverer, B. 2014. EMBO Press - a new way to publish. *EMBO J*. 33:1–2.

doi:10.1002/embj.201387566.

Retraction for Xu et al., Reactive oxygen species-triggered trophoblast apoptosis is initiated by

endoplasmic reticulum stress via activation of caspase-12, CHOP, and the JNK pathway

in Toxoplasma gondii infection in mice. 2015. *Infect Immun*. 83:1735.

doi:10.1128/IAI.00118-15.

Rossner, M. 2002. Figure manipulation: assessing what is acceptable. *J Cell Biol*. 158:1151–

1151. doi:10.1083/jcb.200209084.

Rossner, M., and K.M. Yamada. 2004. What's in a picture? The temptation of image

manipulation. *J Cell Biol*. 166:11–15. doi:10.1083/jcb.200406019.

Steen, R.G., A. Casadevall, and F.C. Fang. 2013. Why has the number of scientific retractions

increased? *PLoS ONE*. 8:e68397. doi:10.1371/journal.pone.0068397.

Steneck, N.H. 2006. Fostering integrity in research: definitions, current knowledge, and future

directions. *Sci Eng Ethics*. 12:53–74. doi:10.1007/s11948-006-0006-y.

The PLOS ONE Staff. 2014. Correction: HIV-1 Tat Protein Increases Microglial Outward K+

Current and Resultant Neurotoxic Activity. *PLoS ONE*. 9:e109218.

doi:10.1371/journal.pone.0109218.

The PLOS Pathogens Staff. 2014. Correction: Human Genome-Wide RNAi Screen Identifies an

Essential Role for Inositol Pyrophosphates in Type-I Interferon Response. *PLoS Pathog*.

470   10:e1004519. doi:10.1371/journal.ppat.1004519.

471 Xu, X., T. Liu, A. Zhang, X. Huo, Q. Luo, Z. Chen, L. Yu, Q. Li, L. Liu, Z.R. Lun, and J. Shen. 2012.

472   Reactive oxygen species-triggered trophoblast apoptosis is initiated by endoplasmic

473   reticulum stress via activation of caspase-12, CHOP, and the JNK pathway in Toxoplasma

474   gondii infection in mice. *Infect Immun*. 80:2121–2132. doi:10.1128/IAI.06295-11.

475 Yidong, G., and H. Xin. 2006. Research ethics. China's science ministry fires a barrage of

476   measures at misconduct. *Science*. 312:1728–1729. doi:10.1126/science.312.5781.1728a.

477 Zou, X., B.S. Sorenson, K.F. Ross, and M.C. Herzberg. 2013. Augmentation of epithelial

478   resistance to invading bacteria by using mRNA transfections. *Infect Immun*. 81:3975–

479   3983. doi:10.1128/IAI.00539-13.

480 Zou, X., B.S. Sorenson, K.F. Ross, and M.C. Herzberg. 2015. Correction for zou et Al.,

481   augmentation of epithelial resistance to invading bacteria by using mRNA transfections.

482   *Infect Immun*. 83:1226–1227. doi:10.1128/IAI.02991-14.

487 **FIGURES and LEGENDS**

491 **Figure 1. Publications investigated in this study by year of publication.** The majority of

492 screened papers were published in 2013 and 2014 due to the large proportion of *PLOS ONE*

493 papers (39.5%) in the dataset. The lowest number of papers (n=151) screened in this study was

494 published in 1996.

Figure 2. Examples of simple duplication (Category I). **A.** The beta-actin control panel in the top left is identical to the panel in the bottom right (shown by green boxes), although each panel represents a different experimental condition (Zou et al., 2013); corrected in: (Zou et al., 2015). Figure reproduced with permission from the publisher. **B.** The panels shown here were derived from two different figures within the same paper. Two of the top panels appear identical to two of the bottom panels, but they represent different experimental condition (shown with red and blue boxes) (Liu et al., 2013); corrected in: (The PLOS ONE Staff, 2014). Figure reproduced under the Creative Commons (CC BY) license. All duplications might have been caused by honest errors during assembly of the figures.

Figure 3. Examples of duplication with repositioning (Category II). A. Although the panels represent four different experimental conditions, three of the four panels appear to show a region of overlap (shown with green and blue boxes), suggesting that these photographs were actually obtained from the same specimen (Liu et al., 2014); corrected in: (Liu et al., 2015)**. B.** Western blot panels "Nucleus-Protein D" and "Cytoplasm Protein C" purportedly depict different proteins and cellular fractions, but the blots appear very similar albeit shifted by two lanes (shown with red boxes) (Pulloor et al., 2014); corrected in: (The PLOS Pathogens Staff, 2014). Both figures reproduced under the Creative Commons (CC BY) license.

Figure 4. Examples of duplication with alteration (Category III). A. The left and right FACS panels represent different experimental conditions and show different percentages of cell subsets, but regions of identity (colored boxes) between the panels suggest that the images have been altered (Xu et al., 2012); retracted in (Retraction for Xu et al., 2015). Figure reproduced with permission from the publisher. **B.** The figure shown here displays a Western blot of 10 different protein fractions isolated from a density gradient. The figure appears to show a single blot, but the last two lanes (highlighted with red circles) appear to contain an identical band. Exposure was altered to bring out details (Friedman-Levi et al., 2013); corrected in: (Friedman-Levi et al., 2015). Figure reproduced under the Creative Commons (CC BY) license.

Figure 5. Percentage of papers containing inappropriate image duplications by year of publication. No papers with duplications were found in 1995. The dark gray bars show the data for all 40 journals. The light gray colored bars show a subset of 16 journals for which papers spanning the complete timespan of 20 years were scanned. The total numbers of papers screened in each year are shown in Figure 1.

Figure 6. Correlation between journal impact factor and percentage of papers with image duplication. Only papers from 2005-2014 (n = 17,816) were included in this analysis. Each data point represents a journal included in this study (n=40), with data points color-coded according to their publisher (n=14; journals published by AAAS, Nature, Cell Press, the National Academy of Sciences, and the Rockefeller University Press are grouped under "Other"). The x-axis is shown on a logarithmic scale due to the small number of journals with a high impact factor included in this study. The blue line shows a linear regression model. The grey zone depicts the 95% confidence interval.

Figure 7. Proportion of papers with image duplications by country. The proportion of papers

affiliated with specific countries submitted to *PLOS ONE* during a 16-month period in the years

2013 and 2014 (n = 8,138) is plotted versus the proportion of papers containing inappropriate

image duplication affiliated with specific countries (n = 348). Each data point represents a

country for which 100 or more papers were screened. Some papers were affiliated with more

than one country. The blue line represents the line where data points are expected to fall if

problematic papers are distributed as expected according to their representation in the journal.

Countries plotted above the blue line had a higher-than-expected proportion of problematic

papers; countries plotted below the line had a lower-than-expected ratio.

553 **SUPPLEMENTARY TABLE**

555 **Table S1. The 40 journals screened in this study.** Table includes publisher, impact factor

556 (Thomson Reuters 2013), number of papers containing the term "western blot" (WB) screened

557 per year, and number of papers with inappropriate image duplication (IDs) found in that year.

Bik et al. Supplementary Table 1

Journal Title	Publisher	Impact Factor 2013	Screened	Papers with ID	% ID	2014 WB	2014 ID	2013 WB	2013 ID	2012 WB	2012 ID	2011 WB	2011 ID	2010 WB	2010 ID	2009 WB	2009 ID	2008 WB	2008 ID	2007 WB	2007 ID	2006 WB	2006 ID	2005 WB	2005 ID	2004 WB	2004 ID	2003 WB	2003 ID	2002 WB	2002 ID	2001 WB	2001 ID	2000 WB	2000 ID	1999 WB	1999 ID	1998 WB	1998 ID	1997 WB	1997 ID	1996 WB	1996 ID	1995 WB	1995 ID
PLOS ONE	PLOS	3.53	8138	348	4.28	3846	167	4292	181	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PLOS Pathogens	PLOS	8.06	406	9	2.22	200	5	206	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PLOS Genetics	PLOS	8.17	362	4	1.10	164	2	198	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PLOS Biology	PLOS	11.77	233	6	2.58	36	2	42	0	47	1	47	1	61	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PLOS NTD	PLOS	4.49	317	17	5.36	72	3	79	4	53	3	37	3	42	3	17	0	15	1	2	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Journal of Clinical Microbiology	ASM	4.23	595	11	1.85	13	0	10	0	12	0	15	0	19	0	18	1	20	0	11	0	31	2	44	2	55	3	45	2	55	0	57	0	49	0	58	0	46	1	13	0	8	0	16	0
Applied and Environmental Microbiology	ASM	3.95	292	8	2.74	56	0	46	1	65	0	60	3	65	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
mBio	ASM	6.88	175	3	1.71	64	0	53	1	30	1	22	1	6	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Infection and Immunity	ASM	4.16	1070	30	2.80	120	2	95	5	121	6	40	2	51	2	51	2	51	0	53	0	52	1	58	2	52	1	42	3	47	0	45	1	49	1	51	1	47	0	11	0	14	1	19	0
Journal of Virology	ASM	4.65	421	11	2.61	NA	NA	421	11	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
International journal of cancer	Wiley	5.01	226	10	4.42	40	0	186	10	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Clinical Microbiology and Infection	Wiley	5.20	199	1	0.50	9	0	6	0	10	1	11	0	14	0	23	0	17	0	14	0	21	0	15	0	15	0	7	0	5	0	11	0	6	0	3	0	5	0	4	0	1	0	2	0
Journal of Applied Microbiology	Wiley	2.39	200	3	1.50	15	0	19	0	8	0	14	0	11	1	12	0	19	0	23	1	6	1	8	0	9	0	7	0	11	0	14	0	6	0	9	0	5	0	4	0	NA	NA	NA	NA
Environmental Microbiology	Wiley	6.24	189	5	2.65	49	1	24	0	19	2	18	0	22	0	17	1	16	0	5	0	3	0	3	0	2	0	2	0	4	0	0	0	3	1	2	0	NA	NA	NA	NA	NA	NA	NA	NA
Microbiology and Immunology	Wiley	1.31	358	3	0.84	19	0	29	0	23	0	22	0	19	1	17	0	19	0	6	0	3	0	5	1	7	1	7	0	18	0	18	0	35	0	23	0	27	0	27	0	18	0	16	0
Letters in Applied Microbiology	Wiley	1.75	123	2	1.63	10	0	6	0	7	2	10	0	17	0	7	0	6	0	3	0	8	0	2	0	6	0	7	0	2	0	8	0	1	0	2	0	5	0	3	0	NA	NA	NA	NA
BioMed Research International	Hindawi	2.71	77	8	10.39	42	4	35	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Evid Based Compl Alternat Med	Hindawi	2.18	96	10	10.42	20	2	34	4	25	3	12	1	3	0	1	0	0	0	0	0	1	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BMC Microbiology	BMC	2.98	340	23	6.76	44	3	44	3	28	0	50	3	56	6	39	3	37	2	11	0	8	2	5	0	5	0	2	1	5	0	6	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Genome Biology	BMC	10.47	105	1	0.95	24	0	15	1	8	0	7	0	4	0	6	0	6	0	9	0	6	0	5	0	5	0	2	0	3	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Breast Cancer Research	BMC	5.88	403	20	4.96	58	4	38	2	49	5	49	0	36	2	24	0	31	1	25	2	12	2	35	2	13	0	4	0	3	0	5	0	17	0	4	0	NA	NA	NA	NA	NA	NA
BMC Cancer	BMC	3.32	145	8	5.52	NA	NA	145	8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Diagn Microbiol Infect Dis	Elsevier	2.57	115	3	2.61	6	0	7	0	14	1	15	2	9	0	6	0	8	0	14	0	5	0	3	0	3	0	6	0	4	0	5	0	1	0	4	0	3	0	1	0	2	0	1	0
Lung Cancer	Elsevier	3.74	317	11	3.47	12	0	24	0	38	1	28	1	25	2	28	1	23	1	23	1	20	2	14	0	15	0	29	1	14	0	13	1	1	0	2	0	4	0	0	0	2	0	2	0
Cytokine	Elsevier	2.87	464	28	6.03	31	1	55	2	66	3	60	5	30	1	28	4	39	4	15	1	35	4	37	2	23	1	15	0	6	0	2	0	6	0	3	0	3	0	4	0	4	0	2	0
Journal of Autoimmunity	Elsevier	7.02	150	6	4.00	8	1	13	0	13	0	11	0	11	0	6	1	8	0	6	1	16	1	13	2	14	0	8	0	1	0	2	0	2	0	3	0	3	0	2	0	7	0	NA	NA
Appl Microbiol Biotechnol	Springer	3.81	230	8	3.48	78	3	91	5	61	0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Breast Cancer Res Treatment	Springer	4.20	206	12	5.83	61	5	45	3	100	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cancer Chemotherapy and Pharmacology	Springer	2.57	542	29	5.35	29	0	42	2	39	1	54	5	43	1	52	4	59	4	25	3	38	1	31	3	30	3	21	2	18	0	12	0	12	0	11	0	8	0	7	0	7	0	4	0
Molecular and Cellular Biochemistry	Springer	2.39	800	43	5.38	40	5	40	4	40	6	40	3	40	3	40	2	40	3	40	4	40	2	40	0	40	1	40	3	40	2	40	1	40	0	40	1	40	0	40	0	40	0	NA	NA
Growth Factors	Informa	3.09	166	10	6.02	0	0	4	0	11	0	12	1	12	1	19	1	19	2	13	2	3	1	10	1	5	1	4	0	3	0	7	0	7	0	5	0	13	0	10	0	4	0	5	0
Cancer Investigation	Informa	2.06	220	13	5.91	12	0	11	1	17	1	23	2	35	2	37	2	26	3	13	1	9	0	5	1	9	0	6	0	4	0	3	0	2	0	1	0	0	0	1	0	3	0	NA	NA
Leukemia & Lymphoma	Informa	2.61	404	13	3.22	54	1	26	2	39	1	26	0	29	3	17	1	20	1	23	2	16	1	9	0	12	0	12	1	20	0	23	0	15	0	10	0	20	0	9	0	11	0	13	0
International Journal of Oncology	Spandidos	2.77	89	11	12.36	NA	NA	51	6	38	5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Science	AAAS	31.48	681	9	1.32	37	0	35	1	32	0	31	0	41	0	34	1	38	1	51	1	36	1	47	0	58	1	43	1	56	1	59	1	52	0	4	0	3	0	5	0	8	0	11	0
Nature	Nature	42.35	750	12	1.60	50	0	50	1	50	1	50	1	50	0	50	2	50	2	50	0	50	0	25	0	25	0	25	0	25	0	25	1	25	0	25	2	25	1	25	1	25	0	50	0
Nature Oncogene	Nature	8.46	150	7	4.67	50	2	50	4	50	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cancer Cell	Cell Press	23.89	188	6	3.19	55	2	63	2	70	2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Journal of Cell Biology	RU Press	9.79	329	1	0.30	102	0	110	0	117	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
PNAS	NAS	9.81	350	19	5.43	50	1	50	4	50	2	50	2	50	3	50	3	50	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Sum			20621	782		5576	216	6790	278	1350	54	814	36	801	37	599	29	617	29	435	18	419	23	414	18	403	11	337	12	342	4	357	6	336	3	267	3	254	3	164	1	151	1	194	0
% ID					3.79	3.87		4.09		4.00		4.45		4.52		4.74		4.41		4.14		5.49		4.35		2.73		3.56		1.17		1.68		0.89		1.12		1.18		0.61		0.66		0.00	