PAYOFF-BIASED SOCIAL LEARNING UNDERLIES THE DIFFUSION OF NOVEL EXTRACTIVE FORAGING TRADITIONS IN A WILD PRIMATE

BRENDAN J BARRETT[1,2], RICHARD L MCELREATH[1,2,3], AND SUSAN E PERRY[4,5]

ABSTRACT. The type and variety of learning strategies used by individuals to acquire behaviours in the wild are poorly understood, despite the taxonomic prevalence of behavioural traditions. Social learning strategies such as conformity can be broadly adaptive, but may also retard the spread of adaptive innovations. Strategies like payoff-biased social learning, in contrast, are effective at diffusing new behaviour but may perform poorly when adaptive behaviour is common. We present a field experiment in a wild primate, *Cebus capucinus*, that introduced a novel food item and documented the innovation and diffusion of successful extraction techniques. We develop a multilevel, Bayesian statistical analysis that allows us to quantify individual-level evidence for different social and individual learning strategies. We find that payoff-biased social learning and age-biased social learning are primarily responsible for the diffusion of the new techniques. We find no evidence of conformity; instead rare techniques receive slightly increased attention. We also find substantial and important variation in individual learning strategies that is patterned by age, with younger individuals being more influenced by both social information and their own individual experience. The aggregate cultural dynamics in turn depend upon the variation in learning strategies and the age structure of the wild population.

Keywords: payoff-bias, social learning, behavioural traditions, *Cebus*, cultural transmission, extractive foraging

---

[1]UNIVERSITY OF CALIFORNIA, DAVIS; ANIMAL BEHAVIOR GRADUATE GROUP

[2]UNIVERSITY OF CALIFORNIA, DAVIS; DEPARTMENT OF ANTHROPOLOGY

[3]MAX PLANCK INSTITUTE FOR EVOLUTIONARY ANTHROPOLOGY

[4]UNIVERSITY OF CALIFORNIA, LOS ANGELES; DEPARTMENT OF ANTHROPOLOGY

[5]UNIVERSITY OF CALIFORNIA, LOS ANGELES; CENTER FOR BEHAVIOR, EVOLUTION, AND CULTURE

E-mail address: bjbarrett@ucdavis.edu.

1. Introduction

The existence of culture or behavioural traditions [1] in non-human animals has been a topic of intrigue to evolutionary biologists and ethologists for centuries [2–4]. Research interest in animal cultures has soared, partially driven by findings from long-term cross-site collaborations within primatology [5–7] and cetaceology [8;9] in the early 21st century. As the diversity of taxa in which social learning is studied grows, increasing evidence is accumulating that traditions might be more widespread and ecologically meaningful than was previously appreciated.

As evidence accumulates, the study of cultural mechanisms has shifted focus from asking "can animals learn socially?" to "how and under what conditions do animals learn socially?" The ecological drivers that favor social learning are theoretically well explored [10]. The mechanistic details and evolutionary and ecological consequences of social learning are less well understood. From an individual's perspective, it may be difficult to know whom or exactly what to copy. To cope with these difficulties, organisms use heuristics [10] and strategies [11;12] to minimize the costs and increase the efficiency of social learning. Variation in learning strategy, whether between individuals or over the life course, can be equally important [13–15].

Different strategies have different advantages. Two families of social learning strategies that have received both theoretical and empirical attention are conformity and payoff-bias [10;16;17]. Conformist transmission, or positive frequency dependence, can be adaptive [10;18;19]. However, unless it is combined with other, flexible strategies, conformity may reduce the spread of adaptive innovations or cause population collapse [20]. In contrast to conformity, payoff-biased social learning is very effective at spreading novel adaptations. Payoff-biased social learning attends to behaviour that is associated with higher payoffs. However, it can be outperformed by conformity, once adaptive behaviour is common [21].

There is empirical evidence for both conformist and payoff-biased social learning in humans [17]. In other animals, conformity has been studied more extensively than payoff-bias. For example, [22] and [23] find evidence consistent with positive frequency dependence in great tits and vervet monkeys, respectively. To our knowledge, no non-human study has directly compared the explanatory power of conformity and payoff-biased social learning.

Here we report results from a field experiment with white-faced capuchin monkeys (*Cebus capucinus*) that is capable of distinguishing conformist and payoff-biased social learning. Capuchins provide an ideal study system for understanding social learning and traditions. They are tolerant of foraging in proximity with conspecifics [24], independently evolved many brain correlates associated with intelligence [25;26] and display the largest recorded repertoire of candidate behavioural traditions of any platyrrhine: social conventions [7], interspecific interactions [27] and extractive foraging techniques

[28–31]. Their reliance on social learning, frequency of innovation, and complexity of social interactions exemplifies what is predicted for long-lived animals with a slow life history strategy [32]. We investigated the innovation and transmission of extractive foraging techniques used to access the protected seeds of the *Sterculia apetala* fruit. This fruit occurs sporadically over the range of *C. capucinus*. Only some groups are experienced with it. By introducing the fruit to a naive group in controlled settings, we observed the rise and spread of new foraging traditions. We then inferred which social learning strategies best predict individual behaviour and how they influence the origins and maintenance of traditions.

The statistical analysis employs a multilevel dynamic learning model, of the form developed by [17], and inference is based upon samples from the full posterior distribution, using Hamiltonian Monte Carlo [33]. This model allows estimation of unique social and individual learning strategies for each individual in the sample. The analysis takes advantage of dynamic social network data, which were available during each field experimental session. It also makes it possible to study the relationship between age, rank, or any other individual state and individual learning strategy. The multilevel approach makes it possible to apply these models to field data that lack precise balance. We provide all the code needed to replicate our results and to apply this same approach to any group time series of behaviour.

We document that the capuchins innovated a number of successful techniques. However, these techniques vary in their physical and time requirements. Over time, techniques that required less time spread through the group and replaced other techniques. The statistical analysis suggests that payoff-biased social learning was responsible for this spread. We find no evidence of conformity, but do find evidence of weak anti-conformity—rare techniques attracted more attention. We also find evidence of an age bias in social learning, in which older individuals were more likely to transmit their behaviour. Individuals varied in how they made use of social cues and individual experience, and age was a strong predictor. Our results comprise the first application of multilevel, dynamic social learning models to a study of wild primates and suggest that payoffs to behaviour can have important and different influences on social and individual learning. Methodologically, the approach we have developed is flexible, practical, and allows for a stronger connection between theoretical models of learning and the statistical models used to analyze data.

2. Study Design

2.1. **Field site and study system.** This study was conducted between 2013 and 2015 on a group of habituated white-faced capuchin monkeys, *Cebus capucinus*, in and near Reserva Biológica Lomas Barbudal (RBLB) in northwest Costa Rica, during the months of December–February in each

year. More information about the field site [34] can be found in the supplemental.

Capuchins exploit difficult to access resources via extractive foraging. Their heavy reliance on extractive foraging is notable among monkeys [24], and has marked capuchins as an ideal comparative study system for understanding the evolution of extractive foraging in humans. In neotropical dry forests, capuchins increase their reliance on extractive foraging during seasonal transitions when resources are limited. Capuchins receive more close, directed attention from conspecifics when they are foraging on large, structurally protected fruits [35]. Many of the techniques required to access protected fruits have been proposed as potential behavioural traditions [28].

Panamá fruits, *Sterculia apetala*, are a dietary staple of capuchins at RBLB and comprise 8% of the diet of most capuchin groups in the early dry season [35]. The fruits are *empanada* shaped and the fatty, protein rich seeds within are protected by a hardened outer husk, sticky exudates, and stinging hairs [36]. Instead of waiting for fruits to dehisce, capuchins will open closed fruits and work around their the structural defenses, thus reducing competition with other organisms. Panamá fruits require multiple steps to effectively open, process, and consume, and panamá foraging generates the second highest level of close-range observation from conspecifics at RBLB [35]. Panamá processing techniques are also observed to vary between groups at RBLB and other field sites in the area [28], suggesting they are socially-learned traditions. Interestingly, wild-caught juvenile capuchins were found to be unable to open the fruits and likely did not consume them prior to dehiscing [36].

Panamá processing techniques differ in efficiency, measured by the average time it takes to open a fruit. Techniques also differ in efficacy, both in their probability of being successful and due to costs incurred by encountering stinging hairs. This contrasts with other extractive foraging traditions that show no difference in efficiency or efficacy [29]. Near RBLB, panamá trees grow in riparian and/or evergreen habitat in primary forests where they are dominant canopy species, growing up to 35 meters.

The focal group of this study, Flakes group (N=25), fissioned from the original study group in 2003. They migrated to a previously unoccupied patch of secondary agricultural and cattle ranching land characterized by riparian forest, pasture and neotropical oak woodland, where panamá trees are almost non-existent. Group scan data collected on foraging capuchins at RBLB from 2003–2011 show that Flakes was never observed foraging panamá, whereas other groups spent up to 1.21% of their annual foraging time eating panamá (Table S1). Two trees were found in the territory during phenological surveys, but are at the periphery, have small crowns, and are in areas of the habitat shared with other capuchin groups who regularly forage at them. When this study was designed, neither the authors nor other researchers at the field site had any recollection of ever observing Flakes foraging for panamá. Observations of 2 natal Flakes adult males

(who would be expert panamá foragers in any other group) found outside of their territory migrating, suggest that they had little or no experience with panamá fruits in their life. Efficiency at foraging for panamá markedly increased over the 3 years this experiment was conducted.

Several adults in the group (2 females, 3 males) grew up in different natal groups whose territories contained large numbers of panamá trees and whose groups exhibited higher rates of panamá foraging. For 2 migrant adult males from non-study groups, it is unknown if they previously learned to process panamá fruits, but this seems likely as evidenced by their skill. These individuals also differed in the primary processing techniques they used to process panamá that they presumably acquired in their natal group. By providing panamá fruits to both naïve/inexperienced juveniles and to knowledgeable adult demonstrators who differ in processing techniques, we collected fine-grained data showing how inexperienced capuchins learn a natural behaviour.

2.2. **Fruit Collection.** The locations of 79 mature panamá trees near RBLB were recorded using GPS and compiled from phenological transects, the recollection of long term researchers, and surveys in areas conducive to their ecology. Panamá trees are easy to locate in the forest as they are often large, primarily grow near limited water sources, and have conspicuous buttresses and large palmate leaves that densely litter the forest floor. Panamá fruits used in the study were collected at trees where fruits showed evidence of capuchin foraging. Fruits chosen were of early stage ripeness, had not dehisced, had mature-sized seeds, showed no evidence of physical tampering by animals, and were used within 48 hours of collection.

2.3. **Foraging Data Collection.** Observers were trained for at least one month on monkey identification in the field using facial recognition, size, and unique marks, and also memorized an ethogram of panamá foraging and social behaviour. Panamá fruits were placed on a 25 cm diameter wooden platform which provided visual contrast of the fruits against the ground as fruits blended with the leaf litter, and so the capuchins had some sort of naturalistic spatial cue to associate with panamá fruits. Two fruits were placed on 1-2 platforms in each experimental bout. This permitted 1-4 capuchins to forage at a given time, and 2 fruits per platform was the maximum number on which a single human observer could reliably collect data.

We placed multiple fruits for two reasons. First, when individuals are naturally foraging for panamá, there are multiple fruits in a tree from which they choose. Second, we wanted to see whom they chose to bias their attention toward when given a choice of multiple potential demonstrators. While many learning experiments often have one potential demonstrator to learn from in a foraging bout or assume that everyone observes that demonstrator, we believe that allowing them to choose a potential learning model is more representative of how animals learn in the wild.

Fruit platforms were initially placed under a poncho to obscure the mon-
key's view of us handling fruits. As ponchos were worn regularly when
not experimenting, monkeys were unlikely to associate their presence with
panamá platforms. When monkeys were not looking, we uncovered the
fruits and walked to an observation area away from the platform so the
monkeys could forage unimpeded. On digital audio recorders, we recorded
if or when individuals saw, handled, processed, opened, ingested seeds from,
and dropped each fruit. We verbally described how they were processing
each fruit using an ethogram of techniques and which audience members
observed them. More information on data collection and videos of process-
ing can be found in the supplemental.

3. Results: Innovation and diffusion of techniques

Processing techniques were sorted into 7 categories based on the predom-
inant technique used to process the fruit (Table S2). Techniques varied in
both the time required to reach the seed, when successful, and the propor-
tion of attempts resulting in success. Mean (median) duration ranged from
50 (29) to 330 (210) seconds. Proportion of attempts resulting in success
ranged from 0.38 to 0.89.

The frequencies of different techniques changed over time both in the
group and in most individuals (Figure 1). The most successful technique,
canine seam, went from being non-existent in the group to becoming the
most common technique employed after it was introduced by an immigrant
adult male (NP). Two knowledgeable adults, an adult female (ME) and the
alpha male (QJ), switched to the more efficient canine seam technique while
all others born after 2009 tried it at least once. However, canine seam never
reached fixation in the population.

4. Results: Learning strategies

We analyzed these data using a series of hierarchical experience weighted
attraction (EWA) models [37;38]. EWA models are a flexible family of
statistical models that directly use mathematical models of social learning
to estimate the learning strategy or strategies used by individuals, and link
individual learning rules to population-level dynamics [16;17;39].

4.1. **Social learning strategies.** Our main focus is the contrast between
two well-studied types of social learning, conformity and payoff-bias. How-
ever, there are several other strategies of social learning that we also in-
vestigate in the a common modeling framework. We quickly describe the
background of these strategies. We then describe how the modeling frame-
work incorporates them.

Content biases: payoff-biased learning. Copying the most successful
observable behaviour, or behaviours with the highest payoff, is an intuitively
useful social learning strategy [21;40]. In a foraging context, selectively

FIGURE 1. Techniques used during the experiment. Rows are unique individuals arranged from older (top) to younger (bottom). X-axis is event time with each event representing a unique fruit in chronological experimental order. Each color represents a unique processing technique. Shaded circles represent successful use of a technique. An x indicates a failed attempt. The most successful technique in red (canine seam) diffused to older members of the population over the course of the experiment. Younger individuals (bottom of chart) did not use the canine seam technique, had more failed attempts, and fewer processing attempts overall when compared to older individuals.

215 copying fitness-maximizing behaviours can increase the efficiency of diet and resource acquisition. Guppies choose food patches with higher return rates [41] while wild tufted capuchins bias attention toward the most efficient tool-users [42]. However, surprisingly little work has examined whether animals use pay-off biased social learning. Part of this may be a consequence of early

220 methods used to identify traditions such as the group contrasts method, where behaviours that differed between groups that could not be explained by genetics or ecology were proposed as candidate traditions [5]. This likely overlooked many adaptive behaviours that differ in payoff; despite being socially learned the best behaviour is less likely to differ between groups

225 than more "arbitrary" traditions.

Model-biased learning. In situations where the content of a behaviour cannot be evaluated, individuals might bias their attention toward particular demonstrators in a population. These model biases [43] can be efficient shortcuts to acquiring behaviours. Simply copying successful or high-ranking

230 demonstrators might be correlated with some aspect of success, and does not require the cognition or time required to evaluate the content of behavioural choices. Prestige-biased learning is a common example of a model bias in humans [44]. While animals may lack the concept of prestige, they have similar analogues. Captive chimpanzees have been found to be more likely to

235 copy dominant, high-ranking individuals [39;45]. Vervet monkeys copy high-ranking members of their own sex [46]. However, it is difficult to determine if this was rank-bias, sex similarity-bias, or both, as high-ranking individuals monopolized the puzzle boxes.

Copying the behaviours of one's parents, or vertical transmission, is an-

240 other widespread learning strategy. If a parent can survive and successfully reproduce, its offspring's existence serves as a reliable cue that her parents must have gotten something right by surviving long enough to produce off-spring [47]. In wild white-faced capuchins *Luehea candida* processing tech-niques for individuals were predicted in part by the technique their mother

245 used and in part by the non-maternal technique they saw performed most often. This kin-biased effect was also stronger in females than males [29]. Kin-biased learning has been found in many carnivores[48–50], but it can be difficult to discern whether this is due to cognition or is a consequence of family-unit social systems.

250 Copying similar individuals can be an adaptive heuristic, especially if be-haviours differentially suit members of a population based of a trait. In populations where organisms differ in ecology, strength, size, strength, or cognition due to age or sex, it might be beneficial for learners to copy those who are most similar to them. Great tits preferentially copied age-mates

255 when learning to remove milk caps from bottles [51], while sex-biased learn-ing has been found in several primate species [29;46].

4.2. **Frequency-dependent learning.** Frequency-dependent learning is copying behaviours relative to their observed frequency in a population. It includes unbiased learning, positive frequency-dependent learning, and negative frequency-dependent learning. Unbiased learning, also known as random copying or linear imitation, is copying what is observed proportional to its frequency in a population. It is arguably the simplest form of learning and likely widespread [52]. Negative frequency-dependence, or anti-conformity, is preferentially copying rare behaviours in a group. It can also be thought of as a form of neophilia. Positive frequency dependence, more commonly known as conformity or majority-biased learning, is preferentially copying the most common behaviour observed in a group. Conformity is of particular interest because it can lead to fixation of a cultural trait in a group, maintain the stability of that trait, and is considered an important aspect of human evolution and behaviour [10;18]. Experiments in many captive [53–57] and some wild [22;58] animals have found evidence of conformity-biased learning.

4.3. **Model design.** An EWA model consist of two parts: a set of expressions that specify how individuals process and accumulate experience and a second set of expressions that turn accumulated experience into probability distributions over choices. Accumulated experience is represented by *attraction* scores, A_{ijt}, which are unique to each behaviour i, individual j, and time t. A simple, common, and successful formulation is reinforcement learning, in which an individual payoff π_{ij} updates the attraction of individual j to behaviour i:

$$A_{ij,t+1} = (1 - \phi_j)A_{ij,t} + \phi_j\pi_{ij,t} \tag{1}$$

The parameter ϕ_j controls the importance of recent payoffs in influencing attraction scores. Note that this parameter is unique to individual j, and so can vary by age or any other hypothetical feature of individuals.

To turn these attraction scores into behavioural choice, some function that defines a probability for each possible choice is needed. In the simplest case, only individual attraction scores influence choice, and a standard multinomial logistic, or *soft-max* choice rule, is employed:

$$\Pr(i|A_{ijt}, \lambda) = \frac{\exp(\lambda A_{ij,t})}{\sum_k \exp(\lambda A_{kj,t})} = I_{ij} \tag{2}$$

The parameter λ controls how strongly differences in attraction influence choice. When λ is very large, the choice with the largest attraction score is nearly always selected. When $\lambda = 0$, choice is random with respect to attraction score. We label the above expression I_{ij} for ease of later reference and compactness of notation. In this study the individuals were assigned a payoff of zero, $\pi_{ij} = 0$, if they failed to open a panamá fruit. If they were successful, payoff was realized as the inverse-log amount of time it took to open the fruit, $\pi_{ij} = \log(t_{\text{open}})^{-1}$. For the observed times t_{open}, this ensures

TABLE 1. Summary of payoffs and social cues used in social learning strategies & heuristics. Social payoffs and cues are specific to the observer depending on which foragers they observe, and correspond with equations 4-7

Social cue	Definition of κ
Payoff	Fail: 0 , Succeed: $\log(t_{\text{open}})^{-1}$
Rank	1 for α rank male and female, 0 others
Matrilineal kinship	1 for matrilineal kin, 0 for others
Age similarity	$(1 + |\text{age}_{\text{forager}} - \text{age}_{\text{observer}}|)^{-1}$
Age bias	$1 - \text{age}_{\text{forager}}$

that payoffs decline as t_{open} increases, but with the steepest declines early on.

Following previous work, social learning may influence choice directly and distinctly from individual learning, via a weight parameter. Let $S_{ij} = S(i|\mathbf{\Theta}_j)$ be the probability an individual j chooses behaviour i on the basis of a set of social cues and parameters $\mathbf{\Theta}_j$. Realized choice is given by:

$$\Pr(i|A_{ijt}, \mathbf{\Theta}_j) = (1 - \gamma_j)I_{ij} + \gamma_j S_{ij} \qquad (3)$$

where γ_j is the weight, between 0 and 1, assigned to social cues. Under this formulation, social cues influence choice directly but attraction scores indirectly, only via the payoffs choice exposes an individual to.

We incorporate social cues into the term S_{ijt} by use of a multinomial probability expression with a log-linear component B_{ijt} that is an additive combination of cue frequencies. Specifically, we allow the probability of each option i, as a function only of social cues, be:

$$S_{ijt} = \frac{N_{ijt}^f \exp B_{ijt}}{\sum_m N_{mjt}^f \exp B_{mjt}} \qquad (4)$$

This is easiest to understand in pieces. Ignoring the $\exp B_{ijt}$ terms for the moment, the N_{ijt} variables are the observed frequencies of each technique i at time t by individual j. The exponent f controls the amount and type of frequency dependence. When $f = 1$, social learning is unbiased by frequency and techniques influence choice in proportion to their occurrence. When $f > 1$, social learning is conformist. Other social cues, like payoff, are incorporated via the B_{ijt} term:

$$B_{ijt} = \sum_k \beta_k \kappa_{k,ijt} \qquad (5)$$

which is just the sum of the products of the influence parameters β_k and the cue values $\kappa_{k,ijt}$. We consider five cues: payoff to behaviour, rank of demonstrator, matrilineal kinship of demonstrator to observer, age similarity, and age preference for older demonstrators. These cues are summarized in Table 1.

The final components needed to define the model are a way to make the individual-level parameters depend upon individual state and a way to define the window of attention for social cues at each time t. The parameters γ_j and ϕ_j control an individual j's use of social cues and rate of attraction updating, respectively. We model these parameters as logistic transforms of a linear combination of predictors. For example, the rate of updating ϕ_j for an individual j is defined as:

$$\text{logit}(\phi_j) = \alpha_j + \mu_\phi \times \text{age}_j \tag{6}$$

where α_j is a varying intercept per individual and μ_ϕ is the average influence of age on the log-odds of the updating rate. Social information available at each time step in the model was a moving window of the previous 14 days of observed foraging bouts. This allows new social information to be used, while old information is discarded. This choice is arbitrary. So to test the sensitivity of this time window, we also analyzed the data with moving time windows of 7, 21, and 28 days. The results we present are robust to these variations in the size of the window used to calculate social cues (Table S4). To fit the model, we defined a global model incorporating all cues, using both parameter regularization and model comparison with sub-models to account for overfitting. Overall nine models were fit representing nine learning strategies (Table S3). Models were fit using the Hamiltonian Monte Carlo engine Stan, version 2.14.1 [33], in R version 3.3.2 [59]. We compared models using the information criterion WAIC [60] using the `compare` function from the `rethinking` package in R [61]. To help ensure that our statistical model functions as intended, we simulated the hypothesized data generating process and recovered the true data-generating values from our simulated data. We chose conservative, weakly informative priors for our estimated parameters. This made our models skeptical of large effects and helped ensure chain convergence. Data and code for models, simulations, and graphs are available at `https://github.com/bjbarrett/panama1`.

4.4. **Results of EWA models.** Of the evaluated models, there was overwhelming support for some mix of individual and social learning over individual learning alone (Table S3). The highest ranked model according to WAIC values was the global model containing all strategies and age effects on learning parameters, which received 95% of the total model weight. We focus on this model, as it is both highest ranking and its parameter values agree with the weights assigned in the overall model set (Table 2). Figures S1 and S2 plot posteriors estimated from the global model.

Individual marginal posterior distributions of each parameter are displayed in Table 2. We quickly summarize these distributions below. However, keep in mind that while the marginal posterior distribution of each learning parameter provides some information, the model is too complicated to always interpret these parameters directly. For example, the weight of

TABLE 2. Posterior medians and standard deviations from the global model. Estimates of $\sigma_{individual}$ are the standard deviations of varying effects for that parameter across all individuals.

Parameter	Median	SD	$\sigma_{individual}$
λ	20.97	1.11	
ϕ	0.15	0.03	0.66
γ	0.14	0.03	0.69
f	0.38	0.28	1.29
β_{pay}	1.02	0.84	0.28
β_{kin}	0.19	0.93	0.25
β_{rank}	-0.11	0.91	0.26
β_{coho}	0.48	0.93	0.26
β_{age}	0.69	0.92	0.25
μ_{ϕ}	-0.11	0.03	
μ_{γ}	-0.10	0.05	

social information γ applies only at each choice. It is not therefore a simple partitioning of the importance of social versus individual information. The overall influence of social information cannot be partitioned, like in an analysis of variance. Therefore we supplement these marginals with visualizations of implied individual behaviour, using posterior predictive distributions (Figure S3).

Influence of conformity and payoff-bias (f and β_{pay}):   The raw marginal conformist exponent is below 1 on average, indicating mild anti-conformity, if anything. The marginal payoff-bias coefficient is strongly positive, indicating attraction to high-payoff actions. However, these parameters always interact to influence social learning. In order to appreciate their joint action, we visualize the individual social learning functions S_{ijt} (Expression 4) implied when only conformity and payoff-bias are present. The horizontal axis is the observed frequency of a higher payoff option among demonstrators. The vertical axis is the probability an individual chooses the higher payoff option. Each curve in the figure represents the posterior mean of for an individual monkey. The diagonal dashed line represents unbiased social learning, in which each option is chosen in proportion to its observed frequency among tutors. All individuals are strongly biased by payoff, resulting in a preference for the high-payoff option over most of the range of the horizontal axis. But most individuals also display weak anti-conformity, resulting in a preference for the rarer, low-payoff option in the upper right corner. There is no compelling evidence of positive frequency dependence under this model.

Weight of past experience (ϕ): On average, capuchins more heavily favor previous experiences over new ones ($\phi = 0.15; (0.11, 0.20)$ 89% posterior credible interval (PCI)) , Table 2 and Figure S1a). However,

FIGURE 2. Posterior predictions of probabilities of choosing a socially observed option with payoff $\log(t_{\text{open}})^{-1} = 0.5$, relative to an observed option that was not successfully opened.

there is considerable individual variation in attraction to new experience ($\sigma_{individual} = 0.66$) ranging from 0.08 to 0.36, which was negatively predicted by age ($\mu_{age} = -0.11; (-0.16, -0.06)$ 89% PCI; Figure 3a). This suggests that older individuals are more canalized than younger individuals.

Weight of social information (γ): Overall, individuals weigh social learning less than individual learning ($\gamma = 0.14; (0.08, 0.19)$ 89% PCI; Figure S1b, Table 2). Varying effects for individuals ranged from 0.07-0.39 ($\sigma_{individual} = 0.66$). Weight assigned to social learning was also negatively predicted by age ($\mu_{age} = -0.10; (-0.18, -0.03)$ 89% PCI ; Fig. 3b). This suggests that younger individuals rely more on social learning than older individuals.

Age bias (β_{age}): Age bias contributed notably to social learning in our global model($\beta_{age} = 0.69$; (-0.79,2.14) 89% PCI; Figure. S1h , Table 2), suggesting that capuchins were more likely to copy older individuals in their social group, Varying intercepts of β_{age} for individuals ranged from 0.64 to 0.85 ($\sigma_{individual} = 0.25$).

Age cohort bias (β_{coho}): Cohort bias contributed moderately to social learning in our global model ($\beta_{coho} = 0.48$; (-0.99,2.00) 89% PCI; Figure S1g , Table 2), suggesting that capuchins also show some preference for copying individuals similar to them in age. Varying intercepts of β_{age} for individuals ranged from 0.43 to 0.64 ($\sigma_{individual} = 0.25$).

Kin bias (β_{kin}): Kin bias has a small contribution to social learning ($\beta_{kin} = 0.19$; (-1.22,1.75) 89% PCI; Figure S1e , Table 2), suggesting that

(A) ϕ: attraction to new experience   (B) γ: influence of social information

FIGURE 3. Relationships between age and (A) attraction to
new experience (ϕ) and (B) influence of social information
(γ). Black line represents posterior mean relationship, solid
points are posterior mean estimates of varying effects for each
individual. Lighter lines are 100 randomly drawn posterior
predictions. Darker shades indicated higher densities of pos-
terior probability.

on average capuchins show a slight preference for copying their mother's
techniques. Varying intercepts of β_{kin} for individuals ranged from 0.10 to
0.27.

415   **Rank bias (β_{rank}):** Rank bias has an estimated near zero effect on social
learning ($\beta_{rank} = -0.11$; (-1.53,1.33) 89% PCI; Figure S1f , Table 2).

5. DISCUSSION

We set out to examine the roles of conformist and payoff-biased social
learning among wild capuchin monkeys during the diffusion of a novel food
420   processing traditions. We find no evidence of conformity, defined as positive
frequency dependence. We do find however strong evidence of payoff-biased
learning. We also found evidence that other social cues, such as age, in-
fluence social learning, and that individual age was strongly related to the
strength of individual reinforcement learning. In combination, these in-
425   fluences are sufficient to describe the diffusion and retention of successful
foraging techniques within the group. In the remainder of the discussion,
we elaborate on the findings and summarize some of the key advantages of
our approach.

5.1. **Wild capuchins acquire extractive foraging techniques quickly**
430   **via social learning.** This study shows that one group of wild capuchin

monkeys socially learn extractive foraging techniques from conspecifics, and validates claims that food processing techniques are socially learned traditions. It has been notoriously challenging to find conclusive experimental evidence for social learning of object manipulation tasks in capuchins, despite much effort [25;62]. This study suggests that evidence for social learning might be found across a broader range of taxa if more ecologically valid behaviours, or behaviours that differ in efficiency, are studied in the wild. This study also displays that animals, and primates in particular, can acquire new, more efficient behaviours in a matter of a days or weeks. This rapid pace of social transmission suggests that learning can act to rapidly facilitate behavioural responses to environmental change [12].

5.1.1. *Capuchins relied on payoff-biased and negative frequency-dependent learning.* Our findings suggest that payoff-biased learning and negative frequency dependence guided diffusion of panamá processing techniques in this group (Table 2). These learning strategies are consistent with our observed finding that the rarest and most efficient panamá processing technique in the population, canine seam, eventually became the most common at the population level. This was the case for most, but not all, naive and knowledgeable adult and subadult individuals born after 2009 (Figure 1 and S3). Juveniles born before 2009 did not use the canine seam technique (Figure 1), likely because their mouths were not large and strong enough to use this technique on panamá fruits.

Payoff-biased learning had the largest effect on the probability of choosing a behaviour, while negative frequency dependence discouraged it from ever reaching fixation. Experimental evidence of wild animals using payoff-biased learning has not been previously reported. Our finding of negative frequency-dependent learning suggests that capuchins bias their attention towards rare or novel behaviours– a type of neophilia.

While all adult individuals tried the canine seam technique, they typically settled on the technique(s) that was most successful for them. Individuals who settled on the canine seam technique also sporadically tried other behaviours (Figure 1 and S3. This result is consistent with the possibility that social learning is guiding the strategy space they are willing to explore, but individual reinforcement and experience dictates what they settle on.

5.1.2. *Animals jointly use multiple social learning strategies.* While we found the strongest support for payoff-biased learning, our models suggest that animals use *multiple* social learning strategies simultaneously or that social biases and content biases might be equifinal. Age-biased learning and age-cohort biased learning also had support in the global model (Table 2).This might be due to older individuals' increased likelihood of being efficient panamá processors compared to juveniles, but the preferences for some individuals (JU and LN) to copy the techniques of the adults they commonly associates with who did not use canine seam (HE and MI accordingly) suggests otherwise.

475   Age cohort-biased learning also received support, suggesting individuals were more likely to copy the techniques of their age-mates. While this might be due to a psychological bias, it is possible that this finding is a result of the physiological limitations of young capuchins in performing the canine seam technique. However, we believe mathematically modeling age-cohort
480 biased learning is a worthwhile endeavor, especially under conditions where proclivities to learn socially or innovate vary by age, or where behavioural phenotypes provide different fitness benefits to different demographic groups.

5.2. **Age predicts individual variation in social and individual learning.** There has been a call to explore individual variation in social learning,
485 as it might have meaningful evolutionary and social implications [13]. We found that younger individuals more heavily relied on social learning than older individuals (Figure 3b) and that older individuals were less likely to observe conspecifics (Figure S4). This age structure in proclivity to learn socially might suggest that instead of evolution favoring a single learning
490 strategy for a particular species, flexible learning strategies that change over development, or a combination of learning strategies, might be favored by natural selection, particularly for long lived organisms in variable social environments. Individual variation might also be important in wildlife conservation and reintroduction efforts [12]. If animals need to observe knowl-
495 edgeable conspecifics to acquire behaviours to survive in the wild, limited funds for reintroduction can be used on individuals more likely to socially learn.
    We also observed that older individuals were less likely to update information and had a greater attraction to previous experiences (Fig. 3a). This
500 might be due to older individuals being less exploratory than younger individuals. But an alternative and likely explanation is that older individuals were more capable of discerning between the efficiency of different techniques. Older individuals processed successfully more frequently and had more opportunities to evaluate higher quality personal information (Fig-
505 ure 1). Currently we lack quantitative theory about the implications of individual and age-related variation of social learning in affecting cultural transmission and evolutionary dynamics, and these empirical findings are an important step toward developing theories we can evaluate in future studies.

5.3. **Statistical approach.** Our analytical approach was designed around
510 three important principles. First, it allows us to evaluate the possible influence of several different, theoretically plausible, social learning biases. Second, the framework combines social learning biases with a dynamic reinforcement model in which individuals remember and are influenced by past experience with different techniques. Third, the approach is fully hierar-
515 chical, with each individual possessing its own parameters for relative use of each learning strategy. This allows us to evaluate heterogeneity and its contribution to population dynamics.

Our approach is distinct from looking for evidence of population-level learning dynamics consistent with the hypothesized learning strategy [22; 63]. In our approach, population level patterns are consequences of inferred strategies. Such patterns are not themselves used to make inferences about learning.

Our approach is most similar to network-based diffusion analysis (NBDA) [51;64;65]. In principle, our framework and NBDA can be analogized, despite differences in the details of modeled strategies, because both are multinomial time series modeling frameworks that can be treated as both survival (time-to-event) or event history analyses. There are some notable differences in practice. Our approach differs from typical NBDA in that it: 1) uses a full dynamic time series for available social information rather than a static social network and 2) emphasizes modeling the entire behavioural sequence. There is no reason in principle that ordinary NBDA models could not make similar use of these data.

It is important to note that successfully fitting these dynamic, hierarchical models benefits from recent advances in Monte Carlo algorithms. We used an implementation of Hamiltonian Monte Carlo (NUTS2) provided by Stan [33]. Our global model contains 231 parameters and would prove very challenging for older algorithms like Gibbs Sampling. Hamiltonian Monte Carlo not only excels at high-dimension models, even with thousands of parameters, but it also provides greatly improved mixing diagnostics that allow us to have greater confidence in the correctness of the results, regardless of model complexity.

5.4. **Implications for the origins and maintenance of traditions.** This model suggests that payoff-biased learning can cause the spread of a tradition. However, social learning may increase within-group homogeneity, while individual learning may act to decrease it [50]. Our findings are consistent with this idea. Limited transfer of individuals in xenophobic species like *Cebus* is exceptionally important in maintaining group specific traditions for behaviours that differ in payoff. However, this likely acts concordant with transmission biases. Variation might also be maintained due to biases for copying particular subsets of individuals (e.g. a particular age-class or kin group) in a stable social system. Migration of new individuals with more efficient behaviours could seed a new tradition in the group, the diffusion of which may be due to payoff-biased learning.

5.5. **Future Directions.** We have noted that equifinality might exist between learning strategies. On average, older individuals were better at opening panamá fruit. Perhaps individuals are biasing learning toward older individuals and acquiring the efficient techniques indirectly instead of turning attention toward the content of the behaviour. While we think this is likely not the case based on the evidence considered in this study, it is a possibility in all learning studies. In many cases, where we are interested in predicting the population dynamics of learning in a given context, the exact social

learning strategy might not matter if it has the same dynamics and leads to the same frequency in a population. Many learning strategies are likely equifinal under the right social conditions. However, the exact nature of the
565 cognitive mechanisms of the learning strategies organisms employ, and the social factors which indirectly structure learning, become important when we wish to use social learning in applied contexts. Further theoretical and empirical explorations of social learning need to address that learning is a two stage process: one of assortment and one of information use.

570   An important aspect of learning that we have neglected is the endogeneity of social information. Our statistical models evaluated how individuals use information they observed. However, before individuals acquire social information, they make the decision to observe others. Future analyses will evaluate who individuals choose to bias attention toward when in the
575 proximity of potential demonstrators to see how positive assortment might structure opportunities for social learning and affect the establishment and maintenance of traditions.

Most models of social learning in the evolutionary anthropology and animal behaviour literature assume a randomly assorted population. However,
580 non-random assortment occurs before information is acquired in a population, and it can drastically affect social learning and cultural dynamics. Sometimes this assortment may be an adaptive heuristic, such as deciding to bias attention. Other times it may be an indirect consequence of social behaviour, such as avoidance of a potentially dangerous demonstra-
585 tor [15]. Asymmetrical age structure in a population may also make the behavioural variants in the population non-random when learning abilities are constrained by skill and developing cognition [66]. Social networks can also change drastically over development, opening up avenues for new possible learning strategies. Some learning strategies might be difficult to tease
590 apart in small, non-diverse social systems. If a juvenile engages in kin-biased learning [67], but only interacts with their kin group, how are we to discern kin-biased learning from linear imitation or conformity, and under what conditions does this distinction matter?

6. Authors' Contributions

595   BB designed study, collected data, carried out statistical analysis, and drafted manuscript; RM participated in statistical analysis and helped draft manuscript; SP established field site, collected data, and helped draft manuscript.

7. Acknowledgments

600   Thanks to: M. Grote, M. Crofoot,and the UC Davis CE/HBE lab for feedback on early versions of this manuscript, A. Cobden, B. Davis, E. Seabright, M. White, M. Ziegler, C. Angyal, for assistance with data collection and transcription and W. Lammers, J.C Ordoñez Jiménez, I. Godoy,

and K. Kajokaite, for assistance with field logistics. We thank MINAET
and SINAC, Hacienda Pelon de la Bajura, Hacienda Brin D'Amor, and the
residents of San Ramon de Bagaces for permission to work on their land.
This research was performed in compliance with Costa Rican law. Protocols
were approved by the UCLA animal care committee (ARC #1996-122 and
2005-084 plus various renewals and followed UC Davis animal care and use
protocols (IAUCUC permit #17297).

8. Research Funds

Funding to BB was provided by grants awarded by the American Society
of Primatologists and the ARCS Foundation. This material is based upon
work supported by a NSF GRF (Grant No. 1650042) awarded to BB. This
project is based on work supported by the funding provided to SP by the
Max Planck Institute for Evolutionary Anthropology, the National Science
Foundation (grants No. SBR-0613226 and BCS-0848360), two grants from
the L.S.B. Leakey Foundation, two grants from the National Geographic
Society, and multiple COR grants from UCLA. Any opinions, findings, and
conclusions or recommendations expressed in this material are those of the
authors and do not necessarily reflect the views of the National Science
Foundation.

References

[1] Fragaszy DM, Perry S, 2003 *The Biology of Traditions: Models and Evidence.*
Cambridge University Press

[2] Kawamura S, 1959 The process of sub-culture propagation among Japanese
macaques. *Primates* **2**, 43–60

[3] Marler P, Tamura M, 1964 Culturally transmitted patterns of vocal behavior
in sparrows. *Sci. (New York, N.Y.)* **146**, 1483–1486

[4] Bonner JT, 1983 *The Evolution of Culture in Animals.* Princeton, N.J.: Princeton University Press, reprint edition edn.

[5] Whiten A, *et al.*, 1999 Cultures in chimpanzees. *Nat.* **399**, 682–685. doi:
10.1038/21415

[6] van Schaik CP, *et al.*, 2003 Orangutan Cultures and the Evolution of Material
Culture. *Sci.* **299**. doi:10.1126/science.1078004

[7] Perry S, *et al.*, 2003 Social conventions in wild white-faced capuchin monkeys:
Evidence for traditions in a neotropical primate. *Curr. Anthropol.* **44**, 241–268.
doi:10.1086/345825

[8] Whitehead H, 1998 Cultural Selection and Genetic Diversity in Matrilineal
Whales. *Sci.* **282**, 1708–1711. doi:10.1126/science.282.5394.1708

[9] Rendell LE, Whitehead H, 2001 Culture in whales and dolphins. *Behav. Brain
Sci.* **24**, 309–382

[10] Boyd R, Richerson PJ, 1985 *Culture and the Evolutionary Process.* University
Of Chicago Press

[11] Laland KN, 2004 Social learning strategies. *Animal Learn. & Behav.* **32**, 4–14.
doi:10.3758/BF03196002

[12] Rendell L, *et al.*, 2010 Why copy others? Insights from the social learning strategies tournament. *Sci.* **328**

[13] Mesoudi A, *et al.*, 2016 The Evolution of Individual and Cultural Variation in Social Learning. *Trends Ecol. & Evol.* **31**, 215–225. doi:10.1016/j.tree.2015. 12.012

[14] Farine DR, *et al.*, 2015 Early-Life Stress Triggers Juvenile Zebra Finches to Switch Social Learning Strategies. *Curr. Biol.* **25**, 2184–2188. doi:10.1016/j. cub.2015.06.071

[15] Russon AE, 2002 Comparative developmental perspectives on culture: the great apes. In H Keller, YH Poortinga, A Schlmerich, eds., *Between Culture and Biology: Perspectives on Ontogenetic Development.* Cambridge University Press

[16] McElreath R, *et al.*, 2005 Applying evolutionary models to the laboratory study of social learning. *Evol. Hum. Behav.* **26**, 483–508. doi:10.1016/j. evolhumbehav.2005.04.003

[17] McElreath R, *et al.*, 2008 Beyond existence and aiming outside the laboratory: estimating frequency-dependent and pay-off-biased social learning strategies. *Philos. Transactions Royal Soc. B: Biol. Sci.* **363**, 3515–3528

[18] Henrich J, Boyd R, 1998 The Evolution of Conformist Transmission and the Emergence of Between-Group Differences. *Evol. Hum. Behav.* **19**, 215–241. doi:10.1016/S1090-5138(98)00018-X

[19] Nakahashi W, *et al.*, 2012 Adaptive Social Learning Strategies in Temporally and Spatially Varying Environments. *Hum. Nat.* **23**. doi:10.1007/ s12110-012-9151-y

[20] Whitehead H, Richerson PJ, 2009 The evolution of conformist social learning can cause population collapse in realistically variable environments. *Evol. Hum. Behav.* **30**, 261 – 273

[21] Baldini R, 2013 Two success-biased social learning strategies. *Theor. population biology* **86**, 43–49. doi:10.1016/j.tpb.2013.03.005

[22] Aplin LM, *et al.*, 2015 Experimentally induced innovations lead to persistent culture via conformity in wild birds. *Nat.* **518**, 538–541. doi:10.1038/ nature13998

[23] van de Waal E, *et al.*, 2013 Potent Social Learning and Conformity Shape a Wild Primate's Foraging Decisions. *Sci.* **340**, 483–485. doi:10.1126/science. 1232769

[24] Oppenheimer JR, 1968 *Behavior and ecology of the white-faced monkey: Cebus capucinus, on Barro Colorado island, C.Z.* University of Illinois.

[25] Fragaszy DM, *et al.*, 2004 *The complete capuchin: the biology of the genus Cebus.* Cambridge; New York: Cambridge University Press

[26] Jerison H, 1973 *Evolution of the Brain and Intelligence.* Academic Press

[27] Rose LM, *et al.*, 2003 Interspecific Interactions Between Cebus capucinus and Other Species: Data from Three Costa Rican Sites. *Int. J. Primatol.* **24**. doi:10.1023/A:1024624721363

[28] Panger MA, *et al.*, 2002 Cross-site differences in foraging behavior of white-faced capuchins (Cebus capucinus). *Am. J. Phys. Anthropol.* **119**

[29] Perry S, 2009 Conformism in the food processing techniques of white-faced capuchin monkeys (Cebus capucinus). *Animal Cogn.* **12**. doi:10.1007/ s10071-009-0230-3

[30] O'Malley RC, Fedigan LM, 2005 Evaluating social influences on food-processing behavior in white-faced capuchins (Cebus capucinus). *Am. J. Phys. Anthropol.* **127**, 481–491. doi:10.1002/ajpa.20095

[31] Perry S, 2011 Social traditions and social learning in capuchin monkeys (Cebus). *Philos. Transactions Royal Soc. B: Biol. Sci.* **366**, 988–996. doi:10.1098/rstb.2010.0317

[32] Sol D, *et al.*, 2016 The life-history basis of behavioural innovations. *Phil. Trans. R. Soc. B* **371**, 20150187

[33] Stan Development Team, 2016. RStan: the R interface to Stan. http://mc-stan.org/rstan.html

[34] Perry S, *et al.*, 2012 The Lomas Barbudal Monkey Project: Two Decades of Research on Cebus capucinus. In PM Kappeler, DP Watts, eds., *Long-Term Field Studies of Primates*, 141–163. Springer Berlin Heidelberg

[35] Perry S, Ordoñez Jimenez JC, 2006 The effects of food size, rarity, and processing complexity on white-faced capuchins' visual attention to foraging conspecifics. In G Hohmann, MM Robbins, C Boesch, eds., *Feeding Ecology in Apes and Other Primates*, vol. 48, 203–234. Cambridge University Press

[36] Janzen DH, 1972 Escape in Space by Sterculia Apetala Seeds from the Bug Dysdercus Fasciatus in a Costa Rican Deciduous Forest. *Ecol.* **53**. doi:10.2307/1934092

[37] Camerer C, Hua Ho T, 1999 Experience-weighted Attraction Learning in Normal Form Games. *Econom.* **67**, 827–874. doi:10.1111/1468-0262.00054

[38] Hoppitt W, Laland KN, 2013 *Social Learning: An Introduction to Mechanisms, Methods, and Models.* Princeton: Princeton University Press

[39] Kendal R, *et al.*, 2015 Chimpanzees copy dominant and knowledgeable individuals: implications for cultural diversity. *Evol. Hum. Behav.* **36**, 65–72

[40] Baldini R, 2012 Success-biased social learning: cultural and evolutionary dynamics. *Theor. population biology* **82**, 222–228. doi:10.1016/j.tpb.2012.06.005

[41] Pike TW, *et al.*, 2010 Learning by proportional observation in a species of fish. *Behav. Ecol.* **21**. doi:10.1093/beheco/arq025

[42] Ottoni EB, *et al.*, 2005 Watching the best nutcrackers: what capuchin monkeys (Cebus apella) know about others' tool-using skills. *Animal Cogn.* **8**, 215–219. doi:10.1007/s10071-004-0245-8

[43] Henrich J, McElreath R, 2003 The evolution of cultural evolution. *Evol. Anthropol. Issues, News, Rev.* **12**, 123–135. doi:10.1002/evan.10110

[44] Henrich J, Gil-White FJ, 2001 The evolution of prestige: freely conferred deference as a mechanism for enhancing the benefits of cultural transmission. *Evol. Hum. Behav.* **22**, 165–196. doi:10.1016/S1090-5138(00)00071-4

[45] Horner V, *et al.*, 2010 Prestige Affects Cultural Learning in Chimpanzees. *PLOS ONE* **5**, e10625. doi:10.1371/journal.pone.0010625

[46] van de Waal E, *et al.*, 2010 Selective attention to philopatric models causes directed social learning in wild vervet monkeys. *Proc. Royal Soc. B: Biol. Sci.* **277**, 2105–2111

[47] McElreath R, Strimling P, 2008 When Natural Selection Favors Imitation of Parents. *Curr. Anthropol.* **49**, 307–316. doi:10.1086/524364

[48] Mazur R, Seher V, 2008 Socially learned foraging behaviour in wild black bears, Ursus americanus. *Animal Behav.* **75**, 1503–1508. doi:10.1016/j.anbehav.2007.10.027

[49] Müller CA, Cant MA, 2010 Imitation and Traditions in Wild Banded Mongooses. *Curr. Biol.* **20**. doi:10.1016/j.cub.2010.04.037

[50] Thornton A, Clutton-Brock T, 2011 Social learning and the development of individual and group behaviour in mammal societies. *Philos. Transactions Royal Soc. B: Biol. Sci.* **366**, 978–987. doi:10.1098/rstb.2010.0312

[51] Aplin LM, *et al.*, 2013 Milk bottles revisited: social learning and individual variation in the blue tit, Cyanistes caeruleus. *Animal Behav.* **85**, 1225–1232. doi:10.1016/j.anbehav.2013.03.009

[52] Chou LS, *et al.*, 2000 Constraints on social transmission of food selection by roof rats, Rattus rattus. *Acta Zool. Taiwanica* **11**, 95–109

[53] Chou LS, Richerson PJ, 1992 Multiple models in social transmission of food selection by Norway rats, Rattus norvegicus. *Animal Behav.* **44, Part 2**. doi:10.1016/0003-3472(92)90039-C

[54] Day RL, *et al.*, 2001 Interactions between shoal size and conformity in guppy social foraging. *Animal Behav.* **62**. doi:10.1006/anbe.2001.1820

[55] Whiten A, *et al.*, 2005 Conformity to cultural norms of tool use in chimpanzees. *Nat.* **437**, 737–740. doi:10.1038/nature04047

[56] Dindo M, *et al.*, 2009 In-Group Conformity Sustains Different Foraging Traditions in Capuchin Monkeys (Cebus apella). *PLoS ONE* **4**, e7858. doi:10.1371/journal.pone.0007858

[57] Pike TW, Laland KN, 2010 Conformist learning in nine-spined sticklebacks' foraging decisions. *Biol. Lett.* **6**. doi:10.1098/rsbl.2009.1014

[58] van de Waal E, *et al.*, 2013 Social learning and spread of alternative means of opening an artificial fruit in four groups of vervet monkeys. *Animal Behav.* **85**, 71–76. doi:10.1016/j.anbehav.2012.10.008

[59] R Core Team, 2016. R: A Language and Environment for Statistical Computing

[60] Watanabe S, 2010 Asymptotic Equivalence of Bayes Cross Validation and Widely Applicable Information Criterion in Singular Learning Theory. *J. Mach. Learn. Res.* **11**

[61] McElreath R, 2016. rethinking: Statistical Rethinking book package

[62] Fragaszy D, Visalberghi E, 2004 Socially biased learning in monkeys. *Animal Learn. & Behav.* **32**, 24–35. doi:10.3758/BF03196004

[63] Henrich J, 2001 Cultural transmission and the diffusion of innovations: Adoption dynamics indicate that biased cultural transmission is the predominate force in behavioral change. *Am. Anthropol.* **103**, 992–1013

[64] Hoppitt W, Laland KN, 2011 Detecting social learning using networks: a users guide. *Am. J. Primatol.* **73**. doi:10.1002/ajp.20920

[65] Allen J, *et al.*, 2013 Network-Based Diffusion Analysis Reveals Cultural Transmission of Lobtail Feeding in Humpback Whales. *Sci.* **340**, 485–488. doi:10.1126/science.1231976

[66] Russon AE, 2003 Developmental perspectives on great ape traditions. In DM Fragaszy, S Perry, eds., *The biology of traditions: models and evidence.* Cambridge University Press, Cambridge

[67] Kline MA, *et al.*, 2013 Teaching and the Life History of Cultural Transmission in Fijian Villages. *Hum. Nat.* **24**. doi:10.1007/s12110-013-9180-1