Cyclin G and the Polycomb Repressive Complexes PRC1 and PR-DUB cooperate for developmental stability.

Delphine Dardalhon-Cuménal[1,2], Jérôme Deraze[1,2], Camille A Dupont[1,2], Valérie Ribeiro[1,2], Anne Coléno-Costes[1,2], Juliette Pouch[4], Stéphane Le Crom [4,5], Hélène Thomassin[1,2], Vincent Debat[3], Neel B Randsholt[1,2] and Frédérique Peronnet[1,2].

[1] Sorbonne Universités, UPMC Univ Paris 06, Institut de Biologie Paris-Seine (IBPS), UMR 7622, Developmental Biology, F-75005, Paris, France

[2] CNRS, IBPS, UMR 7622, Developmental Biology, F-75005, Paris, France

[3] Museum national d'Histoire naturelle, Institut de Systématique, Évolution, Biodiversité, ISYEB UMR 7205, CNRS-MNHN-UPMC-EPHE, Sorbonne Universités, 45 rue Buffon, 75005 Paris, France

[4] IBENS, Département de Biologie, Ecole Normale Supérieure, CNRS, Inserm, PSL Research University, F‑75005 Paris, France

[5] Sorbonne Universités, UPMC Univ Paris 06, Univ Antilles, Univ Nice Sophia Antipolis, CNRS, Evolution Paris Seine - Institut de Biologie Paris Seine (EPS - IBPS), 75005 Paris, France

Keywords : *Drosophila melanogaster*, Developmental Stability, Fluctuating Asymmetry, Developmental noise, Polycomb, Cyclin G

ABSTRACT

In *Drosophila*, ubiquitous expression of a short Cyclin G isoform generates extreme developmental noise estimated by fluctuating asymmetry (FA), providing a model to tackle developmental stability. This transcriptional cyclin interacts with chromatin regulators of the Enhancer of Trithorax and Polycomb (ETP) and Polycomb families. This led us to investigate the importance of these interactions in developmental stability. Deregulation of Cyclin G highlights an organ intrinsic control of developmental noise, linked to the ETP-interacting domain, and enhanced by mutations in genes encoding members of the Polycomb Repressive complexes PRC1 and PR-DUB. Deep-sequencing of wing imaginal discs deregulating *CycG* reveals that high developmental noise correlates with up-regulation of genes involved in translation and down-regulation of genes involved in energy production. Most Cyclin G direct transcriptional targets are also direct targets of PRC1 and RNAPolII in the developing wing. Altogether, our results suggest that Cyclin G, PRC1 and PR-DUB cooperate for developmental stability.

INTRODUCTION

Developmental stability has been described as the set of processes that buffer disruption of developmental trajectories for a given genotype within a particular environment (Palmer, 1994). In other words, developmental stability compensates the random stochastic variation of processes at play during development. Many mechanisms working from the molecular to the whole organism levels contribute to developmental stability (Nijhout and Davidowitz, 2003). For example, chaperones, such as heat-shock proteins, participate in developmental stability in a large variety of developmental processes by protecting misfolded proteins from denaturation (Feder and Hofmann, 1999; Queitsch et al., 2002; Rutherford et al., 2007). In *Drosophila melanogaster*, adjustment of cell growth to cell proliferation is essential to developmental stability by allowing to achieve a consistant organ size (*e.g.* wing size) in spite of variation in cell size or cell number (Debat et al., 2011; Debat and Peronnet, 2013).

Developmental noise, the "sum" of the stochastic part of each developmental process, can be observed macroscopically for morphological traits. In bilaterians, quantification of departure from perfect symmetry, the so-called fluctuating asymmetry (FA), is the most commonly used index to estimate developmental noise (Van Valen, 1962; Palmer and Strobeck, 1992). Indeed, the two sides of bilaterally symmetrical traits are influenced by the same genotype and environmental conditions, and differences between them are thus only due to developmental noise. The use of FA as an index of developmental noise makes analysis of the mechanistic and genetic bases of developmental stability compatible with custom genetic and molecular approaches of developmental biology.

The evolutionary role of developmental stability is subject to many speculations (*e.g.* Dongen, 2006) as its genetic bases remain unclear (for reviews see Leamy and Klingenberg, 2005; Debat and Peronnet, 2013). Experiments showing the role of *Hsp90* in buffering genetic variation led to the idea that developmental stability could be ensured by specific genes (Rutherford and Lindquist, 1998; Milton et al., 2003; Debat et al., 2006; Yeyati et al., 2007; Sangster et al., 2008). On the other hand, both theory and experiments show that complex genetic networks can become intrinsically robust to perturbations, notably through negative and positive feedbacks, suggesting that the topology of gene networks is of

paramount importance for developmental stability (Barabasi and Albert, 1999; Siegal and Bergman, 2002; Newman, 2003; Kitano, 2004). Several authors have further suggested that hubs, *i.e.* the most connected genes in these networks, might be particularly important for developmental stability (Rutherford et al., 2007; Levy and Siegal, 2008).

In *Drosophila*, mutants for *dILP8* and *hid*, two genes involved in the control of systemic growth and apoptosis respectively, have been reported to display high FA as compared to wild type flies from the same genetic background (Garelli et al., 2012; Colombani et al., 2012; Neto-Silva et al., 2009), suggesting that these genes are important for developmental stability. Two studies have scanned the *Drosophila* genome for regions involved in developmental stability using FA as an estimator of developmental noise (Breuker et al., 2006; Takahashi et al., 2011). Several deletions increased FA but the genes responsible for this effect inside the deletions were not identified. Nevertheless, these studies confirm that the determinism of developmental stability could well be polygenic, as suggested by Quantitative Trait Loci analyses in mouse (Leamy et al., 2002; Leamy et al., 2005; Leamy et al., 2015). Together, these data reinforce the idea that developmental stability depends on gene networks.

We have shown that the gene *Cyclin G* (*CycG*) of *Drosophila melanogaster*, which encodes a protein involved in transcriptional regulation and in the cell cycle, is important for developmental stability (Salvaing et al., 2008a; Faradji et al., 2011; Debat et al., 2011; Dupont et al., 2015). Indeed, ubiquitous expression of a short Cyclin G version lacking the C-terminal PEST-rich domain (*CycG$^{\Delta P}$*) generates a very high FA in several organs, notably in the wing. Interestingly, FA induced by *CycG$^{\Delta P}$* expression correlates with high variability in cell size and loss of correlation between cell size and cell number, suggesting that the noisy process would somehow be connected to cell cycle related cell growth (Debat et al., 2011). Hence, *CycG* deregulation provides a convenient sensitized system to tackle the impact of cell growth variability on developmental stability.

We previously showed that *CycG* encodes a transcriptional cyclin and interacts with genes of the *Polycomb-group* (*PcG*), *trithorax-group* (*trxG*), and *Enhancer of Trithorax and Polycomb* (*ETP*) families (Salvaing et al., 2008a; Salvaing et al., 2008b; Dupont et al., 2015) . These genes encode evolutionary conserved proteins assembled into large multimeric complexes that bind chromatin. They ensure maintenance of gene expression patterns during development (for recent

reviews see Grossniklaus and Paro, 2014; Kingston and Tamkun, 2014; Geisler and Paro, 2015). *PcG* genes are involved in long-term gene repression, whereas *trxG* genes maintain gene activation and counteract *PcG* action. *ETP* genes encode co-factors of both *trxG* and *PcG* genes, and behave alternatively as repressors or activators of target genes (Gildea et al., 2000; Grimaud et al., 2006; Beck et al., 2010). More recently, we discovered that *CycG* behaves as an *Enhancer of Polycomb* regarding homeotic gene regulation suggesting that it is involved in the silencing of these genes (Dupont et al., 2015). Importantly, Cyclin G physically interacts with the ETP proteins Additional Sex Comb (ASX) and Corto *via* its N-terminal ETP-interacting domain, and co-localizes with them on polytene chromosomes at many sites (Salvaing et al., 2008a; Dupont et al., 2015) . Hence, Cyclin G and these ETPs might share many transcriptional targets and might in particular control cell growth *via* epigenetic regulation of genes involved in growth pathways.

Here, we investigate in depth the role of *CycG* in developmental stability. We first show that localized expression of $CycG^{\Delta P}$ in wing imaginal discs is necessary and sufficient to induce high FA of adult wings. Furthermore, this organ-autonomous effect increases when the ETP-interacting domain of Cyclin G is removed. We show that several mutations for *PcG* or *ETP* genes, notably those encoding members of the PRC1 and PR-DUB complexes, substantially increase *CycG*-induced FA. Next, we report analysis of the transcriptome of wing imaginal discs expressing $CycG^{\Delta P}$ by RNA-seq and find that transcriptional deregulation of genes involved in translation and energy production correlates with high FA of adult wings. By ChIP-seq, we identify Cyclin G binding sites on the whole genome in wing imaginal discs. Strikingly, we observe a significant overlap with genes also bound by ASX, by the Polycomb Repressive complex PRC1, and by RNAPolII in the same tissue. We identify a sub-network of 222 genes centred on Cyclin G showing simultaneous up-regulation of genes involved in translation and down-regulation of genes involved in mitochondrial activity and metabolism. Taken together, our data suggest that Cyclin G and the Polycomb complexes PRC1 and PR-DUB cooperate in sustaining developmental stability. Precise regulation of genes involved in translation and energy production might be important for developmental stability.

RESULTS

Expression of *CycG^{ΔP}* in wing precursors is necessary and sufficient to induce high wing FA

We previously reported that expression of *CycG* deleted of the PEST-rich C-terminal domain (amino-acids 541 to 566) (*CycG^{ΔP}*) under control of ubiquitous drivers (*da-Gal4* or *Actin-Gal4*) generated extremely high FA, notably in wings (Debat et al., 2011) (Figure 1). The strength of this effect was unprecedented in any system or trait. Expression of *CycG^{ΔP}* thus provides a unique tool to investigate developmental stability in depth. To determine whether wing FA was due to local or systemic expression of *CycG^{ΔP}*, we tested a panel of Gal4 drivers specific for wing imaginal discs or neurons. A brain circuit which relays information for bilateral growth synchronization was recently identified (Vallejo et al., 2015). It notably involves a pair of neurons expressing the dILP8 receptor that connects with the insulin-producing cells (IPCs) and the prothoracicotropic hormone (PTTH) neurons. This circuit was particularly appropriate to test the existence of a remote effect of *CycG^{ΔP}* expression in generating high FA in the wing. Expression of *CycG^{ΔP}* in this circuit (using *dilp3-*, *NPF-*, *pdf-, per-, phm-* and *R19B09-Gal4* drivers) did not increase FA of adult wings (Figure 2 and Table 1). Furthermore, expression of *CycG^{ΔP}* in cells of the future wing hinge using the *ts-Gal4* driver did not affect wing FA either. By contrast, expressing *CycG^{ΔP}* with 5 different wing pouch drivers (*nub-, omb-, rn-, sd-* and *vg-Gal4*) induced high FA. We thus concluded that *CycG^{ΔP}*-induced wing FA was due to an intrinsic response of the growing wing tissue.

The Cyclin G ETP interacting domain sustains developmental stability

The 566 amino-acid Cyclin G protein exhibits 3 remarkable domains: the ETP-interacting domain (amino-acids 1 to 130) that physically interacts with the ETPs Corto and ASX, a cyclin domain (amino-acids 287 to 360) that presents high similarity with the cyclin domain of vertebrate G-type cyclins, and a PEST-rich domain (amino-acids 541 to 566) (Salvaing et al., 2008a; Faradji et al., 2011; Dupont et al., 2015). To test whether the interaction with ETPs (and thus transcriptional regulation by Cyclin G) could be important to control FA, we generated new transgenic lines enabling to express different versions of the *CycG* cDNA: *CycG^{FL}* (encoding the full-length protein), *CycG^{ΔE}* (encoding an ETP-interacting domain deleted protein), *CycG^{ΔP}* (encoding a PEST domain deleted protein), and *CycG^{ΔEΔP}*

(encoding an ETP-interacting and PEST domain deleted protein). In order to express these different cDNAs at the same level and compare the amounts of FA induced, all transgenes were integrated at the same site using the *PhiC31* integrase system (at position 51C on the second chromosome). Expression of these transgenic lines was ubiquitously driven by *da-Gal4*. We first confirmed that expression of $CycG^{\Delta P}$ induced very high FA as compared to *yw* and *da-Gal4/+* controls. Furthermore, expression of $CycG^{FL}$ also significantly increased FA, although to a much lesser extent. Interestingly, expression of either $CycG^{\Delta E}$ or $CycG^{\Delta E \Delta P}$ significantly increased FA as compared to $CycG^{FL}$ or $CycG^{\Delta P}$, respectively (Figure 3 and Table 2). These results show that the ETP interacting domain tends to limit Cyclin G-induced FA and suggest that the interaction between Cyclin G and chromatin regulators sustains developmental stability.

CycG and *PcG* or *ETP* genes interact for developmental stability

We next addressed genetic interactions between *CycG* and *PcG* or *ETP* genes for developmental stability. The alleles used are listed in Table 3. FA of flies heterozygous for *PcG* and *ETP* loss of function alleles was not significantly different from that of control flies. However, when combined with a *da-Gal4, UAS-CycG*$^{\Delta P}$ chromosome, many of these mutations significantly increased wing FA as compared to *da-Gal4, UAS-CycG*$^{\Delta P}$ flies (Figure 4 and Table S1). This was notably the case for alleles for PRC1 and PR-DUB encoding genes, the *PcG* genes *Sex comb extra* (Sce^1, Sce^{33M2} and Sce^{KO4}), *calypso* ($caly^1$ and $caly^2$), *Sex comb on midleg* (Scm^{D1}), *Polycomb* (Pc^1), and *polyhomeotic* (ph-p^{410} and ph-$d^{401}ph$-p^{602}). No modification of $CycG^{\Delta P}$-induced FA was observed with the Psc^1 allele. However, this allele has been described as a complex mutation with both loss and gain of function features (Adler et al., 1989).

Opposite effects were observed for different alleles of ETPs *Asx* and *corto*. Asx^{22P4} increased *da-Gal4, UAS-CycG*$^{\Delta P}$ FA whereas Asx^{XF23} decreased it. Asx^{XF23} behaves genetically as a null allele but has not been molecularly characterized (Simon et al., 1992), whereas the Asx^{22P4} allele does not produce any protein and thus likely reflects the effect of loss of ASX (Scheuermann et al., 2010). Similarly, the $corto^{L1}$ allele increased $CycG^{\Delta P}$-induced FA whereas the $corto^{420}$ allele had no effect. In order to characterize these *corto* alleles, we combined them with the *Df(3R)6-7* deficiency that uncovers the *corto* locus, amplified the region by PCR and sequenced

it. The *corto*[420] allele corresponds to a substitution of 14,209 nucleotides starting at position -59 upstream of the *corto* Transcriptional Start Site (TSS) by a 30-nucleotide sequence. Hence, this allele does not produce any truncated protein. By contrast, *corto*[L1] corresponds to a C towards T substitution that introduces a stop codon at position +73 downstream the TSS, generating a 24 amino-acid polypeptide. *corto*[L1] might then behave as a dominant-negative mutation. Lastly, no modification of *CycG*[ΔP]-induced FA was observed for *E(z)*[63] and *esc*[21].

Interestingly, *Asx* and *caly* encode proteins of the Polycomb Repressive complex PR-DUB whereas *Pc*, *ph*, *Sce* and *Scm* encode proteins of the Polycomb Repressive complex PRC1, and *E(z)* and *esc* encode proteins of the Polycomb Repressive complex PRC2. Taken together, these results indicate that Cyclin G interacts with the Polycomb complexes PRC1 and PR-DUB, but not with PRC2, for developmental stability.

Expression of *CycG*[ΔP] or *CycG*[ΔEΔP] does not modify the bulk of H2AK118ub

Cyclin G binds polytene chromosomes at many sites and co-localizes extensively with PH and ASX suggesting a potential interaction with the PRC1 and PR-DUB complexes on chromatin (Salvaing et al., 2008a; Dupont et al., 2015). The two genes *Sce* and *caly* encode antagonistic enzymes of the PRC1 and PR-DUB complexes, respectively. SCE, aka dRing, ubiquitinates histone H2A on lysine 118 (H2AK118ub) whereas Calypso, aka dBap1, is the major deubiquitinase of the same H2A residue (Scheuermann et al., 2010; Scheuermann et al., 2012). To investigate whether Cyclin G was related to these ubiquitin ligase/deubiquitinase activities, we immunostained polytene chromosomes from *w*[1118] larvae with anti-Cyclin G and anti-human H2AK119ub antibodies (homologous to *Drosophila* H2AK118ub) (Pengelly et al., 2015). Cyclin G and H2AK118ub co-localized extensively on chromosome arms suggesting that Cyclin G transcriptional activity might somehow be connected to the presence of this histone mark (Figure S1A). However, when either *CycG*[ΔP] or *CycG*[ΔEΔP] was expressed in the posterior compartment of wing imaginal discs using the *en-Gal4* driver, the global amount of H2AK118ub was not markedly modified (Figure S1B, Figure S1C). We thus concluded that high FA was not related to a global perturbation of H2AK118 ubiquitination level.

Cyclin G controls the expression of genes involved in translation and energy production

Cyclin G controls the transcription of the homeotic gene *Abdominal-B* and more specifically behaves as an *Enhancer of PcG* gene in the regulation of homeotic gene expression (Salvaing et al., 2008b; Dupont et al., 2015). However, the high number of Cyclin G binding sites on polytene chromosomes suggests that this cyclin has many other transcriptional targets. We thus hypothesized that the high FA induced by expression of $CycG^{\Delta P}$ might be related to the deregulation of Cyclin G transcriptional targets. To further address the role of Cyclin G in transcriptional regulation, we deep-sequenced the transcripts from wing imaginal discs of *da-Gal4, UAS-CycG$^{\Delta P}$/+* and *da-Gal4/+* third instar larvae. Sequence reads were aligned with the *Drosophila melanogaster* genome to generate global gene expression profiles. We performed differential analyses to obtain expression changes for *da-Gal4, UAS-CycG$^{\Delta P}$/+* as compared to the *da-Gal4/+* control. With an adjusted p-value threshold of 0.05, we retrieved 530 genes whose expression was significantly different between the two genotypes (Table S2). Surprisingly, expression of *CycG* was only weakly induced in *da-Gal4, UAS-CycG$^{\Delta P}$/+* imaginal discs as compared to *da-Gal4/+* imaginal discs (1.3 fold). In order to test the hypothesis that Cyclin G could directly or not, induce its own repression, we designed primers in the 3'UTR to measure expression of the endogenous *CycG* gene. Indeed, expression of endogenous *CycG* was significantly decreased when $CycG^{\Delta P}$ was expressed (Figure 5A and Table S3). Among the 530 genes deregulated in *da-Gal4, UAS-CycG$^{\Delta P}$/+* imaginal discs, 216 were up-regulated and 314 down-regulated. Analysis of Gene Ontology (GO) revealed that up-regulated genes were enriched in the categories *cytoplasmic translation* and *translational initiation* whereas down-regulated genes were enriched in the category *mitochondrial respiratory chain complex* (Figure 5B and Table S4). By RT-qPCR, we verified that several ribosomal protein genes (*RpL15, RpL7* and *Rack1*) were over-expressed in *da-Gal4, UAS-CycG$^{\Delta P}$/+* imaginal discs (Figure 5C and Table S5).

In conclusion, *CycG*-induced fluctuating asymmetry correlates with activation of genes involved in translation and repression of genes involved in energy production.

Cyclin G binds the Transcriptional Start Sites of many genes also bound by PRC1 and ASX

In order to determine the direct transcriptional targets of Cyclin G, we analysed by ChIP-seq the genome-wide binding sites of Cyclin G in *+/ UAS-Myc-CycG$^{\Delta P}$; da-Gal4/+* imaginal discs. 889 genes with significant peaks at the transcriptional start site (TSS) were recovered (Table S6 and Figures 6A and 6B). ChIP-qPCR analysis of Cyclin G binding on *RPL7, RPL5,* and *Rack1* confirmed that Cyclin peaked on the TSS of these genes and decreased on the gene body (Figure 6C and Table S7). Furthermore, Cyclin G bound its own TSS almost significantly. We then analysed the binding of Cyclin G on its own gene by ChIP-qPCR and verified the presence of Cyclin G on its TSS (Figure 6C and Table S7). As endogenous *CycG* was down-regulated when *CycG$^{\Delta P}$* was expressed, this suggests that Cyclin G represses its own promoter.

The 889 Cyclin G-bound genes were enriched in GO categories *cytoplasmic translation* and *protein phosphorylation* (Figure 6D). Comparison of the 530 genes deregulated in imaginal discs expressing *CycG$^{\Delta P}$* with the 889 genes presenting a peak at the TSS showed that only 62 genes were both deregulated (39 up- and 23 down-regulated) and bound by Cyclin G (Table S8). Strikingly, the 39 up-regulated genes were significantly enriched in the GO category *translation* (GO:0002181~cytoplasmic translation, 14 genes, enrichment score: 11.84, adjusted p-value 2.07E-16).

Using published datasets, we analysed the correlation between regions bound by Cyclin G in *+/UAS-Myc-CycG$^{\Delta P}$; da-Gal/+* imaginal discs and those bound by PRC1, PR-DUB or RNAPolII, or enriched in H3K27me3, in wild type wing imaginal discs (Table S9). Cyclin G-bound regions were significantly exclusive from H3K27me3, corroborating polytene chromosome immunostainings (Dupont et al., 2015). The same comparisons were performed gene-wise and gave the same results. Notably, 80% of Cyclin G-bound genes were bound by RNAPolII (Figure 7). Considering RNAPolII as a proxy for transcriptional activity, we concluded that Cyclin G-bound genes were located in open chromatin and were either paused or transcribed. However, Cyclin G-bound genes were also significantly enriched in PRC1 target genes. Given that PRC1 has the ability to block transcriptional initiation (Dellino et al., 2004), it suggests that Cyclin G-bound genes were most probably paused. Cyclin G also shared many target genes with ASX but, though ASX and Calypso belong to the PR-DUB complex, Cyclin G did not share binding sites with Calypso. This indicates either that the interaction between Cyclin G and ASX

destabilizes the PR-DUB complex or that it takes place outside PR-DUB.

Cyclin G is central in the wing imaginal disc network

These genome-wide analyses indicate that Cyclin G coordinates the expression of genes involved in translation and energy production. However, only a few Cyclin G-bound genes were deregulated in *da-Gal4, UAS-CycG$^{\Delta P}$/+* imaginal discs. To better understand how Cyclin G orchestrates target gene expression, we developed a systems biology approach. We first built an interactome based on genes expressed in control *da-Gal4/+* wing imaginal discs (with a cutoff of 10 reads). Edges corresponding to protein-protein interactions (PPI) and transcription factor-gene interactions (PDI) were integrated into this interactome through DroID (Murali et al., 2011). The resulting wing imaginal disc interactome, further called the WID network, was composed of 9,966 nodes (proteins or genes) connected *via* 56,133 edges (interactions) (WID.xmml file). We then examined the position of Cyclin G in this network. Betweenness centrality - *i.e.* the total number of non-redundant shortest paths going through a certain node – is a measure of centrality in a network (Yu et al., 2007). A node with a high betweenness centrality could control the flow of information across the network (Yamada and Bork, 2009). With 8.32E-03, Cyclin G had one of the highest value of betweenness centrality of the network, ranking at the 30th position among the 9,966 nodes. This suggests that Cyclin G represents a hub in the WID network.

In order to isolate a connected component of the WID network that showed significant expression change when *CycG$^{\Delta P}$* is expressed, we introduced the expression matrix describing expression of the 530 significantly deregulated genes in the WID network. We next used JactiveModules to identify sub-networks of co-deregulated genes (Ideker et al., 2002). A significant sub-network of 222 nodes and 1069 edges centred on Cyclin G was isolated (Z score 48.53). This sub-network was laid out according to functional categories (Figure 8A, CycG_subnetwork.xmml). Four modules composed of genes respectively involved in transcription, mitochondrial activity, translation, and metabolism, were found to be highly connected to Cyclin G. Strikingly, the "translation" module was mainly composed of genes up-regulated in *da-Gal4, UAS-CycG$^{\Delta P}$/+* wing imaginal discs. On the contrary, the "mitochondrion" and "metabolism" modules were mainly composed of genes down-regulated in *da-Gal4, UAS-CycG$^{\Delta P}$/+* wing imaginal discs. Hence, high fluctuating asymmetry of *da-*

Gal4, UAS-CycG$^{\Delta P}$/+ flies correlated positively with the expression of genes involved in translation and negatively with the expression of genes involved in energy production and metabolism. Interestingly, Cyclin G-bound genes in this sub-network were enriched in genes bound by the PRC1 proteins PC, PH and PSC, as well as by RNAPolII, and to a lesser extent by ASX (Figure 8B).

DISCUSSION

The *CycG* gene of *Drosophila melanogaster* encodes a cyclin involved in transcriptional control, cell growth and the cell cycle (Salvaing et al., 2008; Faradji et al., 2011). Mild overexpression of a cDNA encoding Cyclin G deleted of a short C-terminal sequence potentially involved in Cyclin G degradation (a PEST-rich domain; *da-Gal4, UAS-CycG$^{\Delta P}$/+*) induces high fluctuating asymmetry (FA), notably of wings (Debat et al., 2011). Under laboratory conditions (*i.e.* low environmental variation combined with near isogenic lines), this FA should mainly result from developmental noise (Debat and Peronnet, 2013). Thus, *da-Gal4, UAS-CycG$^{\Delta P}$* flies provide a unique tool to investigate the genetic bases of developmental stability. Cyclin G interacts physically with two chromatin regulators of the Enhancers of Trithorax and Polycomb family (ETP), and genetically with many *Polycomb-group* (*PcG*) and *trithorax-group* (*trxG*) genes (Dupont et al., 2015). This prompted us to re-examine *CycG*-induced developmental stability, notably by testing the effect of chromatin regulator mutations, and to investigate deeply the role of Cyclin G in transcriptional regulation*.*

Cyclin G maintains developmental stability through an organ-autonomous process that involves the PRC1 and PR-DUB complexes

In *Drosophila* very few mutations have been shown to induce an abnormally high FA. Among them are mutations of the gene encoding the *Drosophila* insulin-like peptide 8 (*Dilp8*). Dilp8 participates in systemic coordination of growth. Being produced in growing tissues, it is secreted into the haemolymph and regulates hormone production *via* a well-identified neuronal circuit (Parker and Shingleton, 2011; Garelli et al., 2012; Colombani et al., 2012). Notably, the neurons that produce Lgr3, the Dilp8 receptor, have been identified, and inactivation of *Lgr3* in these neurons also induces high FA. We investigated here the role of *CycG* in this process by deregulating it in the different modules of the circuit. *CycG*-induced wing FA only

occured when the deregulation was local, *i.e.* in wing imaginal discs. More particularly, deregulation of *CycG* in the *Lgr3* neurons did not increase FA. We cannot exclude that Cyclin G induces expression of a systemic factor that is dumped into the haemolymph. However, neither *Dilp8* nor any other insulin-like peptide gene were found deregulated in *da-Gal4, UAS-CycG^{ΔP}* wing imaginal discs. Altogether, these observations suggest that *CycG* maintains developmental stability through an autonomous mechanism which would not involve the systemic *Dilp8/Lgr3* pathway. Such a mechanism recalls Garcia-Bellido's Entelechia model which proposes that local interactions between wing imaginal disc cells, or populations of these cells, orchestrate their own proliferation in order to generate an adult organ of constant size and shape, independently of global cues (García-Bellido and García-Bellido,1998; García-Bellido 2009).

Expression of Cyclin G deleted of the ETP interacting domain doubles FA as compared to expression of Cyclin G with this domain, irrespective of whether the PEST domain is present or not. Hence, the interaction between Cyclin G and chromatin regulators might somehow participate in developmental stability. To test this hypothesis, we combined the *da-Gal4, UAS-CycG^{ΔP}* chromosome and *ETP* or *PcG* mutations. We observed that mutations of the PRC1 and PR-DUB encoding genes strongly increase FA. Moreover, many of the genes that are bound by Cyclin G in wing imaginal discs are also bound by PRC1 and by ASX. Altogether these observations suggest that transcriptional regulation of target genes shared by Cyclin G, PRC1 and ASX is of paramount importance for developmental stability. We did not observe any significant overlap between Cyclin G-bound genes and binding sites for Calypso, the second component of PR-DUB. Yet, *caly* mutations strongly increase *CycG*-induced FA. Thus, the role of PR-DUB in this context remains to be clarified.

PRC1 and PR-DUB contain antagonistic enzymes (SCE/dRing and Calypso) that respectively ubiquitinates and deubiquitinates H2A on lysine 118 in *Drosophila* (lysine 119 in human). Cyclin G co-localizes extensively with H2AK118ub on polytene chromosomes. However, no modification in the global level of H2AK118 ubiquitination was detected in tissues where Cyclin G isoforms were expressed. It was recently shown that canonical PRC1 accounts for only a small fraction of global H2AK118ub, most of this ubiquitination being due to L(3)73Ah, a homolog of mammalian PCGF3 (Lee et al., 2015). Altogether, our data suggest that H2AK118ub

is not involved in developmental stability and rather support the importance of the interaction between Cyclin G and canonical PRC1 in this process. It is tempting to speculate that PRC1 and PR-DUB are partners in the ubiquitination/deubiquitination of an unknown protein important for developmental stability.

Regulation of growth during the cell cycle might be a factor of developmental stability

Additional evidence further connects developmental stability to growth regulation during the cell cycle. Indeed, *CycG*-induced developmental noise is associated with high variance in cell size along with loss of correlation between cell size and cell number (Debat et al., 2011). As Cyclin G is involved in the control of growth in G1 phase of the cell cycle (Faradji et al., 2011), this supports the hypothesis that a mechanism linked to the regulation of cell cycle-dependent growth is essential for developmental stability (Debat et al., 2011). The fact that genes deregulated in wing imaginal discs deregulating *CycG* are involved mainly in translation, energy production and metabolism, strengthens this hypothesis.

It was shown that promoters of actively transcribed genes, notably *GAPDH* and several ribosomal protein genes, are bookmarked by ubiquitination during mitosis (Arora et al., 2012; Arora et al., 2015). This mechanism would allow post-mitotic resumption of their transcription at the very beginning of the G1 phase. Ubiquitination of these genes correlates with active histone marks such as H3K4me3 and H3K36me3 but not with the repressive histone mark H3K27me3. The enzymes responsible for this ubiquitination are the vertebrate PSC homolog BMI1, and Ring1A, one of the SCE/dRing homologs (Arora et al., 2015). In vertebrates, the major PRC1 component that catalyzes H2A ubiquitination is not Ring1A but its homolog Ring1B suggesting that the role of BMI1 and Ring1A in molecular bookmarking are independent of PRC1, and that BMI1 and Ring1A ubiquitinate another chromatin protein (Arora et al., 2015). In *Drosophila,* this role might be played by PRC1 and SCE/dRing. Cyclin G is exclusive of H3K27me3, and binds the promoter of many ribosomal protein genes (Dupont et al., 2015 and the present work). Furthermore, *CycG* deregulation impairs G1 phase progression and cell growth (Faradji et al., 2011). Lastly, the highest FA is observed when Cyclin G lacking the PEST domain, a potential ubiquitination site, is expressed. Hence, an exciting hypothesis would be that Cyclin G is ubiquitinated by PRC1, or PSC and

SCE/dRing outside PRC1, thus releasing the transcriptional standby of active genes at the end of mitosis. In agreement with this, we found that genes involved in metabolism and mitochondrial activity are down-regulated in the $CycG^{\Delta P}$ context. However, we observed at the same time that ribosomal protein genes are up-regulated which should rather promote growth. This foreshadows a complex relationship between Cyclin G and the PRC1 and PR-DUB complexes in the cell cycle-dependent regulation of these genes and appeals to the use of a more integrative, systems biology, approach.

Fine-tuned regulation of genes involved in translation, metabolism and mitochondrial activity is necessary for developmental stability

Cyclin G appears central in a small regulatory sub-network that connects genes involved in metabolism, mitochondrial activity and translation. Besides, many of Cyclin G's direct transcriptional targets in this network are also targets of PRC1 and RNAPolII, and to a lesser extent of ASX. Interestingly, it was recently shown by a large scale analysis of the *Drosophila* wing imaginal disc proteome that wing size correlates with some basic metabolic functions, positively with glucose metabolism and negatively with mitochondrial activity, but not with ribosome biogenesis (Okada et al., 2016). In agreement with this, we report here that many genes involved in basic metabolism, such as for example *Gapdh1, Gapdh2* or *Jafrac1,* are down-regulated in the $CycG^{\Delta P}$ context, which also agrees with the small mean size of $CycG^{\Delta P}$ flies, organs and cells. However, while mitochondrial genes are negatively regulated, ribosomal biogenesis genes are simultaneously positively regulated. Although transcriptome variations are probably not a direct image of proteome variations, our data suggest that robustness of wing size correlates with the fine-tuning of these key functions relative to each other.

Noisiness of gene expression as a source of developmental noise

Cyclin G, PRC1 and PR-DUB are mainly involved in the regulation of transcription. An exciting hypothesis would be that alteration of developmental stability is due to the noisy transcription of their shared targets. *CycG*-induced high FA is associated with high variability of cell size, that might be due to variability in expression of target genes which are mainly involved in growth control. Phenotypic variations in isogenic populations of both prokaryotic and eukaryotic cells may indeed result from

stochastic gene expression mechanisms (McAdams and Arkin, 1997). An increasing corpus of data suggests that the process of gene regulation *per se* can strongly affect variability in gene expression among adjacent cells (for a review see Sanchez et al., 2013). Transcriptional noise may arise at all steps of transcription. For example, the architectural features of promoters have clear effects on mRNA and protein fluctuations in a population of genetically identical cells (Sanchez et al., 2013). RNA polymerase II pausing during elongation is also a source of transcriptional noise (Rajala et al., 2010). In particular, H3K36 methylation, that is related to transcriptional elongation, prevents spurious cryptic transcription from within the gene body (Venkatesh et al., 2012). Recently, activity of the Polycomb complex PRC2 was shown to be important to prevent spurious transcription of inactive genes and to suppress pervasive transcription of intergenic regions (Lee et al., 2015). Mutations of *E(z)* and *esc* that encode two PRC2 members had no effect on *CycG*-induced FA. Dysfunction of PRC2-dependent spurious transcription control is thus unlikely to be the cause of any *CycG*-induced developmental noise. Nevertheless, a similar but weaker effect on intergenic transcription was attributed to PRC1 (Lee et al., 2015). The binding of Cyclin G on many TSS is rather in favor of a role in limiting noisy initiation of transcription. Interestingly, in several cases, noise in gene expression specifically concerns a subset of genes (Weinberger et al., 2012). For example, H3K36 methylation hinders cryptic transcription in a subclass of genes involved in longevity in *S. cerevisiae* and *C. elegans* (Sen et al., 2015). It is thus tempting to speculate that cooperation between Cyclin G and the PRC1 and PR-DUB complexes is important to prevent spurious transcription of genes involved in growth in the broad sense. It will be very interesting to address these points in the future.

MATERIAL AND METHODS

Plasmids

The *pPMW-attB* plasmid was built as follows: Gateway® vector *pPMW* (Invitrogen, a gift from T. Murphy; (Huynh and Zieler, 1999) was linearized by digestion with *NsiI*; the *attB* sequence was amplified from *pUASTattB* (Bischof et al., 2007) using primers *attB-NsiIF* and *attB-NsiIR* (Table S10) and the PCR product was digested with *NsiI*; the digested PCR product and the linearized plasmid were ligated and sequenced. This plasmid was deposited at Addgene (plasmid # 61814).

The full-length *CycG* cDNA (*CycG^FL*, encoding the 566 amino-acid protein) was amplified from S2 cell cDNAs using primers *CycGnF* and *CycGnR*. cDNAs encoding truncated forms of Cyclin G (*CycG^ΔP*, Cyclin G deleted of the putative PEST domain corresponding to amino-acids 542 to 566; *CycG^ΔE*, Cyclin G deleted of the ETP-interacting domain corresponding to amino-acids 1 to 130; *CycG^ΔEΔP*, Cyclin G deleted of both domains) were amplified from the full-length *CycG* cDNA using primers *CycGnF* and *CycG541R*, *CycG130F* and *CycGnR*, and *CycG130F* and *CycG541R*, respectively (Table S10 and Dupont et al., 2015). The PCR products were cloned into *pENTR/D-TOPO®* (Invitrogen), transferred into *pPMW-attB* and the resulting plasmids *pPMW-attB-CycG^FL*, *pPMW-attB-CycG^ΔP*, *pPMW-attB-CycG^ΔE*, *pPMW-attB-CycG^ΔEΔP* were sequenced.

Drosophila melanogaster strains and genetics

Flies were raised on standard yeast-cornmeal medium at 25°C.

Myc-CycG transgenic lines were obtained by *PhiC31*-integrase mediated insertion into strain *y^1^M{vas-int.Dm}ZH-2Aw^*;M{3xP3-RFP.attP'}ZH-51C* (stock BL-24482). Plasmids *pPMW-attB-CycG^FL*, *pPMW-attB-CycG^ΔP*, *pPMW-attB-CycG^ΔE* and *pPMW-attB-CycG^ΔEΔP* were injected into embryos, G0 adults were back-crossed to *yw*, and G1 transformants were crossed to *yw* again to obtain G2 transformants (BestGene Inc.). Transformants were individually crossed with *yw; Sp/CyO*, and the curly wing siblings were crossed with each other. Homozygous transgenic lines were then obtained by crossing 5 females and 5 males. The resulting lines were named *UAS-Myc-CycG^FL*, *UAS-Myc-CycG^ΔP*, *UAS-Myc-CycG^ΔE* and *UAS-Myc-CycG^ΔEΔP*.

To estimate fluctuating asymmetry (FA), five replicate crosses were performed for each genotype, wherein 6 females carrying a Gal4 driver were mated with 5 males carrying a *CycG* transgene. Parents were transferred into a new vial every 48 h (three times) then discarded. 30 females were then sampled from the total offspring. Gal4 drivers used were *daughterless-Gal4* (*da-Gal4*) (Wodarz et al., 1995), *nubbin-Gal4* (*nub-Gal4*)*, optomotor-blind-Gal4* (*omb-Gal4*)*, rotund-Gal4* (*rn-Gal4*)*, scalloped-Gal4* (*sd-Gal4*)*, teashirt-Gal4* (*tsh-Gal4*)*, vestigial-Gal4* (*vg-Gal4*) (from the Bloomington *Drosophila* stock center), and *Insulin-like peptide 3-Gal4* (*dILP3-Gal4*), *neuropeptide F-Gal4* (*NPF-Gal4*)*, Pigment-dispersing factor-Gal4* (*Pdf-Gal4*)*, period-Gal4* (*per-Gal4*), *phantom-Gal4* (*phm-Gal4*), *Prothoracicotropic hormone-Gal4* (*Ptth-Gal4*), *R10B09-Gal4*, kind gifts from Dr Maria Dominguez's lab (Ferres-Marco et al.,

2006).

The *da-Gal4, UAS-CycG*$^{\Delta P}$ third chromosome, obtained by recombination of *da-Gal4* with the original *UAS-CycG*$^{\Delta P}$ transgene (*RCG76*), was used to test genetic interactions between *CycG* and several *PcG* or *ETP* mutations (Dupont et al., 2015). Alleles used are described in (Soto et al., 1995; Beuchle et al., 2001;Salvaing et al., 2006; Gaytán de Ayala Alonso et al., 2007; Fritsch et al., 2003; Gutiérrez et al., 2012) (Table 3). To estimate FA, 5 crosses were performed for each genotype, wherein 6 *PcG* or *ETP* mutant females were mated with 5 *da-Gal4, UAS-CycG*$^{\Delta P}$ males, the parents were transferred into a new vial every 48 h (three times) then discarded. 30 females combining the *PcG* or *ETP* mutation and *da-Gal4 UAS-CycG*$^{\Delta P}$ were sampled from the offspring. *PcG* and *ETP* mutant females were crossed with *da-Gal4* in parallel to measure FA of heterozygous mutants.

Morphometrics

Right and left wings of sampled females were mounted on slides, dorsal side up, in Hoyer's medium. Slides were scanned with a Hamamatsu Nanozoomer Digital Slide scanner, running the Nanozoomer software with a 20x objective and an 8-bit camera. Wing pictures were separately exported into tif format using NDP.view and the 5x lens. All wings were oriented with the hinge to the left. Image J was used to digitize 15 landmarks or only landmarks 3 and 13 when indicated (Figure 1B). Analysis of size FA was performed as described previously (Debat et al., 2011) using the FA10 index as FA estimator, *i.e.* FA corrected for measurement error, directional asymmetry and inter-individual variation (Palmer and Strobeck, 1992). For all genotypes, the interaction individual*side was significant, indicating that FA was larger than measurement error.

RNA-seq experiments and RT-qPCR validations

Wing imaginal discs from *da-Gal4/UAS-CycG*$^{\Delta P}$ and *da-Gal4/+* third instar female larvae were dissected, and total RNAs were extracted as previously described except that 150 discs homogenized by pipetting were used for each extraction (Coléno-Costes et al., 2012). Three biological replicates were generated for each genotype. Library preparation and Illumina sequencing were performed at the Ecole Normale Supérieure Genomic Platform (Paris, France). Messenger (polyA+) RNAs were purified from 1 µg of total RNA using oligo(dT). Libraries were prepared using the

strand specific RNA-Seq library preparation TruSeq Stranded mRNA kit (Illumina). Libraries were multiplexed by 6 on 2 flowcell lanes. A 50 bp single read sequencing was performed on a HiSeq 1500 device (Illumina). A mean of 38.1 ± 4.8 million reads was obtained for each of the 6 samples (Table S11). They were aligned with the *Drosophila melanogaster* genome (dm6, r6.07) using TopHat 2 (v2.0.10) (Kim et al., 2013). Unambiguously mapping reads (a mean of 24.9 ± 4.9 million reads) were then assigned to genes and exons described by the Ensembl BDGP5 v77 assembly, by using the "summarizeOverlaps" function from the "GenomicAlignments" package (v 1.2.2) in "Union" mode (Lawrence et al., 2013). Library size normalization and differential expression analysis were both performed with DESeq 2 (v 1.6.3) and genes with adjusted p-value below 0.05 were retained as differentially expressed (Love et al., 2014). Gene Ontology analysis was performed using DAVID (Huang et al., 2009; Huang et al., 2009).

For RT-qPCR validations, RNAs were treated with Turbo DNAse (Ambion), and cDNA were synthesized with SuperScript II Reverse transcriptase (Invitrogen) using random primers. RT-qPCR experiments were carried out in a CFX96 system (Bio-Rad) using SsoFast EvaGreen Supermix (Bio-Rad). Three biological replicates were performed for each genotype. Expression levels were quantified with the Pfaffl method (Bustin et al., 2009). The geometric mean of two reference genes, *Lamin* (*Lam*) and *rasputin* (*rin*), the expression of which did not vary when $CycG^{\Delta P}$ was expressed, was used for normalization (Vandesompele et al., 2002). Sequences of primer couples are listed in Table S10.

An interactome was built using Cytoscape (v 2.8.3) and the DroID plugin (v 1.5) to introduce protein-protein and transcription factor-gene interactions (Murali et al., 2011). The jActiveModules plugin (v 2.23) was used to find sub-networks of co-deregulated genes in the interactome by using "overlap threshold" 0.8, "score adjusted for size", and "regional scoring" (Ideker et al., 2002).

ChIP-seq experiments and ChIP-qPCR validations

Wing imaginal discs from *+/UAS-Myc-CycG^{\Delta P};; +/da-Gal4* and *+/da-Gal4* third instar female larvae were used for chromatin immunoprecipitation (ChIP).

For ChIP-seq experiments, 600 wing imaginal discs were dissected (taking one disc per larva) in Schneider medium and aliquoted per 50 in 1.5 mL microtubes on ice. The 12 microtubes were treated as described in (Coléno-Costes et al., 2012)

with minor modifications. Discs were fixed at 22°C. 12 sonication cycles were performed (Diagenode Bioruptor sonifier; cycles of 30" ON, 30" OFF, high power). After centrifugation, the 12 supernatants were pooled, homogenized, and 2% were removed (Input). The remaining fragmented chromatin was redistributed into 12 tubes and each tube was adjusted to 1 mL with 140 mM NaCl, 10 mM Tris-HCl pH 8.0, 1 mM EDTA, 1% Triton X-100, 0.1% sodium deoxycholate, 0.1% BSA, Roche complete EDTA-free protease inhibitor cocktail). For immunoprecipitation, 3 µg of anti-Myc antibody (Abcam 9132) were added per tube. The of water. Two biological replicates were performed.

Library preparation and Illumina sequencing were performed at the Ecole normale superieure Genomic Platform (Paris, France). Libraries were prepared using NEXTflex ChIP-Seq Kit (Bioo Scientific), using 38 ng of IP or Input DNA. Libraries were multiplexed by 10 on one flowcell run. A 75 bp single read sequencing was performed on a NextSeq 500 device (Illumina). Reads were filtered by the "fastq_quality_filter" command from the "fastx-Toolkit" package (http://hannonlab.cshl.edu/fastx_toolkit/), using a threshold of 90% bases with mapping quality ≥ 20. A mean of 55.6 ± 15.2 million reads was obtained for each of the 4 samples (Table S12). Reads that successfully passed the filtering step were aligned to the *Drosophila* genome (dm6, r6.07) using Bowtie 2 (http://bowtie-bio.sourceforge.net/bowtie2/) (v2.1.0) with default parameters (Langmead and Salzberg, 2012). Peaks were called by MACS2 (v2.1.0) by comparing each ChIP to its input library, with fragment size fixed at 110 bp and otherwise default parameters (Zhang et al., 2008) . Peak reproducibility between the two biological replicates was then analysed with the IDR method (https://www.encodeproject.org/software/idr/) (Li et al., 2011). Briefly, an IDR score was assigned to each peak by the "batch-consistency-analysis" function, using the recommended parameters for MACS peaks (peak ranking based on p-value). Peaks below the 0.05 threshold were considered reproducible. The overlapping reproducible peaks from both replicates were fused using the BEDtools suite "merge" function (Quinlan and Hall, 2010), resulting in the final list of peaks kept for subsequent analysis. Cyclin G-bound genes were defined as genes from the genome annotation file (dm6, r6.07) which overlapped at least one of these Cyclin G peaks, as obtained by the BEDtools suite "intersect" function (Quinlan and Hall, 2010).

For ChIP-qPCR validations, ChIP were performed similarly with the anti-Myc antibody. Rabbit IgG (Diagenode) were used as a negative control (mock). qPCR experiments were carried out in a CFX96 system (Bio-Rad) using SsoFast EvaGreen Supermix (Bio-Rad). Sequences of primer couples are listed in Table S10. Data were normalized against Input chromatin.

Heatmaps and aggregation plots of Cyclin G signal over gene bodies and Transcription Start Sites (TSS) were generated using the ngsplot package. (https://github.com/shenlab-sinai/ngsplot) (Shen et al., 2014). Some genes with spurious signal (such as genes from the histone complex) were excluded from the analysis based on signal uniformity over the full length of the gene (cumulative derivative of Cyclin G signal over gene length = 0).

Data access

High-throughput sequencing data have been submitted to GEO under accession number ... (in progress).

Genomic association

Genomic loci enriched for Polycomb (PC), Posterior Sex Comb (PSC), Polyhomeotic (PH), RNA Polymerase II (RNAPolII) and H3K27me3 in wild type imaginal discs of third instar larvae were retrieved from GEO (GSE42106) (Schaaf et al., 2013) (H3K27me3_WholeWingDisc GSM1032567, PcRJ_AnteriorWingDisc GSM1032571, PcRJ_PosteriorWingDisc GSM1032574, Ph_WholeWingDisc GSM1032576, PolII_WholeWingDisc GSM1032577, Psc_WholeWingDisc GSM1032578. Binding sites for PC in the whole wing disc were defined as the overlap between PC binding sites in the anterior and posterior wing disc compartment, as obtained by the BEDtools "intersect" function. For ASX and Calypso, the bed files were a kind gift from Dr. Jürg Müller (Scheuermann et al., 2010). The mappability file for dm6 genome with 25 nt reads (the smallest size in the compared data) was generated using the Peakseq code (http://archive.gersteinlab.org/proj/PeakSeq/ Mappability_Map/Code/). The overall size of the mappable genome was used as the effective genome size for the GAT software (https://github.com/AndreasHeger/gat) to assess the significance of the overlap between peaks of Cyclin G and other factors (Heger et al., 2013). As GAT performs a two-tailed test, it displays low p-values both for significant overlap and exclusion (as between Cyclin G and H3K27me3).

Gene overlap significance assessment was made as follows: under the null hypothesis, genes that are enriched for ASX, Calypso, PC, PSC, PH, RNAPolII or H3K27me3 in wild type imaginal discs of third instar larvae should not exhibit any bias towards Cyclin G targets. Thus, the overlap between n enriched genes and K Cyclin G targets genes should be explained by random sampling without replacement of n genes within the total amount N of *Drosophila melanogaster* genes. The amount of overlap under the null hypothesis X follows a hypergeometric law: $X \sim HY(K, N, n)$. The significance of the observed overlap k was computed as the probability of observing X higher or equal to k under the null hypothesis: $P(X \geq k)$.

Acknowledgments

We thank Dr. Emmanuèle Mouchel-Vielh and Dr. Jean-Michel Gibert for stimulating discussions and critical reading of the manuscript, the Bloomington Stock Center for fly strains, Dr. Jürg Müller for the alleles of *Asx* and *caly* and for the ASX and Calypso ChIP bed files, Dr. Maria Dominguez and Dr Sergio Juarez-Carreño for the *dilp3-Gal4, R19B09-Gal4, npf-Gal4, pdf-Gal4, per-Gal4, ptth-Gal4* and *tsh-Gal4* drivers. This work was funded by the Centre National de la Recherche Scientifique (CNRS), Université Pierre et Marie Curie (UPMC), Sorbonne Universités (grant SU-14-R-CDV-05-1 to FP), and Fondation ARC pour la Recherche sur le Cancer (grant PJA20131200314 to FP). The École Normale Supérieure genomic platform was supported by the France Génomique national infrastructure, funded as part of the "Investissements d'Avenir" program managed by the Agence Nationale de la Recherche (contract ANR-10-INBS-09). CAD was funded by a doctoral fellowship from the MESR (Ministère de l'Enseignement Supérieur et de la Recherche). JD was funded by a doctoral fellowship from the MESR and by the Fondation pour la Recherche médicale (FDT20160435164).

References

Adler, P.N., Charlton, J., and Brunk, B. (1989). Genetic interactions of the *suppressor 2 of zeste* region genes. *Dev Genet 10*, 249-260. doi:10.1002/dvg.1020100314

Arora, M., Packard, C.Z., Banerjee, T., and Parvin, J.D. (2015). RING1A and BMI1 bookmark active genes via ubiquitination of chromatin-associated proteins. *Nucleic Acids Res 44*, 2136-2144. 10.1093/nar/gkv1223

Arora, M., Zhang, J., Heine, G.F., Ozer, G., Liu, H.W., Huang, K., and Parvin, J.D. (2012). Promoters active in interphase are bookmarked during mitosis by ubiquitination. *Nucleic Acids Res 40*, 10187-0202. doi:10.1093/nar/gks820

Barabasi, A.L., and Albert, R. (1999). Emergence of scaling in random networks. *Science 286*, 509-512.

Beck, S., Faradji, F., Brock, H., and Peronnet, F. (2010). Maintenance of Hox gene expression patterns. *Adv Exp Med Biol 689*, 41-62.

Beuchle, D., Struhl, G., and Müller, J. (2001). Polycomb group proteins and heritable silencing of *Drosophila* Hox genes. *Development 128*, 993-1004.

Bischof, J., Maeda, R.K., Hediger, M., Karch, F., and Basler, K. (2007). An optimized transgenesis system for *Drosophila* using germ-line-specific *varphiC31* integrases. *Proceedings of the National Academy of Sciences 104*, 3312-17.

Breuker, C.J., Patterson, J.S., and Klingenberg, C.P. (2006). A single basis for developmental buffering of *Drosophila* wing shape. *PLoS One 1*, e7. doi:10.1371/journal.pone.0000007

Bustin, S.A., Benes, V., Garson, J.A., Hellemans, J., Huggett, J., Kubista, M., Mueller, R., Nolan, T., Pfaffl, M.W., et al. (2009). The MIQE guidelines: minimum information for publication of quantitative real-time PCR experiments. *Clin Chem 55*, 611-622. doi:10.1373/clinchem.2008.112797

Coléno-Costes, A., Jang, S.M., de Vanssay, A., Rougeot, J., Bouceba, T., Randsholt, N.B., Gibert, J.M., Le Crom, S., Mouchel-Vielh, E., et al. (2012). New partners in regulation of gene expression: the Enhancer of Trithorax and Polycomb Corto interacts with methylated Ribosomal Protein L12 via its chromodomain. *PLoS Genet 8*, e1003006. doi:10.1371/journal.pgen.1003006

Colombani, J., Andersen, D.S., and Léopold, P. (2012). Secreted peptide Dilp8 coordinates Drosophila tissue growth with developmental timing. Science *336*, 582-85. doi:10.1126/science.1216689

Debat, V., and Peronnet, F. (2013). Asymmetric flies: The control of developmental noise in *Drosophila. Fly* (Austin) *7*, 1-8. doi: 10.4161/fly.23558

Debat, V., Bloyer, S., Faradji, F., Gidaszewski, N., Navarro, N., Orozco-Terwengel, P., Ribeiro, V., Schlötterer, C., Deutsch, J.S., and Peronnet, F. (2011). Developmental Stability: A Major Role for Cyclin G in *Drosophila melanogaster. PLoS Genet 7*, e1002314. doi:10.1371/journal.pgen.1002314

Debat, V., Milton, C.C., Rutherford, S., Klingenberg, C.P., and Hoffmann, A.A. (2006). Hsp90 and the quantitative variation of wing shape in *Drosophila melanogaster. Evolution 60*, 2529-538.

Dellino, G.I., Schwartz, Y.B., Farkas, G., McCabe, D., Elgin, S.C., and Pirrotta, V. (2004). Polycomb silencing blocks transcription initiation. *Mol Cell 13*, 887-893.

Dongen, S.V. (2006). Fluctuating asymmetry and developmental instability in evolutionary biology: past, present and future. *J Evol Biol 19*, 1727-743. doi:10.1111/j.1420-9101.2006.01175.x

Dupont, C.A., Dardalhon-Cuménal, D., Kyba, M., Brock, H.W., Randsholt, N.B., and Peronnet, F. (2015). *Drosophila* Cyclin G and epigenetic maintenance of gene expression during development. *Epigenetics Chromatin 8*, 18. doi:10.1186/s13072-015-0008-6

Faradji, F., Bloyer, S., Dardalhon-Cuménal, D., Randsholt, N.B., and Peronnet, F. (2011). *Drosophila melanogaster* Cyclin G coordinates cell growth and cell proliferation. *Cell Cycle 10*, 1-14. Erratum (2014) *Cell Cycle 13*, 2480-2480.

Feder, M.E., and Hofmann, G.E. (1999). Heat-shock proteins, molecular chaperones, and the stress response: evolutionary and ecological physiology. *Annual review of physiology 61*, 243-282.

Ferres-Marco, D., Gutierrez-Garcia, I., Vallejo, D.M., Bolivar, J., Gutierrez-Aviño, F.J., and Dominguez, M. (2006). Epigenetic silencers and Notch collaborate to promote malignant tumours by Rb silencing. *Nature 439*, 430-36. doi:10.1038/nature04376

Fritsch, C., Beuchle, D., and Müller, J. (2003). Molecular and genetic analysis of the Polycomb group gene *Sex combs extra/Ring* in *Drosophila. Mech Dev 120*, 949-954. doi:10.1016/s0925-4773(03)00083-2

García-Bellido, A. (2009). The cellular and genetic bases of organ size and shape in *Drosophila. Int J Dev Biol 53*, 1291-1303. doi:10.1387/ijdb.072459ag

García-Bellido, A.C., and García-Bellido, A. (1998). Cell proliferation in the

attainment of constant sizes and shapes: the Entelechia model. *Int J Dev Biol 42*, 353-362.

Garelli, A., Gontijo, A.M., Miguela, V., Caparros, E., and Dominguez, M. (2012). Imaginal discs secrete insulin-like peptide 8 to mediate plasticity of growth and maturation. *Science 336*, 579-582. doi:10.1126/science.1216735

Gaytán de Ayala Alonso, A., Gutiérrez, L., Fritsch, C., Papp, B., Beuchle, D., and Müller, J. (2007). A genetic screen identifies novel polycomb group genes in *Drosophila. Genetics 176*, 2099-2108. doi:10.1534/genetics.107.075739

Geisler, S.J., and Paro, R. (2015). Trithorax and Polycomb group-dependent regulation: a tale of opposing activities. *Development 142*, 2876-887. doi:10.1242/dev.120030

Gildea, J.J., Lopez, R., and Shearn, A. (2000). A screen for new trithorax group genes identified little imaginal discs, the *Drosophila melanogaster* homologue of human retinoblastoma binding protein 2. *Genetics 156*, 645-663.

Graveley, B.R., Brooks, A.N., Carlson, J.W., Duff, M.O., Landolin, J.M., Yang, L., Artieri, C.G., van Baren, M.J., Boley, N., et al. (2011). The developmental transcriptome of *Drosophila melanogaster. Nature 471*, 473-79. doi:10.1038/nature09715

Grimaud, C., Negre, N., and Cavalli, G. (2006). From genetics to epigenetics: the tale of Polycomb group and trithorax group genes. *Chromosome Res 14*, 363-375. doi:10.1007/s10577-006-1069-y

Grossniklaus, U., and Paro, R. (2014). Transcriptional Silencing by Polycomb-Group Proteins. *Cold Spring Harb Perspect Biol 6*. doi:10.1101/cshperspect.a019331

Gutiérrez, L., Oktaba, K., Scheuermann, J.C., Gambetta, M.C., Ly-Hartig, N., and Müller, J. (2012). The role of the histone H2A ubiquitinase Sce in Polycomb repression. *Development 139*, 117-127. doi:10.1242/dev.074450

Heger, A., Webber, C., Goodson, M., Ponting, C.P., and Lunter, G. (2013). GAT: a simulation framework for testing the association of genomic intervals. *Bioinformatics 29*, 2046-48. doi:10.1093/bioinformatics/btt343

Huang, D.W., Sherman, B.T., and Lempicki, R.A. (2009). Systematic and integrative analysis of large gene lists using DAVID bioinformatics resources. *Nat Protoc 4*, 44-57. doi:10.1038/nprot.2008.211

Huang, D.W., Sherman, B.T., and Lempicki, R.A. (2009). Bioinformatics enrichment tools: paths toward the comprehensive functional analysis of large gene lists.

Nucleic Acids Res 37, 1-13. doi:10.1093/nar/gkn923

Huynh, C.Q., and Zieler, H. (1999). Construction of modular and versatile plasmid vectors for the high-level expression of single or multiple genes in insects and insect cell lines. *J Mol Biol 288*, 13-20.

Ideker, T., Ozier, O., Schwikowski, B., and Siegel, A.F. (2002). Discovering regulatory and signalling circuits in molecular interaction networks. *Bioinformatics 18 Suppl 1*, S233-240.

Kim, D., Pertea, G., Trapnell, C., Pimentel, H., Kelley, R., and Salzberg, S.L. (2013). TopHat2: accurate alignment of transcriptomes in the presence of insertions, deletions and gene fusions. *Genome Biol 14*, R36. doi:10.1186/gb-2013-14-4-r36

Kingston, R.E., and Tamkun, J.W. (2014). Transcriptional Regulation by Trithorax-Group Proteins. *Cold Spring Harb Perspect Biol 6* doi:10.1101/cshperspect.a019349

Kitano, H. (2004). Biological robustness. *Nat Rev Genet 5*, 826-837. doi:10.1038/nrg1471

Langmead, B., and Salzberg, S.L. (2012). Fast gapped-read alignment with Bowtie 2. *Nat Methods 9*, 357-59. doi:10.1038/nmeth.1923

Lawrence, M., Huber, W., Pagès, H., Aboyoun, P., Carlson, M., Gentleman, R., Morgan, M.T., and Carey, V.J. (2013). Software for computing and annotating genomic ranges. *PLoS Comput Biol 9*, e1003118. doi:10.1371/journal.pcbi.1003118

Leamy, L., Klingenberg, C., Sherratt, E., Wolf, J., and Cheverud, J. (2015). The Genetic Architecture of Fluctuating Asymmetry of Mandible Size and Shape in a Population of Mice: Another Look. *Symmetry 7*, 146-163. doi:10.3390/sym7010146

Leamy, L.J., Routman, E.J., and Cheverud, J.M. (2002). An epistatic genetic basis for fluctuating asymmetry of mandible size in mice. *Evolution 56*, 642-653. doi:10.1038/sj.hdy.6800637

Leamy, L.J., Workman, M.S., Routman, E.J., and Cheverud, J.M. (2005). An epistatic genetic basis for fluctuating asymmetry of tooth size and shape in mice. *Heredity* (Edinb) *94*, 316-325. doi:10.1038/sj.hdy.6800637

Leamy, L.J.L., and Klingenberg, C.P.K. (2005). The genetics and evolution of fluctuating asymmetry. *Annu. Rev. Ecol. Evol. Syst. 36*, 1-21. doi:10.1146/annurev.ecolsys.36.102003.152640

Lee, H.G., Kahn, T.G., Simcox, A., Schwartz, Y.B., and Pirrotta, V. (2015). Genome-wide activities of Polycomb complexes control pervasive transcription. *Genome Res 25*,1170-81. doi: 10.1101/gr.188920.11

Levy, S.F., and Siegal, M.L. (2008). Network hubs buffer environmental variation in *Saccharomyces cerevisiae. PLoS Biol 6*, e264. doi:10.1371/journal.pbio.0060264

Li, Q., Brown, J.B., Huang, H., and Bickel, P.J. (2011). Measuring reproducibility of high-throughput experiments. *The annals of applied statistics 5*, 1752-779.

Love, M.I., Huber, W., and Anders, S. (2014). Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biol 15*, 550. doi:10.1186/s13059-014-0550-8

McAdams, H.H., and Arkin, A. (1997). Stochastic mechanisms in gene expression. Proc Natl Acad Sci USA *94*, 814-19.

Milton, C.C., Huynh, B., Batterham, P., Rutherford, S.L., and Hoffmann, A.A. (2003). Quantitative trait symmetry independent of Hsp90 buffering: distinct modes of genetic canalization and developmental stability. *Proc Natl Acad Sci USA 100*, 13396-3401. doi:10.1073/pnas.1835613100

Murali, T., Pacifico, S., Yu, J., Guest, S., Roberts, G.G., and Finley, R.L. (2011). DroID 2011: a comprehensive, integrated resource for protein, transcription factor, RNA and gene interactions for *Drosophila*. *Nucleic Acids Res 39*, D736-743. doi:10.1093/nar/gkq1092

Neto-Silva, R.M., Wells, B.S., and Johnston, L.A. (2009). Mechanisms of growth and homeostasis in the *Drosophila* wing. *Annu Rev Cell Dev Biol 25*, 197-220. doi:10.1146/annurev.cellbio.24.110707.175242

Newman, M.E.J. (2003). The structure and function of complex networks. *SIAM Review 45*, 167-256.

Nijhout, F., and Davidowitz, G. (2003). Developmental Perspectives on Phenotypic Variation, Canalization, and Fluctuating Asymmetry. In Developmental instability, causes and consequences, M. Polak, eds. (New York: Oxford University Press).

Okada, H., Ebhardt, H.A., Vonesch, S.C., Aebersold, R., and Hafen, E. (2016). Proteome-wide association studies identify biochemical modules associated with a wing-size phenotype in *Drosophila melanogaster. Nat Commun 7*, 12649. doi:10.1038/ncomms12649

Palmer, A.R., and Strobeck, C. (1992). Fluctuating asymmetry as a measure of developmental stability: Implications of non-normal distributions and power of

statistical tests. *Acta Zool. Fennica 191*, 57-72.

Palmer, R.A. (1994). Fluctuating asymmetry analysis: a primer. In Developmental Instability: Its Origins and Evolutionary Implications (T. A. Markow. Netherlands, Kluwer Academic Publishers).

Parker, N.F., and Shingleton, A.W. (2011). The coordination of growth among Drosophila organs in response to localized growth-perturbation. *Dev Biol 357*, 318-325. doi:10.1016/j.ydbio.2011.07.002

Pengelly, A.R., Kalb, R., Finkl, K., and Müller, J. (2015). Transcriptional repression by PRC1 in the absence of H2A monoubiquitylation. *Genes Dev 29*, 1487-492. doi:10.1101/gad.265439.115

Queitsch, C., Sangster, T.A., and Lindquist, S. (2002). Hsp90 as a capacitor of phenotypic variation. *Nature 417*, 618-624. doi:10.1038/nature749

Quinlan, A.R., and Hall, I.M. (2010). BEDTools: a flexible suite of utilities for comparing genomic features. *Bioinformatics 26*, 841-42.

Rajala, T., Häkkinen, A., Healy, S., Yli-Harja, O., and Ribeiro, A.S. (2010). Effects of transcriptional pausing on gene expression dynamics. *PLoS Comput Biol 6*, e1000704. doi:10.1371/journal.pcbi.1000704

Rutherford, S, Hirate, Y, and Swalla, BJ (2007). The Hsp90 capacitor, developmental remodeling and evolution: The robustness of gene networks and the curious evolvability of metamorphosis. C*rit Rev Biochem Mol 42*, 355-372.

Rutherford, S., Knapp, J.R., and Csermely, P. (2007). Hsp90 and developmental networks. *Adv Exp Med Biol 594*, 190-97. doi:10.1007/978-0-387-39975-1_16

Rutherford, S.L., and Lindquist, S. (1998). Hsp90 as a capacitor for morphological evolution. *Nature 396*, 336-342. doi:10.1038/24550

Salvaing, J., Decoville, M., Mouchel-Vielh, E., Bussière, M., Daulny, A., Boldyreva, L., Zhimulev, I., Locker, D., and Peronnet, F. (2006). Corto and DSP1 interact and bind to a maintenance element of the *Scr* Hox gene: understanding the role of Enhancers of trithorax and Polycomb. *BMC Biol 4*, 9. doi:10.1186/1741-7007-4-9

Salvaing, J., Nagel, A.C., Mouchel-Vielh, E., Bloyer, S., Maier, D., Preiss, A., and Peronnet, F. (2008a). The enhancer of trithorax and polycomb corto interacts with cyclin G in *Drosophila. PLoS One 3*, e1658. doi:10.1371/journal.pone.0001658

Salvaing, J., Mouchel-Vielh, E., Bloyer, S., Preiss, A., and Peronnet, F. (2008b). Regulation of Abd-B expression by Cyclin G and Corto in the abdominal epithelium of Drosophila. *Hereditas 145*, 138-146. doi:HRD2067

[pii]10.1111/j.0018-0661.2008.02067.x

Sanchez, A., Choubey, S., and Kondev, J. (2013). Regulation of noise in gene expression. *Annu Rev Biophys 42*, 469-491. doi:10.1146/annurev-biophys-083012-130401

Sangster, T.A., Salathia, N., Undurraga, S., Milo, R., Schellenberg, K., Lindquist, S., and Queitsch, C. (2008). HSP90 affects the expression of genetic variation and developmental stability in quantitative traits. *Proc Natl Acad Sci USA 105*, 2963-68. doi:10.1073/pnas.0712200105

Schaaf, C.A., Misulovin, Z., Gause, M., Koenig, A., Gohara, D.W., Watson, A., and Dorsett, D. (2013). Cohesin and polycomb proteins functionally interact to control transcription at silenced and active genes. *PLoS Genet 9*, e1003560. doi:10.1371/journal.pgen.1003560

Scheuermann, J.C., de Ayala Alonso, A.G., Oktaba, K., Ly-Hartig, N., McGinty, R.K., Fraterman, S., Wilm, M., Muir, T.W., and Müller, J. (2010). Histone H2A deubiquitinase activity of the Polycomb repressive complex PR-DUB. *Nature 465*, 243-47. doi:10.1038/nature08966

Scheuermann, J.C., Gutiérrez, L., and Müller, J. (2012). Histone H2A monoubiquitination and Polycomb repression: the missing pieces of the puzzle. *Fly* (Austin) *6*, 162-68. doi:10.4161/fly.20986

Sen, P., Dang, W., Donahue, G., Dai, J., Dorsey, J., Cao, X., Liu, W., Cao, K., Perry, R., et al. (2015). H3K36 methylation promotes longevity by enhancing transcriptional fidelity. *Genes Dev 29*, 1362-376. doi:10.1101/gad.263707.115

Shen, L., Shao, N., Liu, X., and Nestler, E. (2014). ngs.plot: Quick mining and visualization of next-generation sequencing data by integrating genomic databases. *BMC Genomics 15*, 284. doi:10.1186/1471-2164-15-284

Siegal, M.L., and Bergman, A. (2002). Waddington's canalization revisited: developmental stability and evolution. *Proc Natl Acad Sci USA 99*, 10528-532. doi:10.1073/pnas.102303999

Simon, J., Chiang, A., and Bender, W. (1992). Ten different Polycomb group genes are required for spatial control of the abdA and AbdB homeotic products. *Development 114*, 493-505.

Soto, M.C., Chou, T.B., and Bender, W. (1995). Comparison of germline mosaics of genes in the Polycomb group of *Drosophila melanogaster. Genetics 140*, 231-243.

Takahashi, H., Okada, Teramura, and Tsujino (2011). Deficiency mapping of the genomic regions associated with effects on developmental stability in *Drosophila melanogaster. Evolution 65*, 3565-577.

Vallejo, D.M., Juarez-Carreño, S., Bolivar, J., Morante, J., and Dominguez, M. (2015). A brain circuit that synchronizes growth and maturation revealed through Dilp8 binding to Lgr3. *Science 350*, aac6767. doi: 10.1126/science.aac6767.

Vandesompele, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A., and Speleman, F. (2002). Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome Biol 3*, research0034.1-c0034.11.

Van Valen, L. (1962). A study of fluctuating asymmetry. *Evolution 16*, 125-142.

Venkatesh, S., Smolle, M., Li, H., Gogol, M.M., Saint, M., Kumar, S., Natarajan, K., and Workman, J.L. (2012). Set2 methylation of histone H3 lysine 36 suppresses histone exchange on transcribed genes. *Nature 489*, 452-55. doi:10.1038/nature11326

Weinberger, L., Voichek, Y., Tirosh, I., Hornung, G., Amit, I., and Barkai, N. (2012). Expression Noise and Acetylation Profiles Distinguish HDAC Functions. *Mol Cell 47*, 193-202. doi:10.1016/j.molcel.2012.05.008

Wodarz, A., Hinz, U., Engelbert, M., and Knust, E. (1995). Expression of crumbs confers apical character on plasma membrane domains of ectodermal epithelia of *Drosophila. Cell 82*, 67-76.

Yamada, T., and Bork, P. (2009). Evolution of biomolecular networks: lessons from metabolic and protein interactions. *Nat Rev Mol Cell Biol 10*, 791-803. doi:10.1038/nrm2787

Yeyati, P.L., Bancewicz, R.M., Maule, J., and van Heyningen, V. (2007). Hsp90 selectively modulates phenotype in vertebrate development. *PLoS Genet 3*, e43. doi:10.1371/journal.pgen.0030043

Yu, H., Kim, P.M., Sprecher, E., Trifonov, V., and Gerstein, M. (2007). The importance of bottlenecks in protein networks: correlation with gene essentiality and expression dynamics. *PLoS Comput Biol 3*, e59. doi:10.1371/journal.pcbi.0030059

Zhang, Y., Liu, T., Meyer, C.A., Eeckhoute, J., Johnson, D.S., Bernstein, B.E., Nusbaum, C., Myers, R.M., Brown, M., et al. (2008). Model-based analysis of ChIP-Seq (MACS). *Genome Biol 9*, R137. doi:10.1186/gb-2008-9-9-r137

Figures

Figure 1: Acquisition of morphometric data.

A – Superimposition of the left and right wings of a sample of *da-Gal4, UAS-CycG*$^{\Delta P}$ flies (left wings in red, right wings in green) showing high asymmetry.

B - Red dots show the 15 landmarks digitized on the wings. FA10 was computed using these landmarks obtained from the left and right wings of at least 30 females randomly sampled from the population as described (Debat et al., 2011).

Figure 2: Local deregulation of *CycG* induces high fluctuating asymmetry.

A – Wing length fluctuating asymmetry (FA10) of females bearing a Gal4 driver either associated with *UAS-CycG$^{\Delta P}$* (dark orange) or alone (light orange). Wing length was measured as the distance between landmarks 3 and 13. *** p-value<0.001.

B – Expression of the driver genes in 3rd instar larva wing imaginal discs (dark grey) and central nervous system (light grey) as indicated in modENCODE (Graveley et al., 2011).

Figure 3: The ETP interacting domain limits *CycG*-induced fluctuating asymmetry

A – Centroid size fluctuating asymmetry (FA10) of females *da-Gal4*/+ (+), *+/UAS-Myc-CycG^{FL}; da-Gal4/+,* (*CycG^{FL}*) and *+/UAS-Myc-CycG^{ΔE}; da-Gal4,* (*CycG^{ΔE}*).

B – Centroid size fluctuating asymmetry (FA10) of females *da-Gal4*/+ (+), *+/ UAS-Myc-CycG^{ΔP}; da-Gal4/+* (*CycG^{ΔP}*) and *+/UAS-Myc- CycG^{ΔEΔP}; da-Gal4/+* (*CycG^{ΔEΔP}*).

*** p-value<0.001.

Wing centroid size was calculated using the 15 landmarks described in Figure 1B.

Figure 4: *CycG* **interacts with several** *PcG* **and** *ETP* **genes for developmental stability.**

Centroid size fluctuating asymmetry (FA10) of *ETP* or *PcG* heterozygous mutant females combined with *da-Gal4, UAS-CycG$^{\Delta P}$* (dark orange; *da-Gal4, UAS-CycG$^{\Delta P}$; PcG/+* or *da-Gal4, UAS-CycG$^{\Delta P}$; ETP/+*) and *ETP* or *PcG* heterozygous mutant females combined with *da-Gal4* (light orange; *da-Gal4/+; PcG/+* or *da-Gal4; ETP/+*). In brown (+), centroid size fluctuating asymmetry of *da-Gal4, UAS-CycG$^{\Delta P}$/+* and *da-Gal4/+* females.

*p-value<0.05; ** p-value<0.01; *** p-value<0.001.

Figure 5: Genes deregulated in wing imaginal discs expressing *CycG^ΔP*.

A – RT-qPCR analysis of endogenous *CycG* expression in *da-Gal4,UAS-CycG^ΔP/+* and *da-Gal4/+* wing imaginal discs. ** p-value<0.01.

B – Ontology of up-regulated and down-regulated genes in *da-Gal4, UAS-CycG^ΔP/+ versus da-Gal4/+* wing imaginal discs. Gene ontology analysis was performed with DAVID (Huang et al., 2009; Huang et al., 2009).

C – RT-qPCR analysis of *RPL15*, *RPL7* and *Rack1* expression in *da-Gal4, UAS-CycG^ΔP/+* and *da-Gal4/+* wing imaginal discs. ** p-value<0.01; *** p-value<0.001.

Figure 6: Identification of Cyclin G genome-wide binding sites in wing imaginal discs.

A – Heat-map showing the enrichment of Cyclin G over the Input signal on the TSS of 889 genes. TSS: Transcriptional Start Site; TES: Transcriptional End Site.

B – Average profile of Cyclin G signal over these genes shown as an aggregation plot.

C – ChIP-qPCR analysis of *RPL7, RPL5, Rack1* and *CycG*. IPs were performed either with Myc antibody (α-Myc) to reveal the presence of Cyclin G, or with rabbit IgG as negative control (mock). qPCR were performed using oligonucleotide primers located either at the TSS or in the gene body as indicated in Table S1.

D – Ontology of the 889 genes. Gene ontology analysis was performed with DAVID (Huang et al., 2009; Huang et al., 2009).

Figure 7: Cyclin G shares target genes with PRC1, ASX and RNAPolII but not with Calypso.

Venn diagrams showing the intersection between Cyclin G-bound genes in *+/ UAS-Myc-CycG^{ΔP}; da-Gal4/+,* wing imaginal discs and PH, PC, PSC, ASX, Calypso and RNApolII in wild-type wing imaginal discs.

Figure 8: Functional subnetwork identified in wing imaginal discs expressing $CycG^{\Delta P}$.

A – Schematic representation of a sub-network of 222 genes centred on Cyclin G and identified using JactiveModules (Z score 48.53) (Ideker et al., 2002). In this sub-network, 65 genes were up-regulated in *da-Gal4, UAS-CycG$^{\Delta P}$ versus da-Gal4/+* wing imaginal discs (green gradient), 124 genes were down-regulated (red gradient), and 33 genes were not significantly deregulated (grey). Genes bound by Cyclin G are circled in red. Transcription factor genes are represented by squares. Genes were clustered depending on their function. Black edges correspond to interactions discovered in the present study. Grey edges correspond to interactions described in the literature and imported into the WID network using DroID (Murali et al., 2011).

B – Genes bound by ASX, Calypso, PC, PH, PSC, or RNAPolII, or enriched in H3K27me3 in the sub-network are represented in red.

Figure S1: Cyclin G co-localizes with H2AK118ub at many sites on polytene chromosomes; expression of *CycG^{ΔP}* does not modify the bulk of H2AK118ub.

A, A', A" – Immunostaining of polytene chromosomes from w^{1118} third instar larvae. H2AK118ub (red), Cyclin G (green), DAPI (blue). **A'''** – Close-up of the box showed in A".

B, B' – Wing imaginal discs of 3^{rd} instar larvae expressing *CycG^{ΔP}* in the posterior compartment under control of the *engrailed-Gal4* driver, stained with anti-Cyclin G (green) and anti-H2AK118ub (red).

C, C' – Wing imaginal discs of 3^{rd} instar larvae expressing *CycG^{ΔEΔP}* in the posterior compartment under control of the *engrailed-Gal4* driver, stained with anti-Cyclin G (green) and anti-H2AK118ub (red).

Table 1: Size fluctuating asymmetry of flies expressing $CycG^{\Delta P}$ with different Gal4 drivers.

Size fluctuating asymmetry was estimated with the FA10 index using landmarks 3 and 13 (Palmer and Strobeck, 1992) as described previously (Debat et al., 2011). 30 females of each genotype were measured.

Standard F-tests were used to compare FA values between genotypes. Df: degrees of freedom. $CycG^{\Delta P}$: cDNA encoding the protein deleted of the PEST domain.

	FA10		Df		F	p-value
	$UAS\text{-}CycG^{\Delta P}$	+	$UAS\text{-}CycG^{\Delta P}$	+		
nub-Gal4	59.34	18.80	26.25	26.45	3.1561	2.34E-03
omb-Gal4	107.90	36.17	28.41	27.88	2.9829	2.87E-03
rn-Gal4	229.69	12.59	28.80	25.30	18.2390	9.60E-11
sd-Gal4	101.85	19.83	28.56	26.45	5.1367	3.64E-05
tsh-Gal4	15.49	12.32	23.89	22.27	1.2576	2.97E-01
vg-Gal4	67.11	20.90	28.45	26.67	3.2107	1.88E-03
dilp3-Gal4	23.90	11.51	26.97	23.71	2.0776	4.02E-02
NPF-Gal4	13.90	9.90	25.09	22.98	1.4048	2.12E-01
pdf-Gal4	22.14	14.75	24.60	25.09	1.5012	1.60E-01
per-Gal4	12.69	9.09	23.12	21.53	1.3963	2.23E-01
phm-Gal4	13.81	20.18	23.86	27.06	1.4609	1.80E-01
ptth-Gal4	17.62	22.14	25.17	26.30	1.2565	3.39E-01
R19B09-Gal4	10.76	7.81	23.15	21.87	1.3782	2.32E-01

Table 2: Centroid size fluctuating asymmetry of flies expressing different versions of Cyclin G.

Centroid size fluctuating asymmetry was estimated with the FA10 index using the 15 landmarks (Palmer and Strobeck, 1992) as described previously (Debat et al., 2011). Standard F-tests were used to compare FA values between genotypes. Df: degrees of freedom. n: number of females analysed. $CycG^{FL}$: cDNA encoding the full-length protein; $CycG^{\Delta E}$: cDNA encoding a protein deleted of the ETP-interacting domain; $CycG^{\Delta P}$: cDNA encoding a protein deleted of the PEST domain; $CycG^{\Delta E \Delta P}$: cDNA encoding a protein deleted of both domains.

Genotype	n	FA10	Df	yw; +/da-Gal4		yw; +/UAS-CycG^{FL}; da-Gal4/+		yw; +/UAS-CycG$^{\Delta E}$; da-Gal4/+		yw; +/UAS-CycG$^{\Delta P}$; da-Gal4/+	
				F	p-value	F	p-value	F	p-value	F	p-value
yw; da-Gal4/+	146	3.73E-06	16.37	-	-						
yw; +/UAS-CycG^{FL}; da-Gal4/+	89	2.34E-05	72.82	6.27	9.30E-05	-	-				
yw; +/UAS-CycG$^{\Delta E}$; da-Gal4/+	88	4.92E-05	85.78	13.19	4.49E-07	2.10	6.96E-04	-			
yw; +/UAS-CycG$^{\Delta P}$; da-Gal4/+	111	6.57E-04	108.76	176.01	7.08E-16	28.06	4.52E-35	13.34	6.63E-28	-	-
yw; +/UAS-CycG$^{\Delta E \Delta P}$; +/da-Gal4	95	1.22E-03	93.28	328.22	5.34E-18	52.32	7.18E-44	24.88	1.12E-37	1.86	9.32E-04

Table 3: Polycomb and Enhancer of Polycomb and Trithorax alleles used in this study.

Class	Gene	Allele	Allele class	Reference
ETP	Additional sex combs	Asx^{22P4}	no protein detected	Scheuermann et al., 2010
		Asx^{XF23}	loss of function	Simon et al., 1992
	corto	$corto^{420}$	loss of function	Salvaing et al., 2006
		$corto^{L1}$	amorphic	Salvaing et al., 2006
PcG	calypso	$caly^1$	no protein detected	Gaytán de Ayala Alonso et al., 2007; Scheuermann et al., 2010
	calypso	$caly^2$	no protein detected	Gaytán de Ayala Alonso et al., 2007; Scheuermann et al., 2010
	Enhancer of zeste	$E(z)^{63}$	loss of function	Beuchle et al., 2001
	extra sexcombs	esc^{21}	amorphic	Gindhart and Kaufman, 1995
	Polycomb	Pc^1	amorphic	Capdevilla et al., 1986
	polyhomeotic	$ph\text{-}d^{401}ph\text{-}p^{602}$	null	Dura et al., 1987
	polyhomeotic proximal	$ph\text{-}p^{410}$	loss of function	Dura et al., 1987
	Posterior sex combs	Psc^1	hypomorphic	Adler et al., 1989
	Sex combs extra	Sce^1	null	Gorfinkiel et al., 2004
	Sex combs extra	Sce^{33M2}	loss of function	Fritsch et al., 2003
	Sex combs extra	Sce^{KO4}	null	Gutiérrez et al., 2012
	Sex comb on midleg	Scm^{D1}	amorphic	McKeon and Brock, 1991,

Table S1: Centroid size fluctuating asymmetry of flies expressing $CycG^{\triangle P}$ combined with different *PcG* or *ETP* mutant alleles

Centroid size fluctuating asymmetry was estimated with the FA10 index using the 15 landmarks (Palmer and Strobeck, 1992) as described previously (Debat et al., 2011). Standard F-tests were used to compare FA values between genotypes. Df: degrees of freedom.

Genotype	FA	Df	F	p-value
+/daGal4	2.87E-05	27.71		
+/da-Gal4; UAS-CycG$^{\triangle P}$	7.05E-04	28.91		
corto^{420}/da-Gal4	1.05E-05	19.48	2.73	1.23E-02
corto^{420}/da-Gal4; UAS-CycG$^{\triangle P}$	1.05E-03	28.98	1.49	1.46E-01
corto^{L1}/da-Gal4	1.74E-05	25.78	1.00	1.02E-01
corto^{L1}/da-Gal4; UAS-CycG$^{\triangle P}$	1.50E-03	28.97	2.13	2.30E-02
Asx^{22P4}/+; +/da-Gal4	2.31E-05	28.31	1.65	2.87E-01
Asx^{22P4}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	1.36E-03	26.94	1.93	4.26E-02
Asx^{XF23}/+; +/da-Gal4	1.86E-05	27.62	2.21	1.30E-01
Asx^{XF23}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	3.68E-04	28.93	1.92	4.29E-02
caly^{1}/+; +/da-Gal4	2.15E-05	27.85	1.77	2.27E-01
caly^{1}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	2.58E-03	28.97	3.66	4.06E-04
caly^{2}/+; +/da-Gal4	3.03E-05	26.31	2.05	4.43E-01
caly^{2}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	2.01E-03	28.95	2.86	3.10E-03
E(z)^{63}/da-Gal4	1.70E-05	27.86	2.89	8.60E-02
E(z)^{63}/da-Gal4; UAS-CycG$^{\triangle P}$	9.87E-04	28.96	1.40	1.86E-01
esc^{21}/+; +/da-Gal4	1.21E-05	26.91	1.62	1.38E-02
esc^{21}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	7.14E-04	26.82	1.01	4.86E-01
Pc^{1}/da-Gal4	2.08E-05	26.26	1.15	2.07E-01
Pc^{1}/da-Gal4; UAS-CycG$^{\triangle P}$	1.59E-03	29.93	2.25	1.58E-02
ph-d^{401}ph-p^{602}/+; +/da-Gal4	1.11E-05	19.16	1.98	1.76E-02
ph-d^{401}ph-p^{602}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	1.50E-03	28.95	2.13	2.33E-02
ph-p^{410}/+; +/da-Gal4	1.98E-05	18.29	1.06	2.08E-01
ph-p^{410}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	2.63E-03	27.88	3.72	3.72E-04
Psc^{1}/+; +/da-Gal4	1.38E-05	27.10	1.89	3.04E-02
Psc^{1}/+; +/da-Gal4; UAS-CycG$^{\triangle P}$	8.45E-04	28.85	1.20	3.15E-01
Sce^{1}/da-Gal4	1.66E-05	23.20	1.31	9.28E-02
Sce^{1}/da-Gal4; UAS-CycG$^{\triangle P}$	4.25E-03	28.93	6.03	3.15E-06
Sce^{33M2}/da-Gal4	6.68E-05	28.71	1.59	1.44E-02
Sce^{33M2}/da-Gal4; UAS-CycG$^{\triangle P}$	1.68E-03	28.97	2.38	1.14E-02
Sce^{KO4}/da-Gal4	1.83E-05	26.40	6.37	1.26E-01
Sce^{KO4}/da-Gal4; UAS-CycG$^{\triangle P}$	2.82E-03	29.97	4.00	1.72E-04
Scm^{D1}/da-Gal4	2.22E-05	28.22	1.75	2.53E-01
Scm^{D1}/da-Gal4; UAS-CycG$^{\triangle P}$	2.77E-03	28.96	3.93	2.15E-04

Table S2: List of the 530 genes deregulated in _da-Gal4/+,UAS-CycG$^{\triangle P}$_ wing imaginal discs as compared to _da-Gal4/+_ wing imaginal discs.

Gene ID	Gene name	baseMean	log2foldChange	foldChange	logfoldStandard Error	wald-statistics	p-value	adjusted p-value
FBgn0004852	Ac76E	157.95	-1.06	0.48	0.16	-6.73	1.71E-11	3.64E-09
FBgn0034628	Acox57D-p	493.37	-0.54	0.69	0.12	-4.51	6.54E-06	3.24E-04
FBgn0002855	Acp26Aa	62.15	2.09	4.26	0.19	11.27	1.75E-29	2.43E-26
FBgn0002856	Acp26Ab	40.44	1.40	2.65	0.18	7.94	1.99E-15	7.50E-13
FBgn0000043	Act42A	48484.83	-0.31	0.81	0.10	-3.13	1.76E-03	3.24E-02
FBgn0000044	Act57B	1298.53	-0.95	0.52	0.18	-5.33	9.81E-08	9.38E-06
FBgn0036752	Adgf-A	165.24	1.02	2.03	0.17	5.98	2.25E-09	3.19E-07
FBgn0250816	AGO3	205.37	0.69	1.61	0.16	4.29	1.81E-05	7.70E-04
FBgn0024912	agt	212.27	0.49	1.41	0.15	3.32	9.06E-04	1.99E-02
FBgn0014455	Ahcy13	8016.68	-0.38	0.77	0.10	-3.98	6.85E-05	2.30E-03
FBgn0000064	Ald	9857.00	-0.42	0.75	0.09	-4.55	5.29E-06	2.73E-04
FBgn0012036	Aldh	582.55	-0.85	0.56	0.16	-5.28	1.32E-07	1.16E-05
FBgn0015569	alpha-Est10	105.48	0.77	1.70	0.18	4.38	1.20E-05	5.47E-04
FBgn0003884	alphaTub84B	131635.85	-0.35	0.78	0.09	-3.96	7.51E-05	2.49E-03
FBgn0003885	alphaTub84D	7305.60	-0.34	0.79	0.09	-3.79	1.53E-04	4.50E-03
FBgn0003886	alphaTub85E	158.98	0.83	1.78	0.18	4.73	2.25E-06	1.27E-04
FBgn0011746	ana	2067.08	-0.37	0.77	0.12	-3.19	1.43E-03	2.82E-02
FBgn0012037	Ance	17205.19	-0.68	0.63	0.11	-6.06	1.34E-09	2.02E-07
FBgn0000084	AnxB10	422.93	-0.54	0.69	0.16	-3.30	9.68E-04	2.09E-02
FBgn0000083	AnxB9	9633.78	-0.29	0.82	0.07	-4.35	1.33E-05	5.96E-04
FBgn0038742	Arc42	2401.99	-0.34	0.79	0.08	-4.43	9.34E-06	4.46E-04
FBgn0065032	Arpc3B	85.14	0.78	1.72	0.19	4.19	2.77E-05	1.09E-03
FBgn0031781	Arpc4	1644.28	-0.41	0.75	0.12	-3.41	6.54E-04	1.54E-02
FBgn0270926	AsnS	534.27	0.55	1.46	0.12	4.42	9.70E-06	4.55E-04
FBgn0037989	ATP8B	518.41	0.40	1.32	0.13	3.02	2.52E-03	4.22E-02
FBgn0020236	ATPCL	7452.69	-0.32	0.80	0.09	-3.60	3.24E-04	8.43E-03
FBgn0019644	ATPsynB	5227.18	-0.46	0.73	0.11	-4.15	3.38E-05	1.30E-03
FBgn0010217	ATPsynbeta	38872.94	-0.20	0.87	0.07	-3.06	2.19E-03	3.79E-02
FBgn0016120	ATPsynD	6664.75	-0.46	0.72	0.07	-6.28	3.29E-10	5.47E-08
FBgn0028342	ATPsyndelta	4618.13	-0.38	0.77	0.08	-4.47	7.72E-06	3.75E-04
FBgn0038224	ATPsynE	3642.27	-0.49	0.71	0.10	-5.04	4.62E-07	3.23E-05
FBgn0035032	ATPsynF	3082.49	-0.71	0.61	0.15	-4.89	1.03E-06	6.28E-05
FBgn0010612	ATPsynG	4277.38	-0.46	0.73	0.09	-5.30	1.15E-07	1.05E-05
FBgn0020235	ATPsyngamma	8921.67	-0.36	0.78	0.07	-5.27	1.40E-07	1.21E-05
FBgn0016691	ATPsynO	5921.97	-0.37	0.77	0.07	-4.97	6.83E-07	4.58E-05
FBgn0000150	awd	34753.24	-0.49	0.71	0.11	-4.68	2.90E-06	1.58E-04
FBgn0038494	beat-IIb	120.27	0.53	1.44	0.18	3.00	2.73E-03	4.46E-02
FBgn0039258	beta4GalT7	904.97	-0.41	0.75	0.12	-3.51	4.50E-04	1.12E-02
FBgn0013753	Bgb	1979.15	-0.30	0.81	0.10	-2.98	2.92E-03	4.68E-02
FBgn0035625	Blimp-1	2451.04	0.58	1.50	0.18	3.24	1.19E-03	2.42E-02
FBgn0001090	bnb	18175.81	-0.83	0.56	0.16	-5.21	1.92E-07	1.55E-05
FBgn0053653	Cadps	210.94	0.49	1.41	0.16	3.11	1.89E-03	3.41E-02
FBgn0264607	CaMKII	5338.07	0.24	1.18	0.07	3.37	7.41E-04	1.71E-02
FBgn0032685	CG10211	1429.48	-0.43	0.74	0.12	-3.43	6.11E-04	1.44E-02
FBgn0032783	CG10237	608.83	-0.68	0.63	0.12	-5.82	6.03E-09	7.96E-07
FBgn0034654	CG10306	7984.95	0.42	1.34	0.07	5.98	2.26E-09	3.19E-07
FBgn0035452	CG10359	3628.29	0.19	1.14	0.06	3.07	2.16E-03	3.77E-02
FBgn0034583	CG10527	578.41	-0.87	0.55	0.12	-7.22	5.21E-13	1.35E-10
FBgn0036314	CG10754	2049.32	-0.22	0.86	0.07	-3.01	2.63E-03	4.36E-02
FBgn0038804	CG10877	382.12	-0.56	0.68	0.14	-4.06	4.87E-05	1.70E-03
FBgn0029969	CG10932	2090.24	-0.39	0.76	0.09	-4.12	3.75E-05	1.40E-03
FBgn0030035	CG11190	1968.54	-0.33	0.80	0.09	-3.64	2.78E-04	7.38E-03
FBgn0036332	CG11261	171.64	-0.69	0.62	0.16	-4.33	1.49E-05	6.54E-04
FBgn0039849	CG11334	1772.52	-0.49	0.71	0.09	-5.35	8.66E-08	8.89E-06
FBgn0039864	CG11550	780.61	0.47	1.38	0.09	4.98	6.52E-07	4.45E-05
FBgn0036847	CG11577	1404.87	0.37	1.29	0.09	4.11	3.89E-05	1.44E-03
FBgn0030545	CG11590	1527.37	-0.53	0.69	0.09	-5.57	2.58E-08	2.90E-06
FBgn0037313	CG1161	2239.50	-0.28	0.82	0.07	-4.03	5.46E-05	1.88E-03
FBgn0030292	CG11752	544.42	-0.60	0.66	0.17	-3.59	3.33E-04	8.59E-03
FBgn0039305	CG11858	1032.41	-0.38	0.77	0.10	-3.75	1.78E-04	5.12E-03
FBgn0035430	CG12009	997.78	0.55	1.46	0.09	6.23	4.60E-10	7.50E-08
FBgn0037386	CG1208	117.13	0.63	1.55	0.15	4.32	1.54E-05	6.75E-04
FBgn0033232	CG12159	1180.24	-0.38	0.77	0.08	-4.88	1.04E-06	6.29E-05
FBgn0033158	CG12164	50.10	-0.70	0.62	0.19	-3.76	1.68E-04	4.89E-03
FBgn0037354	CG12171	910.21	-0.33	0.79	0.10	-3.30	9.81E-04	2.11E-02
FBgn0031048	CG12237	1832.22	-0.53	0.69	0.10	-5.13	2.92E-07	2.17E-05
FBgn0037811	CG12592	43.43	-0.74	0.60	0.18	-4.23	2.32E-05	9.48E-04
FBgn0035522	CG1273	2062.97	0.40	1.32	0.13	3.10	1.95E-03	3.48E-02
FBgn0033184	CG12736	701.42	-0.31	0.80	0.11	-2.98	2.86E-03	4.61E-02
FBgn0026566	CG1307	1958.10	-0.28	0.82	0.09	-3.02	2.53E-03	4.23E-02
FBgn0032614	CG13284	78.55	0.99	1.98	0.19	5.31	1.11E-07	1.04E-05
FBgn0029529	CG13365	298.16	-0.54	0.69	0.13	-4.10	4.05E-05	1.48E-03
FBgn0027507	CG1344	2808.60	0.20	1.15	0.07	2.98	2.86E-03	4.61E-02
FBgn0040658	CG13516	215.45	-1.14	0.45	0.16	-6.94	3.81E-12	8.57E-10
FBgn0040660	CG13551	4309.06	-0.49	0.71	0.09	-5.22	1.79E-07	1.50E-05
FBgn0036717	CG13731	258.92	-0.60	0.66	0.18	-3.31	9.32E-04	2.03E-02
FBgn0035173	CG13907	207.74	0.75	1.68	0.18	4.07	4.72E-05	1.66E-03
FBgn0035246	CG13928	118.86	0.55	1.46	0.17	3.15	1.63E-03	3.05E-02
FBgn0031770	CG13995	329.94	3.11	8.64	0.18	17.04	4.34E-65	1.81E-61
FBgn0039482	CG14258	140.61	-0.52	0.70	0.16	-3.18	1.47E-03	2.87E-02

FBgn0037149	CG14561	767.80	-0.33	0.79	0.10	-3.22	1.26E-03	2.54E-02
FBgn0037127	CG14566	472.71	-0.87	0.55	0.18	-4.71	2.46E-06	1.36E-04
FBgn0037822	CG14683	2553.41	0.29	1.22	0.09	3.33	8.55E-04	1.91E-02
FBgn0037853	CG14696	352.18	-0.49	0.71	0.13	-3.64	2.72E-04	7.27E-03
FBgn0035409	CG14963	113.28	-0.71	0.61	0.16	-4.52	6.22E-06	3.10E-04
FBgn0030040	CG15347	130.33	1.04	2.06	0.18	5.87	4.39E-09	5.89E-07
FBgn0040718	CG15353	627.38	-0.68	0.62	0.18	-3.72	2.02E-04	5.72E-03
FBgn0031161	CG15445	1474.98	0.49	1.41	0.12	3.99	6.73E-05	2.28E-03
FBgn0039807	CG15546	357.76	0.53	1.45	0.16	3.43	6.04E-04	1.43E-02
FBgn0039809	CG15547	182.69	0.57	1.49	0.16	3.61	3.11E-04	8.19E-03
FBgn0029814	CG15765	393.00	1.88	3.67	0.14	13.67	1.54E-42	3.21E-39
FBgn0029766	CG15784	1538.94	0.50	1.41	0.16	3.04	2.37E-03	4.03E-02
FBgn0033446	CG1648	2116.68	-0.59	0.66	0.13	-4.58	4.66E-06	2.43E-04
FBgn0033451	CG1665	1183.52	-0.27	0.83	0.08	-3.49	4.91E-04	1.20E-02
FBgn0028544	CG16884	1627.71	-0.96	0.51	0.15	-6.50	8.27E-11	1.49E-08
FBgn0032538	CG16885	1759.92	-1.02	0.49	0.16	-6.57	5.09E-11	9.94E-09
FBgn0033883	CG16935	769.06	-0.46	0.73	0.11	-4.35	1.34E-05	5.96E-04
FBgn0033443	CG1698	188.88	0.73	1.66	0.16	4.60	4.25E-06	2.24E-04
FBgn0025621	CG16989	1952.03	-0.23	0.85	0.07	-3.32	8.88E-04	1.96E-02
FBgn0039972	CG17018	149.59	0.78	1.72	0.17	4.73	2.25E-06	1.27E-04
FBgn0036547	CG17032	4276.88	-0.50	0.71	0.08	-6.04	1.59E-09	2.33E-07
FBgn0032449	CG17036	125.42	-0.68	0.62	0.17	-4.08	4.56E-05	1.62E-03
FBgn0031170	CG1718	201.89	-0.58	0.67	0.17	-3.34	8.44E-04	1.89E-02
FBgn0032032	CG17294	601.02	0.37	1.30	0.11	3.34	8.28E-04	1.86E-02
FBgn0032713	CG17323	1529.83	-0.46	0.73	0.10	-4.79	1.64E-06	9.67E-05
FBgn0032774	CG17549	1354.77	-0.43	0.74	0.12	-3.60	3.17E-04	8.29E-03
FBgn0263780	CG17684	340.34	1.20	2.29	0.15	7.85	4.02E-15	1.45E-12
FBgn0040899	CG17776	512.79	-0.42	0.75	0.13	-3.27	1.07E-03	2.25E-02
FBgn0028394	CG17834	1210.01	0.66	1.58	0.11	5.81	6.37E-09	8.27E-07
FBgn0032124	CG17855	45.31	0.52	1.44	0.16	3.19	1.40E-03	2.78E-02
FBgn0023537	CG17896	5157.69	-0.39	0.76	0.10	-4.00	6.36E-05	2.17E-03
FBgn0037433	CG17919	2278.96	-0.24	0.84	0.07	-3.49	4.81E-04	1.18E-02
FBgn0038470	CG18213	938.57	0.29	1.22	0.09	3.25	1.14E-03	2.33E-02
FBgn0033205	CG2064	224.36	0.97	1.96	0.15	6.63	3.42E-11	7.10E-09
FBgn0037369	CG2100	1081.59	-0.51	0.70	0.11	-4.54	5.53E-06	2.82E-04
FBgn0030251	CG2145	1205.84	-0.75	0.60	0.13	-5.63	1.77E-08	2.10E-06
FBgn0030447	CG2200	744.99	-0.44	0.74	0.09	-4.61	3.96E-06	2.10E-04
FBgn0034753	CG2852	40954.63	-0.41	0.75	0.12	-3.51	4.55E-04	1.13E-02
FBgn0031459	CG2862	3814.65	-0.52	0.70	0.08	-6.16	7.40E-10	1.16E-07
FBgn0031643	CG3008	2220.33	0.46	1.37	0.08	5.96	2.53E-09	3.50E-07
FBgn0050159	CG30159	1880.54	-0.49	0.71	0.11	-4.39	1.15E-05	5.26E-04
FBgn0260477	CG30283	95.78	0.59	1.51	0.18	3.22	1.28E-03	2.57E-02
FBgn0050291	CG30291	1158.96	-0.32	0.80	0.10	-3.29	9.86E-04	2.11E-02
FBgn0050403	CG30403	372.45	-0.46	0.72	0.11	-4.05	5.17E-05	1.80E-03
FBgn0250838	CG30415	3347.01	-0.39	0.76	0.09	-4.39	1.14E-05	5.26E-04
FBgn0050428	CG30428	256.70	-0.74	0.60	0.15	-4.98	6.52E-07	4.45E-05
FBgn0050463	CG30463	2387.47	0.37	1.29	0.11	3.46	5.50E-04	1.33E-02
FBgn0029804	CG3097	2060.48	-0.85	0.56	0.11	-7.39	1.49E-13	4.13E-11
FBgn0051028	CG31028	1499.74	-0.50	0.71	0.13	-3.95	7.85E-05	2.57E-03
FBgn0051125	CG31125	684.52	-0.54	0.69	0.11	-4.94	7.99E-07	5.15E-05
FBgn0051324	CG31324	120.85	0.70	1.63	0.18	3.92	8.74E-05	2.78E-03
FBgn0051373	CG31373	64.68	-0.57	0.67	0.18	-3.10	1.94E-03	3.48E-02
FBgn0051548	CG31548	805.24	-0.42	0.75	0.10	-4.28	1.90E-05	7.99E-04
FBgn0051549	CG31549	788.24	-0.35	0.78	0.11	-3.12	1.83E-03	3.33E-02
FBgn0051673	CG31673	771.45	-0.42	0.75	0.12	-3.36	7.68E-04	1.76E-02
FBgn0051869	CG31869	1877.66	0.41	1.32	0.08	5.30	1.17E-07	1.06E-05
FBgn0031360	CG31937	894.81	-0.47	0.72	0.09	-5.05	4.35E-07	3.09E-05
FBgn0051997	CG31997	4805.71	-0.56	0.68	0.12	-4.68	2.80E-06	1.54E-04
FBgn0052017	CG32017	122.68	1.33	2.51	0.18	7.56	3.98E-14	1.27E-11
FBgn0052214	CG32214	24.85	-0.92	0.53	0.17	-5.35	8.87E-08	8.89E-06
FBgn0029885	CG3224	1558.67	0.27	1.20	0.08	3.24	1.18E-03	2.41E-02
FBgn0052249	CG32249	169.75	-0.50	0.71	0.15	-3.31	9.28E-04	2.03E-02
FBgn0052365	CG32365	256.67	0.48	1.40	0.16	2.95	3.18E-03	4.99E-02
FBgn0052437	CG32437	168.00	1.02	2.03	0.17	6.03	1.60E-09	2.33E-07
FBgn0052512	CG32512	676.53	0.55	1.46	0.15	3.66	2.51E-04	6.90E-03
FBgn0053217	CG33217	885.39	0.31	1.24	0.09	3.52	4.35E-04	1.09E-02
FBgn0053225	CG33225	53.37	0.71	1.64	0.18	4.07	4.77E-05	1.67E-03
FBgn0053460	CG33460	98.79	0.70	1.62	0.17	4.01	5.96E-05	2.05E-03
FBgn0054057	CG34057	111.87	0.71	1.63	0.18	3.84	1.22E-04	3.74E-03
FBgn0085249	CG34220	39.12	0.56	1.48	0.18	3.11	1.89E-03	3.41E-02
FBgn0085325	CG34296	168.08	0.84	1.78	0.17	5.05	4.41E-07	3.11E-05
FBgn0085376	CG34347	1417.13	0.52	1.43	0.15	3.52	4.27E-04	1.07E-02
FBgn0085384	CG34355	488.84	0.38	1.30	0.12	3.15	1.61E-03	3.04E-02
FBgn0085453	CG34424	223.80	-0.61	0.66	0.17	-3.57	3.60E-04	9.17E-03
FBgn0022343	CG3760	5299.21	-0.33	0.80	0.09	-3.73	1.90E-04	5.45E-03
FBgn0034800	CG3788	347.59	-0.68	0.62	0.13	-5.12	3.07E-07	2.26E-05
FBgn0036842	CG3797	3549.83	-0.27	0.83	0.08	-3.26	1.12E-03	2.31E-02
FBgn0036824	CG3902	3584.21	-0.38	0.77	0.10	-3.91	9.37E-05	2.96E-03
FBgn0058160	CG40160	5734.41	0.38	1.30	0.09	4.37	1.25E-05	5.62E-04
FBgn0029821	CG4020	86.99	0.61	1.53	0.18	3.35	8.04E-04	1.82E-02
FBgn0020312	CG4050	2881.80	-0.33	0.79	0.10	-3.36	7.79E-04	1.78E-02
FBgn0036648	CG4098	163.32	-0.62	0.65	0.18	-3.50	4.59E-04	1.14E-02
FBgn0250868	CG42239	1025.09	-0.46	0.72	0.13	-3.64	2.71E-04	7.27E-03
FBgn0250869	CG42240	721.78	0.49	1.40	0.14	3.57	3.52E-04	9.03E-03

FBgn0259167	CG42272	823.51	-0.30	0.81	0.10	-3.08	2.07E-03	3.66E-02
FBgn0261995	CG42813	717.78	-0.42	0.75	0.10	-4.10	4.14E-05	1.50E-03
FBgn0032138	CG4364	14514.86	0.88	1.84	0.09	9.71	2.61E-22	1.97E-19
FBgn0037024	CG4365	1442.02	-0.47	0.72	0.13	-3.69	2.21E-04	6.18E-03
FBgn0032132	CG4382	4258.07	0.61	1.53	0.13	4.66	3.10E-06	1.67E-04
FBgn0038771	CG4390	4184.73	-0.27	0.83	0.08	-3.50	4.68E-04	1.15E-02
FBgn0266410	CG45050	8248.47	0.35	1.28	0.11	3.16	1.59E-03	3.02E-02
FBgn0033814	CG4670	1689.82	-0.33	0.80	0.11	-3.02	2.54E-03	4.25E-02
FBgn0038739	CG4686	595.58	-0.40	0.76	0.13	-3.13	1.75E-03	3.22E-02
FBgn0027546	CG4766	3139.98	0.40	1.32	0.08	5.33	9.67E-08	9.35E-06
FBgn0030792	CG4789	2026.47	-0.26	0.84	0.07	-3.45	5.67E-04	1.35E-02
FBgn0030799	CG4872	316.60	-0.40	0.76	0.13	-3.00	2.68E-03	4.42E-02
FBgn0031319	CG4896	1607.98	-0.34	0.79	0.11	-3.08	2.04E-03	3.61E-02
FBgn0036587	CG4950	187.51	0.60	1.52	0.17	3.45	5.62E-04	1.35E-02
FBgn0039563	CG4951	1604.25	-0.37	0.78	0.08	-4.76	1.92E-06	1.11E-04
FBgn0032225	CG5022	113.14	-1.32	0.40	0.17	-7.62	2.49E-14	8.28E-12
FBgn0034145	CG5065	601.23	0.57	1.48	0.12	4.57	4.78E-06	2.48E-04
FBgn0032235	CG5096	436.69	0.72	1.65	0.14	5.13	2.90E-07	2.17E-05
FBgn0040382	CG5273	2110.60	-0.42	0.75	0.10	-4.37	1.22E-05	5.56E-04
FBgn0036986	CG5282	143.71	-0.61	0.66	0.18	-3.39	6.88E-04	1.61E-02
FBgn0032213	CG5390	8345.46	-0.25	0.84	0.06	-3.86	1.14E-04	3.56E-03
FBgn0031327	CG5397	1189.97	0.47	1.38	0.13	3.49	4.90E-04	1.20E-02
FBgn0038353	CG5399	422.87	0.65	1.57	0.17	3.76	1.70E-04	4.92E-03
FBgn0039564	CG5527	230.82	-1.77	0.29	0.18	-9.59	8.51E-22	5.44E-19
FBgn0034902	CG5532	2453.37	-0.49	0.71	0.11	-4.26	2.04E-05	8.49E-04
FBgn0039537	CG5590	3334.74	-0.36	0.78	0.12	-2.97	2.96E-03	4.72E-02
FBgn0039527	CG5639	481.33	0.51	1.42	0.16	3.16	1.59E-03	3.02E-02
FBgn0038046	CG5641	3138.76	-0.24	0.84	0.07	-3.33	8.77E-04	1.94E-02
FBgn0036258	CG5642	13042.59	0.43	1.35	0.06	7.08	1.44E-12	3.52E-10
FBgn0035293	CG5687	108.41	1.01	2.02	0.17	5.80	6.67E-09	8.53E-07
FBgn0032196	CG5708	2031.04	0.28	1.22	0.09	3.00	2.72E-03	4.46E-02
FBgn0032191	CG5734	1348.04	-0.29	0.82	0.10	-3.01	2.60E-03	4.32E-02
FBgn0038924	CG6028	992.58	-0.33	0.80	0.09	-3.60	3.14E-04	8.24E-03
FBgn0031918	CG6055	82.93	0.86	1.82	0.18	4.79	1.63E-06	9.67E-05
FBgn0029828	CG6067	25.56	0.47	1.39	0.15	3.11	1.84E-03	3.35E-02
FBgn0032453	CG6180	6137.11	-0.47	0.72	0.08	-5.57	2.50E-08	2.85E-06
FBgn0033866	CG6280	457.42	0.49	1.40	0.12	4.08	4.55E-05	1.62E-03
FBgn0033875	CG6357	781.61	0.85	1.80	0.16	5.28	1.28E-07	1.13E-05
FBgn0033879	CG6543	5017.74	-0.50	0.71	0.10	-4.90	9.79E-07	6.03E-05
FBgn0036402	CG6650	2809.15	-0.29	0.82	0.09	-3.19	1.42E-03	2.80E-02
FBgn0033889	CG6701	2483.78	-0.52	0.70	0.11	-4.77	1.89E-06	1.10E-04
FBgn0031926	CG6739	656.86	-0.44	0.74	0.11	-3.89	1.02E-04	3.19E-03
FBgn0038941	CG7080	25.45	0.60	1.51	0.18	3.38	7.25E-04	1.67E-02
FBgn0035865	CG7201	240.64	-0.58	0.67	0.14	-4.17	3.10E-05	1.20E-03
FBgn0038272	CG7265	1509.58	-0.30	0.81	0.08	-3.66	2.53E-04	6.93E-03
FBgn0032284	CG7294	71.86	-0.76	0.59	0.19	-4.10	4.12E-05	1.49E-03
FBgn0032283	CG7296	49.40	-0.62	0.65	0.18	-3.40	6.62E-04	1.55E-02
FBgn0037135	CG7414	12729.52	-0.44	0.74	0.10	-4.31	1.62E-05	6.98E-04
FBgn0038727	CG7432	286.73	-0.58	0.67	0.14	-4.11	4.04E-05	1.48E-03
FBgn0034432	CG7461	2415.56	-0.28	0.83	0.09	-3.04	2.37E-03	4.03E-02
FBgn0035833	CG7565	402.10	-0.45	0.73	0.13	-3.44	5.77E-04	1.37E-02
FBgn0032026	CG7627	2947.94	-0.29	0.82	0.09	-3.28	1.05E-03	2.22E-02
FBgn0040793	CG7630	2815.16	-0.46	0.73	0.10	-4.73	2.29E-06	1.29E-04
FBgn0027525	CG7686	4208.32	0.46	1.37	0.07	6.55	5.94E-11	1.12E-08
FBgn0038652	CG7720	1352.02	0.57	1.48	0.13	4.37	1.23E-05	5.56E-04
FBgn0034447	CG7744	1344.46	0.27	1.21	0.08	3.52	4.30E-04	1.08E-02
FBgn0039697	CG7834	3407.38	-0.54	0.69	0.10	-5.52	3.33E-08	3.65E-06
FBgn0037548	CG7900	164.67	2.11	4.31	0.19	11.33	9.40E-30	1.56E-26
FBgn0039737	CG7920	6048.78	-0.30	0.81	0.08	-3.63	2.87E-04	7.58E-03
FBgn0035252	CG7970	2876.05	-0.41	0.75	0.08	-5.29	1.24E-07	1.11E-05
FBgn0033356	CG8229	671.63	0.65	1.57	0.12	5.61	2.00E-08	2.34E-06
FBgn0034045	CG8249	228.97	0.61	1.52	0.17	3.53	4.16E-04	1.05E-02
FBgn0038126	CG8483	928.79	0.34	1.26	0.11	3.03	2.47E-03	4.16E-02
FBgn0033751	CG8818	3048.16	-0.46	0.73	0.10	-4.54	5.67E-06	2.87E-04
FBgn0033702	CG8854	54.58	-0.59	0.67	0.18	-3.17	1.51E-03	2.91E-02
FBgn0034493	CG8908	38.94	0.59	1.50	0.19	3.14	1.67E-03	3.11E-02
FBgn0040931	CG9034	551.16	-0.45	0.73	0.14	-3.13	1.72E-03	3.19E-02
FBgn0030793	CG9125	985.51	-0.35	0.79	0.10	-3.59	3.29E-04	8.51E-03
FBgn0035206	CG9186	2148.07	-0.26	0.83	0.07	-3.78	1.55E-04	4.55E-03
FBgn0032889	CG9331	5645.69	-0.92	0.53	0.18	-5.21	1.85E-07	1.52E-05
FBgn0032899	CG9338	442.26	-0.52	0.70	0.14	-3.68	2.33E-04	6.47E-03
FBgn0034564	CG9344	1614.08	-0.34	0.79	0.09	-3.70	2.18E-04	6.11E-03
FBgn0034438	CG9416	5116.14	0.38	1.30	0.11	3.39	6.93E-04	1.61E-02
FBgn0033101	CG9436	1030.46	-0.51	0.70	0.14	-3.65	2.61E-04	7.08E-03
FBgn0037749	CG9471	946.25	-0.35	0.78	0.10	-3.39	6.95E-04	1.62E-02
FBgn0031817	CG9531	221.76	-0.46	0.73	0.14	-3.35	8.05E-04	1.82E-02
FBgn0031092	CG9577	2161.43	-0.59	0.67	0.07	-8.03	1.00E-15	3.97E-13
FBgn0031093	CG9581	696.39	-0.50	0.71	0.16	-3.04	2.36E-03	4.03E-02
FBgn0030763	CG9782	1772.69	-0.49	0.71	0.14	-3.45	5.60E-04	1.35E-02
FBgn0034860	CG9812	484.41	0.50	1.42	0.17	2.97	3.02E-03	4.78E-02
FBgn0032781	CG9987	2070.92	-0.40	0.76	0.13	-3.17	1.51E-03	2.91E-02
FBgn0030744	CG9992	1679.62	0.23	1.18	0.08	3.03	2.45E-03	4.15E-02
FBgn0035398	Cht7	1245.51	-0.57	0.67	0.12	-4.90	9.55E-07	5.93E-05
FBgn0001977	CIAPIN1	1683.74	0.23	1.17	0.08	3.05	2.27E-03	3.91E-02

FBgn0027598	cindr	3166.83	0.27	1.20	0.07	3.67	2.45E-04	6.77E-03
FBgn0062442	Cisd2	2408.47	-0.47	0.72	0.08	-5.73	9.96E-09	1.22E-06
FBgn0000318	cl	2351.96	-0.32	0.80	0.07	-4.52	6.12E-06	3.07E-04
FBgn0019830	colt	2322.51	-0.31	0.81	0.08	-3.80	1.45E-04	4.34E-03
FBgn0032833	COX4	4623.11	-0.34	0.79	0.11	-3.16	1.58E-03	3.02E-02
FBgn0019624	COX5A	3627.31	-0.60	0.66	0.12	-4.94	7.97E-07	5.15E-05
FBgn0031066	COX6B	6481.41	-0.39	0.76	0.08	-4.81	1.52E-06	9.12E-05
FBgn0040529	COX7A	5146.46	-0.66	0.63	0.09	-7.52	5.69E-14	1.69E-11
FBgn0040773	COX7C	2948.67	-0.54	0.69	0.10	-5.34	9.18E-08	9.08E-06
FBgn0263911	COX8	1629.31	-0.73	0.60	0.11	-6.41	1.47E-10	2.55E-08
FBgn0030494	Cpr12A	3265.99	0.35	1.28	0.10	3.65	2.65E-04	7.15E-03
FBgn0033725	Cpr49Ac	14675.72	0.55	1.47	0.16	3.54	4.01E-04	1.02E-02
FBgn0033730	Cpr49Ag	1078.90	0.48	1.40	0.12	4.12	3.75E-05	1.40E-03
FBgn0033731	Cpr49Ah	453.64	-0.81	0.57	0.16	-4.97	6.77E-07	4.58E-05
FBgn0034499	Cpr56F	72.58	-0.76	0.59	0.18	-4.20	2.71E-05	1.07E-03
FBgn0035510	Cpr64Aa	1098.22	-0.58	0.67	0.17	-3.31	9.25E-04	2.03E-02
FBgn0085732	CR40190	331.71	-0.99	0.50	0.13	-7.53	4.89E-14	1.51E-11
FBgn0262532	CR43086	64.23	0.86	1.82	0.19	4.64	3.48E-06	1.85E-04
FBgn0262620	CR43144	137.74	0.75	1.68	0.17	4.51	6.59E-06	3.24E-04
FBgn0263768	CR43685	691.56	-0.55	0.68	0.11	-5.17	2.34E-07	1.80E-05
FBgn0266211	CR44906	228.43	-0.67	0.63	0.14	-4.75	2.06E-06	1.18E-04
FBgn0266632	CR45139	241.10	0.62	1.54	0.15	4.12	3.77E-05	1.40E-03
FBgn0267073	CR45517	80.77	0.90	1.87	0.19	4.86	1.20E-06	7.25E-05
FBgn0267798	CR46123	173.18	-1.10	0.47	0.17	-6.36	2.05E-10	3.47E-08
FBgn0267920	CR46201	43.20	0.71	1.63	0.19	3.80	1.45E-04	4.34E-03
FBgn0023023	CRMP	424.01	-0.38	0.77	0.13	-2.96	3.11E-03	4.88E-02
FBgn0027054	CSN4	2416.52	-0.23	0.86	0.07	-3.44	5.92E-04	1.41E-02
FBgn0028836	CSN7	2665.79	-0.25	0.84	0.08	-3.05	2.27E-03	3.91E-02
FBgn0039867	CstF-50	1134.45	-0.31	0.81	0.08	-3.67	2.45E-04	6.77E-03
FBgn0032956	Cul2	3803.87	0.22	1.16	0.06	3.85	1.18E-04	3.67E-03
FBgn0039858	CycG	24661.26	0.38	1.30	0.09	4.42	9.84E-06	4.59E-04
FBgn0025674	CycK	2805.89	0.19	1.14	0.06	3.00	2.73E-03	4.46E-02
FBgn0001992	Cyp303a1	39.28	0.57	1.49	0.18	3.10	1.95E-03	3.48E-02
FBgn0014469	Cyp4e2	943.63	0.57	1.49	0.18	3.11	1.90E-03	3.41E-02
FBgn0015714	Cyp6a17	39.31	-0.62	0.65	0.14	-4.28	1.85E-05	7.85E-04
FBgn0033696	Cyp6g2	226.08	1.61	3.05	0.16	10.01	1.35E-23	1.25E-20
FBgn0033697	Cyp6t3	177.90	1.67	3.19	0.16	10.23	1.46E-24	1.52E-21
FBgn0015031	cype	2860.63	-0.57	0.67	0.10	-5.76	8.30E-09	1.03E-06
FBgn0023507	D2hgdh	214.12	-0.79	0.58	0.16	-4.93	8.39E-07	5.36E-05
FBgn0039802	dj-1beta	1548.63	-0.58	0.67	0.11	-5.20	1.98E-07	1.59E-05
FBgn0032474	DnaJ-H	1029.60	-0.37	0.78	0.11	-3.27	1.09E-03	2.27E-02
FBgn0024245	dnt	3114.19	0.23	1.17	0.07	3.47	5.16E-04	1.26E-02
FBgn0266518	Dpit47	2115.59	-0.23	0.85	0.08	-2.96	3.09E-03	4.88E-02
FBgn0000490	dpp	2217.16	0.30	1.23	0.10	3.06	2.19E-03	3.80E-02
FBgn0015380	drl	9294.13	0.28	1.21	0.07	3.81	1.40E-04	4.22E-03
FBgn0027594	drpr	4093.64	0.35	1.27	0.09	3.98	6.82E-05	2.30E-03
FBgn0038071	Dtg	3947.88	0.30	1.23	0.09	3.45	5.61E-04	1.35E-02
FBgn0020445	E23	499.53	0.58	1.50	0.18	3.30	9.70E-04	2.09E-02
FBgn0000533	ea	337.74	-0.66	0.63	0.13	-4.92	8.81E-07	5.59E-05
FBgn0000556	Ef1alpha48D	601736.06	0.44	1.36	0.10	4.31	1.61E-05	6.96E-04
FBgn0000559	EF2	226298.08	0.29	1.22	0.09	3.07	2.16E-03	3.77E-02
FBgn0001942	eIF-4a	92277.21	0.51	1.43	0.07	7.35	2.05E-13	5.51E-11
FBgn0034967	eIF-5A	68663.31	0.46	1.38	0.09	5.00	5.77E-07	4.00E-05
FBgn0029629	eIF3ga	8809.30	0.27	1.20	0.09	3.09	2.00E-03	3.56E-02
FBgn0000565	Eip71CD	1985.90	-0.32	0.80	0.10	-3.13	1.75E-03	3.22E-02
FBgn0004865	Eip78C	1876.25	0.69	1.62	0.13	5.25	1.50E-07	1.27E-05
FBgn0000579	Eno	17807.85	-0.42	0.75	0.10	-4.19	2.85E-05	1.11E-03
FBgn0027496	epsilonCOP	1942.85	-0.28	0.82	0.09	-3.18	1.47E-03	2.87E-02
FBgn0037913	fabp	2587.09	-0.50	0.71	0.16	-3.13	1.75E-03	3.22E-02
FBgn0035859	FBgn0001942	287.63	-0.72	0.61	0.17	-4.28	1.87E-05	7.91E-04
FBgn0032820	fbp	2194.91	-0.56	0.68	0.09	-6.14	8.51E-10	1.31E-07
FBgn0013954	FK506-bp2	15765.60	-0.33	0.80	0.07	-4.44	8.80E-06	4.23E-04
FBgn0086675	fne	60.63	-0.61	0.65	0.18	-3.31	9.45E-04	2.05E-02
FBgn0000810	fs(1)K10	3375.66	1.64	3.11	0.09	17.63	1.58E-69	1.31E-65
FBgn0259108	futsch	473.13	0.69	1.61	0.18	3.82	1.32E-04	3.98E-03
FBgn0029818	GAA1	3397.16	-0.56	0.68	0.10	-5.53	3.26E-08	3.61E-06
FBgn0001091	Gapdh1	7264.73	-0.99	0.50	0.06	-15.74	8.49E-56	2.35E-52
FBgn0001092	Gapdh2	28190.84	-0.30	0.81	0.05	-5.68	1.38E-08	1.66E-06
FBgn0036428	Gbs-70E	1084.50	0.51	1.42	0.16	3.23	1.25E-03	2.52E-02
FBgn0030289	GCS1	1762.72	-0.35	0.79	0.10	-3.59	3.27E-04	8.50E-03
FBgn0004868	Gdi	11767.87	-0.27	0.83	0.08	-3.29	1.00E-03	2.14E-02
FBgn0020300	geko	647.16	0.39	1.31	0.12	3.24	1.22E-03	2.47E-02
FBgn0011770	Gip	1106.74	-0.36	0.78	0.09	-3.83	1.26E-04	3.86E-03
FBgn0036144	GlcAT-P	255.60	0.69	1.61	0.19	3.70	2.15E-04	6.03E-03
FBgn0283450	Glo1	1497.09	-0.64	0.64	0.11	-5.57	2.50E-08	2.85E-06
FBgn0265191	Glycogenin	2359.74	-0.24	0.85	0.07	-3.23	1.26E-03	2.53E-02
FBgn0004507	GlyP	6246.58	-0.46	0.73	0.11	-4.33	1.46E-05	6.46E-04
FBgn0022160	Gpo-1	153.74	-0.81	0.57	0.16	-4.91	9.13E-07	5.75E-05
FBgn0260798	Gprk1	4061.31	0.38	1.30	0.10	3.96	7.58E-05	2.50E-03
FBgn0035167	Gr61a	71.84	-0.68	0.62	0.18	-3.72	2.02E-04	5.72E-03
FBgn0027590	GstE12	3648.07	-0.34	0.79	0.10	-3.33	8.64E-04	1.92E-02
FBgn0033381	GstE13	1835.98	-0.39	0.76	0.10	-3.93	8.41E-05	2.69E-03
FBgn0063492	GstE8	103.49	-0.54	0.69	0.18	-2.99	2.77E-03	4.52E-02
FBgn0010226	GstS1	14064.05	-0.36	0.78	0.08	-4.52	6.07E-06	3.06E-04

FBgn0041630	Hexo1	5696.62	-0.37	0.77	0.11	-3.27	1.09E-03	2.26E-02
FBgn0014857	His3.3A	6092.03	-0.38	0.77	0.08	-4.72	2.37E-06	1.32E-04
FBgn0013981	His4r	23601.99	-0.35	0.78	0.08	-4.48	7.55E-06	3.69E-04
FBgn0035829	HP4	1674.77	-0.25	0.84	0.08	-3.16	1.59E-03	3.02E-02
FBgn0264562	Hr4	2937.14	0.56	1.48	0.18	3.20	1.39E-03	2.77E-02
FBgn0001225	Hsp26	21697.61	0.45	1.37	0.15	3.12	1.83E-03	3.33E-02
FBgn0026417	Hus1-like	262.87	0.56	1.47	0.17	3.27	1.07E-03	2.25E-02
FBgn0031294	IA-2	52.54	0.44	1.36	0.14	3.15	1.65E-03	3.09E-02
FBgn0001253	ImpE1	13163.28	0.44	1.36	0.14	3.22	1.28E-03	2.56E-02
FBgn0025582	Int6	15170.00	0.52	1.44	0.06	9.37	7.28E-21	4.32E-18
FBgn0025366	Ip259	11691.43	0.43	1.35	0.07	6.20	5.61E-10	8.97E-08
FBgn0266375	IP3K2	1436.59	0.44	1.36	0.09	5.07	3.96E-07	2.84E-05
FBgn0016672	Ipp	924.46	-0.34	0.79	0.12	-2.97	2.95E-03	4.71E-02
FBgn0259683	Ir40a	66.86	0.70	1.63	0.19	3.78	1.60E-04	4.66E-03
FBgn0034005	ItgaPS4	66.90	0.84	1.78	0.17	4.90	9.39E-07	5.87E-05
FBgn0040309	Jafrac1	12374.11	-0.25	0.84	0.06	-4.20	2.69E-05	1.07E-03
FBgn0051363	Jupiter	10894.71	0.25	1.19	0.08	3.21	1.35E-03	2.69E-02
FBgn0001323	knrl	769.44	0.41	1.33	0.13	3.16	1.59E-03	3.02E-02
FBgn0028336	l(1)G0255	5332.46	-0.56	0.68	0.11	-5.17	2.37E-07	1.81E-05
FBgn0011297	l(2)not	370.66	-0.38	0.77	0.13	-2.98	2.93E-03	4.68E-02
FBgn0010397	LamC	1672.94	-0.38	0.77	0.12	-3.02	2.52E-03	4.22E-02
FBgn0040102	lectin-24Db	145.31	0.58	1.50	0.18	3.17	1.51E-03	2.91E-02
FBgn0034877	levy	2953.90	-0.66	0.63	0.13	-5.19	2.13E-07	1.67E-05
FBgn0052699	LPCAT	1733.43	0.22	1.17	0.07	3.35	8.16E-04	1.84E-02
FBgn0010602	lwr	9316.09	-0.21	0.86	0.07	-3.04	2.35E-03	4.03E-02
FBgn0002736	mago	3178.11	-0.48	0.72	0.08	-5.92	3.26E-09	4.44E-07
FBgn0002643	mam	4899.49	0.33	1.26	0.09	3.71	2.07E-04	5.84E-03
FBgn0260986	mei-38	711.96	-0.44	0.74	0.14	-3.12	1.79E-03	3.27E-02
FBgn0030731	Mfe2	3408.49	-0.36	0.78	0.12	-3.08	2.09E-03	3.66E-02
FBgn0019985	mGluR	74.17	1.58	2.98	0.19	8.46	2.61E-17	1.20E-14
FBgn0025814	Mgstl	228.68	-0.54	0.69	0.14	-3.79	1.49E-04	4.45E-03
FBgn0027111	miple1	2351.78	-0.25	0.84	0.07	-3.66	2.56E-04	6.97E-03
FBgn0002772	Mlc1	149.27	-0.87	0.55	0.18	-4.77	1.85E-06	1.08E-04
FBgn0002773	Mlc2	713.36	-0.93	0.52	0.18	-5.21	1.87E-07	1.52E-05
FBgn0259209	Mlp60A	50.35	-0.58	0.67	0.18	-3.33	8.72E-04	1.93E-02
FBgn0002789	Mp20	169.65	-0.49	0.71	0.17	-2.97	2.99E-03	4.75E-02
FBgn0261380	mRpL37	1686.22	-0.40	0.76	0.09	-4.55	5.40E-06	2.77E-04
FBgn0036486	Msh6	2000.93	-0.33	0.79	0.09	-3.66	2.56E-04	6.97E-03
FBgn0028479	Mtpalpha	10743.30	-0.37	0.77	0.07	-5.26	1.41E-07	1.21E-05
FBgn0260795	NaPi-III	1792.06	-0.21	0.87	0.07	-2.98	2.87E-03	4.62E-02
FBgn0031228	ND-15	1942.86	-0.33	0.80	0.08	-3.91	9.29E-05	2.95E-03
FBgn0266582	ND-30	2102.21	-0.40	0.76	0.09	-4.45	8.46E-06	4.09E-04
FBgn0034645	ND-B12	1243.82	-0.68	0.63	0.10	-6.86	6.67E-12	1.46E-09
FBgn0033570	ND-B14	934.24	-0.36	0.78	0.10	-3.65	2.67E-04	7.17E-03
FBgn0025839	ND-B14.5A	466.60	-0.60	0.66	0.15	-3.93	8.39E-05	2.69E-03
FBgn0034576	ND-B14.7	1503.98	-0.30	0.81	0.08	-3.59	3.37E-04	8.67E-03
FBgn0033961	ND-B15	741.63	-0.43	0.74	0.14	-3.01	2.64E-03	4.37E-02
FBgn0029868	ND-B16.6	2329.06	-0.27	0.83	0.09	-3.07	2.17E-03	3.78E-02
FBgn0001989	ND-B17	1205.08	-0.49	0.71	0.13	-3.85	1.20E-04	3.70E-03
FBgn0030605	ND-B18	928.35	-0.39	0.77	0.12	-3.27	1.09E-03	2.26E-02
FBgn0083167	Neb-cGP	2319.90	-0.51	0.70	0.09	-5.47	4.59E-08	4.83E-06
FBgn0261673	nemy	494.68	0.53	1.45	0.13	4.14	3.45E-05	1.30E-03
FBgn0051658	Nnf1b	221.69	-0.44	0.74	0.14	-3.14	1.69E-03	3.14E-02
FBgn0028473	Non1	29641.95	0.95	1.94	0.10	9.81	1.06E-22	8.83E-20
FBgn0035370	Non2	14963.12	-0.40	0.76	0.10	-4.09	4.22E-05	1.52E-03
FBgn0033224	Nop17l	4164.06	-0.25	0.84	0.09	-2.99	2.83E-03	4.58E-02
FBgn0044028	Notum	1563.63	0.25	1.19	0.08	2.98	2.91E-03	4.67E-02
FBgn0027785	NP15.6	1433.72	-0.52	0.70	0.13	-3.89	1.00E-04	3.16E-03
FBgn0034243	Ns2	4616.78	0.36	1.28	0.07	5.09	3.67E-07	2.65E-05
FBgn0013718	nuf	4561.12	0.19	1.14	0.06	3.15	1.61E-03	3.04E-02
FBgn0039852	nyo	3825.54	0.37	1.29	0.11	3.24	1.19E-03	2.42E-02
FBgn0004646	ogre	22128.58	0.33	1.26	0.07	4.68	2.82E-06	1.54E-04
FBgn0033179	p47	3163.77	-0.33	0.79	0.10	-3.19	1.44E-03	2.83E-02
FBgn0037138	P5CDh1	3158.58	-0.54	0.69	0.10	-5.34	9.35E-08	9.15E-06
FBgn0010247	Parp	3156.06	-0.71	0.61	0.07	-9.64	5.41E-22	3.75E-19
FBgn0036271	Pbgs	964.74	-0.27	0.83	0.09	-3.11	1.90E-03	3.41E-02
FBgn0024841	Pcd	996.68	-0.46	0.73	0.09	-4.95	7.46E-07	4.92E-05
FBgn0086768	Pcmt	2230.67	-0.32	0.80	0.08	-4.14	3.46E-05	1.30E-03
FBgn0020386	Pdk1	3334.40	0.42	1.33	0.11	3.63	2.85E-04	7.55E-03
FBgn0031969	pes	688.32	0.44	1.36	0.14	3.26	1.11E-03	2.30E-02
FBgn0003071	Pfk	4337.01	-0.32	0.80	0.11	-2.96	3.10E-03	4.88E-02
FBgn0004654	Pgd	1849.81	-0.40	0.76	0.13	-3.03	2.44E-03	4.14E-02
FBgn0003074	Pgi	5000.56	-0.32	0.80	0.09	-3.51	4.48E-04	1.12E-02
FBgn0250906	Pgk	8014.32	-0.38	0.77	0.13	-3.01	2.60E-03	4.32E-02
FBgn0014869	Pglym78	2302.32	-0.36	0.78	0.08	-4.32	1.59E-05	6.92E-04
FBgn0035975	PGRP-LA	93.55	0.58	1.50	0.18	3.27	1.07E-03	2.25E-02
FBgn0035089	Phk-3	5938.78	0.32	1.25	0.08	4.08	4.51E-05	1.62E-03
FBgn0003089	pip	831.18	0.59	1.51	0.12	4.95	7.52E-07	4.92E-05
FBgn0086706	pix	14805.10	0.68	1.60	0.08	8.45	2.88E-17	1.26E-14
FBgn0000489	Pka-C3	284.35	0.60	1.52	0.15	3.97	7.30E-05	2.43E-03
FBgn0036354	Poc1	2132.05	-0.43	0.74	0.10	-4.43	9.47E-06	4.50E-04
FBgn0032884	Pomp	2399.10	-0.44	0.74	0.12	-3.79	1.51E-04	4.48E-03
FBgn0065109	ppk11	42.17	1.64	3.12	0.18	9.01	1.98E-19	1.10E-16
FBgn0003149	Prm	139.55	-0.50	0.71	0.17	-3.00	2.69E-03	4.43E-02

FBgn0010590	Prosbeta1	4597.67	-0.30	0.81	0.09	-3.27	1.09E-03	2.26E-02
FBgn0029134	Prosbeta5	6998.02	-0.26	0.84	0.09	-2.99	2.76E-03	4.51E-02
FBgn0031888	Pvf2	843.20	0.34	1.27	0.11	3.18	1.50E-03	2.91E-02
FBgn0032006	Pvr	2461.55	0.28	1.21	0.08	3.31	9.36E-04	2.04E-02
FBgn0267385	PyK	7962.85	-0.45	0.73	0.11	-3.95	7.90E-05	2.58E-03
FBgn0025382	Rab27	380.56	-0.57	0.67	0.17	-3.28	1.05E-03	2.22E-02
FBgn0020618	Rack1	108044.76	0.24	1.18	0.07	3.16	1.59E-03	3.02E-02
FBgn0024194	rasp	1399.19	-0.42	0.75	0.08	-5.14	2.75E-07	2.08E-05
FBgn0260944	Rbp1	3489.56	-0.41	0.75	0.08	-5.41	6.46E-08	6.71E-06
FBgn0031047	Rcd-1	6419.61	-0.27	0.83	0.07	-3.57	3.58E-04	9.16E-03
FBgn0014018	Rel	2585.88	0.33	1.26	0.11	3.15	1.65E-03	3.09E-02
FBgn0035574	RhoGEF64C	2431.40	1.26	2.39	0.15	8.19	2.66E-16	1.10E-13
FBgn0025638	Roc1a	4815.17	-0.34	0.79	0.08	-4.10	4.06E-05	1.48E-03
FBgn0019661	roX1	536.01	-1.31	0.40	0.19	-7.08	1.39E-12	3.51E-10
FBgn0050410	Rpi	1972.91	-0.60	0.66	0.14	-4.21	2.59E-05	1.04E-03
FBgn0036213	RpL10Ab	86319.81	0.30	1.23	0.08	3.83	1.30E-04	3.94E-03
FBgn0013325	RpL11	54882.19	0.26	1.20	0.09	2.97	2.98E-03	4.74E-02
FBgn0017579	RpL14	51999.57	0.28	1.22	0.09	3.05	2.32E-03	3.99E-02
FBgn0028697	RpL15	75087.76	0.53	1.44	0.10	5.30	1.13E-07	1.05E-05
FBgn0032987	RpL21	65075.97	0.36	1.29	0.12	3.15	1.62E-03	3.05E-02
FBgn0037899	RpL24-like	6383.75	0.51	1.42	0.10	5.35	8.78E-08	8.89E-06
FBgn0261606	RpL27A	69353.82	0.27	1.21	0.08	3.41	6.46E-04	1.52E-02
FBgn0031980	RpL36A	43049.97	0.33	1.26	0.08	4.26	2.04E-05	8.49E-04
FBgn0030616	RpL37a	52720.94	0.21	1.16	0.07	3.05	2.30E-03	3.96E-02
FBgn0003941	RpL40	55101.10	0.28	1.22	0.07	4.21	2.57E-05	1.04E-03
FBgn0064225	RpL5	133711.28	0.56	1.48	0.10	5.79	7.13E-09	8.98E-07
FBgn0005593	RpL7	100024.84	0.44	1.36	0.07	6.46	1.04E-10	1.84E-08
FBgn0014026	RpL7A	101970.39	0.29	1.22	0.09	3.18	1.48E-03	2.88E-02
FBgn0015756	RpL9	71791.35	0.35	1.28	0.08	4.39	1.14E-05	5.26E-04
FBgn0002593	RpLP1	68944.05	0.33	1.25	0.10	3.36	7.89E-04	1.80E-02
FBgn0033699	RpS11	62512.25	0.22	1.17	0.06	3.88	1.05E-04	3.28E-03
FBgn0034138	RpS15	65162.92	0.27	1.20	0.08	3.33	8.59E-04	1.92E-02
FBgn0033555	RpS15Ab	2360.75	-0.70	0.62	0.09	-7.46	8.81E-14	2.53E-11
FBgn0005533	RpS17	55216.40	0.24	1.18	0.06	4.14	3.40E-05	1.30E-03
FBgn0010411	RpS18	62131.21	0.26	1.20	0.07	3.99	6.74E-05	2.28E-03
FBgn0019936	RpS20	48027.62	0.32	1.25	0.08	4.04	5.30E-05	1.83E-03
FBgn0033912	RpS23	69519.69	0.26	1.20	0.08	3.37	7.52E-04	1.73E-02
FBgn0261596	RpS24	61495.83	0.36	1.28	0.07	5.09	3.60E-07	2.63E-05
FBgn0039300	RpS27	34477.47	0.36	1.28	0.11	3.34	8.42E-04	1.89E-02
FBgn0261599	RpS29	61259.15	0.30	1.23	0.07	4.25	2.13E-05	8.77E-04
FBgn0017545	RpS3A	109993.41	0.54	1.45	0.08	7.01	2.33E-12	5.37E-10
FBgn0011284	RpS4	118668.08	0.36	1.29	0.07	5.47	4.56E-08	4.83E-06
FBgn0033785	Sans	2754.64	0.25	1.19	0.08	2.99	2.79E-03	4.54E-02
FBgn0035298	SCOT	1243.90	-0.35	0.79	0.11	-3.12	1.82E-03	3.33E-02
FBgn0035390	scramb2	5447.56	-0.29	0.82	0.05	-5.30	1.15E-07	1.05E-05
FBgn0004888	Scsalpha	5210.54	-0.30	0.81	0.10	-3.11	1.85E-03	3.35E-02
FBgn0021765	scu	3968.02	-0.56	0.68	0.14	-4.14	3.41E-05	1.30E-03
FBgn0041094	scyl	16134.28	-0.21	0.87	0.06	-3.76	1.71E-04	4.94E-03
FBgn0037873	SdhC	2051.63	-0.43	0.74	0.10	-4.14	3.46E-05	1.30E-03
FBgn0039112	SdhD	1328.56	-0.44	0.74	0.10	-4.20	2.68E-05	1.07E-03
FBgn0038279	Sdr	1146.56	-0.34	0.79	0.11	-3.07	2.16E-03	3.77E-02
FBgn0036804	Sgf11	584.55	-0.32	0.80	0.11	-2.99	2.81E-03	4.57E-02
FBgn0029761	SK	189.42	-0.63	0.65	0.18	-3.45	5.60E-04	1.35E-02
FBgn0052484	Sk2	1628.15	-0.44	0.74	0.12	-3.53	4.14E-04	1.05E-02
FBgn0264087	Slob	27.46	0.66	1.58	0.18	3.64	2.77E-04	7.38E-03
FBgn0011288	Snap25	61.92	1.21	2.31	0.19	6.50	8.12E-11	1.49E-08
FBgn0003462	Sod	6851.22	-0.43	0.74	0.09	-4.96	7.10E-07	4.72E-05
FBgn0010213	Sod2	3127.27	-0.30	0.81	0.07	-4.20	2.72E-05	1.07E-03
FBgn0033631	Sod3	7079.95	-0.21	0.86	0.05	-3.93	8.34E-05	2.69E-03
FBgn0035710	SP1173	2902.42	-0.48	0.72	0.10	-4.65	3.35E-06	1.80E-04
FBgn0026562	SPARC	1637.75	-0.60	0.66	0.14	-4.31	1.67E-05	7.14E-04
FBgn0260440	spdo	99.45	0.54	1.46	0.18	3.08	2.08E-03	3.66E-02
FBgn0039795	Spn100A	4240.24	0.59	1.50	0.18	3.26	1.13E-03	2.32E-02
FBgn0033115	Spn42De	188.42	-0.59	0.67	0.15	-3.85	1.19E-04	3.68E-03
FBgn0024294	Spn43Aa	8370.63	0.37	1.30	0.11	3.29	1.02E-03	2.17E-02
FBgn0015818	Spx	1872.48	-0.35	0.79	0.10	-3.38	7.22E-04	1.67E-02
FBgn0031959	spz3	675.01	-0.44	0.74	0.11	-3.97	7.27E-05	2.43E-03
FBgn0014388	sty	2462.67	0.33	1.26	0.11	3.10	1.97E-03	3.50E-02
FBgn0040271	Sulf1	2986.73	0.35	1.27	0.08	4.07	4.62E-05	1.63E-03
FBgn0014391	sun	2386.92	-0.49	0.71	0.12	-4.14	3.42E-05	1.30E-03
FBgn0028563	sut1	1867.51	-0.33	0.79	0.08	-4.22	2.41E-05	9.84E-04
FBgn0023477	Taldo	5484.15	-0.32	0.80	0.08	-4.26	2.09E-05	8.63E-04
FBgn0033902	Tango7	15108.46	0.45	1.37	0.07	6.59	4.44E-11	9.00E-09
FBgn0021795	Tapdelta	6465.38	-0.34	0.79	0.08	-4.01	6.02E-05	2.06E-03
FBgn0037874	Tctp	52182.75	0.30	1.23	0.06	5.19	2.06E-07	1.63E-05
FBgn0041183	Tep1	241.11	0.54	1.45	0.17	3.20	1.36E-03	2.71E-02
FBgn0034223	Tes	2276.53	-0.26	0.83	0.09	-3.00	2.68E-03	4.42E-02
FBgn0031975	Tg	77.05	0.65	1.57	0.18	3.65	2.65E-04	7.15E-03
FBgn0025352	Thiolase	6056.94	-0.34	0.79	0.09	-3.78	1.56E-04	4.57E-03
FBgn0003716	tkv	16567.46	0.22	1.17	0.06	3.47	5.19E-04	1.26E-02
FBgn0262473	Tl	2135.92	0.29	1.22	0.09	3.02	2.51E-03	4.22E-02
FBgn0004117	Tm2	151.96	-0.69	0.62	0.18	-3.79	1.50E-04	4.46E-03
FBgn0262624	Tmhs	1100.41	0.36	1.29	0.10	3.73	1.93E-04	5.53E-03
FBgn0033357	Tom7	1896.66	-0.45	0.73	0.12	-3.94	8.18E-05	2.66E-03

FBgn0003733	tor	91.78	-1.58	0.33	0.18	-8.86	8.18E-19	4.25E-16
FBgn0086355	Tpi	4134.27	-0.68	0.62	0.15	-4.42	9.69E-06	4.55E-04
FBgn0015834	Trip1	14850.22	0.30	1.23	0.06	5.22	1.81E-07	1.51E-05
FBgn0031760	Tsp26A	959.34	-0.27	0.83	0.09	-2.96	3.04E-03	4.81E-02
FBgn0034046	tun	2553.39	-0.46	0.73	0.09	-5.18	2.18E-07	1.70E-05
FBgn0263697	Uba3	1510.14	-0.22	0.86	0.07	-3.08	2.09E-03	3.66E-02
FBgn0015321	Ubc4	2227.19	-0.28	0.82	0.08	-3.31	9.40E-04	2.04E-02
FBgn0040091	Ugt58Fa	714.33	-0.38	0.77	0.12	-3.27	1.09E-03	2.26E-02
FBgn0040251	Ugt86Di	2430.39	0.71	1.63	0.11	6.57	5.14E-11	9.94E-09
FBgn0003950	unc	327.06	1.54	2.91	0.14	10.93	8.62E-28	1.02E-24
FBgn0025726	unc-13	6249.12	0.57	1.49	0.15	3.83	1.28E-04	3.90E-03
FBgn0010812	unc-45	2166.48	0.31	1.24	0.07	4.21	2.56E-05	1.04E-03
FBgn0004169	up	334.67	-0.72	0.61	0.18	-3.93	8.35E-05	2.69E-03
FBgn0033428	Updo	2316.12	-0.33	0.79	0.11	-3.17	1.50E-03	2.91E-02
FBgn0036728	UQCR-Q	2124.47	-0.65	0.64	0.09	-7.70	1.37E-14	4.75E-12
FBgn0029819	Usp30	1715.03	-0.27	0.83	0.09	-2.98	2.86E-03	4.61E-02
FBgn0004055	uzip	2158.68	0.26	1.20	0.08	3.08	2.04E-03	3.61E-02
FBgn0035103	Vdup1	6977.52	-0.24	0.85	0.06	-3.72	1.99E-04	5.67E-03
FBgn0262524	ver	310.89	0.38	1.30	0.12	3.04	2.35E-03	4.03E-02
FBgn0026753	Vha13	2257.45	-0.44	0.74	0.06	-7.08	1.48E-12	3.52E-10
FBgn0016078	wun	1328.21	0.28	1.22	0.09	3.25	1.17E-03	2.40E-02
FBgn0283471	wupA	185.42	-0.54	0.69	0.18	-3.04	2.37E-03	4.03E-02
FBgn0031972	Wwox	593.81	0.54	1.46	0.10	5.48	4.22E-08	4.56E-06
FBgn0261113	Xrp1	15232.79	0.32	1.25	0.10	3.29	9.93E-04	2.12E-02
FBgn0041713	yellow-c	32.15	-0.55	0.68	0.17	-3.17	1.50E-03	2.91E-02
FBgn0041711	yellow-e	311.79	-0.54	0.69	0.14	-3.95	7.66E-05	2.52E-03
FBgn0038150	yellow-e3	354.27	-1.02	0.49	0.12	-8.51	1.67E-17	8.15E-15
FBgn0045842	yuri	622.23	0.40	1.32	0.13	3.16	1.58E-03	3.02E-02
FBgn0260486	Ziz	1766.97	0.38	1.30	0.12	3.19	1.41E-03	2.79E-02
FBgn0037000	ZnT77C	483.55	0.42	1.34	0.14	3.14	1.68E-03	3.13E-02

Table S3: Measure of endogenous *CycG* expression by RT-qPCR.

AE: amplification efficiency. Expression of *RPL15, RPL7* and *Rack1* were normalized on the geometric mean of *Lam* and *rin*.

Primers	AE
3'UTR-G1	1.9944
Lam	1.9902
rin	1.9962

Amplicon	Genotype	mean Cq	AE^mean Cq	normalization/*lam-rin*	mean	sd
CycG-3'UTR	*da-Gal4/+ - 1*	23.26	9.41E+06	0.8503	0.8683	0.0254
	da-Gal4/+ - 2	23.60	1.19E+07	0.8862		

Amplicon	Genotype	mean Cq	*Lam rin* geometric mean
Lam	*da-Gal4/+ - 1*	22.96	8.00E+06
	da-Gal4/+ - 2	23.19	1.05E+07
rin	*da-Gal4/+ - 1*	23.13	
	da-Gal4/+ - 2	23.70	

Amplicon	Genotype	mean Cq	AE^mean Cq	normalization/*lam-rin*	mean	sd	p-value
CycG-3'UTR	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	30.20	1.13E+09	0.1646	0.1384	0.0371	1.89E-03
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	30.33	1.24E+09	0.1122			

Amplicon	Genotype	mean Cq	*Lam rin* geometric mean
Lam	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	27.20	1.87E+08
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	26.95	1.39E+08
rin	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	28.02	
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	27.42	

Table S4: Ontology of genes deregulated in *UAS-CycG$^{\Delta P}$, da-Gal4/+* wing imaginal discs.

Gene ontology analyses were performed with DAVID (https://david.ncifcrf.gov/home.jsp).

Up-regulated genes

Annotation Cluster 1	Enrichment Score: 13.41								
Category	Term	Count	%	p-value	List Total	Pop Hits	Pop Total	Fold Enrichment	Bonferroni
GOTERM_BP_DIRECT	GO:0002181~cytoplasmic translation	26	12.04	7.69E-24	171	100	10996	16.72	4.20E-21
GOTERM_CC_DIRECT	GO:0005840~ribosome	21	9.72	1.82E-16	174	98	10026	12.35	2.82E-14
KEGG_PATHWAY	dme03010:Ribosome	26	12.04	2.38E-13	57	233	2752	5.39	8.10E-12
GOTERM_MF_DIRECT	GO:0003735~structural constituent of ribosome	26	12.04	1.68E-10	161	319	9284	4.70	3.27E-08
GOTERM_BP_DIRECT	GO:0006412~translation	27	12.50	1.68E-06	171	601	10996	2.89	9.17E-04
Annotation Cluster 2	**Enrichment Score: 4.78**								
Category	Term	Count	%	p-value	List Total	Pop Hits	Pop Total	Fold Enrichment	Bonferroni
GOTERM_CC_DIRECT	GO:0005852~eukaryotic translation initiation factor 3 complex	7	3.24	2.56E-07	174	17	10026	23.73	3.25E-05
GOTERM_CC_DIRECT	GO:0033290~eukaryotic 48S preinitiation complex	6	2.78	7.55E-06	174	17	10026	20.34	9.59E-04
GOTERM_BP_DIRECT	GO:0006446~regulation of translational initiation	6	2.78	1.07E-05	171	20	10996	19.29	5.82E-03
GOTERM_CC_DIRECT	GO:0016282~eukaryotic 43S preinitiation complex	6	2.78	1.81E-05	174	20	10026	17.29	2.30E-03
GOTERM_BP_DIRECT	GO:0001731~formation of translation preinitiation complex	6	2.78	2.79E-05	171	24	10996	16.08	1.51E-02
GOTERM_BP_DIRECT	GO:0006413~translational initiation	7	3.24	8.96E-05	171	48	10996	9.38	4.77E-02
GOTERM_MF_DIRECT	GO:0003743~translation initiation factor activity	7	3.24	3.80E-04	161	56	9284	7.21	7.14E-02

Down-regulated genes

Annotation Cluster 1	Enrichment Score: 5.84								
Category	Term	Count	%	p-value	List Total	Pop Hits	Pop Total	Fold Enrichment	Bonferroni
GOTERM_CC_DIRECT	GO:0005751~mitochondrial respiratory chain complex IV	7	2.23	4.75E-07	243	14	10026	20.63	7.69E-05
GOTERM_MF_DIRECT	GO:0004129~cytochrome-c oxidase activity	8	2.55	1.78E-06	243	24	9284	12.74	4.90E-04
GOTERM_BP_DIRECT	GO:0006123~mitochondrial electron transport, cytochrome c to oxygen	6	1.91	3.53E-06	244	12	10996	22.53	1.76E-03

Table S5: Validation of RNA-seq experiments by RT-qPCR.

AE: amplification efficiency. Expression of *RPL15, RPL7* and *Rack1* were normalized on the geometric mean of *Lam* and *rin.*

Primers	AE
RPL15	1.9941
RPL7	2.0014
Rack1	2.0138
Lam	1.9902
rin	1.9962

Amplicon	Genotype	mean Cq	AE^mean Cq	normalization/*lam-rin*	mean	sd
RPL15	*da-Gal4/+ - 1*	24.07	1.64E+07	0.4878	0.5756	0.1241
	da-Gal4/+ - 2	23.50	1.11E+07	0.6633		
RPL7	*da-Gal4/+ - 1*	20.87	1.94E+06	4.1149	4.0389	0.1074
	da-Gal4/+ - 2	20.80	1.85E+06	3.9630		
Rack1	*da-Gal4/+ - 1*	21.72	4.01E+06	1.9951	2.1187	0.1748
	da-Gal4/+ - 2	21.43	3.27E+06	2.2423		

Amplicon	Genotype	mean Cq	*Lam rin* geometric mean
Lam	*da-Gal4/+ - 1*	22.96	8.00E+06
	da-Gal4/+ - 2	22.81	7.34E+06
rin	*da-Gal4/+ - 1*	23.13	
	da-Gal4/+ - 2	23.03	

Amplicon	Genotype	mean Cq	AE^mean Cq	normalization/*lam-rin*	mean	sd	p-value
RPL15	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	23.16	8.75E+06	21.3165	21.6519	0.4744	2.71E-04
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	22.69	6.33E+06	21.9874			
RPL7	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	23.15	9.46E+06	19.7231	19.2369	0.6876	1.05E-03
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	22.80	7.42E+06	18.7507			
Rack1	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	22.72	8.08E+06	23.0995	25.3168	3.1357	9.04E-03
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	22.05	5.05E+06	27.5341			

Amplicon	Genotype	mean Cq	*Lam rin* geometric mean
Lam	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	27.20	1.87E+08
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	26.95	1.39E+08
rin	*da-Gal4, UAS-CycG^{ΔP}/+ - 1*	28.02	
	da-Gal4, UAS-CycG^{ΔP}/+ - 2	27.42	

Table S6: List of the 889 genes bound by Cyclin G in wing imaginal discs.

Gene ID	Gene name	Location	Peak coordinates		Strand
FBgn0011710	Sep1	X	21358286	21361688	+
FBgn0020238	14-3-3epsilon	3R	18242531	18250550	+
FBgn0260793	2mit	3R	13121951	13155687	-
FBgn0052016	4E-T	4	951542	958392	-
FBgn0053100	4EHP	3R	24063077	24108960	-
FBgn0261929	5-HT2B	3R	8578205	8629996	+
FBgn0000017	Abl	3L	16615866	16647882	-
FBgn0024150	Ac78C	3L	21136447	21171930	-
FBgn0038363	Acyp2	3R	15792688	15793487	+
FBgn0262739	AGO1	2R	13943387	13958089	-
FBgn0250816	AGO3	3L	23554593	23689640	+
FBgn0010548	Aldh-III	2R	7466879	7477162	-
FBgn0086361	alph	3R	29591831	29617157	+
FBgn0010215	alpha-Cat	3L	23318646	23338100	-
FBgn0039378	alpha4GT2	3R	25832230	25842878	+
FBgn0003884	alphaTub84B	3R	7086599	7088839	+
FBgn0038535	alt	3R	17673732	17682515	-
FBgn0052626	AMPdeam	X	13830741	13845866	-
FBgn0266111	ana3	2R	12344983	12351325	+
FBgn0025111	Ant2	X	10778954	10786907	-
FBgn0000108	Appl	X	530501	579044	+
FBgn0039889	Arl4	4	177348	179389	-
FBgn0001961	Arpc1	2L	13827941	13829741	-
FBgn0000119	arr	2R	13453640	13483229	-
FBgn0032329	Art8	2L	11009821	11011086	-
FBgn0039908	Asator	4	469409	488994	-
FBgn0034606	ASPP	2R	21217856	21251150	-
FBgn0015905	ast	2L	1077948	1080803	+
FBgn0266429	AstA-R1	X	3574536	3666724	+
FBgn0261823	Asx	2R	14503958	14512493	+
FBgn0029943	Atg5	X	7314622	7323770	-
FBgn0052672	Atg8a	X	10764878	10768338	-
FBgn0039213	atl	3R	24625671	24634714	+
FBgn0052446	Atox1	3L	21640995	21642599	+
FBgn0002921	Atpalpha	3R	20948714	20976239	+
FBgn0039830	ATPsynC	3R	31216145	31219630	-
FBgn0035032	ATPsynF	2R	24599088	24599821	-
FBgn0041188	Atx2	3R	15408423	15417277	+
FBgn0037218	aux	3R	4211783	4227518	+
FBgn0050476	ave	2R	14752521	14753269	+
FBgn0026597	Axn	3R	30022842	30035311	+
FBgn0000152	Axs	X	16680089	16683895	-
FBgn0004870	bab1	3L	1036369	1101089	-
FBgn0027889	ball	3R	26864605	26866807	-
FBgn0000163	baz	X	17160006	17200705	+
FBgn0033844	bbc	2R	13486634	13494862	-
FBgn0087007	bbg	3L	14412828	14536276	-
FBgn0034049	bdg	2R	15923040	15931935	-
FBgn0038498	beat-IIa	3R	17320004	17366119	-
FBgn0038092	beat-Vb	3R	12916056	12934813	+
FBgn0263231	bel	3R	8654975	8660761	-
FBgn0260859	Bet3	3L	9438482	9442267	-
FBgn0039175	beta-PheRS	3R	24250460	24252679	-
FBgn0008635	betaCOP	X	18381549	18385242	-
FBgn0004581	bgcn	2R	23853270	23858921	-
FBgn0036199	Bmcp	3L	11720934	11728118	+
FBgn0086694	Bre1	3L	5789831	5794192	-
FBgn0000221	brn	X	4104342	4105791	+
FBgn0264001	bru-3	3L	13521907	13803400	-
FBgn0266717	Bruce	3R	10312039	10331353	-
FBgn0004101	bs	2R	24342861	24376473	+
FBgn0030228	BTBD9	X	10768537	10772154	+
FBgn0023096	btv	2L	17962625	17982472	-
FBgn0259176	bun	2L	12455540	12546611	-
FBgn0000241	bw	2R	23527805	23538499	-
FBgn0040236	c11.1	X	9275318	9283117	-
FBgn0040235	c12.1	X	9317915	9319223	-
FBgn0040234	c12.2	X	9319359	9324458	+
FBgn0259228	C3G	X	6780790	6803593	-
FBgn0015609	CadN	2L	17647053	17778340	-
FBgn0053653	Cadps	4	1230837	1271759	+
FBgn0030054	Caf1-180	X	8602137	8606304	-
FBgn0012051	CalpA	2R	19425113	19430564	+

FBgn0037831	Cap-H2	3R	10761310	10766756	+
FBgn0020224	Cbl	3L	8424954	8432246	+
FBgn0052183	Ccn	3L	17690015	17748839	+
FBgn0051973	Cda5	2L	25402	65404	-
FBgn0004107	Cdk2	3R	20735623	20738414	+
FBgn0030269	CDK2AP1	X	11137859	11139689	+
FBgn0028509	CenG1A	2L	13835564	13898712	+
FBgn0027569	cert	3L	8282528	8289870	-
FBgn0039590	CG10011	3R	28607939	28635099	-
FBgn0039084	CG10175	3R	23522264	23530986	-
FBgn0032796	CG10188	2L	19502335	19508764	-
FBgn0033019	CG10395	2R	5350477	5351972	+
FBgn0033021	CG10417	2R	5360331	5363104	-
FBgn0034570	CG10543	2R	20996220	21007740	+
FBgn0032717	CG10600	2L	18833710	18839679	-
FBgn0032721	CG10602	2L	18855126	18859248	-
FBgn0036286	CG10616	3L	12471728	12474428	+
FBgn0029980	CG10778	X	7931745	7933351	-
FBgn0031395	CG10874	2L	2189914	2192386	-
FBgn0038769	CG10889	3R	20033881	20036055	-
FBgn0034307	CG10914	2R	18158257	18160310	+
FBgn0032855	CG10947	2L	20385293	20414800	-
FBgn0030400	CG11138	X	12569169	12583193	-
FBgn0039936	CG11148	4	853557	867025	-
FBgn0037279	CG1129	3R	4811444	4816025	+
FBgn0039920	CG11360	4	671142	690650	+
FBgn0026876	CG11403	X	1236873	1239884	-
FBgn0029715	CG11444	X	4553117	4554398	-
FBgn0038683	CG11779	3R	19154097	19159878	-
FBgn0030346	CG11802	X	11871299	11872779	-
FBgn0039293	CG11851	3R	25221589	25224118	+
FBgn0039635	CG11876	3R	29113071	29116197	+
FBgn0039642	CG11882	3R	29147016	29148172	-
FBgn0033538	CG11883	2R	10617662	10641807	+
FBgn0037644	CG11964	3R	8942954	8945020	-
FBgn0035285	CG12025	3L	1865430	1869491	+
FBgn0030052	CG12065	X	8574306	8588528	+
FBgn0260742	CG12213	3R	11964674	11967691	-
FBgn0029822	CG12236	X	5908135	5913079	+
FBgn0029930	CG12541	X	7021608	7066052	-
FBgn0030055	CG12772	X	8677063	8680912	+
FBgn0039523	CG12885	3R	27520866	27533934	+
FBgn0037065	CG12974	3L	21281752	21285962	-
FBgn0037061	CG12975	3L	21215995	21216839	-
FBgn0040877	CG12994	X	17422320	17443994	-
FBgn0032050	CG13096	2L	8509069	8511866	-
FBgn0036406	CG13484	3L	14052428	14053079	-
FBgn0040658	CG13516	2R	22669145	22670622	+
FBgn0030151	CG1354	X	9778742	9782094	+
FBgn0040660	CG13551	2R	23377866	23383424	-
FBgn0033374	CG13741	2R	9092506	9094658	-
FBgn0035237	CG13917	3L	1576699	1600845	+
FBgn0035287	CG13937	3L	1876551	1883041	-
FBgn0033405	CG13954	2R	9309296	9389467	-
FBgn0036851	CG14082	3L	19105381	19138975	-
FBgn0031023	CG14200	X	19495505	19518402	+
FBgn0039462	CG14252	3R	26945534	26947248	+
FBgn0038629	CG14304	3R	18592801	18621327	-
FBgn0037171	CG14459	3L	22573114	22637916	-
FBgn0033000	CG14464	2R	4829246	4830587	+
FBgn0037920	CG14710	3R	11620090	11621728	+
FBgn0025393	CG14795	X	1512227	1512803	-
FBgn0041702	CG15107	2R	18971309	18972537	-
FBgn0029746	CG15465	X	5085759	5254864	+
FBgn0030466	CG15744	X	13288051	13294433	+
FBgn0029858	CG15896	X	6291303	6294177	+
FBgn0029941	CG1677	X	7281089	7405797	-
FBgn0037728	CG16817	3R	9677927	9679658	+
FBgn0040394	CG16903	X	2078343	2080405	-
FBgn0266917	CG16941	3R	16999384	17002355	-
FBgn0030321	CG1703	X	11611927	11615128	+
FBgn0035140	CG17180	3L	540851	542147	+
FBgn0038829	CG17271	3R	20819129	20821848	-
FBgn0259979	CG17337	2R	5697872	5700212	+
FBgn0032997	CG17486	2R	4619030	4620833	+
FBgn0039959	CG17514	3L	27967244	28012599	-
FBgn0261387	CG17528	2R	4815426	4824319	-

FBgn0033777	CG17574	2R	12849358	12869423	-
FBgn0262115	CG17683	2R	4130974	4133484	+
FBgn0263780	CG17684	2R	1866080	2262115	-
FBgn0040056	CG17698	3L	23737960	23749058	+
FBgn0029877	CG17717	X	6589290	6590646	+
FBgn0035425	CG17746	3L	3236805	3239578	-
FBgn0036454	CG17839	3L	14805136	14882224	+
FBgn0040005	CG17883	2R	4671853	4673639	+
FBgn0033491	CG18011	2R	10142338	10146206	+
FBgn0033426	CG1814	2R	9577427	9581847	+
FBgn0030956	CG18259	X	18781265	18783494	-
FBgn0039189	CG18528	3R	24358095	24360144	-
FBgn0027561	CG18659	2R	9123304	9132030	-
FBgn0040964	CG18661	2L	8997605	8998544	+
FBgn0042185	CG18769	3L	6550738	6593940	+
FBgn0042132	CG18809	X	19741224	19744335	-
FBgn0030485	CG1998	X	13409369	13413074	-
FBgn0037292	CG2022	3R	4986500	5011031	-
FBgn0029942	CG2059	X	7286358	7288117	+
FBgn0030003	CG2116	X	8129812	8131783	+
FBgn0033289	CG2121	2R	8396397	8411767	-
FBgn0035211	CG2211	3L	1333239	1335359	-
FBgn0030320	CG2247	X	11606290	11611652	-
FBgn0039890	CG2316	4	184076	193829	-
FBgn0029672	CG2875	X	3571456	3573622	-
FBgn0023529	CG2918	X	2271008	2275068	-
FBgn0023528	CG2924	X	2264657	2270761	-
FBgn0040373	CG3038	X	243954	245856	-
FBgn0050428	CG30428	2R	25251927	25254535	+
FBgn0050438	CG30438	2R	5496674	5549543	+
FBgn0034703	CG3045	2R	22172803	22174691	-
FBgn0034816	CG3085	2R	23074823	23076857	+
FBgn0051038	CG31038	3R	29877059	29903231	+
FBgn0033005	CG3107	2R	5090581	5095090	+
FBgn0051103	CG31103	3R	25219318	25221444	+
FBgn0051221	CG31221	3R	19412689	19460311	+
FBgn0051406	CG31406	3R	10348761	10350010	+
FBgn0051457	CG31457	3R	23126581	23127981	-
FBgn0051542	CG31542	3R	5369540	5371744	+
FBgn0051637	CG31637	2L	6498647	6526996	+
FBgn0051752	CG31752	2L	18839628	18841310	-
FBgn0051998	CG31998	4	196675	205945	-
FBgn0052000	CG32000	4	132220	143123	+
FBgn0267795	CG32138	3L	14053215	14071583	+
FBgn0052206	CG32206	3L	19340321	19412912	-
FBgn0052365	CG32365	3L	7869042	7894814	+
FBgn0052369	CG32369	3L	7777105	7809825	-
FBgn0052473	CG32473	3R	13302648	13312785	+
FBgn0266918	CG32486	3L	3055908	3070839	-
FBgn0052676	CG32676	X	10711163	10744943	-
FBgn0267253	CG32700	X	9502826	9550838	-
FBgn0052758	CG32758	X	5719374	5738031	-
FBgn0052767	CG32767	X	5071027	5084768	-
FBgn0052816	CG32816	X	316576	470726	-
FBgn0052850	CG32850	4	314923	331387	+
FBgn0053057	CG33057	3L	8402168	8405277	-
FBgn0053111	CG33111	3R	23801714	23819237	-
FBgn0053155	CG33155	2R	13954195	13955664	+
FBgn0053169	CG33169	3L	22863864	22864496	+
FBgn0053217	CG33217	3L	23126025	23132209	+
FBgn0053267	CG33267	3L	11564483	11572796	+
FBgn0053926	CG33926	3L	9443232	9446388	+
FBgn0066303	CG33932	X	19744431	19745898	+
FBgn0083966	CG34130	3R	26189004	26189977	-
FBgn0085201	CG34172	2L	2192525	2197912	-
FBgn0085306	CG34277	3R	5369540	5371744	+
FBgn0085382	CG34353	3R	27767966	27905843	-
FBgn0085383	CG34354	3R	28146880	28240526	+
FBgn0085384	CG34355	3R	23803859	23859167	+
FBgn0085391	CG34362	3R	28026615	28090740	+
FBgn0085430	CG34401	X	18863950	18884075	+
FBgn0085451	CG34422	X	18843663	18855858	+
FBgn0085464	CG34435	X	5613325	5614467	-
FBgn0085478	CG34449	X	9324508	9356227	-
FBgn0035033	CG3548	2R	24599947	24602367	+
FBgn0029708	CG3556	X	4530231	4535464	+
FBgn0029706	CG3626	X	4366417	4371136	+

FBgn0261444	CG3638	X	1215289	1236684	-
FBgn0032974	CG3651	2L	22121338	22126614	+
FBgn0036684	CG3764	3L	16994717	17012565	-
FBgn0035088	CG3776	2R	24969678	24970855	+
FBgn0024989	CG3777	X	279703	350504	+
FBgn0036842	CG3797	3L	19059400	19062816	-
FBgn0036838	CG3808	3L	18997875	19000608	-
FBgn0029867	CG3847	X	6347103	6349236	+
FBgn0029873	CG3918	X	6524464	6526342	+
FBgn0031574	CG3964	2L	3862668	3867507	+
FBgn0058045	CG40045	3L	24028515	24035859	+
FBgn0058178	CG40178	3L	25798441	26014112	-
FBgn0058191	CG40191	2R	1264140	1267747	+
FBgn0029821	CG4020	X	5905746	5908001	+
FBgn0063670	CG40228	3L	27082091	27083906	-
FBgn0058439	CG40439	2L	22797519	22798276	-
FBgn0058470	CG40470	3L	23839860	23986410	-
FBgn0085521	CG40813	X	22143102	22143816	+
FBgn0085638	CG41378	2R	2770380	2846708	-
FBgn0087011	CG41520	2R	1649061	1778937	+
FBgn0259101	CG42249	X	11096273	11108148	+
FBgn0259229	CG42329	2L	1219293	1229802	+
FBgn0259242	CG42340	X	6423123	6524323	-
FBgn0261570	CG42684	X	17710144	17752007	+
FBgn0263354	CG42784	2L	13415431	13500427	+
FBgn0261859	CG42788	3R	15095957	15131926	-
FBgn0031287	CG4291	2L	851251	852730	-
FBgn0262570	CG43110	2R	17477565	17486220	-
FBgn0262599	CG43129	2L	10850141	10854604	+
FBgn0038787	CG4360	3R	20324274	20328003	-
FBgn0032138	CG4364	2L	9708921	9711271	-
FBgn0037024	CG4365	3L	20798645	20800081	+
FBgn0263996	CG43739	2L	20871335	20918931	-
FBgn0264090	CG43759	X	18930335	19028629	+
FBgn0264449	CG43867	X	808217	927975	-
FBgn0265002	CG44153	2L	10064121	10180256	-
FBgn0266100	CG44837	3L	11850645	11938872	-
FBgn0031896	CG4502	2L	7194908	7204264	-
FBgn0266486	CG45085	2R	9186670	9192096	-
FBgn0266696	CG45186	3L	2377655	2499226	+
FBgn0267428	CG45781	2R	432219	705848	+
FBgn0267429	CG45782	3L	25236940	25670980	-
FBgn0032364	CG4970	2L	11517391	11519783	+
FBgn0035953	CG5087	3L	8998184	9002566	+
FBgn0031912	CG5261	2L	7426866	7430329	+
FBgn0039160	CG5510	3R	24167675	24169562	-
FBgn0032656	CG5674	2L	17963379	17974868	+
FBgn0036560	CG5895	3L	16035485	16037227	+
FBgn0032587	CG5953	2L	16508078	16532877	-
FBgn0039492	CG6051	3R	27124759	27151069	-
FBgn0039417	CG6073	3R	26187018	26188807	-
FBgn0039451	CG6420	3R	26719847	26725216	-
FBgn0036710	CG6479	3L	17337172	17339262	-
FBgn0032363	CG6509	2L	11508399	11517081	-
FBgn0037855	CG6621	3R	10889768	10893531	-
FBgn0036062	CG6685	3L	9966603	9968317	-
FBgn0037878	CG6693	3R	11220268	11221639	-
FBgn0036843	CG6812	3L	19063165	19066151	+
FBgn0036240	CG6928	3L	12003155	12008051	+
FBgn0038286	CG6966	3R	15079320	15095631	-
FBgn0030085	CG6999	X	9088367	9089314	+
FBgn0039026	CG7029	3R	22750901	22794030	+
FBgn0030086	CG7033	X	9089513	9092826	+
FBgn0032521	CG7110	2L	13398991	13411047	+
FBgn0030970	CG7326	X	18861197	18863776	-
FBgn0031374	CG7337	2L	1884622	1944289	+
FBgn0038108	CG7518	3R	12998089	13008404	+
FBgn0036734	CG7564	3L	17514298	17524740	+
FBgn0033548	CG7637	2R	10810556	10810936	-
FBgn0038536	CG7655	3R	17682669	17683773	+
FBgn0039743	CG7946	3R	30052514	30054697	+
FBgn0033391	CG8026	2R	9186670	9192096	-
FBgn0037702	CG8176	3R	9516007	9527237	+
FBgn0037624	CG8223	3R	8747798	8754104	+
FBgn0034050	CG8297	2R	15934825	15935938	+
FBgn0037720	CG8312	3R	9591309	9625073	+
FBgn0035707	CG8368	3L	6603684	6608739	+

FBgn0027495	CG8378	2R	12140631	12143272	+
FBgn0034073	CG8414	2R	16099306	16102608	-
FBgn0027602	CG8611	X	17413267	17422145	-
FBgn0033309	CG8735	2R	8596972	8599962	-
FBgn0036900	CG8765	3L	19683941	19687353	-
FBgn0037676	CG8861	3R	9293642	9328511	-
FBgn0030812	CG8949	X	17068717	17077897	-
FBgn0031738	CG9171	2L	5767002	5800253	-
FBgn0031779	CG9175	2L	6096698	6098966	-
FBgn0032919	CG9253	2L	21143229	21145146	+
FBgn0032524	CG9267	2L	13444103	13445651	-
FBgn0032883	CG9323	2L	20754579	20757985	-
FBgn0035094	CG9380	2R	25183628	25255318	-
FBgn0031813	CG9527	2L	6426724	6448403	-
FBgn0031826	CG9550	2L	6497053	6498466	+
FBgn0030768	CG9723	X	16653220	16655015	-
FBgn0027866	CG9776	3R	4327814	4334071	-
FBgn0037623	CG9801	3R	8735879	8747675	-
FBgn0037636	CG9821	3R	8813490	8820682	-
FBgn0030757	CG9902	X	16542124	16547520	-
FBgn0032781	CG9987	2L	19430643	19432444	+
FBgn0021760	chb	3L	21172853	21183278	+
FBgn0053194	CheA29a	2L	8477349	8478088	+
FBgn0086758	chinmo	2L	1651258	1704682	+
FBgn0026084	cib	X	4106113	4110981	+
FBgn0262582	cic	3R	20252770	20303942	+
FBgn0027598	cindr	3R	30808617	30827005	+
FBgn0035533	Cip4	3L	4322491	4364102	-
FBgn0015024	CkIalpha	X	12653626	12657834	+
FBgn0264492	CkIIalpha	3L	23097072	23103460	+
FBgn0000259	CkIIbeta	X	11792533	11801587	+
FBgn0010314	Cks30A	2L	9330763	9331981	+
FBgn0032979	Clamp	2L	22165720	22169143	-
FBgn0040232	cmet	2L	11261026	11269002	-
FBgn0263257	Cngl	X	15386038	15441252	-
FBgn0259212	cno	3R	5170004	5217456	-
FBgn0005775	Con	3L	4936758	5079033	-
FBgn0031066	COX6B	X	19740537	19744335	-
FBgn0263911	COX8	3L	21538859	21539447	-
FBgn0013770	Cp1	2R	13960675	13967981	+
FBgn0036680	Cpr73D	3L	16939100	16957689	-
FBgn0261429	CR42646	2R	5363253	5367357	+
FBgn0265784	CrebB	X	18366357	18377864	+
FBgn0024811	Crk	4	210224	213165	+
FBgn0001994	crp	2L	16263556	16287730	-
FBgn0036746	Crtc	3L	17659818	17669234	-
FBgn0028837	CSN6	3R	22580773	22582033	+
FBgn0000382	csw	X	2094234	2115701	+
FBgn0015509	Cul1	2R	7916856	7921579	+
FBgn0000405	CycB	2R	22803521	22806948	-
FBgn0025455	CycT	3L	17551004	17557788	-
FBgn0032378	CycY	2L	11810092	11813780	-
FBgn0004432	Cyp1	X	16317673	16320370	-
FBgn0035141	Cypl	3L	542122	542931	-
FBgn0030001	cyr	X	8121280	8135713	-
FBgn0264294	Cyt-b5	2R	7533506	7535936	+
FBgn0262029	d	2L	8466817	8488671	+
FBgn0033015	d4	2R	5259004	5295965	+
FBgn0019643	Dat	2R	24139563	24157762	+
FBgn0031820	Daxx	2L	6480929	6487576	+
FBgn0024804	Dbp80	3L	27279316	27422159	+
FBgn0013799	Deaf1	3L	19818174	19830686	+
FBgn0033160	Dhx15	2R	7387187	7391023	+
FBgn0011202	dia	2L	20758144	20768053	+
FBgn0260635	Diap1	3L	16038410	16051034	-
FBgn0015247	Diap2	2R	15932170	15934825	-
FBgn0033486	dmpd	2R	10117694	10121451	+
FBgn0259113	DNApol-alpha180	3R	21666562	21671750	-
FBgn0037554	DNApol-iota	3R	8233507	8237389	+
FBgn0024245	dnt	2L	19338669	19363227	-
FBgn0043903	dome	X	19676061	19683518	-
FBgn0011582	Dop1R1	3R	14165379	14214810	-
FBgn0266137	Dop1R2	3R	29630304	29659984	-
FBgn0027835	Dp1	2R	18412027	18421124	+
FBgn0040726	dpr1	2R	20698483	20750442	+
FBgn0261871	dpr2	2L	10917015	10964153	-
FBgn0260995	dpr21	2R	3066499	3191011	+

FBgn0040823	dpr6	3L	9974651	10139360	+
FBgn0052600	dpr8	X	14322226	14462351	+
FBgn0053196	dpy	2L	4477462	4614300	-
FBgn0002183	dre4	3L	1871574	1876312	-
FBgn0038145	Droj2	3R	13382106	13385283	+
FBgn0026404	Dronc	3L	9968479	9971002	+
FBgn0020304	drongo	2L	833584	851071	-
FBgn0026479	Drp1	2L	2581281	2585430	-
FBgn0000524	dx	X	6533999	6538575	+
FBgn0027101	Dyrk3	4	1225089	1230713	-
FBgn0000541	E(bx)	3L	233926	246912	-
FBgn0087008	e(y)3	X	19626548	19638369	-
FBgn0033166	Eaf	2R	7396850	7407819	-
FBgn0000543	ecd	3L	2263581	2265857	-
FBgn0027506	EDTP	2R	17432173	17444938	-
FBgn0000556	Ef1alpha48D	2R	11891135	11895762	+
FBgn0011217	eff	3R	14732414	14741319	-
FBgn0000562	egl	2R	23734904	23746829	-
FBgn0040227	eIF-3p66	3R	23680039	23682317	+
FBgn0001942	eIF-4a	2L	5981764	5985909	+
FBgn0020660	eIF-4B	3L	27842669	27858271	-
FBgn0015218	eIF-4E	3L	9399618	9402460	-
FBgn0034967	eIF-5A	2R	24057798	24059483	+
FBgn0034258	eIF3-S8	2R	17665678	17669275	+
FBgn0023213	eIF4G	4	915297	930715	-
FBgn0260634	eIF4G2	3R	23808285	23819237	-
FBgn0000567	Eip74EF	3L	17558672	17619325	-
FBgn0000568	Eip75B	3L	17950953	18064696	-
FBgn0004865	Eip78C	3L	21226609	21266503	+
FBgn0023212	EloB	3R	20578222	20579850	-
FBgn0020497	emb	2L	8403573	8408853	+
FBgn0028515	EndoGI	2L	16257688	16259511	+
FBgn0025936	Eph	4	610684	622470	+
FBgn0000588	esc	2L	11827204	11829405	-
FBgn0004510	Ets97D	3R	26910775	26912886	-
FBgn0262740	Evi5	X	11430523	11454386	-
FBgn0025608	Faf2	2L	18706010	18708688	-
FBgn0037760	FBXO11	3R	9803486	9809368	-
FBgn0045063	fdl	2R	12487451	12507333	-
FBgn0003062	Fib	2R	23072909	23074725	-
FBgn0039969	Fis1	2R	5603587	5604834	-
FBgn0013269	FK506-bp1	3R	15331584	15333133	-
FBgn0000662	fl(2)d	2R	13819624	13824553	-
FBgn0086675	fne	X	12917477	12950417	+
FBgn0011592	fra	2R	12529053	12564184	+
FBgn0031815	frj	2L	6456052	6459008	+
FBgn0004656	fs(1)h	X	8037808	8061436	-
FBgn0001078	ftz-f1	3L	18750607	18801309	-
FBgn0001087	g	X	13727204	13736278	-
FBgn0040372	G9a	X	245978	254650	+
FBgn0001104	Galphai	3L	6972750	6980044	-
FBgn0029667	Gas8	X	3491011	3504851	-
FBgn0260743	GC1	3R	11967708	11971686	+
FBgn0266465	GckIII	3R	17085513	17087988	+
FBgn0030141	Gga	X	9601030	9604280	+
FBgn0032135	GlcAT-S	2L	9616469	9623109	+
FBgn0264574	Glut1	3L	914074	993788	+
FBgn0027528	goe	X	16727304	16751910	-
FBgn0013272	Gp150	2R	22317662	22329416	+
FBgn0264495	gpp	3R	6406855	6449274	+
FBgn0260798	Gprk1	2R	4322295	4471060	-
FBgn0261278	grp	2L	16680054	16699926	+
FBgn0010226	GstS1	2R	17093246	17099501	-
FBgn0026239	gukh	3R	18984025	19022436	+
FBgn0051992	gw	4	649041	663103	-
FBgn0038295	Gyc88E	3R	15150375	15191242	+
FBgn0261509	haf	2L	1555129	1608404	+
FBgn0026575	hang	X	16422831	16438454	+
FBgn0046706	Haspin	2R	4014111	4049342	+
FBgn0029082	hbs	2R	15011396	15042134	+
FBgn0042712	HBS1	3L	1862881	1865240	-
FBgn0039904	Hcf	4	359938	375554	+
FBgn0011224	heph	3R	31846987	32015520	-
FBgn0052529	Hers	X	19866146	19908108	+
FBgn0035142	Hipk	3L	543060	581099	+
FBgn0053855	His1:CG33855	2L	21521616	21522638	+
FBgn0053853	His2A:CG33853	2L	21518655	21519147	+

FBgn0053856	His2A:CG33856	2L	21523498	21523990	+
FBgn0053859	His2A:CG33859	2L	21528341	21528833	+
FBgn0053862	His2A:CG33862	2L	21533184	21533676	+
FBgn0053900	His2B:CG33900	2L	21457272	21457866	-
FBgn0053854	His3:CG33854	2L	21520109	21520637	+
FBgn0053857	His3:CG33857	2L	21524952	21525480	+
FBgn0025639	Hmt4-20	X	648483	656033	-
FBgn0261456	hpo	2R	19493996	19496856	-
FBgn0263395	hppy	2R	19178738	19227193	+
FBgn0261239	Hr39	2L	21237250	21259675	+
FBgn0264562	Hr4	X	1941940	2007956	+
FBgn0015240	Hr96	3R	25025235	25029351	+
FBgn0266599	Hsc70-4	3R	15242687	15246614	+
FBgn0015245	Hsp60	X	11108482	11112308	+
FBgn0061198	HSPC300	2R	24027717	24028789	-
FBgn0263391	hts	2R	19397032	19424903	-
FBgn0028427	Ilk	3L	21216901	21219240	+
FBgn0013983	imd	2R	18409796	18413599	-
FBgn0025394	inc	X	1483479	1517615	+
FBgn0030945	Ing3	X	18650718	18653091	-
FBgn0011674	insc	2R	20821262	20836028	-
FBgn0030858	IntS2	X	17652761	17656818	-
FBgn0262117	IntS3	2R	4235779	4242934	-
FBgn0086359	Invadolysin	3R	10144668	10159134	+
FBgn0025366	lp259	2L	10408352	10409610	+
FBgn0051718	Ir31a	2L	10405565	10408197	+
FBgn0040849	Ir41a	2R	4917519	5021955	+
FBgn0259215	Ir93a	3R	20851709	20859945	-
FBgn0036999	isoQC	3L	20474466	20477018	+
FBgn0040309	Jafrac1	X	13329824	13331994	+
FBgn0011225	jar	3R	24252826	24271233	-
FBgn0037703	JHDM2	3R	9516007	9520938	+
FBgn0003357	Jon99Ciii	3R	29922216	29923455	+
FBgn0001291	Jra	2R	10096480	10098556	+
FBgn0015396	jumu	3R	10350182	10361612	+
FBgn0051363	Jupiter	3R	11590386	11619906	-
FBgn0263929	jvl	3R	14741582	14795868	+
FBgn0040208	Kat60	3R	5227289	5232209	-
FBgn0261794	kcc	2R	23907654	23925066	+
FBgn0033494	KCNQ	2R	10145897	10192394	-
FBgn0015400	kek2	2L	11581937	11626883	+
FBgn0019968	Khc-73	2R	15515778	15532259	-
FBgn0262127	kibra	3R	14697689	14724261	-
FBgn0028369	kirre	X	2740384	3134532	+
FBgn0267432	kl-3	Y	336381	563165	+
FBgn0267433	kl-5	Y	22250	137486	-
FBgn0001316	klar	3L	434083	540614	-
FBgn0038476	kuk	3R	17080244	17084781	+
FBgn0033032	kune	2R	5671741	5672800	+
FBgn0259984	kuz	2L	13550139	13639411	+
FBgn0028331	l(1)G0289	X	10348680	10366273	-
FBgn0010607	l(2)05714	2L	4970135	4973921	-
FBgn0262123	l(2)41Ab	2R	1349392	1443935	+
FBgn0010238	Lac	2R	12453190	12465630	+
FBgn0002524	lace	2L	15499127	15505018	+
FBgn0086372	lap	3R	7186994	7200941	+
FBgn0000464	Lar	2L	19586623	19732069	+
FBgn0037856	Leash	3R	10885540	10896418	+
FBgn0034877	levy	2R	23548239	23548982	+
FBgn0034720	Liprin-gamma	2R	22333500	22373109	-
FBgn0017581	Lk6	3R	11750931	11764457	-
FBgn0028717	Lnk	3R	25888542	25893270	+
FBgn0263594	lost	3R	4403076	4407182	+
FBgn0052699	LPCAT	X	9571537	9579987	-
FBgn0051698	LpR2	3R	25698727	25740465	-
FBgn0040765	luna	2R	10977956	11116378	-
FBgn0035640	mad2	3L	5812135	5813093	-
FBgn0002645	Map205	3R	32055279	32068441	-
FBgn0034282	Mapmodulin	2R	17866178	17872015	-
FBgn0015513	mbc	3R	23781765	23801634	+
FBgn0004419	me31B	2L	10239341	10242172	+
FBgn0036761	MED19	3L	17843725	17846501	-
FBgn0040020	MED21	3L	25114924	25115946	-
FBgn0051390	MED7	3R	10760071	10761032	-
FBgn0002715	mei-S332	2R	22122101	22124566	+
FBgn0265140	Meltrin	3R	14664907	14697292	-
FBgn0029155	Men-b	3R	27151662	27157603	+

FBgn0058263	MFS17	2R	2494742	2565385	-
FBgn0053988	Mid1	2R	24695378	24736657	-
FBgn0033846	mip120	2R	13506430	13513112	+
FBgn0263112	Mitf	4	1198852	1224467	+
FBgn0035889	mkg-p	3L	8402168	8405277	-
FBgn0033549	mms4	2R	10811078	10812215	+
FBgn0259168	mnb	X	17862697	17887222	-
FBgn0011661	Moe	X	8873012	8898332	-
FBgn0002783	mor	3R	15968134	15972913	-
FBgn0026409	Mpcp	3L	14537651	14540441	+
FBgn0035107	mri	3L	200174	202152	+
FBgn0032456	MRP	2L	12719045	12766546	+
FBgn0032720	mRpL13	2L	18858028	18859248	-
FBgn0014023	mRpL47	3R	9514822	9515908	-
FBgn0050481	mRpL53	2R	13954195	13955664	+
FBgn0044511	mRpS21	3R	13381276	13381809	-
FBgn0010909	msn	3L	2554847	2586540	-
FBgn0040305	MTF-1	3L	9430312	9439490	+
FBgn0030766	mthl1	X	16640968	16650309	+
FBgn0013756	Mtor	2R	11852617	11861202	+
FBgn0050361	mtt	2R	8473956	8532294	-
FBgn0052580	Muc14A	X	16009114	16061722	+
FBgn0264272	mwh	3L	1200786	1232700	+
FBgn0086347	Myo31DF	2L	10491814	10506779	-
FBgn0267431	Myo81F	3R	567076	2532932	+
FBgn0004657	mys	X	8061645	8070237	+
FBgn0004647	N	X	3134870	3172221	+
FBgn0086904	Nacalpha	2R	12759693	12760999	-
FBgn0085434	NaCP60E	2R	24891614	24921677	+
FBgn0260795	NaPi-III	3L	11123348	11134663	+
FBgn0010352	Nc73EF	3L	16954822	16968724	+
FBgn0028704	Nckx30C	2L	9711512	9746495	-
FBgn0030718	ND-20	X	15985473	15986808	-
FBgn0039909	ND-49	4	568296	571554	-
FBgn0058002	ND-AGGG	3L	24976254	24977118	+
FBgn0083167	Neb-cGP	X	10460736	10461878	+
FBgn0017430	Nelf-E	3L	8599442	8600879	-
FBgn0015773	NetA	X	14604012	14653928	-
FBgn0035993	Nf-YA	3L	9440056	9442267	-
FBgn0029905	Nf-YC	X	6818178	6820919	-
FBgn0053554	Nipped-A	2R	5177965	5251022	-
FBgn0083975	Nlg4	3R	20204809	20245473	+
FBgn0011817	nmo	3L	7979046	8054147	+
FBgn0002948	nod	X	11580772	11585750	+
FBgn0262738	norpA	X	4322626	4365408	+
FBgn0085436	Not1	2R	9566146	9579007	-
FBgn0033029	Not3	2R	5656406	5663222	-
FBgn0024320	Npc1a	2L	10213812	10221216	-
FBgn0264975	Nrg	X	8517373	8555170	+
FBgn0262527	nsl1	3R	15793782	15802102	+
FBgn0050104	NT5E-2	2R	17485002	17493169	+
FBgn0031886	Nuf2	2L	7064431	7065837	-
FBgn0031078	Nup205	X	19852214	19859379	+
FBgn0039120	Nup98-96	3R	23774225	23781621	-
FBgn0051501	nxf4	3R	7346730	7347836	+
FBgn0014184	Oda	2R	12166295	12174264	-
FBgn0259175	ome	3L	14672839	14747868	+
FBgn0015271	Orc5	2L	13829837	13831576	+
FBgn0261885	osa	3R	17687818	17718350	-
FBgn0031829	Osm6	2L	6555717	6557502	-
FBgn0033179	p47	2R	7465018	7466759	-
FBgn0037718	P58IPK	3R	9586942	9589581	+
FBgn0038100	Paip2	3R	12980792	12985488	+
FBgn0044826	Pak3	3R	16445007	16453821	-
FBgn0085432	pan	4	69326	114270	+
FBgn0020389	Papss	3L	19845293	19860925	+
FBgn0029878	Pat1	X	6590776	6596954	+
FBgn0003042	Pc	3L	21306138	21318020	-
FBgn0033988	pcs	2R	14981263	14991336	+
FBgn0264815	Pde1c	2L	11814156	11928572	-
FBgn0014002	Pdi	3L	15137738	15142840	-
FBgn0029958	Pdp	X	7731779	7734651	-
FBgn0032407	Pex19	2L	12091822	12095250	+
FBgn0027621	Pfrx	X	19495505	19509350	+
FBgn0014869	Pglym78	3R	29148248	29149901	+
FBgn0039776	PH4alphaEFB	3R	30466050	30485799	+
FBgn0031091	Phf7	X	20160355	20165830	-

FBgn0011754	PhKgamma	X	11695137	11704394	+
FBgn0267350	PI4KIIIalpha	X	2624804	2633672	+
FBgn0261811	pico	X	19830215	19852059	-
FBgn0000273	Pka-C1	2L	9682315	9699297	-
FBgn0004611	Plc21C	2L	305935	355566	+
FBgn0025741	PlexA	4	1009895	1027101	-
FBgn0025740	PlexB	4	32478	43778	-
FBgn0062928	pncr009:3L	3L	19486746	19488439	-
FBgn0029903	pod1	X	6803684	6813830	+
FBgn0032884	Pomp	2L	20787656	20789098	+
FBgn0004363	porin	2L	10847227	10850848	-
FBgn0004103	Pp1-87B	3R	12423621	12425917	-
FBgn0046697	Ppr-Y	Y	1636574	1884846	+
FBgn0003139	PpV	X	6371065	6372915	-
FBgn0024734	PRL-1	2L	16245835	16257606	-
FBgn0014269	prod	2R	18969404	18971133	-
FBgn0026189	prominin-like	3L	3114450	3127724	-
FBgn0004595	pros	3R	11328480	11407627	+
FBgn0261394	Prosalpha3	2R	20994900	20996118	+
FBgn0250843	Prosalpha6	2L	10221351	10222546	+
FBgn0010590	Prosbeta1	2R	16013805	16014787	-
FBgn0004370	Ptp10D	X	11622015	11677338	+
FBgn0004369	Ptp99A	3R	29377646	29487131	+
FBgn0032006	Pvr	2L	8220980	8239878	-
FBgn0003174	pwn	2R	7282572	7300806	+
FBgn0003175	px	2R	22494297	22562065	-
FBgn0034918	Pym	2R	23855954	23856936	-
FBgn0259785	pzg	3L	21286099	21290310	+
FBgn0267430	Pzl	3R	2554162	3263582	-
FBgn0263974	qin	3R	18591027	18650137	+
FBgn0003189	r	X	16655359	16668712	+
FBgn0003257	r-l	3R	21070557	21073319	-
FBgn0031090	Rab35	X	20155766	20159872	-
FBgn0035255	RabX5	3L	1668901	1670108	-
FBgn0020618	Rack1	2L	7825347	7827315	-
FBgn0026777	Rad23	4	308093	310822	+
FBgn0015286	Rala	X	3704610	3719635	-
FBgn0020255	Ran	X	11144852	11148716	-
FBgn0003204	ras	X	10744502	10749097	+
FBgn0003206	Ras64B	3L	4139076	4141398	+
FBgn0262734	Rbp2	X	16448665	16454972	+
FBgn0261064	Rbsn-5	2L	8159832	8161800	+
FBgn0261549	rdgA	X	8907068	9029476	+
FBgn0027872	rdgBbeta	2R	17695776	17698362	-
FBgn0243486	rdo	2L	18012380	18070246	+
FBgn0031814	retm	2L	6448464	6455929	-
FBgn0004795	retn	2R	23632610	23654820	+
FBgn0087002	Rfabg	4	1060969	1077273	+
FBgn0021906	RFeSP	2L	1612429	1614160	-
FBgn0266098	rg	X	5085759	5254864	+
FBgn0267792	rgr	2R	8600415	8612295	+
FBgn0041191	Rheb	3R	5568921	5570491	+
FBgn0014020	Rho1	2R	16102687	16107229	+
FBgn0261461	RhoGAP18B	X	19136107	19167082	-
FBgn0031118	RhoGAP19D	X	20469955	20510694	-
FBgn0038853	RhoGAP93B	3R	21083043	21097827	-
FBgn0026375	RhoGAPp190	X	17639147	17652562	-
FBgn0083940	RhoU	X	10086527	10148876	+
FBgn0032189	Ripalpha	2L	10199401	10200974	-
FBgn0003256	rl	2R	1071462	1125927	+
FBgn0262116	RNASEK	2R	4186835	4188127	-
FBgn0035106	rno	3L	187207	199762	-
FBgn0014024	Rnp4F	X	5318928	5322696	-
FBgn0026181	Rok	X	16624012	16637414	-
FBgn0004574	Rop	3L	4136359	4138996	-
FBgn0003275	RpII18	3R	5371795	5372397	+
FBgn0024733	RpL10	3L	23093190	23095471	-
FBgn0013325	RpL11	2R	19442342	19443825	+
FBgn0037351	RpL13A	3R	5624474	5625947	+
FBgn0017579	RpL14	3L	8601006	8602392	+
FBgn0028697	RpL15	3L	27267255	27268445	+
FBgn0029897	RpL17	X	6741537	6744238	-
FBgn0002607	RpL19	2R	24967877	24969547	-
FBgn0032987	RpL21	2L	22247111	22247875	-
FBgn0015288	RpL22	X	762560	765130	-
FBgn0010078	RpL23	2R	22854383	22855694	+
FBgn0026372	RpL23A	3L	1667192	1668654	-

FBgn0261606	RpL27A	2L	4457186	4458364	-
FBgn0035422	RpL28	3L	3220911	3222960	-
FBgn0016726	RpL29	2R	21293768	21294404	+
FBgn0020910	RpL3	3R	11221894	11225173	+
FBgn0086710	RpL30	2L	19008031	19009306	-
FBgn0025286	RpL31	2R	9587193	9587989	+
FBgn0002626	RpL32	3R	30045229	30046161	-
FBgn0037686	RpL34b	3R	9400237	9401226	-
FBgn0031980	RpL36A	2L	8041873	8042909	-
FBgn0030616	RpL37a	X	15137870	15139367	-
FBgn0261608	RpL37A	2L	5070957	5072055	+
FBgn0040007	RpL38	2R	4515388	4516458	-
FBgn0066084	RpL41	2R	24903416	24903935	-
FBgn0064225	RpL5	2L	22532279	22536884	-
FBgn0005593	RpL7	2L	10201004	10202321	+
FBgn0014026	RpL7A	X	6530897	6533348	-
FBgn0261602	RpL8	3L	2587456	2588883	+
FBgn0000100	RpLP0	3L	22075867	22077487	+
FBgn0003274	RpLP2	2R	16586129	16586732	+
FBgn0028695	Rpn1	3L	19915051	19918160	+
FBgn0015283	Rpn10	3L	21537000	21538582	+
FBgn0028689	Rpn6	2R	14750166	14752910	-
FBgn0028691	Rpn9	3R	23731375	23733462	-
FBgn0066304	Rpp20	X	19744431	19745898	+
FBgn0004403	RpS14a	X	7933742	7934677	+
FBgn0010198	RpS15Aa	X	13335637	13337705	-
FBgn0034743	RpS16	2R	22605745	22607995	+
FBgn0005533	RpS17	3L	9428795	9429821	-
FBgn0010412	RpS19a	X	16637894	16639249	+
FBgn0015521	RpS21	2L	2856070	2857029	+
FBgn0086472	RpS25	3R	11215028	11216287	-
FBgn0003942	RpS27A	2L	10408352	10410456	+
FBgn0030136	RpS28b	X	9554623	9555661	+
FBgn0261599	RpS29	3R	9778042	9779528	+
FBgn0038834	RpS30	3R	20850516	20851427	+
FBgn0017545	RpS3A	4	65225	67207	-
FBgn0011284	RpS4	3L	13041756	13044234	+
FBgn0002590	RpS5a	X	17143588	17148264	-
FBgn0039757	RpS7	3R	30206447	30209020	-
FBgn0028685	Rpt4	X	6289470	6291245	-
FBgn0034065	Rrp42	2R	16014908	16016050	+
FBgn0053113	Rtnl1	2L	4992808	5009720	-
FBgn0261277	rtv	X	11152484	11153990	-
FBgn0003301	rut	X	14787478	14826073	-
FBgn0003302	rux	X	6035753	6037800	-
FBgn0034763	RYBP	2R	22670587	22673212	+
FBgn0003310	S	2L	1049674	1077815	-
FBgn0000416	Sap-r	3R	30883464	30889062	-
FBgn0038947	Sar1	3R	22356685	22360711	+
FBgn0016754	sba	3R	23894174	23922973	-
FBgn0040918	schlank	X	6257668	6267228	-
FBgn0020908	Scp1	2R	2932595	2968052	-
FBgn0263289	scrib	3R	26536350	26604051	+
FBgn0010638	Sec61beta	2R	14618771	14619681	+
FBgn0031049	Sec61gamma	X	19643327	19644518	+
FBgn0011259	Sema-1a	2L	8542147	8672041	+
FBgn0011260	Sema-2a	2R	16500178	16533459	+
FBgn0003360	sesB	X	10780893	10786958	-
FBgn0030486	Set2	X	13413242	13421024	+
FBgn0050390	Sgf29	2R	21292239	21293646	-
FBgn0003371	sgg	X	2633952	2679553	+
FBgn0265101	Sgt1	3R	8304190	8305274	-
FBgn0085395	Shawl	2L	9370309	9415156	-
FBgn0003391	shg	2R	21049654	21057197	-
FBgn0003392	shi	X	15892116	15906716	+
FBgn0013733	shot	2R	13864237	13942110	-
FBgn0037802	Sirt6	3R	10255349	10261849	-
FBgn0026179	siz	3L	21034535	21075444	+
FBgn0037643	skap	3R	8938724	8943027	+
FBgn0025637	SkpA	X	656114	657899	+
FBgn0016984	sktl	2R	20827282	20836028	-
FBgn0032901	sky	2L	20871335	20918931	-
FBgn0040011	Slmap	2L	22579072	22585843	+
FBgn0086906	sls	3L	2039681	2115611	-
FBgn0023167	SmD3	2R	12168731	12170003	+
FBgn0016070	smg	3L	8990317	8997989	-
FBgn0264922	smt3	2L	6966780	6967644	-

FBgn0011288	Snap25	3L	24074180	24299205	+
FBgn0003449	snf	X	5309242	5310501	+
FBgn0264357	SNF4Agamma	3R	21140739	21214269	+
FBgn0265630	sno	X	13195499	13211674	-
FBgn0016978	snRNP-U1-70K	2L	6968711	6971737	-
FBgn0038065	Snx3	3R	12628031	12630495	+
FBgn0030869	Socs16D	X	17820764	17827564	-
FBgn0041184	Socs36E	2L	18138675	18152417	-
FBgn0001965	Sos	2L	13813816	13819824	+
FBgn0086683	Spf45	2L	23066874	23068386	-
FBgn0264324	spg	3R	28845270	28870439	+
FBgn0086676	spin	2R	16124981	16138238	+
FBgn0010905	Spn	3L	2505245	2554292	-
FBgn0052451	SPoCk	3L	22749444	22787631	+
FBgn0263987	spoon	X	5412386	5420867	-
FBgn0029768	SPR	X	5446656	5494012	+
FBgn0085443	spri	X	10490069	10585422	-
FBgn0036374	Spt20	3L	13502707	13511541	+
FBgn0259678	sqa	2R	9716348	9748121	-
FBgn0267347	squ	2L	16680054	16681653	+
FBgn0038320	Sra-1	3R	15333266	15338365	+
FBgn0036340	SRm160	3L	13036821	13040976	+
FBgn0038808	Srp14	3R	20580115	20580764	+
FBgn0010747	Srp54k	3L	5152678	5154777	+
FBgn0003512	Sry-delta	3R	30043341	30044886	+
FBgn0003517	sta	X	1481797	1483413	-
FBgn0044817	Ste12DOR	X	14000210	14000889	+
FBgn0086779	step	2L	21740041	21757466	-
FBgn0259817	SteXh:CG42398	2.11E+14	1449	2180	+
FBgn0003557	Su(dx)	2L	2037714	2044372	+
FBgn0003638	su(w[a])	X	1012779	1046040	+
FBgn0264270	Sxl	X	7074550	7098053	-
FBgn0024187	syd	3L	7916650	7936120	-
FBgn0039212	Syx18	3R	24623802	24625562	-
FBgn0013343	Syx1A	3R	24101600	24105763	-
FBgn0004359	T48	3R	26881734	26910997	+
FBgn0010355	Taf1	3R	6646889	6656048	+
FBgn0037792	TAF1B	3R	10140103	10144184	-
FBgn0024909	Taf7	3R	7907333	7909721	+
FBgn0086674	Tango13	X	13563823	13593224	+
FBgn0052675	Tango5	X	10760048	10764413	-
FBgn0037766	Teh1	3R	9826081	9868120	-
FBgn0023479	Tequila	3L	9074643	9092131	+
FBgn0261014	TER94	2R	9989159	9993559	+
FBgn0263392	Tet	3L	2786207	2879158	-
FBgn0011289	TfIIA-L	3R	27251112	27256463	+
FBgn0013347	TfIIA-S	3R	23890388	23891060	-
FBgn0015828	TfIIEalpha	3L	11682038	11683805	+
FBgn0010422	TfIIS	2L	15058919	15060757	-
FBgn0031975	Tg	2L	8011405	8026898	+
FBgn0036373	Tgi	3L	13486797	13502492	+
FBgn0032988	Tif-IA	2L	22249876	22258260	+
FBgn0038118	timeout	3R	13088651	13163876	+
FBgn0003714	tko	X	2442313	2443976	-
FBgn0086899	Tlk	X	3720007	3789770	+
FBgn0015600	toc	2L	3068345	3144786	-
FBgn0004885	tok	3R	24719697	24749125	+
FBgn0004924	Top1	X	15319479	15328029	+
FBgn0037751	topi	3R	9775121	9777943	+
FBgn0032586	Tpr2	2L	16491540	16507621	+
FBgn0040340	TRAM	X	935232	937822	+
FBgn0037734	trbd	3R	9705996	9711037	-
FBgn0003744	trc	3L	19830864	19834304	-
FBgn0039668	Trc8	3R	29499025	29503797	-
FBgn0030049	Trf4-1	X	8560322	8570159	+
FBgn0003862	trx	3R	14263358	14286903	-
FBgn0029506	Tsp42Ee	2R	7012254	7018362	+
FBgn0027865	Tsp96F	3R	25872900	25881427	-
FBgn0011726	tsr	2R	24044453	24046805	-
FBgn0034046	tun	2R	15794000	15855645	+
FBgn0003896	tup	2L	18859507	18881261	-
FBgn0029128	tyn	X	142208	200663	+
FBgn0023143	Uba1	2R	9688289	9693328	-
FBgn0004436	Ubc6	3R	4948755	4952682	-
FBgn0029996	UbcE2H	X	8087544	8094064	-
FBgn0262124	uex	2R	3900285	3949425	-
FBgn0036136	Ufd1-like	3L	11121966	11123216	-

FBgn0031879	uif	2L	6972828	7010359	-
FBgn0025549	unc-119	X	7288367	7291298	-
FBgn0040395	Unc-76	X	2080610	2093948	+
FBgn0004395	unk	3R	23149653	23157862	-
FBgn0036398	upSET	3L	14002127	14020148	+
FBgn0260008	UQCR-11	3L	25120709	25126171	+
FBgn0036728	UQCR-Q	3L	17474761	17476124	+
FBgn0003963	ush	2L	476220	540560	+
FBgn0028476	Usp1	3R	29229161	29235302	+
FBgn0039025	Usp12-46	3R	22750901	22776374	+
FBgn0032216	Usp14	2L	10312265	10314396	-
FBgn0050421	Usp15-31	2R	24743749	24756976	+
FBgn0031187	Usp2	X	22455803	22470146	+
FBgn0030366	Usp7	X	12022837	12029032	-
FBgn0003969	vap	X	15999951	16005812	-
FBgn0262736	Vha16-1	2R	6625242	6633090	-
FBgn0015324	Vha26	3R	5591763	5595356	+
FBgn0005671	Vha55	3R	12623762	12627829	-
FBgn0039058	VhaAC39-2	3R	23158017	23159316	-
FBgn0028662	VhaPPA1-1	3R	14902330	14904061	-
FBgn0024183	vig	2L	15062931	15070316	-
FBgn0259978	vlc	2R	5702112	5705439	+
FBgn0003984	vn	3L	5813338	5845664	-
FBgn0052350	Vps11	3L	23147656	23150499	-
FBgn0034744	Vps20	2R	22608310	22609419	+
FBgn0243516	Vrp1	2R	22106107	22122562	-
FBgn0260987	vtd	3L	27136525	27157999	+
FBgn0267449	WDY	Y	2273422	2487777	+
FBgn0011737	Wee1	2L	6911090	6914138	-
FBgn0034876	wmd	2R	23544823	23548151	-
FBgn0031902	Wnt6	2L	7333714	7352542	+
FBgn0052677	X11Lbeta	X	10627737	10710947	+
FBgn0028554	x16	2L	6914301	6920210	-
FBgn0029906	xit	X	6821016	6822840	+
FBgn0004832	Xpac	X	4102955	4104197	-
FBgn0038150	yellow-e3	3R	13403423	13404870	-
FBgn0267398	Yeti	2R	1343403	1345119	-
FBgn0022959	yps	3L	12121274	12125150	-
FBgn0004049	yrt	3R	13428867	13434984	-
FBgn0265434	zip	2R	24990570	25011965	-
FBgn0039902	Zip102B	4	310930	314087	-
FBgn0039714	Zip99C	3R	29863701	29868895	-
FBgn0260486	Ziz	2L	7472513	7496307	-
FBgn0037000	ZnT77C	3L	20484293	20494921	-
FBgn0024177	zpg	3L	6604366	6606032	-
FBgn0011642	Zyx	4	1057365	1065001	-

Table S7: Validation of ChIP-seq experiments by RT-QPCR.

AE: amplification efficiency. Cq of the Input were adjusted taking dilution into account.

Results were normalized in comparison to the Input.

		AE
RPL7	TSS	2.00
	Gene body	2.00
RPL5	TSS	1.9560
	Gene body	1.9810
Rack1	TSS	2.0389
	Gene body	1.9886
CycG	TSS	2.0122
	Gene body	2.0277

			Cq mean			% Input				
	ChIP	Amplicon	replicate 1	replicate 2	replicate 3	replicate 1	replicate 2	replicate 3	mean % Input	CV % Input
RPL7	a-Myc	TSS	25.51	25.36	28.57	6.94	5.94	1.10	4.66	0.67
		Gene body	29.41	26.55	30.31	0.52	3.74	0.32	1.53	1.26
	mock	TSS	35.32	34.88	33.84	0.01	0.01	0.03	0.01	0.80
		Gene body	37.91	35.74	32.90	0.00	0.01	0.05	0.02	1.41
	INPUT	TSS	21.65	21.28	22.05					
		Gene body	21.83	21.82	22.07					
RPL5	a-Myc	TSS	27.36	24.52	26.95	4.75	15.16	12.66	10.86	0.50
		Gene body	31.00	30.04	28.05	0.34	0.29	1.56	0.73	0.98
	mock	TSS	36.36	35.79	36.60	0.01	0.02	0.02	0.02	0.26
		Gene body	34.54	36.33	35.30	0.03	0.01	0.01	0.02	0.71
	INPUT	TSS	22.82	21.71	23.87					
		Gene body	22.70	21.48	21.96					
Rack1	a-Myc	TSS	24.20	25.00	29.11	5.39	3.05	0.16	2.86	1.09
		Gene body	25.76	27.31	31.07	2.55	0.88	0.07	1.16	0.92
	mock	TSS	28.72	30.88	33.85	0.22	0.05	0.01	0.09	0.80
		Gene body	30.00	33.06	38.62	0.14	0.02	0.00	0.05	0.69
	INPUT	TSS	20.10	19.63	23.61					
		Gene body	20.42	20.52	22.61					
CycG	a-Myc	TSS	30.15	28.71	30.84	0.64	13.71	5.50	6.61	1.00
		Gene body	29.23	24.96	34.85	0.34	4.16	0.01	1.50	1.53
	mock	TSS	32.38	32.74	37.27	0.13	0.82	0.06	0.34	1.24
		Gene body	32.77	29.21	35.67	0.03	0.21	0.01	0.08	1.36
	INPUT	TSS	22.92	25.87	26.69					
		Gene body	21.20	20.46	22.10					

Table S8: List of the 62 genes deregulated in *da-Gal4, UAS-CycGΔP/+* wing imaginal discs and bound by Cyclin G at the TSS.

Gene ID	Gene	Coordinates	Fold change
FBgn0040658	*CG13516*	2R:22,669,145-22,670,622	0.45461
FBgn0038150	*yellow-e3*	3R:13,403,423-13,404,870	0.49374
FBgn0050428	*CG30428*	2R:25,251,927-25,254,535	0.59934
FBgn0263911	*COX8*	3L:21,538,859-21,539,447	0.60255
FBgn0035032	*ATPsynF*	2R:24,599,088-24,599,821	0.61090
FBgn0034877	*levy*	2R:23,548,239-23,548,982	0.63459
FBgn0036728	*UQCR-Q*	3L:17,474,761-17,476,124	0.63510
FBgn0086675	*fne*	X:12,917,477-12,950,417	0.65489
FBgn0083167	*Neb-cGP*	X:10,460,736-10,461,878	0.70284
FBgn0040660	*CG13551*	2R:23,377,866-23,383,424	0.71449
FBgn0037024	*CG4365*	3L:20,798,645-20,800,081	0.72118
FBgn0034046	*tun*	2R:15,794,000-15,855,645	0.72857
FBgn0032884	*Pomp*	2L:20,787,656-20,789,098	0.73631
FBgn0032781	*CG9987*	2L:19,430,643-19,432,444	0.75731
FBgn0031066	*COX6B*	X:19,740,537-19,744,335	0.76360
FBgn0010226	*GstS1*	2R:17,093,246-17,099,501	0.78064
FBgn0014869	*Pglym78*	3R:29,148,248-29,149,901	0.78130
FBgn0003884	*α-Tubulin at 84B*	3R:7,086,599-7,088,839	0.79238
FBgn0033179	*p47*	2R:7,465,018-7,466,759	0.79458
FBgn0010590	*Proteasome β1 subunit*	2R:16,013,805-16,014,787	0.81354
FBgn0036842	*CG3797*	3L:19,059,400-19,062,816	0.82732
FBgn0040309	*Jafrac1*	X:13,329,824-13,331,994	0.84071
FBgn0260795	*NaPi-III*	3L:11,123,348-11,134,663	0.86608
FBgn0030616	*RpL37a*	X:15,137,870-15,139,367	1.15845
FBgn0052699	*LPCAT*	X:9,571,537-9,579,987	1.16788
FBgn0024245	*dnt*	2L:19,338,669-19,363,227	1.17348
FBgn0020618	*Rack1*	2L:7,825,347-7,827,315	1.17770
FBgn0005533	*RpS17*	3L:9,428,795-9,429,821	1.17829
FBgn0051363	*Jupiter*	3R:11,590,386-11,619,906	1.19014
FBgn0013325	*Rpl11*	2R:19,442,342-19,443,825	1.19740
FBgn0263780	*CG17684*	2R:1,866,080-2,262,115	1.19822
FBgn0027598	*cindr*	3R:30,808,617-30,827,005	1.20242
FBgn0261606	*RpL27A*	2L:4,457,186-4,458,364	1.20657
FBgn0032006	*Pvr*	2L:8,220,980-8,239,878	1.21189
FBgn0017579	*RpL14*	3L:8,601,006-8,602,392	1.21528
FBgn0014026	*RpL7A*	X:6,530,897-6,533,348	1.22384
FBgn0261599	*RpS29*	3R:9,778,042-9,779,528	1.23116
FBgn0053217	*CG33217*	3L:23,126,025-23,132,209	1.24102
FBgn0031980	*RpL36A*	2L:8,041,873-8,042,909	1.25680
FBgn0011284	*RpS4*	3L:13,041,756-13,044,234	1.28572
FBgn0032987	*RpL21*	2L:22,247,111-22,247,875	1.28773

FBgn0260798	*Gprk1*	2R:4,322,295-4,471,060	1.29892
FBgn0085384	*CG34355*	3R:23,803,859-23,859,167	1.30261
FBgn0260486	*Ziz*	2L:7,472,513-7,496,307	1.30393
FBgn0037000	*ZnT77C*	3L:20,484,293-20,494,921	1.34194
FBgn0025366	*Ip259*	2L:10,408,352-10,409,610	1.35186
FBgn0005593	*RpL7*	2L:10,201,004-10,202,321	1.35897
FBgn0000556	*EF1α48D*	2R:11,891,135-11,895,762	1.36037
FBgn0034967	*eiF-5a*	2R:24,057,798-24,059,483	1.37526
FBgn0052365	*CG32365*	3L:7,869,042-7,894,814	1.39938
FBgn0053653	*Cadps*	4:1,230,837-1,271,759	1.40905
FBgn0001942	*eIF-4a*	2L:5,981,764-5,985,909	1.42770
FBgn0028697	*RpL15*	3L:27,267,255-27,268,445	1.44360
FBgn0017545	*RpS3A*	4:65,225-67,207	1.45457
FBgn0064225	*RpL5*	2L:22,532,279-22,536,884	1.47580
FBgn0264562	*Hr4*	X:1,941,940-2,007,956	1.47882
FBgn0029821	*CG4020*	X:5,905,746-5,908,001	1.52709
FBgn0031975	*Tg*	2L:8,011,405-8,026,898	1.57445
FBgn0250816	*AGO3*	3L:23,554,593-23,689,640	1.61253
FBgn0004865	*Eip78C*	3L:21,226,609-21,266,503	1.61862
FBgn0032138	*CG4364*	2L:9,708,921-9,711,271	1.83522
FBgn0011288	*Snap25*	3L:24,074,180-24,299,205	2.31191

Table S9: Comparison of fragments bound by Cyclin G with fragments bound by ASX, Calypso, PC, PH, PSC, RNAPolII or enriched in H3K27me3 in 3rd instar wing imaginal discs.

ChIP	Observed overlaps between enriched regions (25 nt fragments)	Expected overlaps under the null hypothesis (25 nt fragments)	Minimal expected overlap for 95% confidence interval	Maximal expected overlap for 95% confidence interval	Sd	Fold enrichment	log2Fold enrichment	p-value
ASX	65109	12958	8368	18156	2978.04	5.0242	2.3289	1.00E-005
Calypso	12237	9690	5619	14506	2711.36	1.2628	0.3366	1.69E-001
PC	194860	127465	111782	143702	9707.22	1.5287	0.6123	1.00E-005
PH	203746	140394	124553	156860	9807.03	1.4512	0.5373	1.00E-005
PSC	95129	75494	62889	89085	7959.99	1.2601	0.3335	9.99E-003
RNAPolII	161849	82710	70297	95804	7772.29	1.9568	0.9685	1.00E-005
H3K27me3	6623	87315	72570	103081	9320.89	0.0759	-3.7205	1.00E-005

Table S10: Primers used in this study. Coordinates on the *Drosophila* genome (dm6, r6.13)

Cloning primers		Oligonucleotides coordinates	
attB-NsiI-F	5'-GCAATGCATCGTCGACGATGT-3'		
attB-NsiI-R	5'-AATATGCATGTCGACATGCC-3		
CycGn-F	5'-CACCTCTGTCCCTGTACGCTACTCC-3'	3R: 31,602,187 - 31,602,207	
CycGn-R	5'-CTAACATTGTTCGAAAATGGAATTATGGG-3'	3R: 31,599,273 - 31,599,302	
CycG541-R	5'-CTATCTAGAACGCAGGCCATCGTCG-3'	3R: 31,600,389 - 31,600,409	
CycG130-F	5'-CACCGCCGCTGCTGCCGCATCC-3'	3R: 31,601,822 - 31,601,803	
RT-qPCR primers		Oligonucleotides coordinates	
CycG-3'UTR-F	5'-GACAGCCAGCAGCAGTAGAGC-3'	3R:31,597,244 - 31,601,264	
CycG-3'UTR-R	5'-CTACTACACTCGCACGCGGAAC-3'	3R:31,597,049 - 31,601,070	
Lam-F	5'-GCCGCACGCACATCCAATTCC-3'	2L: 5,544,475 - 5,544,495	
Lam-R	5'-CTATCTCTTGACCGTGGCGTTC-3'	2L: 5,544,658 - 5,544,637	
Rin-F	5'-CGCTCAGTCGCCGAAGAAGTAC-3'	3R: 13,649,407 - 13,649,428	
Rin-R	5'-GCAACTACATCGCCGGCCACC-3'	3R: 13,649,580 - 13,649,560	
RPL15-F	5'-CCGACCGAGAAGAAGACAGGG-3'	2L: 22,532,913 - 22,532,893	
RPL15-R	5'-CTCACTACAACGATGGCAAGGC-3'	2L: 22,532,787 - 22,532,808	
RPL7-F	5'-CCGCGAGGACCAGATCAACCG-3'	2L: 10,202,016 - 10,202,036	
RPL7-R	5'-GACTAAATCAGCGAATCGAAGCG-3'	2L: 10,202,203 - 10,202,181	
Rack1-F	5'-CCCTGTGCTTCTCGCCCAACC-3'	2L: 7,825,942 - 7,825,922	
Rack1-R	5'-GGAGTAGCCGGCGAACAGAGTC-3'	2L: 7,825,746 - 7,825,767	
ChIP-qPCR primers		Oligonucleotides coordinates	Position of the amplicon with respect to the TSS
CycG-TSS-F	5'-TAGTTAACAGAGAGAATCG-3'	3R: 31,609,967 - 31,609,949	-7516 to -7739 *CycG* isoform F
CycG-TSS-R	5'-CTATTTTCTATTCCTAAGC-3'	3R: 31,609,726 - 31,609,744	
CycG-gene body-F	5'-CTGCCGCGGGTGTACGACTC-3'	3R:31,598,729 - 31,602,748	+10240 to +10408 *CycG* isoform A
CycG-gene body-R	5'-CTACGCCCTCTTCCGCAACTTG-3'	3R:31,598,917 - 31,602,938	
RPL5-TSS-F	5'-AGCGTCAAAGGCACAGCACAAC-3'	2L: 22,536,739 - 22,536,760	-200 to -369 *RPL5* isoform G
RPL5-TSS-R	5'-ATCGTTCATACCGTTCACATCGC-3'	2L: 22,536,930 - 22,536,908	
RPL5-gene body-F	5'-CCGACCGAGAAGAAGACAGGG-3'	2L:22,529,961 - 22,535,844	+3738 to +3855 *RPL5* isoform A
RPL5-gene body-R	5'-CTCACTACAACGATGGCAAGGC-3'	2L:22,530,787 - 22,534,808	
RPL7-TSS-F	5'-TGCTGTTGCTCTGCTAGTGGTG-3'	2L: 10,200,938 - 10,200,959	-85 to -271 *RPL7* isoform B
RPL7-TSS-R	5'-TTACTAGTCACTGCACACGCTGG-3'	2L: 10,201,145 - 10,201,123	
RPL7-gene body-F	5'-CCGCGAGGACCAGATCAACCG-3'	2L: 10,202,016 - 10,202,036	+1011 to +1196 *RPL7* isoform A
RPL7-gene body-R	5'-GACTAAATCAGCGAATCGAAGCG-3'	2L: 10,202,203 - 10,202,181	
Rack1-TSS-F	5'-AAACACGTCCAAAGGCGCTGC-3'	2L: 7,825,205 - 7,829,225	-36 to -188 *Rack1* isoform B
Rack1-TSS-R	5'-GTTTTTGATATTATTATTTGACGTTACA-3'	2L: 7,827,384 - 7,827,357	
Rack1-gene body-F	5'-CCCTGTGCTTCTCGCCCAACC-3'	2L: 7,825,942 - 7,825,922	+1310 to +1482 *Rack1* isoform A
Rack1-gene body-R	5'-GGAGTAGCCGGCGAACAGAGTC-3'	2L: 7,825,746 - 7,825,767	

Table S11: RNA-seq of wing imaginal discs.

Sample name	Genotype	Total reads	Filtered reads	Aligned reads	Unmap reads	Reads with multiple alignment	Reads with unique alignments	Reads used for analysis
339	*UAS-CycG^{ΔP}, da-Gal4/+*	3.12E+07	2.90E+07	3.21E+07	2.32E+06	6.15E+06	2.37E+07	2.30E+07
340	*UAS-CycG^{ΔP}, da-Gal4/+*	3.61E+07	3.37E+07	4.53E+07	2.12E+06	2.32E+07	2.00E+07	1.93E+07
341	*UAS-CycG^{ΔP}, da-Gal4/+*	3.76E+07	3.40E+07	4.08E+07	2.53E+06	1.35E+07	2.47E+07	2.40E+07
342	*da-Gal4/+*	4.18E+07	3.76E+07	4.52E+07	3.21E+06	1.54E+07	2.67E+07	2.58E+07
343	*da-Gal4/+*	4.52E+07	4.09E+07	4.34E+07	3.48E+06	5.14E+06	3.48E+07	3.40E+07
344	*da-Gal4/+*	3.68E+07	3.40E+07	4.12E+07	2.50E+06	1.45E+07	2.43E+07	2.35E+07

Table S12: ChIP-seq of wing imaginal discs.

Sample name	Genotype	Total reads	Discarded reads	Output reads	Unmap reads	Reads with multiple alignment	Reads with unique alignments	Reads used for analysis
Input 1	*UAS-CycG^{ΔP}/+ ; +/da-Gal4*	7.40E+07	1.22E+07	6.19E+07	6.75E+05	1.88E+07	4.23E+07	4.23E+07
Input 2	*UAS-CycG^{ΔP}/+ ; +/da-Gal4*	6.06E+07	9.57E+06	5.10E+07	5.49E+05	1.55E+07	3.50E+07	3.50E+07
ChIP 1	*UAS-CycG^{ΔP}/+ ; +/da-Gal4*	3.89E+07	5.53E+06	3.33E+07	5.22E+05	9.88E+06	2.29E+07	2.29E+07
ChIP2	*UAS-CycG^{ΔP}/+ ; +/da-Gal4*	4.88E+07	7.08E+06	4.17E+07	5.49E+05	1.55E+07	3.50E+07	3.50E+07