1 **Bringing plants and soils to life through a simple role-playing activity**
2

3 Michael E. Van Nuland[1]*, Miranda Chen[2], and Benjamin J. England[3]
4
[1] Department of Biology, Stanford University, Stanford, CA 94305
[2] University of Tennessee, Department of Ecology and Evolutionary Biology, Knoxville, TN,
37917
[3] University of Tennessee, Division of Biology, Knoxville, TN 37996

Abstract
Interactions are at the core of many ecological and evolutionary forces in nature. Plant-soil
interactions provide a rich example of the interconnectedness of living systems, but are hidden
from everyday view and overshadowed in the classroom by more popular teaching examples
involving animals, reptiles, or invertebrates. To highlight the importance and relevance of plant-
soil relationships, we devised a simple role-playing activity suitable for college students.
Specifically, the activity simulates how feedbacks between plants and soil environments
influence plant species abundance and community richness. With this activity, students will gain
a better understanding of these prolific, but overlooked, forms of biological interactions that
impact the diversity and functioning of ecosystems.

Keywords: diversity, feedbacks, fungi, interactions, plants, soils

Motivation

Biological interactions are a predominant way in which students learn about the ecological and evolutionary processes that influence biodiversity. However, most general biology textbooks primarily use animals, reptiles, or invertebrates as case studies to demonstrate the importance of interactions in nature (Uno, 1994; Schussler *et al.,* 2010; Link-Perez *et al.,* 2010). This contrasts with the fact that (1) plants are ubiquitous, and students encounter them regularly in their daily lives, and (2) most interactions that plants rely on happen belowground. Since it can be difficult to present plants (and especially soils) in exciting ways, many students unintentionally cultivate a fauna-centric viewpoint of the natural world (Wandersee & Schussler, 2001). To highlight the importance and relevance of plant-soil relationships, we devised a simple role-playing activity suitable for college students.

Context

Research on plant-soil interactions and their importance in ecology and evolution has blossomed in recent decades. Specifically, feedbacks occur when plants condition soil properties and, in return, are affected by the conditioned soils (Bever, 1994). Negative feedbacks reduce the performance of individuals of the same species relative to other species, resulting in negative frequency-dependent selection (Packer & Clay, 2000, Mangan *et al*., 2010). Positive feedbacks encourage conspecifics to thrive in their respective soils more than heterospecifics, leading to the monodominance of single species (e.g., invasive species). These reciprocal interactions can shape the non-random assembly of plant communities (Bever 1994; van der Putten 2013).

Purpose

The activity has two main purposes: (1) to engage students in a more active interpretation

and discussion of the interactions between plants and soils, and (2) to connect these interactions

to larger concepts of drivers of biodiversity and ecosystem function. This aligns with a core

concept in Biology (*sensu* AAAS, 2011): living systems are interconnected and interacting.

Plant-soil interactions provide a rich example of the interconnectedness of living systems, but are

hidden from everyday view and overshadowed by more popular teaching examples. By actively

role-playing plants and soils, students can see how these interactions operate in nature.

Activity description

The primary learning objective of this activity is for students **to recognize how plant-soil**

interactions alter patterns of plant community diversity. This activity simulates how plant-

soil feedbacks influence species abundance and richness over time. It is recommended that the

game first be played in **Negative Mode**. A **Positive Mode** variation is introduced at the end of

this description.

Negative Mode demonstrates how negative plant-soil feedbacks promote and maintain

diversity. When the same plant species and soil properties are matched, the plant dies.

Oppositely, plants survive when species and conditioned soils are mismatched. For example, if a

Spruce interacts with soil that has been previously conditioned by Spruce, that plant will die. But

if the soil has been conditioned by Pine, Ash, or Ailanthus species, the Spruce will survive.

The directions for setup are as follows:

(1) Split the class so that there are equal numbers of plant and soil players (Fig. 1a). Clear

enough space in the room so that plant and soil players can stand in two opposing

lines with no obstacles between the groups (Fig. 1b). Soil players each receive one

blank notecard and paperclip. Include a pile of paper cutouts of the different plant

species (3x the total amount of plant players for each species) to serve as the species

pool, as well as a separate discard pile for when plants die and are not returned to the

species pool.

(2) Each plant player randomly draws one species from the species pool and returns to

the line opposing soil players. Record the abundance of each plant species in the

community at this initial time point (T_0). These abundances are recorded on multiple

graphs (one graph for each time point; Fig. 2a). Note: the game can be purposefully

set at different levels of diversity at T_0.

After set-up, the gameplay begins:

(3) Plant players approach a random soil player to begin the conditioning phase that

determines how plants change the physical, chemical, and biotic components of their

soils based on traits related to their identity. For example, Ash leaves have lower

carbon (C) to nitrogen (N) ratios than Spruce needles, which affects the quality of

litter inputs to the soil and structures decomposer communities. To simulate

conditioning, plant players hand their species to soil players, and soil players

paperclip the species behind their soil card to hide the species that conditioned them.

(4) Plant players then randomly draw another species from the species pool, form a new

line opposing the now-conditioned soil players, and interact with a random soil

player. It is important that plant players do not know the conditioned status of soil

players before interacting with them (just as tree seedlings cannot preferentially

choose more hospitable soil locations in a forest). In this interaction, plants approach

90    soils and show their species identity; in response, soils reveal to the plants what

91     species they have been conditioned with. If they match, the plant dies.

92   (5) Plants that survive remain standing next to their respective soil player (no other plant

93     can interact with soils that have a surviving plant). Plants that die discard their species

94     in a separate pile (i.e., their genes do not get returned to the gene pool), before

95     randomly re-drawing species from the species pool to interact with the remaining

96     unmatched soil players. This gameplay continues until all plants are surviving and

97     matched with a soil player. At this point, pause the game to record diversity with

98     species' abundances (Fig. 1b).

99   (6) Once diversity has been recorded, plants re-condition soils with their current species

100     identity, making soil players clip the new species over their previous species before

101     the next round (repeating Step 3). Again, the new conditioned statuses of soils should

102     be hidden. Repeat steps 4-6 until you have measured diversity for multiple

103     generations (T_0–T_4, or longer).

105   **Positive Mode** is a variation of the game with rules to show how positive plant-soil

106 feedbacks are unstable and reduce diversity as one species becomes monodominant (e.g.,

107 invasion success through allelopathy). To play in Positive Mode, one plant species must be

108 designated to have positive soil interactions, while all other plant species continue playing in

109 Negative Mode. This designated species survives in all soil types conditioned by all species

110 (including its own), and no other plant species can survive in soils conditioned by the designated

111 species (Fig. 1b). For example, Ailanthus is an invasive tree species that produces toxic

112 chemicals that inhibit the growth of nearby plants (Heisey 1990). Therefore, if Ailanthus were

designated to have positive interactions, they would survive in any soil no matter what plant

species conditioned that soil. In addition, Pine, Spruce and Ash species would die if they interact

with Ailanthus-conditioned soil or their respective soils.

Assessment, feedback, and suggestions

For a follow-up activity, we asked students to relate the direction of plant-soil feedbacks

(positive or negative) to the abundance of specific plant species and total species richness (using

results from the primary literature; Packer & Clay, 2000, Bais *et al*., 2003, Klironomos, 2002,

Mangan *et al*., 2010, Bennett et al. 2017). Students successfully predicted that species with

negative feedbacks would be rarer in communities that could sustain a greater number of total

species, and that species with positive plant-soil interactions would be more abundant in less

diverse communities.

We also asked the following question before and after the activity: "What do plant-soil

feedbacks make you think of?". Responses that included the words "fungi" or "mycorrhizae"

increased 75%, and the word "diversity" appeared only in post-activity responses (7 out of 26

responses) (Fig. 2b). This suggests that students began to recognize how the nature of plant-soil

relationships relate to biodiversity patterns.

The activity takes ~30 minutes to complete and preceded a brief lecture and small group

work in an upper-level Ecology course (24 students, 18-25 years old). Depending on student

level and module topic, instructors using this activity could discuss a range of mechanisms, such

as soil nutrient depletion by the plant, mutualistic benefits from mycorrhizal fungi, or build-up of

soil-borne pathogens. Since plant-soil interactions have been explored in a variety of areas (van

der Putten et al. 2013), the activity can be uniquely paired with different biology topics. For

introductory students, shapes could be used in place of species to focus on the mechanics of

feedback loops in nature.

This activity may be most applicable for small class sizes (20-40 students). In larger

classes, this activity could be implemented as a demonstration with student volunteers or during

discussion/laboratory sections. We found it best to use paper cutouts and notecards to drive home

the role-playing aspects of the game. We have provided resources for teachers to print the

species used in the current example (https://github.com/mvannuland/Species_supplies), but the

activity is amenable to any suite of species (4-5 plant species is the appropriate number for a

small class). With an inexpensive, time-efficient, and engaging activity, we hope to enable

teachers to encourage student understanding of prolific, but overlooked, forms of biological

interactions that impact the diversity and functioning of ecosystems.

References

American Association for the Advancement of Science (AAAS). (2011). Vision and Change in

Undergraduate Biology Education: A Call to Action. *Washington, DC.*

Bais, H. P., Vepachedu, R., Gilroy, S., Callaway, R. M., & Vivanco J. M. (2003). Allelopathy

and exotic plant invasion: from molecules and genes to species interactions. *Science*, *301*,

1377-1380.

Bennett, J. A., Maherali, H., Reinhart, K. O., Lekberg, Y., Hart, M. M., & Klironomos, J. (2017).

Plant-soil feedbacks and mycorrhizal type influence temperate forest population

dynamics. *Science*, *355*, 181-184.

Bever, J. D. (1994). Feedback between plants and their soil communities in an old field

community. *Ecology*, *75*, 1965-1977.

Heisey, R. M. (1990). Evidence for allelopathy by tree-of-heaven *(Ailanthus altissima)*. *Journal*

of Chemical Ecology, *16*, 2039-2055.

Klironomos, J. K. (2002). Feedback with soil biota contributes to plant rarity and invasiveness in

communities. *Nature, 417*, 67-70.

Link-Pérez, M. A., Dollo, V. H., Weber, K. M., & Schussler, E. E. (2010). What's in a Name:

Differential labelling of plant and animal photographs in two nationally syndicated

elementary science textbook series. *International Journal of Science Education*, *32*,

1227-1242.

Mangan, S. A., Schnitzer, S. A., Herre, E. A., Mack, K. M. L., Valencia, M. C., Sanchez, E. I. &

Bever, J. D. (2010). Negative plant-soil feedback predicts tree-species relative abundance

in a tropical forest. *Nature*, *466*, 752-755.

Packer, A. & Clay, K. (2000). Soil pathogens and spatial patterns of seedling mortality in a

temperate tree. *Nature*, *404*, 278-281.

Schussler, E. E., Link-Pérez, M. A., Weber, K. M., & Dollo, V. H. (2010) Exploring plant and

animal content in elementary science textbooks. *Journal of Biological Education*, *44*,

123-128.

Uno, G. E. (1994). The state of precollege botanical education. *The American Biology*

Teacher, *56*, 263-267.

van der Putten, W. H., Bardgett, R. D., Bever, J. D., Bezemer, T. M., Casper, B. B., Fukami, T.,

et al. (2013). Plant-soil feedbacks: the past, the present and future challenges. *Journal of*

Ecology, *101*, 265-276.

Wandersee, J. H. & Schussler, E. E. (2001). Toward a theory of plant blindness. *Plant Science*

Bulletin, *47*, 2-9.

181
Figure 1. How to perform the activity. (**A**) The flow diagram outlines the general approach to
the activity. The game is based on many random 1-on-1 interactions between plant and soil
players. (**B**) The outcome of plant-soil interactions depend on the mode and identities of both
plant and soil players. Plants that live remain matched with their soils (players stand next to one
another; grey arrows). Plants that die discard their species, draw a new species from the species
pool, and interact with any unmatched soil. In negative mode, plants die when they interact with
soils conditioned by the same species (i.e., survival occurs when plants and soils are
mismatched). In positive mode, select one plant species that will have positive interactions (e.g.,
Ailanthus species marked with asteriks). This species survives in all soil types, and no other
species can survive in Ailanthus-conditioned soil. Plant species' abundances are recorded once
all plants are living to show how the species' abundance and community richness is shaped by
plant-soil interactions.

194
Figure 2. Evidence that the activity is successful and effective. (**A**) Modeling plant-soil
interactions with the role-playing activity successfully depicted how negative interactions
promote community diversity and stability, while positive interactions decrease diversity and
disrupt communities. In negative mode, we purposefully set the plant community to have lower
diversity (3 species) than the total number of species in the species pool (4 species). After one
generation (T_0-T_1), students could see how negative plant-soil interactions increased plant
diversity with the addition of Ailanthus into the community. In positive mode, plant community
diversity abruptly declined as Ailanthus (an invasive tree species denoted with the asterisk)
began conditioning a greater number of soil players that allowed them to persist and inhibited the
survival of other species. Results are from a class of 24 undergraduates in an advanced ecology
course (diversity was recorded on a whiteboard with the whole class at each time step and broad
patterns were discussed when the activity ended). (**B**) Student responses when asked "What do
plant-soil feedbacks make you think of?" pre- and post-activity and discussion. Word sizes
reflect their total prevalence in the class responses. Overall, these responses show that the
activity improved their understanding of how plant-soil interactions relate to patterns of
biodiversity.