A scientometric overview of CORD-19

Giovanni Colavizza*.[1], Rodrigo Costas[2], Vincent A. Traag[2],
Nees Jan van Eck[2], Thed van Leeuwen[2], and Ludo Waltman[2]

[1]*University of Amsterdam*
[2]*Centre for Science and Technology Studies (CWTS), Leiden University*

July 28, 2020

Abstract

As the COVID-19 pandemic unfolds, researchers from all disciplines are coming together and contributing their expertise. CORD-19, a dataset of COVID-19 and coronavirus publications, has recently been made available alongside calls to help mine the information it contains and to create tools to search it more effectively. We analyse the delineation of the publications included in CORD-19 from a scientometric perspective. Based on a comparison to the Web of Science database, we find that CORD-19 provides an almost complete coverage of research on COVID-19 and coronaviruses. However, CORD-19 contains not only research that deals directly with COVID-19 and coronaviruses, but also research on viruses in general. Publications from CORD-19 focus mostly on a few well-defined research areas, in particular: coronaviruses (primarily SARS, MERS, COVID-19); public health and viral epidemics; molecular biology of viruses; influenza and other families of viruses; immunology and antivirals; clinical medicine. CORD-19 publications that appeared in 2020, especially editorials and letters, are disproportionately popular on social media. While we fully endorse the CORD-19 initiative, it is important to be aware that CORD-19 extends beyond research on COVID-19 and coronaviruses.

COVID-19, CORD-19, Coronavirus, Scientometrics, Bibliometrics.

Introduction

The COVID-19 pandemic is attracting the attention of the global scientific community. Biomedical research on the virus and on the management of the crisis from an epidemiological and healthcare point of view has full priority. Furthermore, many research communities, funding agencies and third-parties are taking

---

*Corresponding author, g.colavizza@uva.nl

action to support the fight against the pandemic with their own expertise and resources. Multidisciplinary open collaboration will prove instrumental to fight the current and future pandemics [5, 31].

Several initiatives have been taken to share COVID-19-related scientific research as openly as possible, from public, private and non-profit organisations. It has been readily recognized that health crises are also information crises [38, 10, 29, 19]. For example, the World Health Organization maintains a list of relevant research updated daily [40], as well as a portal to provide information to the public [2], similar to the the European Commission [3]. Publishers are opening access to relevant publications, and some open-access publishers have lifted publishing fees for the same reason.

Another initiative is the release of the COVID-19 Open Research Dataset (CORD-19) [37]. CORD-19 is a growing, weekly-updated dataset of COVID-19 publications, capturing new as well as past research on "COVID-19 and the coronavirus family of viruses for use by the global research community."[1] The reason to release this dataset is "to mobilize researchers to apply recent advances in natural language processing to generate new insights in support of the fight against this infectious disease." The initiative has the backing of the US White House [1] and is a partnership of several institutions including the Chan Zuckerberg Initiative, Georgetown University's Center for Security and Emerging Technology, Microsoft Research, the National Library of Medicine of the National Institutes of Health, and Unpaywall. CORD-19 is released together with a set of challenges hosted by Kaggle, mainly focused on automatically extracting structured and actionable information from such a large set of publications. The release of this dataset is a positive call for action directed towards the natural language processing, machine learning and related research communities.[2]

In order to contribute to an informed use of the CORD-19 dataset, we present a scientometric analysis of its contents. We first consider the subject delineation of CORD-19. Field or subject delineation is a complex task, which usually benefits from an interplay of information retrieval, or search-based approaches, and bibliometric mapping [18, 41, 22]. Based on a comparison to the Web of Science database, we find that CORD-19 provides an almost complete coverage of research on COVID-19 and coronaviruses. We also show that CORD-19 covers other research topics beyond COVID-19 and coronaviruses.

We then provide a detailed analysis of the research covered by CORD-19, enriching the dataset with data from Dimensions [17] and using both citation analysis and text analysis. We show that CORD-19 broadly focuses on biomedical research on viruses and related health issues. The articles it covers are quite heterogeneous. CORD-19 contains a core of research directly on COVID-19 and coronaviruses, but in addition it contains many articles on related yet

---

[1]For coronaviruses, see [15].

[2]This call has been taken up: For example, the ACL conference has run an emergency NLP COVID-19 workshop which mentioned the CORD-19 dataset on its call for papers (`https://www.nlpcovid19workshop.org`) and a TREC-COVID challenge has been announced on CORD-19 (`https://ir.nist.gov/covidSubmit`).

distinct streams of virus research, such as on influenza, molecular biology and public health. Secondly, we identify three broad periods in the accumulation of literature in CORD-19: a pre-SARS (2003) period, a post-SARS period and the current pandemic (2020). We also present a brief analysis of Altmetric data [28, 25] related to papers in CORD-19. We find that papers published in 2020 are disproportionately represented in social media and news by Altmetric indicators, especially on Twitter. We also observe that non-research articles, such as editorials and letters, are particularly popular on social media. We conclude by emphasizing the importance of being aware of the broad covarage CORD-19, which extends beyond research on COVID-19 and coronaviruses. We also propose some directions for future work.

To facilitate the analysis and use of the CORD-19 dataset, we release our code (see SI). In combination with valid access to Dimensions, Altmetric, Web of Science and Twitter, our results can be replicated. Finally, we underline that we have no specific biomedical expertise. We invite experts to improve the interpretation of our results.

The CORD-19 dataset

The CORD-19 dataset [37] is being updated on a daily basis. We use the version of the dataset from July 1, 2020. This version of CORD-19 contains $169,821$ articles, of which $77,777$ are equipped with full text. The dataset collects publications from the following sources:

- Medline and PubMed's PMC open access corpus, via the query:

  ```
  "COVID-19" OR Coronavirus OR "Corona virus"
  OR "2019-nCoV" OR "SARS-CoV" OR "MERS-CoV"
  OR "Severe Acute Respiratory Syndrome" OR
  "Middle East Respiratory Syndrome".
  ```

- COVID-19 research articles from the WHO database [4].

- arXiv, bioRxiv and medRxiv pre-prints using the same query as in PMC.

A relatively small number of publications prior to the SARS 2003 outbreak is followed by a steady increase in the number of publications up to 2020, when the growth accelerated substantially (Figure 2). The top 20 sources (i.e., journals and pre-print servers) by number of publications are given in Figure 1, highlighting how CORD-19 is composed of publications from varied sources. Pre-print servers, the Journal of Virology and PLOS ONE stand out, in particular. The main contributors to the dataset are Medline, PMC and Elsevier (Figure 10b), which have made a large part of their relevant literature available. The availability of full texts is relatively high, but not yet complete, and is proportionally stable over time (Figure 10a). This is because, even though most publishers and journals have opened up their publications, some have not

Figure 1: Top 20 journals and pre-print servers by number of CORD-19 articles.

yet done so. In particular, the Journal of Virology, Nature, Science, The Lancet and BMJ provide no or only few articles in full text to this date.

(a) Overall.

(b) Since 2000.

Figure 2: Publication years of the CORD-19 papers.

Using Dimensions data, we study the number of citations to papers in CORD-19 (Figure 11). We can observe how the literature in CORD-19 gained more attention from the early 2000s, and how some publications from 2020 are accumulating citations at an extreme rate. The most cited articles from 2020 include: "Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China" by Huang et al. (2020, The Lancet, also the most cited overall), "Clinical Characteristics of Coronavirus Disease 2019 in China" by Guan et al. (2020, The New England Journal of Medicine), "A Novel Coronavirus from Patients with Pneumonia in China, 2019" by Zhu et al. (2020, The New England Journal of Medicine) and "Clinical Characteristics of 138 Hospitalized Patients

With 2019 Novel Coronavirus–Infected Pneumonia in Wuhan, China" by Wang et al. (2020, JAMA). The Lancet is the most cited journal in the dataset in terms of the absolute number of citations received from papers in CORD-19, based on Dimensions data. It is followed by PLOS ONE and Nature. Lastly, we consider the Fields of Research (FOR) categories provided by Dimensions, which cover all areas of research from the Australian and New Zealand Standard Research Classification (ANZSRC).[3] While about 30,000 articles have no classification, we find that, as expected, the Medical and Health Sciences cover most ground, followed by Biological Sciences (Figure 12). The second level FOR classification shows the presence of several sub-areas of these two top level fields, Clinical Sciences being the largest. More details and plots are provided in the accompanying repository.

Delineation of CORD-19

We now analyse how the literature on COVID-19 and coronaviruses is delineated in CORD-19. We first examine whether the delineation might be too broad, meaning that CORD-19 would include publications that are of limited relevance for coronavirus research. We then examine whether the delineation might be too narrow, meaning that relevant publications would not be included in CORD-19. We focus on publications from the time period 1980–2019. We do not consider publications from 2020, because most of these publications are not yet available in the Web of Science (WoS) database used in our analysis.

Figure 3 shows the annual number of publications in CORD-19 as well as the annual number of publications in a subset of CORD-19 that we refer to as 'CORD-19-strict'. CORD-19-strict consists of all publications in CORD-19 that we have identified by applying the CORD-19 search query to the titles and abstracts of publications but not to their full texts. Hence, publications for which the CORD-19 search query yields a match only in the full text and not in the title and abstract are not included in CORD-19-strict. Our assumption is that the relevance of these publications for research on COVID-19 and coronaviruses is probably limited. If these publications had been of substantial relevance, it can be expected that applying the CORD-19 search query to the title and abstract would have resulted in a match.

As can be seen in Figure 3, the number of CORD-19 publications started to increase around 2002 and 2003, which coincides with the 2002–2004 SARS outbreak. Looking at CORD-19-strict, a second increase took place after 2012, following the 2012 MERS outbreak. More significantly for our analysis, Figure 3 shows that CORD-19-strict includes only a relatively small subset of all publications in CORD-19. This suggests that CORD-19 includes many publications that seem to be of limited relevance for research on COVID-19 and coronaviruses. The inclusion of these publications in CORD-19 does no harm. However, it is important for users of CORD-19 to be aware that the dataset includes a large number of publications that are likely to be of limited relevance.

---

[3]https://app.dimensions.ai/browse/categories/publication/for.

Figure 3: Annual number of publications in CORD-19 and CORD-19-strict.

We now take an opposite perspective, aiming to find out whether relevant publications may be missing in CORD-19. To do so, we use the CWTS in-house version of the WoS database [6].[4] We consider the following WoS citation indices: Science Citation Index Expanded, Social Sciences Citation Index, Arts & Humanities Citation Index, and Conference Proceedings Citation Index. We use the CORD-19 search query to identify relevant publications in WoS. The search query is applied to the titles, abstracts, and keywords of publications, where we note that abstracts and keywords are available only for publications from 1991 onward. We refer to the resulting set of publications as 'WoS-strict', where 'strict' indicates that publications have been identified in a similar way as in CORD-19-strict, so without searching in the full texts of publications.

Figure 4 shows the annual number of publications in WoS-strict. In addition, the figure shows the annual number of publications in WoS-strict that are also included in CORD-19, using DOIs and PubMed IDs to match publications in the two datasets. We see that almost all publications in WoS-strict can also be found in CORD-19. This indicates that CORD-19 provides an almost complete coverage of publications that have a clear relevance for research on COVID-19 and coronaviruses, at least when compared to WoS. Importantly, in a comparison of CORD-19 and WoS that we performed a few months ago (reported in an earlier version of the present paper [11]), we found substantial gaps in the coverage of the coronavirus literature by CORD-19. Over the past few months, it seems that most of the gaps in the coverage of CORD-19 have been filled.

---

[4]Elsewhere in this paper, we use data from Dimensions instead of WoS. Because we do not have access to abstracts in Dimensions, we use WoS data in this section.

Figure 4: Annual number of publications in WoS-strict and the overlap with CORD-19.

Analysis of CORD-19

We conducted the following analyses on the CORD-19 dataset: a term map and a topic modelling analysis based on titles and abstracts of publications in CORD-19; a citation network analysis using Dimensions citation data; an altmetrics analysis using Altmetric data. The purpose of the former two analyses is to cluster CORD-19 publications and further clarify the contents of the dataset. For our analyses, we focus on $140,302$ articles out of the $169,821$ available in CORD-19, filtering out duplicates and articles without at least one identifier among DOI, PubMed ID, PubMed Central ID or arXiv ID.

Term map

To get an accessible high-level overview of the contents of CORD-19, we used VOSviewer [32] to create a so-called term map of the publications in this dataset. Titles and abstracts of publications were concatenated into a single string and were then provided as input to VOSviewer. Using the text mining algorithms of VOSviewer, we identified the $2,115$ most relevant terms in the titles and abstracts. A term is defined as a sequence of nouns and adjectives ending with a noun. Only terms occurring in at least 130 publications were considered. Plural terms were converted to singular. For each pair of terms, VOSviewer counted the number of publications in which the terms both occur in the title or abstract. In this way, a co-occurrence network was obtained, indicating for each pair of terms the number of publications in which they occur together.

This co-occurrence network was visualised in the term map presented in

Figure 5: Term map highlighting temporal trends in the contents of CORD-19. Also compare with the topic words in the SI.

Figure 5. The map shows the 2,115 terms included in the network. The size of a term reflects the number of publications in which the term occurs. The proximity of two terms in the map approximately indicates the relatedness of the terms based on their number of co-occurrences. In general, the closer two terms are located to each other, the stronger they are related. This means that groups of terms located closely together in the map usually can be interpreted as topics. The horizontal and vertical axes have no special meaning. In Figure 5, labels are shown only for a selection of the terms. In order to avoid overlapping labels, for many of the less prominent terms no label is shown. The term map can also be explored interactively online (`https://bit.do/term_map_cord19_200701`), including all the overlays used in this paper and more. The labels of the less prominent terms can then be made visible by zooming in on specific areas in the map.

Colors can be used to present additional information in the term map. In Figure 5, for instance, the color of a term reflects the average publication year of the publications in which the term occurs. In this way, temporal trends are made visible. The term map shows a clear divide between biologically focused topics in the right area in the map and clinically focused topics and health research in the left area (for similar findings, see [33]). As shown by the colors of the terms, the topics in the left area in the map received a lot of attention in more recent years, while the topics in the right area received attention mostly in earlier years. Below, we use this term map to illustrate some of the analyses we present.

Topic modelling

We conducted a topic modelling analysis, making use of the titles and abstracts of CORD-19 publications by concatenating them into a single string, similarly to what we did for the term map. Of the $140,302$ articles, $31,055$ have no abstract. Topic modelling is a technique to learn 'topics' from a corpus of documents. A topic is defined as a probability distribution over a vocabulary, where words with a high probability for the same topic tend to co-occur frequently in the same documents [7, 39, 21]. We applied a pre-processing pipeline using ScispaCy's `en_core_sci_md` model [24] to convert each publication's title and abstract into a bag-of-words representation. This included the following steps: entity detection and inclusion in the bag-of-words for entities consisting of at least two tokens; lemmatisation; removal of (isolated) punctuation and stopwords; inclusion of frequent bigrams.

We started by training a Latent Dirichlet Allocation (LDA) model [9], using `gensim`'s implementation [26] and 15 topics. From a topic coherence analysis [23], we found 15 to 25 to be a good value for the number of topics. We decided to remain on the lower end to facilitate the interpretation of the results. We further filtered out words that appear in fewer than ten or in more than half of the documents. Lastly, we verified our results using a Correlated Topic Model [8],[5] which reduces to a Structural Topic Model without covariates [27]. This model explicitly captures topic correlations. It confirmed the topic structure we found with LDA, as well as the topics' temporal unfolding. More details are provided in the accompanying repository. We report results of the LDA model in what follows.

The top 20 words per topic are given in the SI. In Figure 13, we show the yearly topic intensity, from 1980 to 2020. Three periods in the relative focus of the literature seem to emerge. Pre-SARS research mainly focused on molecular biology and immunology (topics 3, 8, 11 and 12). Subsequently, due primarily to the SARS and MERS outbreaks (topic 5), the literature broadened its focus to include topics such as epidemics (topics 9 and 10), public health (topics 0, 4 and 13) and clinical medicine (topics 2, 6, 7 and 14). Lastly, in 2020 the literature is also heavily focused on the COVID-19 outbreak, its ongoing management and consequences (topic 1). From this first analysis, we observe how coronavirus research seems to be produced in bursts following outbreaks instead of following a more steady progress.

In order to analyse the contents of CORD-19 at a higher level of granularity, we grouped the identified topics into *general topics*. We used agglomerative clustering based on the Jensen-Shannon distances among topic-word distributions to inform the grouping of topics (see the accompanying repository for more details). To be sure, the resulting grouping is a simplification of the actual publication contents. It is also worth considering that topics overlap substantially. The general topic we identified are the following:

- "Clinical medicine": topics 2, 6, 7, 14;

---

[5]Using `tomotopy`, `https://bab2min.github.io/tomotopy` [version 0.7.0].

(a) Relative topic intensity: This can be interpreted as the mean topic intensity per paper.

(b) Absolute topic intensity: This can be interpreted as the number of papers per topic.

Figure 6: Intensity of the general topics over time.

- "Coronavirus outbreaks" (SARS, MERS, COVID-19): topics 1, 5;

- "Epidemics": topics 9, 10;

- "Immunology": topics 8, 12;

- "Molecular biology": topics 3, 11;

- "Public health": topics 0, 4, 13.

CORD-19 is dominated by literature on coronavirus outbreaks, and to a lesser degree public health, epidemics and clinical medicine. There are fewer publications focusing on molecular biology and immunology. Figure 6 shows the relative (average per paper) and absolute (total over all papers) topic intensities of the general topics. The temporal development of the contents of CORD-19 discussed above is largely confirmed. The 2003 SARS outbreak generated a shift associated with a rise in publications on coronavirus epidemics, which is happening again (at a much larger scale) in 2020 for COVID-19. Molecular biology and immunology research, on the other hand, have lost ground in relative terms.

Citation clusters

The previous two analyses were based on textual data. We now turn to a view based on citations to characterise the CORD-19 dataset.

We constructed a citation network based on the references included in all papers in CORD-19, as provided by Dimensions. We considered not only references to papers in CORD-19, but also all other references in CORD-19 papers. These 'external' references provide additional information regarding the structure of CORD-19. For example, two papers may not be immediately connected via papers in the CORD-19 dataset, but they may have common external references. We considered only the giant weakly connected component, which amounted to $1,844,831$ publications and $3,974,851$ citation links, of which $104,508$ publications belong to the CORD-19 dataset. This is the citation network that we work with in the remainder of this section.

We clustered the citation network using the Leiden algorithm[6] [30]. Each citation link was weighted as $1/k_i$, where k_i is the number of references of publication i. The inclusion of the 'external' references in the context of clustering is also known as the extended direct citation approach [36]. In this approach, the publications contained in CORD-19 are weighted with a so-called node weight of 1, while the 'external' publications are weighted with a weight of 0 (see [36] for more details). We clustered the citation network in a hierarchical fashion. At the bottom (most detaled) level, the citation network was clustered using a resolution of $2 \cdot 10^{-5}$. We aggregated the citation network based on this clustering, and then clustered the resulting aggregated citation network at a resolution of $1 \cdot 10^{-5}$. We refer to the former clustering as the bottom level clustering, and to the latter as the top level clustering. The 'external' publications help cluster publications from CORD-19 more accurately. In what follows, we focus only on the $104,508$ publications included in CORD-19.

The clustering at the bottom level has 11 clusters that include more than $2,000$ CORD-19 publications each, as shown in Figure 14b. In total, these 11 clusters cover 54% of the CORD-19 publications. There are 90 clusters that include between $1,000$ and $2,000$, covering an additional 41% of the CORD-19 publications. The remaining 5% of the publications are scattered across $2,429$ small clusters each including fewer than $1,000$ publications. Of these clusters, $2,012$ consist of only a single publication. The largest cluster, consisting of $16,913$ publications, mainly covers publications dealing with the COVID-19 pandemic, including $15,578$ publications in 2020 and only about 100–200 in the preceding years. This focus is also clearly visible in the term map (Figure 7a). The second largest cluster, consisting of $10,169$ publications, focuses on respiratory viruses more generally (Figure 7b), showing a clear increase after the SARS epidemic in 2004, with again a clear increase in 2020. The third largest cluster, consisting of $7,345$ publications, has a clear biochemical focus, dealing with various proteins, transcriptions and pathways (Figure 7c) and shows a sustained increase from the early 2000s until 2020. The fourth largest cluster, consisting of $4,375$ publications, deals with both emerging infectious diseases

---

[6]We used the Leiden algorithm implementation from `igraph`.

(a) Largest cluster.

(b) Second largest cluster.

(c) Third largest cluster.

(d) Fourth largest cluster.

(e) Fifth largest cluster.

(f) Sixth largest cluster.

Figure 7: Bottom level citation network clustering. Compare with Figure 16.

and zoonosis (Figure 7d) and shows a similarly sustained increase from the early 2000s onward. The fifth largest cluster, consisting of 3,252 publications, focuses on surgical procedures (Figure 7e) and shows an increase from 2007–2011 and then gently levels off towards 2020. Finally, the sixth largest cluster deals with viruses in animals (Figure 7f) and shows a longer history, dating back to the 1908s, with a gradual growth over the years, with a steeper increase during the 2000s. The interpretation of these clusters is largely substantiated by comparing the clustering results to the topic model.

These relatively detailed clusters are hierarchically clustered at the top level. The largest cluster at the top level contains 20,300 publications. It consists mainly of a combination of clusters focusing on the COVID-19 pandemic, among which the largest cluster at the bottom level (Figure 8a).. The second largest

<div align="center">(a) Largest cluster   (b) Second largest cluster</div>

Figure 8: Top level citation network clustering. Compare with Figure 15.

cluster at the top level contains 13, 774 publications. It includes the third largest cluster and some smaller clusters at the bottom level, with a clear molecular biology focus (Figure 8b). The third largest cluster at the top level consists almost entirely of the second largest cluster at the bottom level, combined with a few smaller clusters. It has a clear focus on respiratory viruses. The three largest clusters at the top level cover 43% of all publications.

We conclude this section by connecting our citation-based clustering results with our text-based topic modelling results. We use topic intensity to further qualify the results of the citation network clustering. More specifically, we characterise clusters by the average topic intensity of the publications they contain. We start with the top level clustering, and focus on the two largest clusters. The average topic intensities (Figure 15) confirm that the first cluster contains publications focused on coronavirus outbreaks (COVID-19 in particular), including public health and clinical medicine research. The second cluster, on the other hand, has a clear molecular biology and immunology focus. Next, we consider the six largest clusters in the bottom level clustering (Figure 16). While the third and sixth clusters are focused on molecular biology and immunology, the first, second and fourth are mainly concerned with coronavirus outbreaks, and the fifth covers clinical medicine.

Our citation-based results substantiate our earlier findings based on textual analyses. Both point to the existence of distinct research areas covered by CORD-19: coronaviruses, molecular biology research on viruses, public health and epidemics and other related topics (immunology, clinical medicine). These areas of research are interrelated, yet also contain specialised information, and they show different temporal trends.

Altmetrics

CORD-19 publications have also been explored using Altmetric data, with the aim of describing their reception on social media, paying special attention to the dissemination of the publications across various social media sources. As can be seen in Table 1, a total of 88, 570 publications in the CORD-19 dataset

(63%) have received some mention in Altmetric. This is a rather high coverage of publications compared to previous studies [16], which reported an overall coverage of 21.5% of 2012 publications on Twitter, and about 31% for publications in the biomedical and health sciences. This high coverage is even higher when the focus is on the most recent publications (i.e., those published in the early months of 2020), of which over 68% have received some social media mention covered by Altmetric.

Table 1: Coverage of CORD-19 publications by Altmetric.

	CORD-19 publications	In Altmetric	Share in Altmetric
All	$140,302$	$88,570$	63.1%
2020	$52,440$	$36,058$	68.8%

Table 2 presents a more detailed description of the type of social media events around CORD-19 publications. We selected some of the most relevant sources covered by Altmetric, namely Twitter, blogs, recommendations in F1000Prime, news media mentions, citations in policy documents and citations in Wikipedia entries. Clearly, the most important source is Twitter, which by far accounts for the largest share of all (social) media interactions analysed. The second most important source are mentions in news media and blogs. The observation that there are more mentions in news media than in blogs also contrasts with previous studies [16]. This may signal the particular relevance of CORD-19 publications for mainstream news media. Another noteworthy characteristic is the recency of the publications being mentioned, particularly on Twitter and in news media. About 87% of all Twitter mentions relate to publications from 2020, and 75% of all mentions in mainstream news media also relate to 2020 publications.

Table 2: Social media events around CORD-19 publications.

	Twitter	Blogs	F1000
All	$5,868,992$	$29,119$	$1,605$
2020	$5,087,442$ (87%)	$18,705$ (64%)	312 (19%)
	News media	**Policy documents**	**Wikipedia citations**
All	$222,966$	$10,609$	$5,365$
2020	$168,106$ (75%)	$1,169$ (19%)	$1,218$ (23%)

Table 3 shows the main altmetrics per publication type. All CORD-19 publications with Altmetric data were matched with publications in the WoS database. In this way, a publication type was obtained for $82,083$ publications. The publication type classification of the WoS database was used because WoS offers a more detailed classification than databases such as Dimensions and Microsoft Academic [34].

While most publications in CORD-19 are classified as article (70%) or review article (14%), it turns out that editorials, letters and news items receive

a disproportionate amount of attention on social and online media. As a reference, we also show the proportion of Wikipedia citations per publication type, where most attention turns out to be given to review articles. These findings are in line with previous work [16]. Since editorials, letters and news items usually present news, debates, and opinions, often using a less technical language than regular articles, it is not surprising that they are more appealing for social media. However, in CORD-19, these three publication types receive many more tweets (44% of all tweets) than what was previously found (below 20%) [16].

Table 3: Main altmetrics per WoS publication type.

Type	Publications	Twitter	News media	Blogs	Wikipedia
Article	57,383 (70%)	1,401,325 (46%)	86,038 (63%)	11,970 (63%)	2,561 (56%)
Review	11,217 (14%)	288,135 (9%)	14,256 (10%)	2,451 (13%)	1,394 (31%)
Editorial	6,952 (8%)	706,524 (23%)	19,399 (14%)	2,707 (14%)	338 (7%)
Letter	4,195 (5%)	506,307 (17%)	15,613 (11%)	1,488 (8%)	123 (3%)
News	963 (1%)	35,626 (4%)	2,091 (2%)	466 (2%)	112 (3%)
Other	1,373 (2%)	4,136 (<1%)	218 (<1%)	54 (<1%)	13 (<1%)

Figure 9 presents term maps showing the altmetrics reception of CORD-19 publications. We cover the most immediate social media sources (or 'fast' sources [13]), which provide the earliest signals of the reception of publications. Twitter, blogs and news media all present a similar pattern, with a strong orientation towards the most recent COVID-19 publications, well captured by the largest cluster in both the bottom level and the top level citation network clustering (see Figures 7a and 8a). In terms of topics, terms such as 'pandemic', 'hospital', 'hospitalization' are among the most common terms used in publications mentioned in these social media platforms. These results are in line with those discussed in [14].

This preliminary altmetric analysis shows a strong present-day attention for research covered by the CORD-19 dataset. The majority of the tweets, blogs and news media mentions are focused on research produced during the current COVID-19 pandemic. The publication types that relatively speaking receive most attention are editorials, letters and news items. This demonstrates the important role of social media, especially Twitter, in discussing COVID-19 research [20]. During a global pandemic like COVID-19, research is subject to high degrees of uncertainty [12, 35]. Rapidly increasing levels of social media activity around topics on which there is little academic consensus may increase the risk of scientific advise being misunderstood or misused by substantial segments of society. Social media analysis can provide tools for identifying and characterising areas with high levels of social media activity that may be in dissonance with the academic discourse. In future work, we plan to find and characterise these areas of discrepancy in order to inform scientists, science communicators, journalists and the public at large.

(a) Twitter.

(b) Blogs.

(c) News media.

Figure 9: Immediate altmetric sources: Twitter, blogs and news media.

Conclusion

We performed an in-depth analysis of the CORD-19 dataset of publications on COVID-19 and coronavirus research [37]. Our analysis of the delineation of CORD-19 indicates that the dataset is broader than just COVID-19 and coronavirus research. On the other hand, when compared to the Web of Science database, it turns out that CORD-19 largely covers all literature on COVID-19 and coronaviruses.

We carried out a deeper analyses of CORD-19 in various ways. We created a map of relevant terms extracted from the titles and abstracts of COVID-19 publications. This map confirmed the broad content of the dataset. A topic modelling analysis showed that CORD-19 publications are related to biomedical research on viruses in a broad sense, which includes research on COVID-19 and coronaviruses. Dominant topics in CORD-19 also include research on public health and epidemics; molecular biology; other coronaviruses; influenza and other families of viruses; immunology and antivirals; methodology (testing, diagnosing, trials). Furthermore, the topic intensity over time is far from uniform. Coronavirus research has followed known outbreaks (SARS, MERS, COVID-19) and for years before 2020 this research represents only a small portion of CORD-19.

We performed a citation network clustering analysis using data from Dimensions. Citation network clusters highlighted the relative cohesiveness of CORD-19. In line with the textual analyses, the clusters confirmed the broad coverage of the dataset. Overall, there seem to be two prominent citation clusters: One, more recent, that covers research on specific coronaviruses, with a public health and epidemiological focus, and another one, with a longer time span, focused on molecular biology. Molecular biology research on viruses is, in general, a prominent component of CORD-19.

Lastly, we considered Altmetric data, in order to gauge how much attention CORD-19 research has attracted over time. The current COVID-19 outbreak dominates attention on social media, in particular from Twitter, highlighting the interest for scientific results during the COVID-19 pandemic. Editorials and letters in CORD-19 get a disproportionate amount of attention on social media.

Far from constituting a critique of CORD-19, our work acknowledges that research on viruses, and coronaviruses specifically, does not exist in a vacuum. Delimiting research on a certain subject matter requires difficult choices that inevitably involve a certain degree of arbitrariness. We praise the breadth and relative coherence of CORD-19. This dataset rightly merits attention and is useful to allow many researchers to engage with the topic. Nevertheless, we also suggest that critical awareness is required when using CORD-19, as our results demonstrate that its contents cover a broad set of topics. Different subsets of CORD-19 should be used for specific purposes, for example for making historical analyses on funding of specific research topics or for automatically extracting structured information. We exemplified some approaches to segment CORD-19 in various ways.

Clearly, there are many areas for future COVID-19 work by the scientomet-

ric community. We conclude by suggesting three areas in particular. Firstly, there seems to be a need for a comprehensive mapping of COVID-19-related research. A multidisciplinary map of COVID-19-related research, considering diverse disciplinary perspectives and information needs, will be useful to surface relevant research, also outside the biomedical domain. Secondly, CORD-19 provides a virtuous example of open data sharing. The scientometric community can contribute by creating and maintaining additional datasets on COVID-19 research. Thirdly, as shown by our results, there is a lot of social media attention for COVID-19 research. Indeed, the role of information, and especially reliable scientific information, has been central to the unfolding of the current pandemic [40]. Consequently, a relevant area for future work is to better understand the mechanics of online scientific information diffusion, using altmetrics and other data sources. This line of work has the potential to provide valuable information to experts and governments during the current and future pandemics.

Data availability

Most of our analysis can be replicated using the code and following the instructions given in the accompanying repository: `https://github.com/CWTSLeiden/cwts_covid`. Please note that this repository is ongoing work. We welcome contributions and suggestions, ideally by opening an issue or doing a pull request. Analyses based on Altmetric, Dimensions, Twitter and Web of Science data require access to these services.

Acknowledgements

We thank Digital Science for providing access to Altmetric and Dimensions data and for constant support throughout our project. We also thank our colleagues at CWTS for enthusiastic and insightful discussions on how the science studies community can contribute to research on COVID-19. We particularly thank Zhichao Fang and Jonathan Dudek for their help in the data collection for this study.

References

[1] Call to Action to the Tech Community on New Machine Readable COVID-19 Dataset, 2020. Released 2020-03-16. Accessed 2020-04-17. URL: `https://www.whitehouse.gov/briefings-statements/call-action-tech-community-new-machine-readable-covid-19-dataset`.

[2] EPI-WIN: WHO Information Network for Epidemics, 2020. URL: `https://www.who.int/teams/risk-communication`.

[3] Fighting Disinformation - Official Sources on COVID-19 - Consilium, 2020. URL: `https://www.consilium.europa.eu/en/policies/covid-19-coronavirus-outbreak/fighting-disinformation`.

[4] WHO COVID-19 Database, 2020. URL: `https://www.who.int/emergencies/diseases/novel-coronavirus-2019/global-research-on-novel-coronavirus-2019-ncov`.

[5] Juliet Bedford, Jeremy Farrar, Chikwe Ihekweazu, Gagandeep Kang, Marion Koopmans, and John Nkengasong. A new twenty-first century science for effective epidemic response. *Nature*, 575(7781):130–136, November 2019. URL: `http://www.nature.com/articles/s41586-019-1717-y`, `doi:10.1038/s41586-019-1717-y`.

[6] Caroline Birkle, David A. Pendlebury, Joshua Schnell, and Jonathan Adams. Web of Science as a data source for research on scientific and scholarly activity. *Quantitative Science Studies*, 1(1):363–376, February 2020. URL: `https://www.mitpressjournals.org/doi/abs/10.1162/qss_a_00018`, `doi:10.1162/qss_a_00018`.

[7] David M. Blei. Probabilistic topic models. *Communications of the ACM*, 55(4):77–84, 2012. URL: `http://dl.acm.org/citation.cfm?id=2133826`.

[8] David M. Blei and John D. Lafferty. A correlated topic model of Science. *Annals of Applied Statistics*, 1(1):17–35, 2007. URL: `http://projecteuclid.org/euclid.aoas/1183143727`, `doi:10.1214/07-AOAS114`.

[9] David M. Blei, Andrew Y. Ng, and Michael I. Jordan. Latent Dirichlet allocation. *Journal of Machine Learning Research*, 3:993–1022, 2003. URL: `http://dl.acm.org/citation.cfm?id=944937`.

[10] Matteo Cinelli, Walter Quattrociocchi, Alessandro Galeazzi, Carlo Michele Valensise, Emanuele Brugnoli, Ana Lucia Schmidt, Paola Zola, Fabiana Zollo, and Antonio Scala. The COVID-19 social media infodemic. *arXiv:2003.05004 [nlin, physics:physics]*, March 2020. arXiv: 2003.05004. URL: `http://arxiv.org/abs/2003.05004`.

[11] Giovanni Colavizza, Rodrigo Costas, Vincent A. Traag, Nees Jan van Eck, Thed van Leeuwen, and Ludo Waltman. A scientometric overview of cord-19. *bioRxiv*, 2020. URL: `https://www.biorxiv.org/content/early/2020/04/20/2020.04.20.046144`, `arXiv:https://www.biorxiv.org/content/early/2020/04/20/2020.04.20.046144.full.pdf`, `doi:10.1101/2020.04.20.046144`.

[12] Rodrigo Costas, Zohreh Zahedi, and Paul Wouters. The thematic orientation of publications mentioned on social media: Large-scale disciplinary comparison of social media metrics with citations. *Aslib*

Journal of Information Management, 67(3):260–288, May 2015. URL: `https://www.emerald.com/insight/content/doi/10.1108/AJIM-12-2014-0173/full/html`, `doi:10.1108/AJIM-12-2014-0173`.

[13] Zhichao Fang and Rodrigo Costas. Studying the accumulation velocity of altmetric data tracked by Altmetric.com. *Scientometrics*, March 2020. URL: `http://link.springer.com/10.1007/s11192-020-03405-9`, `doi:10.1007/s11192-020-03405-9`.

[14] Zhichao Fang and Rodrigo Costas. Tracking the Twitter attention around the research efforts on the COVID-19 pandemic. *arXiv:2006.05783 [cs]*, June 2020. arXiv: 2006.05783. URL: `http://arxiv.org/abs/2006.05783`.

[15] Anthony R. Fehr and Stanley Perlman. Coronaviruses: An overview of their replication and pathogenesis. In Helena Jane Maier, Erica Bickerton, and Paul Britton, editors, *Coronaviruses*, volume 1282, pages 1–23. Springer New York, New York, NY, 2015. Series Title: Methods in Molecular Biology. URL: `http://link.springer.com/10.1007/978-1-4939-2438-7_1`, `doi:10.1007/978-1-4939-2438-7_1`.

[16] Stefanie Haustein, Rodrigo Costas, and Vincent Larivière. Characterizing social media metrics of scholarly papers: The effect of document properties and collaboration patterns. *PLOS ONE*, 10(3):e0120495, March 2015. URL: `https://dx.plos.org/10.1371/journal.pone.0120495`, `doi:10.1371/journal.pone.0120495`.

[17] Christian Herzog, Daniel Hook, and Stacy Konkiel. Dimensions: Bringing down barriers between scientometricians and data. *Quantitative Science Studies*, 1(1):387–395, February 2020. URL: `https://www.mitpressjournals.org/doi/abs/10.1162/qss_a_00020`, `doi:10.1162/qss_a_00020`.

[18] Can Huang, Ad Notten, and Nico Rasters. Nanoscience and technology publications and patents: A review of social science studies and search strategies. *The Journal of Technology Transfer*, 36(2):145–172, April 2011. URL: `http://link.springer.com/10.1007/s10961-009-9149-8`, `doi:10.1007/s10961-009-9149-8`.

[19] John P.A. Ioannidis. Coronavirus disease 2019: The harms of exaggerated information and non-evidence-based measures. *European Journal of Clinical Investigation*, page e13222, March 2020. URL: `http://doi.wiley.com/10.1111/eci.13222`, `doi:10.1111/eci.13222`.

[20] Kayvan Kousha and Mike Thelwall. COVID-19 publications: Database coverage, citations, readers, tweets, news, Facebook walls, Reddit posts. *Quantitative Science Studies*, pages 1–28, May 2020. URL: `https://www.mitpressjournals.org/doi/abs/10.1162/qss_a_00066`, `doi:10.1162/qss_a_00066`.

[21] Loet Leydesdorff and Adina Nerghes. Co-word maps and topic modeling: A comparison using small and medium-sized corpora (N < 1,000). *Journal of the Association for Information Science and Technology*, 68(4):1024–1035, 2017. URL: http://doi.wiley.com/10.1002/asi.23740, doi:10.1002/asi.23740.

[22] Douglas Henrique Milanez, Ed Noyons, and Leandro Innocentini Lopes de Faria. A delineating procedure to retrieve relevant publication data in research areas: The case of nanocellulose. *Scientometrics*, 107(2):627–643, May 2016. URL: http://link.springer.com/10.1007/s11192-016-1922-5, doi:10.1007/s11192-016-1922-5.

[23] David Mimno, Hanna Wallach, Edmund Talley, Miriam Leenders, and Andrew McCallum. Optimizing semantic coherence in topic models. In *Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing*, pages 262–272, Edinburgh, UK, 2011. ACM.

[24] Mark Neumann, Daniel King, Iz Beltagy, and Waleed Ammar. ScispaCy: Fast and robust models for biomedical natural language processing. 2019. arXiv:arXiv:1902.07669.

[25] José Luis Ortega. Reliability and accuracy of altmetric providers: A comparison among Altmetric.com, PlumX and Crossref Event Data. *Scientometrics*, 116(3):2123–2138, September 2018. URL: http://link.springer.com/10.1007/s11192-018-2838-z, doi:10.1007/s11192-018-2838-z.

[26] Radim Řehůřek and Petr Sojka. Software framework for topic modelling with large corpora. In *Proceedings of the LREC 2010 Workshop on New Challenges for NLP Frameworks*, pages 45–50, Valletta, Malta, May 2010. ELRA. http://is.muni.cz/publication/884893/en.

[27] Margaret E. Roberts, Brandon M. Stewart, Dustin Tingley, and Edoardo M. Airoldi. The structural topic model and applied social science. In *Advances in Neural Information Processing Systems (NIPS). Workshop on Topic Models: Computation, Application, and Evaluation*, 2013.

[28] Nicolás Robinson-García, Daniel Torres-Salinas, Zohreh Zahedi, and Rodrigo Costas. New data, new possibilities: Exploring the insides of Altmetric.com. *El Profesional de la Informacion*, 23(4):359–366, May 2014. URL: https://recyt.fecyt.es/index.php/EPI/article/view/epi.2014.jul.03, doi:10.3145/epi.2014.jul.03.

[29] Briony Swire-Thompson and David Lazer. Public health and online misinformation: Challenges and recommendations. *Annual Review of Public Health*, 41(1):433–451, April 2020. URL: https://www.annualreviews.org/doi/10.1146/annurev-publhealth-040119-094127, doi:10.1146/annurev-publhealth-040119-094127.

[30] Vincent A. Traag, Ludo Waltman, and Nees Jan van Eck. From Louvain to Leiden: Guaranteeing well-connected communities. *Scientific Reports*, 9(1):5233, December 2019. URL: `http://www.nature.com/articles/s41598-019-41695-z`, `doi:10.1038/s41598-019-41695-z`.

[31] Jay Joseph Van Bavel, Katherine Baicker, Paulo Boggio, Valerio Capraro, Aleksandra Cichocka, Molly Crockett, Mina Cikara, Alia Crum, Karen Douglas, James Druckman, John Drury, Oeindrila Dube, Naomi Ellemers, Eli J Finkel, James Fowler, MIchele Gelfand, Shihui Han, S. Alex Haslam, Jolanda Jetten, Shinobu Kitayama, dean mobbs, Lucy E. Napper, Dominic Packer, Gordon Pennycook, Ellen Peters, Richard Petty, David Gertler Rand, Steve Reicher, Simone Schnall, Azim Shariff, Sandra Sandra Smith, Linda Skitka, Cass R. Sunstein, Nassim Tabri, Joshua A Tucker, Sander van der Linden, Paul van Lange, Kim Weeden, Michael Jeremy Adam Wohl, jamil zaki, Sean Zion, and Robb Willer. Using social and behavioural science to support COVID-19 pandemic response. preprint, PsyArXiv, March 2020. URL: `https://osf.io/y38m9`, `doi:10.31234/osf.io/y38m9`.

[32] Nees Jan van Eck and Ludo Waltman. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*, 84(2):523–538, August 2010. URL: `http://link.springer.com/10.1007/s11192-009-0146-3`, `doi:10.1007/s11192-009-0146-3`.

[33] Nees Jan van Eck, Ludo Waltman, Anthony F. J. van Raan, Robert J. M. Klautz, and Wilco C. Peul. Citation analysis may severely underestimate the impact of clinical research as compared to basic research. *PLOS ONE*, 8(4):e62395, April 2013. URL: `http://dx.plos.org/10.1371/journal.pone.0062395`, `doi:10.1371/journal.pone.0062395`.

[34] Martijn Visser, Nees Jan van Eck, and Ludo Waltman. Large-scale comparison of bibliographic data sources: Scopus, Web of Science, Dimensions, Crossref, and Microsoft Academic. *arXiv:2005.10732 [cs]*, May 2020. arXiv:2005.10732.

[35] Matthew L. Wallace and Ismael Ràfols. Institutional shaping of research priorities: A case study on avian influenza. *Research Policy*, 47(10):1975–1989, December 2018. URL: `https://linkinghub.elsevier.com/retrieve/pii/S0048733318301707`, `doi:10.1016/j.respol.2018.07.005`.

[36] Ludo Waltman, Kevin W. Boyack, Giovanni Colavizza, and Nees Jan van Eck. A principled methodology for comparing relatedness measures for clustering publications. *Quantitative Science Studies*, 2020. URL: `https://www.mitpressjournals.org/doi/abs/10.1162/qss{_}a{_}00035`, `arXiv:1901.06815`, `doi:10.1162/qss_a_00035`.

[37] Lucy Lu Wang, Kyle Lo, Yoganand Chandrasekhar, Russell Reas, Jiangjiang Yang, Darrin Eide, Kathryn Funk, Rodney Kinney, Ziyang

Liu, William Merrill, Paul Mooney, Dewey Murdick, Devvret Rishi, Jerry Sheehan, Zhihong Shen, Brandon Stilson, Alex D. Wade, Kuansan Wang, Chris Wilhelm, Boya Xie, Douglas Raymond, Daniel S. Weld, Oren Etzioni, and Sebastian Kohlmeier. CORD-19: The Covid-19 Open Research Dataset. *arXiv:2004.10706 [cs]*, April 2020. arXiv: 2004.10706. URL: `http://arxiv.org/abs/2004.10706`.

[38] Bo Xie, Daqing He, Tim Mercer, Youfa Wang, Dan Wu, Kenneth R. Fleischmann, Yan Zhang, Linda H. Yoder, Keri K. Stephens, Michael Mackert, and Min K. Lee. Global health crises are also information crises: A call to action. *Journal of the Association for Information Science and Technology*, March 2020. URL: `https://onlinelibrary.wiley.com/doi/abs/10.1002/asi.24357`, `doi:10.1002/asi.24357`.

[39] Chyi-Kwei Yau, Alan Porter, Nils Newman, and Arho Suominen. Clustering scientific documents with topic modeling. *Scientometrics*, 100(3):767–786, 2014. URL: `http://link.springer.com/10.1007/s11192-014-1321-8`, `doi:10.1007/s11192-014-1321-8`.

[40] John Zarocostas. How to fight an infodemic. *Lancet*, 395(10225), February 2020. URL: `https://linkinghub.elsevier.com/retrieve/pii/S014067362030461X`, `doi:10.1016/S0140-6736(20)30461-X`.

[41] Michel Zitt. Meso-level retrieval: IR-bibliometrics interplay and hybrid citation-words methods in scientific fields delineation. *Scientometrics*, 102(3):2223–2245, March 2015. URL: `http://link.springer.com/10.1007/s11192-014-1482-5`, `doi:10.1007/s11192-014-1482-5`.

Supporting information

Topic top words

Top 20 words per topic, using the LDA model. Words consisting of one or two characters are filtered out. Compare with Figure 13 for the topic intensity over time.

- **Topic 0, Public health**: "respiratory", "infection", "virus", "patient", "child", "influenza", "acute", "clinical", "viral", "pneumonia", "symptom", "test", "diagnosis", "case", "positive", "detect", "tract", "severe", "cause", "study".

- **Topic 1, Coronavirus outbreaks**: "covid-19", "COVID-19", "pandemic", "health", "sars-cov-2", "coronavirus", "2020", "public", "care", "2019", "patient", "covid-19_pandemic", "hospital", "medical", "emergency", "lockdown", "healthcare", "public_health", "response", "Health".

- **Topic 2, Clinical medicine**: "group", "study", "compare", "rate", "significantly", "high", "result", "patient", "conclusion", "year", "difference", "analysis", "control", "score", "significant", "respectively", "method", "associate", "mean", "total".

- **Topic 3, Molecular biology**: "virus", "sequence", "coronavirus", "strain", "gene", "assay", "sample", "antibody", "isolate", "detect", "analysis", "study", "protein", "human", "genome", "calf", "result", "acid", "detection", "infectious".

- **Topic 4, Public health**: "study", "review", "include", "health", "result", "datum", "report", "intervention", "search", "evidence", "method", "practice", "quality", "research", "risk", "systematic", "literature", "conduct", "identify", "article".

- **Topic 5, Coronavirus outbreaks**: "disease", "case", "infection", "outbreak", "SARS", "transmission", "country", "epidemic", "control", "syndrome", "respiratory_syndrome", "severe", "report", "severe_acute", "risk", "respiratory", "infectious", "death", "China", "spread".

- **Topic 6, Clinical medicine**: "patient", "treatment", "case", "aneurysm", "clinical", "treat", "lesion", "artery", "chest", "stroke", "image", "acute", "outcome", "result", "follow-up", "imaging", "occlusion", "report", "endovascular", "complication".

- **Topic 7, Clinical medicine**: "patient", "surgery", "laparoscopic", "surgical", "complication", "procedure", "undergo", "postoperative", "perform", "technique", "case", "result", "time", "pain", "group", "method", "repair", "resection", "patient_undergo", "mean".

- **Topic 8, Immunology**: "cell", "infection", "response", "expression", "mouse", "disease", "lung", "immune", "increase", "role", "effect", "gene", "receptor", "study", "tissue", "mechanism", "induce", "level", "cytokine", "function".

- **Topic 9, Epidemics**: "model", "datum", "number", "analysis", "time", "result", "network", "different", "base", "method", "dynamic", "study", "propose", "social", "epidemic", "paper", "approach", "individual", "population", "estimate".

- **Topic 10, Epidemics**: "method", "result", "study", "device", "pressure", "test", "image", "temperature", "flow", "evaluate", "forecast", "compare", "measure", "high", "tissue", "increase", "system", "concentration", "performance", "time".

- **Topic 11, Molecular biology**: "protein", "virus", "viral", "cell", "replication", "coronavirus", "activity", "antiviral", "membrane", "sars-cov", "domain", "infection", "structure", "host", "binding", "inhibitor", "fusion", "interaction", "hepatitis", "site".

- **Topic 12, Immunology**: "cell", "vaccine", "antibody", "mouse", "response", "infection", "immune", "antigen", "induce", "virus", "culture", "human", "line", "t_cell", "vitro", "vaccination", "immunity", "in vitro", "challenge", "recombinant".

- **Topic 13, Public health**: "disease", "drug", "development", "review", "human", "research", "treatment", "potential", "approach", "system", "provide", "clinical", "recent", "include", "develop", "discuss", "current", "technology", "application", "pathogen".

- **Topic 14, Clinical medicine**: "patient", "treatment", "clinical", "severe", "blood", "disease", "therapy", "level", "cancer", "care", "intensive", "serum", "high", "failure", "plasma", "oxygen", "risk", "unit", "heart", "outcome".

Extra figures

(a) Full text availability over time.

(b) Data sources.

Figure 10: Full text availability and data sources.

Figure 11: Scatter plot of the number of citations received by articles from different years.

(a) First-level categories.

(b) Second-level categories.

Figure 12: Categories in the FOR classification in Dimensions. The empty label accounts for articles without a FOR category.

Figure 13: Topic intensity over time, using the LDA model.

(a) Top level clustering: fewer, larger clus-
ters.

(b) Bottom level clustering: more, smaller
clusters.

Figure 14: Cluster size in the top level and the bottom level clustering of the
citation network.

(a) Largest cluster.

(b) Second largest cluster.

Figure 15: Top level clustering of the citation network.

(a) Largest cluster.

(b) Second largest cluster.

(c) Third largest cluster.

(d) Fourth largest cluster.

(e) Fifth largest cluster.

(f) Sixth largest cluster.

Figure 16: Bottom level clustering of the citation network.