Personality, Subjective Well-Being, and the Serotonin 1a Receptor Gene in Common Marmosets (*Callithrix jacchus*)

Alexander Weiss[1,2], Chihiro Yokoyama[3], Takuya Hayashi[3], and Miho Inoue-Murayama[2,4]

[1] Department of Psychology, School of Philosophy, Psychology and Language Sciences, The University of Edinburgh

[2] Wildlife Research Center, Kyoto University

[3] Laboratory for Brain Connectomics Imaging, RIKEN Center for Biosystems Dynamics Research

[4] Wildlife Genome Collaborative Research Group, National Institute for Environmental Studies

Author Note

Alexander Weiss https://orcid.org/0000-0002-9125-1555

Chihiro Yokoyama https://orcid.org/0000-0002-1910-3750

Takuya Hayashi https://orcid.org/0000-0001-7639-0197

Miho Inoue-Murayama https://orcid.org/0000-0003-4249-876X

We have no known conflicts of interest to declare.

This work was supported by AMED Grant Number JP20dm0307006 to TH, KAKENHI Grant Numbers 19H04904 and 20H00420 to MI-M, 18H05090 and18K06372 to CY. We wish to thank the Leading graduate program in Primatology and Wildlife Science. We are grateful to Hiromi Kobayashi for technical support and to Mr. Akihiro Kawasaki, Mr. Takashi Fukuoka, and Ms. Chiho Takeda for rating the animals. AW thanks Kyoto University for inviting him to be a Visiting Professor at the Wildlife Research Center.

Correspondence concerning this article should be addressed to Alexander Weiss, Department of Psychology, School of Philosophy, Psychology and Language Sciences, The University of Edinburgh, 7 George Square, Edinburgh EH8 9JZ, United Kingdom. Email: alex.weiss@ed.ac.uk.

1   **Abstract**

Unlike many species, common marmosets (*Callithrix jacchus*), perhaps because they are

cooperative breeders, appear to possess a personality domain that captures individual

differences in directedness, focus, and perseverance, that resembles human

Conscientiousness. However, one study of common marmosets personality did not find this

domain. This difference between studies may have come about because, in the study that

failed to find a Conscientiousness domain, many markers of that domain were excluded

because of low interrater reliability. We increased the number of common marmosets that

were rated, bringing it up to 128 from 77. We also gathered new data on subjective well-

being and genetic data related to serotonin 1a receptor polymorphisms. Factor analysis

revealed evidence for an Openness domain and a domain labeled "Impulsiveness" that

combined low Conscientiousness and high emotional instability. The other domains included

Sociability, Dominance, and Negative Affect, and resembled those found in previous studies

of common marmosets. Correlations between these factors were higher than expected and a

second-order factor analysis indicated the presence of a domain, Pro-Sociality, related to high

Sociability, low Dominance, and low Impulsiveness, and a domain, Boldness, related to high

Openness and low Negative Affect. Further analyses could not determine whether Pro-

Sociality and Boldness were artifacts or represented a higher-level of personality

organization. Statistically significant correlations were found between the domains and the

subjective well-being measures. There were no statistically significant associations between

personality and genotype of serotonin 1a receptor. New analytic methods and larger samples

may help to better understand personality in common marmosets.

23   *Keywords:* higher-order, assessment, temperament, behavioral syndrome, callitrichid

24   **Personality, Subjective Well-Being, and the Serotonin 1a Receptor Gene in Common**

25   **Marmosets (*Callithrix jacchus*)**

Common marmosets (*Callithrix jacchus*) are small New-World monkeys found in

South America where they inhabit a wide range of habitats (1, 2). Their small size, fast life

history, and other physical and physiological characteristics make common marmosets an

increasingly popular animal model in biomedical research (3), although there has been some

criticism of this trend (e.g., 4).

Comparative psychologists and behavioral ecologists are also coming to appreciate

common marmosets as research subjects. This is in part due to findings from studies that are

finding that common marmosets display behaviors and capabilities that were once believed to

be the domain of humans and great apes. For example, common marmosets exhibit high

levels of spontaneous cooperative behavior (5, 6) and are capable of discriminating between

third parties that do and do not reciprocate (7). These behaviors and capabilities are believed

to be the products of the unique (among nonhuman primates) reproductive system of

common marmosets (see 8 for a review). Specifically, like other callitrichids, are cooperative

breeders, and so, rather than disperse and mate, the adult siblings and offspring of mating

pairs often stay within the family unit to help raise offspring, and so delay or even forego

reproduction (9).

Researchers have also been examining the extent to which common marmoset

personality resembles and differs from that of other species. As in other species, behavioral

experiments have revealed the presence of stable traits in common marmosets (10, 11).

However, there is also evidence, at least for personality traits in this species, for plasticity,

either via social facilitation or via social group effects (12). There also appears to be mixed

evidence for the construct validity of common marmoset personality traits, that is, for

convergent and discriminant validity between personality ratings, behavioral observations,

and responses to behavioral tests (13). Finally, studies of common marmoset personality that

relied on behavioral measures have revealed an association between a factor labeled

"Inquisitiveness" and the strength of laterality (14), and various associations between factors

labeled "Sociability", "Aggressiveness", and "Social Anxiety" and the binding potential of

serotonin transporters in the brain (15).

54   Other studies of common marmosets have focused on the question of how personality

traits are organized (personality structure), that is, the number of domains these traits

represent and what these domains represent. Comparative studies of members of the genus

Macaca (16) and *Pan* (17), the genera *Saimiri*, *Sapajus*, and *Cebus* (18-20), and of the family

Callitrichidae (21) indicate that species socioecology influences personality structure

evolution. This appears to also be true for common marmosets, that is, cooperative breeding

appears to have influence how personality traits are organized in this species. For example, a

study of ratings and behavioral observations revealed rating-based domains that the authors

labeled Extraversion—similar domains have been labeled "Dominance" and "Assertiveness"

in other studies of common marmosets—and Agreeableness, Conscientiousness, and

Openness, and domains based on behavioral observations, which the authors labeled

Agreeableness, Neuroticism, and Perceptual Sensitivity (22). A later study (23) that used

ratings found five domains, four of which resembled those found by Iwanicki and Lehmann;

these domains were labeled Conscientiousness, Agreeableness, Assertiveness, and

Inquisitiveness. The remaining domain, Patience, was thought to perhaps be a ratings-based

analogue of Perceptual Sensitivity (23). Thus, traits related to, for instance, perseverance,

predictability, and distractibility, are correlated in such a way to suggest the presence of one

or two broad domains, those being labeled "Conscientiousness", "Patience", and perhaps

"Perceptual Sensitivity" in these studies (22, 23).

These findings in common marmosets are remarkable in that, although many primate

and non-primate species exhibit individual differences in these traits (24, 25), the only other

primate species in which they reflect the presence of one or two broad personality domains

include chimpanzees *Pan troglodytes* (26-31), bonobos *Pan paniscus* (17), and both brown

Sapajus apella (32) and perhaps golden-bellied capuchin monkeys *Sapajus xanthosternos*

(20), and humans *Homo sapiens* (e.g., 33). Cooperative breeding therefore appears to have

led to the evolution of a domain that, until now, has only been found in larger brained primate

species.

The first goal of our study was to follow-up an earlier study of personality in 77

common marmosets that were housed in the Kobe, Japan campus of the Institute of Physical

and Chemical Research (RIKEN), a Japanese research organization for basic and applied

science. This earlier study did not find evidence for a Conscientiousness or Patience domain;

this study also did not find evidence for an Openness domain (34). Because

Conscientiousness, Openness, and possibly Patience, were found in previous studies (22, 23),

the failure to find one or more of these domains in the RIKEN sample is puzzling. One

possible reason for these differences with regards to Conscientiousness or Patience is that, of

the items that Inoue-Murayama, Yokoyama (34) removed because they had interrater

reliability estimates that were less than zero, two (reckless and unperceptive) were associated

with Conscientiousness and three (inventive, persistent, and quitting) were associated with

Patience in Koski et al.'s (23) study (note that only two of these items were examined in

Iwanicki and Lehmann's study, those being reckless, which was associated with Extraversion

and inventive, which was associated with Openness). The negative interrater reliabilities of

these items suggest that there was either very little between-subject variance in ratings of

these items or that there was a large amount of error variance (35). A low level of between-

subject variance may reflect unmeasured influences related to the way in which the subjects

were housed or bred. It may also have come about because the personality of individual

common marmosets can conform to that of their group (12).

A second goal of this study was to examine the associations between the personality

domains and subjective well-being. Previous studies in humans (36, 37) and in nonhuman

primate species, including chimpanzees (29, 38, 39), orangutans *Pongo* spp. (40), rhesus

macaques *Macaca mulatta* (41), brown capuchin monkeys (42), and common marmosets

(34), show similar relationships between personality domains and measures of subjective

well-being and/or welfare. Across these species, personality domains associated with greater

degrees of gregariousness, assertiveness, activity, and other traits associated with

Extraversion (43), were related to higher subjective well-being and personality domains made

up of traits associated with greater vigilance, fearfulness, anxiety, and other traits associated

with Neuroticism (44), were associated with lower subjective well-being. We therefore tested

for associations between the personality domains and subjective well-being as measured by a

reliable, well-validated scale (38). We examined correlations between the personality

domains and the items from this scale, too, for by doing so we could assess the degree to

which personality domains were measures of distinct psychological constructs.

A third goal of this study was to further investigate whether genetic polymorphisms

were associated with personality. In a previous, we found that lower Dominance and lower

Neuroticism in common marmosets were associated with a single nucleotide polymorphism

(SNP), the AA genotype of the μ-opioid receptor gene; lower Neuroticism was additionally

associated with the short form of the arginine vasopressin receptor 1A gene (34). For the

present study we focused on polymorphisms of the serotonin receptor 1a gene. A previous

study of chimpanzees identified a SNP (rs25209664: C743A) causing a proline to glutamine

substitution at the 248[th] amino acid of the serotonin receptor 1a gene. This polymorphism was

associated with aggression and sociability: chimpanzees who possessed two C alleles

engaged in less social grooming and were rated as being more anxious (45). This study also

found evidence for some interactions: males with the CC genotype displayed more and, of

chimpanzees with the AC genotype, mid-ranking individuals had lower proximity scores

(45).

For the present study, to address the questions about personality and subjective well-

being, we asked three individuals to complete personality and subjective well-being

questionnaires for 51 common marmosets at RIKEN and pooled these with ratings of the 77

subjects from the original study (34). To address questions about the genetic bases of

personality in this species, we surveyed the polymorphism of the serotonin receptor 1a gene

around the reported region in chimpanzees and genotyped all 128 subjects and tested for

associations between personality and polymorphisms of the serotonin 1a receptor gene.

134   **Method**

Subjects

The common marmosets used in this study were recruited in three waves. The

subjects from the first wave had taken part in a previous similar study (see 34 for details) and

included 68 males and 9 females ranging in age from 1.5 to 15.1 years (mean=6.0, SD=2.6).

The subjects from the second and third waves were born at RIKEN. These subjects included

17 males and 7 females ranging in age from 1.7 to 4.5 years (mean = 2.6, SD = 0.7), and 14

males and 13 females ranging in age from 2.0 to 4.9 years (mean = 3.0, SD = 0.8),

respectively. The total sample therefore comprised 128 subjects (99 males, 29 females)

ranging in age from 1.6 to 15.1 (mean = 4.8, SD = 2.7).

Animal Housing and Husbandry

Subjects were housed in the RIKEN Center for Biosystems Dynamics Research in

Kobe, Japan. Of the total sample, 112 were born at the center, 6 were supplied by CLEA

Japan Inc. (Tokyo, Japan), and 10 were supplied by Japan Wild Animal Laboratory Limited

(Amami, Japan). Subjects sourced from other facilities had lived in the center for at least

three years prior to this study.

At RIKEN, subjects were housed in breeding rooms that had a 12-h light-dark cycle

(light: 08:00–20:00). Enclosures (1630 × 760 × 831 mm for families, 660 × 650 × 600 or 660

× 450 × 600 mm for pairs or individuals) had wooden perches, a plastic cube-shaped shelter,

a food tray, and a water dispenser. There were around twenty cages in each breeding room

and so even animals that were individually housed were exposed to visual and auditory

stimulation from conspecifics. The temperature and humidity in the breeding room were

maintained at approximately 28°C and 50%, respectively. In the morning and afternoon,

subjects received solid food (CMS-1, CLEA Japan, Inc., Tokyo, Japan) mixed with an

appropriate amount of water to soften, powdered milk formula, honey, gluconic acid,

calcium, vitamin C, and lactobacillus probiotic. The food in the afternoon was softened into a

paste by soaking it in water and then stirring it. Once a week subjects' diets were

supplemented with chopped and boiled eggs or bananas.

Animal Rearing

Animals were normally reared by their parents or their family members including

parents and 1-5 elder brothers or sisters in the family cages. At around 14 days after birth,

these infants were fed a food paste that was given to them in the afternoon. When these

individuals were between 6 and 12 months old, they left their family cages and began living

with mixed-age peers in one of the home cages. Some individuals, because they were to be

used in some experiments or because they did not get along with their partners, were housed

individually.

Animals that were not reared by their parents, for example in the event of a triplet

birth or parental neglect, were hand-reared in climate-controlled rearing cages by human

caregivers. This procedure has been described in detail elsewhere (34). In short, these animals

were housed in a thermal insulation box and a towel roll from 1 to 21 days after birth. From

21 days after birth to weaning, these animals were housed in a wire-mesh box sized 390 ×

230 × 300 mm furnished with a hammock, perches, a towel roll, a feeding dish, and a water

bottle. The animals were breastfed on the day of birth, and then bottle-fed until weaning. A

food paste was introduced at around 28 days and they were weaned fully 50 to 70 days after

birth. After weaning, animals were housed in one of home cages with peers or individually in

the breeding room.

Of the 77 subjects from the first wave, 30, including 23 parent-reared and 7 hand-

reared subjects, were housed in a family group (n = 13) or with same-sex peers (n = 17). The

remaining 47 subjects, including 33 that were parent-reared, 13 that were hand-reared, and 1

with an unknown rearing history, were single-housed. Of the 24 subjects from the second

wave, 22 subjects, including 18 that were parent-reared, 3 that were hand-reared subjects, and

1 with an unknown rearing history, were housed in a family group (n = 7), with an opposite

sex marmoset for breeding (n = 2), or with same-sex peers (n = 13). The remaining 2 subjects

from the second wave were parent-reared and single-housed. Of the 27 subjects from the

third wave, 25 parent-reared subjects and 1 hand-reared subject were housed in a family

group (n = 1), with an opposite-sex marmoset for breeding (n = 4), or with same-sex peers (n

= 19). The remaining subject was parent-reared and single-housed.

Ratings

Questionnaires

Personality. Ratings were made using the Hominoid Personality Questionnaire

(HPQ). The HPQ consists of 54 items, each consisting of a trait adjective paired with one to

three sentences that set the adjective in the context of primate behavior. For example, the trait

adjective "**FEARFUL**" (boldface and capitals in the original) is paired with the descriptor

sentences "Subject reacts excessively to real or imagined threats by displaying behaviors such

as screaming, grimacing, running away or other signs of anxiety or distress." The HPQ's

instructions ask raters to assign a rating of 1 ("Displays either total absence or negligible

amounts of the trait.") to 7 ("Displays extremely large amounts of the trait.") to each item.

The HPQ's instructions also request that raters do not discuss their ratings.

A detailed description of the HPQ's development can be found in Weiss (46). We

summarize it here. The HPQ grew out the 48-item Orangutan Personality Questionnaire (40),

which grew out of the 43-item Chimpanzee Personality Questionnaire (28). Forty-one of the

HPQ's 54 items were sampled from Goldberg's (47) trait terms of the five major domains of

human personality (28). The remaining 13 items were adapted from items (48) or facets (49)

from other human personality inventories, or were created for by the authors of these

instruments (28, 29, 40).

We used a Japanese translation of the HPQ. A study of chimpanzees revealed that the

translation did not adversely affect the HPQ's psychometric properties (29).

Subjective Well-Being. Ratings were made on a four-item scale that was based on a

questionnaire used to measure subjective well-being in captive chimpanzees (38). Each item

was devised so as to assess a different concept of subjective well-being that have been

described in the human literature (38, 50-54). The first item (moods) concerned the extent to

which an individual experienced positive versus negative affect. The second item (social)

concerned whether the individual experienced pleasure from social interactions. The third

item (goals) concerned whether the individual was able to achieve its goals, bearing in mind

that different individuals may have different, personal goals. The fourth item (be marmoset)

asked raters how "happy" they would be if they were that marmoset for a week and was

therefore intended to measure global well-being or happiness. The subjective well-being

scale's instructions ask raters to assign a rating of 1 ("Displays either total absence or

negligible amounts of the trait or state.") to 7 ("Displays extremely large amounts of the

trait.") to each item. The instructions also request that raters do not discuss their ratings.

We used the Japanese version of the subjective well-being questionnaire. A previous

study of chimpanzees revealed that the translation did not adversely affect this instrument's

psychometric properties (29).

Raters and Ratings

The same three keepers (two men and one woman) who had completed the

questionnaires in the first wave of data collection (see 34 for details) completed the

questionnaires for the second and third wave of data collection.

The keepers had known the subjects they rated for 1.1 to 9.8 years (mean = 3.7 years,

SD = 2.2). Two of the keepers (one man and one woman) rated all 128 subjects on all of the

HPQ and the subjective well-being questionnaire items. The third keeper rated 81 subjects.

This resulted in a total of 337 ratings or an average of 2.63 ratings per subject.

Genotyping

A buccal swab was taken from each subject and kept in a 90% ethanol solution until

DNA extraction. DNA was extracted by DNeasy Blood and Tissue kit (Qiagen, CA, USA).

PCR amplification was conducted in a 10 μl (the total volume) reaction mixture containing

10ng of DNA template, 0.4μM of each primer (forward: 5'-tggattcccttcctccgaaa-3', reverse:

5'-aggtgttgattccctagggt-3'), 0.5U of LA Taq DNA polymerase, 400 μM of dNTPs, and GC

buffer I (TaKaRa, Shiga, Japan). After denaturing DNA samples at 95°C for 1 min, we set up

40 cycles of 95°C for 30 seconds, 60°C for 30 seconds, 74°C for 1 minute, and a final

extension at 74°C for 10 minutes. A total of 1,473 base pair fragments including whole single

exon region were amplified. We then sequenced the polymerase chain reaction products, both

forwards and backwards, using 3130xl Genetic Analyzer (Applied Biosystems, CA, USA).

The internal primer 5'-tcatgctggttctctatggg-3' was also used for sequencing. Primers were

designed based on the NCBI Reference Sequence NC_013897. In the end, we identified three

novel SNPs (G840C, G841A, and T901A) in the third intracellular region of the receptor (see

Figures 1 and 2). G840C was a synonymous SNP coding alanine at the 280th amino acid

sequence, G841A was a nonsynonymous SNP that caused a methionine substitution at the

281st amino acid sequence, and T901A was a nonsynonymous SNP that caused a serine to

threonine substitution at the 301st amino acid sequence.

Analyses

254   Analyses were conducted using version 3.6.3 of R (55). Unless otherwise stated, the

255   functions used were from the version 1.9.12 of the psych package (56) and version 1.0.7 of

256   the EFA.MRFA package (57).

257   *Item Interrater Reliabilities*

258   We used a custom function in R to compute interrater reliabilities the HPQ and

subjective well-being questionnaire items. This function computed two types of intraclass

correlations (*ICC*s) that were described by Shrout and Fleiss (35). The first, $ICC(3,1)$,

indicated the reliability of individual ratings, that is, it was an estimate of the reliability of the

rating from a single rater. The second, $ICC(3,k)$, indicated the reliability of the mean rating

coming from *k* raters, which was equal to 2.63 in the present study. We excluded items that

had reliabilities that were not greater than zero (see 46 for a discussion).

Exploratory Factor Analyses

266   **Personality.** Analyses were based on the aggregate (mean) of personality ratings for

the 128 subjects. Simulation studies have variously revealed that the number of subjects

required for satisfactory factor recovery is a function of the item communalities, the item

loadings, the ratio of items to factors (58-60). These same simulations indicated that the

subject-to-item ratio is irrelevant. Previous rating-based studies of common marmoset

personality (22, 23, 34) have found that between 72% and 97% of questionnaire items were

reliable, between three and five factors, median salient loadings of around .6 or .7, and

communalities that were between wide and high (see ref 59 for definitions of these types of

communalities). As such, we have a large enough sample size to conduct factor analyses on

these data.

We used the fa function from Revelle's psych package to conduct maximum

likelihood exploratory factor analyses. Before conducting our factor analyses, however, we

used four methods to determine how many factors to extract. First, we inspected the scree

plot. Second, we used Revelle's psych package's fa.parallel function to conduct a parallel

analysis (61) in which we compared eigenvalues from a principal components analysis of our

data to the distribution of 1000 eigenvalues generated from principal components analysis of

resampled and randomly generated data. Our decision to use principal components analysis

for our parallel analysis was based on the findings of a recent study that showed that the

number of dimensions identified in this manner is more accurate (62). Third, we used the

VSS function from Revelle's psych package to determine, for solutions that included one to

eight factors, which had the lowest Bayesian Information Criterion (BIC; 63). Fourth, we

used the hullEFA function from Navarro-Gonzalez and Lorenzo-Seva's EFA.MRFA package

to determine the number of factors via the Hull method (64), which performs well with

personality data (65). We also inspected the factors to ensure that they were interpretable.

After extracting the factors, we applied an oblique (promax) and an orthogonal

(varimax) rotation. If the promax rotation yielded factors that were strongly correlated and/or

a different structure, we retained and interpreted those factors. Otherwise, we retained and

interpreted the varimax-rotated factors. In interpreting the factors, we specified that salient

loadings were those equal to or greater than |0.4|. We then labeled each factor based on our

interpretation of it and attempted to find suitable labels from previous findings in nonhuman

primates, and humans. If we could not find a label that was a good description of the factor,

we devised our own.

In addition to conducting this first-order factor analysis, we found evidence (results to

be discussed) suggesting that there may be second-order personality factors underlying these

data. We thus conducted an exploratory factor analyses of the factor correlation (Phi) matrix

obtained from the promax-rotated factors. For the same reason, we conducted an additional

item-level factor analysis as a robustness check.

Subjective Well-Being. Analyses were based on the aggregate (mean) of the

subjective well-being ratings for the 128 subjects. Previous work in 77 of these subjects

revealed that a single factor loaded on all four subjective well-being items (34). We therefore

used the fa function from Revelle's psych package to conduct a maximum likelihood

exploratory factor analysis in which we extracted a single factor from these data.

Unit-Weighted Factor Scores

For the remaining analyses, we used a custom R function to compute unit-weighted

factor scores for the personality and subjective well-being data. This involved, for each item,

finding the largest salient loading. If that loading was positive, we assigned it a weight of +1.

If that loading was negative, we assigned it a weight of -1. In all other cases, we assigned a

weight of zero. We then weighted and summed the item ratings.

Factor Reliabilities

For the first- and second-order personality factors, and for subjective well-being, we

again used the custom function in R that we used to compute Shrout and Fleiss's $ICC(3,1)$

and $ICC(3,k)$ for the items to compute these ICCs. As with the item-level analyses, k was

equal to 2.63. In addition, we used Revelle's psych package to compute Cronbach's alpha

(α), a measure of the internal consistency reliability of a scale and to compute McDonald's

omega hierarchical (ω_h), a measure of the degree to which a general factor saturates a scale's

items.

Personality Factor Comparisons

To compare the first- and second-order factors to factors found in three previous

studies of common marmoset personality (22, 23, 34), we first generated unit-weighted factor

scores based on the personality structures described in these studies. In generating these

scores, because there was not a total overlap of questionnaire items across these studies, it

was sometimes necessary to substitute items that were similar in meaning or in the constructs

that they purportedly assessed. Details about how these unit-weighted scores were created

can be found in Table S1.

After computing these unit-weighted factor scores, we obtained correlations between

the scores based on the factor loadings from the present study and the scores based on

component and factor loadings from previous studies. We compared the absolute magnitude

and highlighted the highest correlation or, in the case where the confidence intervals of two

or more correlations overlapped, highest correlations.

Personality-Subjective Well-Being Associations

336   We used Pearson correlation coefficients to examine the associations between the

337   first- and second-order personality factors and, both, the subjective well-being items and the

338   total score.

Genetic Associations

To examine the genotype-personality associations, for each first- and second-order

personality factor, we fit a linear model using the lm function. The personality factor scores

in these analyses were standardized (mean = 0, SD = 1). The variables in the models included

sex (male = 1, female = 0), age in years, and a categorical variable that indicated genotype.

Because there were problems with genotyping four subjects, these individuals were excluded

from the analyses. In addition, the G840C genotypes for two subjects and T901A genotype

for one subject were unclear, and so these individuals were not included in tests of

associations between personality and the G840C and T901A genotype, respectively. Finally,

only one subject had the AA version of G841A and only nine subjects had the GA version of

this genotype. We therefore decided to not examine associations between this genotype and

personality.

351   Although the subjects were related to one another, we did not test for these effects

352   within the context of an animal model (cf. 34). Moreover, because we conducted multiple,

353   sometimes non-independent, tests, we applied a Bonferroni correction to the results.

354   **Ethics**

355   Data were collected at the RIKEN Center for Biosystems Dynamics Research. This

study complied with the current laws of Japan, including the Act on Welfare and

Management of Animals. All experimental and husbandry procedures were performed in

accordance with RIKEN's Guidelines for Conducting Animal Experiments, and in

accordance with the ARRIVE (Animal Research: Reporting of In Vivo Experiments)

guidelines. All procedures were approved by the Animal Care and Use Committee of the

Kobe Institute of RIKEN (MA2009-10-16).

362   **Results**

363   **Interrater Reliabilities of Items**

364   *Personality*

365   The interrater reliabilities of the 54 items from the Hominoid Personality

Questionnaire are presented in Table 1. The reliabilities of individual ratings and of mean

ratings for the items anxious, persistent, quitting, and unperceptive were negative, and so we

excluded these items from further analyses. The reliabilities of individual ratings for the items

innovative and decisive were less than 0.01 and the reliability of mean ratings for these items

were equal to 0.01, and so we decided to also exclude these items from further analyses.

Of the remaining 48 items, the interrater reliabilities of individual ratings ranged from

0.02 (inventive) to 0.45 (dominant). The mean and standard deviation for these estimates

were 0.21 and 0.11, respectively. The interrater reliabilities of mean ratings for the remaining

items ranged from 0.06 (inventive) to 0.68 (dominant). The mean and standard deviation for

these estimates were 0.40 and 0.16, respectively.

Subjective Well-Being

The interrater reliabilities of individual ratings were 0.16, 0.10, 0.15, and 0.15 for the

item about positive versus negative moods, the pleasure derived from social interactions, the

ability to achieve goals, and how happy a rater would be if they were that marmoset. The

corresponding reliabilities of mean ratings were 0.33, 0.23, 0.32, and 0.30.

Maximum Likelihood Exploratory Factor Analyses

Personality

First-Order Analysis. Parallel analysis and inspection of the scree plot indicated that

there were five factors (see Figure S1). The Hull method (see Figure S2) also indicated that

there were five factors and the lowest BIC (see Table S2) was achieved when extracting five

factors. We therefore extracted five factors. A promax rotation of these factors yielded two

interfactor correlations that were large (rs $\geq |0.5|$) and two that were medium-sized (rs $\geq$

$|0.3|$). The mean and standard deviation of the absolute interfactor correlations were 0.26 and

0.20, respectively. Comparison of the varimax- and promax-rotated factors revealed that the

congruence coefficients for two factors fell below 0.95 (see Table S3) and an inspection of

the factor loadings indicated that the promax-rotated factors differed some from their

varimax-rotated counterparts. Given these results, we interpreted the promax-rotated factors

(see Table 2), which explained 63% of the variance (the varimax-rotated factors are presented

in Table S4).

The first factor loaded on items related to high Extraversion and high Agreeableness

in humans (e.g., 47). Compared to other studies of common marmosets, this factor somewhat

resembled the Sociability factor in one study (34) and the Agreeableness factor from two

other studies (22, 23).

The second factor loaded on items related to high Extraversion and low

Agreeableness in humans (e.g., 47). Compared to other studies of common marmosets, it is

best described as a narrow version of factors labeled Dominance (34), Extraversion (22), and

Assertiveness (23). To be consistent with a prior study of a subset of these animals (34), we

labeled this factor Dominance.

The third factor had positive loadings on items related to high Neuroticism and low

Conscientiousness in humans, and also negative loadings on items related to low Neuroticism

and high Conscientiousness (e.g., 47). In a previous study of a subsample of these animals

(34), the Dominance and Neuroticism factor loaded on some of these items. Compared to

other studies of common marmosets, it resembled most closely factors labeled

Conscientiousness and Patience in one study (23) and the Conscientiousness factor in another

(22). Humans that are high in Neuroticism and low in Conscientiousness are described as

exhibiting an undercontrolled style of impulse control (66). We thus labeled this factor

Impulsiveness.

With the sole exception of a negative loading on the item cautious, the fourth factor

primarily loaded on items related to high Openness in humans (e.g., 47). Previous studies of

common marmosets have labeled factor such as these Openness (22) and Inquisitiveness (23).

We therefore labeled this factor Openness.

The fifth factor loaded on items related to low Extraversion and high Neuroticism in

humans (e.g., 47). In the previous study of a subset of these animals (34), Neuroticism had a

positive loading on many of these items. In all three previous studies of this species, factors

such as Dominance, Assertiveness, and Conscientiousness had negative loadings on these

items (22, 23, 34). Given that this factor combined aspects of high Neuroticism and low

degrees of Assertiveness or social prowess, we labeled it Negative Affect.

Second-Order Analysis. Because there were several non-negligible correlations

between the factors, we factor analyzed the factor intercorrelation (Phi) matrix. This enabled

us to test whether there were any second-order factors.

Parallel analysis and inspection of the scree plot (see Figure S3) indicated that there

were two factors. We also tried to extract a single 'general' factor, but this solution exhibited

poor fit (root mean square of the residuals = 0.14) and the factor did not load on Openness or

Negative Affect. A promax rotation of the two-factor solution indicated that they were close

to being orthogonal, and the loadings of the varimax-rotated factors were nearly identical to

the promax-rotated factors (see Table 3). We therefore interpreted the varimax-rotated

factors. After reflecting (multiplying its loadings by -1) the first factor, it had a positive

loading on Sociability and a negative loading on both Dominance and Impulsiveness. We

thus labeled this factor Pro-sociality. The second factor had a positive loading on Openness

and a negative loading on Negative Affect. We thus labeled this factor Boldness.

Robustness Checks. Previous studies of common marmosets did not find higher-

order factors; the interfactor correlations were modest (22, 23, 34). We therefore conducted

two robustness checks.

The first check was to test whether the higher-order factors reflected the structuring of

data collection. Specifically, because different subjects were rated in each of three waves, this

may have led raters to rate the subjects belonging to each wave as more similar to one

another than to those in other waves. To test this, we residualized the 48 reliable items on a

categorical variable that represented whether the subject was rated in the first, second, or

third wave. We then factor analyzed the residualized item scores.

Inspection of the scree plot suggested that there were five factors and parallel analysis

indicated that there were four factors (see Figure S4). The Hull test indicated that there were

two factors (see Figure S5). The BIC was lowest for a five-factor solution (see Table S2). We

therefore examined promax-rotations after extracting two, four, and then five factors.

For the two-factor solution (see Table S5), the first factor loaded predominantly on

items that belonged to the three factors—Sociability, Dominance, and Impulsiveness—that

loaded on Pro-Sociality. The second factor loaded predominantly on items that belonged to

Openness and Negative Affect, that is, the factors that loaded on Boldness. For the four-

factor solution (see Table S6), the first, third, and fourth factors resembled the Sociability,

Negative Affect, and Openness. The second factor loaded predominantly on items related to

high Dominance and high Impulsiveness. The five-factor solution (see Table S7) yielded five

factors that were similar to the five factors found earlier.

The similarity, as indicated by Tucker's congruence coefficients, between the five

factors obtained before and after item scores were residualized were equal to or greater than

0.98, suggesting that these were the same factors (see Table S8). Factor analysis of the

residualized item scores, then, revealed either the same structure (the five-factor solution) or

structures in which there were stronger associations between factors (the two- and four-factor

solutions). These results are not consistent with the possibility that the higher-order factors

are due to how the data were gathered.

The second check was to test whether the second-order factors are general evaluative

factors used by raters (see ref 67 for a discussion and demonstration). To do so, we factor

analyzed ratings from each of the three raters separately. We also factor analyzed a weighted

correlation matrix from which removed possible effects of raters

468
$$\mathbf{P}_w = \frac{1}{N} \sum_{i=1}^{k} \mathbf{P}_i n_i$$

where $\mathbf{P}_w$, the weighted correlation matrix, is the sum of the products of the correlation

matrices of each of k (3 in the present case) raters, $\mathbf{P}_i$, and the subjects, n_i rated by that

individual rater, divided by the total number of subjects, N.

For ratings from one keeper who rated all of the subjects, the scree plot and parallel

analysis (see Figure S6), BIC (see Table S2), and Hull method (see Figure S7) indicated that

there were five factors. We thus extracted five factors and subjected them to a promax

rotation (see Table S9). The factors resembled those obtained in the initial factor analysis and

the interfactor correlations were similar in magnitude. We then conducted a second-order

factor analysis in which we forced a two-factor solution. Although one second-order factor

just missed our criterion for a salient loading on a first-order factor, these factors resembled

Pro-sociality (reversed) and Boldness (see Table S10).

For ratings from the second keeper who rated all of the subjects, the scree plot

indicated that there were four or five factors and parallel analysis indicated that there were

four factors (see Figure S8). BIC (see Table S2) and the Hull method (see Figure S9) also

indicated that there were four factors. We thus extracted four factors and subjected them to a

promax rotation (see Table S11). This solution included what appeared to be an

Agreeableness factor (the first factor), the third factor was a Gregariousness factor (a narrow

facet of Extraversion), and the remaining two factors that were difficult to interpret. The

interfactor correlations were not consistent with there being a second-order factor.

For ratings from the keeper who rated 81 subjects, the scree plot and parallel analysis

(see Figure S10), BIC (see Table S2), and Hull method (see Figure S11) indicated that there

were three factors. We thus extracted three factors and subjected them to a promax rotation

(see Table S12). These factors included a broad variant of Dominance, a factor that

encompassed activity and low levels of negative affect, and a narrow variant of

Impulsiveness.

For the weighted correlation matrix, the scree plot indicated that there were five

factors and parallel analysis indicated that there were three factors (see Figure S12). The BIC

indicated that there were three factors (see Table S2). We thus extracted three factors and

subjected them to a promax rotation (see Table S13). The first and third factors loaded on

many of the traits that belonged to the factors that made up the second-order Pro-sociality and

Boldness domains, respectively. The second factor was similar to Impulsiveness. The

correlation between the first and third factors was low, but the correlation between

Impulsiveness and Pro-Sociality was between medium and large, and therefore was

consistent with the definitions of these factors. We then conducted an analysis in which we

extracted five factors and subjected them to a promax-rotation. The five factors resembled

those from our initial factor analyses as did the interfactor correlations (see Table S14). The

second-order factor analysis of these correlations revealed a (reversed) Pro-Sociality factor

and a Boldness factor (see Table S15).

Subjective Well-Being

Parallel analysis and an examination of the scree plot indicated that there was a single

factor (see Figure S13). This factor explained 67% of the variance and had salient loadings on

all four items (see Table 4).

Reliabilities of Factors

Personality

The interrater reliabilities of the individual ratings for Sociability, Dominance,

Impulsiveness, Openness, and Negative Affect were 0.52, 0.39, 0.28, 0.25, and 0.26,

respectively. The interrater reliabilities of mean ratings for these factors were 0.74, 0.63,

0.50, 0.46, and 0.48, respectively. For Pro-Sociality and Boldness, respectively, the interrater

reliabilities of individual ratings were 0.45 and 0.30, and the interrater reliabilities of mean

ratings for these second-order factors were 0.69 and 0.53.

The internal consistency reliability (Cronbach's α) for Sociability, Dominance,

Impulsiveness, Openness, and Negative Affect were 0.95, 0.95, 0.88, 0.85, and 0.81,

respectively. The degree to which a general factor saturated (McDonald's ω_h) Sociability,

Dominance, Impulsiveness, Openness, and Negative Affect was 0.81, 0.85, 0.75, 0.80, and

0.68, respectively.

Subjective Well-Being

For the total subjective well-being score, the interrater reliability of individual ratings

was 0.21 and the interrater reliability of the mean of ratings 0.41. Cronbach's α for this scale

was 0.87.

Personality Factor Comparisons

Iwanicki and Lehmann (22) found four factors, which they labeled Extraversion,

Agreeableness, Conscientiousness, and Openness. Compared to our first-order factors, their

Extraversion factor was most similar to Dominance, their Agreeableness factor was equally

similar to the Sociability and (low) Dominance, their Conscientiousness factor was most

similar to Sociability, and their Openness was most similar to the same-named factor that we

found (see Table 5). Compared to our second-order factors, Iwanicki and Lehman's

Extraversion was equally similar to (low) Pro-sociality and high Boldness; their

Agreeableness and Conscientiousness factors were most similar to Pro-sociality; and their

Openness factor was most similar to Boldness (see Table 6).

Koski, Buchanan-Smith (23) found five factors, which they labeled

Conscientiousness, Agreeableness, Assertiveness, Patience, and Inquisitiveness. Compared to

our first-order factors, their Conscientiousness factor was equally similar to (low) Dominance

and (low) Impulsiveness; their Agreeableness factor was most similar to Sociability; their

Assertiveness factor was similar to (low) Sociability, Dominance, and (low) Negative Affect;

their Patience was most similar to Sociability; and their Inquisitiveness was most similar to

Openness (see Table 5). Compared to our second-order factors, their Conscientiousness,

Agreeableness, and Patience factors were all most similar to Pro-sociality; their Assertiveness

factor was equally similar to Boldness and (low) Pro-sociality; and their Inquisitiveness

factor was most similar to Boldness (see Table 6).

Inoue-Murayama, Yokoyama (34) found three factors, which they named Dominance,

Sociability, and Neuroticism. Compared to our first-order factors, their Dominance factor was

most similar to Dominance; their Sociability factor was most similar to Sociability; and their

Neuroticism factor was most similar to Negative Affect (see Table 5). Compared to our

second-order factors, their Dominance and Sociability factors were most similar to low and

high Pro-sociality, respectively; their Neuroticism factor was most similar to (low) Boldness

(see Table 6).

Personality and Subjective Well-Being Associations

The correlations between the four subjective well-being items and the personality

factors are presented in Table 7. Sociability was significantly associated with higher scores

on all four of the scale items and subjective well-being. Dominance was not significantly

related to any of the scale's items or the factor. Impulsiveness was significantly related to

lower and Openness was significantly related to higher balance of positive versus negative

moods, how happy raters thought they would be if they were the marmoset, and subjective

well-being. Negative Affect was negatively related to how happy raters would be how happy

raters thought they would be if they were the marmoset. The second-order factor Pro-sociality

was significantly associated with being rated as higher on all four items and higher subjective

well-being. The second-order factor Boldness was not significantly associated with the

pleasure subjects derived from social interactions, but it was significantly related to being

higher in the other three items and in subjective well-being.

Personality-Genotype Associations

G840C Genotypes

Twenty-seven subjects had the GG genotype, 23 had the CC genotype, and 72 were

heterozygous. In the first set of analyses, we compared subjects with the GC genotype and

subjects with the GG type to those with the CC genotype. Compared to subjects with the CC

genotype, subjects with the GC or GG genotypes were significantly higher in Dominance;

these effects, however, did not prevail correction for multiple tests (see Table S16). In a

second set of analyses, we compared the 95 subjects who were carriers of the C allele (CC or

GC genotype) to the 27 subjects with the GG genotype. None of the comparisons were

statistically significant (see Table S17). In a third set of analyses, we compared the 99

subjects who were carriers of the G allele (GG or GC genotype) to the 23 subjects with the

CC genotype. Carriers were significantly higher in Dominance, but again, this effect did not

prevail correction for multiple tests (see Table S17).

T901A genotypes

Twelve subjects had the TT genotype, 35 had the AA genotype, and 76 were

heterozygous. Because of this imbalance in the number of subjects, we only compared the 88

subjects who carried the T allele to the 35 subjects with the AA genotype. None of the

comparisons were statistically significant (see Table S18).

586   **Discussion**

We found five common marmoset personality domains. We labeled these domains

Sociability, Dominance, Impulsiveness, Openness, and Negative Affect. The correlations

between these domains suggested the presence of second-order factors. Further analyses

revealed two second-order factors, one that we labeled Pro-sociality, which had a positive

loading on Sociability and negative loadings on Dominance and Impulsiveness, and another

that we labeled Boldness, which had a positive loading on Openness and a negative loading

on Negative Affect. The interrater reliabilities of unit-weighted factor scores that represented

the first- and second-order domains indicated that, even at the lower end, the degree to which

variance in these scores were comprised of true-score variance was comparable to what has

been found in studies of other primate species (68), including humans (e.g., 69). The

interrater reliability estimate for subjective well-being was, however, markedly lower than

what has been found in other species, for example, chimpanzees (29, 38). The personality

factors were related to subjective well-being and its constituent items in ways consistent with

the meaning of the factors. There was no strong evidence that they were associated with

polymorphisms of the serotonin 1a receptor gene.

The personality domains found in our study showed considerable overlap with those

found in prior studies of this species. Openness resembled eponymous domains, or domains

labeled Inquisitiveness, that had been identified in studies in which common marmoset

personality (12, 14, 22, 23). Although we did not find a clear match to the domain labeled

Conscientiousness in Iwanicki and Lehmann (22) and Koski, Buchanan-Smith (23),

Impulsiveness and Pro-sociality showed considerable overlap with that construct.

Specifically, in addition to being related to behavioral consistency and reliability,

Conscientiousness in these past studies had loadings prosocial behavior, tolerance, and low

levels of aggression (22, 23) whereas Impulsiveness was also related to emotionality and

reactivity. Finally, Dominance, Sociability, and Negative Affect resembled domains that had

been found in at least one of these earlier studies. On the other hand, the Patience domain

identified by Koski, Buchanan-Smith (23) and possibly by Iwanicki and Lehmann (22) was

not clearly represented among the domains; the best match was Pro-sociality.

One major difference between this study and comparable rating-based studies (22, 23,

34) was our identification of two second-order factors. Our follow-on analyses suggested that

these factors may partly reflect a tendency for some raters to see some traits as more

correlated than others, but these analyses could not exclude the possibility that Pro-Sociality

and Boldness belong to a higher-level of personality organization, perhaps reflecting group

personalities in this species (12).

There have been reports of higher-order factors of human personality (70, 71),

including a general factor of personality (e.g., 72, 73). However, these and other, similar

reports have been criticized on numerous grounds (see, e.g., 74, 75, 76). Moreover, studies

including of nonhuman primates, which are not beset by the problems noted by these critics

tend not to find evidence for higher-order personality factors or correlations among lower-

order factors (67, 76-82).

The problems in human studies identified by these critics are also absent in the

present study: each animal was rated by two or three keepers, the correlations among the

latent variables were considerable, and statistically adjusting for rater effects increased rather

than decreased some correlations among factors. Still, these second-order factors were not

identified in similar studies, including the previous study of this group of common marmosets

(22, 23, 34). As such, replication and an examination of this phenomenon using more flexible

modeling techniques (e.g., ref 11) are needed before we can conclude that these second-order

factors represent a higher-level of personality organization and identify whether they are

caused by social processes in common marmosets (cf. 12).

Together with findings from prior studies, the findings in this study are consistent

with the possibility that common marmosets evolved a personality structure that includes

domains that are more commonly associated with species, such as brown capuchin monkeys

(32), chimpanzees (28), and humans (83). As these species only share distant common

ancestors with common marmosets and have very different socioecologies, these traits are not

likely to be homologous. Instead, these traits likely reflect convergent evolution, and evolved

to deal with the demands that come with cooperative breeding. Likewise, the differences

between common marmoset personality and that of the other species may also be attributable

to their being cooperative breeders or other unique features of their socioecology that we

have yet to discover. In any event, studies that examine the role that Conscientiousness and/or

Patience play in infant rearing, and especially by helpers, among common marmosets and

other cooperative breeders are needed to test this hypothesis.

648   As in our study of a subsample of these subjects (34), we found a pattern of

649   personality-subjective well-being correlations that were consistent with those found in studies

650   of humans (36, 37) and nonhuman primates (29, 38-42). Similar associations have also been

651   reported for felids (84, 85). These findings, and those in humans and great apes that indicate

652   that a common genetic background underlies these traits (86-91), are consistent with the

653   possibility that these relationships are ancestral.

654   Our failure to find an association between SNPs related to the serotonin 1a receptor

gene is not consistent with previous findings of an association between this genotype and

personality in chimpanzees (45). It is possible that our failure to find an association resulted

from the personality measure that we used. However, the associations between personality

and serotonin-related genes in humans appear to be false positives (92). As such, without

additional evidence from well-powered studies to the contrary, we are led to conclude that we

did not find significant associations between these SNPs and personality domains because

there were none.

662   This study had three shortcomings. First, nearly 40% of the subjects were single-

housed. Behaviors related to some of the traits might therefore have been rare or absent.

Second, the factor structure was compared to those from studies that used different, although

partly overlapping, instruments. It is unclear to what degree this would have obscured

similarities or blurred differences between the structures in these studies. This limitation also

prevented us from using other statistical methods to compare these structures. Third, as we

alluded to earlier, to identify genetic effects, considerably larger sample sizes. Still, we

judged that it was worth reporting the genetic associations so that they may contribute to

future meta-analyses.

To use a cliché, this study yields more questions than answers about common

marmoset personality. Nevertheless, it highlights the promise that large collaborative studies

of this species may hold for understanding the proximate and ultimate origins of their

personality and ours.

References

1.   Rylands AB, Coimbra-Filho AF, Mittermeier RA. Systematics, geographic distribution, and some notes on the conservation status of the Callitrichidae. In: Rylands AB, editor. Marmosets and tamarins: Systematics, behaviour, and ecology. New York: Oxford University Press; 1993. p. 11–77.

2.   Rylands AB, de Faria DS. Habitats, feeding ecology, and home range size in the genus *Callithrix*. In: Rylands AB, editor. Marmosets and tamarins: Systematics, behaviour, and ecology. New York: Oxford University Press; 1993. p. 262-72.

3.   Servick K. Why are U.S. neuroscientists clamoring for marmosets? Science. 2018:383-4.

4.   Preuss TM. Critique of pure marmoset. Brain Behav Evol. 2019;93(2-3):92-107.

5.   Burkart JM, Fehr E, Efferson C, van Schaik CP. Other-regarding preferences in a non-human primate: Common marmosets provision food altruistically. Proc Natl Acad Sci U S A. 2007;104(50):19762-6.

6.   Burkart JM, Allon O, Amici F, Fichtel C, Finkenwirth C, Heschl A, et al. The evolutionary origin of human hyper-cooperation. Nat Commun. 2014;5.

7.   Kawai N, Yasue M, Banno T, Ichinohe N. Marmoset monkeys evaluate third-party reciprocity. Biol Lett. 2014;10(5).

8.   Burkart JM, van Schaick CP. Cognitive consequences of cooperative breeding in primates? Anim Cogn. 2010;13:1-19.

9.   Digby LJ, Ferrari SF, Saltzman W. Callitrichines: The role of competition in cooperatively breeding species. In: Campbell CJ, Fuentes A, MacKinnon KC, Bearder SK, Stumpf RM, editors. Primates in Perspective. 2nd ed. Oxford: Oxford University Press; 2010. p. 91-107.

10.   Šlipogor V, Gunhold-de Oliveira T, Tadić Z, Massen JJM, Bugnyar T. Consistent inter-individual differences in common marmosets (*Callithrix jacchus*) in Boldness-Shyness, Stress-Activity, and Exploration-Avoidance. Am J Primatol. 2016;78(9):961-73.

11.   Martin JS, Massen JJM, Šlipogor V, Bugnyar T, Jaeggi AV, Koski SE. The EGA+GNM framework: An integrative approach to modelling behavioural syndromes. Methods in Ecology and Evolution. 2019;10(2):245-57.

12.   Koski SE, Burkart JM. Common marmosets show social plasticity and group-level similarity in personality. Scientific Reports. 2015;5.

13.   Šlipogor V, Burkart JM, Martin JS, Bugnyar T, Koski SE. Personality method validation in common marmosets (*Callithrix jacchus*): Getting the best of both worlds. J Comp Psychol. 2020;134(1):52-70.

14.   Tomassetti D, Caracciolo S, Manciocco A, Chiarotti F, Vitale A, De Filippis B. Personality and lateralization in common marmosets (Callithrix jacchus). Behav Process. 2019;167.

15.   Yokoyama C, Kawasaki A, Hayashi T, Onoe H. Linkage between the midline cortical serotonergic system and social behavior traits: positron emission tomography studies of common marmosets. Cereb Cortex. 2013;23:2136-45.

16.   Adams MJ, Majolo B, Ostner J, Schuelke O, De Marco A, Thierry B, et al. Personality structure and social style in macaques. J Pers Soc Psychol. 2015;109(2):338-53.

17.   Weiss A, Staes N, Pereboom JJM, Inoue-Murayama M, Stevens JMG, Eens M. Personality in bonobos. Psychol Sci. 2015;26(9):1430-9.

18.   Wilson VAD, Inoue-Murayama M, Weiss A. A comparison of personality in the common and Bolivian squirrel monkey (*Saimiri sciureus* and *Saimiri boliviensis*). J Comp Psychol. 2018;132(1):24-39.

19.   Robinson LM, Morton FB, Gartner MC, Widness J, Paukner A, Essler JL, et al. Divergent personality structures of brown and white-faced capuchins. J Comp Psychol. 2016;130(4):305-12.

20.   Fernández-Bolaños M, Delval I, de Oliveira RS, Izar P. Assessing the personality structure of wild capuchin monkeys (*Sapajus xanthosternos*) using trait rating and behavioral coding. J Comp Psychol. 2020;Advance online publication.

21.   Masilkova M, Šlipogor V, Weiss A, Konečná M. Comparative assessment of behaviorally derived personality structures in golden-handed tamarins (*Saguinus midas*), cotton-top tamarins (*Saguinus oedipus*), and common marmosets (*Callithrix jacchus*). J Comp Psychol. 2020;Advance online publication.

22.   Iwanicki S, Lehmann J. Behavioral and trait rating assessments of personality in common marmosets (*Callithrix jacchus*). J Comp Psychol. 2015;129(3):205-17.

23.   Koski SE, Buchanan-Smith H, Ash H, Burkart J, Bugnyar T, Weiss A. Common marmoset (*Callithrix jacchus*) personality. J Comp Psychol. 2017;131(4):326-36.

24.   Delgado MM, Sulloway FJ. Attributes of conscientiousness throughout the animal kingdom: An empirical and evolutionary overview. Psychol Bull. 2017;143(8):823-67.

25.   MacLean EL, Hare B, Nunn CL, Addessi E, Amici F, Anderson RC, et al. The evolution of self-control. Proc Natl Acad Sci U S A. 2014;111(20):E2140-E8.

26.   Weiss A, King JE, Hopkins WD. A cross-setting study of chimpanzee (*Pan troglodytes*) personality structure and development: Zoological parks and Yerkes National Primate Research Center. Am J Primatol. 2007;69(11):1264-77.

27.   King JE, Weiss A, Farmer KH. A chimpanzee (*Pan troglodytes*) analogue of cross-national generalization of personality structure: Zoological parks and an African sanctuary. J Pers. 2005;73(2):389-410.

28.   King JE, Figueredo AJ. The Five-Factor Model plus Dominance in chimpanzee personality. J Res Pers. 1997;31(2):257-71.

29.   Weiss A, Inoue-Murayama M, Hong K-W, Inoue E, Udono S, Ochiai T, et al. Assessing chimpanzee personality and subjective well-being in Japan. Am J Primatol. 2009;71(4):283-92.

30.   Freeman HD, Brosnan SF, Hopper LM, Lambeth SP, Schapiro SJ, Gosling SD. Developing a comprehensive and comparative questionnaire for measuring personality in chimpanzees using a simultaneous top-down/bottom-up design. Am J Primatol. 2013;75(10):1042-53.

31.   Dutton DM. Subjective assessment of chimpanzee (*Pan troglodytes*) personality: Reliability and stability of trait ratings. Primates. 2008;49(4):253-9.

32.   Morton FB, Lee PC, Buchanan-Smith HM, Brosnan SF, Thierry B, Paukner A, et al. Personality structure in brown capuchin monkeys (*Sapajus apella*): Comparisons with chimpanzees (*Pan troglodytes*), orangutans (*Pongo spp.*), and rhesus macaques (*Macaca mulatta*). J Comp Psychol. 2013;127(3):282-98.

33.   McCrae RR, Terracciano A, 78 Members of the Personality Profiles of Cultures Project. Universal features of personality traits from the observer's perspective: Data from 50 cultures. J Pers Soc Psychol. 2005;88(3):547-61.

34.   Inoue-Murayama M, Yokoyama C, Yamanashi Y, Weiss A. Common marmoset (*Callithrix jacchus*) personality, subjective well-being, hair cortisol level, and *AVPR1a*, *OPRM1*, and *DAT* genotypes. Scientific Reports. 2018;8.

35.   Shrout PE, Fleiss JL. Intraclass correlations: Uses in assessing rater reliability. Psychol Bull. 1979;86(2):420-8.

36.   DeNeve KM, Cooper H. The happy personality: A meta-analysis of 137 personality traits and subjective well-being. Psychol Bull. 1998;124(2):197-229.

37.   Steel P, Schmidt J, Shultz J. Refining the relationship between personality and subjective well-being. Psychol Bull. 2008;134(1):138-61.

38.   King JE, Landau VI. Can chimpanzee (*Pan troglodytes*) happiness be estimated by human raters? J Res Pers. 2003;37(1):1-15.

39.   Robinson LM, Altschul D, Wallace E, Úbeda Y, Llorente M, Machanda Z, et al. Chimpanzees with positive welfare are happier, extraverted, and emotionally stable. Appl Anim Behav Sci. 2017;191:90-7.

40.   Weiss A, King JE, Perkins L. Personality and subjective well-being in orangutans (*Pongo pygmaeus* and *Pongo abelii*). J Pers Soc Psychol. 2006;90(3):501-11.

41.   Weiss A, Adams MJ, Widdig A, Gerald MS. Rhesus macaques (*Macaca mulatta*) as living fossils of hominoid personality and subjective well-being. J Comp Psychol. 2011;125(1):72-83.

42.   Robinson LM, Waran NK, Leach MC, Morton FB, Paukner A, Lonsdorf E, et al. Happiness is positive welfare in brown capuchins (*Sapajus apella*). Appl Anim Behav Sci. 2016;181:145-51.

43.   Wilt J, Revelle W. Extraversion. In: Widiger TA, editor. The Oxford Handbook of the Five Factor Model. New York: Oxford University Press; 2017. p. 57-82.

44.   Tackett JL, Lahey BB. Neuroticism. In: Widiger TA, editor. The Oxford Handbook of the Five Factor Model. New York: Oxford University Press; 2017. p. 39-56.

45.   Staes N, Sherwood CC, Freeman H, Brosnan SF, Schapiro SJ, Hopkins WD, et al. Serotonin Receptor 1A Variation Is Associated with Anxiety and Agonistic Behavior in Chimpanzees. Mol Biol Evol. 2019;36(7):1418-29.

46.   Weiss A. Exploring factor space (and other adventures) with the Hominoid Personality Questionnaire. In: Vonk J, Weiss A, Kuczaj S, editors. Personality in Nonhuman Animals. Cham, Switzerland: Springer; 2017. p. 19-38.

47.   Goldberg LR. An alternative "description of personality": the Big-Five factor structure. J Pers Soc Psychol. 1990;59(6):1216-29.

48.   McCrae RR, Costa PT, Jr. Updating Norman's "adequate taxonomy": Intelligence and personality dimensions in natural language and in questionnaires. J Pers Soc Psychol. 1985;49(3):710-21.

49.   Costa PT, Jr., McCrae RR. Revised NEO Personality Inventory (NEO-PI-R) and NEO Five-Factor Inventory (NEO-FFI) professional manual. Odessa, FL: Psychological Assessment Resources; 1992.

50.   Diener E, Suh EM, Lucas RE, Smith HL. Subjective well-being: Three decades of progress. Psychol Bull. 1999;125(2):276-302.

51.   Diener E, Emmons RA. The independence of positive and negative affect. J Pers Soc Psychol. 1984;47(5):1105-17.

52.   Pavot W, Diener E, Colvin CR, Sandvik E. Further validation of the Satisfaction with Life Scale - Evidence for the cross-method convergence of well-being measures. J Pers Assess. 1991;57(1):149-61.

53.   Campbell A. The sense of well-being in America: Recent patterns and trends. New York: McGraw-Hill; 1981.

54.   Cantor N, Sanderson CA. Life task participation and well-being: The importance of taking part in daily life. In: Kahneman D, Diener E, Schwarz N, editors. Well-being: The foundations of hedonic psychology. New York: Russell Sage Foundation; 1999. p. 230-43.

55.   R Core Team. R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing; 2020.

56.   Revelle W. psych: Procedures for psychological, psychometric, and personality research. 1.9.12 ed. Evanston, IL: Northwestern University; 2019.

57.   Navarro-Gonzalez D, Lorenzo-Seva U. EFA.MRFA: Dimensionality assessment using minimum rank factor analysis. 1.0.9 ed2020.

58.   de Winter JCF, Dodou D, Wieringa PA. Exploratory factor analysis with small sample sizes. Multivar Behav Res. 2009;44(2):147-81.

59.   MacCallum RC, Widaman KF, Zhang S, Hong S. Sample size in factor analysis. Psychol Methods. 1999;4(1):84-99.

60.   Mundfrom DJ, Shaw DG, Ke TL. Minimum sample size recommendations for conducting factor analyses. International Journal of Testing. 2005;5(2):159-68.

61.   Horn JL. A rationale and test for the number of factors in factor analysis. Psychometrika. 1965;30:179-85.

62.   Auerswald M, Moshagen M. How to determine the number of factors to retain in exploratory factor analysis: a comparison of extraction methods under realistic conditions. Psychol Methods. 2019;24(4):468-91.

63.   Schwarz G. Estimating the dimension of a model. Annals of Statistics. 1978;6(2):461-4.

64.   Ceulemans E, Kiers HAL. Selecting among three-mode principal component models of different types and complexities: A numerical convex hull based method. Br J Math Stat Psychol. 2006;59(1):133-50.

65.   Lorenzo-Seva U, Timmerman ME, Kiers HA. The Hull method for selecting the number of common factors. Multivar Behav Res. 2011;46(2):340-64.

66.   Costa PT, Jr., McCrae RR. Manual supplement for the NEO-4. Odessa, FL: Psychological Assessment Resources; 1998.

67.   Bäckström M, Björklund F, Larsson MR. Five-factor inventories have a major general factor related to social desirability which can be reduced by framing items neutrally. J Res Pers. 2009;43(3):335-44.

68.   Freeman HD, Gosling SD. Personality in nonhuman primates: A review and evaluation of past research. Am J Primatol. 2010;72(8):653-71.

69.   Costa PT, Jr., McCrae RR. Cross-sectional studies of personality in a national sample: I. Development and validation of survey measures. Psychol Aging. 1986;1(2):140-3.

70.   Digman JM. Higher-order factors of the Big Five. J Pers Soc Psychol. 1997;73(6):1246-56.

71.   DeYoung CG. Higher-order factors of the big five in a multi-informant sample. J Pers Soc Psychol. 2006;91(6):1138-51.

72.   Musek J. A general factor of personality: Evidence for the Big One in the Five-Factor Model. J Res Pers. 2007;41(6):1213–33.

73.   Rushton JP, Irwing P. A general factor of personality (GFP) from two meta-analyses of the Big Five: Digman (1997) and Mount, Barrick, Scullen, and Rounds (2005). Pers Individ Dif. 2008;45(7):679-83.

74.   Revelle W, Wilt J. The general factor of personality: A general critique. J Res Pers. 2013;47(5):493-504.

75.   Ferguson E, Chamorro-Premuzic T, Pickering A, Weiss A. Five into one doesn't go: A critique of the General Factor of Personality. In: Chamorro-Premuzic T, von Stumm S, Furnham A, editors. The Wiley-Blackwell Handbook of Individual Differences. West Sussex, UK: Wiley-Blackwell; 2011. p. 162-86.

76.   Mutch C. Higher-order factors of the Big Five model of personality: A reanalysis of Digman (1997). Psychol Rep. 2005;96(1):167-77.

77.   Weiss A, Adams MJ, Johnson W. The big none: No evidence for a general factor of personality in chimpanzees, orangutans, or rhesus macaques. J Res Pers. 2011;45(4):393-7.

78.	Biesanz JC, West SG. Towards understanding assessments of the Big Five: Multitrait-multimethod analyses of convergent and discriminant validity across measurement occasion and type of observer. J Pers. 2004;72(4):845-76.

79.	McCrae RR, Yamagata S, Jang KL, Riemann R, Ando J, Ono Y, et al. Substance and artifact in the higher-order factors of the Big Five. J Pers Soc Psychol. 2008;95(3):442-55.

80.	Riemann R, Kandler C. Construct validation using multitrait-multimethod-twin data: The case of a general factor of personality. Eur J Pers. 2010;24(3):258-77.

81.	Danay E, Ziegler M. Is there really a single factor of personality? A multirater approach to the apex of personality. J Res Pers. 2011;45(6):560-7.

82.	Hopwood CJ, Wright AGC, Brent Donnellan M. Evaluating the evidence for the general factor of personality across multiple inventories. J Res Pers. 2011;45(5):468-78.

83.	McCrae RR, John OP. An introduction to the Five-Factor Model and its applications. J Pers. 1992;60(2):175-215.

84.	Gartner MC, Weiss A. Scottish wildcat (*Felis silvestris grampia*) personality and subjective well-being: Implications for captive management. Appl Anim Behav Sci. 2013;147(3-4):261-7.

85.	Gartner MC, Powell DM, Weiss A. Comparison of subjective well-being and personality assessments in the clouded leopard (*Neofelis nebulosa*), snow leopard (*Panthera uncia*), and African lion (*Panthera leo*). J Appl Anim Welf Sci. 2016;19(3):294-302.

86.	Weiss A, Bates TC, Luciano M. Happiness is a personal(ity) thing: The genetics of personality and well-being in a representative sample. Psychol Sci. 2008;19:205-10.

87.	Weiss A, Baselmans BML, Hofer E, Yang J, Okbay A, Lind PA, et al. Personality polygenes, positive affect, and life satisfaction. Twin Res Hum Genet. 2016;19(5):407-17.

88.   Hahn E, Gottschling J, König CJ, Spinath FM. The heritability of job satisfaction reconsidered: only unique environmental influences beyond personality. Journal of Business and Psychology. 2016;31(2):217-31.

89.   Hahn E, Johnson W, Spinath FM. Beyond the heritability of life satisfaction – The roles of personality and twin-specific influences. J Res Pers. 2013;47(6):757-67.

90.   Adams MJ, King JE, Weiss A. The majority of genetic variation in orangutan personality and subjective-well being is nonadditive. Behav Genet. 2012;42:675-86.

91.   Weiss A, King JE, Enns RM. Subjective well-being is heritable and genetically correlated with dominance in chimpanzees (*Pan troglodytes*). J Pers Soc Psychol. 2002;83:1141-9.

92.   Munafò MR, Freimer NB, Ng W, Ophoff R, Veijola J, Miettunen J, et al. 5-HTTLPR genotype and anxiety-related personality traits: A meta-analysis and new data. Am J Med Genet B Neuropsychiatr Genet. 2009;150B(2):271-81.

Table 1

Interrater Reliabilities of Items from the Hominoid Personality Questionnaire

Item	ICC(3,1)	ICC(3,k)
Sociable	0.45	0.68
Sympathetic	0.43	0.66
Solitary	0.43	0.67
Protective	0.42	0.66
Helpful	0.38	0.62
Friendly	0.36	0.60
Aggressive	0.34	0.57
Gentle	0.34	0.58
Irritable	0.33	0.57
Affectionate	0.32	0.55
Stingy/greedy	0.29	0.51
Dominant	0.28	0.50
Individualistic	0.28	0.51
Submissive	0.28	0.51
Imitative	0.28	0.51
Independent	0.27	0.50
Excitable	0.26	0.48
Conventional	0.26	0.48
Bullying	0.23	0.44
Impulsive	0.23	0.44
Dependent/follower	0.23	0.44
Defiant	0.23	0.45
Stable	0.21	0.41
Jealous	0.21	0.41
Cautious	0.19	0.39
Active	0.19	0.38
Fearful	0.18	0.37
Autistic	0.18	0.36
Thoughtless	0.17	0.36
Erratic	0.17	0.35
Playful	0.16	0.33
Intelligent	0.16	0.33
Reckless	0.15	0.32
Curious	0.14	0.30
Sensitive	0.14	0.30
Inquisitive	0.13	0.28
Cool	0.13	0.29
Predictable	0.13	0.28
Lazy	0.11	0.25
Timid	0.10	0.22
Clumsy	0.09	0.21

Disorganized	0.09	0.20
Vulnerable	0.07	0.16
Unemotional	0.06	0.15
Distractible	0.05	0.13
Manipulative	0.05	0.12
Depressed	0.04	0.09
Inventive	0.02	0.06
Innovative	0.00	0.01
Decisive	0.00	0.01
Anxious	-0.03	-0.08
Persistent	-0.06	-0.19
Quitting	-0.08	-0.24
Unperceptive	-0.12	-0.39

Table 2

Pattern Matrix from the First-Order Factor Analysis of the Hominoid Personality

Questionnaire

	Factor Loadings					
Item	Soc	Dom	Imp	Opn	Neg	h^2
Helpful	**0.89**	0.10	-0.05	0.09	-0.08	0.79
Sympathetic	**0.83**	-0.01	-0.07	0.07	0.08	0.76
Protective	**0.80**	0.01	0.02	0.02	-0.15	0.66
Individualistic	**-0.78**	0.09	-0.05	0.13	0.25	0.71
Dependent/follower	**0.77**	0.06	-0.05	0.23	0.39	0.69
Independent	**-0.73**	0.27	-0.31	0.10	0.08	0.62
Imitative	**0.71**	0.04	0.07	0.20	0.18	0.49
Solitary	**-0.71**	0.05	-0.04	-0.17	0.34	0.74
Affectionate	**0.64**	-0.09	-0.16	0.21	0.12	0.65
Sensitive	**0.64**	-0.08	-0.17	-0.02	0.04	0.61
Sociable	**0.62**	-0.27	-0.16	0.16	-0.15	0.85
Conventional	**0.60**	0.11	-0.33	-0.13	0.19	0.62
Intelligent	**0.59**	0.26	-0.18	0.00	-0.19	0.39
Gentle	**0.50**	-0.35	-0.24	0.15	0.09	0.83
Reckless	**-0.50**	-0.16	0.39	0.38	-0.03	0.62
Friendly	**0.49**	**-0.46**	-0.15	0.13	0.02	0.86
Jealous	0.02	**0.92**	-0.04	0.21	0.15	0.83
Stingy/greedy	-0.08	**0.87**	-0.06	0.28	0.15	0.86
Bullying	-0.04	**0.85**	0.00	0.11	0.07	0.77
Dominant	-0.09	**0.79**	0.06	0.01	-0.07	0.80
Manipulative	0.21	**0.72**	-0.10	0.04	-0.33	0.57
Aggressive	-0.12	**0.69**	0.15	-0.05	-0.17	0.80
Defiant	-0.09	**0.65**	0.20	-0.01	-0.20	0.78
Irritable	0.00	**0.50**	**0.48**	-0.18	-0.11	0.74
Excitable	-0.02	0.16	**0.78**	-0.08	-0.06	0.78
Unemotional	-0.10	0.14	**-0.77**	0.00	0.26	0.52
Impulsive	-0.10	0.06	**0.75**	0.13	0.13	0.76
Cool	0.18	-0.05	**-0.66**	-0.06	0.01	0.65
Fearful	0.23	-0.10	**0.62**	**-0.42**	0.28	0.51
Distractible	-0.11	-0.05	**0.53**	0.23	0.10	0.40
Disorganized	-0.10	0.15	**0.52**	0.18	0.12	0.51
Stable	0.21	-0.19	**-0.46**	0.07	-0.38	0.64
Thoughtless	-0.22	-0.03	**0.41**	0.38	0.02	0.45
Predictable	0.12	-0.08	**-0.40**	0.04	0.02	0.27
Erratic	-0.20	0.32	0.35	-0.06	0.20	0.55
Curious	0.14	0.13	0.08	**0.73**	0.02	0.61
Inquisitive	0.17	0.11	0.06	**0.72**	0.09	0.55
Inventive	0.27	0.18	-0.05	**0.68**	0.11	0.51

Playful	0.23	-0.12	0.32	**0.65**	-0.04	0.60
Cautious	**0.47**	0.08	0.24	**-0.59**	0.22	0.53
Active	0.28	0.18	**0.41**	**0.52**	-0.12	0.69
Autistic	0.04	-0.13	0.10	0.19	**0.68**	0.44
Timid	0.14	0.00	0.34	-0.18	**0.65**	0.58
Depressed	-0.17	0.07	-0.27	-0.04	**0.64**	0.51
Clumsy	-0.04	0.17	-0.06	0.00	**0.58**	0.33
Vulnerable	-0.03	-0.19	-0.02	0.04	**0.57**	0.39
Lazy	-0.23	-0.05	**-0.45**	-0.17	**0.49**	0.59
Submissive	0.33	-0.20	-0.19	0.00	**0.49**	0.62
Proportion of variance	0.20	0.14	0.13	0.08	0.08	

Factor	Factor Correlations				
	Soc	Dom	Imp	Opn	Neg
Soc	1.00				
Dom	-0.53	1.00			
Imp	-0.45	0.57	1.00		
Opn	0.06	0.15	0.18	1.00	
Neg	-0.06	-0.18	-0.04	-0.38	1.00

Note. $N = 128$. Soc = Sociability, Dom = Dominance, Imp = Impulsiveness, Opn = Openness, Neg =

Negative Affect, h^2 = communalities. Factors extracted using a maximum likelihood estimation and

rotated using the promax procedure. Factor loadings greater than or equal to |0.4| are in bold.

Table 3

Pattern Matrix from the Second-Order Factor Analysis of Personality Factors

First-Order Factor	Promax Rotation		Varimax Rotation		
	Pro-Sociality	Boldness	Pro-Sociality	Boldness	h^2
Dominance	**-0.79**	0.15	**-0.80**	0.21	0.68
Sociability	**0.72**	0.21	**0.70**	0.15	0.51
Impulsiveness	**-0.67**	0.08	**-0.68**	0.13	0.48
Openness	-0.01	**0.62**	-0.06	**0.62**	0.38
Negative Affect	-0.01	**-0.61**	0.04	**-0.61**	0.37
Proportion of variance	0.32	0.17	0.32	0.17	

Note. $N = 128$. h^2 = communalities. Factors extracted from the factor correlation matrix from

Table 2 using a maximum likelihood estimation and rotated using the promax and varimax

procedures. The Pro-Social factor for both structures were reflected, that is, the loadings were

multiplied by -1. The promax-rotated factors correlated -0.15. Factor loadings greater than or

equal to |0.4| are in bold.

Table 4

Results from Factor Analysis of the Subjective Well-Being Scale

Item	Loading	h^2
Be marmoset	0.98	0.97
Balance of moods	0.86	0.73
Ability to achieve goals	0.82	0.67
Pleasure from social interactions	0.55	0.30

Note. $N = 128$. h^2 = communalities.

Table 5

Correlations Between Unit-Weighted Factor Scores Based on Factor Loadings in the Present

Study and Factor Loadings from Three Previous Studies of Common Marmoset Personality

		95% Confidence Interval	
	r	Lower Bound	Upper Bound
Iwanicki and Lehman (2015)			
Extraversion			
Sociability	-0.50	-0.62	-0.36
Dominance	**0.82**	**0.75**	**0.87**
Impulsiveness	0.50	0.36	0.62
Openness	0.54	0.40	0.65
Negative affect	-0.70	-0.78	-0.60
Agreeableness			
Sociability	**0.86**	**0.81**	**0.90**
Dominance	**-0.84**	**-0.88**	**-0.77**
Impulsiveness	-0.76	-0.82	-0.67
Openness	-0.07	-0.24	0.11
Negative affect	0.25	0.08	0.41
Conscientiousness			
Sociability	**0.83**	**0.77**	**0.88**
Dominance	-0.47	-0.59	-0.32
Impulsiveness	-0.63	-0.73	-0.51
Openness	0.00	-0.17	0.18
Negative affect	0.05	-0.13	0.22
Openness			
Sociability	0.11	-0.07	0.28
Dominance	0.34	0.18	0.49
Impulsiveness	0.27	0.10	0.42
Openness	**0.96**	**0.94**	**0.97**
Negative affect	-0.40	-0.53	-0.24
Koski et al. (2017)			
Conscientiousness			
Sociability	0.62	0.51	0.72
Dominance	**-0.89**	**-0.92**	**-0.84**
Impulsiveness	**-0.84**	**-0.89**	**-0.79**
Openness	-0.39	-0.53	-0.23
Negative affect	0.18	0.01	0.35
Agreeableness			
Sociability	**0.95**	**0.92**	**0.96**
Dominance	-0.68	-0.77	-0.58
Impulsiveness	-0.72	-0.79	-0.62

Openness	0.03	-0.14	0.20
Negative affect	0.13	-0.05	0.29
Assertiveness			
Sociability	**-0.67**	**-0.76**	**-0.57**
Dominance	**0.67**	**0.57**	**0.76**
Impulsiveness	0.33	0.16	0.47
Openness	0.32	0.15	0.47
Negative affect	**-0.64**	**-0.73**	**-0.53**
Patience			
Sociability	**0.74**	**0.65**	**0.81**
Dominance	-0.37	-0.51	-0.21
Impulsiveness	-0.59	-0.69	-0.47
Openness	0.21	0.04	0.37
Negative affect	-0.03	-0.21	0.14
Inquisitiveness			
Sociability	0.34	0.18	0.48
Dominance	0.21	0.04	0.37
Impulsiveness	0.17	-0.01	0.33
Openness	**0.82**	**0.76**	**0.87**
Negative affect	-0.56	-0.67	-0.43
Inoue-Murayama et al. (2018)			
Dominance			
Sociability	-0.71	-0.79	-0.62
Dominance	**0.94**	**0.91**	**0.96**
Impulsiveness	0.83	0.77	0.88
Openness	0.34	0.18	0.49
Negative affect	-0.38	-0.52	-0.22
Sociability			
Sociability	**0.93**	**0.90**	**0.95**
Dominance	-0.40	-0.54	-0.25
Impulsiveness	-0.39	-0.52	-0.23
Openness	0.40	0.24	0.54
Negative affect	-0.12	-0.29	0.05
Neuroticism			
Sociability	-0.30	-0.45	-0.14
Dominance	-0.03	-0.20	0.14
Impulsiveness	0.35	0.19	0.49
Openness	-0.34	-0.49	-0.18
Negative affect	**0.82**	**0.75**	**0.87**

Note. $N = 128$. The highest correlation between the five factors found in this study and each

factor found in a previous study are highlighted in bold. In cases where the confidence

intervals of two or more of the highest correlations overlapped, we highlighted both

correlations.

Table 6

Correlations Between Unit-Weighted Factor Scores Based on Loadings from the Second-Order Factor Analysis in the Present Study and Factor Loadings from Three Previous Studies of Common Marmoset Personality

		95% Confidence Interval	
	r	Lower Bound	Upper Bound
Iwanicki and Lehman (2015)			
Extraversion			
Pro-sociality	**-0.72**	**-0.80**	**-0.63**
Boldness	**0.73**	**0.64**	**0.80**
Agreeableness			
Pro-sociality	**0.95**	**0.93**	**0.97**
Boldness	-0.18	-0.35	-0.01
Conscientiousness			
Pro-sociality	**0.73**	**0.64**	**0.81**
Boldness	-0.02	-0.20	0.15
Openness			
Pro-sociality	-0.20	-0.36	-0.03
Boldness	**0.83**	**0.76**	**0.87**
Koski et al. (2017)			
Conscientiousness			
Pro-sociality	**0.91**	**0.88**	**0.94**
Boldness	-0.35	-0.49	-0.19
Agreeableness			
Pro-sociality	**0.90**	**0.87**	**0.93**
Boldness	-0.05	-0.22	0.12
Assertiveness			
Pro-sociality	**-0.67**	**-0.76**	**-0.56**
Boldness	**0.56**	**0.43**	**0.67**
Patience			
Pro-sociality	**0.64**	**0.53**	**0.73**
Boldness	0.15	-0.02	0.32
Inquisitiveness			
Pro-sociality	-0.02	-0.19	0.16
Boldness	**0.84**	**0.78**	**0.88**
Inoue-Murayama et al. (2018)			
Dominance			
Pro-sociality	**-0.97**	**-0.98**	**-0.95**
Boldness	0.43	0.27	0.56
Sociability			
Pro-sociality	**0.66**	**0.55**	**0.75**
Boldness	0.32	0.16	0.47
Neuroticism			

Pro-sociality	-0.21	-0.37	-0.04
Boldness	**-0.68**	**-0.76**	**-0.57**

Note. $N = 128$. The highest correlation between the five factors found in this study and each factor found in a previous study are highlighted in bold. In cases where the confidence intervals of two or more of the highest correlations overlapped, we highlighted both correlations.

Table 7

Correlations Between Subjective Well-Being Scale Items and Factor and Personality Factors

			95% Confidence Interval	
		r	Lower Bound	Upper Bound
Moods				
	Sociability	**0.42**	**0.16**	**0.62**
	Dominance	-0.18	-0.40	0.06
	Impulsiveness	**-0.27**	**-0.50**	**-0.02**
	Openness	**0.38**	**0.12**	**0.59**
	Negative affect	-0.14	-0.34	0.08
	Pro-sociality	**0.33**	**0.07**	**0.55**
	Boldness	**0.32**	**0.05**	**0.54**
Social				
	Sociability	**0.53**	**0.30**	**0.71**
	Dominance	-0.22	-0.45	0.03
	Impulsiveness	-0.24	-0.47	0.01
	Openness	0.14	-0.08	0.35
	Negative affect	-0.11	-0.30	0.09
	Pro-sociality	**0.38**	**0.12**	**0.59**
	Boldness	0.15	-0.08	0.36
Goals				
	Sociability	**0.39**	**0.13**	**0.60**
	Dominance	-0.08	-0.25	0.10
	Impulsiveness	-0.22	-0.44	0.03
	Openness	0.25	-0.01	0.47
	Negative affect	-0.22	-0.44	0.03
	Pro-sociality	**0.26**	**0.00**	**0.48**
	Boldness	**0.28**	**0.02**	**0.51**
Be marmoset				
	Sociability	**0.45**	**0.20**	**0.64**
	Dominance	-0.18	-0.39	0.06
	Impulsiveness	**-0.28**	**-0.50**	**-0.02**
	Openness	**0.33**	**0.07**	**0.55**
	Negative affect	**-0.27**	**-0.49**	**-0.01**
	Pro-sociality	**0.34**	**0.08**	**0.56**
	Boldness	**0.36**	**0.10**	**0.57**
Subjective well-being				
	Sociability	**0.53**	**0.30**	**0.70**
	Dominance	-0.19	-0.41	0.05
	Impulsiveness	**-0.30**	**-0.52**	**-0.04**
	Openness	**0.32**	**0.06**	**0.54**
	Negative affect	-0.21	-0.43	0.03
	Pro-sociality	**0.39**	**0.13**	**0.60**
	Boldness	**0.32**	**0.06**	**0.54**

Note. $N = 128$. Estimates in bold are significant at $P < .05$.

Figure 1

The sequence is based on NC_013897. Primer sequences are underlined. Start and stop codon

sequences are in boxes. The third intracellular region is enclosed in the parentheses.

Nucleotide substitutions are shown in capital and bold letters; G840C (A280A), G841A

(V281M), T901A (S301T).

```
tggattcccttcctccgaaacttccttggagactgggcggaagaccccaggggaaggggcgaaaggga
tcttcgctctgctttttcttccttcctctttcccgcgcggggctcacaggc atg gatgtgctcagccc
tggtcagggcaacaataccacatcatccccgggtccctttgagaccgccagcaacactactggtatct
ccgacgtgaccttcggctaccaagtgatcacctctctgctgttgggcacgctcatcttctgtgcggtg
ctgggcaatgcctgcgtggtggctgccatcgccctggagcgctccctgcagaacgtggccaattatct
tattggctctttggcggtcaccgacctcatggtgtcggtgttggtgctgcccatggccgcgctgtatc
aggtgctcaacaagtggactctgggccaggtcacctgcgacctgttcatagccctcgacgtgctgtgc
tgtacctcatccatcctgcacctgtgcgccatcgcgctggacaggtactgggccatcacggaccccat
cgactacgtgaacaagaggacgccccggcgcgctgctgcgctcatctcgctcacttggcttattggct
tcctcatctccatcccgcccatgctgggctggcgcacccccggaagaccgctcggaccccgacgcatgc
accattagcaaggaccacggctacactatctactccaccttcggcgctttctacatcccgctgctgct
catgctggttctctatgggcgcata ttccgagctgcgcgcttccgcattcgcaagacagtgaaaaagg
tggagaagaccggagcggacacccgccgtggagcatctccggccccgcagcccaagaagagcgtgaat
ggagaatcggggagcaggaactggagactgagcgtggagagcaagtcagagagtgctctgtgcgccaa
tggcgc GG tgaggcaaggtgacgacggcgccgccctggaggtgatcgaggtgcaccgggtgggcaac T
ccaaagagcacttgcctctgcccagcgaggctggtgctacccccttgtgcccccgcctctttcgagagg
aaaaatgagcgcaacgccgaggcgaagcgcaagatggccctggcccgagagaggaagacagtgaagac
g ctgggcattatcatgggtactttcatcctctgctggctgcccttcttcatcgtggctcttgttctgc
ctttctgtgagagcagttgccacatgcccaccctgttgggcgctataatcaattggctgggctactcc
aactctctgcttaaccccgtcatttacgcatacttcaacaaggactttcaaaacgcgtttaagaagat
ctttaagtgtaagttctgccgccaa tga tgatggaggagtagccggccagtgcgggggttacaggatc
cgccccattcactatgcttggacca accctagggaatcaacacct
```

Figure 2

Locations of the Single Nucleotide Polymorphisms on the Single Exon of the Common

Marmoset Serotonin Receptor 1a Gene

Note. The shaded region corresponds to the third intracellular region