Title

Tissue-specific transcription footprinting using <u>RN</u><u>A</u> <u>P</u>ol Dam<u>ID</u> (RAPID) in *C. elegans*

Article summary

Gene expression is a major determinant of cell fate and physiology, yet it is notoriously difficult to characterize for the widely used model system *C. elegans*. By using a new method based on *in vivo* covalent modification of DNA by RNA polymerases, we determine genome-wide transcription patterns in single tissues of embryos or young adult animals. We show that the method is able to identify actively transcribed genes in tissues representing down to 0.2% of the somatic cells in adult animals. Additionally, this method can be fully performed in a single laboratory by using third generation sequencing methods (ONT).

Authors

Georgina Gómez-Saldivar[*,1], Jaime Osuna-Luque[*,2,3,4], Dominique A. Glauser[!,1], Sophie Jarriault[!,3] and Peter Meister[!,2]

[*] These authors contributed equally to this work.

[1] University of Fribourg, Switzerland

[2] Cell Fate and Nuclear Organization, Institute of Cell Biology, University of Bern, Switzerland

[3] Institut de Génétique et de Biologie Moléculaire et Cellulaire (IGBMC); Institut National de la Santé et de la Recherche Médicale (INSERM) U964/Centre National de la Recherche Scientifique (CNRS) UMR 1704/Université de Strasbourg, France.

[4] Graduate School for Cellular and Biomedical Sciences, University of Bern, Switzerland

[!] to whom correspondence should be sent.

Abstract

Differential gene expression across cell types underlies the development and cell physiology in multicellular organisms. *C. elegans* is a powerful, extensively used model to address these biological questions. A remaining bottleneck relates, however, to the difficulty to obtain comprehensive tissue-specific gene transcription data, since available methods are still challenging to execute and require large worm populations. Here, we introduce the RNA Pol DamID (RAPID) approach, in which the Dam methyltransferase is fused to an ubiquitous RNA polymerase subunit in order to create transcriptional footprints *via* methyl marks on the DNA of transcribed genes. To validate the method, we determined the polymerase footprints in whole animals, sorted embryonic blastomeres and in different tissues from intact young adults by driving Dam fusion expression tissue-specifically. We obtained meaningful transcriptional footprints in line with RNA-seq studies in whole animals or specific tissues. To challenge the sensitivity of RAPID and demonstrate its utility to determine novel tissue-specific transcriptional profiles, we determined the transcriptional footprints of the pair of XXX neuroendocrine cells, representing 0.2% of the somatic cell content of the animals. We identified 2362 candidate genes with putatively active transcription in XXX cells, among which the few known markers for these cells. Using transcriptional reporters for a subset of new hits, we confirmed their XXX expression for a majority of them and identified novel XXX-specific markers. Taken together, our work establishes RAPID as a valid method for the determination of polymerase footprints in specific tissues of *C. elegans* without the need for cell sorting or RNA tagging.

Introduction

Differential gene expression across cell types encompasses both key determinants and markers of the cells' identity. Cataloging these differences can provide critical insights and entry points in research aiming at elucidating the mechanisms controlling fundamental biological processes, such as organismal development and cell/tissue physiology. *C. elegans* is a widely used model animal, particularly well suited for integrative studies bridging our understanding across the molecular, cellular and organismal levels. With its transparent body, *C. elegans* was the first animal used to analyze tissue-specific transcription *in vivo* with GFP reporters (Chalfie *et al.* 1994), an approach still extensively used. In contrast to the versatility of the model for individual gene expression analysis, more holistic approaches such as tissue-specific transcriptomics are much more challenging. Two main strategies have been developed to analyse specific tissues/cell types in *C. elegans*. The first one relies on the animal disruption and cell isolation, or dissociation, followed by the sorting of labelled cells, or nuclei (Haenni *et al.* 2012; Steiner *et al.* 2012) prior to transcriptomics analysis. These protocols are not straightforward to establish and work better in embryos than larvae or older animals. The tough cuticle, or eggshell, is a significant obstacle, and so far only major tissues could be analyzed in adults (Kaletsky *et al.* 2018). The second strategy involves purification of tissue-specific enriched messenger RNAs via the pull-down of poly-A binding proteins expressed in specific cell types (Roy *et al.* 2002; Pauli *et al.* 2006; Mattout *et al.* 2011; Blazie *et al.* 2015, 2017; Hrach *et al.* 2020) or the targeted expression of a modified splice leader trans-spliced to the transcripts by the cellular machinery (Ma *et al.* 2016). However, these techniques are labour intensive, require a large number of animals as starting material, or are associated with a strong unspecific background signal. Therefore, carrying cell-type specific transcriptional profiling in few differentiated cells remains challenging.

As a complementary approach that could circumvent many of these limitations, we investigated whether we could use DNA adenine methylation identification (DamID) to footprint actively transcribed genes in specific cell types. This approach has been successfully used in *Drosophila* to determine transcribed genes in rare brain cell types (Southall *et al.* 2013). DamID relies on the low-level expression of a fusion between the *E. coli* Dam methyltransferase and the protein of interest, here a subunit of the RNA polymerase. Binding of the latter to DNA leads to the methylation of GATC sites in the vicinity of the binding site (Figure 1A). After DNA extraction, methylated GATCs are specifically cleaved by the restriction enzyme *Dpn*I and amplified using adapter-mediated PCR before sequencing (Figure S1A). The adaptation of the method to *C. elegans* seemed

promising since endogenous adenine methylation/demethylation is very rare in worms and not targeted to GATC motifs (Greer *et al.* 2015). The GATC site frequency moreover allows to expect a good spatial resolution. Indeed, *C. elegans* has 269,049 GATC sequences per haploid genome , corresponding to an average of one site for every 374 bp and a median of 210 bp (Gómez-Saldivar *et al.* 2016).

Here, we describe the RAPID approach (<u>R</u>N<u>A</u> <u>P</u>olymerase <u>D</u>am<u>ID</u>) for transcriptional footprinting in specific tissues in *C. elegans* in both embryonic blastomeres and in young adults. Using a fusion between a small subunit present in all 3 RNA polymerases, we show that the technique can be used on both fluorescently sorted blastomere cells, or DNA isolated from entire young adults using a Cre/*lox* cell-type-specific expression. To test the versatility of the method, we determined the polymerase footprints in three different tissues at each stage. In young adults, these tissues represent between 10 and 0.2% of the total cells of the animal. We show that meaningful transcriptional patterns can be recovered using this technique, in line with previously used RNA tagging methods. We have further explored how this technique can also be used to unravel tissue-specific markers and report here the identification of eight new reporters for adult XXX cells. Additionally, as a result of the phasing-out of older sequencers able to sequence amplicons from different sizes as produced by DamID-seq, we show that new long read sequencing methods can be used to sequence DamID libraries, which allows carrying out the experiments, from DNA extraction to amplicon sequencing in less than a week without any external sequencing facility.

Material and methods
Plasmids and transgenic strains

All plasmids and worm strains are listed in Supplementary Table 1 and 2. Tissue-specific DamID plasmids were generated using Gibson assembly. All DamID plasmids were integrated as single copies using MosSCI either on chromosome II or IV (see details in Supplementary Table 1; Frøkjaer-Jensen *et al.* 2008).

Worm growth

Worms were grown on solid NGM, seeded with OP50 bacteria for maintenance culture and genetic crosses. All worm cultures were grown at 20°C. For cell sorting, animals were grown on peptone plates seeded with HB101, synchronized twice by hypochlorite treatment. Young adults containing up to 10 embryos were recovered 66 hours after spreading synchronized L1 larvae. For DamID experiments in young adults, worms were grown on NGM seeded with Dam negative *E. coli* GM48 for at least two generations. Around 5,000 synchronized L1s were seeded onto 100 mm plates (1,000-1,200 per plate) and collected 53h later. Worms were washed extensively with M9 (at least 10 times) and distributed in aliquots of 30 µl removing the excess of liquid. Samples were snap-frozen and stored at −80 °C.

Sorting of embryonic blastomeres

Synchronized gravid adult hermaphrodites containing 8-10 eggs were treated with hypochlorite. Eggs were then incubated for 3 hours in M9 at 25°C until they reached the 1.5 fold stage. Eggs were then transferred to 500 µl egg buffer and pelleted 1 min at 2000 rpm. The supernatant was then aspirated, leaving 100 µl of buffer with the pellet. 500 U of chitinase (Sigma-Aldrich;C8241-25U) were added and the mixture resuspended and further incubated for one hour at room temperature. Chitinase was then neutralized with 800 µl Leibovitz medium. Digested embryos were then recovered by centrifugation at 3000 rpm for 5 minutes at 4°C. Embryos were then dissociated into isolated blastomeres by pipetting up and down with a P1000 pipette, up to 150 times until dissociation was complete. The cell population was then filtered with a Millex-SV syringe 5 µm filter (Millipore;SLSV025LS). 500 fluorescent cells were sorted using a BD FACSAria Fusion (8000 events/second; 85µm nozzle) in sterile PCR tubes containing 1ul of pick buffer (50mM Tris-HCl pH 8.3; 75mM KCl; 3mM MgCl2; 137mM NaCl). Collected samples were then frozen in liquid nitrogen before further processing. After DamID processing and PCR (see below), two technical replicates were pooled for sequencing library preparation.

DamID amplification, library preparation, and sequencing

For sorted cells, frozen samples were lysed by addition of 2 ul of lysis buffer (10mM TrisAc, 10 mM MgAc, 50 mM KA, 0.67% Tween 20, 0.67% Igepal + 1mg/ml Proteinase K) and incubated during 2 hours at 60ºC before Proteinase K inactivation at 95ºC for 15 minutes. DamID amplicons were obtained as previously described (Gomez-Saldivar *et al.* 2016) using 30 PCR cycles.

For young adults, DamID was performed on 500 ng gDNA extracted from the animals using DNeasy Blood and Tissue Kit (Qiagen #69504). Two replicates for each stage and cell type were processed. DamID amplicons were obtained as previously described (Gomez-Saldivar *et al.* 2016) with 20 PCR cycles for worm-wide DamID, 22 PCR cycles for muscle DamID, 22-24 for intestine DamID and 24-26 cycles for XXX cells DamID. New Illumina patterned flow cell technology does not allow sequencing of amplicons larger than 600 bp. Both types of DamID PCR amplicons were therefore sequenced using nanopore sequencing. After AMPure XP (Beckman-Coulter) purification with 1.8 beads volume, DamID PCR amplicons were directly used for nanopore library barcoding and preparation using NBD-104 and LSK-109 kits (Oxford Nanopore). Libraries were sequenced to obtain at least 1 million reads per library on MinION using flow cells R9.4.1. We compared the performance of both sequencing approaches by sequencing the same libraries with both old paired-end HiSeq2500 Illumina flow cells and nanopore sequencers. Coverage obtained by both approaches were similar (see snapshot of mapped reads in Figure S1E). However, nanopore sequencing allowed the direct sequencing of longer amplicons (Figure S1F), likely because cluster amplification does not work well on molecules longer than 800 bp, even on old generation (HiSeq2500) flow cells. We compared DamID samples libraries generated using previously described entire animals expressing either a free GFP-Dam fusion or a perinuclear lamin fusion (Sharma *et al.* 2014). Statistical comparison of both techniques at the single restriction fragment level led to Pearson correlation coefficient between short PE and long reads between 0.84 and 0.86 (Figure S1G).

Bioinformatic analysis

Nanopore sequences were demultiplexed using deepbinner and basecalled using guppy 3.6 with the high accuracy model before mapping to the ce11 genome using minimap2 (Li 2018). Reads were considered as DamID amplicons when both ends mapped +/- 8 bp from a genomic GATC motif. Filtered libraries were then used to call polymerase footprinting values using the damidseq_pipeline package (Marshall and Brand 2015) using bam files (parameters: --bamfiles --extend_reads=0). The damidseq pipeline normalizes for GATC

accessibility using a free Dam (in our case Dam::GFP) profile. Gene values were extracted using polii.gene.call (https://owenjm.github.io/damidseq_pipeline/) using WS270 genes definition. Correlations between libraries and methylation footprinting values were made using *ad hoc* R scripts available upon request. Normalized footprinting tracks were visualized using IGV. For the comparison with ChIP-seq tracks, fastq files were downloaded from GEO, mapped to ce11, normalized for sequencing depth with a pseudocount of 8 and log2 normalized to the input. Final figure construction was made using IGV and Adobe Illustrator.

Array construction and microscopy

Reporter plasmids were assembled using the 3-fragment MultiSite Gateway system (ThermoFisher Scientific). Promoters of candidate genes were PCR amplified from a N2 gDNA template. Primer sequences and promoter lengths are described in Supplementary Table 3. Candidate promoters were cloned into pDONR-P4-P1R vector (Invitrogen) by BP recombinations generating slot 1 Entry vectors (Supplementary Table 2). Final expression plasmids were generated by LR recombinations between promoters (slot 1), mNeonGreen fluorescent ORF (slot 2; dg353; Hostettler *et al.* 2017), unc-54 3' UTR (slot 3; pMH473, gift from Marc Hammarlund) and pDEST-R4-P3. The control localization/expression plasmid [*sdf-9p::NLS::wrmScarlet*] was generated through a LR recombination reaction between dg801 (slot 1), dg651 (slot 2; Marques *et al.* 2019), pMH473 (slot 3), and pDEST-R4-P3. Finally, *promoter::mNeonGreen* and *sdf-9p::NLS::wrmScarlet* plasmids were co-injected into N2 young adult hermaphrodites at 20 ng/ul each, with 20 ng/ul of dg9 (*unc-122p::RFP*; red coelomocyte) as a co-injection marker (Addgene #8938; Miyabayashi *et al.* 1999). Two stable lines of each candidate promoter were selected (Supplementary Table 1). For imaging, young adult animals identified based on the red coelomocyte reporter expression were transferred to a 2% agarose pad containing 0.01% sodium azide. Worms were then imaged on a Zeiss Axiovert microscope with a 20x objective driven by Visiview, using a Photometrics Coolsnap Myo CCD camera with GFP and RFP settings (60 planes spaced by 2 µm), plus a middle plane section in DIC settings. Using Fiji, the acquired optical stacks were then partially z-projected to capture the worm section containing the XXX cells, identified using the *sdf-9p::NLS::wrmScarlet* signal. Final figure construction was made using Adobe Illustrator. For each promoter except *asp-9*, two independent extrachromosomal arrays were scored with at least 5 animals.

Identification of tissue-enriched genes and validation

Gene coverage of RAPID profile is listed in Supplementary Table 4 (blastomeres) and 5 (young adults) (Sheet 1-2) Tissue-enriched genes were defined as genes that are significantly expressed (FDR < 0.05) in both replicates of one tissue (Supplementary Table 4 sheet 2 and Supplementary Table 5 sheets 3-4). Representative examples of tissue-enriched genes used in Figure 2C were selected from CeNGEN project (https://cengen.shinyapps.io/SCeNGEA/) (Hammarlund *et al.* 2018) and visualized using IGV (https://igv.org/).

Genes enriched uniquely in one tissue were defined as genes significantly and differentially expressed relative to the other two tissues (Supplementary Table 4 sheet 3 and Supplementary Table 5 sheet 5). Analysis of the uniqueness of the genes from each tissue was performed using the JavaScript library jvenn (http://bioinfo.genotoul.fr/jvenn).

For the correct comparison between the genes identified in the muscle with RAPID and the set of genes identified with SRT (trans-Splicing Rna Tagging; Ma *et al.* 2016), only SL1 trans-spliced genes were selected, based on the intersection with the 10,589 mRNAs annotated as SL1-trans-spliced by modENCODE (Allen *et al.* 2011), generating a subset of 3477 genes. For the comparison between the genes identified in the intestine with RAPID and the set of genes identified with FANS (Fluorescence Activated Nuclear Sorting; Haenni *et al.* 2012), the gene list was modified eliminating the genes downregulated and keeping only the genes found as expressed and upregulated, in total 9169 genes. For the comparison between the genes identified with RAPID and the set of genes identified with FACS (Kaletsky *et al.* 2018) in muscle and intestine, we directly used the expressed genes list from Supplementary Table 1, which contained 7690 and 9603 genes, respectively. Chi-square (χ2) statistic tests were calculated using the GraphPad QuickCalcs Web site https://www.graphpad.com/quickcalcs/contingency1/ (accessed August, 2020).

Tissue-specific prediction analysis

Tissue expression prediction test was performed using Top 500 significant unique-enriched genes of muscle and intestine (Supplementary Table 5 sheet 6), selecting a multi-gene search within the Tissue-specific Expression Predictions for *C. elegans* program, version 1.0 (http://worm-tissue.princeton.edu/search/multi). For the tissue expression prediction test using the RAPID muscle-SL1 group, the parameters published in (Ma *et al.* 2016) were used.

Gene ontology analysis

Gene Ontology terms were performed on unique tissue-enriched gene lists. GO terms and q-value were obtained using gProfiler (https://biit.cs.ut.ee/gprofiler/gost) ; (version e100_eg47_p14_7733820) with g:SCS multiple testing correction method applying significance threshold of 0.05 (Supplementary Table 5 sheet 7; Raudvere *et al.* 2019).

Candidate selection for reporter analysis

Candidate genes were selected for follow-up promoter analyses with the dual goal of demonstrating that they are indeed transcribed in XXX cells and of identifying markers with expression restrained to XXX cells. Since XXX cells represent only 0.2% of the *C. elegans* cellular content, we reasoned that XXX-specific markers should produce very little or no signal in the whole animal samples. Therefore, out of the 862 XXX-enriched genes (with a significant RAPID signal in XXX, but not in muscle or in intestine samples), we further removed genes detected in at least one worm-wide sample. We obtained a refined list of 275 XXX-marker gene candidates, which still included the known XXX cell markers *daf-9* and *eak-4* (Supplementary Table 5, sheet 8). From this candidate list, we selected *dhs-17* as an uncharacterized gene with a plausible link to XXX cell function, plus 11 random candidates. In order to limit caveats related to operons, we excluded a candidate if another transcript was located less than 200 bp upstream. The XXX-specific RAPID signals (RNA pol occupancy values) in the 12-gene subset (average=1.35, SD=0.59) were similar to those in the starting 275-gene set (average=1.47, SD=0.64; p=.16 by Student's *t*-test).

Data availability

Embryonic and adult DamID-seq data is available under the GEO accession codes [data submitted to GEO, waiting for accession code].

Results and discussion

RNA polymerase footprinting using RAPID

The RAPID approach relies on the expression of trace levels of the *E. coli* DNA adenine methyltransferase (Dam) fused to a subunit of the RNA polymerases, and the analysis of its occupancy to evaluate the transcriptional state of genes. We first tested whether we could use AMA-1, the largest, catalytic subunit of RNA polymerase II, as reported in Targeted DamID, TaDa, done in neuronal lineages in *Drosophila* (Southall *et al.* 2013). However, the Dam signal was too weak, possibly due to the fact that the expression level of this very large fusion protein under transcriptional control of the uninduced *hsp-16.2* promoter was too low (not shown), or that the localization of the Dam domain within the *C. elegans* polymerase complex was not favorable to access its DNA substrate. We therefore replaced AMA-1 with RPB-6, the *C. elegans* homolog of the RNA polymerase subunit F present in all 3 RNA polymerases. RPB-6 together with RPB-1 and RPB-2, form a 'clamp' that retains DNA near the active center of PolII (Cramer *et al.* 2000), stabilizing the transcription on the DNA template. In contrast to AMA-1 attempts, we obtained a strong DamID PCR signal in animals carrying a single copy transgene of the *rpb-6::Dam* fusion, which had not been subjected to heat shock and therefore expressed only low levels of the Dam fusion in the whole animal. After sequencing and signal normalization with GFP::Dam data to control for overall chromatin accessibility, we could detect general patterns of methylation that were consistent with polymerase-dependent methylation (Figure 1C) and a good correlation at the gene level (Figure 1D). We compared the RAPID profiles with recent ChIP-seq datasets for RNA polymerase II downscaled to GATC fragment resolution (Garrido-Lecca *et al.* 2016; Kalinava *et al.* 2017; Miki *et al.* 2017). Visually, the patterns appeared similar (see examples of profile in Figure 1C and D). Even if the nature of the data is not strictly identical, we performed a comparative analysis between the datasets for all genes, downscaling the resolution of the ChIP-seq data to GATC fragment (Figure 1B). RAPID and RNA polymerase ChiP-seq show a significant correlation (*R*=0.41-0.48). Overall, inter-replicate correlations were higher between the RAPID replicates (R=0.81) and between the RNA polymerase II ChIP experiments (R=0.63-0.97). The difference between the RAPID and RNA Pol II ChIP profiles most likely results from the different approach to recover DNA and from the fact that RAPID in adults represent a cumulative transcriptional activity picture, while the RNA pol II ChIP represents a polymerase occupancy snapshot at the young adult stage.

We also examined the profile in genes transcribed by Pol I and Pol III. As expected from the differential inclusion of AMA-1 and RPB-6 subunits in the different polymerases, RAPID with RPB-6 also labelled genes transcribed by RNA Pol I and III. RAPID showed high

enrichments on the rRNA genes at the end of chromosome I (Figure S2A), as well as a majority of previously characterized snoRNAs transcribed by RNA polymerase III (46 out of 57; Ikegami and Lieb 2013). snoRNA are sometimes located in introns of PolII-transcribed genes, making it difficult to differentiate whether the RAPID signal originates from the snoRNA transcription or from the overlapping gene. Nevertheless, 24 out of 44 RAPID-positive snoRNA genes could be unambiguously assigned to PolIII transcription as there was no overlap (Figure S2B). In contrast, the corresponding signal was markedly weaker in the young adult RNA pol II ChIP-seq datasets and very high for the RNA PolIII subunit RPC-1 (performed in embryos, Figure S2B; Ikegami and Lieb 2013). Taken together, these data show that the RAPID method is suitable to reveal RNA polymerase footprints, serving as indirect indications for transcriptional activity made by the three different RNA polymerases.

RAPID in tissue-specific sorted embryonic cells.

Since RAPID could label transcribed genes in whole animals, our next goal was to adapt the method for tissue-specific analysis. We first explored whether RAPID could be used to footprint transcription in specific cell types of the embryo purified using fluorescent sorting. Using strains constitutively expressing Dam fusions, we sorted 1000 cells for 3 different tissues of various abundance: body wall muscle, intestine and the rectal Y cell (80, 20 and 1 cell per embryo, respectively; Figure S3A, Supplementary Table 4). RAPID could produce footprints for all samples (Figure S3C), and the reproducibility of the RAPID signal at the gene level between replicas was good for the intestinal sample (*r=0.78*) yet lower for muscle and Y cell samples (*r=0.46* and *0.24*, respectively; Figure S4A). RAPID appears however suitable to identify transcription footprints of cell type specific genes, such as the intestinal *cpr-6* (cathepsin B; Pauli et al. 2006) and *elo-2* (fatty acid elongase ELOVL; Han et al. 2017), or Glutathione S-Transferase *gst-4* expressed in muscle, as well as the muscle-specific WDR1 homolog *unc-78* (Figure S3C; Mohri and Ono 2003; Hasegawa *et al.* 2007). Comparison of the footprints obtained for all three tissues allowed us to define 395 Y-specific genes (Figure S3B), and among them, shallow Y-specific RAPID signal was visible for *ceh-6* and *sox-2*, two transcription factors previously shown to be involved in Y-to-PDA transdifferentiation initiation (Figure S3C; Kagias *et al.* 2012). In contrast, we observed some unexpected RAPID footprints for genes which we expected to be expressed in a tissue-specific manner. For example, the myosin *myo-3* was observed in all 3 tissues (Figure S3D). Conversely, some genes which are known to be expressed in tissue-specific manner did not show high RAPID values, *e.g.* the intestine-specific *asp-1* and *spp-5* genes or the

muscle-specific *pat-10* one (Figure S3D). These differences might have a biological significance: most transcription patterns have been defined in older animals, yet those genes might be expressed more broadly, or not at all, in embryonic blastomeres. Alternatively, the lack of a robustly established transcription pattern might hinder faithful footprinting. Indeed, RAPID requires the enzymatic action of the methyltransferase to build up the signal, while footprints are removed at each replication round in rapidly dividing blastomeres. Together with the stochasticity of single methylation events, this might decrease the precision of the profiles. In agreement with this, intestinal cells, most of which are born and remain postmitotic early, display high reproducibility in the RAPID signal, while late-born muscle and the Y cell are less reproducible (Figure S3C,D). In conclusion, RAPID allows transcriptional footprinting of sorted cells, provided cells have been born long enough for the Dam fusions to methylate reproducibly their target genes.

Tissue-specific expression of RAPID in young adult animals.
Our next goal was to adapt the RAPID approach for the analysis of tissue-specific transcription profiles in adult worms. To circumvent the technical difficulties associated with mature animal dissociation and cell sorting, we sought to implement a transgenic approach for the cell-specific targeting of the RPB-6::Dam fusion. Several approaches have been developed to target Dam fusion expression to specific tissues, using either bicistronic constructs attenuating Dam translation (Southall *et al.* 2013), tamoxifen-induced nuclear translocation (Pindyurin *et al.* 2016; Redolfi *et al.* 2019) or tissue-specific recombination cassettes (Muñoz-Jiménez *et al.* 2017). We used the latter strategy using an insertion of a floxed mCherry ORF located between the *hsp-16.2* promoter and the Dam fusion (Figure 2A). Tissue-specific expression of the Cre recombinase leads to low-level expression of the Dam fusion (Ruijtenberg and van den Heuvel 2015). We used 3 different Cre drivers expressed in muscle, intestine and a pair of head neuroendocrine cells called XXX, using *myo-3*, *elt-2* and *sdf-9* promoters, respectively. In contrast to previous strategies used in the nematode to determine cell-type specific transcription, which require millions of worms, RAPID requires only 4'000 animals as starting material for DNA extraction. DamID signal across genes was highly correlated between replicates, and less correlated between different Cre drivers, suggesting tissue-specific DamID footprinting (Figure S4B). We called enriched expressed genes with an FDR of <0.05 for both replicates of each tissue, resulting in 2052, 2296 and 2362 genes with high RAPID footprint in intestine, muscle and XXX cells, respectively. Out of these, 1011, 747 and 862 were defined as tissue-specific in these three

cell types, while only a minority (536) harbored high RAPID footprints in all sampled tissues (Figure 2B, Supplementary Table 5).

We validated these results focusing on individual genes with well-characterized tissue-specific expression (Figure 2C). The intestine-specific prograstricsin aspartyl protease homolog *asp-1* and the saposin-like channel defense *spp-5* were exclusively footprinted in intestinal samples (Tcherepanova *et al.* 2000; Roeder *et al.* 2010). *myo-3*, the muscle myosin and *pat-10*, a troponin, both exclusively expressed in muscle tissues, harbored high RAPID footprints in muscle samples (Miller *et al.* 1986; Kagawa *et al.* 1997). Finally, the XXX-specific genes *daf-9* (encoding a P450 cytochrome homolog) and *eak-4* (encoding a membrane protein) were exclusively marked with RAPID in XXX cells (Gerisch *et al.* 2001; Hu *et al.* 2006).

To expand the validation of our RAPID footprint gene lists beyond selected tissular markers, we next engaged two more comprehensive approaches. These approaches focused on muscle and intestine, since no large-scale gene expression data are available in XXX cells. First, we compared the sets of genes with detectable RAPID footprints in body wall muscle and intestine, with sets of genes detected in these tissues using genome-wide approaches (RNA-seq of FACS-sorted cells by Kaletsky *et al.* 2018) ; of SRT messengers (Ma et al., 2016); or of FACS-sorted nuclei (Haenni et al., 2012). A majority of genes with detectable RAPID footprints were also identified with tissue-specific transcriptomics (Figure 3A,B, 77% for muscle, 72% for intestine). Second, we focused on a narrower set of genes with high RAPID footprint present exclusively in one of the tissues. These gene lists were analyzed with the tissue predictor tool with a multi-gene query (http://worm-tissue.princeton.edu/; Chikina *et al.* 2009). Muscle-only and intestine-only RAPID footprinted genes gave a high prediction score for muscle and intestine, respectively (Figure 3C,D). In contrast, their scores were much lower for non-targeted tissues (including neurons, hypodermis and germline).

Taken together, the results of our comparative analyses with previous gene expression studies suggest a valid identification of tissue-specific polymerase transcriptional activity with RAPID that largely matches the transcriptional output in these tissues. RAPID thereby allows reproducible profiling of transcription footprints in single tissues using low input material.

RAPID identifies genes expressed in XXX cells

XXX cells are neuroendocrine cells derived from hypodermal embryonic progenitors. They express enzymes required for steroid hormone synthesis such as DAF-9 and are implicated in the control of dauer formation during development (Gerisch *et al.* 2001; Ohkura *et al.* 2003). As we still have limited information on the set of genes expressed in XXX cells, as well as on the role of those cells in adults, our XXX-cell transcribed gene dataset could represent a valuable resource for future studies. We thus conducted additional experiments to confirm the validity of RAPID profiles to infer gene transcription in those cells and identify new markers.

A GO term analysis highlighted many terms related to secretory and neural functions in the gene set specific for XXX cells, while they were absent from the muscle- and intestine-enriched gene sets (Supplementary Table 5 sheet 7). These results are expected for neuroendocrine cells, with functional properties very similar to those of neurons.

To further confirm the validity of RAPID profiles to infer gene transcription, we selected 12 genes with high RAPID signal in XXX cells compared to intestine, muscle and whole animals, by comparing their profiles in the 4 tissues (Figure S5). We then created transcriptional reporters by cloning their putative promoters in front of a mNeonGreen fluorescent reporter (Hostettler *et al.* 2017). Transgenic lines bearing extrachromosomal arrays were then created by injection, together with an XXX-specific red reporter driven by the *sdf-9* promoter, which we previously used for XXX-specific RAPID. Out of the 12 promoters, eight drove expression in the XXX cells at various levels (*asic-1, dhs-17, F14H8.2, C06A1.3, asp-9, B0034.5, F52E1.5,* and *nlp-15*, Figure 4), one was impossible to score (*T22E5.6*), as it also drove high expression in the pharynx located very close to the XXX cells, and three did not show detectable expression in XXX cells (in adults; *mab-9, twk-39* and *lgc-36*). The absence of expression in the latter group could indicate that these genes represent false positives in the RAPID analysis, that the transcription was active only at earlier developmental timepoints, or that the arbitrarily defined promoters failed to reflect the endogenous transcriptional activity. Interestingly, in half of the reporters expressed in XXX cells (4/8), we observed only limited or no signal in other cell types. Reporters for *dhs-17* or *F14H8.2* were predominantly expressed in XXX cells and sequence homology suggests plausible cell-specific roles. Indeed, *dhs-17* encodes an uncharacterized member of the short-chain dehydrogenases/reductases family (SDR), which is potentially involved in steroid metabolism (Zhang *et al.* 2013) and may therefore contribute to this specific neuroendocrine function of XXX cells. Our RAPID analysis also identified *F14H8.2*, a

paralog of *eak-4* selectively expressed in XXX cells and regulating dauer formation (Hu *et al.* 2006).

Taken together, the results of our reporter gene analysis indicate that the RAPID approach applied to only two cells per animal successfully identifies actively transcribed genes in these cells, including genes with relatively low expression and potential novel cell-specific markers.

Limitations and perspectives

Determining the transcriptional profile of specific cell types has been a major hurdle for *C. elegans* researchers, as most research is carried out on intact, living animals. In addition, research on specific cell types, which can represent as little as one cell in the whole animal, is often impaired by the paucity of markers for cell identity and cell function. With RAPID, we present a simple, fast and cost-effective technique to identify transcribed genes by the footprint of DNA-engaged polymerases in individual tissues or cells, requiring only the knowledge of a tissue- or cell-specific promoter. RAPID involves the enzymatic modification of DNA, a major advantage as only cells in which the Dam fusion is expressed will produce the DamID signal. Cell-type-specific RAPID hence makes use of DNA extracted from entire animals as a template for DamID, thereby avoiding cell or RNA purification steps and reducing the size of the starting population to several thousand animals instead of millions of animals required for cell or RNA purification. However, RAPID is a stochastic average of the methylation by polymerases since the cell's last DNA replication (which erases the DamID signal). Unsurprisingly, we observed a better signal to noise ratio in older animals in which the transcriptional program has been established longer, thereby reducing the stochasticity of the methylations (Figure S4).

RAPID could be further improved by timing the expression of the Dam fusions, for instance using degron-tagged degradation (Zhang *et al.* 2015). We tested auxin-mediated Dam degradation; however, degradation is not complete and the remaining low levels of Dam fusions are sufficient to create a RAPID signal (data not shown). Alternatively, degron-tagged Cre recombinases might provide a more reliable way to time the expression of the Dam. In addition to static tissue-specific transcriptional profiles, a potential future application of RAPID would be to examine dynamic transcriptional changes occuring in response to environmental changes, as successfully achieved in *Drosophila* (Widmer *et al.* 2018). In a post-mitotic context, the approach would be limited to transcriptional up-regulation events since, in the absence of cell-replication-independent demethylation mechanisms, reduction of polymerase occupancy would not be reflected in a decreased Dam signal. Beyond transcription, cell-type-specific DamID similar to RAPID can be applied

to a variety of chromatin factors to delineate cell-type specific genome-wide binding profiles in *C. elegans*, ranging from histone marks (Marshall and Brand 2017; Villaseñor *et al.* 2020) to transcription factors (Filion *et al.* 2010; Schuster *et al.* 2010) or chromatin accessibility (Aughey *et al.* 2018).

In conclusion, our work indicates that RAPID is a valid approach to analyse transcriptional activity in specific *C. elegans* cell types. Because of its ease of implementation and relatively high sensitivity, we anticipate that it will represent a powerful complement to cell-sorting-based approaches, particularly suited for situations where the amount of starting material is limiting or the fraction of targeted cells is low.

Acknowledgments

We are grateful to Laurence Bulliard, Cihan Enci, Lisa Schild and Jennifer Semple for expert technical support; Marc Hammarlund, Piali Sengupta and Sanders van der Heuvel for the gift of material; some strains were provided by the CGC, which is funded by NIH Office of Research Infrastructure Programs (P40 OD010440). The study was supported by the Swiss National Science Foundation (IZCNZ0_174703/SBFI_C16.0013, BSSGI0_155764 and PP00P3_150681 to D.A.G.; ZCSZ0-174641/SBFI_C15.0076, PP00P3_159320 and 31003A_176226 to PM), and a BMBS COST Action (BM1408).

Figure legends

Figure 1. RAPID: <u>RN</u>A <u>P</u>ol II Dam<u>ID</u> tissue-specific scheme.

A. *Dam::rpb-6* bound to all three RNA polymerase types modifies proximal GATC motifs. DamID analysis provides RNA polymerase footprints *in vivo*.

B. Gene-level correlations in young adults whole animals of RAPID and RNA polymerase Chromatin immunoprecipitation-seq using different antibodies (a: (Garrido-Lecca *et al.* 2016); b: (Kalinava *et al.* 2017); c: (Miki *et al.* 2017)).

C, D. Profiles at large scale (C) and gene scale (housekeeping genes, D) of RAPID and the different RNA polymerase II ChIP-seq studies cited in B.

Figure 2. Tissue-specific expression profiles using RAPID by Cre/*lox* recombination in young adult animals.

A. Experimental system for tissue-specific expression of Dam fusions and RAPID analysis.

B. Venn diagram of overlap between expressed genes identified using RAPID in 3 different tissues.

C. RAPID profiles for previously characterized genes expressed in a tissue-specific manner in intestine, muscle, and the XXX neuroendocrine pair.

Figure 3. Validation of RAPID muscular and intestinal transcriptomes.

A. Overlap of genes footprinted using RAPID with muscle-expressed genes detected by FACS (left; (Kaletsky *et al.* 2018) and SRT (right; Ma et al. 2016). For the comparison to SRT data, the subset of SL1-trans spliced genes detected using RAPID was used.

B. Overlap of genes footprinted using RAPID with intestine-expressed genes detected by FACS (Kaletsky et al. 2018) and FANS (Haenni *et al.* 2012). χ^2 test for all comparisons, *p*-value < 0.0001.

C-D. Tissue enrichment prediction of tissue-specific RAPID transcriptomes. The top 500 hits of unique tissue-enriched genes for muscle (C) and intestine (D) were analyzed by the online program Tissue-specific Expression Predictions for *C. elegans* (http://worm-tissue.princeton.edu/search). Tissue enrichment scores (mean and SEM) showed that the top genes of each tissue identify their corresponding original tissue.

Figure 4. Promoters of genes identified as expressed in XXX cells using RAPID drive fluorescent reporter expression in XXX cells. Left panel, partial z-projections of adult heads showing expression of *sdf-9p::mScarlet* in XXX cells. Middle panel, partial z-projections of adult heads showing the expression pattern of *mNeonGreen* reporter under transcriptional

control of the promoters of indicated genes. Right panel, merge of fluorescent channels within DIC images validate the novel expression of mentioned genes in XXX cells. Bar: 10 µm.

Supplementary figures

Figure S1. DamID Sequencing using Illumina or Nanopore technologies.

A. Principle of methylated GATC identification using DamID. Methylated GATC motifs are cut using the methylation-sensitive *Dpn*I restriction enzyme, before **B.** adapter ligation and PCR amplification using a primer hybridizing in the adapter. **C.** For Illumina sequencing, classical DNA library preparation is used, involving Y adapter ligation and limited PCR amplification. DamID amplicons can only be sequenced on non-patterned Illumina flow cells as their variable length is detrimental to cluster formation and polony amplification. To solve the latter issue, amplicons from the first PCR round were directly sequenced using ligation-mediated library preparation and ONT long read sequencing. **D.** While Illumina sequencing highlights the beginning of the amplicons (and the end in case of paired end sequencing), ONT long read sequencing captures the entire length of the amplicon. **E.** Snapshot of the same library sequenced with Illumina short read sequencing (paired end, upper panel) and ONT long read sequencing (bottom panel). **F.** Comparison of amplicons length obtained from both sequencing techniques for the same library (blue, Illumina; orange, ONT). The smaller sizes of Illumina-sequenced amplicons is due to the loss of these amplicons during polony amplification in Illumina sequencing, as the average size of the amplicons determined using automated electrophoresis before loading onto the flow cell correspond to the ONT-sequenced one (data now shown). **G.** Pearson correlation at the single GATC fragment resolution for 4 different libraries of 2 different Dam fusions (with either GFP or LMN-1) sequenced with either Illumina (short PE) or ONT (Long) sequencers.

Figure S2. RAPID allows identification of PolI and PolIII transcribed genes.

A. RAPID footprinting of the rDNA locus on the right telomere of chromosome I, together with RNA polymerase II ChIP-seq (8WG16 ChIP-seq from young adult animals from Miki *et al.* 2017). **B.** RAPID signal at polIII snoRNA genes, with no PolII overlapping signal (24 out of 57 genes; 8WG16 ChIP-seq as in A). PolIII-specific genes were taken from Ikegami and Lieb 2013, ChIP-seq for RPC-1 (RNA polymerase III subunit A) performed in embryos. The 8WG16 antibody produces a low residual signal on the snoRNA genes. **C.** RAPID signal at polIII snoRNA genes with overlapping PolII ChIP-seq signal (20 out of 57 genes; data as in A

and B). **D.** snoRNA genes with no RAPID signal (13 out of 57 genes; data as in A and B). Classifications were done twice independently by visual inspection of the tracks.

Figure S3. RAPID using sorted embryonic blastomeres

A. Embryonic blastomeres from a strain expressing constitutively Dam constructs (either fused to GFP or RPB-6) are sorted based on the expression of fluorescent markers using fluorescence-activated cell sorting. For each construct and each tissue, 1'000 cells are pooled before performing DamID. **B.** Venn diagram showing overlap between RAPID footprinted genes (FDR > 0.05). **C, D.** Individual profiles for genes specific for the different tissues tested (intestine, muscle and Y cell).

Figure S4. Pearson correlation coefficient between RAPID libraries at the single gene level resolution for the different tissues tested.

A. Correlation of RAPID footprinting signal between replicates performed in different tissues in embryonic blastomeres sorted using fluorescent markers. **B.** Correlation of RAPID footprinting signal between replicates performed in different tissues using Cre-mediated recombination for tissue-specific expression of the Dam fusions.

Figure S5. RAPID profile of candidate genes with XXX-specific expression.

RAPID footprinting of candidate uncharacterized genes expressed in a tissue-specific manner in XXX cells but not in muscle, intestine and enriched worm-wide are shown. Candidate XXX neuronal genes are ordered according to the RAPID footprinting level.

Supplementary information

Supplementary Table 1

Worm strains collection

Strain name	Source	Genotype
BN195	Towbin 2012	bqSi195[hsp-16.41p:: dam::myc::lmn-1); unc-119(+)] II
BN196	Towbin 2012	bqSi196[hsp-16.41p::gfp::myc::dam 3'UTR; unc-119(+)] II
IS3675	This study	fpSi2[hsp-16.2p::lox::degron::dam::rpb-6::unc-54 3'UTR; unc-119(+)] II
MS438	CGC	lrIs25[elt-2p::nls::gfp::lacz; rol-6(su1006)] V
PD4251	CGC	ccIs4251[myo-3p::gfp::lacz::nls;myo-3p::mito gfp; dpy-20(+)] I
IS2922	This study	fpIs76[egl-5p(6.5kb)::Δpes-10::mcherry; Bluescript] I fpIs92[hlh-16p::GFP::hlh-16(exon1)::hlh-16 3'UTR;pRF4]
IS3467	This study	fpIs76[egl-5p(6.5kb)::Δpes-10::mcherry; Bluescript] I fpIs92[hlh-16p::GFP::hlh-16(exon 1))::hlh-163'UTR;pRF4] bqSi196[hsp-16.41p::gfp::myc::dam; unc-119(+)] II
IS3685	This study	fpIs76[egl-5p(6.5kb)::Δpes-10::mcherry; Bluescript] I fpIs92[hlh-16p::GFP::hlh-16(exon 1))::hlh-163'UTR;pRF4] fpSi2[hsp-16.2p::lox::degron::dam::rpb-6::unc-54 3'UTR; unc-119(+)] II
IS3651	This study	ccIs4251[myo-3p::gfp::lacz::nls;myo-3p::mito gfp; dpy-20(+)] I bqSi196[hsp-16.41p::gfp::myc::dam; unc-119(+)] II
IS3684	This study	ccIs4251[myo-3p::gfp::lacz::nls;myo-3p::mito gfp; dpy-20(+)] I fpSi2[hsp-16.2p::lox::degron::dam::rpb-6::unc-54 3'UTR; unc-119(+)] II

IS3653	This study	bqSi196[hsp-16.41p::gfp::myc::dam; unc-119(+)] II iirIs25[elt-2p::nls::GFP::lacZ + rol-6(su1006)] V
IS3687	This study	fpSi2[hsp-16.2::lox::degron::dam::rpb-6::unc-54 3'UTR; unc-119(+)] II irIs25[elt-2p::nls::gfp::lacZ + rol-6(su1006)] V
SV1439	CGC	heSi142[elt-2p::elg-13nls::Cre::tbb-2 3'UTR] X
SV1461	CGC	heSi148[myo-3p::elg-13nls::Cre::tbb-2 3'UTR] X
DAG827	This study	domSi827[sdf-9p::Cre::tbb-2 3'UTR; unc-119(+)] X
PMW641	This study	ubsSi40[hsp-16.2::lox:mcherry::lox::degron::gfp::dam::unc-54 3'UTR; unc-119(+)] IV
DAG958	This study	domSi958[hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc54 3'UTR; unc-119(+)] II
IS3568	This study	heSi142[elt-2p::elg-13nls::Cre::tbb-2 3'UTR] X; domSi958[unc-119(+)hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc54 3'UTR] II
PMW748	This study	heSi148[myo-3p::elg-13nls::Cre::tbb-2 3'UTR] X ; domSi958[hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc54 3'UTR; unc-119(+)] II
DAG879	This study	domSi827[sdf-9p::Cre::tbb-2 3'UTR; unc-119(+)] X ubsSi40[hsp-16.41::lox:mcherry::lox::degron::gfp::dam::unc-54 3'UTR; unc-119(+)] IV
DAG976	This study	heSi148[myo-3p::elg-13nls::Cre::tbb-2 3'UTR] ttTi14042 X domSi958[hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc54 3'UTR; unc-119(+)] II
DAG1042	This study	domSi827[sdf-9p::Cre::tbb-2 3'UTR; unc-119(+)] X domSi958[hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc54 3'UTR; unc-119(+)] II

DAG1043	This study	*heSi142[elt-2p::elg-13nls::Cre::tbb-2 3'UTR] X* *ubsSi40[hsp-16.41::lox:mcherry::lox::degron::gfp::dam::unc-54 3'UTR; unc-119(+)] IV*
DAG1256-1257	This study	*domEx1256-1257[asic-1p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1258-1259	This study	*domEx1258-1259[dhs-17p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1260-1261	This study	*domEx1260-1261[mab-9p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1262-1263	This study	*domEx1262-1263[twk-39p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1264-1265	This study	*domEx1264-1265[lgc-36p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1266-1267	This study	*domEx1266-1267[F14H8.2p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1268-1269	This study	*domEx1268-1269[C06A1.3p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1270	This study	*domEx1270[asp-9p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1271-1272	This study	*domEx1271-1272[B0034.5p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1273-1274	This study	*domEx1273-1274[F52E1.5::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
DAG1275-1276	This study	*domEx1275-1276[T22E.6p::mNeonGreen::unc-54 3' UTR,* *sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*

DAG1277-1278 23	This study	*domEx1277-1278[nlp-15p::mNeonGreen::unc-54 3' UTR, sdf-9p::egl-13NLS::wrmScarlet::unc-54 UTR, unc-122p::RFP]*
N2	CGC	Wild type Bristol N2

Supplementary Table 2

Plasmid collection

Plasmid name	Source	Plasmid information	Backbone
#372	This study	*hsp-16.41p::degron::dam::ama-1::unc-54 3'UTR*	pCFJ151
#509	This study	*hsp-16.2p::degron::dam::rpb-6::unc54 3'UTR*	pCFJ151
#417	This study	*hsp-16.2p::lox::mCherry::lox::degron::dam::ama-1::unc-54 3' UTR*	pCFJ151
#418	This study	*hsp-16.2p::lox::mCherry::lox::degron::gfp::dam::unc-54 3' UTR*	pCFJ151
#434	This study	*hsp-16.2p::lox::mCherry::lox::degron::dam::rbp-2::unc-54*	pCFJ151
pSJ4646/ #503	This study	*hsp-16.2p::lox::mCherry::lox::degron::dam::rpb-6::unc-54 3'UTR*	pCFJ151
pSR32	Sander Van den Heuvel Lab	*pie-1p::Cre*	pCFJ355
dg9	Miyabayashi 1999	*unc-122p::rfp*	
dg353	Hostettler 2017	*mNeonGreen* Entry (slot2)	pDON221
dg651	Marques 2019	*egl-13nls::wrmScarlet* Entry (slot2)	pDON221
dg800	This study	*sdf-9p::Cre::tbb-2 3'UTR*	pCFJ355
dg801	This study	*sdf-9p* Entry (slot1)	pDONR-P4-P1R
dg802	This study	*asic-1p* Entry (slot1)	pDONR-P4-P1R

dg803	This study	*dhs-17p* Entry (slot1)	pDONR-P4-P1R
dg804	This study	*mab-9p* Entry (slot1)	pDONR-P4-P1R
dg805	This study	*twk-39p* Entry (slot1)	pDONR-P4-P1R
dg806	This study	*lgc-36p* Entry (slot1)	pDONR-P4-P1R
dg807	This study	*F14H8.2p* Entry (slot1)	pDONR-P4-P1R
dg808	This study	*C06A1.3p* Entry (slot1)	pDONR-P4-P1R
dg809	This study	*asp-9p* Entry (slot1)	pDONR-P4-P1R
dg810	This study	*B0034.5p* Entry (slot1)	pDONR-P4-P1R
dg811	This study	*F52E1.5p* Entry (slot1)	pDONR-P4-P1R
dg812	This study	*:T22E5.6p* Entry (slot1)	pDONR-P4-P1R
dg813	This study	*nlp-15p* Entry (slot1)	pDONR-P4-P1R
dg814	This study	*sdf-9p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg815	This study	*sdf-9p::egl-13NLS::wrmScarlet::unc-54 3' UTR*	pDEST-R4-P3
dg816	This study	*asic-1p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg817	This study	*dhs-17p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg818	This study	*mab-9p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3

dg819	This study	*twk-39p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg820	This study	*lgc-36p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg821	This study	*F14H8.2p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg822	This study	*C06A1.3p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg823	This study	*asp-9p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg824	This study	*B0034.5p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg825	This study	*F52E1.5p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg826	This study	*T22E5.6p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
dg827	This study	*nlp-15p::mNeonGreen::unc-54 3' UTR*	pDEST-R4-P3
pMH473	Gift from Marc Hammarlund	*unc-54 3' UTR* Entry (slot3)	pDONR- P2R-P3

Supplementary Table 3

Primers for cloning of promoters used for the transcriptional reporter analysis of XXX cell-transcribed candidate genes.

All primers start with Gateway cloning sequences, followed with the indicated sequence.

(forward: ggggacaactttgtatagaaaagtt; reverse: ggggactgcttttttgtacaaacttg)

Gene name	Forward primer	Reverse primer	Size (bp)
sdf-9	gtcgacttgtcaatgtcgc	ccttcattttgaaaataatatatctagtcttag	3497
asic-1	gacacacttgtacgggatacctt	tttggtggcctgaaatttgatcaa	1992
dhs-17	gataacacattgaccctctccac	ttctacaaattacagacgagacaactg	1969
mab-9	gccatggaacccgaatttttgcat	cttatggaataagaagctccggga	2026
twk-39	ttgtcgggtttgtcagtttcct	tttcagtcgtctatttgactgcca	2006
lgc-36	gcatcaaggaactgctttcaca	tggaaattcgatgaagcatttgtgtg	560
F14H8.2	agagttcaaaaaggtgttcccaa	agagttcaaaaaggtgttcccaa	1779
C06A1.3	ttgtctggcgtgtatttggtac	atgaagacgttgctaaatcctctttc	660
asp-9	tgacctattttgaactgctg	tcagctcaactatcaaaatttaatcac	1668
B0034.5	taatgcgtgataatgatgagac	taatgcgtgataatgatgagac	1992
F52E1.5	tccaattttatgcgttgagt	ggcaggttatttaaacggt	1580
T22E5.6	tgcaagttaatttttcgttc	tgtgaaaagctgaaatacag	2037
nlp-15	tggtcaagtacataccaggggtatg	cgttatgttgtgtctctttcg	2186

Supplementary Table 4 (excel sheet)

Averaged gene-level values for RNA polymerase signal (polii), GATC number and false discovery rate (FDR) for all blastomere libraries.

Supplementary Table 5 (excel sheet)

Transcribed genes analysis determined by RAPID. Genes for each tissue are listed.

Enriched and uniques genes, and Gene ontology attributes are tabulated in different sheets.

References

Allen M. A., L. W. Hillier, R. H. Waterston, and T. Blumenthal, 2011 A global analysis of C. elegans trans-splicing. Genome Res. 21: 255–264.

Aughey G. N., A. Estacio Gomez, J. Thomson, H. Yin, and T. D. Southall, 2018 CATaDa reveals global remodelling of chromatin accessibility during stem cell differentiation in vivo. Elife 7. https://doi.org/10.7554/eLife.32341

Blazie S. M., C. Babb, H. Wilky, A. Rawls, J. G. Park, *et al.*, 2015 Comparative RNA-Seq analysis reveals pervasive tissue-specific alternative polyadenylation in Caenorhabditis elegans intestine and muscles. BMC Biol. 13: 4.

Blazie S. M., H. C. Geissel, H. Wilky, R. Joshi, J. Newbern, *et al.*, 2017 Alternative Polyadenylation Directs Tissue-Specific miRNA Targeting inCaenorhabditis elegansSomatic Tissues. Genetics 206: 757–774.

Chalfie M., Y. Tu, G. Euskirchen, W. W. Ward, and D. C. Prasher, 1994 Green fluorescent protein as a marker for gene expression. Science 263: 802–805.

Chikina M. D., C. Huttenhower, C. T. Murphy, and O. G. Troyanskaya, 2009 Global prediction of tissue-specific gene expression and context-dependent gene networks in Caenorhabditis elegans. PLoS Comput. Biol. 5: e1000417.

Cramer P., D. A. Bushnell, J. Fu, A. L. Gnatt, B. Maier-Davis, *et al.*, 2000 Architecture of RNA polymerase II and implications for the transcription mechanism. Science 288: 640–649.

Filion G. J., J. G. van Bemmel, U. Braunschweig, W. Talhout, J. Kind, *et al.*, 2010

Systematic protein location mapping reveals five principal chromatin types in Drosophila cells. Cell 143: 212–224.

Frøkjaer-Jensen C., M. W. Davis, C. E. Hopkins, B. J. Newman, J. M. Thummel, *et al.*, 2008 Single-copy insertion of transgenes in Caenorhabditis elegans. Nat. Genet. 40: 1375–1383.

Garrido-Lecca A., T. Saldi, and T. Blumenthal, 2016 Localization of RNAPII and 3' end formation factor CstF subunits on C. elegans genes and operons. Transcription 7: 96–110.

Gerisch B., C. Weitzel, C. Kober-Eisermann, V. Rottiers, and A. Antebi, 2001 A hormonal signaling pathway influencing C. elegans metabolism, reproductive development, and life span. Dev. Cell 1: 841–851.

Gómez-Saldivar G., P. Meister, and P. Askjaer, 2016 DamID Analysis of Nuclear Organization in Caenorhabditis elegans. Methods Mol. Biol. 1411: 341–358.

Gomez-Saldivar G., P. Meister, and P. Askjaer, 2016 DamID of Nuclear Envelope proteins in C. elegans, in *The Nuclear Envelope, Methods and Protocols*, edited by Shackleton S., Collas P., Schirmer E. C. Springer.

Greer E. L., M. A. Blanco, L. Gu, E. Sendinc, J. Liu, *et al.*, 2015 DNA Methylation on N6-Adenine in C. elegans. Cell 161: 868–878.

Haenni S., Z. Ji, M. Hoque, N. Rust, H. Sharpe, *et al.*, 2012 Analysis of C. elegans intestinal gene expression and polyadenylation by fluorescence-activated nuclei sorting and 3'-end-seq. Nucleic Acids Res. 40: 6304–6318.

Hammarlund M., O. Hobert, D. M. Miller, and N. Sestan, 2018 The CeNGEN Project: The

Complete Gene Expression Map of an Entire Nervous System. Neuron 99: 430–433.

Han S., E. A. Schroeder, C. G. Silva-García, K. Hebestreit, W. B. Mair, *et al.*, 2017 Mono-unsaturated fatty acids link H3K4me3 modifiers to C. elegans lifespan. Nature 544: 185–190.

Hasegawa K., S. Miwa, T. Tajima, K. Tsutsumiuchi, H. Taniguchi, *et al.*, 2007 A rapid and inexpensive method to screen for common foods that reduce the action of acrylamide, a harmful substance in food. Toxicol. Lett. 175: 82–88.

Hostettler L., L. Grundy, S. Käser-Pébernard, C. Wicky, W. R. Schafer, *et al.*, 2017 The bright fluorescent protein mNeonGreen facilitates protein expression analysis in vivo. G3 (Bethesda) 7: 607--615

Hrach H. C., S. O'Brien, H. S. Steber, J. Newbern, A. Rawls, *et al.*, 2020 Transcriptome changes during the initiation and progression of Duchenne muscular dystrophy in Caenorhabditis elegans. Human Molecular Genetics 29: 1607–1623.

Hu P. J., J. Xu, and G. Ruvkun, 2006 Two membrane-associated tyrosine phosphatase homologs potentiate C. elegans AKT-1/PKB signaling. PLoS Genet. 2: e99.

Ikegami K., and J. D. Lieb, 2013 Integral nuclear pore proteins bind to Pol III-transcribed genes and are required for Pol III transcript processing in C. elegans. Mol. Cell 51: 840–849.

Kagawa H., K. Takuwa, and Y. Sakube, 1997 Mutations and expressions of the tropomyosin gene and the troponin C gene of Caenorhabditis elegans. Cell Struct. Funct. 22: 213–218.

Kagias K., A. Ahier, N. Fischer, and S. Jarriault, 2012 Members of the NODE (Nanog and Oct4-associated deacetylase) complex and SOX-2 promote the initiation of a natural

cellular reprogramming event in vivo. Proc. Natl. Acad. Sci. U. S. A. 109: 6596–6601.

Kaletsky R., V. Yao, A. Williams, A. M. Runnels, A. Tadych, *et al.*, 2018 Transcriptome analysis of adult Caenorhabditis elegans cells reveals tissue-specific gene and isoform expression. PLoS Genet. 14: e1007559.

Kalinava N., J. Z. Ni, K. Peterman, E. Chen, and S. G. Gu, 2017 Decoupling the downstream effects of germline nuclear RNAi reveals that H3K9me3 is dispensable for heritable RNAi and the maintenance of endogenous siRNA-mediated transcriptional silencing in Caenorhabditis elegans. Epigenetics Chromatin 10: 6.

Li H., 2018 Minimap2: pairwise alignment for nucleotide sequences. Bioinformatics 34: 3094–3100.

Ma X., G. Zhan, M. C. Sleumer, S. Chen, W. Liu, *et al.*, 2016 Analysis of C. elegans muscle transcriptome using trans-splicing-based RNA tagging (SRT). Nucleic Acids Res. 44: e156.

Marques F., G. Saro, A.-S. Lia, R. J. Poole, L. Falquet, *et al.*, 2019 Identification of avoidance genes through neural pathway-specific forward optogenetics. PLoS Genet. 15: e1008509.

Marshall O. J., and A. H. Brand, 2015 damidseq_pipeline: an automated pipeline for processing DamID sequencing datasets. Bioinformatics 31: 3371–3373.

Marshall O. J., and A. H. Brand, 2017 Chromatin state changes during neural development revealed by in vivo cell-type specific profiling. Nat. Commun. 8: 2271.

Mattout A., B. L. Pike, B. D. Towbin, E. M. Bank, A. Gonzalez-Sandoval, *et al.*, 2011 An EDMD mutation in C. elegans lamin blocks muscle-specific gene relocation and

compromises muscle integrity. Curr. Biol. 21: 1603–1614.

Miki T. S., S. H. Carl, and H. Großhans, 2017 Two distinct transcription termination modes dictated by promoters. Genes Dev. 31: 1870–1879.

Miller D. M., F. E. Stockdale, and J. Karn, 1986 Immunological identification of the genes encoding the four myosin heavy chain isoforms of Caenorhabditis elegans. Proc. Natl. Acad. Sci. U. S. A. 83: 2305–2309.

Miyabayashi T., M. T. Palfreyman, A. E. Sluder, F. Slack, and P. Sengupta, 1999 Expression and function of members of a divergent nuclear receptor family in Caenorhabditis elegans. Dev. Biol. 215: 314–331.

Mohri K., and S. Ono, 2003 Actin filament disassembling activity of Caenorhabditis elegans actin-interacting protein 1 (UNC-78) is dependent on filament binding by a specific ADF/cofilin isoform. J. Cell Sci. 116: 4107–4118.

Muñoz-Jiménez C., C. Ayuso, A. Dobrzynska, A. Torres-Mendéz, P. de la C. Ruiz, *et al.*, 2017 An Efficient FLP-Based Toolkit for Spatiotemporal Control of Gene Expression in Caenorhabditis elegans. Genetics 206: 1763–1778.

Ohkura K., N. Suzuki, T. Ishihara, and I. Katsura, 2003 SDF-9, a protein tyrosine phosphatase-like molecule, regulates the L3/dauer developmental decision through hormonal signaling in C. elegans. Development 130: 3237–3248.

Pauli F., Y. Liu, Y. A. Kim, P. J. Chen, and S. K. Kim, 2006 Chromosomal clustering and GATA transcriptional regulation of intestine-expressed genes in C. elegans. Development 133: 287–295.

Pindyurin A. V., L. Pagie, E. N. Kozhevnikova, J. van Arensbergen, and B. van Steensel, 2016 Inducible DamID systems for genomic mapping of chromatin proteins in

Drosophila. Nucleic Acids Res. 44: 5646–5657.

Raudvere U., L. Kolberg, I. Kuzmin, T. Arak, P. Adler, *et al.*, 2019 g:Profiler: a web server for functional enrichment analysis and conversions of gene lists (2019 update). Nucleic Acids Research 47: W191–W198.

Redolfi J., Y. Zhan, C. Valdes-Quezada, M. Kryzhanovska, I. Guerreiro, *et al.*, 2019 DamC reveals principles of chromatin folding in vivo without crosslinking and ligation. Nature Structural & Molecular Biology 26: 471–480.

Roeder T., M. Stanisak, C. Gelhaus, I. Bruchhaus, J. Grötzinger, *et al.*, 2010 Caenopores are antimicrobial peptides in the nematode Caenorhabditis elegans instrumental in nutrition and immunity. Dev. Comp. Immunol. 34: 203–209.

Roy P. J., J. M. Stuart, J. Lund, and S. K. Kim, 2002 Chromosomal clustering of muscle-expressed genes in Caenorhabditis elegans. Nature 418: 975–979.

Ruijtenberg S., and S. van den Heuvel, 2015 G1/S Inhibitors and the SWI/SNF Complex Control Cell-Cycle Exit during Muscle Differentiation. Cell 162: 300–313.

Schuster E., J. J. McElwee, J. M. Tullet, R. Doonan, F. Matthijssens, *et al.*, 2010 DamID in C. elegans reveals longevity-associated targets of DAF-16/FoxO. Mol. Syst. Biol. 6: 399.

Sharma R., D. Jost, J. Kind, G. Gómez-Saldivar, B. van Steensel, *et al.*, 2014 Differential spatial and structural organization of the X chromosome underlies dosage compensation in C. elegans. Genes Dev. 28: 2591–2596.

Southall T. D., K. S. Gold, B. Egger, C. M. Davidson, E. E. Caygill, *et al.*, 2013 Cell-type-specific profiling of gene expression and chromatin binding without cell isolation: assaying RNA Pol II occupancy in neural stem cells. Dev. Cell 26: 101–112.

Steiner F. A., P. B. Talbert, S. Kasinathan, R. B. Deal, and S. Henikoff, 2012 Cell-type-specific nuclei purification from whole animals for genome-wide expression and chromatin profiling. Genome Res. 22: 766–777.

Tcherepanova I., L. Bhattacharyya, C. S. Rubin, and J. H. Freedman, 2000 Aspartic proteases from the nematode Caenorhabditis elegans. Structural organization and developmental and cell-specific expression of asp-1. J. Biol. Chem. 275: 26359–26369.

Villaseñor R., R. Pfaendler, C. Ambrosi, S. Butz, S. Giuliani, *et al.*, 2020 ChromID identifies the protein interactome at chromatin marks. Nature Biotechnology 38: 728–736.

Widmer Y. F., A. Bilican, R. Bruggmann, and S. G. Sprecher, 2018 Regulators of Long-Term Memory Revealed by Mushroom Body-Specific Gene Expression Profiling in Drosophila melanogaster. Genetics 209: 1167–1181.

Zhang Y., X. Zou, Y. Ding, H. Wang, X. Wu, *et al.*, 2013 Comparative genomics and functional study of lipid metabolic genes in Caenorhabditis elegans. BMC Genomics 14: 164.

Zhang L., J. D. Ward, Z. Cheng, and A. F. Dernburg, 2015 The auxin-inducible degradation (AID) system enables versatile conditional protein depletion in C. elegans. Development 142: 4374–4384.

Figure 1

Figure 2

A Tissue-specific Cre recombination and Dam expression

B

Muscle · Intestine · XXX

747 · 277 · 1011 · 536 · 736 · 228 · 862

C

Intestine-specific genes · Muscle-specific genes · XXX cells-specific genes

chrV: 19,049,562-19,050,752 · chrV: 12,226,968-12,234,300 · chrX: 6,196,988-6,200,604

asp-1 · myo-3 · daf-9

chrX: 7,319,994-7,320,353 · chrI: 5,019,003-5,019,993 · chrIV: 12,524,478-12,525,509

spp-5 · pat-10 · eak-4

Figure 3

A Muscle

B Intestine

C Muscle (top 500 unique genes)

D Intestine (top 500 unique genes)

Figure 4

Figure S1

A DNA purification or worm lysis

DNA

○ GATC motif
● G^mATC motif

*Dpn*I digestion

B ds adapter ligation & PCR

C Illumina Y adapter ligation, limited library amplification

Nanopore barcoding, motor ligation

D Sequencing & mapping

E

F

G

A RAPID signal at rDNA repeats

Figure S2

B RAPID signal at polIII snoRNA genes; no PolII overlapping (24/57)

C RAPID signal at polIII snoRNA genes; PolII ChIP-seq overlapping (20/57)

Figure S3

A Tissue-specific sorted cells and Dam expression

D

Intestine-specific genes   Muscle-specific genes

Figure S4

Figure S5

Unique genes per tissue			Comm
Intestine	Muscle	Y cell	Intestine/Muscle
WBGene00000016	WBGene00000019	WBGene00000109	WBGene00000081
WBGene00000040	WBGene00000023	WBGene00000137	WBGene00000113
WBGene00000080	WBGene00000030	WBGene00000196	WBGene00000123
WBGene00000083	WBGene00000036	WBGene00000202	WBGene00000251
WBGene00000122	WBGene00000068	WBGene00000219	WBGene00000378
WBGene00000166	WBGene00000075	WBGene00000239	WBGene00000381
WBGene00000173	WBGene00000115	WBGene00000253	WBGene00000420
WBGene00000176	WBGene00000163	WBGene00000403	WBGene00000551
WBGene00000215	WBGene00000180	WBGene00000528	WBGene00000609
WBGene00000216	WBGene00000214	WBGene00000567	WBGene00000613
WBGene00000224	WBGene00000218	WBGene00000616	WBGene00000614
WBGene00000256	WBGene00000230	WBGene00000671	WBGene00000650
WBGene00000274	WBGene00000240	WBGene00000721	WBGene00000667
WBGene00000281	WBGene00000254	WBGene00000804	WBGene00000669
WBGene00000282	WBGene00000271	WBGene00000822	WBGene00000680
WBGene00000366	WBGene00000275	WBGene00000906	WBGene00000688
WBGene00000405	WBGene00000276	WBGene00000933	WBGene00000696
WBGene00000417	WBGene00000280	WBGene00000934	WBGene00000715
WBGene00000447	WBGene00000372	WBGene00000986	WBGene00000717
WBGene00000472	WBGene00000396	WBGene00000989	WBGene00000785
WBGene00000482	WBGene00000418	WBGene00001335	WBGene00000830
WBGene00000484	WBGene00000436	WBGene00001372	WBGene00000831
WBGene00000498	WBGene00000443	WBGene00001531	WBGene00000833
WBGene00000556	WBGene00000460	WBGene00001568	WBGene00000882
WBGene00000585	WBGene00000493	WBGene00001577	WBGene00000903
WBGene00000610	WBGene00000513	WBGene00001596	WBGene00000967
WBGene00000670	WBGene00000531	WBGene00001748	WBGene00001007
WBGene00000675	WBGene00000592	WBGene00001760	WBGene00001057
WBGene00000676	WBGene00000612	WBGene00001973	WBGene00001058
WBGene00000691	WBGene00000618	WBGene00002070	WBGene00001102
WBGene00000692	WBGene00000625	WBGene00002250	WBGene00001119
WBGene00000697	WBGene00000631	WBGene00002845	WBGene00001137
WBGene00000702	WBGene00000659	WBGene00003021	WBGene00001259
WBGene00000705	WBGene00000666	WBGene00003055	WBGene00001397
WBGene00000710	WBGene00000685	WBGene00003072	WBGene00001455
WBGene00000711	WBGene00000731	WBGene00003242	WBGene00001511
WBGene00000724	WBGene00000742	WBGene00003429	WBGene00001539
WBGene00000735	WBGene00000753	WBGene00003462	WBGene00001543
WBGene00000741	WBGene00000756	WBGene00003527	WBGene00001548
WBGene00000786	WBGene00000764	WBGene00003558	WBGene00001603
WBGene00000789	WBGene00000771	WBGene00003570	WBGene00001607
WBGene00000803	WBGene00000781	WBGene00003578	WBGene00001692
WBGene00000865	WBGene00000784	WBGene00003597	WBGene00001702
WBGene00000874	WBGene00000872	WBGene00003608	WBGene00001734
WBGene00000888	WBGene00000962	WBGene00003620	WBGene00001787
WBGene00000889	WBGene00001016	WBGene00003625	WBGene00001829
WBGene00000897	WBGene00001049	WBGene00003637	WBGene00001839
WBGene00000901	WBGene00001064	WBGene00003680	WBGene00002005

WBGene00000911	WBGene00001074	WBGene00003699	WBGene00002010
WBGene00000975	WBGene00001076	WBGene00003705	WBGene00002033
WBGene00001020	WBGene00001081	WBGene00003710	WBGene00002047
WBGene00001062	WBGene00001092	WBGene00003727	WBGene00002050
WBGene00001079	WBGene00001150	WBGene00003738	WBGene00002054
WBGene00001080	WBGene00001226	WBGene00003740	WBGene00002153
WBGene00001085	WBGene00001233	WBGene00003742	WBGene00002225
WBGene00001093	WBGene00001401	WBGene00003776	WBGene00002226
WBGene00001109	WBGene00001434	WBGene00003797	WBGene00002227
WBGene00001157	WBGene00001440	WBGene00003801	WBGene00002228
WBGene00001160	WBGene00001454	WBGene00003838	WBGene00002804
WBGene00001171	WBGene00001480	WBGene00003843	WBGene00003052
WBGene00001186	WBGene00001503	WBGene00003845	WBGene00003062
WBGene00001187	WBGene00001545	WBGene00003862	WBGene00003086
WBGene00001225	WBGene00001564	WBGene00003948	WBGene00003154
WBGene00001227	WBGene00001595	WBGene00003949	WBGene00003156
WBGene00001240	WBGene00001599	WBGene00003969	WBGene00003167
WBGene00001284	WBGene00001602	WBGene00004006	WBGene00003507
WBGene00001400	WBGene00001614	WBGene00004038	WBGene00003508
WBGene00001431	WBGene00001626	WBGene00004094	WBGene00003522
WBGene00001456	WBGene00001639	WBGene00004118	WBGene00003606
WBGene00001487	WBGene00001683	WBGene00004184	WBGene00003613
WBGene00001490	WBGene00001684	WBGene00004304	WBGene00003629
WBGene00001493	WBGene00001689	WBGene00004305	WBGene00003650
WBGene00001515	WBGene00001700	WBGene00004346	WBGene00003701
WBGene00001527	WBGene00001709	WBGene00004349	WBGene00003751
WBGene00001530	WBGene00001710	WBGene00004409	WBGene00003827
WBGene00001566	WBGene00001736	WBGene00004482	WBGene00003834
WBGene00001581	WBGene00001744	WBGene00004800	WBGene00003856
WBGene00001606	WBGene00001752	WBGene00004858	WBGene00003877
WBGene00001621	WBGene00001774	WBGene00004875	WBGene00003925
WBGene00001642	WBGene00001778	WBGene00004899	WBGene00003955
WBGene00001699	WBGene00001786	WBGene00004954	WBGene00003959
WBGene00001705	WBGene00001795	WBGene00004990	WBGene00003979
WBGene00001713	WBGene00001796	WBGene00005009	WBGene00003994
WBGene00001714	WBGene00001812	WBGene00005013	WBGene00003995
WBGene00001756	WBGene00001814	WBGene00005108	WBGene00004045
WBGene00001827	WBGene00001830	WBGene00005173	WBGene00004146
WBGene00001872	WBGene00001832	WBGene00005258	WBGene00004157
WBGene00001981	WBGene00001835	WBGene00005531	WBGene00004204
WBGene00001999	WBGene00001869	WBGene00005581	WBGene00004239
WBGene00002046	WBGene00002008	WBGene00005654	WBGene00004265
WBGene00002062	WBGene00002026	WBGene00005659	WBGene00004313
WBGene00002067	WBGene00002048	WBGene00005694	WBGene00004333
WBGene00002083	WBGene00002057	WBGene00005868	WBGene00004398
WBGene00002107	WBGene00002060	WBGene00005912	WBGene00004458
WBGene00002114	WBGene00002077	WBGene00005925	WBGene00004459
WBGene00002173	WBGene00002115	WBGene00005965	WBGene00004738
WBGene00002186	WBGene00002124	WBGene00005975	WBGene00004782
WBGene00002201	WBGene00002218	WBGene00006067	WBGene00004904

WBGene00002204	WBGene00002222	WBGene00006209	WBGene00004951
WBGene00003053	WBGene00002229	WBGene00006279	WBGene00004959
WBGene00003097	WBGene00002297	WBGene00006443	WBGene00005145
WBGene00003159	WBGene00002637	WBGene00006495	WBGene00005177
WBGene00003163	WBGene00002694	WBGene00006610	WBGene00005844
WBGene00003214	WBGene00002850	WBGene00006619	WBGene00006093
WBGene00003370	WBGene00002879	WBGene00006736	WBGene00006147
WBGene00003405	WBGene00002985	WBGene00006773	WBGene00006153
WBGene00003424	WBGene00003057	WBGene00006836	WBGene00006240
WBGene00003430	WBGene00003058	WBGene00006952	WBGene00006449
WBGene00003449	WBGene00003068	WBGene00007053	WBGene00006530
WBGene00003450	WBGene00003151	WBGene00007073	WBGene00006539
WBGene00003499	WBGene00003155	WBGene00007154	WBGene00006568
WBGene00003573	WBGene00003165	WBGene00007180	WBGene00006598
WBGene00003586	WBGene00003176	WBGene00007257	WBGene00006612
WBGene00003588	WBGene00003186	WBGene00007258	WBGene00006616
WBGene00003590	WBGene00003408	WBGene00007286	WBGene00006803
WBGene00003591	WBGene00003426	WBGene00007287	WBGene00006926
WBGene00003645	WBGene00003452	WBGene00007331	WBGene00006927
WBGene00003661	WBGene00003497	WBGene00007402	WBGene00006928
WBGene00003687	WBGene00003528	WBGene00007415	WBGene00007049
WBGene00003704	WBGene00003530	WBGene00007422	WBGene00007088
WBGene00003748	WBGene00003567	WBGene00007482	WBGene00007169
WBGene00003791	WBGene00003610	WBGene00007588	WBGene00007305
WBGene00003846	WBGene00003643	WBGene00007615	WBGene00007354
WBGene00003888	WBGene00003646	WBGene00007645	WBGene00007372
WBGene00003889	WBGene00003693	WBGene00007687	WBGene00007463
WBGene00003915	WBGene00003702	WBGene00007769	WBGene00007555
WBGene00003920	WBGene00003709	WBGene00007890	WBGene00007802
WBGene00003926	WBGene00003768	WBGene00007900	WBGene00007917
WBGene00003932	WBGene00003789	WBGene00007963	WBGene00007987
WBGene00003938	WBGene00003795	WBGene00008043	WBGene00008016
WBGene00003951	WBGene00003796	WBGene00008073	WBGene00008033
WBGene00003958	WBGene00003798	WBGene00008100	WBGene00008092
WBGene00003982	WBGene00003800	WBGene00008213	WBGene00008124
WBGene00003992	WBGene00003815	WBGene00008222	WBGene00008197
WBGene00004031	WBGene00003831	WBGene00008302	WBGene00008290
WBGene00004042	WBGene00003847	WBGene00008335	WBGene00008410
WBGene00004061	WBGene00003936	WBGene00008372	WBGene00008422
WBGene00004078	WBGene00003957	WBGene00008380	WBGene00008423
WBGene00004091	WBGene00003962	WBGene00008411	WBGene00008427
WBGene00004093	WBGene00003965	WBGene00008417	WBGene00008541
WBGene00004156	WBGene00004008	WBGene00008476	WBGene00008546
WBGene00004254	WBGene00004037	WBGene00008511	WBGene00008659
WBGene00004339	WBGene00004059	WBGene00008560	WBGene00008683
WBGene00004388	WBGene00004089	WBGene00008565	WBGene00008840
WBGene00004400	WBGene00004096	WBGene00008586	WBGene00008854
WBGene00004402	WBGene00004104	WBGene00008664	WBGene00008882
WBGene00004408	WBGene00004147	WBGene00008709	WBGene00009031
WBGene00004412	WBGene00004182	WBGene00008803	WBGene00009038

WBGene00004421	WBGene00004187	WBGene00008887	WBGene00009070
WBGene00004428	WBGene00004216	WBGene00008903	WBGene00009113
WBGene00004429	WBGene00004259	WBGene00008945	WBGene00009122
WBGene00004501	WBGene00004303	WBGene00008965	WBGene00009153
WBGene00004503	WBGene00004312	WBGene00008985	WBGene00009185
WBGene00004698	WBGene00004337	WBGene00008996	WBGene00009285
WBGene00004700	WBGene00004387	WBGene00009007	WBGene00009306
WBGene00004703	WBGene00004391	WBGene00009021	WBGene00009365
WBGene00004736	WBGene00004392	WBGene00009110	WBGene00009394
WBGene00004742	WBGene00004395	WBGene00009126	WBGene00009489
WBGene00004827	WBGene00004504	WBGene00009160	WBGene00009492
WBGene00004908	WBGene00004679	WBGene00009261	WBGene00009501
WBGene00004945	WBGene00004768	WBGene00009383	WBGene00009578
WBGene00004958	WBGene00004901	WBGene00009397	WBGene00009681
WBGene00005002	WBGene00004925	WBGene00009401	WBGene00009687
WBGene00005015	WBGene00004930	WBGene00009415	WBGene00009770
WBGene00005040	WBGene00004976	WBGene00009435	WBGene00009844
WBGene00005085	WBGene00005007	WBGene00009476	WBGene00009865
WBGene00005099	WBGene00005022	WBGene00009526	WBGene00009884
WBGene00005106	WBGene00005061	WBGene00009532	WBGene00009926
WBGene00005113	WBGene00005185	WBGene00009571	WBGene00010056
WBGene00005140	WBGene00005227	WBGene00009704	WBGene00010061
WBGene00005179	WBGene00005240	WBGene00009726	WBGene00010091
WBGene00005186	WBGene00005256	WBGene00009851	WBGene00010124
WBGene00005243	WBGene00005257	WBGene00009854	WBGene00010144
WBGene00005425	WBGene00005293	WBGene00009897	WBGene00010148
WBGene00005540	WBGene00005365	WBGene00009942	WBGene00010263
WBGene00005544	WBGene00005393	WBGene00009948	WBGene00010493
WBGene00005666	WBGene00005461	WBGene00009951	WBGene00010524
WBGene00005716	WBGene00005590	WBGene00009976	WBGene00010609
WBGene00005740	WBGene00005617	WBGene00009987	WBGene00010647
WBGene00005901	WBGene00005764	WBGene00009999	WBGene00010659
WBGene00006040	WBGene00005770	WBGene00010013	WBGene00010719
WBGene00006052	WBGene00005826	WBGene00010096	WBGene00010757
WBGene00006076	WBGene00005837	WBGene00010135	WBGene00010790
WBGene00006080	WBGene00005850	WBGene00010167	WBGene00010988
WBGene00006204	WBGene00005855	WBGene00010206	WBGene00011039
WBGene00006263	WBGene00005934	WBGene00010279	WBGene00011051
WBGene00006288	WBGene00005949	WBGene00010385	WBGene00011070
WBGene00006375	WBGene00006050	WBGene00010386	WBGene00011114
WBGene00006392	WBGene00006085	WBGene00010457	WBGene00011128
WBGene00006414	WBGene00006164	WBGene00010594	WBGene00011184
WBGene00006415	WBGene00006196	WBGene00010621	WBGene00011202
WBGene00006448	WBGene00006198	WBGene00010643	WBGene00011288
WBGene00006459	WBGene00006220	WBGene00010657	WBGene00011337
WBGene00006470	WBGene00006306	WBGene00010684	WBGene00011411
WBGene00006483	WBGene00006416	WBGene00010760	WBGene00011431
WBGene00006518	WBGene00006436	WBGene00010781	WBGene00011529
WBGene00006541	WBGene00006437	WBGene00010789	WBGene00011664
WBGene00006550	WBGene00006447	WBGene00010791	WBGene00011738

WBGene00006559	WBGene00006523	WBGene00010871	WBGene00011791
WBGene00006570	WBGene00006562	WBGene00010874	WBGene00011867
WBGene00006571	WBGene00006589	WBGene00010912	WBGene00011942
WBGene00006707	WBGene00006603	WBGene00011124	WBGene00011950
WBGene00006780	WBGene00006638	WBGene00011132	WBGene00011971
WBGene00006814	WBGene00006666	WBGene00011258	WBGene00011985
WBGene00006824	WBGene00006678	WBGene00011290	WBGene00012011
WBGene00006876	WBGene00006688	WBGene00011382	WBGene00012128
WBGene00006896	WBGene00006787	WBGene00011397	WBGene00012131
WBGene00006902	WBGene00006790	WBGene00011487	WBGene00012169
WBGene00006914	WBGene00006810	WBGene00011526	WBGene00012186
WBGene00006915	WBGene00006820	WBGene00011595	WBGene00012271
WBGene00006916	WBGene00006882	WBGene00011624	WBGene00012272
WBGene00006925	WBGene00006894	WBGene00011630	WBGene00012343
WBGene00006941	WBGene00006910	WBGene00011683	WBGene00012375
WBGene00007013	WBGene00006921	WBGene00011706	WBGene00012518
WBGene00007015	WBGene00006940	WBGene00011755	WBGene00012583
WBGene00007016	WBGene00006947	WBGene00011781	WBGene00012591
WBGene00007028	WBGene00006948	WBGene00011888	WBGene00012596
WBGene00007081	WBGene00006953	WBGene00011918	WBGene00012769
WBGene00007090	WBGene00006959	WBGene00011931	WBGene00012780
WBGene00007093	WBGene00006997	WBGene00011996	WBGene00012791
WBGene00007143	WBGene00007041	WBGene00012018	WBGene00012809
WBGene00007195	WBGene00007050	WBGene00012031	WBGene00012896
WBGene00007209	WBGene00007072	WBGene00012096	WBGene00013085
WBGene00007222	WBGene00007100	WBGene00012149	WBGene00013157
WBGene00007256	WBGene00007134	WBGene00012333	WBGene00013220
WBGene00007274	WBGene00007167	WBGene00012374	WBGene00013235
WBGene00007277	WBGene00007202	WBGene00012404	WBGene00013252
WBGene00007294	WBGene00007230	WBGene00012445	WBGene00013290
WBGene00007306	WBGene00007235	WBGene00012636	WBGene00013452
WBGene00007320	WBGene00007245	WBGene00012777	WBGene00013528
WBGene00007335	WBGene00007308	WBGene00012952	WBGene00013549
WBGene00007337	WBGene00007322	WBGene00012969	WBGene00013771
WBGene00007412	WBGene00007381	WBGene00013215	WBGene00013830
WBGene00007420	WBGene00007414	WBGene00013247	WBGene00013880
WBGene00007446	WBGene00007434	WBGene00013332	WBGene00013944
WBGene00007508	WBGene00007479	WBGene00013496	WBGene00013999
WBGene00007513	WBGene00007488	WBGene00013562	WBGene00014101
WBGene00007542	WBGene00007489	WBGene00013567	WBGene00014117
WBGene00007611	WBGene00007503	WBGene00013591	WBGene00014132
WBGene00007732	WBGene00007607	WBGene00013819	WBGene00014179
WBGene00007733	WBGene00007610	WBGene00013899	WBGene00014826
WBGene00007736	WBGene00007659	WBGene00013903	WBGene00015102
WBGene00007752	WBGene00007672	WBGene00014083	WBGene00015214
WBGene00007761	WBGene00007709	WBGene00014115	WBGene00015242
WBGene00007765	WBGene00007714	WBGene00014144	WBGene00015283
WBGene00007777	WBGene00007735	WBGene00014193	WBGene00015366
WBGene00007787	WBGene00007744	WBGene00014250	WBGene00015398
WBGene00007813	WBGene00007746	WBGene00014255	WBGene00015407

WBGene00007824	WBGene00007789	WBGene00014953	WBGene00015629
WBGene00007826	WBGene00007793	WBGene00015028	WBGene00015634
WBGene00007864	WBGene00007831	WBGene00015037	WBGene00015778
WBGene00007866	WBGene00007833	WBGene00015045	WBGene00015793
WBGene00007885	WBGene00007834	WBGene00015076	WBGene00015841
WBGene00007897	WBGene00007910	WBGene00015132	WBGene00015909
WBGene00007928	WBGene00007944	WBGene00015134	WBGene00015911
WBGene00007943	WBGene00008017	WBGene00015206	WBGene00015937
WBGene00007954	WBGene00008031	WBGene00015220	WBGene00016081
WBGene00007961	WBGene00008062	WBGene00015226	WBGene00016114
WBGene00007969	WBGene00008101	WBGene00015285	WBGene00016202
WBGene00007986	WBGene00008107	WBGene00015358	WBGene00016239
WBGene00007989	WBGene00008269	WBGene00015360	WBGene00016303
WBGene00008003	WBGene00008278	WBGene00015369	WBGene00016356
WBGene00008010	WBGene00008300	WBGene00015492	WBGene00016405
WBGene00008014	WBGene00008338	WBGene00015531	WBGene00016495
WBGene00008015	WBGene00008371	WBGene00015565	WBGene00016517
WBGene00008027	WBGene00008379	WBGene00015578	WBGene00016561
WBGene00008035	WBGene00008405	WBGene00015615	WBGene00016565
WBGene00008053	WBGene00008472	WBGene00015759	WBGene00016589
WBGene00008110	WBGene00008485	WBGene00015809	WBGene00016671
WBGene00008113	WBGene00008508	WBGene00015810	WBGene00016781
WBGene00008172	WBGene00008568	WBGene00015848	WBGene00016824
WBGene00008188	WBGene00008581	WBGene00016014	WBGene00016960
WBGene00008194	WBGene00008656	WBGene00016019	WBGene00016970
WBGene00008220	WBGene00008669	WBGene00016091	WBGene00016995
WBGene00008274	WBGene00008688	WBGene00016129	WBGene00017015
WBGene00008284	WBGene00008703	WBGene00016146	WBGene00017163
WBGene00008326	WBGene00008707	WBGene00016153	WBGene00017183
WBGene00008449	WBGene00008749	WBGene00016242	WBGene00017264
WBGene00008503	WBGene00008757	WBGene00016281	WBGene00017265
WBGene00008506	WBGene00008759	WBGene00016330	WBGene00017289
WBGene00008529	WBGene00008785	WBGene00016352	WBGene00017542
WBGene00008554	WBGene00008871	WBGene00016414	WBGene00017578
WBGene00008627	WBGene00008909	WBGene00016610	WBGene00017629
WBGene00008655	WBGene00008910	WBGene00016765	WBGene00017631
WBGene00008671	WBGene00008976	WBGene00016776	WBGene00017641
WBGene00008672	WBGene00008984	WBGene00016860	WBGene00017685
WBGene00008684	WBGene00009065	WBGene00016943	WBGene00017796
WBGene00008720	WBGene00009073	WBGene00016974	WBGene00017800
WBGene00008731	WBGene00009115	WBGene00016982	WBGene00017923
WBGene00008740	WBGene00009123	WBGene00017019	WBGene00017930
WBGene00008783	WBGene00009143	WBGene00017098	WBGene00017964
WBGene00008812	WBGene00009149	WBGene00017125	WBGene00017988
WBGene00008874	WBGene00009192	WBGene00017142	WBGene00018020
WBGene00008898	WBGene00009213	WBGene00017268	WBGene00018122
WBGene00008900	WBGene00009215	WBGene00017302	WBGene00018145
WBGene00008948	WBGene00009221	WBGene00017401	WBGene00018202
WBGene00008950	WBGene00009225	WBGene00017435	WBGene00018208
WBGene00008957	WBGene00009241	WBGene00017574	WBGene00018252

WBGene00008960	WBGene00009267	WBGene00017628	WBGene00018261
WBGene00009011	WBGene00009308	WBGene00017640	WBGene00018268
WBGene00009012	WBGene00009314	WBGene00017679	WBGene00018310
WBGene00009039	WBGene00009319	WBGene00017777	WBGene00018319
WBGene00009097	WBGene00009341	WBGene00017842	WBGene00018321
WBGene00009117	WBGene00009342	WBGene00017848	WBGene00018348
WBGene00009132	WBGene00009347	WBGene00017867	WBGene00018350
WBGene00009154	WBGene00009363	WBGene00017886	WBGene00018455
WBGene00009164	WBGene00009368	WBGene00017947	WBGene00018489
WBGene00009193	WBGene00009418	WBGene00017948	WBGene00018563
WBGene00009195	WBGene00009422	WBGene00017991	WBGene00018643
WBGene00009200	WBGene00009429	WBGene00018017	WBGene00018669
WBGene00009201	WBGene00009454	WBGene00018069	WBGene00018672
WBGene00009212	WBGene00009458	WBGene00018104	WBGene00018698
WBGene00009217	WBGene00009470	WBGene00018135	WBGene00018711
WBGene00009234	WBGene00009562	WBGene00018154	WBGene00018712
WBGene00009247	WBGene00009618	WBGene00018173	WBGene00018786
WBGene00009297	WBGene00009705	WBGene00018178	WBGene00018839
WBGene00009324	WBGene00009772	WBGene00018278	WBGene00018898
WBGene00009369	WBGene00009855	WBGene00018292	WBGene00018900
WBGene00009400	WBGene00009868	WBGene00018355	WBGene00018907
WBGene00009431	WBGene00009892	WBGene00018392	WBGene00018933
WBGene00009473	WBGene00010000	WBGene00018445	WBGene00018967
WBGene00009514	WBGene00010053	WBGene00018452	WBGene00019016
WBGene00009515	WBGene00010088	WBGene00018586	WBGene00019043
WBGene00009518	WBGene00010147	WBGene00018670	WBGene00019146
WBGene00009519	WBGene00010157	WBGene00018871	WBGene00019151
WBGene00009539	WBGene00010232	WBGene00018958	WBGene00019334
WBGene00009547	WBGene00010247	WBGene00018964	WBGene00019341
WBGene00009605	WBGene00010262	WBGene00018973	WBGene00019421
WBGene00009607	WBGene00010265	WBGene00019013	WBGene00019451
WBGene00009611	WBGene00010285	WBGene00019022	WBGene00019461
WBGene00009646	WBGene00010356	WBGene00019039	WBGene00019601
WBGene00009659	WBGene00010380	WBGene00019186	WBGene00019631
WBGene00009662	WBGene00010409	WBGene00019280	WBGene00019783
WBGene00009678	WBGene00010496	WBGene00019355	WBGene00019840
WBGene00009682	WBGene00010520	WBGene00019685	WBGene00019875
WBGene00009684	WBGene00010558	WBGene00019799	WBGene00019883
WBGene00009685	WBGene00010562	WBGene00019877	WBGene00019966
WBGene00009706	WBGene00010573	WBGene00019901	WBGene00019970
WBGene00009773	WBGene00010620	WBGene00019961	WBGene00020022
WBGene00009836	WBGene00010665	WBGene00020082	WBGene00020053
WBGene00009879	WBGene00010677	WBGene00020106	WBGene00020068
WBGene00009880	WBGene00010714	WBGene00020141	WBGene00020071
WBGene00009895	WBGene00010768	WBGene00020194	WBGene00020128
WBGene00009908	WBGene00010821	WBGene00020260	WBGene00020154
WBGene00009915	WBGene00010869	WBGene00020267	WBGene00020174
WBGene00009993	WBGene00010898	WBGene00020347	WBGene00020223
WBGene00010035	WBGene00010900	WBGene00020375	WBGene00020241
WBGene00010042	WBGene00010906	WBGene00020379	WBGene00020289

WBGene00010047	WBGene00010974	WBGene00020381	WBGene00020328
WBGene00010052	WBGene00010992	WBGene00020407	WBGene00020406
WBGene00010125	WBGene00011018	WBGene00020412	WBGene00020463
WBGene00010165	WBGene00011041	WBGene00020423	WBGene00020505
WBGene00010168	WBGene00011047	WBGene00020438	WBGene00020576
WBGene00010172	WBGene00011064	WBGene00020460	WBGene00020592
WBGene00010204	WBGene00011081	WBGene00020585	WBGene00020640
WBGene00010254	WBGene00011134	WBGene00020596	WBGene00020652
WBGene00010273	WBGene00011173	WBGene00020883	WBGene00020700
WBGene00010278	WBGene00011181	WBGene00021016	WBGene00020827
WBGene00010280	WBGene00011191	WBGene00021155	WBGene00020891
WBGene00010281	WBGene00011261	WBGene00021484	WBGene00020936
WBGene00010289	WBGene00011263	WBGene00021540	WBGene00020948
WBGene00010314	WBGene00011289	WBGene00021553	WBGene00020997
WBGene00010354	WBGene00011328	WBGene00021681	WBGene00021011
WBGene00010397	WBGene00011330	WBGene00021709	WBGene00021034
WBGene00010415	WBGene00011339	WBGene00021877	WBGene00021087
WBGene00010419	WBGene00011371	WBGene00021912	WBGene00021110
WBGene00010444	WBGene00011454	WBGene00021970	WBGene00021141
WBGene00010446	WBGene00011542	WBGene00022140	WBGene00021169
WBGene00010467	WBGene00011560	WBGene00022180	WBGene00021269
WBGene00010476	WBGene00011610	WBGene00022292	WBGene00021466
WBGene00010478	WBGene00011629	WBGene00022337	WBGene00021472
WBGene00010547	WBGene00011655	WBGene00022555	WBGene00021605
WBGene00010579	WBGene00011674	WBGene00022556	WBGene00021627
WBGene00010593	WBGene00011688	WBGene00022620	WBGene00021690
WBGene00010612	WBGene00011694	WBGene00022638	WBGene00021713
WBGene00010627	WBGene00011712	WBGene00044019	WBGene00021721
WBGene00010631	WBGene00011713	WBGene00044047	WBGene00021730
WBGene00010635	WBGene00011724	WBGene00044242	WBGene00021751
WBGene00010636	WBGene00011739	WBGene00044458	WBGene00021873
WBGene00010670	WBGene00011831	WBGene00044709	WBGene00021986
WBGene00010671	WBGene00011850	WBGene00044811	WBGene00022073
WBGene00010678	WBGene00011948	WBGene00044901	WBGene00022102
WBGene00010686	WBGene00012025	WBGene00045024	WBGene00022133
WBGene00010785	WBGene00012026	WBGene00045297	WBGene00022236
WBGene00010847	WBGene00012050	WBGene00045382	WBGene00022250
WBGene00010926	WBGene00012056	WBGene00050913	WBGene00022307
WBGene00010933	WBGene00012061	WBGene00077519	WBGene00022391
WBGene00010970	WBGene00012067	WBGene00077688	WBGene00022396
WBGene00010973	WBGene00012115	WBGene00206389	WBGene00022508
WBGene00011049	WBGene00012138	WBGene00219313	WBGene00022679
WBGene00011052	WBGene00012179	WBGene00219418	WBGene00022712
WBGene00011063	WBGene00012207	WBGene00235371	WBGene00022718
WBGene00011087	WBGene00012256	WBGene00236786	WBGene00022742
WBGene00011099	WBGene00012310	WBGene00269388	WBGene00022800
WBGene00011172	WBGene00012315	WBGene00270293	WBGene00022880
WBGene00011175	WBGene00012326		WBGene00043702
WBGene00011185	WBGene00012388		WBGene00043743
WBGene00011214	WBGene00012407		WBGene00044185

WBGene00011246   WBGene00012443   WBGene00044310
WBGene00011260   WBGene00012482   WBGene00044333
WBGene00011312   WBGene00012487   WBGene00044360
WBGene00011338   WBGene00012492   WBGene00044369
WBGene00011415   WBGene00012524   WBGene00044443
WBGene00011478   WBGene00012531   WBGene00044989
WBGene00011480   WBGene00012551   WBGene00045128
WBGene00011507   WBGene00012564   WBGene00045303
WBGene00011534   WBGene00012567   WBGene00045305
WBGene00011572   WBGene00012582   WBGene00045381
WBGene00011638   WBGene00012585   WBGene00077732
WBGene00011650   WBGene00012586   WBGene00219319
WBGene00011687   WBGene00012592   WBGene00219326
WBGene00011737   WBGene00012595   WBGene00219411
WBGene00011740   WBGene00012621   WBGene00235328
WBGene00011741   WBGene00012632
WBGene00011810   WBGene00012837
WBGene00011834   WBGene00013049
WBGene00011856   WBGene00013060
WBGene00011932   WBGene00013192
WBGene00011951   WBGene00013216
WBGene00011961   WBGene00013227
WBGene00011976   WBGene00013242
WBGene00011989   WBGene00013250
WBGene00011994   WBGene00013304
WBGene00012010   WBGene00013325
WBGene00012014   WBGene00013370
WBGene00012134   WBGene00013540
WBGene00012148   WBGene00013568
WBGene00012166   WBGene00013575
WBGene00012190   WBGene00013621
WBGene00012198   WBGene00013650
WBGene00012203   WBGene00013749
WBGene00012243   WBGene00013757
WBGene00012324   WBGene00013832
WBGene00012429   WBGene00013846
WBGene00012435   WBGene00013855
WBGene00012436   WBGene00013894
WBGene00012513   WBGene00013895
WBGene00012608   WBGene00013928
WBGene00012637   WBGene00013935
WBGene00012659   WBGene00013940
WBGene00012728   WBGene00013953
WBGene00012778   WBGene00013954
WBGene00012784   WBGene00013965
WBGene00012851   WBGene00013969
WBGene00012866   WBGene00013971
WBGene00012869   WBGene00013973
WBGene00012872   WBGene00013976
WBGene00012879   WBGene00014095

WBGene00012941	WBGene00014096
WBGene00012946	WBGene00014119
WBGene00012981	WBGene00014120
WBGene00013026	WBGene00014128
WBGene00013073	WBGene00014151
WBGene00013076	WBGene00014164
WBGene00013106	WBGene00014165
WBGene00013107	WBGene00014169
WBGene00013116	WBGene00014170
WBGene00013177	WBGene00014192
WBGene00013266	WBGene00014197
WBGene00013300	WBGene00014198
WBGene00013311	WBGene00014201
WBGene00013315	WBGene00014239
WBGene00013374	WBGene00014924
WBGene00013380	WBGene00014965
WBGene00013439	WBGene00015029
WBGene00013453	WBGene00015099
WBGene00013461	WBGene00015107
WBGene00013463	WBGene00015237
WBGene00013473	WBGene00015255
WBGene00013474	WBGene00015305
WBGene00013487	WBGene00015335
WBGene00013493	WBGene00015361
WBGene00013596	WBGene00015389
WBGene00013622	WBGene00015391
WBGene00013716	WBGene00015399
WBGene00013741	WBGene00015461
WBGene00013785	WBGene00015469
WBGene00013786	WBGene00015501
WBGene00013796	WBGene00015516
WBGene00013809	WBGene00015599
WBGene00013811	WBGene00015604
WBGene00013812	WBGene00015638
WBGene00013857	WBGene00015647
WBGene00013866	WBGene00015648
WBGene00013868	WBGene00015660
WBGene00013900	WBGene00015671
WBGene00013906	WBGene00015698
WBGene00013937	WBGene00015740
WBGene00014004	WBGene00015743
WBGene00014007	WBGene00015754
WBGene00014028	WBGene00015806
WBGene00014084	WBGene00015817
WBGene00014090	WBGene00015820
WBGene00014094	WBGene00015856
WBGene00014100	WBGene00015864
WBGene00014116	WBGene00015931
WBGene00014168	WBGene00015969
WBGene00014217	WBGene00015977

WBGene00014219	WBGene00016003
WBGene00015050	WBGene00016005
WBGene00015094	WBGene00016030
WBGene00015119	WBGene00016058
WBGene00015143	WBGene00016094
WBGene00015150	WBGene00016132
WBGene00015183	WBGene00016155
WBGene00015193	WBGene00016188
WBGene00015211	WBGene00016192
WBGene00015311	WBGene00016194
WBGene00015326	WBGene00016277
WBGene00015372	WBGene00016300
WBGene00015376	WBGene00016320
WBGene00015421	WBGene00016325
WBGene00015467	WBGene00016327
WBGene00015481	WBGene00016328
WBGene00015530	WBGene00016344
WBGene00015547	WBGene00016354
WBGene00015564	WBGene00016365
WBGene00015573	WBGene00016367
WBGene00015598	WBGene00016397
WBGene00015619	WBGene00016413
WBGene00015627	WBGene00016422
WBGene00015656	WBGene00016451
WBGene00015739	WBGene00016462
WBGene00015752	WBGene00016499
WBGene00015758	WBGene00016543
WBGene00015783	WBGene00016555
WBGene00015814	WBGene00016573
WBGene00015855	WBGene00016586
WBGene00015860	WBGene00016631
WBGene00015890	WBGene00016673
WBGene00015900	WBGene00016707
WBGene00015997	WBGene00016712
WBGene00016084	WBGene00016733
WBGene00016173	WBGene00016782
WBGene00016178	WBGene00016785
WBGene00016220	WBGene00016880
WBGene00016221	WBGene00016882
WBGene00016250	WBGene00016884
WBGene00016254	WBGene00016885
WBGene00016317	WBGene00016886
WBGene00016323	WBGene00016888
WBGene00016337	WBGene00016895
WBGene00016370	WBGene00016898
WBGene00016376	WBGene00016939
WBGene00016382	WBGene00016944
WBGene00016388	WBGene00016968
WBGene00016403	WBGene00016997
WBGene00016404	WBGene00017020

WBGene00016424	WBGene00017060
WBGene00016425	WBGene00017079
WBGene00016427	WBGene00017085
WBGene00016447	WBGene00017089
WBGene00016455	WBGene00017091
WBGene00016465	WBGene00017107
WBGene00016475	WBGene00017160
WBGene00016485	WBGene00017179
WBGene00016507	WBGene00017219
WBGene00016509	WBGene00017263
WBGene00016574	WBGene00017372
WBGene00016575	WBGene00017385
WBGene00016624	WBGene00017393
WBGene00016660	WBGene00017402
WBGene00016678	WBGene00017406
WBGene00016680	WBGene00017411
WBGene00016681	WBGene00017430
WBGene00016694	WBGene00017437
WBGene00016700	WBGene00017520
WBGene00016790	WBGene00017527
WBGene00016844	WBGene00017534
WBGene00016845	WBGene00017554
WBGene00016847	WBGene00017556
WBGene00016877	WBGene00017557
WBGene00016907	WBGene00017591
WBGene00016942	WBGene00017601
WBGene00016957	WBGene00017616
WBGene00016958	WBGene00017657
WBGene00017051	WBGene00017672
WBGene00017058	WBGene00017674
WBGene00017095	WBGene00017678
WBGene00017103	WBGene00017686
WBGene00017123	WBGene00017752
WBGene00017150	WBGene00017758
WBGene00017267	WBGene00017784
WBGene00017354	WBGene00017791
WBGene00017397	WBGene00017814
WBGene00017416	WBGene00017843
WBGene00017434	WBGene00017936
WBGene00017482	WBGene00017937
WBGene00017487	WBGene00017951
WBGene00017501	WBGene00017955
WBGene00017525	WBGene00017961
WBGene00017571	WBGene00018000
WBGene00017577	WBGene00018004
WBGene00017594	WBGene00018042
WBGene00017606	WBGene00018060
WBGene00017608	WBGene00018061
WBGene00017688	WBGene00018063
WBGene00017698	WBGene00018096

WBGene00017710	WBGene00018098
WBGene00017736	WBGene00018131
WBGene00017764	WBGene00018134
WBGene00017765	WBGene00018137
WBGene00017806	WBGene00018148
WBGene00017819	WBGene00018152
WBGene00017873	WBGene00018156
WBGene00017902	WBGene00018184
WBGene00017918	WBGene00018193
WBGene00017934	WBGene00018201
WBGene00017979	WBGene00018203
WBGene00017993	WBGene00018214
WBGene00018019	WBGene00018235
WBGene00018031	WBGene00018244
WBGene00018039	WBGene00018262
WBGene00018070	WBGene00018432
WBGene00018072	WBGene00018433
WBGene00018083	WBGene00018434
WBGene00018164	WBGene00018435
WBGene00018272	WBGene00018436
WBGene00018290	WBGene00018437
WBGene00018299	WBGene00018447
WBGene00018315	WBGene00018472
WBGene00018330	WBGene00018482
WBGene00018375	WBGene00018484
WBGene00018390	WBGene00018496
WBGene00018394	WBGene00018502
WBGene00018424	WBGene00018514
WBGene00018529	WBGene00018537
WBGene00018531	WBGene00018543
WBGene00018549	WBGene00018640
WBGene00018635	WBGene00018802
WBGene00018637	WBGene00018805
WBGene00018641	WBGene00018806
WBGene00018645	WBGene00018809
WBGene00018646	WBGene00018815
WBGene00018649	WBGene00018816
WBGene00018692	WBGene00018921
WBGene00018693	WBGene00018949
WBGene00018696	WBGene00018950
WBGene00018707	WBGene00019015
WBGene00018737	WBGene00019037
WBGene00018744	WBGene00019074
WBGene00018824	WBGene00019077
WBGene00018849	WBGene00019081
WBGene00018863	WBGene00019087
WBGene00018867	WBGene00019118
WBGene00018901	WBGene00019120
WBGene00018904	WBGene00019124
WBGene00018906	WBGene00019138

WBGene00018930	WBGene00019169
WBGene00018941	WBGene00019189
WBGene00018959	WBGene00019233
WBGene00019046	WBGene00019259
WBGene00019103	WBGene00019260
WBGene00019154	WBGene00019269
WBGene00019163	WBGene00019406
WBGene00019231	WBGene00019420
WBGene00019232	WBGene00019429
WBGene00019235	WBGene00019430
WBGene00019264	WBGene00019434
WBGene00019296	WBGene00019436
WBGene00019313	WBGene00019452
WBGene00019326	WBGene00019498
WBGene00019354	WBGene00019520
WBGene00019381	WBGene00019586
WBGene00019419	WBGene00019588
WBGene00019449	WBGene00019613
WBGene00019450	WBGene00019654
WBGene00019467	WBGene00019668
WBGene00019502	WBGene00019689
WBGene00019504	WBGene00019702
WBGene00019507	WBGene00019709
WBGene00019509	WBGene00019765
WBGene00019510	WBGene00019794
WBGene00019530	WBGene00019795
WBGene00019540	WBGene00019804
WBGene00019543	WBGene00019817
WBGene00019544	WBGene00019826
WBGene00019545	WBGene00019905
WBGene00019563	WBGene00019922
WBGene00019567	WBGene00019968
WBGene00019574	WBGene00019994
WBGene00019589	WBGene00020003
WBGene00019600	WBGene00020015
WBGene00019641	WBGene00020035
WBGene00019735	WBGene00020039
WBGene00019758	WBGene00020135
WBGene00019769	WBGene00020212
WBGene00019793	WBGene00020214
WBGene00019820	WBGene00020227
WBGene00019824	WBGene00020239
WBGene00019890	WBGene00020254
WBGene00019900	WBGene00020270
WBGene00019925	WBGene00020276
WBGene00019941	WBGene00020290
WBGene00019947	WBGene00020292
WBGene00019955	WBGene00020307
WBGene00019964	WBGene00020327
WBGene00019989	WBGene00020329

WBGene00020007	WBGene00020342
WBGene00020030	WBGene00020368
WBGene00020042	WBGene00020372
WBGene00020117	WBGene00020435
WBGene00020140	WBGene00020439
WBGene00020187	WBGene00020452
WBGene00020211	WBGene00020464
WBGene00020231	WBGene00020491
WBGene00020235	WBGene00020533
WBGene00020259	WBGene00020540
WBGene00020297	WBGene00020553
WBGene00020354	WBGene00020554
WBGene00020417	WBGene00020559
WBGene00020420	WBGene00020590
WBGene00020480	WBGene00020594
WBGene00020494	WBGene00020598
WBGene00020508	WBGene00020688
WBGene00020626	WBGene00020702
WBGene00020630	WBGene00020704
WBGene00020638	WBGene00020707
WBGene00020679	WBGene00020762
WBGene00020683	WBGene00020775
WBGene00020771	WBGene00020840
WBGene00020823	WBGene00020847
WBGene00020862	WBGene00020858
WBGene00020882	WBGene00020908
WBGene00020923	WBGene00020911
WBGene00020952	WBGene00020937
WBGene00020990	WBGene00020966
WBGene00021004	WBGene00020984
WBGene00021006	WBGene00021014
WBGene00021043	WBGene00021051
WBGene00021082	WBGene00021084
WBGene00021098	WBGene00021085
WBGene00021112	WBGene00021086
WBGene00021121	WBGene00021113
WBGene00021144	WBGene00021146
WBGene00021186	WBGene00021168
WBGene00021204	WBGene00021183
WBGene00021243	WBGene00021256
WBGene00021261	WBGene00021302
WBGene00021262	WBGene00021343
WBGene00021274	WBGene00021349
WBGene00021282	WBGene00021364
WBGene00021287	WBGene00021373
WBGene00021290	WBGene00021390
WBGene00021336	WBGene00021477
WBGene00021370	WBGene00021496
WBGene00021395	WBGene00021555
WBGene00021396	WBGene00021558

WBGene00021450	WBGene00021732
WBGene00021468	WBGene00021880
WBGene00021479	WBGene00021898
WBGene00021482	WBGene00021907
WBGene00021492	WBGene00021960
WBGene00021497	WBGene00021969
WBGene00021517	WBGene00021981
WBGene00021595	WBGene00022256
WBGene00021601	WBGene00022257
WBGene00021607	WBGene00022399
WBGene00021639	WBGene00022402
WBGene00021646	WBGene00022405
WBGene00021650	WBGene00022439
WBGene00021808	WBGene00022443
WBGene00021878	WBGene00022554
WBGene00022046	WBGene00022562
WBGene00022060	WBGene00022642
WBGene00022210	WBGene00022707
WBGene00022232	WBGene00022709
WBGene00022237	WBGene00022747
WBGene00022245	WBGene00022762
WBGene00022253	WBGene00022780
WBGene00022295	WBGene00022803
WBGene00022315	WBGene00022832
WBGene00022398	WBGene00022851
WBGene00022418	WBGene00022876
WBGene00022444	WBGene00023415
WBGene00022467	WBGene00023418
WBGene00022553	WBGene00023459
WBGene00022603	WBGene00044027
WBGene00022608	WBGene00044135
WBGene00022674	WBGene00044160
WBGene00022678	WBGene00044192
WBGene00022685	WBGene00044203
WBGene00022731	WBGene00044250
WBGene00022805	WBGene00044299
WBGene00022814	WBGene00044305
WBGene00022847	WBGene00044455
WBGene00022881	WBGene00044510
WBGene00022888	WBGene00044530
WBGene00023484	WBGene00044623
WBGene00023492	WBGene00044667
WBGene00023513	WBGene00044674
WBGene00043054	WBGene00044761
WBGene00043302	WBGene00044916
WBGene00043666	WBGene00045246
WBGene00044077	WBGene00045308
WBGene00044088	WBGene00045338
WBGene00044158	WBGene00045344
WBGene00044240	WBGene00045418

WBGene00044329	WBGene00050968
WBGene00044367	WBGene00077489
WBGene00044379	WBGene00077622
WBGene00044416	WBGene00077693
WBGene00044481	WBGene00077769
WBGene00044483	WBGene00086558
WBGene00044490	WBGene00164971
WBGene00044508	WBGene00194682
WBGene00044580	WBGene00194714
WBGene00044693	WBGene00194715
WBGene00044697	WBGene00194898
WBGene00044797	WBGene00194912
WBGene00044889	WBGene00194981
WBGene00045239	WBGene00195077
WBGene00045394	WBGene00206520
WBGene00050906	WBGene00219218
WBGene00077500	WBGene00220259
WBGene00077588	WBGene00235267
WBGene00077593	WBGene00235363
WBGene00077679	WBGene00269432
WBGene00077761	WBGene00271744
WBGene00138724	WBGene00271816
WBGene00185077	WBGene00303019
WBGene00194661	
WBGene00194780	
WBGene00194787	
WBGene00194869	
WBGene00194914	
WBGene00194931	
WBGene00195061	
WBGene00195176	
WBGene00195229	
WBGene00195248	
WBGene00206380	
WBGene00206515	
WBGene00206530	
WBGene00219324	
WBGene00219378	
WBGene00219383	
WBGene00219420	
WBGene00235120	
WBGene00235269	
WBGene00235294	
WBGene00235368	
WBGene00255611	
WBGene00268197	
WBGene00269437	
WBGene00271815	
WBGene00303002	
WBGene00303009	

WBGene00303011
WBGene00303015
WBGene00303030
WBGene00304215

on genes in two tissues		Common genes in three tissues
Intestine/ Y cell	Muscle/Y cell	intestine|Muscle|Y cell
WBGene00000065	WBGene00000039	WBGene00000022
WBGene00000090	WBGene00000402	WBGene00000031
WBGene00000175	WBGene00000485	WBGene00000067
WBGene00000375	WBGene00000693	WBGene00000106
WBGene00000453	WBGene00000712	WBGene00000602
WBGene00000553	WBGene00000716	WBGene00000732
WBGene00000942	WBGene00000737	WBGene00000743
WBGene00001090	WBGene00000782	WBGene00001029
WBGene00001328	WBGene00000998	WBGene00001099
WBGene00001477	WBGene00001018	WBGene00001263
WBGene00001833	WBGene00001094	WBGene00001412
WBGene00001979	WBGene00001135	WBGene00001414
WBGene00002200	WBGene00001337	WBGene00001444
WBGene00002269	WBGene00001598	WBGene00001538
WBGene00002368	WBGene00002238	WBGene00001541
WBGene00003550	WBGene00002265	WBGene00001546
WBGene00004123	WBGene00002998	WBGene00001558
WBGene00004130	WBGene00003036	WBGene00001569
WBGene00004319	WBGene00003071	WBGene00001571
WBGene00004397	WBGene00003090	WBGene00001580
WBGene00004823	WBGene00003410	WBGene00002051
WBGene00005596	WBGene00003514	WBGene00002055
WBGene00005644	WBGene00003598	WBGene00002152
WBGene00005683	WBGene00003605	WBGene00002206
WBGene00006465	WBGene00004053	WBGene00002348
WBGene00006466	WBGene00004064	WBGene00002915
WBGene00006734	WBGene00004244	WBGene00003037
WBGene00007292	WBGene00004358	WBGene00003091
WBGene00007444	WBGene00004374	WBGene00003218
WBGene00007448	WBGene00004405	WBGene00003485
WBGene00007484	WBGene00004422	WBGene00003515
WBGene00007587	WBGene00004509	WBGene00003534
WBGene00007778	WBGene00004747	WBGene00003602
WBGene00007825	WBGene00004955	WBGene00003734
WBGene00007916	WBGene00005595	WBGene00003777
WBGene00008005	WBGene00005773	WBGene00003816
WBGene00008336	WBGene00006077	WBGene00003844
WBGene00008434	WBGene00006464	WBGene00003884
WBGene00008535	WBGene00006656	WBGene00004076
WBGene00008536	WBGene00007228	WBGene00004178
WBGene00008724	WBGene00007250	WBGene00004209
WBGene00008743	WBGene00007401	WBGene00004210
WBGene00008890	WBGene00007766	WBGene00004424
WBGene00008970	WBGene00007887	WBGene00004463
WBGene00009196	WBGene00008292	WBGene00004755
WBGene00009334	WBGene00008293	WBGene00004783
WBGene00009500	WBGene00008321	WBGene00004855
WBGene00009560	WBGene00008642	WBGene00005776

WBGene00009583	WBGene00008654	WBGene00006056
WBGene00009587	WBGene00008949	WBGene00006374
WBGene00009602	WBGene00009147	WBGene00006491
WBGene00009658	WBGene00009343	WBGene00006727
WBGene00010324	WBGene00009471	WBGene00006759
WBGene00010351	WBGene00009507	WBGene00006929
WBGene00010448	WBGene00009813	WBGene00006930
WBGene00010556	WBGene00009866	WBGene00007109
WBGene00010604	WBGene00009867	WBGene00007247
WBGene00010690	WBGene00010182	WBGene00007248
WBGene00010883	WBGene00010186	WBGene00007384
WBGene00010977	WBGene00010406	WBGene00007920
WBGene00011095	WBGene00010494	WBGene00007966
WBGene00011212	WBGene00010673	WBGene00008396
WBGene00011559	WBGene00010735	WBGene00008448
WBGene00011575	WBGene00010813	WBGene00008580
WBGene00011658	WBGene00010876	WBGene00008634
WBGene00011858	WBGene00010934	WBGene00008753
WBGene00012077	WBGene00011011	WBGene00009035
WBGene00012211	WBGene00011111	WBGene00009082
WBGene00012916	WBGene00011249	WBGene00009133
WBGene00013476	WBGene00011436	WBGene00009259
WBGene00013849	WBGene00011586	WBGene00009393
WBGene00013932	WBGene00011775	WBGene00009460
WBGene00015854	WBGene00011990	WBGene00009542
WBGene00015970	WBGene00012008	WBGene00009955
WBGene00016152	WBGene00012012	WBGene00009968
WBGene00016450	WBGene00012070	WBGene00010043
WBGene00016501	WBGene00012100	WBGene00010067
WBGene00016670	WBGene00012102	WBGene00010070
WBGene00016697	WBGene00012110	WBGene00010123
WBGene00017071	WBGene00012159	WBGene00010300
WBGene00017138	WBGene00012193	WBGene00010357
WBGene00018638	WBGene00012689	WBGene00010661
WBGene00018948	WBGene00012915	WBGene00010848
WBGene00018986	WBGene00013088	WBGene00010920
WBGene00019020	WBGene00013126	WBGene00010989
WBGene00019040	WBGene00013483	WBGene00011376
WBGene00019508	WBGene00013672	WBGene00011432
WBGene00019531	WBGene00013713	WBGene00011456
WBGene00019796	WBGene00013904	WBGene00011467
WBGene00019819	WBGene00014098	WBGene00011522
WBGene00019841	WBGene00015116	WBGene00011523
WBGene00020056	WBGene00015235	WBGene00011530
WBGene00020268	WBGene00015367	WBGene00011582
WBGene00020442	WBGene00015642	WBGene00011910
WBGene00020534	WBGene00015877	WBGene00011959
WBGene00020587	WBGene00015984	WBGene00012109
WBGene00020672	WBGene00016002	WBGene00012182
WBGene00021518	WBGene00016010	WBGene00012194

WBGene00021538	WBGene00016124	WBGene00012253
WBGene00021837	WBGene00016453	WBGene00012387
WBGene00021887	WBGene00016508	WBGene00012395
WBGene00022070	WBGene00016731	WBGene00012491
WBGene00044200	WBGene00016732	WBGene00012500
WBGene00044325	WBGene00017281	WBGene00012502
WBGene00044493	WBGene00017441	WBGene00012764
WBGene00044512	WBGene00017620	WBGene00012768
WBGene00194679	WBGene00017656	WBGene00012814
WBGene00194934	WBGene00017798	WBGene00013001
WBGene00206487	WBGene00017816	WBGene00013011
WBGene00219318	WBGene00017892	WBGene00013036
WBGene00235304	WBGene00017962	WBGene00013138
WBGene00235305	WBGene00018237	WBGene00013276
WBGene00235359	WBGene00018497	WBGene00013388
	WBGene00018810	WBGene00013440
	WBGene00018954	WBGene00013475
	WBGene00019070	WBGene00013498
	WBGene00019216	WBGene00013509
	WBGene00019660	WBGene00013632
	WBGene00019682	WBGene00013801
	WBGene00019923	WBGene00013859
	WBGene00019924	WBGene00014048
	WBGene00019997	WBGene00014087
	WBGene00020107	WBGene00014093
	WBGene00020151	WBGene00014127
	WBGene00020240	WBGene00015048
	WBGene00020497	WBGene00015306
	WBGene00020536	WBGene00015371
	WBGene00020546	WBGene00015595
	WBGene00020560	WBGene00016061
	WBGene00021070	WBGene00016085
	WBGene00021116	WBGene00016128
	WBGene00021171	WBGene00016580
	WBGene00022408	WBGene00016800
	WBGene00022590	WBGene00016954
	WBGene00022637	WBGene00016980
	WBGene00022664	WBGene00017050
	WBGene00022848	WBGene00017555
	WBGene00045302	WBGene00017590
	WBGene00050919	WBGene00017965
	WBGene00235327	WBGene00018021
		WBGene00018024
		WBGene00018073
		WBGene00018196
		WBGene00018318
		WBGene00018438
		WBGene00018446
		WBGene00018468
		WBGene00018547

WBGene00018783
WBGene00019064
WBGene00019085
WBGene00019273
WBGene00019435
WBGene00019617
WBGene00019688
WBGene00020046
WBGene00020092
WBGene00020111
WBGene00020113
WBGene00020262
WBGene00020326
WBGene00020455
WBGene00020696
WBGene00020912
WBGene00021003
WBGene00021118
WBGene00021174
WBGene00021175
WBGene00021303
WBGene00021316
WBGene00021372
WBGene00021448
WBGene00021465
WBGene00021471
WBGene00021577
WBGene00021711
WBGene00022069
WBGene00022090
WBGene00022500
WBGene00022643
WBGene00022711
WBGene00022714
WBGene00022753
WBGene00022767
WBGene00022816
WBGene00022882
WBGene00023425
WBGene00044109
WBGene00044149
WBGene00206362
WBGene00219278
WBGene00235287

Supplementary table 5, Sheet 8. Candidate XXX-specific markers (275 genes). Pol II occ

| | | Mus |
| | | BC_09 | | |
Primary identifier	Symbol	polii	gatc.num	FDR
WBGene00000020	abt-2	0.08027523	50	5.54E-01
WBGene00010275	acc-1	0.19170699	11	1.18E-01
WBGene00008581	acl-13	0.6259069	10	1.11E-03
WBGene00000056	acr-17	-0.01297431	24	4.24E+00
WBGene00000042	acr-2	0.2156443	13	7.05E-02
WBGene00000071	acy-4	0.11404672	18	2.50E-01
WBGene00000166	apt-9	0.2185015	10	9.65E-02
WBGene00018060	arrd-18	-0.15079743	12	8.44E+00
WBGene00020612	arrd-22	-0.11922489	13	6.78E+00
WBGene00022815	asic-1	-0.49357752	14	1.88E+03
WBGene00015700	asp-9	-0.08538026	12	3.66E+00
WBGene00015202	B0478.3	0.03968499	4	5.32E-01
WBGene00015211	B0496.2	0.17427241	7	1.98E-01
WBGene00000248	ben-1	0.24966708	10	6.86E-02
WBGene00022251	blos-2	0.28242957	2	1.94E-01
WBGene00015298	C01F1.3	-0.02303498	13	1.83E+00
WBGene00015465	C05C8.8	-0.06813195	9	1.94E+00
WBGene00007354	C06A1.3	-0.0101258	21	3.06E+00
WBGene00015507	C06A6.2	0.17037006	19	8.36E-02
WBGene00015544	C06E8.5	-0.34582962	13	1.49E+02
WBGene00043994	C07A9.12	-0.11554913	7	2.18E+00
WBGene00007512	C10C6.3	-0.03306434	7	1.10E+00
WBGene00007548	C13C4.4	0.13326474	5	3.02E-01
WBGene00015746	C13F10.7	0.09486472	6	3.85E-01
WBGene00015865	C16E9.1	-0.25865205	12	3.33E+01
WBGene00015935	C17H12.10	0.34946823	6	5.87E-02
WBGene00007663	C18B12.1	0.35858651	1	1.85E-01
WBGene00015953	C18B2.2	-0.06800691	16	5.11E+00
WBGene00044232	C18D11.7	0.14279909	12	2.00E-01
WBGene00016109	C25G6.4	0.36063096	4	8.81E-02
WBGene00007898	C33D9.3	-0.16375388	6	2.60E+00
WBGene00007941	C34F6.7	0.15693357	16	1.30E-01
WBGene00008096	C44H4.8	0.81238112	3	1.34E-02
WBGene00050919	C45G9.15	0.27026183	12	3.94E-02
WBGene00016679	C45G9.8	-0.19513949	6	3.28E+00
WBGene00016816	C50E3.5	-0.16797144	22	1.02E+02
WBGene00008257	C52A11.3	0.2888613	6	9.18E-02
WBGene00008285	C53D6.8	0.44194066	4	5.59E-02
WBGene00016970	C56E6.2	-0.13233656	126	3.24E+10
WBGene00016979	C56G2.4	0.06646962	13	5.39E-01
WBGene00016980	C56G2.5	-0.14769401	21	5.34E+01

WBGene00009260	calm-1	0.29998095	5	1.02E-01
WBGene00000409	cdk-8	0.08468813	9	4.17E-01
WBGene00000437	ceh-13	0.5849229	6	1.03E-02
WBGene00000474	cey-3	-0.35523374	10	5.18E+01
WBGene00000525	clc-4	0.1021597	4	3.75E-01
WBGene00000715	col-142	-0.45684741	10	1.58E+02
WBGene00000716	col-143	0.0808032	7	4.29E-01
WBGene00000728	col-155	0.22066783	5	1.71E-01
WBGene00022533	cutl-19	-0.11266555	9	3.04E+00
WBGene00017042	D2007.2	-0.08741214	12	3.76E+00
WBGene00000898	daf-2	0.02733915	86	4.43E+01
WBGene00000905	daf-9	-0.36922416	9	4.02E+01
WBGene00000936	dbl-1	0.36867659	9	2.39E-02
WBGene00016104	ddr-1	0.16445974	12	1.52E-01
WBGene00000980	dhs-17	0.17786032	32	2.52E-02
WBGene00010191	dmsr-1	0.27940204	8	6.98E-02
WBGene00017038	dmsr-4	0.15368612	15	1.46E-01
WBGene00008580	dsb-1	0.83996465	11	5.43E-05
WBGene00009955	eak-4	-0.49323542	11	3.95E+02
WBGene00001159	eff-1	0.44136383	11	6.12E-03
WBGene00009701	egg-3	0.03734406	14	8.38E-01
WBGene00011806	ekl-6	0.16800187	19	8.74E-02
WBGene00001249	elt-1	-0.03751507	20	4.84E+00
WBGene00004255	epac-1	0.13988246	16	1.72E-01
WBGene00044406	F02A9.7	0.04171379	2	4.85E-01
WBGene00008554	F07C6.3	0.20191319	7	1.58E-01
WBGene00017255	F08D12.12	0.52418874	18	1.49E-04
WBGene00017246	F08D12.2	0.05738464	5	4.94E-01
WBGene00017320	F09G8.5	-0.09311006	11	3.44E+00
WBGene00008833	F14H8.2	0.1734729	6	2.15E-01
WBGene00008834	F14H8.4	0.25642647	8	8.62E-02
WBGene00008835	F14H8.5	-0.66823994	6	1.08E+02
WBGene00044774	F16B3.3	0.45532247	7	1.93E-02
WBGene00008951	F19C6.2	0.01576671	8	7.84E-01
WBGene00008952	F19C6.3	0.31409663	12	2.26E-02
WBGene00008971	F20C5.6	-0.22408398	9	9.33E+00
WBGene00017674	F21F3.4	0.24818487	8	9.30E-02
WBGene00017724	F22F7.7	-0.06246933	21	9.08E+00
WBGene00017741	F23C8.13	-8.4805E-05	15	1.56E+00
WBGene00009125	F25H5.2	-0.11480063	5	1.51E+00
WBGene00009146	F26C11.1	-0.22009093	7	5.18E+00
WBGene00017854	F27C1.4	0.3174472	6	7.44E-02
WBGene00017894	F28B12.1	0.37031722	6	5.03E-02
WBGene00017919	F29B9.1	0.00196424	9	9.59E-01
WBGene00044482	F29B9.12	0.11692734	8	3.10E-01
WBGene00018038	F35C8.8	0.27174097	12	3.87E-02
WBGene00009503	F37A8.5	0.16318834	5	2.49E-01

WBGene00018175	F38B6.6	-0.1956318	20	1.12E+02
WBGene00044556	F38G1.3	-0.02006414	8	1.09E+00
WBGene00009575	F40F8.1	0.19873372	5	1.97E-01
WBGene00009722	F45D3.2	-0.0145434	5	7.89E-01
WBGene00018462	F45E1.1	0.21017028	9	1.18E-01
WBGene00018560	F47D12.3	0.60093331	2	5.74E-02
WBGene00018569	F47F2.1	0.13664712	30	9.72E-02
WBGene00018655	F49H12.4	0.42946043	4	5.99E-02
WBGene00009916	F52A8.3	0.51023284	5	2.61E-02
WBGene00044304	F52B10.3	0.02097176	21	1.60E+00
WBGene00018694	F52E1.5	-0.03825195	12	2.01E+00
WBGene00018710	F52G3.1	0.11882718	15	2.49E-01
WBGene00010143	F56A12.2	0.18054218	9	1.59E-01
WBGene00019012	F57C9.6	-0.01373114	12	1.47E+00
WBGene00008612	fbxa-103	-0.23453185	42	1.34E+05
WBGene00009862	fbxb-67	-0.79440366	7	6.02E+02
WBGene00008611	fbxb-68	-0.50334345	4	1.11E+01
WBGene00008613	fbxb-69	-0.0548819	7	1.32E+00
WBGene00010352	fbxb-76	-0.12216676	3	1.09E+00
WBGene00001410	feh-1	0.07906702	23	4.87E-01
WBGene00010183	fipr-13	0.24637948	3	1.93E-01
WBGene00016138	flh-2	-0.17736384	9	5.83E+00
WBGene00044686	flp-28	0.41119711	4	6.64E-02
WBGene00001494	frm-8	0.03348699	30	1.90E+00
WBGene00020023	frpr-16	-0.01917981	2	6.12E-01
WBGene00001512	gab-1	0.09348794	12	3.75E-01
WBGene00001519	gar-3	0.13925768	40	5.65E-02
WBGene00021528	gbb-1	0.06487154	19	6.20E-01
WBGene00022694	gcna-1	0.08151627	8	4.29E-01
WBGene00009387	glb-15	0.31236961	3	1.41E-01
WBGene00015536	glb-2	0.07296718	2	4.31E-01
WBGene00020279	glb-25	0.13992512	16	1.72E-01
WBGene00001627	gly-2	0.31525149	7	6.16E-02
WBGene00018798	gnrr-1	0.21291303	7	1.44E-01
WBGene00019167	H06I04.1	0.14169135	17	1.59E-01
WBGene00019170	H06I04.6	0.02767938	9	7.41E-01
WBGene00001820	ham-1	0.17506046	12	1.33E-01
WBGene00001838	hda-10	0.03265836	22	1.32E+00
WBGene00001972	hmg-1.2	0.34116615	5	7.83E-02
WBGene00001991	hot-6	-0.28286282	8	1.21E+01
WBGene00018215	igcm-1	0.00352799	15	1.48E+00
WBGene00008977	iglr-1	0.29029632	9	5.27E-02
WBGene00007979	imp-1	0.06987904	14	5.22E-01
WBGene00002151	irk-3	0.0242982	23	1.67E+00
WBGene00002176	jip-1	0.09987906	33	2.71E-01
WBGene00002177	jkk-1	0.15504375	11	1.82E-01
WBGene00019290	K02A2.5	0.27081574	5	1.24E-01

WBGene00019346	K02G10.5	-0.04089246	8	1.32E+00
WBGene00019370	K03H6.5	0.07702661	27	5.28E-01
WBGene00019480	K07C11.8	-0.06161506	7	1.40E+00
WBGene00044361	K09F6.11	-0.16601198	4	1.68E+00
WBGene00010770	K11D2.4	0.10120976	19	3.11E-01
WBGene00002182	kap-1	0.09280582	13	3.76E-01
WBGene00002210	kin-29	0.20370965	17	5.47E-02
WBGene00002225	klp-15	-0.09458917	16	7.88E+00
WBGene00002230	klp-20	-0.01719263	33	1.08E+01
WBGene00015742	kxd-1	0.26222779	4	1.53E-01
WBGene00018523	lact-1	0.52410659	4	3.53E-02
WBGene00006505	lagr-1	0.03293154	19	1.14E+00
WBGene00002262	ldh-1	0.56355098	11	1.44E-03
WBGene00008551	lgc-36	-0.00074513	11	1.15E+00
WBGene00013914	lgc-37	0.0979621	24	3.15E-01
WBGene00017389	lgc-38	-0.00720445	22	3.13E+00
WBGene00017580	lgc-4	0.13422993	16	1.88E-01
WBGene00008022	lgc-41	0.0651728	16	5.81E-01
WBGene00003034	lin-49	-0.01933719	18	2.79E+00
WBGene00003047	lis-1	0.07657162	16	4.83E-01
WBGene00011454	lron-14	0.2180619	22	2.38E-02
WBGene00010806	M01E5.3	0.04434793	14	7.57E-01
WBGene00019754	M03E7.2	0.0284313	5	5.97E-01
WBGene00019761	M03F8.1	0.08845886	11	4.01E-01
WBGene00010849	M04B2.7	0.03819609	31	1.73E+00
WBGene00010886	M7.10	0.3065601	4	1.19E-01
WBGene00003111	mab-20	0.16860735	21	7.47E-02
WBGene00019296	mcu-1	0.03516318	9	6.87E-01
WBGene00003175	mec-12	-0.01907728	9	1.19E+00
WBGene00003166	mec-2	0.0405616	51	3.69E+00
WBGene00003237	mif-4	0.20261609	3	2.37E-01
WBGene00003245	mig-13	0.29724495	9	4.91E-02
WBGene00003397	mom-5	0.61088955	14	2.02E-04
WBGene00003509	mxl-1	-0.24316633	5	3.48E+00
WBGene00003735	nhx-8	-0.04115861	18	4.14E+00
WBGene00003753	nlp-15	0.03598875	18	1.02E+00
WBGene00006864	npr-16	-0.00548641	22	3.02E+00
WBGene00016842	npr-35	0.21478284	10	1.01E-01
WBGene00007635	npr-4	-0.01596946	36	1.37E+01
WBGene00021983	npr-5	0.22890799	10	8.61E-02
WBGene00008664	nubp-1	0.19966885	5	1.96E-01
WBGene00023520	oig-5	0.19616543	14	8.34E-02
WBGene00011482	pigk-1	0.50435695	5	2.71E-02
WBGene00018756	plpp-1.1	0.02587418	22	1.53E+00
WBGene00004197	prx-12	0.42452122	4	6.16E-02
WBGene00004205	psr-1	0.07295509	8	4.64E-01
WBGene00004121	ptrn-1	0.07403968	14	4.92E-01

WBGene00019906	R05G9R.1	-0.37089333	26	4.25E+04
WBGene00011101	R07D5.2	0.15774509	22	8.78E-02
WBGene00011217	R10E11.5	0.2152871	11	8.91E-02
WBGene00020058	R13D11.4	-0.19436042	14	2.43E+01
WBGene00003803	rae-1	0.19893293	15	7.25E-02
WBGene00004360	rib-1	0.39253318	21	7.12E-04
WBGene00004368	ric-19	-0.2518098	9	1.23E+01
WBGene00004370	rig-3	-0.16502398	17	3.11E+01
WBGene00007860	rilp-1	0.00655752	22	2.33E+00
WBGene00019712	rmh-1	-0.40122313	24	3.82E+04
WBGene00015437	scrm-3	-0.33852197	4	4.42E+00
WBGene00008819	shw-1	0.04958696	36	1.46E+00
WBGene00004831	slo-2	0.06666916	25	6.67E-01
WBGene00009654	sly-1	0.06999798	28	6.44E-01
WBGene00004880	smg-2	0.07934033	42	5.49E-01
WBGene00004893	sms-2	0.32298485	11	2.49E-02
WBGene00004913	snn-1	0.05382643	21	8.11E-01
WBGene00004928	soc-1	-0.03399123	12	1.90E+00
WBGene00013603	soem-1	0.15610196	5	2.60E-01
WBGene00007027	ssl-1	0.10693794	63	1.26E-01
WBGene00017464	sulp-2	-0.14769011	9	4.33E+00
WBGene00119203	T04A8.18	-0.43088894	17	3.02E+03
WBGene00271414	T05A7.12	-0.55931056	5	2.71E+01
WBGene00011484	T05E11.8	0.51301358	8	8.19E-03
WBGene00011512	T05H10.8	0.03209322	8	6.75E-01
WBGene00020294	T06F4.1	0.05296344	29	1.05E+00
WBGene00077607	T10C6.16	-0.67664153	17	2.07E+05
WBGene00011689	T10C6.7	0.03763274	14	8.35E-01
WBGene00011709	T11F9.1	0.161421	6	2.35E-01
WBGene00011795	T16A9.5	0.41940931	5	4.71E-02
WBGene00020565	T19C3.7	0.04420434	3	4.99E-01
WBGene00020692	T22E5.6	0.01629297	4	6.06E-01
WBGene00011958	T23G4.2	0.36054384	7	4.24E-02
WBGene00012034	T26C5.4	0.40857999	7	2.85E-02
WBGene00020854	T27C4.1	0.23498402	9	9.19E-02
WBGene00020861	T27E4.1	0.36235112	4	8.73E-02
WBGene00006384	taf-3	-0.02837307	33	1.54E+01
WBGene00013289	tag-273	0.13135478	39	7.92E-02
WBGene00006459	tag-89	0.23268031	12	6.37E-02
WBGene00018639	tbc-16	-0.2701788	11	2.81E+01
WBGene00008018	tbc-8	0.24149089	21	1.64E-02
WBGene00015704	tiam-1	0.02052962	28	2.45E+00
WBGene00006570	tig-2	0.23638257	12	6.07E-02
WBGene00020490	tmc-1	0.12977948	38	8.72E-02
WBGene00006587	tnt-2	0.59034543	11	1.05E-03
WBGene00019013	tofu-4	-0.08716171	9	2.35E+00
WBGene00008366	tpra-1	0.18101918	19	6.83E-02

WBGene00000208	trip-4	-0.0520025	35	4.14E+01
WBGene00020339	ttr-59	0.44639639	3	7.51E-02
WBGene00018187	twf-2	0.48294896	12	2.62E-03
WBGene00006681	twk-29	0.03339709	13	8.46E-01
WBGene00006690	twk-39	0.18332175	19	6.53E-02
WBGene00006475	tyra-3	0.08190801	13	4.37E-01
WBGene00006726	ubl-5	0.19143774	8	1.56E-01
WBGene00019232	ugt-13	-0.53726966	17	1.88E+04
WBGene00006757	unc-18	-0.04074429	9	1.47E+00
WBGene00006763	unc-26	-0.00353803	33	7.03E+00
WBGene00006743	unc-3	-0.01992262	23	4.54E+00
WBGene00006745	unc-5	0.0535281	61	2.68E+00
WBGene00006790	unc-55	-0.02421596	14	2.05E+00
WBGene00006791	unc-57	0.22162373	9	1.05E-01
WBGene00011553	unc-58	0.60249591	5	1.43E-02
WBGene00006875	vab-9	0.60771861	5	1.39E-02
WBGene00012243	W04D2.4	-0.13547181	20	3.39E+01
WBGene00012274	W05B5.1	0.15865692	16	1.27E-01
WBGene00012282	W05E10.5	0.00623809	8	8.55E-01
WBGene00011061	wago-1	-0.56818639	18	5.75E+04
WBGene00044441	Y119C1B.11	-0.30928479	2	1.85E+00
WBGene00022469	Y119C1B.3	0.19767351	9	1.34E-01
WBGene00012444	Y15E3A.5	0.61876768	5	1.29E-02
WBGene00012578	Y37H9A.3	0.08354356	28	4.46E-01
WBGene00012598	Y38E10A.20	-0.08991454	28	4.85E+01
WBGene00012662	Y39A1C.1	0.48028313	6	2.23E-02
WBGene00021452	Y39F10A.1	0.39447916	4	7.29E-02
WBGene00021511	Y41D4B.1	0.06496907	8	4.99E-01
WBGene00021524	Y41D4B.24	0.13206217	14	2.12E-01
WBGene00021591	Y46D2A.3	0.01949138	4	5.95E-01
WBGene00021614	Y47A7.2	-0.17104995	8	4.35E+00
WBGene00013194	Y54E2A.9	-0.21908577	6	3.91E+00
WBGene00013322	Y57G11C.32	0.02052184	19	1.44E+00
WBGene00013323	Y57G11C.33	0.66618576	5	9.49E-03
WBGene00022015	Y61A9LA.3	0.01791824	35	4.04E+00
WBGene00012387	Y6B3B.1	0.00102023	130	1.03E+04
WBGene00044581	Y81B9A.4	0.0618216	5	4.80E-01
WBGene00022530	ZC155.2	0.17449749	10	1.56E-01
WBGene00022611	ZC449.1	0.23456448	8	1.05E-01
WBGene00022614	ZC449.4	0.56325923	4	2.83E-02
WBGene00022632	ZC581.2	-0.67010861	13	1.24E+04
WBGene00022633	ZC581.3	0.07215085	15	5.12E-01
WBGene00014061	ZK673.5	0.74952523	2	3.26E-02
WBGene00022823	ZK813.4	0.30976335	7	6.45E-02
WBGene00014100	ZK849.1	0.5618728	11	1.47E-03
WBGene00013966	ztf-9	0.79229778	8	6.32E-04

scle			Intestine				
BC_12			BC_05			BC_11	
polii	gatc.num	FDR	polii	gatc.num	FDR	polii	gatc.num
0.08858172	50	9.98E-02	0.0840969	50	1.69E+00	-0.04878917	50
0.21397783	11	6.61E-02	-0.11282927	11	2.84E+00	-0.29893156	11
0.15587079	10	1.47E-01	-0.18916232	10	4.25E+00	-0.85812231	10
-0.02891716	24	3.44E+00	-0.23021295	24	8.69E+01	-0.90201895	24
0.26193171	13	2.56E-02	0.31532611	13	9.25E-02	-0.21072134	13
0.07500983	18	3.19E-01	0.53018251	18	4.91E-03	-0.26329854	18
0.41770323	10	7.69E-03	-0.57723976	10	6.39E+01	-0.5299641	10
-0.59302805	12	2.15E+03	-0.12862718	12	3.68E+00	-0.23974508	12
-0.43291585	13	4.14E+02	-0.53561909	13	1.41E+02	-0.96370666	13
-0.33184551	14	1.43E+02	-0.72910852	14	1.19E+03	-0.66851929	14
0.07642124	12	3.46E-01	-0.12635231	12	3.62E+00	-0.5685899	12
0.95309019	4	2.31E-03	0.04984203	4	6.17E-01	-0.42417135	4
0.43880159	7	1.69E-02	0.57456519	7	4.22E-02	-0.75429159	7
0.23206118	10	6.21E-02	-0.20314507	10	4.68E+00	-0.0625758	10
0.84124491	2	1.82E-02	-0.44746393	2	2.11E+00	0.04672055	2
0.47129413	13	1.38E-03	-0.14031791	13	4.68E+00	-0.63387917	13
0.2921649	9	3.90E-02	0.4653547	9	5.26E-02	-0.74994101	9
0.01931255	21	9.86E-01	0.09497822	21	7.17E-01	-0.68086502	21
0.19426422	19	3.13E-02	-0.25398428	19	4.34E+01	-0.46704293	19
0.04929912	13	4.96E-01	-0.30016823	13	1.86E+01	-0.79809883	13
0.5015778	7	9.90E-03	-0.29620357	7	4.49E+00	-0.60443942	7
0.48368708	7	1.15E-02	0.10465108	7	5.24E-01	-1.202593	7
0.18619334	5	1.86E-01	0.70731343	5	3.87E-02	-0.67501481	5
0.01250827	6	6.28E-01	0.67269126	6	3.35E-02	0.13069669	6
-0.20528623	12	1.37E+01	-0.15442783	12	4.53E+00	-0.89134147	12
0.8015368	6	1.48E-03	-0.45704699	6	7.73E+00	-0.25901049	6
0.66260017	1	6.50E-02	0.47004998	1	2.24E-01	0.00098852	1
0.21779511	16	3.07E-02	-0.11239108	16	5.46E+00	-0.19373862	16
0.1937802	12	7.48E-02	-0.17395756	12	5.31E+00	-1.33840287	12
0.66688417	4	1.24E-02	-0.21234563	4	1.64E+00	-0.17049393	4
0.2828149	6	7.90E-02	-0.05838416	6	1.13E+00	-0.42593244	6
0.19203538	16	4.71E-02	-0.47550063	16	2.25E+02	-0.75327611	16
0.16826488	3	2.57E-01	0.01393522	3	6.63E-01	-0.07507073	3
0.04431037	12	5.26E-01	-0.31951466	12	1.72E+01	-0.83313749	12
1.14393398	6	1.07E-04	0.22743957	6	2.86E-01	-0.83351127	6
0.04899341	22	5.30E-01	-0.49880048	22	2.20E+03	-1.18629224	22
0.7833665	6	1.70E-03	0.11818846	6	4.84E-01	-0.12056375	6
0.39435593	4	6.15E-02	0.73616234	4	4.76E-02	0.20359484	4
-0.20168155	126	3.91E+12	0.22524726	126	5.74E-04	-0.48986127	126
0.13889961	13	1.42E-01	-0.07881827	13	2.76E+00	-0.01334458	13
-0.38482091	21	5.03E+03	-0.73016039	21	3.14E+04	-1.39933662	21

0.31397781	5	7.83E-02	0.25954205	5	2.63E-01	-0.08109352	5
0.5867352	9	1.84E-03	0.24937763	9	2.12E-01	-0.82124913	9
0.20679763	6	1.41E-01	0.19755461	6	3.30E-01	-0.1137518	6
-0.13806289	10	4.01E+00	-0.18207489	10	4.04E+00	-0.77879228	10
0.88935389	4	3.36E-03	0.45145227	4	1.38E-01	-1.03750615	4
-0.26612625	10	1.69E+01	-0.39686099	10	1.81E+01	-1.11564442	10
0.37083017	7	3.03E-02	-0.84641268	7	8.57E+01	-0.29148895	7
0.09169526	5	3.53E-01	0.0178426	5	7.39E-01	-0.40151351	5
0.63109827	9	1.16E-03	0.60037592	9	2.21E-02	-0.61440475	9
0.04184484	12	5.43E-01	0.10557962	12	5.56E-01	-0.29491197	12
-0.00752	86	7.37E+01	-0.0045913	86	2.95E+02	-0.15135015	86
0.02192754	9	6.41E-01	-0.57439365	9	4.28E+01	-0.47266335	9
0.01564782	9	6.84E-01	-0.05721015	9	1.53E+00	-0.86315326	9
0.38163991	12	6.44E-03	0.32131983	12	9.75E-02	-0.14767168	12
0.08847065	32	1.67E-01	-0.9014172	32	1.35E+08	-1.77994035	32
0.48103584	8	8.07E-03	0.0680621	8	6.59E-01	-0.56205786	8
0.29301258	15	1.08E-02	0.06533718	15	8.54E-01	-0.12487088	15
0.11663275	11	2.16E-01	0.11089296	11	5.27E-01	-0.03331841	11
0.08514915	11	3.17E-01	0.22032949	11	2.31E-01	0.34397477	11
0.23353741	11	5.22E-02	0.21599868	11	2.39E-01	-0.21535856	11
-0.32476145	14	1.29E+02	-0.03286945	14	2.03E+00	-1.17830681	14
0.0148207	19	1.01E+00	0.15431883	19	3.42E-01	-0.0408325	19
-0.16275616	20	3.79E+01	-0.37883552	20	2.52E+02	-0.59141442	20
0.47148278	16	4.50E-04	-0.02033361	16	2.13E+00	-0.77018183	16
0.3527866	2	1.34E-01	0.85951199	2	6.63E-02	-0.04032058	2
0.2855108	7	6.30E-02	0.08152427	7	5.93E-01	0.15239302	7
0.09665248	18	2.14E-01	0.18865572	18	2.35E-01	-0.8753898	18
0.47412635	5	2.65E-02	-0.97112442	5	5.07E+01	-0.0955046	5
0.19107718	11	8.74E-02	-0.29989257	11	1.16E+01	-0.06532338	11
0.17079098	6	1.86E-01	-0.12525969	6	1.56E+00	-1.16867397	6
0.01772714	8	6.47E-01	-0.6210526	8	3.85E+01	-0.38116235	8
0.06618478	6	4.16E-01	0.65491514	6	3.65E-02	-0.66071005	6
0.17496972	7	1.62E-01	-0.24691962	7	3.45E+00	-0.98118678	7
-0.05252575	8	1.26E+00	-0.12107071	8	2.01E+00	-0.73910606	8
0.01148887	12	8.07E-01	0.10448973	12	5.61E-01	-1.57803026	12
0.13312238	9	2.03E-01	-0.0739973	9	1.70E+00	-0.91342004	9
1.04539949	8	3.87E-05	0.21283141	8	2.80E-01	0.2461141	8
0.10214148	21	1.71E-01	-0.0476526	21	4.55E+00	-0.24443296	21
0.15806393	15	9.07E-02	0.08485073	15	7.07E-01	-0.05353751	15
0.16563061	5	2.14E-01	-0.31415334	5	3.05E+00	-0.47261051	5
0.44538006	7	1.60E-02	0.3018083	7	1.82E-01	0.66642202	7
0.27519798	6	8.37E-02	0.1906856	6	3.41E-01	-1.34159106	6
-0.39273744	6	1.40E+01	-0.26557529	6	3.07E+00	-0.78261917	6
0.0066619	9	7.51E-01	-0.1554654	9	2.88E+00	-0.71648647	9
0.45463713	8	1.04E-02	0.41817612	8	8.34E-02	-0.24138446	8
0.17870589	12	9.10E-02	-0.25910917	12	1.06E+01	-0.60701769	12
-0.20722965	5	2.67E+00	-0.12634467	5	1.37E+00	-1.01695019	5

-0.00787827	20	1.65E+00	-0.38460017	20	2.70E+02	-1.11683086	20
-0.27339967	8	1.02E+01	-0.42712739	8	1.22E+01	-2.5387964	8
0.45109867	5	3.09E-02	-0.76304065	5	2.08E+01	-1.50406387	5
-0.06758979	5	1.04E+00	-0.0195235	5	8.67E-01	-2.18493813	5
0.34028263	9	2.37E-02	-0.58038258	9	4.45E+01	-0.74459242	9
0.75140541	2	2.63E-02	0.14857012	2	4.36E-01	-0.24217262	2
0.11240327	30	8.81E-02	-0.71984463	30	1.73E+06	-1.05390524	30
0.2183981	4	1.73E-01	-0.20626289	4	1.61E+00	-0.1599082	4
0.04003302	5	5.01E-01	-0.18430687	5	1.75E+00	-0.64839542	5
0.31389393	21	1.96E-03	0.07027305	21	9.88E-01	-0.39681756	21
0.11527139	12	2.08E-01	0.14891046	12	3.92E-01	-0.20985757	12
0.24102921	15	2.46E-02	0.1599206	15	3.41E-01	-0.39196256	15
0.04799409	9	4.90E-01	0.0584598	9	7.25E-01	0.19331104	9
0.35262736	12	9.41E-03	-0.15754534	12	4.65E+00	-0.65145279	12
-0.1581499	42	2.40E+03	-0.36231251	42	7.25E+04	-0.91142329	42
-1.23732338	7	2.91E+04	-0.99093294	7	1.86E+02	-0.85438643	7
-0.17546029	4	1.75E+00	-0.26754292	4	2.02E+00	-1.03199771	4
-0.23856626	7	5.61E+00	-0.30067925	7	4.60E+00	-0.8530852	7
-0.45585959	3	5.74E+00	-0.84510365	3	1.03E+01	-0.57263021	3
0.12730341	23	8.88E-02	-0.45311665	23	1.63E+03	-0.58891261	23
0.62264691	3	2.67E-02	0.25238573	3	3.10E-01	-0.36202348	3
-0.08070443	9	1.86E+00	-0.06681585	9	1.62E+00	-0.53153739	9
0.2565656	4	1.38E-01	0.55410139	4	9.39E-02	-0.41769767	4
0.18446332	30	1.07E-02	-0.10520039	30	3.01E+01	-0.09041073	30
0.44263757	2	9.26E-02	0.06305786	2	5.46E-01	-0.10189157	2
0.06475726	12	4.03E-01	0.15718853	12	3.67E-01	-0.01769614	12
0.17124809	40	5.66E-03	-0.38619302	40	7.41E+04	-0.71848819	40
0.09165389	19	2.28E-01	-0.01549469	19	2.56E+00	-0.33495549	19
0.30372032	8	4.32E-02	-0.0551557	8	1.36E+00	0.01015628	8
0.25213126	3	1.69E-01	-0.33015992	3	1.99E+00	-0.28583753	3
0.32746054	2	1.48E-01	0.54904332	2	1.51E-01	-0.97681313	2
0.26103748	16	1.49E-02	-0.11865691	16	5.82E+00	-0.47999206	16
0.37283869	7	2.98E-02	-0.50224674	7	1.35E+01	-0.18661282	7
0.07938712	7	3.68E-01	0.15129787	7	4.08E-01	-0.13307092	7
0.14077569	17	1.02E-01	0.0201785	17	1.49E+00	0.00641917	17
0.36071336	9	1.92E-02	0.21575143	9	2.63E-01	-0.21064141	9
0.5522599	12	6.95E-04	-0.25511042	12	1.02E+01	-0.39475159	12
-0.06780036	22	6.94E+00	-0.08545926	22	8.34E+00	-0.16939701	22
0.33030028	5	7.01E-02	0.0550944	5	6.30E-01	-1.24406934	5
0.62270396	8	2.11E-03	-0.41148097	8	1.12E+01	-0.94963454	8
0.21776587	15	3.55E-02	0.02587117	15	1.25E+00	-0.48077989	15
0.1012535	9	2.82E-01	0.54920285	9	3.07E-02	-0.73756978	9
0.15647637	14	1.02E-01	-0.44035565	14	8.46E+01	-0.26997658	14
0.11921024	23	1.07E-01	0.10599332	23	6.38E-01	-0.11608524	23
0.10976774	33	8.25E-02	0.02234172	33	3.69E+00	0.04231251	33
0.11144901	11	2.30E-01	-0.15829343	11	4.00E+00	-0.49354075	11
-0.18147393	5	2.24E+00	1.16388122	5	5.50E-03	-1.2527874	5

0.05414001	8	4.58E-01	-0.19403954	8	3.09E+00	-0.78114386	8
0.37229049	27	1.04E-04	-0.21295439	27	1.18E+02	-0.42504434	27
0.07209529	7	3.92E-01	0.44081645	7	8.64E-02	-1.38349583	7
0.48094369	4	3.70E-02	0.06280771	4	5.88E-01	-1.00300904	4
0.15364497	19	6.87E-02	-0.23357815	19	3.41E+01	-0.48389916	19
0.59925676	13	2.31E-04	-0.432044	13	5.78E+01	-0.50746478	13
0.29658144	17	6.67E-03	-0.04312	17	2.95E+00	0.1042407	17
-0.5956751	16	2.32E+04	-0.26587707	16	2.63E+01	-0.95833226	16
0.03620108	33	8.61E-01	-0.09403715	33	3.55E+01	-0.41687537	33
0.06546625	4	4.25E-01	0.62928733	4	7.09E-02	0.49920657	4
0.40987323	4	5.62E-02	0.20630198	4	3.44E-01	-0.76076959	4
-0.09558024	19	8.50E+00	-0.20856548	19	2.53E+01	-0.11858723	19
0.10158334	11	2.59E-01	-0.10907868	11	2.76E+00	-0.72117361	11
0.7389688	11	1.12E-04	-0.68267995	11	2.07E+02	-0.42011434	11
0.03988836	24	6.68E-01	-0.12230684	24	1.80E+01	-0.06499594	24
0.09236214	22	2.04E-01	-0.1733156	22	2.73E+01	-0.2119494	22
0.41256607	16	1.20E-03	0.06259434	16	9.10E-01	-0.21793842	16
0.24505722	16	1.95E-02	0.11940181	16	5.09E-01	-0.78581896	16
-0.04206907	18	2.76E+00	0.20928026	18	1.86E-01	0.52811243	18
0.40848985	16	1.28E-03	-0.16816545	16	9.66E+00	-0.25501389	16
0.08480785	22	2.41E-01	0.38321273	22	1.50E-02	-0.83431357	22
0.17930642	14	7.25E-02	0.28397071	14	1.11E-01	0.40063593	14
-0.04842093	5	9.11E-01	0.7107654	5	3.82E-02	-2.26676244	5
0.23435396	11	5.16E-02	-0.44917341	11	3.58E+01	-1.20902517	11
0.05497441	31	4.72E-01	-0.06717305	31	1.70E+01	-0.23209575	31
-0.07908623	4	9.93E-01	-1.4662983	4	1.77E+02	-0.21597448	4
-0.06302513	21	5.61E+00	-0.44462308	21	7.77E+02	-0.67291	21
0.14817075	9	1.73E-01	-0.31061368	9	7.82E+00	-0.197133	9
0.28119606	9	4.37E-02	0.08983707	9	5.92E-01	0.03821875	9
0.04850396	51	6.65E-01	-0.36124971	51	7.75E+05	-0.43190586	51
1.20339273	3	1.48E-03	0.72029896	3	6.96E-02	-1.15679441	3
-0.07009113	9	1.66E+00	-0.17793714	9	3.32E+00	-0.88254006	9
0.20141249	14	5.22E-02	0.86459379	14	5.48E-04	-0.1068595	14
-0.41102075	5	1.06E+01	0.38737105	5	1.52E-01	-1.49722108	5
0.15291155	18	7.60E-02	0.14458336	18	3.87E-01	0.18095265	18
0.23537479	18	1.66E-02	-0.03576394	18	2.98E+00	-0.33504992	18
0.13341438	22	8.27E-02	-0.41432739	22	7.05E+02	-0.93415355	22
0.29222192	10	3.16E-02	0.07544267	10	6.69E-01	-0.66935054	10
0.15388085	36	1.56E-02	-0.20652755	36	5.48E+02	-0.44612396	36
0.08548693	10	3.24E-01	0.27842742	10	1.62E-01	-0.12790074	10
0.80853764	5	2.75E-03	0.67869275	5	4.38E-02	-0.50022057	5
0.20076206	14	5.27E-02	0.29413738	14	1.02E-01	-0.65667927	14
0.31122633	5	7.98E-02	0.83163823	5	2.28E-02	-0.16893095	5
0.12350141	22	1.03E-01	0.08023274	22	8.92E-01	0.07054697	22
0.86069338	4	3.97E-03	0.50929837	4	1.11E-01	0.79585325	4
0.03749042	8	5.36E-01	-0.49706746	8	1.85E+01	-1.1374723	8
0.13673876	14	1.36E-01	0.02975565	14	1.14E+00	-0.24331068	14

-0.18812842	26	2.37E+02	-0.67028905	26	1.26E+05	-1.41837846	26
0.01710409	22	1.07E+00	0.25553318	22	8.38E-02	-0.39521672	22
0.80858088	11	4.81E-05	0.64876591	11	9.19E-03	-0.18745423	11
0.26993137	14	1.89E-02	-0.05174703	14	2.41E+00	-0.89539102	14
0.25935546	15	1.84E-02	-0.22395009	15	1.41E+01	-0.32203988	15
-0.11589412	21	1.72E+01	0.21027735	21	1.61E-01	-0.94634729	21
-0.06924541	9	1.65E+00	-0.19213757	9	3.64E+00	0.54143216	9
0.23163238	17	2.08E-02	-0.74123348	17	5.48E+03	-0.43451423	17
0.1707843	22	3.63E-02	-0.06782555	22	6.57E+00	-0.34320818	22
-0.76522165	24	1.42E+08	-0.30015769	24	2.41E+02	-1.18248051	24
0.13649711	4	2.80E-01	0.02246637	4	6.83E-01	0.25427161	4
0.12211479	36	4.67E-02	-0.16476382	36	2.27E+02	-0.61003274	36
0.12926846	25	7.45E-02	0.02163893	25	2.34E+00	-0.01267523	25
0.34156526	28	1.82E-04	-0.11775777	28	2.88E+01	-0.43359108	28
0.06522953	42	3.19E-01	0.08626538	42	1.32E+00	-0.17868899	42
0.19450348	11	8.38E-02	0.49327777	11	2.96E-02	-0.33583725	11
0.10991223	21	1.45E-01	0.07909643	21	8.81E-01	-0.09250287	21
0.0027423	12	9.05E-01	0.30429278	12	1.12E-01	0.24329527	12
0.25081308	5	1.20E-01	-0.50608455	5	6.94E+00	-1.09550407	5
0.03639292	63	1.48E+00	0.1019744	63	1.23E+00	0.02292831	63
0.41637303	9	1.08E-02	-0.27341669	9	6.15E+00	-0.52661613	9
0.12681939	17	1.31E-01	-0.39253586	17	1.28E+02	-1.14476279	17
0.03656511	5	5.13E-01	-0.42894136	5	4.99E+00	0.06352256	5
0.19978071	8	1.16E-01	-0.49138326	8	1.79E+01	-1.06186371	8
0.45311008	8	1.05E-02	0.04707855	8	7.46E-01	-0.75585947	8
0.38303372	29	4.37E-05	-0.11225336	29	3.00E+01	-0.48356055	29
-0.31935107	17	3.27E+02	-0.46677811	17	2.84E+02	-0.88994926	17
-0.09378798	14	4.18E+00	0.08633766	14	6.81E-01	-0.89363141	14
1.04849211	6	2.22E-04	-0.38879574	6	5.57E+00	0.10074212	6
-0.52839097	5	2.35E+01	-0.758429	5	2.04E+01	-1.1319063	5
0.34563105	3	1.06E-01	-0.72224251	3	6.94E+00	-0.51219619	3
0.50055832	4	3.30E-02	0.05947845	4	5.95E-01	-0.83284666	4
0.146488	7	2.07E-01	-0.27927985	7	4.10E+00	-0.69066739	7
0.17911553	7	1.57E-01	1.19492827	7	1.52E-03	-0.69396473	7
0.53348438	9	3.20E-03	-0.0228768	9	1.22E+00	-0.28286128	9
0.45565666	4	4.29E-02	-0.09496017	4	1.06E+00	0.282712	4
0.2259716	33	2.03E-03	0.03059899	33	3.15E+00	-0.50069911	33
0.30353014	39	4.53E-05	-0.16029331	39	3.31E+02	-0.32288216	39
0.2193512	12	5.36E-02	-0.20132171	12	6.62E+00	0.31625182	12
0.20997981	11	6.94E-02	0.0024055	11	1.19E+00	-0.65920921	11
0.10554287	21	1.60E-01	-0.19054166	21	2.89E+01	-0.65628342	21
0.08968915	28	1.81E-01	-0.20013085	28	1.15E+02	-0.10410638	28
0.12740571	12	1.78E-01	-0.01512638	12	1.47E+00	-0.13722258	12
0.17935281	38	5.17E-03	-0.33635619	38	1.40E+04	-0.75440183	38
0.16442185	11	1.21E-01	-1.30621447	11	2.27E+04	-1.70547128	11
0.12184324	9	2.28E-01	0.41762965	9	7.16E-02	-0.68556043	9
0.2091272	19	2.35E-02	0.12792178	19	4.67E-01	-0.11532058	19

0.08972088	35	1.47E-01	-0.12339307	35	8.28E+01	-0.27505655	35
0.22562932	3	1.93E-01	-0.02959544	3	7.61E-01	-1.20150536	3
0.15692136	12	1.21E-01	0.05036777	12	8.68E-01	-0.52773038	12
0.06967936	13	3.73E-01	-0.2184234	13	9.18E+00	-0.34155262	13
0.48871407	19	1.06E-04	0.00416227	19	2.03E+00	-0.26084069	19
0.26181749	13	2.56E-02	-0.30495768	13	1.93E+01	-0.5547299	13
0.14189965	8	2.00E-01	-0.32313747	8	6.63E+00	0.07196651	8
-0.58230519	17	3.29E+04	-0.39759262	17	1.35E+02	-0.76618514	17
0.09594654	9	2.98E-01	0.15831791	9	3.81E-01	-0.5005074	9
0.11972337	33	6.00E-02	-0.16859462	33	1.52E+02	-0.44347082	33
0.17280583	23	3.13E-02	-0.1123771	23	1.37E+01	-0.74915365	23
0.12181287	61	1.10E-02	-0.00703588	61	5.21E+01	-0.15299235	61
-0.17023326	14	1.30E+01	-0.2122909	14	1.05E+01	-0.75573154	14
0.37508899	9	1.65E-02	0.14103743	9	4.26E-01	-0.39820725	9
0.29320014	5	9.02E-02	-0.39432235	5	4.30E+00	-1.20959741	5
0.14103428	5	2.53E-01	-0.02655741	5	8.93E-01	-0.08253204	5
0.28860167	20	4.11E-03	-0.1328047	20	1.19E+01	-0.77641242	20
0.43701996	16	7.99E-04	-0.30603678	16	3.97E+01	-0.29906817	16
0.2535994	8	6.94E-02	0.06246251	8	6.81E-01	0.02050173	8
0.15840385	18	6.87E-02	-0.94704139	18	9.03E+04	-1.10848431	18
-0.67510961	2	8.86E+00	-1.19705871	2	1.54E+01	-1.86514039	2
0.10354545	9	2.75E-01	-0.13682785	9	2.55E+00	-0.20613116	9
0.08258779	5	3.75E-01	-1.34514402	5	2.51E+02	-0.25187956	5
0.01240703	28	1.51E+00	0.13405688	28	4.25E-01	-0.06325174	28
0.01153811	28	1.54E+00	-0.15014962	28	4.96E+01	-0.83012612	28
0.31015016	6	6.40E-02	-0.11601224	6	1.50E+00	-0.2152455	6
0.47182086	4	3.90E-02	-0.35468855	4	2.79E+00	0.06148209	4
0.21280488	8	1.02E-01	-0.05310435	8	1.35E+00	-0.10760356	8
0.1552916	14	1.04E-01	0.10240947	14	5.88E-01	0.01406616	14
0.13023109	4	2.90E-01	-0.10373023	4	1.09E+00	0.43649694	4
0.55433915	8	4.03E-03	-0.30438899	8	5.93E+00	-0.8585043	8
0.51574475	6	1.32E-02	0.57172275	6	5.44E-02	-1.78109789	6
0.02976711	19	7.53E-01	0.00227033	19	2.08E+00	0.06215637	19
0.061439	5	4.33E-01	0.02391399	5	7.20E-01	0.08955168	5
-0.04641432	35	1.44E+01	-0.01748087	35	9.40E+00	-0.23630363	35
-0.14957875	130	2.02E+10	0.16035794	130	5.00E-02	-0.15473897	130
-0.12983405	5	1.58E+00	-0.46531496	5	5.83E+00	-0.31703939	5
0.01852271	10	6.88E-01	0.07025059	10	6.94E-01	-1.15991648	10
0.37265829	8	2.25E-02	-0.01769469	8	1.09E+00	-0.20973916	8
-0.11099105	4	1.20E+00	-0.84973334	4	1.77E+01	-1.37466467	4
-0.39838542	13	2.56E+02	-0.06976347	13	2.55E+00	-1.05802239	13
0.51785583	15	3.15E-04	0.82377543	15	5.46E-04	-0.02596248	15
0.41197566	2	1.05E-01	1.09876237	2	3.52E-02	-0.28594101	2
0.43324934	7	1.78E-02	0.12196665	7	4.77E-01	0.24156889	7
0.12794475	11	1.88E-01	-0.16636807	11	4.25E+00	-1.39255652	11
0.27871501	8	5.47E-02	-0.96658618	8	2.96E+02	-1.11086596	8

FDR		BC_07			BC_10	
	polii	gatc.num	FDR	polii	gatc.num	FDR
6.18E-02	0.12696354	50	2.13E-03	0.41680006	50	1.74E-03
2.46E+00	0.60238993	11	1.99E-03	1.03135745	11	2.27E-03
1.93E+02	1.37583999	10	6.38E-06	2.3200004	10	1.93E-06
4.02E+05	0.20707211	24	8.00E-03	0.61493163	24	2.43E-03
1.31E+00	0.75393112	13	1.97E-04	0.88883284	13	2.93E-03
3.69E+00	0.37894434	18	2.14E-03	1.16846579	18	4.28E-05
1.39E+01	0.83517723	10	4.70E-04	1.54533062	10	1.70E-04
1.61E+00	0.58842773	12	1.51E-03	1.31771815	12	2.28E-04
2.43E+03	1.15776494	13	3.66E-06	2.03331919	13	8.21E-07
1.84E+02	0.63380174	14	4.22E-04	1.52473891	14	1.70E-05
3.46E+01	0.38926717	12	9.48E-03	1.21808522	12	4.44E-04
1.71E+00	1.75978749	4	2.96E-04	2.40936097	4	4.84E-04
2.36E+01	1.366234	7	1.01E-04	2.37848472	7	2.70E-05
3.26E-01	0.90862451	10	2.62E-04	1.57297202	10	1.45E-04
3.05E-01	1.65720953	2	3.94E-03	2.64999796	2	2.16E-03
8.99E+01	0.79566308	13	1.31E-04	0.90666211	13	2.58E-03
5.33E+01	1.62249965	9	2.59E-06	1.96704203	9	3.33E-05
2.90E+03	1.30932668	21	8.42E-10	1.54372612	21	1.98E-07
6.97E+01	0.53489074	19	1.93E-04	1.15958266	19	2.99E-05
4.64E+02	0.62679009	13	6.93E-04	0.78622616	13	6.09E-03
9.51E+00	0.99478145	7	9.53E-04	1.48156795	7	1.44E-03
3.57E+02	1.83986256	7	5.83E-06	1.48011349	7	1.45E-03
6.94E+00	1.13308351	5	1.84E-03	1.8492626	5	1.27E-03
1.29E-01	0.94337914	6	2.43E-03	1.8164479	6	6.82E-04
7.05E+02	0.47906265	12	4.14E-03	1.14322123	12	7.33E-04
1.06E+00	1.66953157	6	4.84E-05	1.9778369	6	3.59E-04
3.72E-01	2.21789812	1	3.41E-03	3.0187428	1	3.50E-03
1.31E+00	0.46691363	16	1.28E-03	0.99834854	16	4.43E-04
4.58E+04	1.715628	12	4.55E-08	2.81629501	12	1.00E-08
6.06E-01	0.99746476	4	6.80E-03	2.10932441	4	1.22E-03
2.62E+00	0.97563168	6	2.04E-03	1.42803906	6	3.20E-03
1.05E+03	0.43065238	16	1.97E-03	0.73512162	16	4.15E-03
4.19E-01	1.31312779	3	4.40E-03	2.47998589	3	1.10E-03
4.09E+02	0.40517341	12	8.19E-03	1.54135941	12	5.10E-05
2.37E+01	2.41216851	6	8.84E-07	3.46653222	6	9.64E-07
1.30E+07	0.38566808	22	6.68E-04	0.65882423	22	2.19E-03
5.03E-01	1.35824728	6	2.60E-04	1.550717	6	1.96E-03
1.31E-01	1.51746472	4	8.02E-04	2.48994204	4	3.78E-04
4.09E+13	0.02290378	126	4.40E-03	0.33640674	126	6.38E-05
1.82E-01	0.44448701	13	4.19E-03	0.92408485	13	2.27E-03
1.65E+08	0.38482245	21	8.84E-04	1.11818869	21	1.93E-05

4.13E-01	1.09221219	5	2.24E-03	1.41863458	5	5.80E-03
9.01E+01	0.78661716	9	1.17E-03	1.02802153	9	4.99E-03
4.84E-01	1.18240077	6	6.70E-04	1.41025106	6	3.43E-03
1.02E+02	1.76666512	10	2.85E-07	1.96453498	10	1.51E-05
2.11E+01	1.15745836	4	3.52E-03	2.24867351	4	7.93E-04
1.53E+03	0.81701673	10	5.43E-04	1.85858982	10	2.78E-05
1.43E+00	0.98397566	7	1.02E-03	2.13293517	7	8.02E-05
1.89E+00	1.15198547	5	1.69E-03	2.46750328	5	1.44E-04
1.96E+01	2.00377381	9	1.59E-07	2.46620561	9	2.32E-06
2.69E+00	0.48637818	12	3.87E-03	1.13233974	12	7.89E-04
5.76E+00	0.29285041	86	4.35E-09	0.53673317	86	3.18E-07
6.90E+00	1.1121546	9	1.08E-04	1.45424154	9	5.13E-04
1.23E+02	2.31481847	9	1.64E-08	2.91914993	9	2.07E-07
6.80E-01	0.70383745	12	5.19E-04	0.90063379	12	3.72E-03
9.33E+15	1.34056068	32	3.29E-14	1.59418928	32	1.02E-10
9.91E+00	0.64559864	8	5.07E-03	1.67177995	8	3.15E-04
5.68E-01	0.35964146	15	5.85E-03	1.02074731	15	5.34E-04
2.46E-01	0.95481715	11	9.64E-05	1.11635273	11	1.34E-03
9.28E-03	0.63013487	11	1.57E-03	2.4380729	11	3.50E-07
1.19E+00	1.23050418	11	9.02E-06	2.0532313	11	3.87E-06
4.18E+04	0.48417926	14	2.03E-03	1.1909315	14	2.14E-04
1.84E-01	0.26347746	19	7.99E-03	0.69505107	19	2.92E-03
5.41E+02	1.50899985	20	1.13E-10	1.79377888	20	2.77E-08
1.29E+03	1.1441798	16	4.36E-07	1.70359738	16	1.10E-06
3.89E-01	1.66299945	2	3.87E-03	2.58147261	2	2.50E-03
9.69E-02	1.25951677	7	1.93E-04	1.54598216	7	1.08E-03
1.24E+04	2.1734578	18	1.38E-13	1.99341944	18	1.82E-08
4.43E-01	1.50905644	5	3.09E-04	2.10102391	5	5.24E-04
3.24E-01	0.6746955	11	1.07E-03	1.3551079	11	3.02E-04
1.45E+02	2.65322511	6	2.41E-07	3.04721397	6	5.11E-06
2.94E+00	1.28884373	8	6.93E-05	2.13643313	8	3.26E-05
9.31E+00	1.96765859	6	9.71E-06	2.26879633	6	1.13E-04
9.33E+01	0.75941335	7	3.94E-03	1.28984572	7	3.36E-03
3.25E+01	0.72778427	8	2.93E-03	1.33707122	8	1.62E-03
4.29E+05	1.4872075	12	3.75E-07	1.61942163	12	3.03E-05
1.78E+02	0.57446129	9	5.52E-03	1.04290344	9	4.61E-03
4.35E-02	1.00776222	8	4.52E-04	1.98475528	8	6.84E-05
3.75E+00	0.39341519	21	7.78E-04	0.64975434	21	2.99E-03
2.54E-01	0.67867579	15	1.67E-04	0.85321626	15	2.06E-03
2.65E+00	1.1032189	5	2.13E-03	2.38906359	5	1.90E-04
4.30E-03	0.97743007	7	1.06E-03	1.89182521	7	2.33E-04
3.69E+02	0.7387498	6	7.32E-03	1.19565202	6	8.05E-03
1.80E+01	0.78718317	6	5.64E-03	2.33603339	6	8.64E-05
4.16E+01	1.34819825	9	1.93E-05	1.82660121	9	7.04E-05
1.15E+00	1.89361596	8	1.23E-06	2.43128953	8	7.73E-06
4.96E+01	0.73229031	12	3.99E-04	1.32057063	12	2.24E-04
3.52E+01	0.81563606	5	8.34E-03	1.81956906	5	1.41E-03

1.15E+06	0.52945052	20	1.45E-04	0.92394708	20	2.18E-04
5.77E+06	0.8507004	8	1.29E-03	1.23965541	8	2.60E-03
3.56E+02	0.92866556	5	4.87E-03	1.49731592	5	4.40E-03
9.02E+03	1.86831921	5	5.61E-05	3.001723	5	2.19E-05
5.12E+01	0.49741256	9	9.70E-03	1.16666676	9	2.38E-03
6.82E-01	1.60150496	2	4.61E-03	2.72184257	2	1.85E-03
2.26E+08	0.16974049	30	6.88E-03	0.64160233	30	5.07E-04
5.81E-01	0.99712779	4	6.81E-03	2.36036311	4	5.63E-04
6.11E+00	1.4086554	5	4.98E-04	1.74929347	5	1.81E-03
3.83E+01	0.54414934	21	8.11E-05	0.68626626	21	2.02E-03
1.22E+00	0.44355734	12	5.74E-03	1.50126546	12	6.68E-05
1.16E+01	0.38364371	15	4.48E-03	0.9835422	15	7.21E-04
5.10E-02	1.03112216	9	1.96E-04	1.24422478	9	1.57E-03
7.51E+01	1.09599898	12	1.39E-05	1.62275889	12	2.96E-05
6.17E+09	1.13179039	42	1.88E-15	1.67701105	42	3.23E-14
4.33E+01	1.56177445	7	3.12E-05	1.40601198	7	2.01E-03
2.06E+01	1.35118345	4	1.59E-03	2.29809254	4	6.81E-04
4.29E+01	0.81685685	7	2.79E-03	1.46461207	7	1.55E-03
2.32E+00	1.1652235	3	7.35E-03	1.97029182	3	4.18E-03
1.34E+03	0.32006283	23	1.48E-03	0.63382888	23	2.37E-03
1.12E+00	1.71390902	3	1.10E-03	2.33353933	3	1.62E-03
1.07E+01	1.01573124	9	2.19E-04	1.1122874	9	3.18E-03
1.67E+00	1.25640885	4	2.35E-03	2.0334382	4	1.54E-03
3.24E-01	0.42376253	30	3.53E-05	0.75298268	30	9.71E-05
4.62E-01	1.76272035	2	2.92E-03	2.50984006	2	2.92E-03
2.02E-01	0.45868543	12	5.00E-03	0.83230868	12	5.88E-03
1.03E+07	0.61148976	40	1.15E-08	1.36840264	40	4.92E-11
1.11E+01	0.80151952	19	4.98E-06	0.84217135	19	6.84E-04
2.12E-01	0.59384493	8	7.16E-03	1.24796315	8	2.50E-03
8.65E-01	1.15013731	3	7.75E-03	1.72019325	3	8.05E-03
5.27E+00	1.60647548	2	4.55E-03	2.73799682	2	1.78E-03
4.02E+01	0.49785928	16	8.91E-04	1.06473723	16	2.52E-04
7.56E-01	0.63102186	7	8.55E-03	1.48500323	7	1.41E-03
5.47E-01	0.78082987	7	3.46E-03	1.20028751	7	4.99E-03
1.11E-01	0.60406993	17	1.69E-04	1.09607292	17	1.28E-04
1.00E+00	0.91969235	9	4.42E-04	1.40258532	9	6.76E-04
6.83E+00	1.08031106	12	1.61E-05	1.82823774	12	7.48E-06
1.25E+00	0.43925898	22	2.89E-04	0.63748109	22	2.78E-03
1.03E+02	1.28075245	5	9.15E-04	1.9536142	5	8.81E-04
1.34E+02	2.05287493	8	4.24E-07	2.31643491	8	1.36E-05
3.17E+01	0.31735293	15	9.38E-03	0.89096361	15	1.52E-03
4.86E+01	1.00249938	9	2.41E-04	1.91461135	9	4.40E-05
2.63E+00	0.62629505	14	4.56E-04	1.19344429	14	2.10E-04
5.37E-01	0.37636145	23	5.94E-04	0.53111923	23	7.85E-03
1.46E-02	0.36961078	33	5.00E-05	0.62674405	33	3.47E-04
1.33E+01	0.4715385	11	6.13E-03	0.83166981	11	7.91E-03
1.08E+02	1.91819217	5	4.42E-05	2.26492564	5	2.94E-04

4.31E+01	0.84432131	8	1.35E-03	1.29608164	8	1.97E-03
2.05E+02	1.54090252	27	6.16E-14	2.15861082	27	1.23E-12
1.07E+03	0.99317081	7	9.62E-04	1.39872281	7	2.07E-03
1.83E+01	2.16111994	4	5.69E-05	2.71372432	4	1.90E-04
8.81E+01	0.59684034	19	8.25E-05	0.94298921	19	2.53E-04
2.54E+01	0.5647798	13	1.28E-03	0.82028837	13	4.77E-03
3.23E-02	0.33971727	17	4.53E-03	1.28447631	17	2.36E-05
1.22E+04	0.63006568	16	1.87E-04	1.61843405	16	2.27E-06
5.90E+02	0.14097873	33	8.93E-03	0.62244585	33	3.72E-04
3.91E-02	1.22937792	4	2.62E-03	1.78781913	4	3.26E-03
6.80E+00	1.27622912	4	2.16E-03	1.8115138	4	3.04E-03
5.44E-01	0.28709139	19	5.78E-03	0.73518643	19	1.96E-03
9.63E+01	1.48809253	11	9.86E-07	1.65392619	11	4.67E-05
7.05E+00	1.64021071	11	2.67E-07	2.20238719	11	1.53E-06
2.24E-01	0.59180483	24	1.19E-05	1.10565136	24	6.32E-06
2.45E+00	0.34332942	22	1.29E-03	0.82441132	22	3.42E-04
1.75E+00	0.6736302	16	1.12E-04	1.24358934	16	5.50E-05
1.56E+03	0.63632595	16	1.74E-04	1.02289109	16	3.59E-04
1.01E-04	0.61592842	18	9.63E-05	0.95461289	18	3.20E-04
2.72E+00	0.37933449	16	3.61E-03	0.68077255	16	6.59E-03
4.84E+04	2.02306104	22	5.07E-15	2.53427549	22	1.59E-12
2.09E-03	0.38841512	14	5.57E-03	0.94987181	14	1.34E-03
1.33E+04	1.09809167	5	2.18E-03	1.57914052	5	3.30E-03
6.65E+03	1.47074989	11	1.14E-06	2.52426295	11	2.05E-07
7.02E+00	0.37490236	31	7.49E-05	0.65888953	31	3.17E-04
7.31E-01	1.32194906	4	1.79E-03	1.80650476	4	3.08E-03
2.57E+03	0.41349701	21	5.75E-04	0.68723999	21	2.00E-03
9.06E-01	1.33282461	9	2.15E-05	1.49702433	9	4.08E-04
1.60E-01	0.64619533	9	3.27E-03	1.48601092	9	4.33E-04
3.81E+04	0.2409959	51	3.89E-05	0.65899259	51	4.30E-06
1.73E+01	1.5743252	3	1.78E-03	2.68578639	3	6.43E-04
1.42E+02	1.80992323	9	6.58E-07	2.00900038	9	2.66E-05
4.64E-01	2.12536962	14	6.52E-11	2.2927321	14	4.95E-08
3.44E+02	0.77845496	5	9.95E-03	1.29845831	5	8.86E-03
1.01E-02	0.3412733	18	3.49E-03	0.95980964	18	3.05E-04
9.55E+00	0.75801687	18	1.50E-05	0.80094591	18	1.36E-03
2.36E+05	0.31969534	22	1.87E-03	0.74031465	22	8.78E-04
4.25E+01	0.66227302	10	1.86E-03	1.0657494	10	2.74E-03
2.25E+03	0.12966915	36	8.43E-03	0.73230231	36	2.98E-05
5.51E-01	1.40184531	10	5.19E-06	1.92102254	10	1.94E-05
3.02E+00	1.99691731	5	3.04E-05	3.00770479	5	2.15E-05
1.62E+02	1.03533934	14	6.19E-06	2.06577582	14	2.78E-07
6.27E-01	1.03532464	5	2.94E-03	1.38350163	5	6.57E-03
2.75E-02	0.63635644	22	1.32E-05	0.86960512	22	2.06E-04
1.16E-02	1.44789712	4	1.07E-03	1.90307199	4	2.29E-03
4.72E+02	0.80311923	8	1.77E-03	1.28983845	8	2.03E-03
1.98E+00	0.34434785	14	8.84E-03	0.6958179	14	9.22E-03

1.61E+10	0.35488058	26	3.99E-04	0.99161413	26	1.21E-05
4.51E+01	1.48142297	22	2.42E-11	1.95224195	22	1.09E-09
9.36E-01	2.3995864	11	3.91E-10	2.66955794	11	8.27E-08
2.06E+03	0.343035	14	8.97E-03	0.80538049	14	4.01E-03
5.28E+00	0.49593963	15	1.28E-03	0.69611467	15	7.30E-03
1.66E+05	0.46291409	21	2.74E-04	0.7656554	21	8.59E-04
3.92E-03	0.77869819	9	1.24E-03	1.97052889	9	3.27E-05
2.89E+01	0.37317729	17	2.99E-03	0.67424342	17	5.58E-03
1.97E+01	0.34684637	22	1.22E-03	1.08797324	22	1.78E-05
5.00E+07	1.01814685	24	8.79E-09	1.5779416	24	2.06E-08
1.07E-01	1.20736599	4	2.87E-03	1.91682871	4	2.20E-03
1.37E+05	0.12952016	36	8.46E-03	0.89229797	36	1.80E-06
8.56E-02	0.74609323	25	5.32E-07	1.26775073	25	5.42E-07
2.98E+02	0.24893947	28	1.91E-03	0.7420289	28	1.89E-04
3.65E+00	0.2283796	42	2.71E-04	0.38939516	42	7.04E-03
3.39E+00	0.52707203	11	3.81E-03	1.74922248	11	2.58E-05
3.71E-01	0.44771847	21	3.44E-04	1.04596799	21	4.20E-05
1.77E-02	0.52207357	12	2.78E-03	0.94558068	12	2.75E-03
5.11E+01	1.39309474	5	5.36E-04	2.10449056	5	5.18E-04
1.74E-03	0.24232212	63	4.45E-06	0.45070226	63	1.62E-04
1.03E+01	1.37012523	9	1.64E-05	1.56148098	9	2.90E-04
2.25E+05	0.46223958	17	9.87E-04	0.8867469	17	8.32E-04
2.08E-01	1.7423881	5	1.02E-04	2.50460392	5	1.26E-04
2.84E+02	1.91909537	8	1.03E-06	2.49662302	8	5.62E-06
3.64E+01	1.64598829	8	6.40E-06	2.32961375	8	1.27E-05
1.03E+03	0.37817604	29	1.18E-04	0.98037734	29	4.76E-06
9.03E+03	0.40838109	17	1.93E-03	1.46834181	17	4.55E-06
2.02E+03	0.5901463	14	6.67E-04	1.19692471	14	2.05E-04
1.52E-01	1.69117781	6	4.31E-05	2.2792635	6	1.08E-04
6.07E+01	1.0711224	5	2.48E-03	1.66911966	5	2.40E-03
1.88E+00	1.21282012	3	6.23E-03	1.68583839	3	8.81E-03
9.13E+00	1.51553064	4	8.08E-04	2.18388699	4	9.67E-04
1.60E+01	1.33296106	7	1.24E-04	1.21024318	7	4.78E-03
1.64E+01	0.80633979	7	2.97E-03	1.44264454	7	1.71E-03
1.70E+00	1.28330815	9	3.10E-05	1.81873699	9	7.34E-05
9.49E-02	1.0713824	4	5.02E-03	1.87674316	4	2.48E-03
4.09E+03	0.34334052	33	9.07E-05	1.11233462	33	1.33E-07
1.57E+02	0.23620335	39	3.65E-04	0.40002368	39	7.61E-03
8.94E-03	0.83292889	12	1.58E-04	0.95108919	12	2.65E-03
5.62E+01	0.41669641	11	9.82E-03	1.09346927	11	1.54E-03
1.99E+03	0.8697906	21	6.14E-07	1.31096362	21	2.42E-06
4.35E-01	0.34344688	28	3.03E-04	0.93449731	28	1.29E-05
6.17E-01	0.8431172	12	1.44E-04	1.289251	12	2.76E-04
1.19E+07	0.55227762	38	1.22E-07	0.943636	38	3.67E-07
4.95E+05	0.53194548	11	3.65E-03	1.09072973	11	1.57E-03
3.32E+01	1.4847621	9	7.09E-06	1.83470885	9	6.74E-05
5.20E-01	0.41328736	19	1.02E-03	0.64588561	19	4.74E-03

2.77E+01	0.17772768	35	2.96E-03	0.5439456	35	9.58E-04
2.02E+01	1.23405457	3	5.79E-03	1.84915602	3	5.75E-03
2.36E+01	0.84884055	12	1.36E-04	1.36092138	12	1.71E-04
4.84E+00	0.58619001	13	1.03E-03	1.12193558	13	5.53E-04
3.94E+00	1.41090225	19	1.17E-09	2.01440703	19	6.52E-09
4.08E+01	0.68071395	13	4.07E-04	1.13885909	13	4.90E-04
1.40E-01	0.5758913	8	8.07E-03	1.3336146	8	1.64E-03
1.89E+03	0.32444694	17	5.48E-03	0.68978401	17	4.86E-03
8.48E+00	0.90564423	9	4.90E-04	1.74578507	9	1.08E-04
1.09E+03	0.2744394	33	4.33E-04	0.53650726	33	1.50E-03
1.90E+04	0.97360796	23	3.56E-08	1.3086787	23	8.97E-07
3.03E+00	0.31778492	61	2.96E-07	0.57185022	61	6.22E-06
4.65E+02	0.71918642	14	1.72E-04	0.87689503	14	2.33E-03
3.99E+00	0.52916862	9	7.69E-03	1.38137969	9	7.57E-04
8.78E+01	1.37435967	5	5.86E-04	1.74310628	5	1.85E-03
4.16E-01	1.29421248	5	8.58E-04	2.40349635	5	1.80E-04
8.02E+03	0.27038705	20	5.98E-03	0.7877826	20	8.90E-04
4.61E+00	0.33983904	16	5.75E-03	0.78686524	16	2.67E-03
1.98E-01	0.59879821	8	6.93E-03	1.54396356	8	5.88E-04
2.74E+05	0.75398988	18	1.58E-05	1.46746786	18	2.56E-06
6.24E+01	2.3439693	2	5.64E-04	2.74563508	2	1.75E-03
9.68E-01	1.07360938	9	1.43E-04	1.8011445	9	8.06E-05
9.30E-01	1.07053625	5	2.48E-03	3.02621149	5	2.01E-05
1.93E-01	0.20850696	28	4.20E-03	0.487697	28	6.56E-03
7.74E+05	0.44825045	28	3.93E-05	0.80969639	28	7.37E-05
8.38E-01	1.2254599	6	5.31E-04	1.34455909	6	4.45E-03
2.35E-01	1.43327352	4	1.13E-03	1.87893715	4	2.47E-03
4.68E-01	0.76903446	8	2.22E-03	1.74498149	8	2.21E-04
1.28E-01	0.51707014	14	1.44E-03	1.13025106	14	3.40E-04
5.05E-02	0.93350533	4	8.85E-03	2.1750636	4	9.94E-04
7.25E+01	0.80373295	8	1.76E-03	1.11304551	8	4.82E-03
3.97E+03	1.92685303	6	1.21E-05	2.82069319	6	1.26E-05
4.39E-02	0.38999373	19	1.41E-03	0.78298708	19	1.23E-03
1.84E-01	1.43449912	5	4.41E-04	2.84105107	5	3.86E-05
1.08E+01	0.23140211	35	8.18E-04	0.62395133	35	2.44E-04
2.70E+01	0.01626322	130	6.69E-03	0.27587373	130	1.84E-03
1.27E+00	1.21089137	5	1.27E-03	2.42898241	5	1.65E-04
2.18E+03	1.07280199	10	7.10E-05	1.68422471	10	7.63E-05
9.30E-01	0.59258074	8	7.22E-03	1.25543752	8	2.41E-03
8.39E+01	1.08189599	4	4.81E-03	2.200004	4	9.21E-04
6.23E+03	0.52382082	13	1.92E-03	0.92674003	13	2.23E-03
1.86E-01	1.8449402	15	3.73E-10	2.95609067	15	9.13E-11
7.70E-01	2.18204207	2	8.92E-04	2.85407451	2	1.39E-03
5.65E-02	0.67833159	7	6.43E-03	1.62653953	7	7.55E-04
3.27E+04	1.56637939	11	5.03E-07	1.96613871	11	6.66E-06
3.95E+02	0.57776706	8	7.97E-03	1.37752312	8	1.33E-03

Worm-wide					
BC_02			BC_05		
gatc.num	FDR	gatc.num	polii	gatc.num	FDR
0.25766175	50	5.06E-01	0.59786165	50	2.29E-02
0.19274716	11	6.96E-01	0.26085226	11	9.12E-01
-0.09524582	10	3.08E+00	-0.57779593	10	2.42E+01
-0.15786214	24	4.01E+01	0.18541512	24	3.28E+00
-0.09815681	13	4.71E+00	0.05754657	13	2.74E+00
0.17426706	18	9.74E-01	0.76808583	18	4.75E-02
0.51135985	10	1.27E-01	0.95752311	10	5.47E-02
0.35725437	12	2.66E-01	0.75198499	12	9.99E-02
-0.22479687	13	1.06E+01	0.46391111	13	3.71E-01
-0.39364392	14	4.00E+01	-0.314244	14	2.15E+01
-0.47934913	12	4.07E+01	0.01345026	12	2.99E+00
0.67055993	4	1.41E-01	1.04351617	4	1.28E-01
0.60743203	7	1.15E-01	0.99730951	7	8.12E-02
0.60243049	10	7.90E-02	0.61177977	10	2.16E-01
0.86251576	2	1.27E-01	-0.72704476	2	2.39E+00
0.61398953	13	4.96E-02	0.7748301	13	8.03E-02
0.01680809	9	1.56E+00	-0.10125787	9	3.09E+00
0.04345809	21	3.70E+00	0.16617455	21	3.03E+00
0.20354001	19	7.81E-01	0.58196053	19	1.51E-01
0.0491157	13	1.84E+00	0.50005217	13	3.10E-01
-0.00333768	7	1.40E+00	0.33635498	7	5.95E-01
-0.44961368	7	8.75E+00	-0.11164013	7	2.30E+00
0.61816342	5	1.44E-01	0.10375708	5	9.84E-01
0.65239543	6	1.11E-01	1.68446341	6	1.53E-02
0.15869698	12	8.77E-01	-0.07823446	12	4.56E+00
0.01701562	6	1.18E+00	0.1656422	6	9.20E-01
1.04508939	1	1.15E-01	0.9121345	1	2.70E-01
0.20666889	16	7.14E-01	-0.16223279	16	1.40E+01
-0.55796539	12	6.52E+01	0.49071746	12	3.33E-01
-0.15748221	4	1.64E+00	0.09921327	4	8.99E-01
0.26276966	6	4.71E-01	-0.35843521	6	3.78E+00
0.29926415	16	3.55E-01	0.62544015	16	1.37E-01
0.12399899	3	6.75E-01	0.69253214	3	2.89E-01
-0.50980359	12	4.88E+01	0.35428904	12	6.23E-01
0.61563052	6	1.27E-01	1.33623684	6	3.92E-02
0.33811793	22	2.22E-01	0.6840987	22	5.85E-02
0.4863336	6	2.05E-01	0.94979402	6	1.11E-01
-0.58823117	4	5.84E+00	-0.75223273	4	5.20E+00
-0.39720976	126	6.91E+13	-0.22723624	126	1.23E+11
0.18760574	13	7.58E-01	0.57727242	13	2.12E-01
-0.87825747	21	2.25E+04	-0.72488209	21	2.34E+03

1.02527811	5	3.70E-02	0.90716285	5	1.45E-01
0.26473727	9	4.66E-01	0.6423252	9	2.05E-01
0.23764423	6	5.18E-01	0.54170312	6	3.34E-01
-0.86409475	10	1.74E+02	-0.51583376	10	1.89E+01
0.75972985	4	1.09E-01	0.84514721	4	1.93E-01
0.33089485	10	3.29E-01	0.70875551	10	1.47E-01
0.12494108	7	8.29E-01	-0.11735616	7	2.34E+00
0.29914662	5	4.18E-01	1.30845207	5	5.60E-02
-0.40523388	9	1.21E+01	0.6540226	9	1.97E-01
0.14303197	12	9.64E-01	0.21430798	12	1.19E+00
0.2640484	86	4.24E-01	0.46201139	86	1.32E-01
0.10707616	9	1.00E+00	-0.42793721	9	1.02E+01
-0.00097997	9	1.70E+00	0.54923709	9	2.88E-01
-0.17005082	12	6.33E+00	0.45056454	12	4.00E-01
0.37201906	32	1.04E-01	0.56328276	32	9.41E-02
1.09968188	8	1.10E-02	0.71570374	8	1.73E-01
0.09747141	15	1.53E+00	0.16453621	15	1.90E+00
-0.37402725	11	1.69E+01	0.39805938	11	5.06E-01
-0.98345237	11	5.24E+02	-0.20931722	11	6.83E+00
0.31708436	11	3.46E-01	0.69706499	11	1.41E-01
-0.45788752	14	6.19E+01	0.10352841	14	2.41E+00
0.30351281	19	3.27E-01	0.73560585	19	5.31E-02
-0.2717991	20	5.94E+01	-0.04953161	20	1.31E+01
0.64554442	16	2.61E-02	0.658134	16	1.13E-01
-0.03872005	2	9.16E-01	-0.7309981	2	2.40E+00
0.13217689	7	8.05E-01	-0.10037766	7	2.22E+00
-0.05639177	18	6.61E+00	-0.00622899	18	7.34E+00
-0.56500084	5	7.48E+00	0.61106296	5	2.94E-01
-0.29421846	11	1.08E+01	-0.35618776	11	1.28E+01
1.05318665	6	2.49E-02	0.24075842	6	7.51E-01
0.02554241	8	1.36E+00	-1.0656731	8	6.52E+01
-0.89091095	6	3.45E+01	1.23806703	6	5.10E-02
0.40138972	7	2.67E-01	0.21673069	7	8.54E-01
0.70085555	8	6.60E-02	0.68912507	8	1.89E-01
0.43488722	12	1.67E-01	0.82777831	12	7.05E-02
-0.02545698	9	1.91E+00	1.16501213	9	3.05E-02
0.22814195	8	5.50E-01	0.82868658	8	1.18E-01
-0.05614366	21	9.49E+00	0.41134254	21	4.87E-01
0.11882203	15	1.31E+00	0.55702011	15	2.15E-01
0.53453485	5	1.90E-01	0.36395523	5	5.30E-01
0.44181119	7	2.26E-01	-0.10973804	7	2.28E+00
0.36198049	6	3.26E-01	0.7528641	6	1.89E-01
0.57216013	6	1.49E-01	-0.04336636	6	1.62E+00
-0.15402591	9	3.57E+00	-0.60487552	9	1.94E+01
0.04900423	8	1.23E+00	0.03389394	8	1.67E+00
0.49000654	12	1.20E-01	0.26445006	12	9.42E-01
0.75073907	5	9.25E-02	1.46538709	5	3.86E-02

0.49052386	20	5.91E-02	0.80525677	20	2.92E-02
0.33794292	8	3.36E-01	0.04034752	8	1.64E+00
-0.22845397	5	2.43E+00	0.93126823	5	1.37E-01
1.4107505	5	1.02E-02	0.9495943	5	1.32E-01
-0.08199623	9	2.52E+00	0.151828	9	1.23E+00
0.3401428	2	3.99E-01	-0.14277859	2	1.04E+00
-0.05972831	30	2.95E+01	0.10561621	30	1.16E+01
-0.56954436	4	5.53E+00	-0.15753498	4	1.53E+00
-0.30107747	5	3.10E+00	0.10851477	5	9.73E-01
-0.19586268	21	3.55E+01	0.31137501	21	1.03E+00
-0.71084012	12	1.64E+02	-0.37804138	12	1.81E+01
-0.0802742	15	5.46E+00	0.63213195	15	1.41E-01
0.20226713	9	6.31E-01	0.29873216	9	7.19E-01
0.31148479	12	3.50E-01	0.45010477	12	4.01E-01
-0.42908765	42	8.16E+04	-0.31998753	42	1.56E+04
-0.67365475	7	2.19E+01	-1.6332274	7	2.25E+02
-0.02302142	4	1.10E+00	1.08513528	4	1.18E-01
0.22250659	7	5.56E-01	0.03496064	7	1.48E+00
-0.86626765	3	8.64E+00	-0.36545122	3	1.83E+00
-0.03149058	23	9.40E+00	0.51767728	23	2.07E-01
0.1556658	3	6.22E-01	0.91617011	3	1.96E-01
0.86963284	9	2.45E-02	0.41208087	9	4.75E-01
1.00688267	4	5.23E-02	1.26230295	4	8.18E-02
0.25392315	30	5.18E-01	0.29752914	30	1.60E+00
-0.27637975	2	1.54E+00	0.5405723	2	3.91E-01
0.15220422	12	9.12E-01	-0.00559652	12	3.27E+00
0.37785258	40	6.71E-02	0.46204101	40	2.54E-01
-0.03893483	19	6.41E+00	0.36457582	19	6.68E-01
0.09772504	8	9.87E-01	-0.17354792	8	3.34E+00
0.96246491	3	7.80E-02	0.67154074	3	3.00E-01
-0.03831372	2	9.15E-01	0.27219721	2	5.74E-01
0.73923839	16	1.29E-02	0.79664613	16	5.02E-02
0.00766416	7	1.34E+00	-0.2730303	7	3.74E+00
0.08855295	7	9.63E-01	0.06472602	7	1.35E+00
0.16439806	17	1.02E+00	0.65290307	17	1.08E-01
0.32287185	9	3.51E-01	0.16454644	9	1.17E+00
0.76688844	12	2.26E-02	0.18948963	12	1.33E+00
-0.00115004	22	6.24E+00	0.27301866	22	1.43E+00
0.78687358	5	8.20E-02	0.72559187	5	2.24E-01
0.4494511	8	2.04E-01	0.6766471	8	1.97E-01
0.02930469	15	2.49E+00	0.33309466	15	7.44E-01
0.61560749	9	8.45E-02	0.72759036	9	1.50E-01
0.20007103	14	7.16E-01	-0.02406852	14	4.70E+00
0.17393723	23	1.15E+00	-0.01669513	23	1.56E+01
0.18607372	33	1.35E+00	0.13870302	33	1.08E+01
0.32853732	11	3.24E-01	0.19972011	11	1.18E+00
-0.1245713	5	1.72E+00	0.61327129	5	2.93E-01

-0.39939199	8	9.17E+00	-0.76167419	8	2.37E+01
0.23759227	27	6.23E-01	0.5346392	27	1.55E-01
0.77983521	7	5.65E-02	1.43715166	7	2.16E-02
0.20809428	4	5.55E-01	0.26759066	4	6.35E-01
0.15648355	19	1.17E+00	0.0965508	19	4.16E+00
0.03416767	13	2.02E+00	0.64506631	13	1.52E-01
0.47997074	17	8.36E-02	0.99009838	17	1.34E-02
-0.18571564	16	1.38E+01	-0.71836144	16	3.67E+02
0.12269326	33	3.30E+00	0.02398033	33	3.92E+01
0.67104518	4	1.41E-01	1.76972799	4	2.87E-02
0.01151702	4	9.92E-01	-0.35368559	4	2.29E+00
0.02606928	19	3.65E+00	-0.11821504	19	1.80E+01
0.31553275	11	3.49E-01	1.14806907	11	2.04E-02
-1.00784122	11	6.01E+02	-0.79525247	11	8.41E+01
0.21522481	24	7.69E-01	0.20629938	24	2.75E+00
0.22384993	22	6.82E-01	0.56964601	22	1.42E-01
-0.14239301	16	9.93E+00	-0.3598802	16	4.47E+01
-0.30857658	16	3.48E+01	0.00468788	16	5.26E+00
0.36151064	18	2.06E-01	0.53296317	18	2.20E-01
0.53584541	16	5.97E-02	0.65839005	16	1.13E-01
0.45182009	22	7.25E-02	0.85334703	22	1.57E-02
0.33990272	14	2.78E-01	0.61271298	14	1.68E-01
1.19644565	5	2.09E-02	0.74196213	5	2.16E-01
0.06544427	11	1.43E+00	1.21518607	11	1.53E-02
0.0620395	31	6.63E+00	0.43152417	31	4.00E-01
0.42669419	4	2.91E-01	0.72125363	4	2.49E-01
0.1146735	21	1.89E+00	0.67603073	21	6.76E-02
0.03744596	9	1.41E+00	1.24036089	9	2.31E-02
0.42344919	9	2.15E-01	0.91431038	9	7.60E-02
0.32879286	51	1.14E-01	0.4013665	51	6.10E-01
1.08000741	3	5.76E-02	0.21180406	3	6.68E-01
0.06722422	9	1.22E+00	-0.24650722	9	5.26E+00
0.71495045	14	2.19E-02	0.82486176	14	5.52E-02
0.89070126	5	5.80E-02	0.22409865	5	7.39E-01
0.65600513	18	1.78E-02	0.59968535	18	1.42E-01
0.28469623	18	3.89E-01	0.37125232	18	6.29E-01
0.26646429	22	4.49E-01	0.80719925	22	2.25E-02
-0.35630938	10	1.21E+01	0.31771903	10	6.92E-01
0.27833778	36	3.63E-01	0.09633143	36	2.36E+01
0.15734664	10	8.17E-01	0.19888001	10	1.11E+00
0.42998997	5	2.70E-01	1.84779021	5	1.55E-02
-0.11783763	14	6.18E+00	-0.46337919	14	4.70E+01
0.75072257	5	9.25E-02	0.96359709	5	1.27E-01
0.42837928	22	9.13E-02	0.89915111	22	1.10E-02
-0.1558329	4	1.63E+00	-0.20642081	4	1.69E+00
0.36576255	8	2.97E-01	1.05984588	8	5.48E-02
0.38725039	14	2.01E-01	0.22973685	14	1.25E+00

-0.19957187	26	8.87E+01	-0.82128075	26	3.43E+04
-0.02085289	22	7.57E+00	-0.74488297	22	3.93E+03
-0.26734523	11	9.29E+00	0.07470462	11	2.02E+00
-0.03379096	14	3.49E+00	0.42172504	14	4.56E-01
-0.09085522	15	5.88E+00	-0.0814872	15	7.45E+00
0.5005174	21	4.92E-02	0.51344622	21	2.27E-01
0.06438469	9	1.23E+00	0.95077444	9	6.66E-02
0.40025614	17	1.57E-01	0.44102877	17	4.02E-01
0.32656594	22	2.49E-01	0.80656106	22	2.26E-02
-1.17798658	24	1.99E+06	-1.34458645	24	1.28E+06
-0.37138134	4	3.08E+00	0.13299793	4	8.38E-01
0.33742458	36	1.48E-01	0.34568802	36	1.12E+00
0.2420229	25	5.83E-01	0.5098227	25	2.08E-01
0.30584327	28	2.75E-01	0.40911184	28	5.04E-01
0.45687849	42	1.54E-02	0.44978529	42	2.94E-01
0.49561809	11	1.27E-01	0.21210198	11	1.12E+00
-0.04201514	21	8.30E+00	0.29307811	21	1.18E+00
0.45790345	12	1.45E-01	-0.16169547	12	6.70E+00
0.07671803	5	8.78E-01	0.23426893	5	7.21E-01
0.30723774	63	1.45E-01	0.34795161	63	1.97E+00
-0.81068921	9	8.73E+01	-0.86508495	9	5.03E+01
0.00256424	17	3.67E+00	0.68565965	17	8.85E-02
-0.42377491	5	4.67E+00	-0.70585736	5	6.75E+00
-0.06266513	8	2.03E+00	-0.17552629	8	3.36E+00
-0.71297477	8	3.74E+01	-0.39719848	8	7.04E+00
0.36246049	29	1.33E-01	0.34842072	29	9.28E-01
-1.26500716	17	8.44E+04	-0.32634344	17	4.65E+01
0.01678495	14	2.48E+00	-0.35999456	14	2.73E+01
0.64715564	6	1.13E-01	-0.16320733	6	2.23E+00
0.09014337	5	8.39E-01	0.46482979	5	4.17E-01
-0.92497782	3	1.01E+01	0.45382638	3	4.38E-01
0.08409806	4	8.01E-01	0.84755139	4	1.92E-01
-1.13919582	7	1.48E+02	-1.04589207	7	3.84E+01
-0.72869331	7	2.75E+01	0.55685256	7	3.06E-01
0.59637737	9	9.27E-02	1.07166392	9	4.28E-02
-0.29984677	4	2.49E+00	-0.00365626	4	1.11E+00
0.08323293	33	5.73E+00	0.43463201	33	3.83E-01
0.0686988	39	1.09E+01	0.11734077	39	2.42E+01
0.41322927	12	1.90E-01	0.48626368	12	3.40E-01
-0.04694283	11	2.69E+00	0.76710036	11	1.04E-01
0.47076073	21	6.52E-02	0.71481253	21	5.06E-02
0.29903675	28	2.98E-01	0.29211221	28	1.57E+00
0.28080205	12	4.21E-01	0.83534427	12	6.81E-02
-0.17295511	38	4.79E+02	-0.08434176	38	2.95E+02
0.49403383	11	1.28E-01	0.52256372	11	2.97E-01
-0.69081887	9	4.87E+01	-1.09907356	9	1.18E+02
0.68948549	19	1.15E-02	0.7078999	19	6.41E-02

0.35713284	35	1.14E-01	0.51338802	35	1.48E-01
0.91044988	3	8.92E-02	0.43199952	3	4.55E-01
0.44421223	12	1.58E-01	0.9798964	12	3.50E-02
-0.24034913	13	1.17E+01	0.13754646	13	1.85E+00
0.22252462	19	6.62E-01	0.08323317	19	4.56E+00
0.15291843	13	9.46E-01	1.00572793	13	2.58E-02
0.44408247	8	2.09E-01	-0.12550959	8	2.85E+00
-0.21000373	17	1.98E+01	0.22294295	17	1.55E+00
0.97951568	9	1.44E-02	0.94477575	9	6.80E-02
0.05707327	33	8.28E+00	0.62087331	33	4.69E-02
0.36314071	23	1.67E-01	0.52756154	23	1.91E-01
0.0925218	61	3.04E+01	0.20807194	61	3.16E+01
-0.29857945	14	2.10E+01	0.18080689	14	1.61E+00
0.30468193	9	3.83E-01	0.36429806	9	5.66E-01
0.62436363	5	1.41E-01	0.72843349	5	2.23E-01
0.02691234	5	1.04E+00	0.32539653	5	5.81E-01
0.61311673	20	1.94E-02	0.23500564	20	1.71E+00
0.37783414	16	1.96E-01	0.96492939	16	1.87E-02
-0.06620731	8	2.06E+00	0.22559109	8	8.83E-01
-1.23918431	18	1.22E+05	-1.45452596	18	9.10E+04
-1.28559893	2	1.41E+01	-0.61455885	2	2.03E+00
0.02550248	9	1.49E+00	0.33775219	9	6.24E-01
0.21850101	5	5.47E-01	1.86605268	5	1.49E-02
0.14934606	28	1.83E+00	0.72108859	28	2.46E-02
0.20857908	28	8.94E-01	0.74045721	28	2.04E-02
0.39758061	6	2.85E-01	0.19401426	6	8.52E-01
-0.39289275	4	3.28E+00	1.0306493	4	1.32E-01
0.31164919	8	3.78E-01	0.87008747	8	1.03E-01
-0.24178087	14	1.43E+01	0.14114015	14	1.98E+00
-0.50281682	4	4.54E+00	-0.5430876	4	3.38E+00
0.31205077	8	3.77E-01	-0.13480607	8	2.94E+00
-0.14835318	6	2.18E+00	-0.27445587	6	3.01E+00
0.05011049	19	2.96E+00	0.00887172	19	7.57E+00
-0.54922542	5	7.09E+00	0.78743157	5	1.93E-01
0.21810238	35	8.92E-01	0.45465846	35	2.98E-01
-0.31091087	130	2.30E+12	0.1732241	130	1.34E+04
-0.44481824	5	5.01E+00	0.19667076	5	7.89E-01
-1.2093335	10	1.07E+03	-0.75483248	10	4.88E+01
0.55755995	8	1.25E-01	0.36814249	8	5.49E-01
0.07025692	4	8.34E-01	1.25962126	4	8.22E-02
-0.26633581	13	1.38E+01	0.72900998	13	1.01E-01
0.34563457	15	2.59E-01	0.66076872	15	1.21E-01
0.47870622	2	2.95E-01	0.58844452	2	3.66E-01
0.90315596	7	3.40E-02	0.52347114	7	3.39E-01
0.11468811	11	1.08E+00	0.73704783	11	1.19E-01
0.85889403	8	3.25E-02	0.34674462	8	5.90E-01