Integrated Collection of Stem Cell Bank data, a data portal for standardized stem cell information

Authors

Ying Chen[1], Kunie Sakurai[1†], Sumihiro Maeda[2], Tohru Masui[3], Hideyuki Okano[2],

Johannes Dewender[4], Stefanie Seltmann[4], Andreas Kurtz[4,5], Hiroshi Masuya[6],

Yukio Nakamura[7], Michael Sheldon[8], Juliane Schneider[9], Glyn N. Stacey[10,11,12],

Yulia Panina[1], and Wataru Fujibuchi[1,*]

Affiliations

[1] Center for iPS Cell Research and Application (CiRA), Kyoto University, 53 Kawahara-cho, Sho-goin, Sakyo-ku, Kyoto 606-8507, Japan

[2] Department of Physiology, Keio University School of Medicine, Tokyo 160-8582, Japan

[3] National Center for Medical Genetics, Keio University School of Medicine, Tokyo 160-8582, Japan

[4] Fraunhofer Institute for Biomedical Engineering, Biomedical Data and Bioethics,

Anna-Louisa-Karsch-Strasse 2, 10178 Berlin, Germany

[5] BIH Center for Regenerative Therapies (BCRT), Charité – Universitätsmedizin Berlin,

Augustenburger Platz 1, 13353 Berlin, Germany

[6] Integrated Bioresource Information Division, RIKEN BioResource Research Center,

Tsukuba, Ibaraki 305-0074, Japan

[7] Cell Engineering Division, RIKEN BioResource Research Center, Tsukuba, Ibaraki

305-0074, Japan

[8] Department of Genetics and Human Genetics Institute of New Jersey, Rutgers, The

State University of New Jersey, Piscataway, New Jersey 08854, U.S.A.

[9] Harvard Catalyst | Clinical and Translational Science Center, Boston, Massachusetts

02215, U.S.A.

[10] International Stem Cell Banking Initiative, 2 High Street, Barley, Herts, SG88HZ, UK

[11] National Stem Cell Resource Centre, Institute of Zoology, Chinese Academy of

Sciences, Beijing 100190, China

[12] Innovation Academy for Stem Cell and Regeneration, Chinese Academy of Sciences,

Beijing 100101, China

Additional Footnotes

36   [†] Present address: Department of Cellular Biology and Pharmacology, Florida

37   International University, Herbert Wertheim College of Medicine, Florida 33199, U.S.A.

Contact

40   Wataru Fujibuchi[*]

41   <u>Address</u>: Center for iPS Cell Research and Application (CiRA), Kyoto University, 53

42   Kawahara-cho, Sho-goin, Sakyo-ku, Kyoto 606-8507, Japan

43   <u>E-mail</u>: fujibuchi-g@cira.kyoto-u.ac.jp

44   <u>Tel</u>: +81-75-366-7012

SUMMARY

The last decade has witnessed an extremely rapid increase in the number of newly

established stem cell lines. However, due to the lack of a standardized format, data

exchange among stem cell line resources has been challenging, and no system can

search all stem cell lines across resources worldwide. To solve this problem, we have

developed Integrated Collection of Stem Cell Bank data (ICSCB)

(http://icscb.stemcellinformatics.org/), the largest database search portal for stem cell

line information, based on the standardized data items and terms of the MIACARM

framework. Currently, ICSCB can retrieve >16,000 cell lines from four major data

resources in Europe, Japan, and the United States. ICSCB is automatically updated to

provide the latest cell line information, and its integrative search helps users collect cell

line information for over 1,000 diseases including many rare diseases worldwide, which

has been a formidable task, thereby distinguishing itself from other database search

portals.

(up to 150 words)

INTRODUCTION

Since the first report of human induced pluripotent stem cells (iPSCs) (Takahashi et al., 2007), there has been a rapid increase in the number of iPSC lines and related information worldwide **(Table 1)**. This remarkable growth has not only accelerated studies of regenerative medicine but also provided opportunities to understand such pragmatic issues as the quality of pluripotent stem cells (Nishizawa et al., 2016) and the disease mechanisms (Sasaki et al., 2016). Stem cell banks and registries are expected to provide necessary data of individual stem cell lines. However, the exchange of data among different institutions is not a trivial matter, and the scientific reproducibility of the stem cells, particularly iPSCs generated by different methods, depending on available information is problematic for both basic studies and clinical applications (Yaffe et al., 2016; Isasi and Knoppers, 2011; Thirumala et al., 2009). Moreover, as technologies for the characterization of cell lines continue to advance, the addition of new quality standards as necessary data items has complicated and diversified data formats among different stem cell banks and registries (Hug, 2009; Knoppers and Isasi, 2010). As an attempt to solve these problems, we previously reported MIACARM (Minimum

Information About a Cellular Assay for Regenerative Medicine) guidelines in 2016

(Sakurai et al., 2016), which proposed the utilization of standardized data items and

formats for all stem cell lines in regenerative medicine. Presently, MIACARM contains

260 items covering such areas as stem cell production and materials (e.g., donor

information, source cell information, and cell culture medium and substrate information),

cell banking processes, cell characterization, sterility testing, and even ethical concerns.

Later, a standardized nomenclature for pluripotent stem cells was introduced in 2018 with

unification of cell line codification and minimization of information loss and confusion

regarding cell lines as goals (Kurtz et al., 2018). Nevertheless, with the growing number

of registered cell lines, existing data deposition formats have made it increasingly harder

for not only data depositors but also users to seek and obtain cell lines collected under

different projects, disease states, and privacy issues (Godard et al., 2003; Winickoff et al.,

2009).

In this paper, as our next step towards the unification and utilization of stem

cell line data in the world, we report our new database portal, Integrated Collection of

Stem Cell Bank data (ICSCB), which was designed using MIACARM guideline items

and formats, to serve an entrance 'port' to individual data repositories. The main

objectives of ICSCB are i) to establish an integrated stem cell database portal that can

cover the majority of stem cell resources in the world, and ii) to offer users minimum but

efficient access to information on stem cell lines based on MIACARM guidelines.

Currently, ICSCB provides data of more than 15,000 stem cell lines registered in four

major stem cell line databases: hPSCreg (Seltmann et al., 2015), SKIP (Kim et al., 2017),

RIKEN BRC (Kobayashi et al., 2016), and eagle-i (Vasilevsky et al., 2012). ICSCB has a

user-friendly search engine for stem cell lines and can be accessed directly at

http://icscb.stemcellinformatics.org/, or as a slim version by removing cell line

redundancy as much as possible through the SHOGoiN (Human Omics Database for the

Generation   of   iPS   and   Normal   Cells)   homepage   at

http://shogoin.stemcellinformatics.org/.

RESULTS AND DISCUSSION

Web interface

ICSCB was designed for researchers searching for available cell lines to conduct various

studies, such as regenerative medicine and disease analysis. Covering as many diverse

cell lines as possible was the first priority when deciding which resources to include in

ICSCB. Sharing cell line information between different stem cell banks and registries has

been problematic due to different cell naming methods, different policies on cell

assessment in different registries, unclear data sources, and so on. ICSCB is a collection

of cell lines from four major and reliable cell line data resources based in Europe, Japan,

and the United States. ICSCB updating is regularly performed for new SKIP and eagle-i

stem cell line data as well as automatically performed for hPSCreg and RIKEN BRC data

in a synchronized manner. Users can retrieve all related stem cell line information by

using a free text search. Detailed information of a specific cell line can be accessed by

clicking on the stem cell ID, which is linked to the information page in the original

resources (**Figure 1**). The results can be further filtered according to users' requests.

There may be several records for the same cell line if the cell line is included in multiple

data resources. To provide users as much information as possible, the results page is

designed to show cell lines with matching cell names as well as similar descriptions.

Data coverage

ICSCB covers more data than any other stem cell line repository available. The

integration of all major data resources allows us to check the current state of stem cell

research in the world **(Figure 2)**. Although we recognize redundancies in the data,

according to our statistics, the number of iPSC lines constitutes more than 80% of all cell

lines and the ratio of healthy to diseased donors is approximately 3 to 2 **(Figure 2A,B)**.

The total number of countries from which cell lines can be retrieved is 39 (as of

December 6, 2020), of which the top 9 countries identified in SKIP and hPSCreg are (in

descending order) the United Kingdom, United States, Japan, Germany, China, Spain,

Sweden, Denmark, and Taiwan **(Figure 2C)**. In addition, as the recent number of iPSC

lines generated from patient donors is growing, ICSCB supports disease-oriented search

to help users find all disease-related stem cell lines by using disease names. The

distribution of disease and disorder types is shown in **Figure 2D**.

Easy search interface on SHOGoiN homepage

ICSCB also has a quick and easy search module on the SHOGoiN homepage

(https://stemcellinformatics.org/). SHOGoiN is a repository for accumulating and

integrating diverse human cell information to support a wide range of research using

cell-related data. The database consists of several modules that store cell lineage maps,

transcriptomes, methylomes, cell conversions, cell type markers, and cell images with

morphology data curated from public as well as contracted resources based on

sophisticated cell taxonomy. Collaboration between ICSCB and SHOGoiN makes it

possible for users to directly use free text searches for stem cell line data on the

SHOGoiN homepage. The ICSCB easy search module in SHOGoiN supports a

simplified ICSCB search with keywords, and the advanced search is designed to redirect

users to the ICSCB homepage with full functions. Results from the SHOGoiN

homepage share the same structure with the ICSCB homepage.

Concluding remarks and future plan

So far, the registration and submission of newly established cell lines have been

complicated by the lack of standardized data formats. Most data registries are currently

limited by respective domestic policies and have adopted their information structures and

validation processes independently (Andrews et al., 2015; Zarzeczny et al., 2009). The

lack of standardized data formats has caused problems for researchers who must usually

search several websites to find the stem cell lines they are looking for (Wells et al., 2013).

In the present work, we developed ICSCB, an integrated data distribution system that

provides stem cell line information from major stem cell banks and registries all over the

world. ICSCB adopts a standardized information format based on the "Source Cell"

module of MIACARM to integrate different data resources while keeping important

information.

ICSCB has several limitations; for instance, there exist cell lines having limited

donor information and/or incomplete information, as well as replicates of the same line

with different names. In addition, ICSCB contains only a few clinical-grade cells due to

strict requirements for exhaustive as well as expensive quality checks and haplotype

compatibility for clinical-grade lines. Currently, when searching for stem cell lines for a

specific disease, users have limited access to a distinct aspect of research for the

diseases registered in individual repositories. Indeed, our next step would be to establish

an integrated and refined collection of research on stem cell lines in order to understand

the possible causes and mechanisms of complex diseases on the basis of genetic

backgrounds and environmental effects in terms of molecular pathways during the

developmental process. We may need a new project based on new funding to establish

such a global collaboration.

ICSCB has several issues that merit improvement. Firstly, we plan to assign

unique accession codes to all cell line entries by utilizing standardized nomenclature for

pluripotent stem cells (Kurtz et al., 2018) in order to remove redundant cell line data.

Secondly, as the cost of experimental technologies, such as genome/RNA-seq or

teratoma assay, to characterize stem cell lines decreases and it becomes easy to obtain

various types of profiles on them, we may be able to define a standard profile set for

complete data format to render comparisons of cell lines more efficient. Thirdly, once

the RNA-seq or genome mutation data are collected, it will be possible to perform

statistical analysis such as PCA or other refined bioinformatics methods to

mathematically map individual cell lines to a global stem cell feature space, such as

differentiation propensity, carcinogenic potential, immune response, and so on. We

<mark>expect ICSCB to further evolve, thereby providing users better accessibility to relevant</mark>

<mark>stem cell lines.</mark>

In the future, in order to respond to the rapid growth in the number of stem cell

lines, we will include more data resources in ICSCB, including the Taiwan Human

Disease iPSC Service Consortium and other recently developed stem cell banks, to make

ICSCB more resource-abundant and usable. We also plan to add a detailed quality check

to help users find stem cell lines of high quality. As the largest stem cell line information

resource, we will support stem cell communities by improving the quality and increasing

the scale of our database.

EXPERIMENTAL PROCEDURES

Data resources

ICSCB resources were selected from existing major stem cell registries that collect cell

line information in Europe, Japan, and the United States, and stem cell banks that provide

cell lines with information of the attributes. We checked the number of registered cell

lines and the criteria for registration in these registries and banks to decide to what extent

their cell line data can fulfill MIACARM guidelines for inclusion in ICSCB. Considering

the size, accessibility, and diversity of the different databases, three stem cell registries

and one stem cell bank were included: (1) SKIP (5,615 cell lines), (2) hPSCreg (3,360 cell

lines), (3) RIKEN BRC (3,548 cell lines), and (4) eagle-i (3,548 cell lines) (as of

December 6, 2020). These data resources were selected because they had the highest

number of registered cell lines and large diversity, which would provide a good regional

balance of cell sources to reduce redundancies in cell line entries. RIKEN BRC basically

collected cell lines from Japanese institutions, SKIP contained data mostly from other

Japanese and Asian institutions, hPSCreg collected data mainly from European

institutions, and eagle-i collected data mostly from the United States. Details of the data

sources are listed in **Figure 3**.

Data integration

Since our previous research on the listed stem cell banks (Sakurai et al., 2016), the

number of registered cell lines had skyrocketed from 1,483 to approximately 8,000 in the

past three years. As a result, stem cell registries are tasked with collecting information on

the rapidly increasing number of new cell lines and registering the cell lines into their

databases as quickly as possible. However, because the stem cell banks and registries are

using their own formats for data entry, the integration of the data into a centralized

collection system is an extraordinary challenge. To solve this problem, we used a

decentralized or distributed database system (Fujibuchi et al., 1998) by adopting items of

different database formats into 16 attributes, or terms, from three MIACARM modules:

stem cell general identification, donor identification, and source cell identification (**Table**

2). To practically integrate the data from the four data resources (SKIP, hPSCreg, RIKEN

BRC, and eagle-i), we adopted a mechanism of cross-reference tables that allow users to

conduct a search using MIACARM terms that are translated into the corresponding terms

in the individual data resources to implement the search. For example, the term "Stem cell

ID" in MIACARM was translated into the terms "stem cell id" (hPSCreg), "stem cell id"

(SKIP), "CellID" (RIKEN BRC), and "cell line label" (eagle-i) for the search

implementation. Thus, ICSCB submits search requests to each data resource with its own

(translated) terms and integrates all retrieved results by common MIACARM terms,

thereby achieving a standardized data format at the level of display (**Figure 4**).

ICSCB workflow and search engine updating

In order to provide fast and easy access to the latest and accurate cell line information, we

built an automatic updating system that adds newly released cell lines to ICSCB as soon

as they become available in any of the four data resources. Data from eagle-i and SKIP

are directly collected and stored in the MySQL database with the terms required for the

MIACARM modules. Data from hPSCreg and RIKEN BRC are collected on the fly per

request using a web application programming interface (API) provided by the respective

sites. RIKEN BRC also uses SPARQL language for data retrieval requests (Kim et al.,

2017; Kobayashi et al., 2016).

To simplify the search process, ICSCB provides an easy-to-use and

mobile-friendly web application. The goal of the application is to help users find the

desired stem cell lines as quickly as possible. The interface of the search engine is

designed with the 16 MIACARM terms (**Table 2**) except the term "Stem cell ID". Users

receive result pages containing all the matching results listed in a table that includes all

the basic attributes under the structure of MIACARM. To ensure a more specific search

with a wide variety of attributes, ICSCB is designed to accommodate searches not only

by standardized terms from MIACARM but also by terms specific to each of the four data

resources, such as "age" or "country" (**Figure 5A**). When user queries are submitted,

ICSCB simultaneously retrieves MIACARM standardized data and resource-specific

data so as not to miss any relevant entries. If a keyword entered by a user in a general

keyword search does not exist in MIACARM terms but is included in data specific to any

of the four data resources, the user will get detailed descriptions of the matching data in

the results page. For example, even if the standardized MIACARM terms do not contain

"transgene", it is still possible to enter a gene name into the keyword field (e.g., Sox2)

such that the results page will display relevant entries by showing the indicated keyword

in the extra field below **(Figure 5B)**. Furthermore, the user can filter the results by data

resource and detailed keywords from the "Searching options" box on the results page to

narrow down the results list. In addition, all results can be easily downloaded as a table

directly from the results page.

ICSCB also provides a quality control panel based on MIACARM, thereby

supporting customized searches according to quality control results. At present, assays

for teratoma formation, differentiation ability in vitro, morphology data, marker gene

expression/surface antigen expression data, karyotyping assay results, copy number

variation, residual exogene detection results, genome profiling, transcriptome profiling,

and epigenome profiling data are accessible from ICSCB.

ACKNOWLEDGEMENTS

The authors deeply appreciate Dr. Peter Karagiannis for kindly reviewing the manuscript. This work was partially supported by the Core Center for iPS Cell Research, Research Center Network for Realization of Regenerative Medicine (16bm0104001h0004) and the Formulation of Regenerative Medicine National Consortium which Renders Nation-wide Assistance to Clinical Researches, Project to Build Foundation for Promoting Clinical Research of Regenerative Medicine (19bk0204001h0004, 19bk0204001s0104), Japan Agency for Medical Research and Development (AMED); and the German Academic Exchange Service (DAAD) PPP grant.

AUTHOR CONTRIBUTIONS

YC and YP drafted the manuscript. SM, TM, HO, JD, SS, AK, HM, YN, MS, JS, and WF provided and facilitated the stem cell data. WF and KS conceptualized the research. AK, GS, and WF led the project.

COMPETING INTERESTS

HO is a founding scientist of SanBio Co., Ltd. and K Pharma Inc.

REFERENCES

Andrews, P.W., Baker, D., Benvinisty, N., Miranda, B., Bruce, K., Brüstle, O., Choi, M.,

Choi, Y.-M., Crook, J.M., Dvorak, P. (2015). Points to consider in the development of

seed stocks of pluripotent stem cells for clinical applications: International Stem Cell

Banking Initiative (ISCBI). Regen. Med. *10*, 1–44.

Fujibuchi, W., Goto, S., Migimatsu, H., Uchiyama, I., Ogiwara, A., Akiyama, Y.,

Kanehisa, M. (1998). DBGET/LinkDB: an integrated database retrieval system. In Pac.

Symp. Biocomput. *98*, 683–694.

Godard, B., Schmidtke, J., Cassiman, J.J., Aymé, S. (2003). Data storage and DNA

banking for biomedical research: informed consent, confidentiality, quality issues,

ownership, return of benefits. A professional perspective. Eur. J. Hum. Genet. *11*,

S88–S122

Hug, K. (2009). Banks, repositories and registries of stem cell lines in Europe:

regulatory and ethical aspects. Stem Cell Rev. Rep. *5*, 18–35.

Isasi, R., and Knoppers B.M. (2011). From banking to international governance:

fostering innovation in stem cell research. Stem cells Int. 2011, 498132.

Kim, J.H., Kurtz, A., Yuan, B.Z., Zeng, F., Lomax, G., Loring, J.F., Crook, J., Ju, J.H.,

Clarke, L., Inamdar, M.S., et al. (2017). Report of the International Stem Cell Banking

Initiative workshop activity: current hurdles and progress in seed-stock banking of

human pluripotent stem cells. Stem Cells Transl. Med. *6*, 1956–1962.

Knoppers, B.M., and Isasi, R. (2010). Stem cell banking: between traceability and

identifiability. Genome Med. *2*, 73

Kobayashi, N., Lenz, K., and Masuya, H. (2016). RIKEN MetaDatabase: a database

platform as a microcosm of linked open data cloud in the life sciences. In Joint

International Semantic Technology Conference. (Springer, Cham), pp. 99–115.

Kurtz, A., Seltmann, S., Bairoch, A., Bittner, M.S., Bruce, K., Capes-Davis, A.,

Laurence, D., Johannes, D., et al. (2018). A standard nomenclature for referencing and

authentication of pluripotent stem cells. Stem Cell Rep. *10*, 1–6.

Nishizawa, M., Chonabayashi, K., Nomura, M., Tanaka, A., Nakamura, M., Inagaki, A.,

Nishikawa, M., Takei, I., Oishi, A., Tanabe, K., et al. (2016). Epigenetic variation

between human induced pluripotent stem cell lines is an indicator of differentiation

capacity. Cell Stem Cell *19*, 341–354.

Sakurai, K., Kurtz, A., Stacey, G., Sheldon, M., and Fujibuchi, W. (2016). First proposal

of minimum information about a cellular assay for regenerative medicine. Stem Cells

Transl. Med. *5*, 1345–1361.

Sasaki, K., Makiyama, T., Yoshida, Y., Wuriyanghai, Y., Kamakura, T., Nishiuchi, S.,

Hayano, M., Harita, T., Yamamoto, Y., Hirose, S., et al. (2016). Patient-specific human

induced pluripotent stem cell model assessed with electrical pacing validates S107 as a

potential therapeutic agent for catecholaminergic polymorphic ventricular tachycardia.

PLoS One *11*. e0164795.

Seltmann, S., Lekschas, F., Müller, R., Stachelscheid, H., Bittner, M.S., Zhang, W.,

Luam, K., Anna, S., Anna, V., Stacey, G.N., et al. (2015). hPSCreg—the human

pluripotent stem cell registry. Nucleic Acids Res. *44*, D757–D763.

Takahashi, K., Tanabe, K., Ohnuki, M., Narita, M., Ichisaka, T., Tomoda, K., and

Yamanaka, S. (2007). Induction of pluripotent stem cells from adult human fibroblasts by

defined factors. Cell *31*, 861–872.

Thirumala, S., Goebel, W.S., Woods, E.J. (2009). Clinical grade adult stem cell banking.

Organogenesis *5*, 143–154.

Vasilevsky, N., Johnson, T., Corday, K., Torniai, C., Brush, M., Segerdell, E., Wilson,

M., Shaffer, C., Robinson, D., Haendel, M. (2012). Research resources: curating the

new eagle-i discovery system. Database *2012*, bar067.

Wells, C.A., Mosbergen, R., Korn, O., Choi, J., Seidenman, N., Matigian, N.A., Vitale,

A.M., Shepherd, J. (2013). Stemformatics: visualisation and sharing of stem cell gene

expression. Stem Cell Res. *10*, 387–395.

Winickoff, D.E., Saha, K., Graff, G.D. (2009). Opening stem cell research and

development: A policy proposal for the management of data, intellectual property, and

ethics. Yale J. Health Pol'y, L. & Ethics *9*, 52–127.

Yaffe, M.P., Noggle, S.A., and Solomon, S.L. (2016). Raising the standards of stem cell

line quality. Nat. Cell Biol. *18*, 236.

Zarzeczny, A., Scott, C., Hyun, I., Bennett, J., Chandler, J., Chargé, S., Heine, H., Isasi,

R., Kato, K., Lovell-Badge, R., et al. (2009). iPS cells: mapping the policy issues. Cell,

139, 1032–1037.

FIGURE TITLES and LEGENDS

Fig. 1: Web interface of ICSCB.

(A) The ICSCB search page. Any keyword related to cell lines (including cell line name,

disease name, gender, and so on) can be used to perform an instant search. (B) The

ICSCB results page. Matched or partially matched cell lines are listed according to

MIACARM terms. To check the details of the cell lines, the user can click on the stem cell

ID, which is linked to the original source of cell line information.

Fig. 2: **Details of cell lines collected by ICSCB**.

Cell line information is categorized as (A) stem cell type, (B) health/disease status of

donor, (C) country that established the cell lines, and (D) disease category.

Fig. 3: Overview of ICSCB.

ICSCB includes data from three stem cell registries and one cell bank in order to

maximize data coverage worldwide.

Fig. 4: Workflow of ICSCB data integration.

The SKIP and eagle-i databases were fully replicated from websites and imported to

MySQL (even when updating ICSCB), whereas hPSCreg and RIKEN BRC used a web

API and SPARQL for data collection, respectively. Cross-reference tables (Table 3)

were used when ICSCB integrated and standardized cell line data.

Fig. 5: Keyword search is automatically extended to all terms provided by the four

data resources even if a keyword is not included in standardized MIACARM

terms.

(A) Terms specific to each of the four data resources. (B) Even if the standardized

MIACARM terms do not contain, for example, "transgene", it is still possible to enter a

gene name into the keyword field (e.g., Sox2), which will lead users to results from the

four data resources with relevant information. The results of the match will be shown in

another row below the standardized fields.

B/R*	Stem cell bank or registry	Country	Website	Number of cell lines	If it has data included in ICSCB's registries (○: included, △: planned)		
					SKIP	eagle-i	hPSCreg
B	BLCB	Spain	https://p-cmrc.cat/	176			
R	hPSCreg	Germany	https://hpscreg.eu/	3360	○		
B/R	HipSci	United Kingdom	http://www.hipsci.org/	3720			○
B	EBiSC	Germany	https://ebisc.org/	897			○
B/R	CIRM / FUJIFILM	United States	https://fujifilmcdi.com/the-cirm-ipsc-bank/	1554			△
B	Harvard Stem Cell Institute	United States	http://stemcelldistribution.harvard.edu/	41			
B	NYSCF	United States	https://nyscf.org/	111		○	
B	NINDS Human Cell and Data Repository	United States	https://bioq.nindsgenetics.org/	162			
B	WiCell Research Institute	United States	https://www.wicell.org/	1519		○	△
B/R	eagle-i	United States	https://www.eagle-i.net/	2415	○		
B/R	RIKEN BRC	Japan	https://www.brc.riken.jp/en/	4102	○		
R	SKIP	Japan	https://skip.stemcellinformatics.org/	5770			
B	JCRB	Japan	https://cellbank.nibiohn.go.jp/	31	○		
B	Taiwan Human Disease iPSC Service Consortium	Taiwan	https://catalog.bcrc.firdi.org.tw/	102	○		
B	National Stem Cell Bank of Korea	Korea	http://kscr.nih.go.kr/	147			

* B, bank; R, registry

Table 1. Stem cell banks and registries worldwide (as of December 6, 2020)

MIACARM module	ICSCB term	hPSCreg	SKIP	RIKEN BRC	eagle-i
Stem cell general identification	Stem cell ID	stem cell id	stem cell id	CellID	cell line label
	Stem cell name	stem cell name	cell line name	CellName	cell line label
	Stem cell type	N.A.	cell type	cell grouping	cell line type
	Cell grade	N.A.	research grade	N.A.	N.A.
	Produced by	produced by	establisher name	originator	N.A.
	Provider/ distributor	distributor	establisher organization	depositor	cell line provider
	Reference publication	publication	pubmed ID	reference	N.A.
Donor identification	Gender of donor	gender	donor sex	gender	sex
	Ethnicity of donor	race	donor race	race	ethnicity
	Health status	health status	disease name	disease	diagnosed disease
Source cell identification	Source cell type	source cell type	N.A.	N.A.	N.A.
	Organ/tissue of origin of source cell	origin of source cell	organ/tissue of origin of source cell	N.A.	N.A.
Ethical operation	Informed consent from donor	N.A.	N.A.	description	N.A.
	MTA	N.A.	N.A.	description	N.A.
Data	Data Id	N.A.	N.A.	N.A.	N.A.
	Data type	N.A.	N.A.	N.A.	N.A.

N.A., not available.

Table 2. Cross-reference table for integration of four databases according to MIACARM module (as of December 6, 2020).

A

 ICSCB Integrated Collection of Stem Cell Bank data by MIACARM

Searching fields (16071 cell lines)

Field	Value	Field	Value
Keyword			
Data source	☑ All ☑ SKIP (5615) ☑ RIKEN BRC (3548) ☑ eagle-i (3548) ☑ hPSCreg (3360)		
Stem cell name	201B7	**Stem cell type**	ES Cell, iPS Cell
Cell grade	Clinical, Research	**Produced by**	Yamanaka
Provider/ distributor	Kyoto University	**Reference publication**	PMID
Gender of donor	Male, Female	**Ethnicity of donor**	African, Asian, Caucasian, Hispanic, Latino
Health status of donor	Parkinson	**Source cell type**	Fibroblast
Organ/tissue of origin of source cell	Skin		

--- Under Collection & Integration ---

Field	Value	Field	Value
Informed consent form donor	Research only	**MTA**	Available
Data Type (supplementary)	Gene expression	**Data ID (supplementary)**	SRP…
# of rows/page	5		Search

B

Data source	Source cell													Data	
	Stem cell production														
	Stem cell general identification						Donor identification			Source cell identification		Ethical operation			
	Stem cell ID	Stem cell name	Stem cell type	Cell grade	Produced by	Provider/ distributor	Reference publication	Gender of donor	Ethnicity of donor	Health status of donor	Source cell type	Organ/ tissue of origin of source cell	Informed consent from donor	MTA	Data ID	Data type
RIKEN BRC	HPS0045	HiPS-RIKEN-5A	Human iPS cell lines		Shimizu, Natsumi				Japanese	Wilson disease				Description: Disease specific iPS cell line derived from a patient : Wilson's disease (RCB0395 NCU-F8). Order Form (C-0042, C-0007 C-0007p).		

As of December 06, 2020

A **Stem cell type**

B **Health status of donor**

C

D

As of December 06, 2020

Databases	Registry/Bank(Country)	Countries from which data were acquired
SKIP	Registry(Japan) skip.stemcellinformatics.org/en/	Australia; Canada; China; Czech Republic; Denmark; Finland; Germany; Hungary; India; Iran; Israel; Italy; Japan; Netherlands; Poland; Russia; Singapore; Slovenia; South Korea; Spain; Sweden; Switzerland; Taiwan; Thailand; United Kingdom; United States.
RIKEN	Bank(Japan) www.riken.jp/en/	Japan*1
eagle-i	Registry(U.S.) www.eagle-i.net	United States*2
hPSCreg	Registry(EU) hpscreg.eu	Australia; Austria; Belgium; Brazil; Canada; China; Czech Republic; Denmark; Finland; France; Germany; Hungary; Hong Kong; India; Iran; Ireland; Israel; Italy; Japan; Luxembourg, Netherlands; Norway; Poland; Portugal; Qatar; Russia; Saudi Arabia; Singapore; Slovakia; Slovenia; South Korea; Spain; Sweden; Switzerland; Taiwan; Thailand; Turkey; United Kingdom; United States.

ICSCB

1. Related organization list: https://www.amed.go.jp/content/000043772.pdf
2. Participating institutions: :https://www.eagle-i.net/about/participating-institutions/

A

Keyword search

SKIP	eagle-i	hPSCreg	RIKEN BRC
stem cell id	cell line label	stem cell id	CellID
stem cell name	cell line type	stem cell name	CellName
cell type	cell line provider	produced by	cell grouping
research grade	sex	distributor	originator
produced by	ethnicity	publications	depositor
provider distributor	diagnosed disease	gender	reference
reference publications		race	gender
gender of donor		health status	race
race of donor		source cell type	disease
health status		source cell description	commonname
source cell type		origin of source cell	
organ tissue of origin of source cell			
in vivo differentiation assay			
in vitro differentiation			
cell morphology			
pluripotent marker			
karyotype assay			
CNV detail			
remaining vector detection test assay			
whole genome detail			
stem cell transcriptome analysis detail			
epigenetics detail			

B

ICSCB Integrated Collection of Stem Cell Bank data by MIACARM

	Source cell											
	Stem cell production											Source cell identification
	Stem cell general identification							Donor identification				
Data source	Stem cell ID	Stem cell name	Stem cell type	Cell grade	Produced by	Provider/distributor	Reference publication	Gender of donor	Ethnicity of donor	Health status ofdonor	Source cell type	Organ/tissue of origin of source cell
SKIP	SKIP000001	201B7	iPS Cell	Research Grade	Yamanaka, Shinya.	Center for iPS Cell Research and Application, Kyoto University	18035408 – 23300777 – 27073925 – 27161380	Female	Caucasian			Skin

CellLine:Transgene:Retrovirus, pMXs-Oct3/4, -Sox2, -Klf4, –c-Myc, pLenti6/UbC/V5-DEST, mouse Slc7a1