The Orbitofrontal Cortex in Temporal Cognition

Juan Luis Romero Sosa[1], Dean Buonomano[1-4]*, Alicia Izquierdo[1-3,5]*

[1]Department of Psychology, University of California-Los Angeles, Los Angeles, California, United States 90095

[2]The Brain Research Institute, University of California-Los Angeles, Los Angeles, California, United States 90095

[3]Integrative Center for Learning and Memory, University of California-Los Angeles, Los Angeles, California, United States 90095

[4]Department of Neurobiology, University of California-Los Angeles, Los Angeles, California, United States 90095

[5]Integrative Center for Addictions, University of California-Los Angeles, Los Angeles, California, United States 90095

*co-senior authors

Acknowledgements

We thank Madeline Valdez for her help with the literature search.

Funding

This work was supported by R01 DA047870 (Izquierdo) and UCLA Division of Life Sciences Retention Funds (Izquierdo).

Disclosure

There is no conflict of interest.

Corresponding author email: aizquie@psych.ucla.edu

33   **Abstract**

One of the most important factors in decision making is estimating the value of available options.
Subregions of the prefrontal cortex, including the orbitofrontal cortex (OFC), have been deemed essential
for this process. Value computations require a complex integration across numerous dimensions, including,
reward magnitude, effort, internal state, and time. The importance of the temporal dimension is well-
illustrated by temporal discounting tasks, in which subjects select between smaller-sooner versus larger-
later rewards. The specific role of OFC in telling time and integrating temporal information into decision
making remains unclear. Based on the current literature, in this review we reevaluate current theories of
OFC function, accounting for the influence of time. Incorporating temporal information into value
estimation and decision making requires distinct, yet interrelated, forms of temporal information including
the ability to tell time, represent time, create temporal expectations, and the ability to use this information
for optimal decision making in a wide range of tasks, including temporal discounting and wagering. We
use the term 'temporal cognition' to refer to the integrated use of these different aspects of temporal
information. We suggest that the OFC may be a critical site for the integration of reward magnitude and
delay, and thus important for temporal cognition.

Keywords: delay-discounting, timing, explicit timing, implicit timing, value learning, value-based decision

making, frontal cortex

Role of OFC in Learning and Decision making

The Orbitofrontal Cortex (OFC) has long been associated with the updating of stimulus–reward
associations (Jones & Mishkin, 1972; Klein-Flügge, Barron, Brodersen, Dolan, & Behrens, 2013; Ostlund
& Balleine, 2007) and with encoding the current value of rewards (Gottfried, Doherty, & Dolan, 2003;
Roesch, Taylor, & Schoenbaum, 2006; Tremblay & Schultz, 1999). Historically, one of the earliest
employed tasks that demonstrated the involvement of OFC in flexible learning and decision making was
the stimulus-reward reversal task (Mishkin, 1964). In this task, monkeys were trained to associate a specific
stimulus with a reward, over another stimulus that yielded no reward. After monkeys learned these
associations, reinforcement contingencies were reversed such that selecting the previously unrewarded
stimulus would now yield reward and vice versa. Monkeys with an intact OFC were able to quickly adapt
to the new reinforcement contingencies, whereas monkeys with aspiration lesions of OFC were impaired.
More recent investigations have resulted in the determination that primate posterior-lateral OFC (and its
widespread cortico-cortical connections with anterior insula, and lateral OFC) is a critical substrate of
reversal learning (Peter H. Rudebeck, Saunders, Prescott, Chau, & Murray, 2013; Sallet et al., 2020). Indeed
there is now also evidence of functional heterogeneity in rodent OFC in supporting reversal learning
(Hervig et al., 2019; Alicia Izquierdo, 2017; Verharen, den Ouden, Adan, & Vanderschuren, 2020), and
value updating (Bradfield, Dezfouli, van Holstein, Chieng, & Balleine, 2015; Gourley, Zimmermann,
Allen, & Taylor, 2016; Malvaez, Shieh, Murphy, Greenfield, & Wassum, 2019).

Another early seminal experiment introduced a phenomenon closely related to reversal learning:
"perseveration," or a failure to disengage from responding to previously rewarded stimuli (Rosenkilde,
Rosvold, & Mishkin, 1981). Perseveration has been a focal topic of many psychiatric and translational
studies because several human clinical disorders (substance use disorder, anxiety disorders, obsessive-
compulsive disorder, etc.) are characterized by "sticky" stimulus-reward associations (Ersche, Roiser,
Robbins, & Sahakian, 2008; Remijnse et al., 2006; Ruscio, Seitchik, Gentes, Jones, & Hallion, 2011). An
important factor related to both reversal learning and a perseverative phenotype is the causality assigned to
a stimulus as predictive of the reward, and indeed there is evidence that lateral OFC plays a crucial role in
such credit assignment (Akaishi, Kolling, Brown, & Rushworth, 2016; Noonan et al., 2010; Alexandra
Stolyarova, 2018; Walton, Behrens, Noonan, & Rushworth, 2011). OFC supports flexible solving of the
structural credit assignment problem, i.e., in determining *which* stimuli reliably predict reward (Akaishi et
al., 2016; Noonan et al., 2010). Yet it is also essential to consider how OFC may be involved in learning
conditions where there is a delay between the stimulus and the outcome, referred to as the temporal credit
assignment problem (Walsh & Anderson, 2011). Recently it has been proposed that OFC may contribute
to establishing causal relationships by signaling desirability of the outcome (Grossberg, 2018; P. H.

Rudebeck, Saunders, Lundgren, & Murray, 2017) likely via its connections to areas important in incentive

value in both rodent and primate species, such as the basolateral amygdala (Gallagher et al. 1999; Baxter

et al. 2000; Schoenbaum et al. 2003), ventral striatum (McDannald et al., 2012), and hypothalamus

(Petrovich & Gallagher, 2007). Thus, maintaining a causal stimulus-outcome relationship is necessary when

a delay between these two events is introduced. Still, it is not well-understood precisely how OFC, or

prefrontal cortex generally, supports this ability. Eligibility traces have been proposed as ways to encode

delays in reinforcement learning (Sutton & Barto, 1998) and are thought to decay exponentially. OFC could

contribute this eligibility trace, although as we note later detail, most discounting models rely on hyperbolic,

not exponential, functions in their descriptions. Below we will discuss the possibility that OFC is critical in

providing a combined statistic that incorporates both value and time into learning and decision making. As

such, it is predicted to be critical in solving the temporal credit assignment problem as well.

98   Other studies that demonstrate the involvement of OFC in value-based decision making employ

reinforcer devaluation procedures (A. Izquierdo, Suda, & Murray, 2004; Pickens et al., 2003; West,

DesJardin, Gale, & Malkova, 2011). Such methods usually involve degrading the value of a specific reward

by overfeeding the animal to satiety with it (or pairing the reward with an aversive outcome, like illness),

and then testing if the subject can update the value of the cue(s) or stimuli associated with that reward. In

these experiments, OFC (and amygdala) must be online to encode the new value via experience of the

overfeeding, and respond appropriately during testing (West et al., 2011; Zeeb & Winstanley, 2013), c.f.

(Fisher, Pajser, & Pickens, 2020). Relevant to our discussion here, for devaluation of a specific reward to

occur via satiety, the integration of a largely disproportionate reward magnitude over time is needed.

107   Another prominent observation is the recruitment of OFC in economic decisions, e.g., value

computation depends on other options available for choice, which is correlated with OFC signaling. Early

single-unit recording experiments conducted in primate OFC resulted in the demonstration that a subset of

neurons fired selectively to different rewards (Rosenkilde, Bauer, & Fuster, 1981), as well as their relative

value (i.e., preference), associated with their sensory specificity or unique identities (Thorpe, Rolls, &

Maddison, 1983; Tremblay & Schultz, 1999). Padoa-Schioppa and Assad (2006) later showed that the firing

rate of OFC neurons corresponds to the economic value of offered and chosen rewards in monkeys, with a

similar relationship recently reported in mouse OFC (Kuwabara, Kang, Holy, & Padoa-Schioppa, 2020).

Importantly, unlike primates (Rushworth, Noonan, Boorman, Walton, & Behrens, 2011), in rats a choice

between offers does not rely on either medial or lateral OFC (M. P. Gardner et al., 2018; M. P. H. Gardner,

Conroy, Shaham, Styer, & Schoenbaum, 2017) unless there is a need for a value update or new information

about outcome value, assessed by pre-feeding rats to devalue the outcome (M. P. H. Gardner, Conroy,

Sanchez, Zhou, & Schoenbaum, 2019).

Collectively, these lines of research demonstrate the importance of OFC in encoding and updating
reward but do not explicitly address the contribution of time to decision making. Next, we review the
importance of the temporal dimension in decision making and examine the role of OFC in integrating
temporal information into value-based decisions.

Importance of Timing in Naturalistic Decision Making

A fundamental dimension of decision making pertains to time. Humans and other animals prefer
earlier rewards over later rewards of the same magnitude, and often smaller-immediate rewards over larger-
later rewards. This phenomenon is known as temporal or delay discounting. In the human literature,
temporal discounting is often exemplified by the observation that people tend to choose an immediate
reward of $100 over a reward of $120 in one month. Interestingly, however, when the same values are
placed in the distant future, there is a shift towards more patient preferences: more people choose a $120
option in 13 months versus $100 in 12 months (Frederick, Loewenstein, & O'Donoghue, 2002). These time-
dependent decisions are presumably rooted in millions of years of evolutionary pressures for animals to
adapt to unique foraging and ecological niches (Murray, Wise, & Rhodes, 2011). Time is a unique resource
to all animals as optimal behavior is guided by species- and niche-specific temporal contingencies (Stevens,
Hallinan, & Hauser, 2005; Stevens, Rosati, Ross, & Hauser, 2005). For example, brief bouts of foraging
for small rewards may decrease the time an animal is exposed to predators, and the amount of energy spent.
Similarly, predators must balance the time invested in waiting for prey in a given location and when to "cut
its losses." These processes have been studied by many groups as the explore-exploit tradeoff, for example,
in the context of balancing the maximization of information (i.e., knowing where the reward patches are;
explore) versus maximizing reward at known patches (i.e., exploit) (Addicott, Pearson, Sweitzer, Barack,
& Platt, 2017; Costa & Averbeck, 2020; Gonzalez & Dutt, 2011).

The importance of time as both a resource and a modulator of value implies that decision making
must take place in the context of numerous time-dependent factors, including the overall temporal structure
of expected reward delays, reinforcement history, replenishment time, and urgency (e.g., current internal
states such as hunger or fear of predators). Thus, the brain must first be able to tell time across multiple
time scales, store this information, and then integrate it into value computations and decision making.
Together we will refer to this array of time-dependent computations as *temporal cognition*. And we propose
that circuits involved in decision making, including various areas of the prefrontal cortex, including the
OFC, must have access to timing information and perform computations based on the interaction of
nontemporal and temporal dimensions, such as the ratio of reward magnitude over delay-to-reward.

Keeping Time vs. Using Temporal Information

The importance of time to sensory processing, animal behavior, and decision making involve many

distinct but interrelated temporal computations, including, telling time (i.e., measuring elapsed time),

generating well-timed motor responses, and creating temporal expectations, as well as learning,

representing, and storing temporal relationships (Paton & Buonomano, 2018). Together all these

components are important for cognitive tasks such as temporal discounting or deciding to stay in, or leave,

a reward patch (temporal wagering).

At the first level, temporal cognition requires that the brain have mechanisms to tell time, that is,

"clocks" or "timers" that allow animals to distinguish between short and long reward delays, anticipate the

arrival of a reward, and decide when to abandon a reward patch. The ability to tell time, and the underlying

neural underpinnings, are often studied in the context of explicit and implicit timing tasks (Ameqrane,

Pouget, Wattiez, Carpenter, & Missal, 2014; J. T. Coull & Nobre, 2008; A. C. Nobre, Correa, & Coull,

2007). Explicit timing (**Figure 1A)** refers to tasks in which timing is explicitly required for completion of

a task, such as discriminating auditory tones of an 800 ms versus a 1000 ms stimulus, generating

differentially delayed motor responses in response to two different sensory cues, or producing intricate

temporal motor patterns (Slayton, Romero-Sosa, Shore, Buonomano, & Viskontas, 2020; Wang, Narain,

Hosseini, & Jazayeri, 2018; Wright, Buonomano, Mahncke, & Merzenich, 1997). Implicit timing tasks

(**Figure 1B**) refer to those for which in principle it is not necessary to track time to perform the task but

rather learning the temporal structure of the task can improve performance (J. T. Coull & Nobre, 2008;

Anna C. Nobre & van Ede, 2018). For example, in a simple foreperiod reaction time task, humans learn the

interval between the "ready" and "go" cues, even though they simply need to respond to the go cue (Niemi

& Näätänen, 1981). Indeed, humans and animals create a temporal expectation based on the history of the

task structure that is built-up across trials, and when target stimuli appear at the expected time, performance

is improved and reaction time decreased (Cravo, Rohenkohl, Santos, & Nobre, 2017; Janssen & Shadlen,

2005; van Ede, Niklaus, & Nobre, 2017).

A long-standing challenge has been to identify which parts of the brain are involved in both explicit

and implicit timing, along with the neural mechanisms by which neural circuits tell time. One hypothesis

is that most neural circuits have the ability to tell time if the computations those areas are involved in are

time-dependent or require temporal information (Paton & Buonomano, 2018). Consistent with this

hypothesis, a large number of different brain areas have been implicated in timing across a wide range of

explicit and implicit tasks, including the cerebellum, striatum, parietal cortex, hippocampus, motor cortex,

sensory cortex, and prefrontal cortex (Buhusi & Meck, 2005; Jennifer T. Coull, Cheng, & Meck, 2011; Issa,

Tocker, Hasselmo, Heys, & Dombeck, 2020; Mauk & Buonomano, 2004; Merchant, Harrington, & Meck,

2013; Paton & Buonomano, 2018).

While it remains an open question which areas are causally responsible for timing in different tasks,

there is significant evidence that different subregions of the PFC contribute to explicit timing (Bakhurin et

al., 2017; Emmons et al., 2017; Kim, Ghim, Lee, & Jung, 2013; Kim, Jung, Byun, Jo, & Jung, 2009; Xu,

Zhang, Dan, & Poo, 2014). For example, mPFC inactivation significantly impaired performance on a

bisection task in which rats had to classify intervals as short or long (Kim et al., 2009). Additionally, large-

scale extracellular recordings in OFC during a reward anticipation task, revealed a robust neural code for

elapsed time from cue onset to reward (Bakhurin et al., 2017).

Figure 1. Examples of timing and temporal cognition tasks. A. In an explicit timing task, a mouse learns
the reward delay associated with each cue and produces anticipatory licking during the appropriate cue-
specific interval. **B.** In an implicit timing task each trial may be initiated by a cue (green or red), and humans
are asked to respond to a white square. In valid trials each cue is associated with a short or long delay, but
in a small number of invalid trials the relationship is reversed. Reaction times are faster in the valid trials
even though the task simply requires responding to the target. **C.** Temporal discounting tasks require
animals to select between a smaller-sooner reward versus a larger-later reward. Whereas the delay to the
small reward remains at 10 s, typically the delays to the larger reward increase in trial blocks from 10s, 20s,
40s, up to 60s. **D.** Temporal wagering tasks require animals to wait for variable delay reward following
discrimination (i.e., categorization) of an uncertain stimulus. Longer wait times are generally associated
with certainty, a proxy for confidence. Importantly, animals can abort the trial at any time during the delay,
an outcome generally associated with uncertainty. **E.** Temporal distribution tasks require animals to
discriminate between options with different distributions of reward delays. In this example, animals initiate
a trial (central white square), then choose between stimuli associated with the same mean wait time ($\mu=10s$)
but different standard deviation of delays (σ either 1s or 4s).

Overall, these findings are consistent with the notion that the PFC in general, and OFC in particular,

contribute to telling time. But here we suggest that decision making requires temporal computations that

extend beyond the traditional dichotomy of explicit vs. implicit timing. While standard decision making

tasks often clearly include explicit and implicit timing components, decision making also requires

integration of numerous time-dependent parameters. Next, we review evidence that OFC plays a crucial

role in this temporal cognition.

215   OFC and Temporal Discounting

Temporal discounting tasks (**Figure 1C**) typically involve offering subjects two options, one that

yields a large magnitude reward and another a smaller reward (Mazur, 1987, 2007; Mazur & Biondi, 2009;

Rodriguez & Logue, 1988). Generally, in animal studies, both options are initially associated with the same

short reward delay, and as the task continues, the delay to the larger reward increases until the subject

consistently chooses the smaller reward over the larger reward. The point at which the value of the larger-

later reward is chosen equivalently to the smaller-sooner option is referred to as the indifference point in

which the increased value based on reward magnitude is counterbalanced by the negative impact of

increased wait time. The study of delay discounting dates back to behavioral studies in pigeons conducted

in the late 1960s and early 1970s (Ainslie, 1974; Chung, 1965; Mazur, 1987; Rachlin & Green, 1972;

Rodriguez & Logue, 1988). The temporal discounting rate was often modeled by adjusting the delay, but

some groups also varied the amount of reward at specific delays (Mitchell, 1999; Richards, Mitchell, de

Wit, & Seiden, 1997; Richards, Zhang, Mitchell, & de Wit, 1999). Temporal discounting is generally best

fit by the so-called hyperbolic model of temporal discounting (K Namboodiri, Mihalas, Marton, & Hussain

Shuler, 2014; Kirby, 1997; Madden, Begotka, Raiff, & Kastern, 2003; Mazur, 1987; Rachlin, Raineri, &

Cross, 1991; Reynolds & Schiffbauer, 2004; Richards et al., 1997; Richards et al., 1999; Rodriguez &

Logue, 1988). Specifically, the subjective value (V) of a reward is defined both by its magnitude (q) and

reward delay (d): $V = \frac{q}{(1+Kd)}$, where K is the rate of temporal discounting. Note that according to this

standard formulation, animals must 1) have an internal neural timer that allows them to measure the delay

d; and 2) perform a computation that involves the ratio between magnitude and delay.

Since it has been established that OFC is involved in encoding the current value of reward, we

further propose that OFC is embedded in a network that has access to elapsed time and can utilize this

information to integrate magnitude and delay information dynamically. Indeed there is significant evidence

that OFC is involved in temporal discounting in humans (Sellitto, Ciaramelli, & di Pellegrino, 2010),

monkeys (Hosokawa, Kennerley, Sloan, & Wallis, 2013), and rats (Mar, Walker, Theobald, Eagle, &

Robbins, 2011; Mobini et al., 2002; Peter H. Rudebeck, Walton, Smyth, Bannerman, & Rushworth, 2006).

OFC lesions in both primates and rodents lead to an increase in impulsive responses in delay discounting

tasks, i.e., a preference for smaller-sooner over larger-later rewards (Hosokawa et al., 2013; Kheramin et

al., 2003; Mobini et al., 2002; Peter H. Rudebeck et al., 2006; Sellitto et al., 2010). However, some studies

have reported that lesions of OFC lead to either no effect on choice (Abela & Chudasama, 2013; Mariano

et al., 2009) or even increases in patient responses, i.e., an increase in larger-later choices (Winstanley,

Theobald, Cardinal, & Robbins, 2004), with a special role for medial OFC (Mar et al., 2011).

Overall these studies suggest OFC lesions often result in more impulsive behavior. Factors

contributing to this phenotype could indicate that: 1) OFC is involved in the inhibitory control necessary

for delaying short-term gratification; 2) value calculations in the absence of OFC result in very strong

temporal discounting because delays are overweighted; and 3) although less likely, it is possible that in the

absence of OFC, the neural timers could be accelerated leading to overestimates of the actual delay—again,

effectively overweighting delays. However, as mentioned above, at least two studies have reported that

OFC lesions (medial OFC lesions, in particular) can shift behavior towards more patient choices. We next

examine the potential methodological differences that might contribute to these discrepancies and further

elucidate the role of OFC in temporal discounting and temporal cognition.

Methodological differences in probing OFC in temporal discounting

Comparing several studies conducted on this topic in rat OFC, there appear to be no systematic

differences in pre- versus post-training lesion methods that fully account for the pattern of mixed behavioral

effects summarized above. Some groups administered pre-lesion training (Mar et al., 2011; Mariano et al.,

2009; Peter H. Rudebeck et al., 2006; Winstanley et al., 2004), while in other studies all learning and testing

phases were performed following OFC lesions (Abela & Chudasama, 2013; Kheramin et al., 2003; Mobini

et al., 2002). Additionally, some groups investigated temporal discounting in mazes (Mariano et al., 2009;

Peter H. Rudebeck et al., 2006), others in operant chambers with levers (Kheramin et al., 2003; Mar et al.,

2011; Mobini et al., 2002; Winstanley et al., 2004) or stimuli on touchscreens (Abela & Chudasama, 2013).

All but one study segregated the options spatially, instead requiring animals to associate visual cues with

smaller-sooner versus larger-later rewards (Mariano et al., 2009). The results from Mariano et al. (2009)

are intriguing for this reason: when rats are provided with cues during the delay period, OFC lesions do not

result in an impairment in temporal discounting. This suggests that OFC may not be needed for decisions

when there is a constant, salient reminder of cue-delay (or cue-outcome) associations. We discuss the

importance of cues in delay-based decisions in the next section. Finally, most studies report near-identical

stereotaxic coordinates for targeting whole OFC, and judging by the estimates of damage in many of these
reports, there do not appear to be clear-cut differences in medial versus lateral OFC reconstructions that
could explain the discordant behavioral effects. Notably, one group systematically compared medial and
lateral OFC in temporal discounting and found that whole OFC lesions transiently rendered animals delay-
averse (yet recovered with training), medial OFC lesions made animals delay tolerant, and lateral OFC
lesions produced a delay-averse, impulsive phenotype (Mar et al., 2011), indicating there is functional
heterogeneity in rat OFC for temporal discounting, as with other domains like reversal learning (Alicia
Izquierdo, 2017).

In the only experiment reporting a more patient phenotype following whole OFC lesions
(Winstanley et al., 2004), the lesions occurred after extensive pretraining on a temporal discounting task;
the most of any study we reviewed. Additionally, a very long delay to the larger-later option was
administered in this study: a maximum of 60 sec, compared to delays in the range of 10-30 sec in most
other reports. And finally, this was one of the few studies where rats were (pre)trained on an integrated
magnitude and delay experience within the same session. The majority of other studies (whether pre- or
post-training lesions were administered) usually imposed far less training, fewer trials within each session,
and trained rats to discriminate reward magnitudes *before* delays; separately not concurrently (Abela &
Chudasama, 2013; Mariano et al., 2009; Peter H. Rudebeck et al., 2006). Whether animals are trained
separately on magnitude versus delay (and the degree to which they have this experience with OFC online)
may fundamentally change performance on temporal discounting. Indeed, Kheramin et al. (2003) derived
linear functions based on choice of d_A (the unchanging, low magnitude reward option) versus d_B (the
increasing delay, higher magnitude reward option), and found that their slopes were significantly steeper
following OFC lesions, yet the intercept did not differ significantly between the groups. A later
investigation (Kheramin et al., 2005) surmised that the parameter specifying absolute reward value was
lower in OFC-lesioned animals, potentially decreasing the ability to discriminate relative reward value. One
explanation for the effects observed by Winstanley et al. (2004) is that delay tolerance occurs because rats
have already robustly learned to integrate delay time into the value calculation, and that after OFC lesions
value estimates in downstream areas underweigh the delay because of the absence of properly integrated
magnitude/delay input from OFC as it changes. OFC lesioned animals have, in effect, a deficit in updating
values as the large reward delays are increased from zero to longer delays—i.e., animals essentially
perseverate at the cues associated with larger rewards.

As further evidence of a role for OFC in integrating reward magnitude and delay, a modified model
by Ho, Mobini, Chiang, Bradshaw, and Szabadi (1999) was used to analyze temporal discounting data
following OFC lesions by (Kheramin et al., 2003). These groups proposed that the value of the reward (V)

can be determined by the multiplicative combination of hyperbolic discounting functions for all the salient

features of the reward. For the experiments described above this would be magnitude (*q*) and delay (*d*),

(this was also extended to include probability or uncertainty in the original formulation): $V = \frac{1}{(1+Q/q)} *$

$\frac{1}{(1+Kd)}$, where the discounting parameters *Q* and *K* refer to the rat's sensitivity to reward magnitude and

delay, respectively. This model can explain how lesions to OFC can produce a combined effect on two

discounting parameters that work in opposition, when for example there is a tradeoff between magnitude

versus delay. Collectively, the data and theory point to an integration of these parameters in OFC where

delay aversion or tolerance phenotypes largely depend on whether and how much animals had experience

with integration of these features before OFC was taken offline. This is consistent with neural recording

studies where both the encoding of time-discounted rewards and encoding of absolute reward value are

found in OFC (Roesch et al., 2006).

Neural responses in OFC to reward magnitude and time

As described earlier, several electrophysiological studies in primates point to reward (outcome)

value encoding in OFC. In these studies, neuronal activity in OFC is found to be high during presentation

of a particular taste-odor pairing when the animal is hungry, but is decreased once the animal is fed to

satiety (Critchley & Rolls, 1996; Rolls, Sienkiewicz, & Yaxley, 1989). Neuroimaging studies in human

subjects support the idea that neurons in OFC signal sensory-specific satiety (Kringelbach, O'Doherty,

Rolls, & Andrews, 2003; O'Doherty et al., 2000): OFC activity only decreases when subjects are shown

stimuli associated with the devalued food. Though there appears to be a dynamic value coding in OFC, is

this represented at the single-cell level or the population level?

There are different explanations for how value may be represented in OFC, and we provide only a

brief discussion here focused on its relevance to the representation of time. One possibility is that there is

a "common scale" in OFC (a combined or multiplexed representation of value), coded as single unit activity

(Montague & Berns, 2002). There is some evidence suggesting that single-cell activity does encode reward

value in this way in OFC in primate (Roesch & Olson, 2005), rat (Hirokawa, Vaughan, Masset, Ott, &

Kepecs, 2019; Simon, Wood, & Moghaddam, 2015) and in a pigeon functional analog of mammalian

prefrontal cortex (Kalenscher et al., 2005). There is other evidence that value is stored as a population code

based on electrophysiological studies in in rodents (Roesch et al., 2006; van Duuren, Lankelma, & Pennartz,

2008) and primates (Martin O'Neill & Schultz, 2010). This explanation falls in line with recent theoretical

work (Buonomano & Maass, 2009; Fusi, Miller, & Rigotti, 2016) suggesting that single cell activity may

appear to code certain attributes (i.e., time, magnitude), but that in effect it is the population activity as a

whole coding such value. This is supported by studies that have conducted single cell recordings and then

used population analyses to find that both instances code for reward value (Stott & Redish, 2014; van

Duuren et al., 2009). Indeed, a recent study of both population and single unit activity in various PFC

regions in nonhuman primate brain showed stimulus identity and current value codes in OFC at the

population level and similar selectivity at the single-unit level (Hunt et al., 2018).

There are a handful of neural recording studies that demonstrate a correlation of elapsed time and

both single cell and population activity in OFC. For example Hosokawa et al. (2013) demonstrated that

single cell activity in primates undergoes larger changes in firing rate for delay-based tasks than for effort

based tasks, indicating selectivity for this cost type that parallels the interference/lesion studies (Bailey,

Simpson, & Balsam, 2016; Peter H. Rudebeck et al., 2006). Additionally, Roesch et al. (2006) showed that

single units in rat OFC signal reward magnitude (large vs. small) and delay (short vs. long), but found no

correlation between these signals. On this basis, authors concluded OFC does not integrate both magnitude

and delay into a single representation (or 'common currency') of value, yet the task in this study did not

explicitly require animals to integrate them, but rather separately presented delay and magnitude options in

different blocks of trials. It should be noted that OFC may be especially important when there are discrete

stimuli or cues associated with time and magnitude options, and it is perhaps in these situations where there

is needed integration. In support of this, Roesch and Olson (2005) showed that activity in primate OFC

does reflect the value of time (i.e. demonstrates integration) when cue-outcome associations are strong.

Collectively, the evidence reviewed above affirm the importance of cues/stimuli in the ability of OFC to

integrate magnitude and time. As reviewed above, and following results from Mariano et al. (2009), this

suggests that OFC is not needed when cues are always present to signal delays or changes in delays. OFC

may provide an eligibility trace to link the appearance of cues with their associated outcomes through delay

periods during which cues must be represented in memory.

OFC and Temporal Wagering

Another example of a decision making task that relies heavily on temporal cognition is the temporal

wagering task (**Fig 1D**), which are often conducted in rodents, humans, and nonhuman primates (De

Martino, Fleming, Garrett, & Dolan, 2013; Kepecs, Uchida, Zariwala, & Mainen, 2008; Middlebrooks &

Sommer, 2012; Rolls, Grabenhorst, & Deco, 2010). In rodent temporal wagering tasks, animals are

presented with perceptually ambiguous stimuli that they must categorize and report through a motor

response. Following this response, a measure of confidence is estimated by how long they are willing to

wait for the reward before they abort the current trial and reinitiate another. In these so-called post-decision

wagering tasks, not surprisingly, animals wait longer for reward on trials with easier sensory discrimination

stimuli—i.e., where they are more certain of their decision, and they are quicker to abort/reinitiate a trial

when the stimuli are more uncertain. In rat studies, these stimuli can be visual (A. Stolyarova et al., 2019),

olfactory (Lak et al., 2014), or auditory (Brunton, Botvinick, & Brody, 2013). In a study by Lak et al.
(2014), rats received a mixture of two distinct odors at different ratios and were required to enter a nose
port representing the odor that was present at a higher concentration (**Figure 1D**). Highest uncertainty in
the task corresponded to trials in which odors were mixed in nearly equal proportions (48%-52%). Once
rats made their response by entering the nose port, they were to stay there for a variable delay between 0.5
and 8 seconds. At any point, the rat could leave the nose port to end the trial and start a new one (indicating
low confidence). In this manner, the amount of time the rat persisted in the port is a read-out of their
confidence. After a high level of performance was established, investigators inactivated OFC with a
$GABA_A$ agonist and found no effect on decision accuracy, but found a selective decrease in rats' willingness
to wait (measured by the normalized waiting time), i.e., the proxy of decision confidence. There is now
evidence that both OFC and anterior cingulate cortex mediate decision confidence reports in rats.
Interestingly, a recent study by our group (A. Stolyarova et al., 2019) found that both time wagering and
reaction times to report/categorize the stimulus, though anticorrelated, reflect the certainty of the stimuli.
Yet only the post-decision wagering time, not reaction time to report, is disrupted by inactivation of anterior
cingulate cortex. It would be interesting to determine if OFC similarly participates in this specific way.

Temporal wagering tasks provide an interesting example of temporal cognition because it requires
that animals not only maintain a running estimate of elapsed wait time, but integrate this time with the
certainty of their decision. Many interesting questions arise regarding this process. For example, does
integration happen right after the decision is made by setting a wait threshold that is a function of certainty,
and animals abort the trial when this threshold is reached? Or rather, is there an ongoing evaluation of
certainty and elapsed time, and perhaps other factors such as hunger and motivation, during the wait period?
These are questions for future inquiry.

OFC and Temporal Distributions

A final example of a temporal cognition task relates to the ability to not simply measure and
represent the mean reward delays, but to encode the distribution those delays. Li and Dudman (2013)
developed a novel learning task in which mice were required to approach the reward port for a water reward;
the time delay between lever press and water delivery was drawn from a Gaussian probability function, and
the SD selected to be narrow-to-wide (SD= 50, 750, and 2,000 ms), each with the same mean reward delay
of 3 s. Interestingly, the authors found that mice use recent reward trials to infer a model of reward delay,
and accumulate timing information over tens of trials to do so. In a rat study by Alexandra Stolyarova and
Izquierdo (2017), subjects were given hundreds of trials of experience discriminating freely between two
visual stimuli: choice of S_A resulted in delay-to-reward intervals with a narrow wait time distribution (10
sec $\pm$ 1 SD) and choice of S_B resulted in the same mean wait time on average, but a wider wait time

distribution (10 sec $\pm$ 4 SD) (**Figure 1E**). Aside from recording S_A and S_B subjective values (i.e. rats'

choices as nosepokes on the stimuli) over time, given longitudinal experience with these stimulus-delay

associations, animals were also able to indicate their expectations about reward delivery, tracked

experimentally by their reward port entries (i.e., the time at which, at any point in the trial, rats checked for

reward). An analysis of reward port entry times revealed that rats, similar to mice, could reproduce the

variance of wait times associated with individual stimuli. However, rats with ventral OFC lesions instead

concentrated their reward port collection around the mean delay, indicating they lost an accurate

representation of the SD, though importantly SHAM-operated rats were able to match the true distributions

of those delays. The fact that rats retained a representation of the mean suggests that OFC is not needed to

form simple outcome expectations based on long-term experience, but that instead it is required to

accurately learn and/or represent the full temporal structure of the task over many trials (Alexandra

Stolyarova & Izquierdo, 2017). Since rats received lesions of OFC prior to any training on delays, it may

be of interest in future work to understand if OFC perturbation would similarly produce these changes in

performance if delays were learned beforehand.

Since OFC is implicated in supporting appropriate response to changes in reward, we also sought

to test how animals would respond to changes in those delay distributions (waiting less time than expected,

or "upshifts" vs. waiting longer than expected, or "downshifts"). Following these manipulations, we found

that experience with wider delay distributions facilitated rats' learning for upshifts, whereas the narrower

distributions facilitated rats' learning the downshifts. This is likely accounted for by the hyperbolic shape

of delay discounting, discussed above. We also surmised that positive, surprising events (i.e. near-

immediate rewards when unexpected) could boost learning more strongly than negative ones. Collectively,

our results provide further evidence that the representations of expected outcomes in (ventral) OFC contain

information about variability in outcomes. This, we think, would allow an animal to detect changes if the

events violate expectations, and indeed if these changes are meaningful and require behavioral updates

(Alexandra Stolyarova & Izquierdo, 2017). These findings also fit within the broader literature implicating

both ventral and lateral sectors of rat OFC in delay discounting, outcome prediction, and decision

confidence (reviewed in (Alicia Izquierdo, 2017)). Learning the temporal structure of a task or temporal

distributions also allows for preparation of the motor system, which manifests into faster or more consistent

reaction times (MÜller-Gethmann, Ulrich, & Rinkenauer, 2003), and also allows adaptation to changing

environments (Li & Dudman, 2013). Like the involvement of OFC in temporal discounting and wagering,

it is less likely that OFC is involved in timing *per se* but rather the integration of timing and expected

reward.

A potentially interesting parallel is the proposal that midbrain dopamine drives and enhances

"anticipatory value" during reward delay periods, and areas of MFC track this value (Iigaya, Story, Kurth-

Nelson, Dolan, & Dayan, 2016). Others have similarly theorized that while reward prediction errors (RPEs)

are signaled clearly by dopamine transients (Schultz, 1986; Schultz, Apicella, & Ljungberg, 1993; Sharpe

et al., 2017; Y. K. Takahashi et al., 2017), OFC does not itself signal RPEs (Stalnaker, Cooch, &

Schoenbaum, 2015; Stalnaker, Liu, Takahashi, & Schoenbaum, 2018; Yuji K. Takahashi, Langdon, Niv, &

Schoenbaum, 2016). OFC may instead be critical in constructing *expected uncertainty*, or the variance of

value over repeated trials, as demonstrated by interference techniques (Soltani & Izquierdo, 2019;

Alexandra Stolyarova & Izquierdo, 2017). Formally, we have defined this as the absolute value of an option,

sampled over many trials (Soltani & Izquierdo, 2019). Instead of RPEs signaled on a trial-by-trial basis,

OFC may be causally involved in representing the variance of time-to-reward over the entire session, or

longer (i.e. across sessions). Previous versions of this argument have been put forward for OFC's

involvement in risk, or expected probabilities (M. O'Neill & Schultz, 2015).

Conclusion

In this review, we highlight that decision making and value determination require a complex

integration of information across many dimensions, and that the temporal dimension is of particular

relevance because time itself is a valuable resource. Thus it is important to consider the need to measure

elapsed time, generate anticipatory responses, create temporal expectations, encode previously experienced

reward delays, and evaluate urgency, in decision making—we refer to the integration of these time-

dependent factors as *temporal cognition*. We review evidence for the involvement of OFC in temporal

cognition, and more specifically propose that the OFC contributes to the dynamic integration of reward

magnitude and delay. Additionally, we note that the representation of time used to calculate value may be

distinct to that of traditional timing tasks (i.e., explicit and implicit timing). The main difference is that time

is not being used to simply measure a delay or generate an expectation, but rather to learn and respond to

changes in the reward environment, and build a dynamic representation of value. Examples of tasks that

require temporal cognition include temporal discounting, temporal wagering, and temporal distribution

learning, all of which we show here depend, to some degree, on the OFC, as summarized in **Table 1**.

We emphasize the need for future studies that systematically manipulate the level of integration of

magnitude and delay and probe OFC involvement. For example, if delays are discriminated separately from

magnitude, is OFC similarly important as when delays and magnitude are learned in combination?

Additionally, what systems support this multiplexing of magnitude and delay for a 'common currency' in

OFC? Amygdala and striatum are excellent candidates, yet circuit mapping is needed to determine this.

Another area of research that may prove worthwhile would be to determine the functional heterogeneity of

temporal cognition in OFC, as several groups have discovered rich differences in medial versus lateral OFC

in other forms of cognition.

Table 1. *Orbitofrontal Cortex in Temporal Cognition*

Process/Task	Description	Species	Method	Finding
Explicit Timing	Discriminating between time intervals of different lengths	Humans Rodents	Optogenetic inhibition, electrophysiological recordings	Inhibition of OFC impairs the ability to discriminate between two intervals. Population recordings in OFC show neural code for elapsed time
Implicit Timing*	Learning the temporal structure of a task improves subsequent performance	Humans	Psychophysics	Enhanced performance when the stimulus-target interval matches the expected interval
Temporal Discounting	Choosing between a smaller, sooner vs. larger, later reward	Humans Monkeys Rodents	Lesions, transient inactivations, and electrophysiological recordings	OFC lesions mostly result in delay-aversion; mixed results depend on experience integrating reward magnitude and time, and presence of cues
Temporal Wagering	Post-decision waiting for reward vs. aborting/reinitiating the trial	Humans Monkeys Rodents	Lesions, transient inactivations, and electrophysiological recordings	OFC inactivation impairs willingness-to-wait (decision confidence) without affecting decision accuracy
Temporal Distributions	Discriminating different delay distributions	Rodents	Lesions	OFC lesions produce a decreased ability to accurately represent variability in reward outcomes

472   *No known experiments specifically testing the role of OFC in implicit timing.*

References

Abela, A. R., & Chudasama, Y. (2013). Dissociable contributions of the ventral hippocampus and orbitofrontal cortex to decision-making with a delayed or uncertain outcome. *Eur J Neurosci, 37*(4), 640-647. doi:10.1111/ejn.12071

Addicott, M. A., Pearson, J. M., Sweitzer, M. M., Barack, D. L., & Platt, M. L. (2017). A Primer on Foraging and the Explore/Exploit Trade-Off for Psychiatry Research. *Neuropsychopharmacology, 42*(10), 1931-1939. doi:10.1038/npp.2017.108

Ainslie, G. W. (1974). Impulse Control in Pigeons. *Journal of the Experimental Analysis of Behavior, 21*(3), 485-489. doi:10.1901/jeab.1974.21-485

Akaishi, R., Kolling, N., Brown, J. W., & Rushworth, M. (2016). Neural Mechanisms of Credit Assignment in a Multicue Environment. *The Journal of Neuroscience, 36*(4), 1096. doi:10.1523/JNEUROSCI.3159-15.2016

Ameqrane, I., Pouget, P., Wattiez, N., Carpenter, R., & Missal, M. (2014). Implicit and Explicit Timing in Oculomotor Control. *PLoS ONE, 9*(4), e93958. doi:10.1371/journal.pone.0093958

Bailey, M. R., Simpson, E. H., & Balsam, P. D. (2016). Neural substrates underlying effort, time, and risk-based decision making in motivated behavior. *Neurobiol Learn Mem, 133*, 233-256. doi:10.1016/j.nlm.2016.07.015

Bakhurin, K. I., Goudar, V., Shobe, J. L., Claar, L. D., Buonomano, D. V., & Masmanidis, S. C. (2017). Differential Encoding of Time by Prefrontal and Striatal Network Dynamics. *The Journal of Neuroscience, 37*(4), 854-870. doi:10.1523/jneurosci.1789-16.2017

Bradfield, Laura A., Dezfouli, A., van Holstein, M., Chieng, B., & Balleine, Bernard W. (2015). Medial Orbitofrontal Cortex Mediates Outcome Retrieval in Partially Observable Task Situations. *Neuron, 88*(6), 1268-1280. doi:https://doi.org/10.1016/j.neuron.2015.10.044

Brunton, B. W., Botvinick, M. M., & Brody, C. D. (2013). Rats and humans can optimally accumulate evidence for decision-making. *Science, 340*(6128), 95-98. doi:10.1126/science.1233912

Buhusi, C. V., & Meck, W. H. (2005). What makes us tick? Functional and neural mechanisms of interval timing. *Nat Rev Neurosci, 6*(10), 755-765. doi:10.1038/nrn1764

Buonomano, D. V., & Maass, W. (2009). State-dependent Computations: Spatiotemporal Processing in Cortical Networks. *Nat Rev Neurosci, 10*, 113-125. doi:10.1038/nrn2558

Chung, S.-H. (1965). Effects of Delayed Reinforcement in a Concurrent Situation. *Journal of the Experimental Analysis of Behavior, 8*(6), 439-444. doi:10.1901/jeab.1965.8-439

Costa, V. D., & Averbeck, B. B. (2020). Primate Orbitofrontal Cortex Codes Information Relevant for Managing Explore–Exploit Tradeoffs. *The Journal of Neuroscience, 40*(12), 2553. doi:10.1523/JNEUROSCI.2355-19.2020

Coull, J. T., Cheng, R.-K., & Meck, W. H. (2011). Neuroanatomical and Neurochemical Substrates of Timing. *Neuropsychopharmacology, 36*(1), 3-25. Retrieved from http://dx.doi.org/10.1038/npp.2010.113

Coull, J. T., & Nobre, A. C. (2008). Dissociating explicit timing from temporal expectation with fMRI. *Current Opinion in Neurobiology, 18*(2), 137-144. doi:https://doi.org/10.1016/j.conb.2008.07.011

Cravo, A. M., Rohenkohl, G., Santos, K. M., & Nobre, A. C. (2017). Temporal Anticipation Based on Memory. *Journal of Cognitive Neuroscience, 29*(12), 2081-2089. doi:10.1162/jocn_a_01172 %M 28777060

Critchley, H. D., & Rolls, E. T. (1996). Hunger and satiety modify the responses of olfactory and visual neurons in the primate orbitofrontal cortex. *Journal of Neurophysiology, 75*(4), 1673-1686. doi:10.1152/jn.1996.75.4.1673

De Martino, B., Fleming, S. M., Garrett, N., & Dolan, R. J. (2013). Confidence in value-based choice. *Nature Neuroscience, 16*(1), 105-110. doi:10.1038/nn.3279

Emmons, E. B., De Corte, B. J., Kim, Y., Parker, K. L., Matell, M. S., & Narayanan, N. S. (2017). Rodent Medial Frontal Control of Temporal Processing in the Dorsomedial Striatum. *The Journal of Neuroscience, 37*(36), 8718-8733. doi:10.1523/jneurosci.1376-17.2017

Ersche, K. D., Roiser, J. P., Robbins, T. W., & Sahakian, B. J. (2008). Chronic cocaine but not chronic amphetamine use is associated with perseverative responding in humans. *Psychopharmacology (Berl), 197*(3), 421-431. doi:10.1007/s00213-007-1051-1

Fisher, H., Pajser, A., & Pickens, C. L. (2020). Pre-training inactivation of basolateral amygdala and mediodorsal thalamus, but not orbitofrontal cortex or prelimbic cortex, impairs devaluation in a multiple-response/multiple-reinforcer cued operant task. *Behav Brain Res, 378*, 112159. doi:10.1016/j.bbr.2019.112159

Frederick, S., Loewenstein, G., & O'Donoghue, T. (2002). Time Discounting and Time Preference: A Critical Review. *Journal of Economic Literature, 40*(2), 351-401. doi:10.1257/002205102320161311

Fusi, S., Miller, E. K., & Rigotti, M. (2016). Why neurons mix: high dimensionality for higher cognition. *Curr Opin Neurobiol, 37*, 66-74. doi:10.1016/j.conb.2016.01.010

Gardner, M. P., Conroy, J. C., Styer, C. V., Huynh, T., Whitaker, L. R., & Schoenbaum, G. (2018). Medial orbitofrontal inactivation does not affect economic choice. *Elife, 7*. doi:10.7554/eLife.38963

Gardner, M. P. H., Conroy, J. C., Sanchez, D. C., Zhou, J., & Schoenbaum, G. (2019). Real-Time Value Integration during Economic Choice Is Regulated by Orbitofrontal Cortex. *Curr Biol, 29*(24), 4315-4322 e4314. doi:10.1016/j.cub.2019.10.058

Gardner, M. P. H., Conroy, J. S., Shaham, M. H., Styer, C. V., & Schoenbaum, G. (2017). Lateral Orbitofrontal Inactivation Dissociates Devaluation-Sensitive Behavior and Economic Choice. *Neuron, 96*(5), 1192-1203 e1194. doi:10.1016/j.neuron.2017.10.026

Gonzalez, C., & Dutt, V. (2011). Instance-based learning: integrating sampling and repeated decisions from experience. *Psychol Rev, 118*(4), 523-551. doi:10.1037/a0024558

Gottfried, J. A., Doherty, J., & Dolan, R. J. (2003). Encoding Predictive Reward Value in Human Amygdala and Orbitofrontal Cortex. *Science, 301*(5636), 1104. doi:10.1126/science.1087919

Gourley, S. L., Zimmermann, K. S., Allen, A. G., & Taylor, J. R. (2016). The Medial Orbitofrontal Cortex Regulates Sensitivity to Outcome Value. *J Neurosci, 36*(16), 4600-4613. doi:10.1523/JNEUROSCI.4253-15.2016

Grossberg, S. (2018). Desirability, availability, credit assignment, category learning, and attention: Cognitive-emotional and working memory dynamics of orbitofrontal, ventrolateral, and dorsolateral prefrontal cortices. *Brain Neurosci Adv, 2*, 2398212818772179. doi:10.1177/2398212818772179

Hervig, M. E., Fiddian, L., Piilgaard, L., Božič, T., Blanco-Pozo, M., Knudsen, C., . . . Robbins, T. W. (2019). Dissociable and Paradoxical Roles of Rat Medial and Lateral Orbitofrontal Cortex in Visual Serial Reversal Learning. *Cerebral Cortex, 30*(3), 1016-1029. doi:10.1093/cercor/bhz144

Hirokawa, J., Vaughan, A., Masset, P., Ott, T., & Kepecs, A. (2019). Frontal cortex neuron types categorically encode single decision variables. *Nature, 576*(7787), 446-451. doi:10.1038/s41586-019-1816-9

Ho, M. Y., Mobini, S., Chiang, T. J., Bradshaw, C. M., & Szabadi, E. (1999). Theory and method in the quantitative analysis of "impulsive choice" behaviour: implications for psychopharmacology. *Psychopharmacology (Berl), 146*(4), 362-372. doi:10.1007/pl00005482

Hosokawa, T., Kennerley, S. W., Sloan, J., & Wallis, J. D. (2013). Single-Neuron Mechanisms Underlying Cost-Benefit Analysis in Frontal Cortex. *The Journal of Neuroscience, 33*(44), 17385. doi:10.1523/JNEUROSCI.2221-13.2013

Hunt, L. T., Malalasekera, W. M. N., de Berker, A. O., Miranda, B., Farmer, S. F., Behrens, T. E. J., & Kennerley, S. W. (2018). Triple dissociation of attention and decision computations across prefrontal cortex. *Nat Neurosci, 21*(10), 1471-1481. doi:10.1038/s41593-018-0239-5

Iigaya, K., Story, G. W., Kurth-Nelson, Z., Dolan, R. J., & Dayan, P. (2016). The modulation of savouring by prediction error and its effects on choice. *Elife, 5*. doi:10.7554/eLife.13747

Issa, J. B., Tocker, G., Hasselmo, M. E., Heys, J. G., & Dombeck, D. A. (2020). Navigating Through Time: A Spatial Navigation Perspective on How the Brain May Encode Time. *Annual Review of Neuroscience, 43*(1), null. doi:10.1146/annurev-neuro-101419-011117

Izquierdo, A. (2017). Functional Heterogeneity within Rat Orbitofrontal Cortex in Reward Learning and Decision Making. *The Journal of Neuroscience, 37*(44), 10529. doi:10.1523/JNEUROSCI.1678-17.2017

Izquierdo, A., Suda, R. K., & Murray, E. A. (2004). Bilateral orbital prefrontal cortex lesions in rhesus monkeys disrupt choices guided by both reward value and reward contingency. *J Neurosci, 24*(34), 7540-7548. doi:10.1523/JNEUROSCI.1921-04.2004

Janssen, P., & Shadlen, M. N. (2005). A representation of the hazard rate of elapsed time in the macaque area LIP. *Nat. Neurosci., 8*, 234-241.

Jones, B., & Mishkin, M. (1972). Limbic lesions and the problem of stimulus—Reinforcement associations. *Experimental Neurology, 36*(2), 362-377. doi:https://doi.org/10.1016/0014-4886(72)90030-1

K Namboodiri, V. M., Mihalas, S., Marton, T., & Hussain Shuler, M. (2014). A general theory of intertemporal decision-making and the perception of time. *Frontiers in Behavioral Neuroscience, 8*(61). doi:10.3389/fnbeh.2014.00061

Kalenscher, T., Windmann, S., Diekamp, B., Rose, J., Gu¨ntu¨rku¨n, O., & Colombo, M. (2005). Single Units in the Pigeon Brain Integrate Reward Amount and Time-to-Reward in an Impulsive Choice Task. *Current Biology, 15*(7), 594-602. doi:https://doi.org/10.1016/j.cub.2005.02.052

Kepecs, A., Uchida, N., Zariwala, H. A., & Mainen, Z. F. (2008). Neural correlates, computation and behavioural impact of decision confidence. *Nature, 455*(7210), 227-231. doi:10.1038/nature07200

Kheramin, S., Body, S., Herrera, F. M., Bradshaw, C. M., Szabadi, E., Deakin, J. F., & Anderson, I. M. (2005). The effect of orbital prefrontal cortex lesions on performance on a progressive ratio schedule: implications for models of inter-temporal choice. *Behav Brain Res, 156*(1), 145-152. doi:10.1016/j.bbr.2004.05.017

Kheramin, S., Body, S., Ho, M., Velazquez-Martinez, D. N., Bradshaw, C. M., Szabadi, E., . . . Anderson, I. M. (2003). Role of the orbital prefrontal cortex in choice between delayed and uncertain reinforcers: a quantitative analysis. *Behav Processes, 64*(3), 239-250. doi:10.1016/s0376-6357(03)00142-6

Kim, J., Ghim, J.-W., Lee, J. H., & Jung, M. W. (2013). Neural Correlates of Interval Timing in Rodent Prefrontal Cortex. *The Journal of Neuroscience, 33*(34), 13834-13847. doi:10.1523/jneurosci.1443-13.2013

Kim, J., Jung, A., Byun, J., Jo, S., & Jung, M. (2009). Inactivation of medial prefrontal cortex impairs time interval discrimination in rats. *Frontiers in Behavioral Neuroscience, 3*(38). doi:10.3389/neuro.08.038.2009

Kirby, K. N. (1997). Bidding on the future: Evidence against normative discounting of delayed rewards. *Journal of Experimental Psychology: General, 126*(1), 54-70. doi:10.1037/0096-3445.126.1.54

Klein-Flügge, M. C., Barron, H. C., Brodersen, K. H., Dolan, R. J., & Behrens, T. E. J. (2013). Segregated Encoding of Reward–Identity and Stimulus–Reward Associations in Human Orbitofrontal Cortex. *The Journal of Neuroscience, 33*(7), 3202. doi:10.1523/JNEUROSCI.2532-12.2013

Kringelbach, M. L., O'Doherty, J., Rolls, E. T., & Andrews, C. (2003). Activation of the Human Orbitofrontal Cortex to a Liquid Food Stimulus is Correlated with its Subjective Pleasantness. *Cerebral Cortex, 13*(10), 1064-1071. doi:10.1093/cercor/13.10.1064

Kuwabara, M., Kang, N., Holy, T. E., & Padoa-Schioppa, C. (2020). Neural mechanisms of economic choices in mice. *Elife, 9*. doi:10.7554/eLife.49669

Lak, A., Costa, Gil M., Romberg, E., Koulakov, Alexei A., Mainen, Zachary F., & Kepecs, A. (2014). Orbitofrontal Cortex Is Required for Optimal Waiting Based on Decision Confidence. *Neuron, 84*(1), 190-201. doi:https://doi.org/10.1016/j.neuron.2014.08.039

Li, Y., & Dudman, J. T. (2013). Mice infer probabilistic models for timing. *Proc Natl Acad Sci U S A, 110*(42), 17154-17159. doi:10.1073/pnas.1310666110

Madden, G. J., Begotka, A. M., Raiff, B. R., & Kastern, L. L. (2003). Delay discounting of real and hypothetical rewards. *Experimental and Clinical Psychopharmacology, 11*(2), 139-145. doi:10.1037/1064-1297.11.2.139

Malvaez, M., Shieh, C., Murphy, M. D., Greenfield, V. Y., & Wassum, K. M. (2019). Distinct cortical–amygdala projections drive reward value encoding and retrieval. *Nature Neuroscience, 22*(5), 762-769. doi:10.1038/s41593-019-0374-7

Mar, A. C., Walker, A. L., Theobald, D. E., Eagle, D. M., & Robbins, T. W. (2011). Dissociable effects of lesions to orbitofrontal cortex subregions on impulsive choice in the rat. *J Neurosci, 31*(17), 6398-6404. doi:10.1523/JNEUROSCI.6620-10.2011

Mariano, T. Y., Bannerman, D. M., McHugh, S. B., Preston, T. J., Rudebeck, P. H., Rudebeck, S. R., . . . Campbell, T. G. (2009). Impulsive choice in hippocampal but not orbitofrontal cortex-lesioned rats on a nonspatial decision-making maze task. *European Journal of Neuroscience, 30*(3), 472-484. doi:10.1111/j.1460-9568.2009.06837.x

Mauk, M. D., & Buonomano, D. V. (2004). The Neural Basis of Temporal Processing. *Ann. Rev. Neurosci., 27*, 307-340. Retrieved from https://www.annualreviews.org/doi/pdf/10.1146/annurev.neuro.27.070203.144247

Mazur, J. E. (1987). An adjusting procedure for studying delayed reinforcement. In M. M. Commons, JE.; Nevin, JA (Ed.), *Quantitative analyses of behavior* (Vol. 5, pp. 55-73). Hillsdale, NJ: Erlbaum.

Mazur, J. E. (2007). Rats' choices between one and two delayed reinforcers. *Learning & Behavior, 35*(3), 169-176. doi:10.3758/BF03193052

Mazur, J. E., & Biondi, D. R. (2009). DELAY-AMOUNT TRADEOFFS IN CHOICES BY PIGEONS AND RATS: HYPERBOLIC VERSUS EXPONENTIAL DISCOUNTING. *Journal of the Experimental Analysis of Behavior, 91*(2), 197-211. doi:10.1901/jeab.2009.91-197

McDannald, M. A., Takahashi, Y. K., Lopatina, N., Pietras, B. W., Jones, J. L., & Schoenbaum, G. (2012). Model-based learning and the contribution of the orbitofrontal cortex to the model-free world. *Eur J Neurosci, 35*(7), 991-996. doi:10.1111/j.1460-9568.2011.07982.x

Merchant, H., Harrington, D. L., & Meck, W. H. (2013). Neural Basis of the Perception and Estimation of Time. *Annual Review of Neuroscience, 36*(1), 313-336. doi:10.1146/annurev-neuro-062012-170349

Middlebrooks, Paul G., & Sommer, Marc A. (2012). Neuronal Correlates of Metacognition in Primate Frontal Cortex. *Neuron, 75*(3), 517-530. doi:https://doi.org/10.1016/j.neuron.2012.05.028

Mishkin, M. (1964). Perseveration of central sets after frontal lesions in monkeys. . In J. M. Warren & K. Akert (Eds.), *The Frontal Granular Cortex and Behavior*. New York: McGraw-Hill.

Mitchell, S. H. (1999). Measures of impulsivity in cigarette smokers and non-smokers. *Psychopharmacology, 146*(4), 455-464. doi:10.1007/PL00005491

Mobini, S., Body, S., Ho, M. Y., Bradshaw, C., Szabadi, E., Deakin, J., & Anderson, I. (2002). Effects of lesions of the orbitofrontal cortex on sensitivity to delayed and probabilistic reinforcement. *Psychopharmacology, 160*(3), 290-298. doi:10.1007/s00213-001-0983-0

Montague, P. R., & Berns, G. S. (2002). Neural Economics and the Biological Substrates of Valuation. *Neuron, 36*(2), 265-284. doi:https://doi.org/10.1016/S0896-6273(02)00974-1

MÜller-Gethmann, H., Ulrich, R., & Rinkenauer, G. (2003). Locus of the effect of temporal preparation: Evidence from the lateralized readiness potential. *Psychophysiology, 40*(4), 597-611. doi:10.1111/1469-8986.00061

Murray, E. A., Wise, S. P., & Rhodes, S. E. V. (2011). What Can Different Brains Do with Reward? In J. A.
Gottfried (Ed.), *Neurobiology of Sensation and Reward*. Boca Raton (FL): CRC Press/Taylor &
Francis

Copyright © 2011 by Taylor and Francis Group, LLC.
Niemi, P., & Näätänen, R. (1981). Foreperiod and simple reaction time. *Psychological Bulletin, 89*(1), 133-
162. doi:http://dx.doi.org/10.1037/0033-2909.89.1.133
Nobre, A. C., Correa, A., & Coull, J. T. (2007). The hazards of time. *Current Opinion in Neurobiology, 17*(4),
465-470. doi:https://doi.org/10.1016/j.conb.2007.07.006
Nobre, A. C., & van Ede, F. (2018). Anticipated moments: temporal structure in attention. *Nature Reviews*
Neuroscience, 19, 34. doi:10.1038/nrn.2017.141
Noonan, M. P., Walton, M. E., Behrens, T. E., Sallet, J., Buckley, M. J., & Rushworth, M. F. (2010). Separate
value comparison and learning mechanisms in macaque medial and lateral orbitofrontal cortex.
Proc Natl Acad Sci U S A, 107(47), 20547-20552. doi:10.1073/pnas.1012246107
O'Doherty, J., Rolls, E. T., Francis, S., Bowtell, R., McGlone, F., Kobal, G., . . . Ahne, G. (2000). Sensory-
specific satiety-related olfactory activation of the human orbitofrontal cortex. *Neuroreport, 11*(4).
Retrieved from
https://journals.lww.com/neuroreport/Fulltext/2000/03200/Sensory_specific_satiety_related_o
lfactory.46.aspx
O'Neill, M., & Schultz, W. (2010). Coding of Reward Risk by Orbitofrontal Neurons Is Mostly Distinct from
Coding of Reward Value. *Neuron, 68*(4), 789-800.
doi:https://doi.org/10.1016/j.neuron.2010.09.031
O'Neill, M., & Schultz, W. (2015). Economic risk coding by single neurons in the orbitofrontal cortex. *J*
Physiol Paris, 109(1-3), 70-77. doi:10.1016/j.jphysparis.2014.06.002
Ostlund, S. B., & Balleine, B. W. (2007). The contribution of orbitofrontal cortex to action selection. *Ann N*
Y Acad Sci, 1121, 174-192. doi:10.1196/annals.1401.033
Padoa-Schioppa, C., & Assad, J. A. (2006). Neurons in the orbitofrontal cortex encode economic value.
Nature, 441(7090), 223-226. doi:10.1038/nature04676
Paton, J. J., & Buonomano, D. V. (2018). The Neural Basis of Timing: Distributed Mechanisms for Diverse
Functions. *Neuron, 98*(4), 687-705. doi:https://doi.org/10.1016/j.neuron.2018.03.045
Petrovich, G. D., & Gallagher, M. (2007). Control of food consumption by learned cues: a forebrain-
hypothalamic network. *Physiol Behav, 91*(4), 397-403. doi:10.1016/j.physbeh.2007.04.014
Pickens, C. L., Saddoris, M. P., Setlow, B., Gallagher, M., Holland, P. C., & Schoenbaum, G. (2003). Different
Roles for Orbitofrontal Cortex and Basolateral Amygdala in a Reinforcer Devaluation Task. *The*
Journal of Neuroscience, 23(35), 11078. doi:10.1523/JNEUROSCI.23-35-11078.2003
Rachlin, H., & Green, L. (1972). Commitment, Choice, and Self-Control. *Journal of the Experimental*
Analysis of Behavior, 17(1), 15-22. doi:10.1901/jeab.1972.17-15
Rachlin, H., Raineri, A., & Cross, D. (1991). Subjective Probability and Delay. *Journal of the Experimental*
Analysis of Behavior, 55(2), 233-244. doi:10.1901/jeab.1991.55-233
Remijnse, P. L., Nielen, M. M., van Balkom, A. J., Cath, D. C., van Oppen, P., Uylings, H. B., & Veltman, D. J.
(2006). Reduced orbitofrontal-striatal activity on a reversal learning task in obsessive-compulsive
disorder. *Arch Gen Psychiatry, 63*(11), 1225-1236. doi:10.1001/archpsyc.63.11.1225
Reynolds, B., & Schiffbauer, R. (2004). Measuring state changes in human delay discounting: an
experiential discounting task. *Behavioural Processes, 67*(3), 343-356.
doi:https://doi.org/10.1016/j.beproc.2004.06.003
Richards, J. B., Mitchell, S. H., de Wit, H., & Seiden, L. S. (1997). Determination of Discount Functions in
Rats with an Adjusting-Amount Procedure. *Journal of the Experimental Analysis of Behavior, 67*(3),
353-366. doi:10.1901/jeab.1997.67-353

Richards, J. B., Zhang, L., Mitchell, S. H., & de Wit, H. (1999). Delay or Probability Discounting in a Model
of Impulsive Behavior: Effect of Alcohol. *Journal of the Experimental Analysis of Behavior, 71*(2),
121-143. doi:10.1901/jeab.1999.71-121
Rodriguez, M. L., & Logue, A. W. (1988). Adjusting delay to reinforcement: Comparing choice in pigeons
and humans. *Journal of Experimental Psychology: Animal Behavior Processes, 14*(1), 105-117.
doi:10.1037/0097-7403.14.1.105
Roesch, M. R., & Olson, C. R. (2005). Neuronal Activity in Primate Orbitofrontal Cortex Reflects the Value
of Time. *Journal of Neurophysiology, 94*(4), 2457-2471. doi:10.1152/jn.00373.2005
Roesch, M. R., Taylor, A. R., & Schoenbaum, G. (2006). Encoding of Time-Discounted Rewards in
Orbitofrontal Cortex Is Independent of Value Representation. *Neuron, 51*(4), 509-520.
doi:https://doi.org/10.1016/j.neuron.2006.06.027
Rolls, E. T., Grabenhorst, F., & Deco, G. (2010). Choice, difficulty, and confidence in the brain. *NeuroImage,*
53(2), 694-706. doi:https://doi.org/10.1016/j.neuroimage.2010.06.073
Rolls, E. T., Sienkiewicz, Z. J., & Yaxley, S. (1989). Hunger Modulates the Responses to Gustatory Stimuli of
Single Neurons in the Caudolateral Orbitofrontal Cortex of the Macaque Monkey. *European*
Journal of Neuroscience, 1(1), 53-60. doi:10.1111/j.1460-9568.1989.tb00774.x
Rosenkilde, C. E., Bauer, R. H., & Fuster, J. M. (1981). Single cell activity in ventral prefrontal cortex of
behaving monkeys. *Brain Res, 209*(2), 375-394. doi:10.1016/0006-8993(81)90160-8
Rosenkilde, C. E., Rosvold, H. E., & Mishkin, M. (1981). Time discrimination with positional responses after
selective prefrontal lesions in monkeys. *Brain Res, 210*(1-2), 129-144. doi:10.1016/0006-
8993(81)90890-8
Rudebeck, P. H., Saunders, R. C., Lundgren, D. A., & Murray, E. A. (2017). Specialized Representations of
Value in the Orbital and Ventrolateral Prefrontal Cortex: Desirability versus Availability of
Outcomes. *Neuron, 95*(5), 1208-1220 e1205. doi:10.1016/j.neuron.2017.07.042
Rudebeck, P. H., Saunders, R. C., Prescott, A. T., Chau, L. S., & Murray, E. A. (2013). Prefrontal mechanisms
of behavioral flexibility, emotion regulation and value updating. *Nature Neuroscience, 16*(8),
1140-1145. doi:10.1038/nn.3440
Rudebeck, P. H., Walton, M. E., Smyth, A. N., Bannerman, D. M., & Rushworth, M. F. S. (2006). Separate
neural pathways process different decision costs. *Nature Neuroscience, 9*(9), 1161-1168.
doi:10.1038/nn1756
Ruscio, A. M., Seitchik, A. E., Gentes, E. L., Jones, J. D., & Hallion, L. S. (2011). Perseverative thought: a
robust predictor of response to emotional challenge in generalized anxiety disorder and major
depressive disorder. *Behav Res Ther, 49*(12), 867-874. doi:10.1016/j.brat.2011.10.001
Rushworth, M. F., Noonan, M. P., Boorman, E. D., Walton, M. E., & Behrens, T. E. (2011). Frontal cortex
and reward-guided learning and decision-making. *Neuron, 70*(6), 1054-1069.
doi:10.1016/j.neuron.2011.05.014
Sallet, J., Noonan, M. P., Thomas, A., O'Reilly, J. X., Anderson, J., Papageorgiou, G. K., . . . Rushworth, M.
F. S. (2020). Behavioral flexibility is associated with changes in structure and function distributed
across a frontal cortical network in macaques. *PLOS Biology, 18*(5), e3000605.
doi:10.1371/journal.pbio.3000605
Schultz, W. (1986). Responses of midbrain dopamine neurons to behavioral trigger stimuli in the monkey.
Journal of Neurophysiology, 56(5), 1439-1461. doi:10.1152/jn.1986.56.5.1439
Schultz, W., Apicella, P., & Ljungberg, T. (1993). Responses of monkey dopamine neurons to reward and
conditioned stimuli during successive steps of learning a delayed response task. *The Journal of*
Neuroscience, 13(3), 900. doi:10.1523/JNEUROSCI.13-03-00900.1993
Sellitto, M., Ciaramelli, E., & di Pellegrino, G. (2010). Myopic Discounting of Future Rewards after Medial
Orbitofrontal Damage in Humans. *The Journal of Neuroscience, 30*(49), 16429-16436.
doi:10.1523/JNEUROSCI.2516-10.2010 %J The Journal of Neuroscience

Sharpe, M. J., Chang, C. Y., Liu, M. A., Batchelor, H. M., Mueller, L. E., Jones, J. L., . . . Schoenbaum, G. (2017). Dopamine transients are sufficient and necessary for acquisition of model-based associations. *Nature Neuroscience, 20*(5), 735-742. doi:10.1038/nn.4538

Simon, N. W., Wood, J., & Moghaddam, B. (2015). Action-outcome relationships are represented differently by medial prefrontal and orbitofrontal cortex neurons during action execution. *Journal of Neurophysiology, 114*(6), 3374-3385. doi:10.1152/jn.00884.2015

Slayton, M. A., Romero-Sosa, J. L., Shore, K., Buonomano, D. V., & Viskontas, I. V. (2020). Musical expertise generalizes to superior temporal scaling in a Morse code tapping task. *PLoS ONE, 15*(1), e0221000. doi:10.1371/journal.pone.0221000

Soltani, A., & Izquierdo, A. (2019). Adaptive learning under expected and unexpected uncertainty. *Nature Reviews Neuroscience, 20*(10), 635-644. doi:10.1038/s41583-019-0180-y

Stalnaker, T. A., Cooch, N. K., & Schoenbaum, G. (2015). What the orbitofrontal cortex does not do. *Nat Neurosci, 18*(5), 620-627. doi:10.1038/nn.3982

Stalnaker, T. A., Liu, T. L., Takahashi, Y. K., & Schoenbaum, G. (2018). Orbitofrontal neurons signal reward predictions, not reward prediction errors. *Neurobiol Learn Mem, 153*(Pt B), 137-143. doi:10.1016/j.nlm.2018.01.013

Stevens, J. R., Hallinan, E. V., & Hauser, M. D. (2005). The ecology and evolution of patience in two New World monkeys. *Biology Letters, 1*(2), 223-226. doi:10.1098/rsbl.2004.0285

Stevens, J. R., Rosati, A. G., Ross, K. R., & Hauser, M. D. (2005). Will Travel for Food: Spatial Discounting in Two New World Monkeys. *Current Biology, 15*(20), 1855-1860. doi:https://doi.org/10.1016/j.cub.2005.09.016

Stolyarova, A. (2018). Solving the Credit Assignment Problem With the Prefrontal Cortex. *Frontiers in Neuroscience, 12*, 182. Retrieved from https://www.frontiersin.org/article/10.3389/fnins.2018.00182

Stolyarova, A., & Izquierdo, A. (2017). Complementary contributions of basolateral amygdala and orbitofrontal cortex to value learning under uncertainty. *eLife, 6*, e27483. doi:10.7554/eLife.27483

Stolyarova, A., Rakhshan, M., Hart, E. E., O'Dell, T. J., Peters, M. A. K., Lau, H., . . . Izquierdo, A. (2019). Contributions of anterior cingulate cortex and basolateral amygdala to decision confidence and learning under uncertainty. *Nat Commun, 10*(1), 4704. doi:10.1038/s41467-019-12725-1

Stott, J. J., & Redish, A. D. (2014). A functional difference in information processing between orbitofrontal cortex and ventral striatum during decision-making behaviour. *Philosophical Transactions of the Royal Society B: Biological Sciences, 369*(1655), 20130472. doi:10.1098/rstb.2013.0472

Sutton, R. S., & Barto, A. G. (1998). *Reinforcement learning: An introduction*: Cambridge: MIT press.

Takahashi, Y. K., Batchelor, H. M., Liu, B., Khanna, A., Morales, M., & Schoenbaum, G. (2017). Dopamine Neurons Respond to Errors in the Prediction of Sensory Features of Expected Rewards. *Neuron, 95*(6), 1395-1405.e1393. doi:https://doi.org/10.1016/j.neuron.2017.08.025

Takahashi, Yuji K., Langdon, Angela J., Niv, Y., & Schoenbaum, G. (2016). Temporal Specificity of Reward Prediction Errors Signaled by Putative Dopamine Neurons in Rat VTA Depends on Ventral Striatum. *Neuron, 91*(1), 182-193. doi:https://doi.org/10.1016/j.neuron.2016.05.015

Thorpe, S. J., Rolls, E. T., & Maddison, S. (1983). The orbitofrontal cortex: neuronal activity in the behaving monkey. *Exp Brain Res, 49*(1), 93-115. doi:10.1007/BF00235545

Tremblay, L., & Schultz, W. (1999). Relative reward preference in primate orbitofrontal cortex. *Nature, 398*(6729), 704-708. doi:10.1038/19525

van Duuren, E., Lankelma, J., & Pennartz, C. M. A. (2008). Population Coding of Reward Magnitude in the Orbitofrontal Cortex of the Rat. *The Journal of Neuroscience, 28*(34), 8590. doi:10.1523/JNEUROSCI.5549-07.2008

van Duuren, E., van der Plasse, G., Lankelma, J., Joosten, R. N. J. M. A., Feenstra, M. G. P., & Pennartz, C.
M. A. (2009). Single-Cell and Population Coding of Expected Reward Probability in the
Orbitofrontal Cortex of the Rat. *The Journal of Neuroscience, 29*(28), 8965.
doi:10.1523/JNEUROSCI.0005-09.2009
van Ede, F., Niklaus, M., & Nobre, A. C. (2017). Temporal Expectations Guide Dynamic Prioritization in
Visual Working Memory through Attenuated α Oscillations. *The Journal of Neuroscience, 37*(2),
437-445. doi:10.1523/jneurosci.2272-16.2016
Verharen, J. P. H., den Ouden, H. E. M., Adan, R. A. H., & Vanderschuren, L. J. M. J. (2020). Modulation of
value-based decision making behavior by subregions of the rat prefrontal cortex.
Psychopharmacology, 237(5), 1267-1280. doi:10.1007/s00213-020-05454-7
Walsh, M. M., & Anderson, J. R. (2011). Learning from delayed feedback: neural responses in temporal
credit assignment. *Cogn Affect Behav Neurosci, 11*(2), 131-143. doi:10.3758/s13415-011-0027-0
Walton, M. E., Behrens, T. E., Noonan, M. P., & Rushworth, M. F. (2011). Giving credit where credit is due:
orbitofrontal cortex and valuation in an uncertain world. *Ann N Y Acad Sci, 1239*, 14-24.
doi:10.1111/j.1749-6632.2011.06257.x
Wang, J., Narain, D., Hosseini, E. A., & Jazayeri, M. (2018). Flexible timing by temporal scaling of cortical
responses. *Nature Neuroscience, 21*(1), 102-110. doi:10.1038/s41593-017-0028-6
West, E. A., DesJardin, J. T., Gale, K., & Malkova, L. (2011). Transient Inactivation of Orbitofrontal Cortex
Blocks Reinforcer Devaluation in Macaques. *The Journal of Neuroscience, 31*(42), 15128.
doi:10.1523/JNEUROSCI.3295-11.2011
Winstanley, C. A., Theobald, D. E. H., Cardinal, R. N., & Robbins, T. W. (2004). Contrasting roles of
basolateral amygdala and orbitofrontal cortex in impulsive choice. *The Journal of neuroscience :*
the official journal of the Society for Neuroscience, 24(20), 4718-4722.
doi:10.1523/JNEUROSCI.5606-03.2004
Wright, B. A., Buonomano, D. V., Mahncke, H. W., & Merzenich, M. M. (1997). Learning and generalization
of auditory temporal-interval discrimination in humans. *J. Neurosci., 17*, 3956–3963.
Xu, M., Zhang, S.-y., Dan, Y., & Poo, M.-m. (2014). Representation of interval timing by temporally scalable
firing patterns in rat prefrontal cortex. *Proceedings of the National Academy of Sciences, 111*(1),
480-485. doi:10.1073/pnas.1321314111
Zeeb, F. D., & Winstanley, C. A. (2013). Functional disconnection of the orbitofrontal cortex and
basolateral amygdala impairs acquisition of a rat gambling task and disrupts animals' ability to
alter decision-making behavior after reinforcer devaluation. *J Neurosci, 33*(15), 6434-6443.
doi:10.1523/JNEUROSCI.3971-12.2013