Cascade evolution in poxviruses: retrotransposon-mediated host gene capture, complementation and recombination

M. Julhasur Rahman[1], Sherry L. Haller[2], Jie Li[3], Greg Brennan[1] and Stefan Rothenburg[1]*

[1] School of Medicine, University of California Davis, Department of Medial Microbiology and Immunology, Davis, CA 95616, USA

[2] University of Texas Medical Branch at Galveston, Department of Microbiology and Immunology, Galveston, TX 77555, USA

[3] Genome Center, University of California Davis, Davis, CA 95616, USA

*correspondence: rothenburg@ucdavis.edu. ORCID iD:0000-0002-2525-8230

Keywords: horizontal gene transfer; LINE-1; retrotransposons; poxvirus; evolution, PKR; E3L

Abstract

There is ample phylogenetic evidence that many critical virus functions, like immune evasion, evolved by the acquisition of genes from their hosts by horizontal gene transfer (HGT). However, the lack of an experimental system has prevented a mechanistic understanding of this process. We developed a model to elucidate the mechanisms of HGT into poxviruses. All identified gene capture events showed signatures of LINE-1-mediated retrotransposition. Integrations occurred across the genome, in some cases knocking out essential viral genes. These essential gene knockouts were rescued through a process of complementation by the parent virus followed by non-homologous recombination to generate a single competent virus. This work links multiple evolutionary mechanisms into one adaptive cascade and identifies host retrotransposons as major drivers for virus evolution.

Introduction

Horizontal gene transfer (HGT) is the transmission of genetic material between different organisms. This process shapes the evolution and functional diversity of all major life forms, including viruses (Keeling, 2009, Gilbert and Cordaux, 2017). The genomes of large DNA viruses, including poxviruses and herpesviruses, contain numerous genes that likely have been acquired from their hosts by HGT. Many of these captured genes are involved in immune evasion or protection from environmental damage (Hughes and Friedman, 2005, Bratke and McLysaght, 2008, Bratke et al., 2013, Wilson and Brooks, 2011, Iyer et al., 2006). For example, viral homologs of host interleukin 10 (IL-10) genes are among the best supported examples of these HGT events. Viral IL-10 genes, which presumably provide a selective advantage through inhibition and modulation of the antiviral response, appear to have been independently acquired by several herpesviruses and poxviruses (Hughes and Friedman, 2005, Schonrich et al., 2017).

So far, the detection of HGT in large DNA viruses has relied on bioinformatic approaches, primarily phylogenetic and sequence composition analyses. While these methods can detect putative HGT they can do little to elucidate the frequency or mechanisms of HGT. The two most likely mechanisms for HGT into DNA viruses are either a DNA-mediated process such as integration via recombination or the help of DNA transposons, or an RNA-mediated integration, such as gene transfer via retrotransposons or retroviruses (Schonrich et al., 2017, Sekiguchi and Shuman, 1997). While it is unclear how most viral orthologs of host genes were acquired, the vIL-10 gene in ovine herpesvirus 2 has retained the intron structure of the host gene, supporting a mechanism of DNA-mediated HGT in this instance (Jayawardane et al., 2008). However, because most herpesvirus genes and all known poxvirus genes lack introns, it is unclear how common DNA-mediated HGT events may be. In fact, the taterapox virus genome contains a host-derived short interspersed nuclear element (SINE), which is flanked by a 16 bp target-site duplication (TSD), indicating that the long interspersed nuclear element-1 (LINE1, L1) group of retrotransposons can also facilitate the transfer of host genetic material into poxviruses through an RNA-mediated process (Piskurek and Okada, 2007).

The genus *Poxviridae* comprise many viruses of medical and veterinary importance, including variola virus, the causative agent of human smallpox, vaccinia virus (VACV) the best-studied poxvirus, which was used as the vaccine against smallpox, and monkeypox virus, an emerging human pathogen. Poxviruses can enter a large number of mammalian cell types in a species-independent manner; therefore, productive infection largely depends on the successful subversion of the host immune response (Haller et al., 2014). More than 40% of poxvirus gene families show evidence that they were host-derived, including many genes involved in immune evasion (Hughes and Friedman, 2005, Bratke and McLysaght, 2008). This high frequency of host-acquired genes suggests that poxviruses may represent ideal candidates to study the process of HGT.

In order to establish an experimental model of HGT, we exploited the dependence of VACV replication on effective inhibition of PKR, which is an antiviral protein activated by double-stranded (ds) RNA formed during infection with both DNA and RNA viruses. Activated PKR phosphorylates the alpha subunit of eukaryotic translation initiation factor 2 (eIF2α), which inhibits cap-dependent protein synthesis, thereby preventing virus replication (Wu and Kaufman, 1997). Because PKR exerts a strong antiviral effect, many viruses, including poxviruses, have evolved inhibitors that can block PKR activation (Langland et al., 2006). Most poxviruses that infect mammals contain two PKR inhibitors (Bratke et al., 2013), which are called E3 (encoded by E3L) and K3 (encoded by K3L) in VACV. E3 is a dsRNA-binding protein, which prevents

PKR homodimerization and thereby inhibits PKR activation (Davies et al., 1993, Chang et al.,
1992). K3L, which may itself be a horizontally transferred gene, possesses homology to the PKR-
binding S1 domain of eIF2α, and acts as a pseudosubstrate inhibitor of PKR (Beattie et al., 1991,
Dar and Sicheri, 2002).
In this work we have established a model system to study HGT from the host genome into VACV.
In all of the HGT events we detected, the captured genes showed multiple signatures that host
LINE-1 retrotransposons were involved in the gene capture. In some cases, integration of the host
gene occurred in essential virus genes. In those cases, complementation of both the parental virus
and the virus that acquired the gene was necessary for virus replication. After only a few rounds
of continued passaging, these complementing viruses recombined to generate single replication-
competent viruses. Taken together, retrotransposon-mediated HGT followed by complementation
and recombination describes an unexpected cascade of evolutionary processes to rapidly integrate
host genes into the viral genome.
90
91   **Results**
92
An experimental system to detect host gene capture by vaccinia virus
In order to detect HGT into VACV, we designed an experimental system that uses the selective
pressure imposed by PKR on VACV replication. In this model, we use a VACV strain (VC-R2)
that lacks both PKR antagonists and can therefore only replicate in PKR-deficient cells or in
complementing cells that express viral PKR inhibitors, such as VACV E3 or K3 (Hand et al.,
2015). We stably transfected PKR-competent RK13 cells with E3L-tagged mCherry (mCherry-
E3L) (Figure 1A), selected an individual clone that showed robust mCherry-E3 expression by
fluorescence microscopy, and verified that it contained the entire expression cassette (Supporting
Figure 1). The PKR sensitive virus VC-R2 can infect these cells as efficiently as wild type VACV,
but not wild type RK13 cells. However, if during the course of infection VC-R2 acquired mCherry-
E3L from the host cell, the virus would be able to replicate in PKR-competent cells and fluoresce
red (Figure 1A). The expression cassette also contains the rabbit β-globin intron (Figure 1B)
enabling us to distinguish between direct DNA-mediated integration or indirect RNA-mediated
integration, the two most likely mechanisms for HGT into DNA viruses. We infected the RK13-
mCherry-E3L cell line with VC-R2 and titered the resulting viruses on permissive RK13+E3+K3
cells (Rahman et al., 2013). Then, we infected wild type RK13 cells, which are non-permissive for
VC-R2, with these viruses and isolated plaques that expressed both mCherry and EGFP (Figure
1A). Overall, we identified 20 recombinant viruses with unique integration sites (Figure 1D, E).
In total, we screened approximately 7.5 x 10^8 virions while optimizing this system. After
optimization, we screened 3.63 x 10^8 virions derived from a single 48-hour infection of RK13 cells
(multiplicity of infection (MOI) = 0.01). We screened this population in RK13 cells (MOI = 0.2)
and identified 16 unique HGT isolates. This indicates a detected transfer rate of mCherry-E3L into
the VACV genome of approximately 1 in 22.7 million virions.
116
Horizontally acquired genes show evidence of LINE-1-mediated retrotransposition
To map the integration sites, we plaque purified each HGT candidate three times and used both
Sanger sequencing of amplicons from inverse PCR (Ochman et al., 1988) and PacBio-based long-
read sequencing (Eid et al., 2009). The integration sites were distributed throughout the VACV
genome, and were found in intergenic spaces (three cases), as well as in non-essential and essential
genes (Figure 1D, E, Table 1). All 20 isolates (HGT1-HGT20) displayed hallmarks of RNA-

123
Figure 1. Detection of experimental horizontal gene transfer in vaccinia virus. (**A**) VACV lacking E3L
and K3L cannot replicate in wild type RK13 cells, but can replicate in cells stably transfected with mCherry-
E3L. Virus that acquired E3L can replicate in wild type RK13 cells (right). (**B**) Schematic of the mCherry-
E3L vector that was stably transfected into RK13 cells. (**C**) Schematic of the general genetic architecture
of horizontally transferred genes identified in VACV isolates. (**D**) HGT integration sites in the VACV
genome. The VACV genome is represented in blue. Genes highlighted above the genome were described
to have likely originated from HGT (Hughes and Friedman, 2005, Bratke and McLysaght, 2008). Features
shown below the genome are: integration sites into genes (black boxes, blue lines), or into intergenic regions
(red lines). The orientation of the transferred genes is indicated by the arrow, colors of arrows indicate the
orientation of mCherry-E3L relative to target genes (blue: same direction; red opposite direction; black
arrow: intergenic). (**E**) Maps of mCherry-E3L integration sites in HGT1 to HGT20. Arrows indicate the
direction of transcription for VACV and mCherry-E3L. Intergenic regions are depicted in yellow. The
position of an integrated U2 small nuclear RNA and the associated poly(A) tract is shown for HGT20 by
dashed lines.
138

Isolate #	Integration site	Essential vs. non-essential
HGT1	Intergenic between H4L and H5R	Presumably non-essential
HGT2	I8R	Essential (Gross and Shuman, 1996)
HGT3	H4L	Essential (Kane and Shuman, 1992)
HGT4	G1L	Essential (Hedengren-Olcott et al., 2004))
HGT5	I4L	Non-essential (Child et al., 1990, Gammon et al., 2010)
HGT6	D1R	Essential (Hassett et al., 1997)
HGT7	A40R	Non-essential (Wilcock et al., 1999)
HGT8	A9L	Essential (Yeh et al., 2000)
HGT9 and HGT10	D9R	Non-essential (Parrish and Moss, 2006)
HGT11	B4R	Non-essential (Burles et al., 2014)
HGT12	Intergenic between A49R and A50R	Presumably non-essential
HGT13	F13L	Non-essential (Blasco and Moss, 1991)
HGT14	H4L	Essential (Kane and Shuman, 1992)
HGT15	C19L/B25R	Non-essential (Perkus et al., 1991)
HGT16	A26L	Non-essential (Howard et al., 2008, Chang et al., 2019)
HGT17	G6R	Non-essential (Senkevich et al., 2008)
HGT18	D6R	Essential (Broyles and Fesler, 1990)
HGT19	D11L	Essential (Seto et al., 1987)
HGT20	Intergenic between N2L and M1L	Presumably non-essential

Table 1. Integration sites of mCherry-E3L in HGT viruses and importance of disrupted genes for virus replication.

dependent, retrotransposon-mediated integrations, including a spliced-out intron and long untemplated stretches of poly(A) at the 3' end (Esnault et al., 2000).

In 19 cases, short target site duplications (TSDs) of VACV sequences surrounded the integration sites (Figure 1C, E, Figure 2, Supporting Table 1). These TSDs had an average length of 15.9 base pairs (bp) and a consensus (3'-AA/TTTT-5') motif at the integration site typical of the cleavage consensus site of the long interspersed nuclear element-1 (LINE-1, L1) group of retrotransposons (Figure 2) (Kojima, 2010, Gilbert et al., 2002). HGT11 contained a 2.7 kb deletion immediately downstream of the integration site in B4R, precluding the identification of a TSD (Figure 1E). In HGT20, the integrated sequence contained the intron-less mCherry-E3L cassette fused to an 88 bp cellular DNA fragment encoding U2 small nuclear (sn) RNA, which contained a second poly(A) tract (Figure 1E, Supporting Figure 2).

Figure 2. Length distribution and composition of target site duplications surrounding integration sites. (**A**) Length distribution of TSDs. (**B**) WebLogo of the consensus sequence and individual sequences of TSDs. Ten nucleotides 5' and 3' of the TSDs, as well as six nucleotides of the TSDs adjacent to the putative first and second LINE-1 endonuclease cleavage sites, respectively, are shown.

HGT acquisition in essential genes is facilitated by mutual complementation

To analyze whether HGT imposed any fitness costs, we compared the plaque sizes of HGT viruses in RK13 and BSC-40 cells with plaques formed by replication-competent viruses VC-2 and vP872 (Beattie et al., 1991). For most HGT viruses, plaque sizes were comparable to the replication-competent viruses in RK13 cells (Figure 3A). However, in BSC-40 cells some viruses formed substantially smaller plaques than in RK13 cells, e.g. HGT3, HGT14, and HGT19. HGT13 (insertion in F13L) formed tiny plaques in both cell lines, consistent with a previous report of

Figure 3. Complementation of viruses after mCherry-E3L integration into essential genes. (**A**) Plaque sizes formed by HGT virus isolates in RK13 and BSC-40 cells 3 days after infection. Location of integration (intergenic spaces (i), essential (e), non-essential (n), and a deletion (d)) are indicated below each bar. Dotted lines indicate plaque sizes caused by vP872. Asterisks denote significant differences between vP872 and HGT isolates (* $p < 0.05$; ** $p < 0.005$; *** $p < 0.0005$). (**B**) Percentage of foci that were mCherry-positive 3 days after infecting RK13+E3+K3 cells with the indicated HGT viruses. (**C**) Complementation of HGT13 by VC-R2. RK13 cells were infected with either HGT13 alone (left) or co-infected with HGT13 and VC-R2 (right). Foci were visualized 3 days after infection. (**D**) Location of PCR primers for amplifying integration sites in HGT1 and HGT3. (**E**) PCR amplification for integration site identified for HGT1 (PCR#1, left) and HGT3 (PCR#1, right).

defective viral spread in a F13L deficient VACV (Blasco and Moss, 1991). HGT11, containing a deletion stretching from B4R through B8R, also exhibited a small plaque phenotype in both cell types. These findings indicate that, at least in some cases, HGT can cause a loss-of-fitness.

Surprisingly, eight of the VACV genes that were disrupted by HGT were reported to be essential for virus replication (Table 1). Because these insertions should presumably inactivate these essential genes, it is unclear how this HGT resulted in viable viruses. One possibility could be that

although these viruses were plaque purified three times, the parent virus may have persisted to
complement the otherwise non-viable HGT virus. To test this hypothesis, we infected
RK13+E3+K3 cells, which are also permissive for the parental virus, with each plaque-purified
HGT isolate. In all these infections, we identified the expected EGFP/mCherry double-positive
foci. Additionally, foci that were EGFP-positive but mCherry-negative were observed in isolates
in which mCherry-E3L insertions occurred in essential genes, indicating the continued presence
of parental virus. The percentage of mCherry positive to mCherry negative foci in these viruses
ranged between 7% - 51% (Figure 3B, Supporting Figure 3). We hypothesized that the two
fluorescent phenotypes indicated mutual complementation, wherein the HGT virus supplied
mCherry-E3 and VC-R2 supplied the disrupted essential gene product, thus permitting replication
of both viruses in co-infected cells. To test this hypothesis, we co-infected RK13 cells with VC-
R2 and the F13L-disrupted HGT13 virus, which did not contain detectable VC-R2 but formed only
minute foci in either RK13 or BSC-40 cells. As predicted, in the co-infection we observed larger
foci in addition to the very small foci produced by HGT13 alone (Figure 3C). In an additional,
PCR-based test of this hypothesis, we amplified DNA spanning the integration sites in HGT1,
which acquired mCherry-E3L in an intergenic region, or HGT3, in which the essential gene H4L
was disrupted. As expected, HGT1 yielded a single 2.3 kB amplicon of the expected size for
mCherry-E3L integration. However, we amplified two products from HGT3: a 396 bp amplicon,
consistent with wild type H4L, and a 2.2 kb amplicon consistent with mCherry-E3L integration
into H4L (Figure 3D, E). Taken together, these assays support our hypothesis of mutual
complementation of these viruses.
207
Recombination of complementing viruses generates replication-competent individual viruses
If both viruses complemented each other efficiently, the expected ratio of HGT virus to parent to
virus should be close to 1:1. However, for most HGT isolates this ratio was lower, indicating that
virus complementation did not necessarily result in optimal replication of both viruses. In these
cases, there may be strong selective pressure to evolve a single replication-competent virus that is
not reliant on a complementing virus. To test this hypothesis, we serially passaged the
HGT3/parental virus population in PKR-competent RK13 cells. In three independent replicates,
we observed a rapid increase in double-positive fluorescent foci (Figure 4A, B), consistent with
an increase in HGT3 fitness. In order to directly test for a fitness increase, we infected RK13 and
BSC-40 cells with the passaged virus populations for 48 hours and then titered the viruses on
RK13+E3+K3 cells. Whereas in RK13 cells the passaged viruses showed only a modest increase
in replication (about 5-fold) in passages 9 and 17, an approximately 100-fold higher replication
was observed for BSC-40 cells infected with passages 9 and 17 as compared to passage 0 (Figure
4C, D).
To investigate possible structural changes around the disrupted H4L locus, we designed outward-
facing primers in H4L similar to an approach to detect gene amplification in poxviruses (Elde et
al., 2012, Brennan et al., 2014). This PCR strategy only yields products if two or more copies of
H4L are adjacent to each other (Figure 5A). We amplified products from passaged virus DNA, but
not from DNA isolated from VC-R2 or the original plaque-purified virus (P0) (Figure 5B).
Because of this evidence for genomic structural changes, we used PacBio long-read sequencing to
more completely define these changes in the different populations. This approach demonstrated
that in each HGT3 virus population, there were genomes in which an intact copy of H4L existed
in close proximity to the mCherry-E3L disrupted H4L locus, although we found several different
recombinant viruses with different genomic architectures (Figure 5C). No apparent sequence

Figure 4. Fitness increase of HGT3 after serial passaging. (A) The percentage of mCherry-positive foci formed on RK13+E3+K3 cells by three serially passaged replicates of HGT3. Percentages were determined for the indicated passages (P). (**B**) Increase in double-positive mCherry and EGFP expressing foci of replicate 3 during serial passaging. (**C**) RK13 and (**D**) BSC-40 cells were infected with serially passaged HGT3 (MOI = 0.01) for 48 hours and viruses were titered on RK13+E3+K3 cells.

similarities were detected at the breakpoints, indicating non-homologous recombination between the parent and HGT viruses (Supporting Figure 4). Taken together, these observations suggest that recombination occurred early in the population during serial passage, supporting the hypothesis that there may be selective pressure to generate a single viable virus. Alternatively, mCherry-E3L may have integrated into a pre-existing H4L duplication; however, this scenario is unlikely, because virus complementation would be unnecessary.

Signatures of naturally occurring LINE-1 mediated HGT in the GAAP encoding gene

To determine whether this mechanism is relevant in nature, we asked whether we could detect evidence of RNA-mediated HGT in any phylogenetically predicted HGT candidate genes. We selected and analyzed the phylogenetically predicted HGT gene encoding Golgi anti-apoptotic protein (GAAP) in the cowpox virus Finland_2000_MAN strain, which is also present in some

other orthopoxviruses. GAAP shows approximately 76% protein identity with its mammalian homologs and therefore was likely acquired relatively recently (Gubser et al., 2007). Analyzing this gene for signatures of HGT, we identified putative remnants of a poly(A) tail (16 out of 21 bp) 3' of the gene, and a perfect 18 bp TSD flanking the gene, which contains AA/TTGT at the presumed site for the first nick during integration similar to the AA/TTTT motif identified in our screen. Moreover, adjacent to each TSD are two 59 bp homology regions, which share 83% nucleotide identity, and could be remnants of a larger duplication due to recombination, as seen in this study (Fig. 6).

5' of 211: AGATATTGTATCTGACTCTGATCAATGTAAACCAATGACAAGATAAGACTTACTCGCAT
3' of 211: AGATATTTTTTCTCACTCTGATCCATGTAAACCAAGTACGAGATAAGAC--ACTCTCAT

Discussion

In this study, we show that HGT from the host cell into poxviruses can be recapitulated in an experimental system. All HGT events showed evidence for an RNA-mediated mechanism, likely mediated by LINE-1 retrotransposons, as they contain TSD of approximately 16 bp surrounding the integration sites, as well as spliced-out introns and untemplated poly(A) tracts 3' of the integrated genes. This observation shows that poxvirus evolution can be impacted by host transposable elements providing them with selective advantages and accelerating their evolution. It also defines a new function for retrotransposons, in addition to their role in genomic and epigenetic diversification of the host (Beck et al., 2011).

Even though phylogenetically predicted HGT candidates in VACV are distributed throughout the genome (Figure 1D) (Hughes and Friedman, 2005, Bratke and McLysaght, 2008), a common notion in the field is that uptake of new genes into poxviruses would be biased towards the ends of poxvirus genomes, because the central genome region contains more essential genes and shorter intergenic spaces and thus insertions there would be less likely to result in viable progeny (Yao and Evans, 2001, Lefkowitz et al., 2006). Also, poxvirus lineage-specific genes tend to be more often found near the termini of poxvirus genomes (McLysaght et al., 2003). However, the integration sites that we discovered in this study were distributed throughout the VACV genome, which indicates that integration *per se* is not disfavored in the central genomic region. In fact, our results show that HGT into essential poxvirus genes can result in viable progeny virus in a process that we call cascade evolution. This process sequentially combines HGT, virus complementation and recombination, three mechanisms of virus evolution (Figure 7). Our PacBio analyses identified tandem copies of the integrated gene and intact gene, in both orientations relative to each other. However, at the population level the genomic structure surrounding this locus was complex. For example, we identified loci including both intact H4L and the horizontally acquired mCherry-E3L in which multiple copies of each gene were found in *cis*. Furthermore, in some genomes we identified three or more copies of some genes adjacent to the integration site. In addition to the immediate impact of generating a replication-competent virus through recombination, these variant products of recombination might provide the raw material for subsequent sub- or neofunctionalization of the additional gene copies (Bayer et al., 2018).

Figure 7. Cascade virus evolution after horizontal gene transfer into an essential gene. After retrotransposon-mediated horizontal gene integration into an essential locus (1) the virus initially depends on a helper virus to complement the essential gene (2), which is followed by recombination and results in a single virus with increased fitness.

The majority of the HGT viruses that required complementation with the parental virus formed larger plaques in RK13 cells as compared to BSC-40 cells. This difference may indicate that the complementation is more efficient in RK13 cells. In line with this explanation, we observed that

the parent HGT3 population replicated poorly in BSC-40 cells, and the passaged population replicated about 100-fold more efficiently, whereas in RK13 cells, the parent HGT3 population replicated better and only gained a modest increase in replication efficiency during passaging. It is striking that for most observed cases of virus complementation, the ratio of parent to HGT virus was skewed to the parent virus, in some cases making up more than 90% of the population (Figure 3B). This observation suggests that there may be competition for cellular resources or viral gene products between the co-infecting viruses. While mCherry-E3 localizes to the cytoplasm and likely antagonizes PKR equally well for each co-infecting virus, the transcription and translation of many other viral gene products are tightly associated with viral factories derived from a single genome (Katsafanas and Moss, 2007). Conceptually, this competition may occur when the complementing molecule is required to diffuse or to be transported into another viral factory to exert its effect, or if the viral gene product is not delivered until virus factories fuse late in the replication cycle (Paszkowski et al., 2016).

An interesting observation was that in one of the HGT isolates, mCherry-E3L was fused to a polyadenylated fragment of the cellular U2 snRNA. This genetic structure may have been generated by the fusion of mCherry-E3L RNA with U2 snRNA prior to integration. This observation suggests that other cellular genes could piggyback during HGT, which suggests in rare instances multiple genes may be integrated into a single genome. Of note, snRNAs encoding DNA including U1, U2, U5 and U6 can be found in host genomes fused to LINE-1 as a result of RNA ligation (Buzdin et al., 2003, Garcia-Perez et al., 2007, Doucet et al., 2015, Moldovan et al., 2019). However, it is unclear what, if any, impact the potential to integrate multiple genes would have on viral evolution.

This work is the first experimental evidence of horizontal gene transfer into poxviruses. The experimental system described here can be extended to study the evolution of transgenes after HGT. In addition, it can be adapted to elucidate the mechanisms of HGT in other groups of viruses for which HGT is believed to play an important evolutionary role. While we only detected RNA-mediated HGT facilitated by LINE-1, it is possible that in other viruses or cell types additional RNA or DNA transposons, or recombination might be important. Similarly, other facilitators, such as endogenous or exogenous retroviruses may also promote HGT and increase virus fitness. Taken together, our work demonstrates that cascade evolution is a powerful and rapid mechanism to integrate new genetic material in poxviral genomes. It also demonstrates that HGT in poxviruses is traceable in experimental settings, and that this mechanism may be relevant to other viruses, which appropriate host genes for their own ends in the ongoing host-virus arms race.

Materials and Methods

Cell lines

RK13 cells (ATCC CCL-37) and BSC-40 (ATCC CRL-2761) cell lines were kindly provided by Dr. Bernard Moss and Dr. Adam Geballe, respectively. RK13 cells expressing E3 and K3 (designated RK13+E3+K3) were previously described (Rahman et al., 2013). All cell lines were maintained in Dulbecco's Modified Essential Medium (DMEM, Life Technologies) supplemented with 5% fetal bovine serum (FBS, Fisher) and 25μg/ml gentamycin (Quality Biologicals) at 37°C and 5%CO_2. RK13+E3+K3 cells were supplemented with 500μg/ml geneticin and 300μg/ml zeocin (Life Technologies). Cell lines were seeded in 6-well (at 5×10^5 cells/well) or 12-well (at 2.5×10^5 cells/well) plates 24 hours before infections.

RK13 cells expressing mCherry-E3 (RK13-mCherry-E3L) were generated by stable transfection
of *ApaL*I-linearized pmCherry-E3L using GenJet (SignaGen) according to the manufacturer's
protocol. The pmCherry-E3L vector contains, in 5' to 3' order, the SV40 promoter, rabbit β-globin
intron, a synthetic poxvirus early/late promoter, a mCherry-E3L fusion gene, cloned into the
backbone of pEGFP-N1 (Clontech). During this process, the CMV promoter and EGFP were
removed from pEGFP-N1. Transfected cells were selected with 500 µg/ml geneticin (G418,
Invitrogen) for two weeks. Individual clones were isolated by seeding cells at a low density (0.3-
1 cell/ well) in 96-well plates. Wells containing a single cell, verified by fluorescent microscopy,
were selected to establish clonal cell lines. Genomic DNA was prepared to verify the structure of
the integrated cassette by PCR with primer JR253-intron-4F (5'-TTC CAG AAG TAG TGA AGA
GGC TT-3') and JR254-E3L-5R (5'-AGC AAG TAA AAC CTC TAC AAA TG-3'). All
subsequent experiments were carried out with one RK13+mCherry-E3L cell clone that showed
robust mCherry-E3 expression (Supplementary figure 1).
370
Viruses
Vaccinia virus VC-2 (Copenhagen strain) and vP872 (ΔK3L) (Beattie et al., 1991) were kindly
provided by Dr. Bertram Jacobs and propagated in RK13 cells. VC-R2, which lacks both E3L and
K3L (Brennan et al., 2014), was propagated in RK13+E3+K3 cells. VC-2, vP872, and VC-R2
were purified by zonal sucrose gradient centrifugation as previously described (Cotter et al., 2017).
Virus clones HGT1 to HGT20 were plaque purified three times in RK13 cells with carboxymethyl
cellulose (CMC, 1% final concentration in DMEM+5%FBS) overlay. Virus clones HGT1 to
HGT7 were purified by zonal sucrose gradient centrifugation. For HGT8 to HGT20, crude cell
lysates were used as stocks. All viruses were titered in RK13+E3+K3 cells on 12-well plates. Virus
samples were 10-fold serially diluted and cells were infected in duplicate. One hour after infection,
the infecting medium was replaced with CMC and incubated for 3 days at 37˚C in 5% CO_2. The
CMC overlays were then aspirated, and plaques were identified by staining the monolayers with
0.1% crystal violet in 20% methanol.
Serial passaging of HGT3 was performed as described (Elde et al., 2012, Brennan et al., 2014).
Briefly, confluent RK13 cells in 6-well plates were infected with plaque-purified HGT3 virus
(MOI = 0.1) in triplicate. 48 hours after infection (hpi), cell lysates were collected, freeze-thawed
three times, sonicated, and titered on RK13+E3+K3 cells before serially infecting new RK13 cells.
Genomic DNA from passaged viruses was isolated from infected RK13 cells (MOI = 1.0) as
previously described (Esposito et al., 1981). RK13 and BSC-40 cells were infected with passaged
virus populations in duplicate at MOI = 0.01 for 48 hours and viruses were titered on
RK13+E3+K3 cells in duplicate.
392
Screening for viruses that captured mCherry-E3L
RK13-mCherry-E3L cells were infected with VC-R2 (MOI = 0.01) for three days. Viruses were
titered on RK13+E3+K3 cells. Subsequently, viruses were screened on confluent monolayers of
RK13 cells in 6-well plates. Cells were infected at MOI = 0.2 to screen for fluorescence to avoid
cell death observed at higher MOIs. For most isolates, plaques were identified after 3 days but
some took as long as 5 days. Initially, plates were screened for double-positive mCherry and EGFP
expressing plaques using an inverted microscope (Leica DMi8 automated, total magnification
X6.25) using the FITC filter (460–500 nm) to visualize EGFP and the Texas Red filter (540 – 580
nm) to visualize mCherry. In order to increase throughput, screening for double-positive plaques
was then performed with an automated microscope (EVOS FL Auto 2, Thermo Fisher Scientific)

using comparable filters. Double-positive virus plaques were picked using a sterile pipette tip.
Harvested plaques were subjected to three rounds of freeze-thaw followed by sonication (2 times
30s). These viruses were then serially diluted to infect RK13 cells for a total of three rounds of
plaque purification. After the third round of plaque purification, viruses were amplified in RK13
cells and titered on RK13+E3+K3 cells. Viral genomic DNA was isolated from infected RK13
cells according to a published protocol (Seto et al., 1987).
409
Detection of mCherry-E3L integration sites in the virus genome
The mCherry-E3L integration sites in the purified HGT virus genomes were located by inverse
PCR amplification and by PacBio sequencing in the case of HGT14 and HGT19. For inverse PCR,
we used a *Xba*I restriction site in between mCherry-E3L. VC-2 contains 123 *Xba*I sites. Viral DNA
from HGT isolates was digested with *Xba*I, and then ligated by T4 DNA ligase (NEB) to make
circular DNA. After ligation, E3L-specific, outward-facing primers: HGT-E3L-1F (5'-TGG CAG
TAG ATA AAC TTC TTG GTT ACG-3') and HGT-E3L-1R (5'-AGC CTC ACA CAC AAT CTC
TGC G-3') were used to amplify DNA circles containing mCherry-E3L and neighboring genomic
viral DNA. These amplicons were gel purified and Sanger sequenced to define the approximate
mCherry-E3L integration sites, because the long poly(A) tails precluded identification of the virus
sequences 3' of the poly(A) tails. To define integration sites and target site duplications, primers
Supplementary table 2) from the VACV genome that are adjacent to the integration sites were
designed to amplify whole integrated captured sequences, which were then Sanger sequenced.
Because for HGT5 and HGT19, PCR amplification of the whole insert did not work, two separate
PCR amplification with primers located in E3L and the adjacent vaccinia virus genes were
performed and sequenced. Insertion start sites and polyadenylation sites of transgenes in HGT
viruses are shown in supporting Figure 5.
To determine if mCherry-E3L integrated into both sites of the ITR in the C19L/B25R locus in
HGT15, PCR with DNA of HGT15 and VC-R2, as control, was performed with primers that
combined primer JR179-C19L-2F (5'-CGA GGA CTA TGT TTG GTA TAC TG-3') located in
the ITR, towards the termini of the integration site and primers JR180-C13L-2R(5'-CTG GAC
TAT CCA CAC CTG-3) for the "left" region of the VACV genome, and JR181-B19R-1F (5'-
CTA GTA GAG GCG GTA TCA C-3'), for the "right" region of the VACV genome outside of
the ITR. Both primer combinations showed larger bands when DNA HGT15 DNA was used as
template, in comparison to VC-R2 DNA, which is indicative of mCherry-E3L in both ITR copies
(Supporting Figure 6).
436
Measurement of plaque sizes
Confluent 6-well plates of either RK13 or BSC-40 cells were infected with 100 PFU of either each
HGT isolate, VC-R2, or vP872 in triplicate. After one hour, cells were overlaid with CMC and
incubated at 37℃ in 5% CO2 for 3 days followed by crystal violet staining. The stained plates and
an adjacent ruler were imaged with the EVOS FL 2 microscope (Thermo Fisher Scientific) using
a bright-field filter. Plaque sizes were calculated using Adobe Photoshop CC 2019. To calculate
this, a global-scale was set by measuring the average number pixels in a 1 mm-distance from the
imaged rulers (133 pixels = 1mm, SD = 0.98 pixels) using the Adobe Photoshop CC 2019 ruler
tool. The Photoshop quick selection tool was used to mark the perimeter of individual plaques
followed by area measurement from the analysis tab. Between 30 and 387 plaques were measured
for each virus. Kruskal-Wallis one-way ANOVA followed by Dunn's test of multiple comparisons

were used to compare the mean plaque area of HGT samples with vP872 (alpha =.05) by GraphPad
Prism (version 8.3.0). Graphs are presented as mean ± SD and adjusted p-values are shown.
450
Identifying virus complementation
Confluent 6-well plates of RK13+E3+K3 cells were infected with 100 PFU of HGT1 through
HGT20, and the passaged HGT3 from passages 2, 9, and 17. The percentage of mCherry and EGFP
double-positive plaques were determined three days after infection using the automated EVOS FL
Auto 2 microscope (Thermo Fisher Scientific). Images were taken at 4 X 0.13 NA magnification
by using filter channels Texas red (540–580 nm) for mCherry and EGFP (465–495 nm) to visualize
EGFP. Single-channel autofocus was used with phase-contrast using the first field to autofocus all
other fields. 100% of well areas were photographed, stitched and tiled by using the EVOS FL Auto
2 software and analyzed to quantify the number of single-positive EGFP plaques and double-
positive EGFP and mCherry expressing plaques. For each virus sample more than 86 plaques were
analyzed.
For the VC-R2 and HGT13 complementation assay, confluent 6-well plates of RK13 cells were
co-infected in duplicate with each virus (MOI = 0.05 for each virus), or with HGT13 alone (MOI
= 0.1). Images for mCherry fluorescence were taken 3 days after infection with EVOS FL Auto 2.
465
Detection of tandem duplications of the H4L locus using PCR
Genomic DNA from HGT3 passages 0, 2, 9 and 17 as well as VC-R2 , were used as templates for
PCR using outward-facing primers: JR81-H4L-2F (5'-GTC TAG TAG ATA TGC TTT TAT TTT
TG-3') and JR80-H4L-2R (5'- CGA AAA TAT AAC TCG TAT TAA AGA G-3') or JR42-H4L-
3F (5'- CAC GGA GAT GGC GTA TTT AAG AG -3') and JR88-H4L-3R (5'- GAG CTA ACG
TGT GAC GAA G-3'). PCR amplified products were cloned into the pCR2.1-TOPO-TA
(Invitrogen) vector for amplification and Sanger sequencing using M13F (-21) and M13R primers
(UC Davis sequencing facility).
474
Library preparation, PacBio CCS sequencing and data analysis
HiFi SMRTbell library construction and sequencing were performed using Sequel II System 2.0
with P2/C2 (polymerase 2.0 and chemistry 2.0) chemistry at UC Davis DNA Technologies Core
according to the manufacturer's instructions (Pacific Biosciences). Before library preparation, the
quality of genomic DNA was evaluated by pulsed-field gel electrophoresis (Sage Science Pippin
Pulse) and genomic DNA concentration was quantified using a Qubit 3.0 Fluorometer (Life
Technologies Q33216). Briefly, 10 µg of each viral genomic DNA was used for HiFi SMRT-bell
library preparation by using SMRTbell Express Template Prep Kit 2.0 (Pacific Biosciences 100-
938-900). The genomic DNA was sheared to ~15-20 kb size by Megaruptor (Diagenode
B06010001). The sheared DNA samples were then concentrated and purified by AMPure PB
Beads (Pacific Biosciences 100-265-900) by adding 0.45 X volume of AMPure PB magnetic beads
to each sheared DNA samples and subsequent 80% ethanol precipitation and elution with 100 µl
elution buffer. Following genomic DNA shearing and purification, each genomic DNA sample
was subjected to single-strand DNA (ssDNA) overhang removal and DNA damage repair. In short,
ssDNA overhangs were removed using ssDNA overhang removal reaction mix (DNA prep buffer,
NAD, DNA prep additive and DNA prep enzyme) and incubated at 37˚C for 15 mins. The DNA
fragments of each sample were then repaired by using a DNA damage repair mix and incubated at
37˚C for 30 mins before proceeding to End repair/A-tailing by mixing with 1 X End prep mix and
incubated at 20˚C for 10 mins followed by 30 mins incubation at 65˚C. After that, different

barcoded adapters were ligated to each fragmented viral DNA sample by mixing with adapter
ligation reaction mix (Overhang adapter v3, ligation mix, ligation additive, and ligation enhancer)
and incubated at 20°C for an hour followed by incubation at 65°C for 10 mins to inactivate the
ligase. After ligation reaction, each adapter-ligated SMRTbell library was treated with
exonucleases to remove damaged or un-ligated DNA fragments for one hour at 37°C followed by
a second purification step with 0.45 X AMPure® PB Beads. After purification, the libraries were
multiplexed into 2 library pools for size selection: 6-plex pool 1 and 10-plex pool 2. These pooled
SMRTbell libraries were then purified by mixing with 0.45 X volume of AMPure PB beads
followed by 80 % ethanol wash and elution with 31 µl EB for size selection. Size selection was
done using the BluePippin Size-Selection System (Sage Science BLU0001) to remove <6kb
SMRTbell templates and eluted the size selected libraries into two size fractions: 9-13 kb and >15
kb per pooled library. The only fraction with >15 kb SMRTbell libraries was purified with 0.50X
AMPure® PB Beads and used for primer annealing and polymerase binding. Sequencing Primer
v2 (PN 101-847-900) was annealed to each size selected SMRTbell library fraction of >15 kb
length at primer: template ratio of 20:1 by denaturation step at 80 °C for 150 mins followed by
slow cooling at 0.1 °C/s to 25 °C. Prior to sequencing, the polymerase-template complex was
bound to the P2 enzyme with 10:1 polymerase to the SMRTbell template ratio for 4 hours. The
polymerase bound SMRTbell libraries were then sequenced by placing libraries in an 8M SMRT
cell at a sequencing concentration of 63 pM and 30-hour movie run time in a Sequel II System 2.0
machine.
For data analysis, PacBio CCS reads were first demultiplexed using lima from SMRT Link
8.0 command-line tools. For all samples, the location of gene H4L and mCherry-E3L sequences
were identified in each CCS reads by using BLAST (v2.9+) (Camacho et al., 2009). The search
results from BLAST were processed using custom scripts to identify the different modes of
mCherry-E3L insertions, as well as the alterations of gene structures of H4L. Representative
sequences of CCS reads were extracted to showcase selected scenarios. Those sequences were
further analyzed using Seqbuilder, Seqman Pro, Editseq of DNASTAR software package
(DNASTAR, Madison, WI). A logo plot from 19 target site duplications (first 6 nucleotides 5' and
3' of the TSD) and 10 nucleotides of adjacent sequences was created with WebLogo (Crooks et
al., 2004). PacBio CCS reads were submitted to ArrayExpress (accession: E-MTAB-9682).
524
525

Acknowledgments

528 This work was supported by grant AI146915 (to S.R.) from the National Institute of Allergy and
529 Infectious Diseases, National Institutes of Health. We thank Dr. Adam Geballe, Dr. Bertram
530 Jacobs and Dr. Bernard Moss for cell lines and viruses, and all current and former Rothenburg lab
531 members for helpful discussions.

532
533

References

References

BAYER, A., BRENNAN, G. & GEBALLE, A. P. 2018. Adaptation by copy number variation in monopartite
viruses. *Curr Opin Virol,* 33**,** 7-12.
BEATTIE, E., TARTAGLIA, J. & PAOLETTI, E. 1991. Vaccinia virus-encoded eIF-2 alpha homolog abrogates
the antiviral effect of interferon. *Virology,* 183**,** 419-22.
BECK, C. R., GARCIA-PEREZ, J. L., BADGE, R. M. & MORAN, J. V. 2011. LINE-1 elements in structural variation
and disease. *Annu Rev Genomics Hum Genet,* 12**,** 187-215.
BLASCO, R. & MOSS, B. 1991. Extracellular vaccinia virus formation and cell-to-cell virus transmission are
prevented by deletion of the gene encoding the 37,000-Dalton outer envelope protein. *J Virol,* 65**,**
5910-20.
BRATKE, K. A. & MCLYSAGHT, A. 2008. Identification of multiple independent horizontal gene transfers
into poxviruses using a comparative genomics approach. *BMC Evol Biol,* 8**,** 67.
BRATKE, K. A., MCLYSAGHT, A. & ROTHENBURG, S. 2013. A survey of host range genes in poxvirus
genomes. *Infect Genet Evol,* 14**,** 406-25.
BRENNAN, G., KITZMAN, J. O., ROTHENBURG, S., SHENDURE, J. & GEBALLE, A. P. 2014. Adaptive gene
amplification as an intermediate step in the expansion of virus host range. *PLoS Pathog,* 10**,**
e1004002.
BROYLES, S. S. & FESLER, B. S. 1990. Vaccinia virus gene encoding a component of the viral early
transcription factor. *J Virol,* 64**,** 1523-9.
BURLES, K., IRWIN, C. R., BURTON, R. L., SCHRIEWER, J., EVANS, D. H., BULLER, R. M. & BARRY, M. 2014.
Initial characterization of vaccinia virus B4 suggests a role in virus spread. *Virology,* 456-457**,** 108-
20.
BUZDIN, A., GOGVADZE, E., KOVALSKAYA, E., VOLCHKOV, P., USTYUGOVA, S., ILLARIONOVA, A., FUSHAN,
A., VINOGRADOVA, T. & SVERDLOV, E. 2003. The human genome contains many types of chimeric
retrogenes generated through in vivo RNA recombination. *Nucleic Acids Res,* 31**,** 4385-90.
CAMACHO, C., COULOURIS, G., AVAGYAN, V., MA, N., PAPADOPOULOS, J., BEALER, K. & MADDEN, T. L.
2009. BLAST+: architecture and applications. *BMC Bioinformatics,* 10**,** 421.
CHANG, H. W., WATSON, J. C. & JACOBS, B. L. 1992. The E3L gene of vaccinia virus encodes an inhibitor of
the interferon-induced, double-stranded RNA-dependent protein kinase. *Proc Natl Acad Sci U S*
A, 89**,** 4825-9.
CHANG, H. W., YANG, C. H., LUO, Y. C., SU, B. G., CHENG, H. Y., TUNG, S. Y., CARILLO, K. J. D., LIAO, Y. T.,
TZOU, D. M., WANG, H. C. & CHANG, W. 2019. Vaccinia viral A26 protein is a fusion suppressor of
mature virus and triggers membrane fusion through conformational change at low pH. *PLoS*
Pathog, 15**,** e1007826.
CHILD, S. J., PALUMBO, G. J., BULLER, R. M. & HRUBY, D. E. 1990. Insertional inactivation of the large
subunit of ribonucleotide reductase encoded by vaccinia virus is associated with reduced
virulence in vivo. *Virology,* 174**,** 625-9.
COTTER, C. A., EARL, P. L., WYATT, L. S. & MOSS, B. 2017. Preparation of Cell Cultures and Vaccinia Virus
Stocks. *Curr Protoc Mol Biol,* 117**,** 16 16 1-16 16 18.
CROOKS, G. E., HON, G., CHANDONIA, J. M. & BRENNER, S. E. 2004. WebLogo: a sequence logo generator.
Genome Res, 14**,** 1188-90.
DAR, A. C. & SICHERI, F. 2002. X-ray crystal structure and functional analysis of vaccinia virus K3L reveals
molecular determinants for PKR subversion and substrate recognition. *Mol Cell,* 10**,** 295-305.
DAVIES, M. V., CHANG, H. W., JACOBS, B. L. & KAUFMAN, R. J. 1993. The E3L and K3L vaccinia virus gene
products stimulate translation through inhibition of the double-stranded RNA-dependent protein
kinase by different mechanisms. *J Virol,* 67**,** 1688-92.

DOUCET, A. J., DROC, G., SIOL, O., AUDOUX, J. & GILBERT, N. 2015. U6 snRNA Pseudogenes: Markers of Retrotransposition Dynamics in Mammals. *Mol Biol Evol,* 32**,** 1815-32.

EID, J., FEHR, A., GRAY, J., LUONG, K., LYLE, J., OTTO, G., PELUSO, P., RANK, D., BAYBAYAN, P., BETTMAN, B., BIBILLO, A., BJORNSON, K., CHAUDHURI, B., CHRISTIANS, F., CICERO, R., CLARK, S., DALAL, R., DEWINTER, A., DIXON, J., FOQUET, M., GAERTNER, A., HARDENBOL, P., HEINER, C., HESTER, K., HOLDEN, D., KEARNS, G., KONG, X., KUSE, R., LACROIX, Y., LIN, S., LUNDQUIST, P., MA, C., MARKS, P., MAXHAM, M., MURPHY, D., PARK, I., PHAM, T., PHILLIPS, M., ROY, J., SEBRA, R., SHEN, G., SORENSON, J., TOMANEY, A., TRAVERS, K., TRULSON, M., VIECELI, J., WEGENER, J., WU, D., YANG, A., ZACCARIN, D., ZHAO, P., ZHONG, F., KORLACH, J. & TURNER, S. 2009. Real-time DNA sequencing from single polymerase molecules. *Science,* 323**,** 133-8.

ELDE, N. C., CHILD, S. J., EICKBUSH, M. T., KITZMAN, J. O., ROGERS, K. S., SHENDURE, J., GEBALLE, A. P. & MALIK, H. S. 2012. Poxviruses deploy genomic accordions to adapt rapidly against host antiviral defenses. *Cell,* 150**,** 831-41.

ESNAULT, C., MAESTRE, J. & HEIDMANN, T. 2000. Human LINE retrotransposons generate processed pseudogenes. *Nat Genet,* 24**,** 363-7.

ESPOSITO, J., CONDIT, R. & OBIJESKI, J. 1981. The preparation of orthopoxvirus DNA. *J Virol Methods,* 2**,** 175-9.

GAMMON, D. B., GOWRISHANKAR, B., DURAFFOUR, S., ANDREI, G., UPTON, C. & EVANS, D. H. 2010. Vaccinia virus-encoded ribonucleotide reductase subunits are differentially required for replication and pathogenesis. *PLoS Pathog,* 6**,** e1000984.

GARCIA-PEREZ, J. L., DOUCET, A. J., BUCHETON, A., MORAN, J. V. & GILBERT, N. 2007. Distinct mechanisms for trans-mediated mobilization of cellular RNAs by the LINE-1 reverse transcriptase. *Genome Res,* 17**,** 602-11.

GILBERT, C. & CORDAUX, R. 2017. Viruses as vectors of horizontal transfer of genetic material in eukaryotes. *Curr Opin Virol,* 25**,** 16-22.

GILBERT, N., LUTZ-PRIGGE, S. & MORAN, J. V. 2002. Genomic deletions created upon LINE-1 retrotransposition. *Cell,* 110**,** 315-25.

GROSS, C. H. & SHUMAN, S. 1996. Vaccinia virions lacking the RNA helicase nucleoside triphosphate phosphohydrolase II are defective in early transcription. *J Virol,* 70**,** 8549-57.

GUBSER, C., BERGAMASCHI, D., HOLLINSHEAD, M., LU, X., VAN KUPPEVELD, F. J. & SMITH, G. L. 2007. A new inhibitor of apoptosis from vaccinia virus and eukaryotes. *PLoS Pathog,* 3**,** e17.

HALLER, S. L., PENG, C., MCFADDEN, G. & ROTHENBURG, S. 2014. Poxviruses and the evolution of host range and virulence. *Infect Genet Evol,* 21**,** 15-40.

HAND, E. S., HALLER, S. L., PENG, C., ROTHENBURG, S. & HERSPERGER, A. R. 2015. Ectopic expression of vaccinia virus E3 and K3 cannot rescue ectromelia virus replication in rabbit RK13 cells. *PLoS One,* 10**,** e0119189.

HASSETT, D. E., LEWIS, J. I., XING, X., DELANGE, L. & CONDIT, R. C. 1997. Analysis of a temperature-sensitive vaccinia virus mutant in the viral mRNA capping enzyme isolated by clustered charge-to-alanine mutagenesis and transient dominant selection. *Virology,* 238**,** 391-409.

HEDENGREN-OLCOTT, M., BYRD, C. M., WATSON, J. & HRUBY, D. E. 2004. The vaccinia virus G1L putative metalloproteinase is essential for viral replication in vivo. *J Virol,* 78**,** 9947-53.

HOWARD, A. R., SENKEVICH, T. G. & MOSS, B. 2008. Vaccinia virus A26 and A27 proteins form a stable complex tethered to mature virions by association with the A17 transmembrane protein. *J Virol,* 82**,** 12384-91.

HUGHES, A. L. & FRIEDMAN, R. 2005. Poxvirus genome evolution by gene gain and loss. *Mol Phylogenet Evol,* 35**,** 186-95.

IYER, L. M., BALAJI, S., KOONIN, E. V. & ARAVIND, L. 2006. Evolutionary genomics of nucleo-cytoplasmic large DNA viruses. *Virus Res,* 117**,** 156-84.

JAYAWARDANE, G., RUSSELL, G. C., THOMSON, J., DEANE, D., COX, H., GATHERER, D., ACKERMANN, M.,
HAIG, D. M. & STEWART, J. P. 2008. A captured viral interleukin 10 gene with cellular exon
structure. *J Gen Virol,* 89**,** 2447-55.
KANE, E. M. & SHUMAN, S. 1992. Temperature-sensitive mutations in the vaccinia virus H4 gene encoding
a component of the virion RNA polymerase. *J Virol,* 66**,** 5752-62.
KATSAFANAS, G. C. & MOSS, B. 2007. Colocalization of transcription and translation within cytoplasmic
poxvirus factories coordinates viral expression and subjugates host functions. *Cell Host Microbe,*
2**,** 221-8.
KEELING, P. J. 2009. Functional and ecological impacts of horizontal gene transfer in eukaryotes. *Curr Opin*
Genet Dev, 19**,** 613-9.
KOJIMA, K. K. 2010. Different integration site structures between L1 protein-mediated retrotransposition
in cis and retrotransposition in trans. *Mob DNA,* 1**,** 17.
LANGLAND, J. O., CAMERON, J. M., HECK, M. C., JANCOVICH, J. K. & JACOBS, B. L. 2006. Inhibition of PKR
by RNA and DNA viruses. *Virus Res,* 119**,** 100-10.
LEFKOWITZ, E. J., WANG, C. & UPTON, C. 2006. Poxviruses: past, present and future. *Virus Res,* 117**,** 105-
18.
MCLYSAGHT, A., BALDI, P. F. & GAUT, B. S. 2003. Extensive gene gain associated with adaptive evolution
of poxviruses. *Proc Natl Acad Sci U S A,* 100**,** 15655-60.
MOLDOVAN, J. B., WANG, Y., SHUMAN, S., MILLS, R. E. & MORAN, J. V. 2019. RNA ligation precedes the
retrotransposition of U6/LINE-1 chimeric RNA. *Proc Natl Acad Sci U S A,* 116**,** 20612-20622.
OCHMAN, H., GERBER, A. S. & HARTL, D. L. 1988. Genetic applications of an inverse polymerase chain
reaction. *Genetics,* 120**,** 621-3.
PARRISH, S. & MOSS, B. 2006. Characterization of a vaccinia virus mutant with a deletion of the D10R gene
encoding a putative negative regulator of gene expression. *J Virol,* 80**,** 553-61.
PASZKOWSKI, P., NOYCE, R. S. & EVANS, D. H. 2016. Live-Cell Imaging of Vaccinia Virus Recombination.
PLoS Pathog, 12**,** e1005824.
PERKUS, M. E., GOEBEL, S. J., DAVIS, S. W., JOHNSON, G. P., NORTON, E. K. & PAOLETTI, E. 1991. Deletion
of 55 open reading frames from the termini of vaccinia virus. *Virology,* 180**,** 406-10.
PISKUREK, O. & OKADA, N. 2007. Poxviruses as possible vectors for horizontal transfer of retroposons
from reptiles to mammals. *Proc Natl Acad Sci U S A,* 104**,** 12046-51.
RAHMAN, M. M., LIU, J., CHAN, W. M., ROTHENBURG, S. & MCFADDEN, G. 2013. Myxoma virus protein
M029 is a dual function immunomodulator that inhibits PKR and also conscripts RHA/DHX9 to
promote expanded host tropism and viral replication. *PLoS Pathog,* 9**,** e1003465.
SCHONRICH, G., ABDELAZIZ, M. O. & RAFTERY, M. J. 2017. Herpesviral capture of immunomodulatory host
genes. *Virus Genes,* 53**,** 762-773.
SEKIGUCHI, J. & SHUMAN, S. 1997. Ligation of RNA-containing duplexes by vaccinia DNA ligase.
Biochemistry, 36**,** 9073-9.
SENKEVICH, T. G., WYATT, L. S., WEISBERG, A. S., KOONIN, E. V. & MOSS, B. 2008. A conserved poxvirus
NlpC/P60 superfamily protein contributes to vaccinia virus virulence in mice but not to replication
in cell culture. *Virology,* 374**,** 506-14.
SETO, J., CELENZA, L. M., CONDIT, R. C. & NILES, E. G. 1987. Genetic map of the vaccinia virus HindIII D
Fragment. *Virology,* 160**,** 110-9.
WILCOCK, D., DUNCAN, S. A., TRAKTMAN, P., ZHANG, W. H. & SMITH, G. L. 1999. The vaccinia virus A4OR
gene product is a nonstructural, type II membrane glycoprotein that is expressed at the cell
surface. *J Gen Virol,* 80 (Pt 8)**,** 2137-2148.
WILSON, E. B. & BROOKS, D. G. 2011. The role of IL-10 in regulating immunity to persistent viral infections.
Curr Top Microbiol Immunol, 350**,** 39-65.

WU, S. & KAUFMAN, R. J. 1997. A model for the double-stranded RNA (dsRNA)-dependent dimerization
and activation of the dsRNA-activated protein kinase PKR. *J Biol Chem,* 272**,** 1291-6.
YAO, X. D. & EVANS, D. H. 2001. Effects of DNA structure and homology length on vaccinia virus
recombination. *J Virol,* 75**,** 6923-32.
YEH, W. W., MOSS, B. & WOLFFE, E. J. 2000. The vaccinia virus A9L gene encodes a membrane protein
required for an early step in virion morphogenesis. *J Virol,* 74**,** 9701-11.
682
683

684 **Supporting information**
685

686
687
Supporting Figure 1. Stable expression of mCherry-E3L in RK13 cells. (**A**) Map of the
expression cassette in the pmCherry-E3L plasmid used to stably transfect RK13 cells. The
positions of oligonucleotides used to amplify the parts of the expression cassette are indicated by
arrows. (**B**) Fluorescent micrograph of stably transfected RK13-mCherry-E3L cells. (**C**) PCR
specific for mCherry-E3L did not amplify a product from RK13 cells (lane 1), but amplified
comparably sized products from the plasmid pmCherry-E3L (lane 2) and genomic DNA of the
RK13-mCherry-E3L cell line (lane 3). A smaller band was amplified from HGT3 DNA due to the
spliced-out intron (lane 4). M = molecular weight marker.
696

N2L
CCATGCTACTACCTTCGGGTAAAAATTGTAGCATCATATACCATTTCTAGTACTTTAGGTTCATTGTTATCCATTGCAGAG

N2L | **target site duplication** | **U2 small nuclear RNA**
GACGTCATGATCGAATCATAAAAAAAATATATTATTTTTAGATCGCTTCTCGGCCTTTTGGCTAAGATCAAGTGTAGTATC

U2 small nuclear RNA | **poly(A)**
TGTTCTTATCAGTTTAATATCTGATACGTCCTCTATCCGAGGACAATTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

poly(A) | **5' UTR vector**
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGG

5' UTR vector
CCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTC

5' UTR vector
ATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTA

poxvirus early/late promoter | **mCherry**
AAAATTGAAATTTTATTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGA

mCherry
GTTCATGCGCTTCAAGGTGCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCC

mCherry
CCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCT

mCherry
CAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGG

mCherry
CTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCG

mCherry
AGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGG

mCherry
GAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGG

mCherry
CGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACA

mCherry
TCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACC

mCherry | **E3L**
GGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGC

E3L
TATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATA

E3L
AAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAG

E3L
GCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCA

E3L
TAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGT

E3L
ACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGT

E3L
GTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGC

E3L | **3' UTR vector**
AGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGT

3' UTR vector
TTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGT

3' UTR vector
TTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCAAAAA

poly(A) | **target site duplication**
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAATATATTATTTTTATGTTA

M1L
TTTTGTTAAAAATAATCATCGAATACTTCGTAAGATACTCCTTCATGAACATAATCAGTTACAAAACGTTTATATGAAGT

697
698
699 **Supporting Figure 2. Integration site and composition of the U2-mCherry/E3L fusion in**
700 **HGT20.**

701
702
703 **Supporting Figure 3. mCherry and/or EGFP positive foci formed by HGT1 – HGT20 on**
704 **RK13+E3+K3 cells.** VC-R2 permissive RK13+E3+K3 cells were infected with plaque-purified
705 HGT virus isolates at 100 pfu/well. 48 hours after infection, red and green fluorescent images were
706 taken and overlayed in FiJi.
707

Supporting Figure 4. Recombination sites in passaged HGT3. (A) Recombination site in HGT3 between H7R and H3L identified in passage 10 of replicate 3 and passage 17 of replicate 2 by PCR and Sanger sequencing, as well as in passage 17 of replicate 3 by PacBio sequencing. A red rectangle shows a 3 nucleotide overlap between both genes at the breakpoint. (B) Recombination site in HGT3 between H6R and H3L identified in passage 2 of replicate 3 by PCR and Sanger sequencing. A red rectangle shows a 3 nucleotide overlap between both genes at the breakpoint. (C) Schematic presentation of recombined loci in parental VC-R2 and HGT3, and recombined loci in r3P17 (blue dotted line) and r3P2 (red dashed line).

Insertion start site at 5'-UTR

⭐ (orange) #12

⭐ (green) #1, #4, #7, #8, #10, #13, #16, #18

⭐ (red) #2, #9, #17

⭐ (blue) #3, #6, #11, #14, #15, #19, #20

⭐ (purple) #5

poly(A) start site at 3' UTR

⬇ (red) #8

⬇ (blue) #16

⬇ (green) #1 to #7, #9 to #15, #17 to #20

719
720
721 **Supporting Figure 5. Map of pmCherry-E3L.** Insertion start sites and polyadenylation sites of
722 transgenes in HGT viruses #1 to #20 are indicated.

724
725 **Supporting Figure 6. HGT15 contains one mCherry-E3L copy in each inverted terminal**
726 **repeats (ITR).** (**A**)To determine whether mCherry-E3L was present in both ITRs or only in one,
727 primers were designed to span the integration site and the unique region outside of the ITR. (**B**)
728 Both primer sets yielded larger PCR products for HGT15 than for the parental VC-R2, indicating
729 that mCherry-E3L was present in both ITRs.
730

Clones	Target Site Duplication (TSD)
HGT1 15 bp TSD	5'–AGAATAAAGAATCTA–3' 3'–TCTTATTTCTTAGAT–5'
HGT2–15bp 15 bp TSD	5'–AAGAGTGCCATAACT–3' 3'–TTCTCACGGTATTGA–5'
HGT3 18 bp TSD	5'–AAGAATGATTACTAACGC–3' 3'–TTCTTACTAATGATTGCG–5'
HGT4 17 bp TSD	5'–AAAAATTACGATATTCG–3' 3'–TTTTTAATGCTATAAGC–5'
HGT5 16 bp TSD	5'–AGAAAATTATGTTATG–3' 3'–TCTTTTAATACAATAC–5'
HGT6 18 bp TSD	5'–AAGAATTTACCTAGTAGC–3' 3'–TTCTTAAATGGATCATCG–5'
HGT7 15 bp TSD	5'–AAAAAACTTAACTCG–3' 3'–TTTTTTGAATTGAGC–5'
HGT8 15 bp TSD	5'–AAAATCTGTAGGAGG–3' 3'–TTTTAGACATCCTCC–5'
HGT9 12 bp TSD	5'–AATCGTTGGAGG–3' 3'–TTAGCAACCTCC–5'
HGT10 14 bp TSD	5'–AATAGATTCCTTTT–3' 3'–TTATCTAAGGAAAA–5'
HGT12 19 bp TSD	5'–AATAAAAAAGTATTTTTT–3' 3'–TTATTTTTTTCATAAAAAA–5'
HGT13 17 bp TSD	5'–AAGAATCCTATAGGTGG–3' 3'–TTCTTAGGATATCCACC–5'
HGT14 16 bp TSD	5'–AAGAGTGGATTCTTCT–3' 3'–TTCTCACCTAAGAAGA–5'
HGT15 13 bp TSD	5'–AATAACTAGCTTA–3' 3'–TTATTGATCGAAT–5'
HGT16 15 bp TSD	5'–AGGATATGCTTTCAT–3' 3'–TCCTATACGAAAGTA–5'
HGT17 15 bp TSD	5'–AAATTATTAGAATCA–3' 3'–TTTAATAATCTTAGT–5'
HGT18 17 bp TSD	5'–AAAAAGGTTTACATTCT–3' 3'–TTTTTCCAAATGTAAGA–5'
HGT19 16 bp TSD	5'–ATAAAGTGCACGTTTA–3' 3'–TATTTCACGTGCAAAT–5'
HGT20 20 bp TSD	5'–AAAAAAATATATTATTTTTA–3' 3'–TTTTTTTATATAATAAAAAT–5'

731
732
733 **Supporting Table 1. Target site duplications identified in HGT viruses.**
734

	Forward primer (5'-3')	Reverse primer (5'-3')
HGT1	JR70 vvH4L-1F (H4L): CTGTGATAGTCGATACGTTATAAAGG	JR73 vvH5R-2F (H5R) GTTTGGTTTTGGGCTTAGTAGATGG
HGT2	JR75 VV-I8R-1F (I8R) GGGATTTAAGGTACTAGATGGATCTCC	JR74 VV-I8R-1R (I8R) GCCGTTCCCTGTCATCCTCTAACG
HGT3	JR35-HGT-H4L-2F (H4L) CTCGCAAATTCTAGTCTTAACC	JR34-HGT-H4L-2R (H4L) GAGAGGTCTGTTCTTTCTTCG
HGT4	JR86-G1L-1F (G1L) GGAATAATCTCCGGACATGCTGG	JR87-G1L-1R (G1L) CGGTGGGAGAATAGACATGATAG
HGT5	JR117-I4L-4F (I4L) GATGTTGTGTAGTACAAGTGGC	HGT-E3L-1F (as reverse primer from E3L) TGGCAGTAGATAAACTTCTTGGTTACG
	HGT-E3L-1R (as forward primer from E3L) AGCCTCACACACAATCTCTGCG	JR114-I5L-2R (I5L) CCGTAACGATTTTCAAATATATAGGACTC
HGT6	JR118-D1R-1F (D1R) GGAGGCAAGGTATTAATCACTACC	JR119-D1R-1R (D1R) CGTTAAACACTCTGACTATATCGTTC
HGT7	JR165-HGT7-A40-1F (A40R) GGGAGGAAGGACGTAATAC	JR166-HGT7-A40-1R (A40R) CTAACCGAAGTAGTGGTATG
HGT8	JR130-A9L-2F (A9L) GGACTGGAGTTAGAATTTATAGAC	JR129-HGT-A10L-1R (A10L) GACTAACGAAATCACAGATATG
HGT9	JR131-D9R-1F (D9R) CGTTCCAGGCGATATTATCTC	JR132-D10R-1R (D10R) GACTTAGCTAGTCGTCTATTATAC
HGT10	JR131-D9R-1F (D9R) CGTTCCAGGCGATATTATCTC	JR132-D10R-1R (D10R) GACTTAGCTAGTCGTCTATTATAC
HGT11	JR190-B4R-1F (B4R) GAGACGATTACTACTAGTGGATG	JR134-B8R-1R (B8R) CGACGCATAGTCCCGTAC
HGT12	JR135-A48R-1F (A48R) CACACGGTTACTGGACC	JR136-A50R-1R (A50R) GGAAGCAATAGCTTAATGATC
HGT13	JR137-F13L-1F (F13L) CTATACTAGTCTTAGCTGACC	JR138-F13L-1R (F13L) CTGGAGGATCTATACATACG
HGT14	JR124-H3L-2F (H3L) CCGATGATAGACCTCCAG	JR85-H5R-2R (H5R) GGTGACTAGATCAGATAGTGTTG
HGT15	JR161-HGT15-C19L-1F (C19L) GTCATCAATGGTGTCCGTTAG	JR162-HGT15-C19L-1R (intergenic space between C19L and C18L) CATTTACCGGCATCATAAACACG
HGT16	JR186-A26L-1F (A26L) GATGTTCTGGTTCGACATCC	JR170-A28L-1R (A28L) CAGGCAGAAGTTGGACC
HGT17	JR171-G5R-1F (G5R) GCGTTAGAACCACGCAAG	JR187-G7L-1R (G7L) GATGGAGCTGTGACTAGTC
HGT18	JR173-D6R-1F (D6R) CGCTTTGTTGTTCGCCTTG	JR174-D6R-1R (D6R) GAGTTATTGTAGCGAGATAATCC
HGT19	JR242-D11L-1F (D11L) GGTCTTCGTCTACAGTAGG	HGT-CHR-1R ATGGCCATGTTATCCTCCTCGC
	HGT-E3L-1F TGGCAGTAGATAAACTTCTTGGTTACG	JR236-D11L-1R (D11L) GAATCAAGGCGGTGGC
HGT20	JR175-C2L-1F (C2L) GATGGTGATCCTGAATGCG	JR178-M1L-1R (M1L) CTCTGTAGTTAACGGTCATACATG

736 **Supporting Table 2. Oligonucleotides used to amplify the integration sites of mCherry-E3L**
737 **in HGT viruses.**

Supporting sequences

The 5' and 3' UTR of the mCherry-E3L gene are shown in light green. Dark red indicates the rabbit β-globin intron. A synthetic early/late poxvirus promoter sequence is marked in grey. mCherry is shown in red. E3L is highlighted in yellow. poly(A) tracts are shown in turquoise. VACV genomic sequences surrounding the integration sites in HGT1 through 20 are shown in lower case letters. Blue shades highlight untemplated nucleotides 5' of the 5'UTR. Target site duplications at the mCherry-E3L integration sites are indicated in pink. For HGT20, dark green indicates a fragment of a U2 small nuclear RNA encoding sequence. For HGT1-20, sequences from Sanger sequencing of PCR products are shown. Note that the poly(A) tracts were not completely sequenced and might contain sequencing errors due to problems with sequencing of long mononucleotide stretches and possible heterogeneity in the population.

pmCherry-E3L:
```
CTGATTCTGTGGATAACCGTATTAGCGGCCGCGGTGTGGAAAGTCCCCAGGCTCCCCAGCAGGC
AGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAAGGAAAGTCCCCAGGCTCCCCAGCAGGC
AGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCCA
TCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGACTAATTTTTTTTAT
TTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTT
GGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGGTGAGTTTGGGGA
CCCTTGATTGTTCTTTCTTTTTCGCTATTGTAAAATTCATGTTATATGGAGGGGCAAAGTTTT
CAGGGTGTTGTTTAGAATGGGAAGATGTCCCTTGTATCACCATGGACCCTCATGATAATTTGT
TTCTTTCACTTTCTACTCTGTTGACAACCATTGTCTCCTCTTATTTTCTTTTCATTTTCTGTAA
CTTTTTCGTTAAACTTTAGCTTGCATTTGTAACGAATTTTTAAATTCACTTTTGTTTATTTGTC
AGATTGTAAGTACTTTCTCTAATCACTTTTTTTTTCAAGGCAATCAGGGTATATTATATTGTACT
TCAGCACAGTTTTAGAGAACAATTGTTATAATTAAATGATAAGGTAGAATATTTCTGCATATAA
ATTCTGGCTGGCGTGGAAATATTCTTATTGGTAGAAACAACTACATCCTGGTCATCATCCTGCC
TTTCTCTTTATGGTTACAATGATATACACTGTTTGAGATGAGGATAAAATACTCTGAGTCCAAA
CCGGGCCCCTCTGCTAACCATGTTCATGCCTTCTTCTTTTTCCTACAGCTCCTGGGCAACGTGC
TGGTTATTGTGCTGTCTCATCATTTTGGCAAGAATTGTAATACGACTCACTATAGGGCGAATT
CGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTGGA
ATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCA
AGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCG
CCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCC
TGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACA
TCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGA
GGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAG
GTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCT
GGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAG
GCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAG
CCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGG
ACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGA
GCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAG
GCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGG
AGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGA
CGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCT
GACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATG
```

ATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGA
GTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCT
CCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTA
AACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCAT
TAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAA
AAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTT
GTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCA
TTTTTTTTCACTGCATTCTAGTTGTGGTTTGTCCAAACTCATCAATGTATCTTAAGGCGTAAATT
GTAAGCGTTAATATTTTGTTAAAATTCGCGTTAAATTTTTGTTAAATCAGCTCATTTTTTAACC
AATAGGCCGAAATCGGCAAAATCCCTTATAAATCAAAAGAATAGACCGAGATAGGGTTGAGTGT
TGTTCCAGTTTGGAACAAGAGTCCACTATTAAAGAACGTGGACTCCAACGTCAAAGGGCGAAAA
ACCGTCTATCAGGGCGATGGCCCACTACGTGAACCATCACCCTAATCAAGTTTTTTGGGGTCGA
GGTGCCGTAAAGCACTAAATCGGAACCCTAAAGGGAGCCCCCGATTTAGAGCTTGACGGGGAAA
GCCGGCGAACGTGGCGAGAAAGGAAGGGAAGAAAGCGAAAGGAGCGGGCGCTAGGGCGCTGGCA
AGTGTAGCGGTCACGCTGCGCGTAACCACCACACCCGCCGCGCTTAATGCGCCGCTACAGGGCG
CGTCAGGTGGCACTTTTCGGGGAAATGTGCGCGGAACCCCTATTTGTTTATTTTTCTAAATACA
TTCAAATATGTATCCGCTCATGAGACAATAACCCTGATAAATGCTTCAATAATATTGAAAAAGG
AAGAGTCCTGAGGCGGAAAGAACCAGCTGTGGAATGTGTGTCAGTTAGGGTGTGGAAAGTCCCC
AGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCAGGTGTGGA
AAGTCCCCAGGCTCCCCAGCAGGCAGAAGTATGCAAAGCATGCATCTCAATTAGTCAGCAACCA
TAGTCCCGCCCCTAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCC
CCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTATTC
CAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAGATCGATCAAGAGACAGGA
TGAGGATCGTTTCGCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGG
AGAGGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGTGTTCCG
GCTGTCAGCGCAGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCCGGTGCCCTGAATGAA
CTGCAAGACGAGGCAGCGCGGCTATCGTGGCTGGCCACGACGGGCGTTCCTTGCGCAGCTGTGC
TCGACGTTGTCACTGAAGCGGGAAGGGACTGGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCT
CCTGTCATCTCACCTTGCTCCTGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTG
CATACGCTTGATCCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCAC
GTACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAGGGGCTCGC
GCCAGCCGAACTGTTCGCCAGGCTCAAGGCGAGCATGCCCGACGGCGAGGATCTCGTCGTGACC
CATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAAATGGCCGCTTTTCTGGATTCATCGACT
GTGGCCGGCTGGGTGTGGCGGACCGCTATCAGGACATAGCGTTGGCTACCCGTGATATTGCTGA
AGAGCTTGGCGGCGAATGGGCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTCG
CAGCGCATCGCCTTCTATCGCCTTCTTGACGAGTTCTTCTGAGCGGGACTCTGGGGTTCGAAAT
GACCGACCAAGCGACGCCCAACCTGCCATCACGAGATTTCGATTCCACCGCCGCCTTCTATGAA
AGGTTGGGCTTCGGAATCGTTTTCCGGGACGCCGGCTGGATGATCCTCCAGCGCGGGGATCTCA
TGCTGGAGTTCTTCGCCCACCCTAGGGGGAGGCTAACTGAAACACGGAAGGAGACAATACCGGA
AGGAACCCGCGCTATGACGGCAATAAAAAGACAGAATAAAACGCACGGTGTTGGGTCGTTTGTT
CATAAACGCGGGGTTCGGTCCCAGGGCTGGCACTCTGTCGATACCCCACCGAGACCCCATTGGG
GCCAATACGCCCGCGTTTCTTCCTTTTCCCCACCCCACCCCCCAAGTTCGGGTGAAGGCCCAGG
GCTCGCAGCCAACGTCGGGGCGGCAGGCCCTGCCATAGCCTCAGGTTACTCATATATACTTTAG
ATTGATTTAAAACTTCATTTTTAATTTAAAAGGATCTAGGTGAAGATCCTTTTTTGATAATCTCA
TGACCAAAATCCCTTAACGTGAGTTTTCGTTCCACTGAGCGTCAGACCCCGTAGAAAAGATCAA
AGGATCTTCTTGAGATCCTTTTTTTTCTGCGCGTAATCTGCTGCTTGCAAACAAAAAAACCACCG
CTACCAGCGGTGGTTTGTTTGCCGGATCAAGAGCTACCAACTCTTTTTTCCGAAGGTAACTGGCT

TCAGCAGAGCGCAGATACCAAATACTGTCCTTCTAGTGTAGCCGTAGTTAGGCCACCACTTCAA
GAACTCTGTAGCACCGCCTACATACCTCGCTCTGCTAATCCTGTTACCAGTGGCTGCTGCCAGT
GGCGATAAGTCGTGTCTTACCGGGTTGGACTCAAGACGATAGTTACCGGATAAGGCGCAGCGGT
CGGGCTGAACGGGGGGTTCGTGCACACAGCCCAGCTTGGAGCGAACGACCTACACCGAACTGAG
ATACCTACAGCGTGAGCTATGAGAAAGCGCCACGCTTCCCGAAGGGAGAAAGGCGGACAGGTAT
CCGGTAAGCGGCAGGGTCGGAACAGGAGAGCGCACGAGGGAGCTTCCAGGGGGAAACGCCTGGT
ATCTTTATAGTCCTGTCGGGTTTCGCCACCTCTGACTTGAGCGTCGATTTTTGTGATGCTCGTC
AGGGGGGCGGAGCCTATGGAAAAACGCCAGCAACGCGGCCTTTTTACGGTTCCTGGCCTTTTGC
TGGCCTTTTGCTCACATGTTCTTTCCTGCGTTATCCC
842
HGT1:
cgctttatttgtaattgaccacgccattacgatacaaacttaacggatatcgcgataatgaaat
aatttatgattatttctcgctttcaatttaacacaaccctcaagaacctttgtatttattttca
ttttttaagtatagaataaagaatctaCTCTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTT
GGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACG
TGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGA
ATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTT
GGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCT
TCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGG
CCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTC
GCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCG
ACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTT
CGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTAC
AAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGG
GCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCA
GAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAG
AAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACG
AGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGA
CGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGT
GAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATA
TGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTC
CGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATG
GCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTG
ATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAA
TGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAAC
TCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAAT
CTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCAT
CATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTT
TAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAA
CTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAA
GCATTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAGGAAAAAAAAACCAAAAAAAAAAAAAAAAagaataaagaatctataaaaactaa
aaaaattatacatcataaaccaatttcctagttgtttgtaactttaaatggactctaaagagac
tattctaattgagatcattcc
877
878 HGT2:

```
879  gccgttccctgtcatcctctaacgtggcagtcattaaaaacatagaatctattttcgtatgatg
880  cttttctcgctactgctataataatatctcctatttgatcatgctcatgaacttcgtctataata
881  agagtgccataactTGTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTT
882  TTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTG
883  CTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTA
884  CCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGT
885  GAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATG
886  GAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGG
887  GCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCT
888  GTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTAC
889  TTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCG
890  TGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCG
891  CGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCC
892  TCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGA
893  AGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCT
894  GCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATC
895  GTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGT
896  CTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAAC
897  CATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAA
898  GTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTC
899  CTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAAT
900  AGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCCG
901  GCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAAA
902  TTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTA
903  TGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCT
904  AAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGAT
905  AAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCA
906  CACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAG
907  CTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACT
908  GCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaaga
909  gtgccataactaaatagttttgttagagataacttatgggtagaaaatacaattccatatttt
910  ttggttgtttgtttattaattcttccggtatagatccgtaccgtaaagaaataggagatccatc
911  tagtaccttaaatccc
912
913  HGT3:
914  ctcgcaaattctagtcttaaccaaaaaatcgtatataaccacggagatggcgtatttaagagtg
915  gattcttctaccgttttgttcttggatgtcatataggaaactataaagtccgcactactgttaa
916  gaatgattactaacgcGGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTT
917  TTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTG
918  CTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTA
919  CCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGT
920  GAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATG
921  GAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGG
922  GCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCT
923  GTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTAC
924  TTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCG
925  TGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCG
```

CGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCC
TCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGA
AGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCT
GCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATC
GTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGT
CTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAAC
CATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAA
GTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTC
CTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAAT
AGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCCG
GCTAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAAA
TTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTA
TGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCT
AAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGAT
AAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCA
CACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAG
CTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACT
GCAAAAAAAAAAAAAAAAAAAGAAAAAAAAAAAAAAACAAAAAAAAAAaagaatgattactaa
cgcaactatatagttcaaattaagcattttggaaacataaaataactctgtagacgatacttga
ctttcgaataagtttgcagacaaacgaagaaagaacagacctctcttaatttcagaagaaaact
ttttttcgtattcctgacgtctagagtttatatcaataagaaagttaagaattagtcggttaat
gttgtatttcattacccaagtttgagatttcataatattatcaaaagacatgataatattaaag
ataaagcgctgactatgaacgaaatagctatatggttcgctcaaaaatatagtcttgttaaac
949
HGT4:
ctcgccacgaagaaagctctcgtattcagtttcatcgataaaggataccgttaaatataactgg
ttgccgatagtctcatagtctattaagtggtaagtttcgtacaaatacagaatccctaaaatat
tatctaatgttggattaatctttaccataactgtataaaatggagacggagtcataactatttt
accgtttgtacttactggaatagatgaaggaataatctccggacatgctggtaaagacccaaat
gtctgtttgaagaaatccaatgttccaggtcctaatctcttaacaaaaattacgatattcgCTC
TGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGG
ATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTG
GCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAA
GCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAG
GATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACG
GCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAA
GCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATG
TACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCC
CCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCA
GGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCC
TCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACC
CCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTA
CGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAAC
GTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAAC
GCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTA
TATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGA
GCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGT

```
973   ACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGAC
974   AACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGC
975   GAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTG
976   ATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTG
977   GTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATC
978   GACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTA
979   AATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATC
980   AGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACC
981   TGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAA
982   ATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCACTGCAAAAAAAAAAAAAA
983   AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaaaaattacg
984   atattcgatcccgatatcctttgcattctatttaccagcatatcacgaactatattaagattat
985   ctatcatgtctattctcccaccgttatataaatcgcctccgctaagaaacgttagtatatccat
986   acaatggaatacttcatttctaaaatagtattcgttttctaattctttaatgtgaaatcgtata
987   ctagaaagggaaaaattatctttgagttttccgttagaaaagaaccacgaaactaatgttctga
988   ttgcgtccgattccgttgctgaattaatggatttacaccaaaaactcatataacttctagatgt
989   agaagcattcgctaaaaaattagtagaatcaaaggatataagtagatgttccaacaagtgagca
990   attcccaag
991
992   HGT5:
993   atgtttgtcattaaacgaaatggatacaaggaaaatgtcatgtttgataaaatcacgtctcgta
994   ttagaaaattatgttatgCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGA
995   ATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTT
996   GGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCT
997   TCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGG
998   CCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTC
999   GCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCG
1000  ACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTT
1001  CGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTAC
1002  AAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGG
1003  GCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCA
1004  GAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAG
1005  AAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACG
1006  AGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGA
1007  CGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGT
1008  GAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATA
1009  TGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTC
1010  CGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATG
1011  GCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTG
1012  ATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAA
1013  TGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAAC
1014  TCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAAT
1015  CTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCAT
1016  CATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTT
1017  TAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAA
1018  CTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAA
1019  GCATTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
```

1020 `AAAAAAAAA`(cyan)`agaaaattatgttatg`(magenta)`gcttaaacacggatcatatagatcctattaaaatagcta`
1021 `tgaaggttattcaaggaatatataatggagtaacaacggtagaattggacactctggcagccga`
1022 `aatagcagccacttgtactacacaacatc`
1023
HGT6:
`ggaggcaaggtattaatcactaccatggacggagacaaattatcaaaattaacagataaaaaga`
`cttttataattcat`(magenta)`aagaatttacctagtagc`(green)`GAGCTATTCCAGAAGTAGTGAAGAGGCTTTTT`
`TGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAAC`
`GTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCG`
`AATTCGAGCTCGGTACCGGATCCCTGCAGAAG`(green)`CTTCTAAAAATTGAAATTTTATTTTTTTTTTT`(grey)
`TGGAATATAA`(grey)`ATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGC`
`TTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGG`
`GCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTT`
`CGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCC`
`GACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACT`
`TCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTA`
`CAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATG`
`GGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGC`
`AGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAA`
`GAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAAC`
`GAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGG`
`ACGAGCTGTACAAG`(red)`TCTAGA`(white)`TCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTG`(yellow)
`TGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAAT`
`ATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCT`
`CCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTAT`
`GGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTT`
`GATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTA`
`ATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAA`
`CTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAA`
`TCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCA`
`TCATTAGATTC`(yellow)`TGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCT`(green)
`TTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTA`
`ACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAA`
`AGCATTTTTTTCACTGC`(green)`AAAAAAAAAAAAAAAAAAAAGAAAAAAAAAAAAAAAAC AAAAAAAAA`(cyan)`aa`(magenta)
`gaatttacctagtagc`(magenta)`gaaaactatatgtctgtagaaaaaatagctgatgatagaatagtggta`
`tataatccatcaacaatgtctactccaatgactgaatacattatcaaaaagaacgatatagtca`
`gagtgtttaacg`
1057
HGT7:
`ctaaccgaagtagtggtatgataaaaatgtagtgtaattgttatatagtgtaacacgaatgcag`
`tttgggagtattcgttgtgctacaaatatatttccattcttcgtggcattttttagctataaaat`
`tatatgggggttgtctggtttaatatttcggattctcctacccaatagcctcgtctaaggcttct`
`t`(magenta)`aaaaaacttaactcg`(magenta)`CTCTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGG`(green)
`CTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATT`
`GTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCG`
`GTACCGGATCCCTGCAGAAG`(green)`CTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTTGGAATATAA`(grey)`AT`(red)
`GGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCAC`(red)

```
1067  ATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACG
1068  AGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACAT
1069  CCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGAC
1070  TACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCG
1071  GCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCT
1072  GCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCC
1073  TCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGC
1074  TGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCA
1075  GCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACC
1076  ATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACA
1077  AGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAA
1078  AACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGA
1079  GAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTC
1080  CTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCAT
1081  AATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATT
1082  CCGGCTAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCC
1083  AAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATT
1084  TTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGAT
1085  GCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCT
1086  GATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTC
1087  CCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTG
1088  CAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTC
1089  ACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaaaaaacttaactcgtttggagtctctat
1090  cttaattagatccgaatttggatttagagctttgcatgtattacgtccttcctccc
1091
1092  HGT8:
1093  gactaacgaaatcacagatatgataaacgcctcattgaagaatacaatttctaaagataataat
1094  atgctagtcagccaagcgttgaactctgtagctaatcgttctaaacaaacgattggagacttga
1095  ggcaatcatcgtgtaaaatggcattgttgtttaaaaatcttgctacatccatctacacaataga
1096  acgtattttcaatgctaaagtaggcgatgatgttaaggcatcgatgttggagaagtataaagta
1097  ttcacagatatttccatgtcattgtataaagacttgatagctatggagaatctcaaagcgatgc
1098  tatacattattcgacgaagcggatgcagaatagacgatgcacaaattactactgacgatctagt
1099  caagtcttactcattgatccgtcctaaaattctaagtatgataaactattataatgaaatgagt
1100  agaggatactttgaacacatgaaaaaaaatctaaatatgacagatggtgactctgtctcttttg
1101  atgatgaataaatgtcatgttatacagctatattaaaatctgtaggaggCTCTGAGCTATTCCA
1102  GAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAG
1103  AACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGT
1104  AATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAAT
1105  TGAAATTTTATTTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCC
1106  ATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCG
1107  AGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGAC
1108  CAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAG
1109  GCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCA
1110  AGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCT
1111  GCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCC
1112  GTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCG
1113  CCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGT
```

```
1114  CAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAG
1115  TTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCC
1116  GCCACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCG
1117  TTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCA
1118  CAACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAAC
1119  GTAGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGA
1120  TAAGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATG
1121  AGAGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTG
1122  CTAACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTAT
1123  TGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTA
1124  TTCGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAG
1125  ATAAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACA
1126  TTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAA
1127  TGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAG
1128  CATCACATTTTTTTTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaaaatctgtaggag
1129  gactggcgctatttcaagtagccaatggcgccatagatttatgtagacatttctttatgtatt
1130  ttgtgaacaaaagctacgaccaaattcattttggttcgttgttgttagagccattgcgagcatg
1131  ataatgtatttagtattaggtatagcattgctgtatatttctgaacaagatgacaagaagaata
1132  ctaataatgatggtagtaataatgataaacgaaatgagtcgtctataaattctaactccagtcc

1134  HGT9:
1135  cgttccaggcgatattatctcaacaaaattcagattctatctttagagtatccactaaactatt
1136  acggtttatgtactacaatgaactaagagaaatctttagacggttgagaaaaggttctatcaac
1137  aatatcgatcctcacttcgaagagttaatattattgggtggtaaactagataaaaaggaatcta
1138  ttaaagattgtttaagaagagaattaaaagaggaaagtgatgaacgtataacagtaaaagaatt
1139  tggaaatgtaattctaaaacttacaacacgggataaattatttaataaagtatatataagttat
1140  tgcatggcgtgtttattaatcaatcgttggaggTGAGCTATTCCAGAAGTAGTGAAGAGGCTT
1141  TTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGC
1142  AACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGG
1143  GCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTT
1144  TTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATG
1145  CGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCG
1146  AGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCC
1147  CTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCC
1148  GCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGA
1149  ACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCAT
1150  CTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACC
1151  ATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCA
1152  AGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGC
1153  CAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCAC
1154  AACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCA
1155  TGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGT
1156  GTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTT
1157  AATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACA
1158  GCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGC
1159  TATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCT
1160  TTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTA
```

```
1161  TTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAG
1162  TAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGA
1163  AAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACG
1164  TCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTT
1165  GCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTG
1166  TTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAA
1167  TAAAGCATTTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAGAAAAAAAAAAAAAAACAAAAAAAA
1168  AAAaatcgttggaggatttatcgcatactagtatttacaatgtagaaattagaaagattaaatc
1169  attaaatgattgtattaacgacgataaatacgaatatctgtcttatatttataatatgctagtt
1170  aatagtaaatgacttttacagatctagtataattagtcagattattaagtataatagacgact
1171  agctaagtc
1172
1173  HGT10:
1174  tcctccaacgattgattaataaaacacgccatgcaataacttatatatactttattaaataatt
1175  tatcccgtgttgtaagttttagaattacatttccaaattcttttactgttatacgttcatcact
1176  ttcctcttttaattctcttcttaaacaatcttttaatagattcctttttCTCTGAGCTATTCCAGA
1177  AGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAA
1178  CTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAA
1179  TACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTG
1180  AAATTTTATTTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCAT
1181  CATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAG
1182  ATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCA
1183  AGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGC
1184  CTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAG
1185  TGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGC
1186  AGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGT
1187  AATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCC
1188  CTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCA
1189  AGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTT
1190  GGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGC
1191  CACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTT
1192  CTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACA
1193  ACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGT
1194  AGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATA
1195  AGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAG
1196  AGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCT
1197  AACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTG
1198  AATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATT
1199  CGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGAT
1200  AAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATT
1201  TGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATG
1202  AATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCA
1203  TCACAAATTTCACAAATAAAGCATTTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAA
1204  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1205  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1206  AAAAAAAAAAAAAAAAAAAAAAAMAAAAAAAaatagattccttttttatctagtttaccaccca
1207  ataatattaactcttcgaagtgaggatcgatattgttgatagaacctttttctcaaccgtctaaa
```

```
1208   gatttctcttagttcattgtagtacataaaccgtaatagtttagtggatactctaaagatagaa
1209   tctgaattttgttgagataatatcgcctggaacg
1210
1211   HGT11:
1212   gagacgattactactagtggatgtacatgtatttcggaagcagtcgcaaacaacaacaaaataa
1213   taatggaagtactattgtctaaacgaccatctttgaaaattatgatacagtctatgatagcaat
1214   tactaaaaataaacaacataatgcagatttattgaaaatgtgtataaaatatactgGGAGCTAT
1215   TCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCC
1216   TGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAA
1217   TTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAA
1218   AAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACAT
1219   GGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAG
1220   TTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGG
1221   TGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTC
1222   CAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGC
1223   TTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCT
1224   CCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGG
1225   CCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGAC
1226   GGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTG
1227   AGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACAT
1228   CAAGTTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAG
1229   GGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACG
1230   AGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGC
1231   TGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTT
1232   CAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGG
1233   CGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATC
1234   AATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAA
1235   GGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTC
1236   GTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAG
1237   AGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCA
1238   GTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATAC
1239   CACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACAT
1240   AAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCA
1241   ATAGCATCACAAATTTCACAAATAAAGCATTTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAGAA
1242   AAAAAAAAAAAACAAAAAAAAAAtaattctcgcagttttgttcattaatagtatacacgcta
1243   aaataactagttataagtttgaatccgtcaattttgattccaaaattgaatggactggggatgg
1244   tctatacaatatatcccttaaaaattatggcatcaagacgtggcaaacaatgtatacaaatgta
1245   ccagaaggaacatacgac
1246
1247   HGT12:
1248   ggaagcaatagcttaatgatcaaatatttatcatccctatctgttataaagtctctaattaatt
1249   tagattttctcttatatcctgatgcgtgatatatatcacagcataattttctaaattcgcgaag
1250   cgacgtcatttaataaaaaaagtattttttCATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCT
1251   GAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGA
1252   TCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGG
1253   CAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAG
1254   CTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGG
```

```
1255  ATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGG
1256  CCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCCTACGAGGGCACCCAGACCGCCAAG
1257  CTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGT
1258  ACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCC
1259  CGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAG
1260  GACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCT
1261  CCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCC
1262  CGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTAC
1263  GACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACG
1264  TCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACG
1265  CGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTAT
1266  ATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAG
1267  CTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTA
1268  CGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACA
1269  ACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCG
1270  AAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGA
1271  TTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGG
1272  TCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCG
1273  ACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAA
1274  ATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCA
1275  GCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCT
1276  GAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAA
1277  TAAAGCAATAGCATCACAAATTTTCACAAATAAAGCATTTTTTTTCACTGCAAAAAAAAAAAAAAA
1278  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaataaaaaaagtattttttttttaat
1279  attttttcacaaatatcgttcgcggatatcattagacaattgtagtatattcttacgtatcactt
1280  gtttaatatctatatcggctattctggaaccgag
1281
1282  HGT13:
1283  ctggaggatctatacatacgattaaaacgttaggtgtatattctgattatcccccgctggccac
1284  agatcttcgtagaagatttgatacttttaaagcctttaatagcgcaaaaaattcatggttgaat
1285  ttatgctctgcggcttgttgtctgccagttagcactgcgtatcatattaagaatcctataggtg
1286  gCTCTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCT
1287  CCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCAT
1288  TTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGC
1289  AGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGA
1290  GGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTG
1291  AACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCCTACGAGGGCACCCAGACCG
1292  CCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTT
1293  CATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCC
1294  TTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGA
1295  CCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTT
1296  CCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATG
1297  TACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCC
1298  ACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTA
1299  CAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTAC
1300  GAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAA
1301  TCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGA
```

1349

HGT15:

gtcatcaatggtgtccgttagtatatcaaagatcttgttatcgattgatagtgaatgaatcaga

tagtggtgtcctttttcatccttgctatcaaagttacgcatgccgtggtgtaacaatatcttta

atacagatggattaaatcgtgtattcatcgtatagcaatgtaatggagagttacctcgtttatt

cagatcgcagtgtttaataactagcttacGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGG

AGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTG

CTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAAT

TCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTGG

AATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTC

AAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGC

GCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGC

CTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGAC

ATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCG

AGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAA

GGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGC

TGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGA

GGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAA

GCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAG

GACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACG

AGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGA

GGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATG

GAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCG

ACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGC

TGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGAT

GATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATG

AGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTC

TCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCT

AAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCA

TTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTA

AAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACT

TGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGC

ATTTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaat

aactagcttaaacagatgagacgatgtatccacatcaaagaacgtaaaatacatatgacaaaca

ttgt

1385

HGT16:

ggagtaccatcgtgattcttaccagatattatacaaaatactatatataaaatatattgaccaa

cgttagtaatcatataaatgtttaacgttttaaattttgtattcaatgatccattatcatacgc

tagcatggtcttatgatattcattctttaaaatataatattgtgttagccattgcattggagct

cctaatggagattttctattctcgtccattttaggatatgctttcatCTCTGAGCTATTCCAGA

AGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAA

CTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAA

TACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTG

AAATTTTATTTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCAT

CATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAG

```
1396  ATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCA
1397  AGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGC
1398  CTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAG
1399  TGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGC
1400  AGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGT
1401  AATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCC
1402  CTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCA
1403  AGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTT
1404  GGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGC
1405  CACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTT
1406  CTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACA
1407  ACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGT
1408  AGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATA
1409  AGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAG
1410  AGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCT
1411  AACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTG
1412  AATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATT
1413  CGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGAT
1414  AAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATT
1415  TGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATG
1416  AATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCA
1417  TCACAAATTTCACAAATAAAGCATTTTTTTCACTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1418  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1419  AAAAAAAAAAAAAAAAAAAAAAAAAAAAaggatatgctttcataaagtccctaataacttcgt
1420  gaataatgtttctatgttttctactgatgcatgtatttgcttcgatttttttatcccatgtttc
1421  atctatcatagatttaaacgcagtaatgctcgcaacattaacatcttgaaccgttggtacaatt
1422  ccgttccataaatttataatgttcgccatttatataactcatttttgaatatactttaatta
1423  acaaaagagttaagttactcatatggacgccgtccagtctgaac

1424
1425  HGT17:
1426  gatatgcaaaagtttaccatttttagaatatctttacattatgagagtgatggcaaacaacgtta
1427  agaaaaagaacgtgggaaaaaacaacggaggagtagttatgcatattaactcacccttttaaggt
1428  aatcaatttgccaaaatgttaaaattattagaatcaGTTGAGCTATTCCAGAAGTAGTGAAGAGG
1429  CTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTG
1430  GGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTAT
1431  AGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTT
1432  TTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTC
1433  ATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGG
1434  GCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCT
1435  GCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCAC
1436  CCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGA
1437  TGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTT
1438  CATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAG
1439  ACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGA
1440  TCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAA
1441  GGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCC
1442  CACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCG
```

```
1443  GCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGAT
1444  TGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAA
1445  CTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGT
1446  ACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGA
1447  TGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAG
1448  TCTTTTGATGATGTTATTCCGGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCG
1449  TTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCC
1450  TAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGAT
1451  GGAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTT
1452  ACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTA
1453  CTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTG
1454  TTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCAC
1455  AAATAAAGCATTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1456  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAaaattattagaat
1457  catatatctttatccatctattatcgtctgtgaagttttggctcagaaaaatatctttacctaa
1458  tattcgtttagacgatgtttcaacaccggcattttttataacagtcagctaccaatttaaaacaa
1459  tacattctattatgaccaaatccatacggaatacccaataaagttaatgacgtatcagctgc
1460
1461  HGT18:
1462  attgttccatattatgggatcaggtaaaacaataatcgctttgttgttcgccttggtagcttcc
1463  agatttaaaaaggtttacattctCTCTGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAG
1464  GCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCT
1465  GGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTC
1466  GAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAAATTGAAATTTTATTTTTTTTTTTTTGGAA
1467  TATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAA
1468  GGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGC
1469  CCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCT
1470  GGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACAT
1471  CCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAG
1472  GACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGG
1473  TGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTG
1474  GGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGG
1475  CTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGC
1476  CCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGA
1477  CTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAG
1478  CTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGG
1479  CTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGA
1480  GAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGAC
1481  GATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTG
1482  ACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGA
1483  TGTTATTCCGGCTAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAG
1484  TACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTC
1485  CTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAATCTAA
1486  ACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATT
1487  AGATTCTGATAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAA
1488  AAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTG
1489  TTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCAT
```

```
1490  TTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1491  AAAAAAAAAAAAAAaaaaaggtttacattctagtgccgaacatcaacatcttaaaaattttcaa
1492  ttataatatgggtgtagctatgaacttgtttaatgacgaattcatagctgagaatatctttatt
1493  cattccacaacaagttttttattctcttaattataacgataacgtcattaattataacggattat
1494  ctcgctacaataactc
1495
1496  HGT19:
1497  ctcattgtcgatcggtgagaagtctttttcattagcatgaatccattctaatgatgtatgttta
1498  aacactctaaacaattggacaaattcttttgatttgctttgaatgatttcaaataggtcttcgt
1499  ctacagtaggcataccattagataatctagccattataaagtgcacgtttaGAGCTATTCCAGA
1500  AGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGCTCCGGATCGATCCTGAGAA
1501  CTTCAGGCTCCTGGGCAACGTGCTGGTTATTGTGCTGTCTCATCATTTTGGCAAAGAATTGTAA
1502  TACGACTCACTATAGGGCGAATTCGAGCTCGGTACCGGATCCCTGCAGAAGCTTCTAAAAATTG
1503  AAATTTTATTTTTTTTTTTTTTGGAATATAAATGGTGAGCAAGGGCGAGGAGGATAACATGGCCAT
1504  CATCAAGGAGTTCATGCGCTTCAAGGTCCACATGGAGGGCTCCGTGAACGGCCACGAGTTCGAG
1505  ATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAGGGCACCCAGACCGCCAAGCTGAAGGTGACCA
1506  AGGGTGGCCCCCTGCCCTTCGCCTGGGACATCCTGTCCCCTCAGTTCATGTACGGCTCCAAGGC
1507  CTACGTGAAGCACCCCGCCGACATCCCCGACTACTTGAAGCTGTCCTTCCCCGAGGGCTTCAAG
1508  TGGGAGCGCGTGATGAACTTCGAGGACGGCGGCGTGGTGACCGTGACCCAGGACTCCTCCCTGC
1509  AGGACGGCGAGTTCATCTACAAGGTGAAGCTGCGCGGCACCAACTTCCCCTCCGACGGCCCCGT
1510  AATGCAGAAGAAGACCATGGGCTGGGAGGCCTCCTCCGAGCGGATGTACCCCGAGGACGGCGCC
1511  CTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTGAAGGACGGCGGCCACTACGACGCTGAGGTCA
1512  AGACCACCTACAAGGCCAAGAAGCCCGTGCAGCTGCCCGGCGCCTACAACGTCAACATCAAGTT
1513  GGACATCACCTCCCACAACGAGGACTACACCATCGTGGAACAGTACGAACGCGCCGAGGGCCGC
1514  CACTCCACCGGCGGCATGGACGAGCTGTACAAGTCTAGATCTAAAATCTATATCGACGAGCGTT
1515  CTAACGCAGAGATTGTGTGTGAGGCTATTAAAACCATTGGAATCGAAGGAGCTACTGCTGCACA
1516  ACTAACTAGACAACTTAATATGGAGAAGCGAGAAGTTAATAAAGCTCTGTACGATCTTCAACGT
1517  AGTGCTATGGTGTACAGCTCCGACGATATTCCTCCTCGTTGGTTTATGACAACGGAGGCGGATA
1518  AGCCGGATGCTGATGCTATGGCTGACGTCATAATAGATGATGTATCCCGCGAAAAATCAATGAG
1519  AGAGGATCATAAGTCTTTTGATGATGTTATTCCGGCTAAAAAATTATTGATTGGAAAGGTGCT
1520  AACCCTGTCACCGTTATTAATGAGTACTGCCAAATTACTAGGAGAGATTGGTCTTTTCGTATTG
1521  AATCAGTGGGGCCTAGTAACTCTCCTACATTTTATGCCTGTGTAGACATCGACGGAAGAGTATT
1522  CGATAAGGCAGATGGAAAATCTAAACGAGATGCTAAAAATAATGCAGCTAAATTGGCAGTAGAT
1523  AAACTTCTTGGTTACGTCATCATTAGATTCTGATAAGCTAGAACATAATCAGCCATACCACATT
1524  TGTAGAGGTTTTACTTGCTTTAAAAAACCTCCCACACCTCCCCCTGAACCTGAAACATAAAATG
1525  AATGCAATTGTTGTTGTTAACTTGTTTATTGCAGCTTATAATGGTTACAAATAAAGCAATAGCA
1526  TCACAAATTTCACAAATAAAGCATTTTTTTCACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1527  AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1528  AAAAAAAAAAAAAAAAAAAAAAAAAataaagtgcacgtttacatatctacgttctggaggagta
1529  agaacgtgactattgagacgaatggctcttcctactatctgacgaagagacgcctcgttccaag
1530  tcatatctagaatgaagatatcattgattgagaagaagctaataccctcgcctccac
1531
1532  HGT20:
1533  ggtgcgttgtatacacatattgatgtgtctgtttatacaatccatgatatttggatccatgcta
1534  ctaccttcgggtaaaattgtagcatcatataccatttctagtactttaggttcattgttatcca
1535  ttgcagaggacgtcatgatcgaatcataaaaaaatatattatttttaGATCGCTTCTCGGCCTT
1536  TTGGCTAAGATCAAGTGTAGTATCTGTTCTTATCAGTTTAATATCTGTACGTCCTCTATCGA
```

```
1537  GGACAATTTAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
1538  AAAAAAAAAAAAAAAAAAAGAGCTATTCCAGAAGTAGTGAAGAGGCTTTTTTGGAGGCCTAGGCT
1539  TTTGCAAAAAGCTCCGGATCGATCCTGAGAACTTCAGGCTCCTGGGCAACGTGCTGGTTATTGT
1540  GCTGTCTCATCATTTTGGCAAAGAATTGTAATACGACTCACTATAGGGCGAATTCGAGCTCGGT
1541  ACCGGATCCCTGCAGAAGCTTCTAAAAATTGAAATTTTATTTTTTTTTTTTGGAATATAAATGG
1542  TGAGCAAGGGCGAGGAGGATAACATGGCCATCATCAAGGAGTTCATGCGCTTCAAGGTCCACAT
1543  GGAGGGCTCCGTGAACGGCCACGAGTTCGAGATCGAGGGCGAGGGCGAGGGCCGCCCCTACGAG
1544  GGCACCCAGACCGCCAAGCTGAAGGTGACCAAGGGTGGCCCCCTGCCCTTCGCCTGGGACATCC
1545  TGTCCCCTCAGTTCATGTACGGCTCCAAGGCCTACGTGAAGCACCCCGCCGACATCCCCGACTA
1546  CTTGAAGCTGTCCTTCCCCGAGGGCTTCAAGTGGGAGCGCGTGATGAACTTCGAGGACGGCGGC
1547  GTGGTGACCGTGACCCAGGACTCCTCCCTGCAGGACGGCGAGTTCATCTACAAGGTGAAGCTGC
1548  GCGGCACCAACTTCCCCTCCGACGGCCCCGTAATGCAGAAGAAGACCATGGGCTGGGAGGCCTC
1549  CTCCGAGCGGATGTACCCCGAGGACGGCGCCCTGAAGGGCGAGATCAAGCAGAGGCTGAAGCTG
1550  AAGGACGGCGGCCACTACGACGCTGAGGTCAAGACCACCTACAAGGCCAAGAAGCCCGTGCAGC
1551  TGCCCGGCGCCTACAACGTCAACATCAAGTTGGACATCACCTCCCACAACGAGGACTACACCAT
1552  CGTGGAACAGTACGAACGCGCCGAGGGCCGCCACTCCACCGGCGGCATGGACGAGCTGTACAAG
1553  TCTAGATCTAAAATCTATATCGACGAGCGTTCTAACGCAGAGATTGTGTGTGAGGCTATTAAAA
1554  CCATTGGAATCGAAGGAGCTACTGCTGCACAACTAACTAGACAACTTAATATGGAGAAGCGAGA
1555  AGTTAATAAAGCTCTGTACGATCTTCAACGTAGTGCTATGGTGTACAGCTCCGACGATATTCCT
1556  CCTCGTTGGTTTATGACAACGGAGGCGGATAAGCCGGATGCTGATGCTATGGCTGACGTCATAA
1557  TAGATGATGTATCCCGCGAAAAATCAATGAGAGAGGATCATAAGTCTTTTGATGATGTTATTCC
1558  GGCTAAAAAAATTATTGATTGGAAAGGTGCTAACCCTGTCACCGTTATTAATGAGTACTGCCAA
1559  ATTACTAGGAGAGATTGGTCTTTTCGTATTGAATCAGTGGGGCCTAGTAACTCTCCTACATTTT
1560  ATGCCTGTGTAGACATCGACGGAAGAGTATTCGATAAGGCAGATGGAAAATCTAAACGAGATGC
1561  TAAAAATAATGCAGCTAAATTGGCAGTAGATAAACTTCTTGGTTACGTCATCATTAGATTCTGA
1562  TAAGCTAGAACATAATCAGCCATACCACATTTGTAGAGGTTTTACTTGCTTTAAAAAACCTCCC
1563  ACACCTCCCCCTGAACCTGAAACATAAAATGAATGCAATTGTTGTTGTTAACTTGTTTATTGCA
1564  GCTTATAATGGTTACAAATAAAGCAATAGCATCACAAATTTCACAAATAAAGCATTTTTTTCAC
1565  TGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAa
1566  aaaaaatatattatttttatgttattttgttaaaaataatcatcgaatacttcgtaagatactc
1567  cttcatgaacataatcagttacaaaacgt
```