Task Errors Do Not Induce Implicit Sensorimotor Learning

Anushka Oza[1], Adarsh Kumar[1,2] and Pratik K. Mutha[1,3]

[1]Center for Cognitive and Brain Sciences, Indian Institute of Technology Gandhinagar,
Gujarat, India.
[2]Department of Mechanical Engineering, Indian Institute of Technology Gandhinagar,
Gujarat, India.
[3]Department of Biological Engineering, Indian Institute of Technology Gandhinagar,
Gujarat, India.
11
Address for Correspondence:

Pratik K. Mutha
Block 5, Room 316A
Indian Institute of Technology Gandhinagar
Palaj, Gujarat 382355
India

Email: pm@iitgn.ac.in

ABSTRACT

Humans implicitly adjust their movements when challenged with perturbations

that induce sensory prediction errors. Recent work suggests that failure to accomplish

task goals could function as a gain on this prediction-error-driven adaptation or could

independently trigger additional implicit mechanisms to bring about greater net learning.

We aimed to distinguish between these possibilities using a reaching task wherein

prediction errors were fixed at zero, but task success was modulated via changes in

target location and size. We first observed that task failure caused changes in hand

angle that showed classic signatures of implicit learning. Surprisingly however, these

adjustments were eliminated when participants were explicitly instructed to ignore task

errors. These results fail to support the idea that task errors independently induce

implicit learning, and instead endorse the view that they provide a distinct signal to an

intentional cognitive process that is responsive to verbal instruction.

INTRODUCTION

The sensorimotor system is continuously challenged with changes in the state of

the body and the world. For instance, a golfer may have to tee off against a constant

breeze, or a dancer may have to perform while wearing a heavier-than-usual costume.

Understanding how we adapt our movements to such changes has been of tremendous

interest in sensorimotor neuroscience. Laboratory tasks often simulate such conditions

using various visual (Krakauer, 2009; Kumar et al., 2020; Martin et al., 1996; Morehead

et al., 2017; Wang & Sainburg, 2005) or dynamic (Dizio and Lackner, 1995; Kumar et

al., 2019; Sainburg et al., 1999; Shadmehr and Mussa-Ivaldi, 1994; Sing et al., 2009)

perturbations that not only induce a discrepancy in the expected versus actual sensory

feedback (sensory prediction error, SPE), but can also result in a failure to achieve the

task goal (task error, TE). It is generally believed that SPEs are compensated via

implicit updates to internal neural representations that define the relationship between

movement commands and their sensory consequences. Findings that adaptation results

in after-effects post-learning, is relatively similar for different SPE magnitudes (Kim et

al., 2018; Wei and Körding, 2009), can be quite inflexible (Bond and Taylor, 2015) and

is impervious to verbal instruction (Mazzoni and Krakauer, 2006; Morehead et al., 2017)

provide support to this view.

In contrast, controversy exists about how TEs influence adaptation. One

hypothesis is that TEs trigger intentional, deliberative re-aiming strategies (Day et al.,

2016; McDougle et al., 2015; Taylor et al., 2014). Such strategy use promotes faster

error reduction (McDougle et al., 2015) and can be combined with the slower implicit

mechanisms to achieve higher levels of learning (Langsdorf et al., 2019). However, an

alternate view has emerged from recent work that has examined how binary reward

influences adaptive behavior (Kim et al., 2019; Leow et al., 2018; Van der Kooij et al.,

2018). These studies suggest two possible effects. First, reward (task success, no TE)

might attenuate or interfere with adaptation driven solely by the SPE. Alternatively, the

absence of reward (TE present) could independently trigger a second implicit process

that sums with SPE-mediated learning to produce higher net adaptation. Here we aimed

to distinguish between these two possibilities using an unconventional paradigm in

which we "clamped" SPEs to zero but manipulated TEs using target displacements.

RESULTS

Subjects performed point-to-point reaches on a digitizing tablet with the hand

hidden from direct view using a mirror and display-screen system (Figure 1A). In

experiment 1 (Figure 1B), subjects were randomly assigned to a "Miss" (TE present) or

a "Hit" (no TE) group, with SPE fixed at zero for both groups. We predicted that if

adaptation was exclusively SPE-driven, neither group would adapt. We found (Figure

2A) large changes in hand angle for the Miss compared to the Hit group during the

learning block. While early learning (Figure 2B) was not different between the two

groups (Hit mean$\pm$SE = 0.910$\pm$0.630, Miss mean$\pm$SE = 3.870$\pm$1.727, $t_{17.66}$ = -1.61, p =

0.125, Cohen's d = -0.588), hand deviation of the Miss group was much larger at the

end of learning (Figure 2C, Hit mean$\pm$SE = 5.822$\pm$2.079, Miss mean$\pm$SE =

24.480$\pm$3.211, $t_{23.99}$ = -4.878, p < 0.001, Cohen's d = -1.781). Notably, it was not the

case that the Hit group showed no changes in hand angle. A direct comparison of early

and late learning within the Hit participants revealed a small but significant shift in mean

hand angle (t_{14} = -2.726, p = 0.016, Cohen's d = -0.704), but clearly, compared to the

Miss group, this learning was strongly attenuated. Relatedly, larger after-effects (Figure

2C, $t_{27.98}$ = -4.011, p < 0.001, Cohen's d = -1.465) were seen in the Miss group

(mean±SE = 13.978±1.740); after-effects for the Hit group were quite small, but non

zero (mean±SE = 3.960±1.792, 95% CI = [0.117, 7.803]). Interestingly, as Figure 2A

indicates, the net change in hand angle for the Miss group was greater than the

magnitude of the TE itself (10-degrees). This observation is consistent with what has

been observed for small SPEs (Kim et al., 2018), and along with the robust after-effects,

suggests that this learning was implicit.

A key signature of implicit adaptation is that it is impervious to verbal instruction

(Mazzoni and Krakauer, 2006; Morehead et al., 2017). We therefore hypothesized that if

the learning seen in experiment 1 was truly implicit, it would occur even when

participants are instructed to ignore the TE. In experiment 2, we recruited two groups of

subjects who underwent learning exactly as the Miss group of experiment 1, but were

told to ignore the (10- or 20-degree) TE and reach to the original target location.

Surprisingly, we now found (Figure 3A) that there was no change in hand angle over the

learning block for either group. The deviation in hand angle during early learning (Figure

3B) remained close to zero for the 10-degree jump (mean±SE = -0.154±0.29, 95% CI =

[-0.777, 0.468]) as well as the 20-degree jump (mean±SE = 0.687±0.378, 95% CI = [-

0.123, 1.498]). This was also the case towards the end of the learning block (10-degree

shift: mean±SE = -1.843±0.887, 95% CI = [-3.747, 0.06], 20-degree shift: mean±SE = -

1.182±0.863, 95% CI = [-3.033, 0.67]). After-effects were also absent both groups (10-

degree shift: mean±SE = -0.951±1.183, 95% CI = [-3.488, 1.585], 20-degree shift:

mean±SE = -0.648±0.708, 95% CI = [-2.167, 0.871]). Thus, when asked to ignore the

TE, subjects showed no adaptive change in reach behavior regardless of the magnitude

of the TE; this is inconsistent with what would be expected from an implicit learning

process.

DISCUSSION

We probed how failure or success in achieving task goals influences adaptive

motor behavior. On the face of it, the adaptive response to target misses in experiment

1 was implicit and mediated by the TE since the SPE was clamped to zero. But, if this

were true, it should not have been abolished by the instruction to ignore the TE. How do

we reconcile these contrasting positions? We propose the intriguing possibility that

learning in the Miss group was driven not by a TE, but rather by a "hidden" SPE caused

by the mismatch between the subjects' expectation that the feedback cursor would go

with the hand as they reached to the displaced target, and its actual motion in the

clamped direction towards the original target. Thus, learning that *appeared* to be due to

a TE, was driven, in all likelihood, by an SPE that the task conditions created. Lending

support to this idea is firstly the result the net change in hand angle was much larger

than the TE magnitude and secondly the finding that adaptation occurred despite the

instruction to ignore cursor feedback. Both these effects are known to occur for SPE-

mediated adaptation (Kim et al., 2019, 2018; Morehead et al., 2017). Furthermore, in

experiment 2, task conditions likely eliminated the covert SPE since subjects moved to

the original target location (as instructed) with cursor motion clamped in the same

direction. Since the SPE was no longer present, subjects did not adapt despite the

presence of the TE. This result, that the sensorimotor system can tolerate (or ignore)

TEs but adapts when an SPE is present, is consistent classic work by Mazzoni and

Krakauer (2006), as well as other findings in healthy individuals (Tseng et al., 2007) and

patients with focal, right frontal lesions (Mutha et al., 2011a). Tellingly, Wang et al.

(2019) have suggested that the SPE dominance may be so strong that TEs may have

negligible influence at least in canonical adaptation paradigms.

If the SPE drives the implicit change, how does the TE contribute? Our

intervention requiring subjects to ignore the TE and the subsequent yoking of the

behavior to this instruction, lends credence to the idea that TEs provide a distinct error

signal that can potentially set in motion an intentional mechanism that causes people to

re-aim their hand movement (Day et al., 2016; McDougle et al., 2015; Taylor et al.,

2014). Thus, when subjects are expected to "respond" to the TE, they may

deliberatively change their movement aim to cancel it, but when asked to ignore it, they

turn off this strategy. Relatedly, aiming strategies might also be disengaged when task

conditions do not induce a TE at all and movements are always successful (or

rewarded). Net adaptation would then be determined only by the implicit process; this

could explain recent findings that provided the impetus for the current study (Kim et al.,

2019; Leow et al., 2018; Van der Kooij et al., 2018). Such flexibility is indeed a hallmark

of strategy use, but not implicit learning (Bond and Taylor, 2015). Strategies may

include mental rotation of the original movement plan by an angle matching the TE

(Fernandez-Ruiz et al., 2011; McDougle and Taylor, 2019) or even goal-directed control

akin to model-based reinforcement learning. These intentional processes could enable

a rapid reduction in error (McDougle et al., 2015), and additively combine with the

slower SPE-mediated implicit changes to produce the net adaptive change. Indeed, it

has been shown that adaptation, which otherwise remains incomplete (Hinder et al.,

2010; Shmuelof et al., 2012; Vaswani et al., 2015), becomes more complete when task

conditions promote strategy use (Langsdorf et al., 2019).

The distinction between SPE- and TE-sensitive mechanisms suggests that they

might also be neurally separable. While SPE-based learning depends on the cerebellum

(Galea et al., 2011; Martin et al., 1996; Morehead et al., 2017; Tseng et al., 2007) and

parietal cortex (Kumar et al., 2020; Mutha et al., 2011a, 2011b, 2017), the presence of a

TE is known to activate reward-sensitive cortico-striatal pathways (Diedrichsen et al.,

2005; Inoue et al., 2016). Failure to obtain reward could trigger re-aiming via mental

rotation or other processes dependent on M1 and premotor cortex (Georgopoulos &

Massey, 1987; Georgopoulos et al., 1989; Kosslyn et al., 1998; Tomasino et al., 2005).

Indeed, changes in these regions following learning (Mandelblat-Cerf et al., 2011; Paz

et al., 2003; Perich et al., 2018) may partially reflect changes in motor plans driven by

such processes. Future work could probe the interactions between these two systems,

which, neuroanatomically could be sustained by reciprocal connections between the

basal ganglia and the cerebellum (Bostan and Strick, 2018).

MATERIALS AND METHODS

Participants

We recruited 60 healthy, right-handed adults (41 males, 19 females, age range:

18-40) for the study. The Edinburgh handedness inventory (Oldfield, 1971) was used to

establish right-handedness. None of the participants reported any neurological,

orthopaedic or cognitive impairments. All subjects gave written informed consent and

were monetarily compensated for their time. The study was approved by the Institute

Ethics Committee of the Indian Institute of Technology Gandhinagar.

Apparatus

The experimental setup consisted of a virtual reality system wherein participants sat facing a digitizing tablet and used a stylus to make hand movements on it (Figure 1A). A high-definition display was mounted horizontally above the tablet and was used to show circular start positions and targets for the reach, as well as a feedback cursor that would typically indicate hand (stylus) location on the tablet. Participants looked into a mirror which was suspended between the display and the tablet, and which reflected the display screen. The mirror also functioned to block direct vision of the arm. This arrangement enabled us to dissociate motion of the feedback cursor from that of the hand. For instance, cursor feedback could be veridical with the hand, "clamped" in certain directions independent of hand movement direction, or eliminated altogether.

Task Procedure and Experimental Design

The task involved making centre-out reaching movements from a fixed start circle (0.9 cm diameter) to a target. To initiate a trial, participants first moved their hand (cursor) into the start circle. After 500 ms, the reach target (0.98 cm diameter) was displayed along with a beep, which indicated to subjects that they should begin moving. Targets were presented at a distance of 10 cm and could appear at one of four locations arranged radially around a virtual circle in 90-degree increments (0, 90, 180, 270). The order of target appearance was pseudo-random; a target appeared in one of the four locations only once over four consecutive trials. This order was held constant for all participants. Cursor feedback, whenever provided, was shown only for a distance of 10 cm at which point the cursor "froze" and stayed in place even though the hand could continue moving.

Experiment 1

After familiarization with the setup and a few practice trials (not analyzed), subjects made "baseline" reaches in two blocks. In the first block (20 trials), no cursor feedback was shown as subjects moved between the start position and the target. In the second baseline block (20 trials), the feedback cursor was shown veridical with the hand. Following baseline movements, subjects were exposed to a "learning" block (240 trials) during which the motion of the cursor was "clamped" in the direction of the target. In other words, in this block, the cursor always followed a direct, straight path to the target regardless of the direction of hand motion. Subjects were informed and made to understand that the cursor feedback would be fixed and would not depend on their hand movements. They were also explicitly told to ignore this feedback and move towards the target on the screen. A reminder about this was provided at the halfway point of the learning block. Post-learning, subjects performed a set of 20 trials without any visual feedback to test for potential after-effects, and a final block of 20 trials in which veridical cursor feedback was again provided. These two "washout" blocks were thus similar to the two baseline blocks.

The participants of experiment 1 were randomly divided into two groups, "Miss" or "Hit" (n=15 each). For the Miss group, on each trial of the learning block, the target was "jumped" by 10-degrees in the counter-clockwise direction as the hand crossed the mid-way point to the target. Essentially, the original target was extinguished and a new target was displayed at the 10, 100, 190 and 280 degree locations for the 0, 90, 180 and 270 degree targets respectively. Since the cursor was clamped to go towards the original target, this "jump" resulted in the cursor missing the (new) target, creating a task

error. For the Hit group, identical target jumps were implemented but the size (diameter)

of the new target was simultaneously increased from the original 0.98 cm to 4.6 cm.

This was done to ensure that the clamped cursor would still hit the new target even

though its location had been shifted. The hit was not exactly in the center of the

displaced target, but close to it.

Experiment 2

The results of our first experiment indicated that subjects in the Miss group

implicitly changed their hand reach direction. We hypothesized that if this learning was

truly implicit, it would be unresponsive to a verbal instruction to ignore the target jump.

To test this idea, we recruited two additional groups of subjects (n=15 each), who

experienced target jumps of two different amplitudes (10- or 20-degrees). All subjects

were presented with the exact same experimental protocol as the Miss group of

experiment 1. Critically however, both groups of subjects were now also explicitly

instructed to ignore the change in target location. As in experiment 1, subjects were

reminded of this halfway into the learning block as well.

Data Analysis and Statistics

Hand position data (X-Y coordinates) were filtered using a low-pass Butterworth

filter with 10-Hz cutoff frequency. Velocity values were obtained by differentiating the

position data. The primary dependent variable was the deviation in hand direction

relative to original (not jumped) target direction. This was computed as the angle

between the line connecting the start position to the original target, and the line

connecting the start position to the hand position at peak movement velocity. Trials in

which participants did not initiate a movement or lifted the stylus off the tablet mid-trial

leading to loss of data were marked as "bad trials" and excluded from the analysis.

Additionally, trials in which hand deviation was more than 85° were also removed.

Collectively, across the 60 participants, 2.1% of the trials were excluded.

We then calculated baseline directional biases, defined as the mean hand

deviation across all baseline trials. These biases were subtracted from the trial-wise

angular deviation data. Learning was quantified using the trial-by-trial values of the

baseline subtracted hand deviation over the learning block. For each subject, early

learning was calculated as the mean deviation over the first 10 learning trials while late

learning was characterized by the mean deviation over the last 10 learning trials.

Similarly, after-effect magnitude was quantified as the mean deviation over the first 10

trials of the post-learning no-feedback block.

Differences in hand deviation between the Hit and Miss groups of experiment 1

during early and late learning as well as early after-effect stages were compared using

Welch's t-tests after checking for normality with Shapiro-Wilk tests. Paired t-tests were

used for assessing changes in hand deviation across different time points within a

group. Significance levels were set at 0.05. Cohen's d was used for estimating the effect

size of the differences. For experiment 2, we used the 95% confidence interval to probe

for significant deviation in hand angle during early and late learning as well as the early

after-effect stages for both the 10-degree and 20-degree jump groups.

ACKNOWLEDGEMENTS

We thank Gaurav Panthi for helpful discussions. This work was partially supported by

grants from the Department of Science and Technology, Government of India to PKM.

We also acknowledge support from IIT Gandhinagar.

REFERENCES

Bond KM, Taylor JA. 2015. Flexible explicit but rigid implicit learning in a visuomotor

adaptation task. *J Neurophysiol* **113**:3836–3849. doi:10.1152/jn.00009.2015

Bostan AC, Strick PL. 2018. The basal ganglia and the cerebellum: nodes in an

integrated network. *Nat Rev Neurosci* **19**:338–350. doi:10.1038/s41583-018-0002-7

Day KA, Roemmich RT, Taylor JA, Bastian AJ. 2016. Visuomotor Learning Generalizes

Around the Intended Movement. *eNeuro* **3**. doi:10.1523/ENEURO.0005-16.2016

Diedrichsen J, Hashambhoy Y, Rane T, Shadmehr R. 2005. Neural correlates of reach

errors. *J Neurosci* **25**:9919–9931. doi:10.1523/JNEUROSCI.1874-05.2005

Dizio P, Lackner JR. 1995. Motor adaptation to Coriolis force perturbations of reaching

movements: endpoint but not trajectory adaptation transfers to the nonexposed

arm. *J Neurophysiol* **74**:1787–1792.

Fernandez-Ruiz J, Wong W, Armstrong IT, Flanagan JR. 2011. Relation between

reaction time and reach errors during visuomotor adaptation. *Behav Brain Res*

219:8–14. doi:10.1016/j.bbr.2010.11.060

Galea JM, Vazquez A, Pasricha N, de Xivry J-JO, Celnik P. 2011. Dissociating the roles

of the cerebellum and motor cortex during adaptive learning: the motor cortex

retains what the cerebellum learns. *Cereb Cortex* **21**:1761–1770.

doi:10.1093/cercor/bhq246

Georgopoulos AP, Lurito JT, Petrides M, Schwartz AB, Massey JT. 1989. Mental

rotation of the neuronal population vector. *Science* **243**:234–236.

doi:10.1126/science.2911737

Georgopoulos AP, Massey JT. 1987. Cognitive spatial-motor processes - 1. The making

of movements at various angles from a stimulus direction. *Exp Brain Res* **65**:361–

370. doi:10.1007/BF00236309

Hinder MR, Riek S, Tresilian JR, De Rugy A, Carson RG. 2010. Real-time error

detection but not error correction drives automatic visuomotor adaptation. *Exp*

Brain Res **201**:191–207. doi:10.1007/s00221-009-2025-9

Inoue M, Uchimura M, Kitazawa S. 2016. Error Signals in Motor Cortices Drive

Adaptation in Reaching. *Neuron* **90**:1114–1126. doi:10.1016/j.neuron.2016.04.029

Kim HE, Morehead JR, Parvin DE, Moazzezi R, Ivry RB. 2018. Invariant errors reveal

limitations in motor correction rather than constraints on error sensitivity. *Commun*

Biol **1**. doi:10.1038/s42003-018-0021-y

Kim HE, Parvin DE, Ivry RB. 2019. The influence of task outcome on implicit motor

learning. *Elife* **8**. doi:10.7554/eLife.39882

Kosslyn SM, DiGirolamo GJ, Thompson WL, Alpert NM. 1998. Mental rotation of objects

versus hands: Neural mechanisms revealed by positron emission tomography.

Psychophysiology **35**:151–161. doi:10.1017/S0048577298001516

Krakauer JW. 2009. Motor learning and consolidation: The case of visuomotor rotation.

Adv Exp Med Biol **629**:405–421. doi:10.1007/978-0-387-77064-2_21

Kumar A, Panthi G, Divakar R, Mutha PK. 2020. Mechanistic determinants of effector-

independent motor memory encoding. *Proc Natl Acad Sci U S A* **117**:17338–17347.

doi:10.1073/pnas.2001179117

Kumar N, Manning TF, Ostry DJ. 2019. Somatosensory cortex participates in the

consolidation of human motor memory. *PLoS Biol* **17**:e3000469.

doi:10.1371/journal.pbio.3000469

Langsdorf L, Maresch J, Hegele M, McDougle S, Schween R. 2019. Prolonged reaction

times help to eliminate residual errors in visuomotor adaptation. *bioRxiv*

2019.12.26.888941. doi:10.1101/2019.12.26.888941

Leow LA, Marinovic W, de Rugy A, Carroll TJ. 2018. Task errors contribute to implicit

aftereffects in sensorimotor adaptation. *Eur J Neurosci* **48**:3397–3409.

doi:10.1111/ejn.14213

Mandelblat-Cerf Y, Novick I, Paz R, Link Y, Freeman S, Vaadia E. 2011. The neuronal

basis of long-term sensorimotor learning. *J Neurosci* **31**:300–313.

doi:10.1523/JNEUROSCI.4055-10.2011

Martin TA, Keating JG, Goodkin HP, Bastian AJ, Thach WT. 1996. Throwing while

looking through prisms. I. Focal olivocerebellar lesions impair adaptation. *Brain*

119:1183–1198. doi:10.1093/brain/119.4.1183

Mazzoni P, Krakauer JW. 2006. An implicit plan overrides an explicit strategy during

visuomotor adaptation. *J Neurosci* **26**:3642–3645. doi:10.1523/JNEUROSCI.5317-

05.2006

McDougle SD, Bond KM, Taylor JA. 2015. Explicit and Implicit Processes Constitute the

Fast and Slow Processes of Sensorimotor Learning. *J Neurosci* **35**:9568–9579.

doi:10.1523/JNEUROSCI.5061-14.2015

McDougle SD, Taylor JA. 2019. Dissociable cognitive strategies for sensorimotor

learning. *Nat Commun* **10**:40. doi:10.1038/s41467-018-07941-0

Morehead JR, Taylor JA, Parvin DE, Ivry RB. 2017. Characteristics of Implicit

Sensorimotor Adaptation Revealed by Task-irrelevant Clamped Feedback. *J Cogn*

Neurosci **29**:1061–1074. doi:10.1162/jocn_a_01108

Mutha PK, Sainburg RL, Haaland KY. 2011a. Critical neural substrates for correcting

unexpected trajectory errors and learning from them. *Brain* **134**:3647–61.

doi:10.1093/brain/awr275

Mutha PK, Sainburg RL, Haaland KY. 2011b. Left parietal regions are critical for

adaptive visuomotor control. *J Neurosci* **31**:6972–6981.

doi:10.1523/JNEUROSCI.6432-10.2011

Mutha PK, Stapp LH, Sainburg RL, Haaland KY. 2017. Motor Adaptation Deficits in

Ideomotor Apraxia. *J Int Neuropsychol Soc* **23**:139–149.

doi:10.1017/S135561771600120X

Oldfield RC. 1971. The assessment and analysis of handedness: The Edinburgh

inventory. *Neuropsychologia* **9**:97–113. doi:10.1016/0028-3932(71)90067-4

Paz R, Boraud T, Natan C, Bergman H, Vaadia E. 2003. Preparatory activity in motor

cortex reflects learning of local visuomotor skills. *Nat Neurosci* **6**:882–890.

doi:10.1038/nn1097

Perich MG, Gallego JA, Miller LE. 2018. A Neural Population Mechanism for Rapid

Learning. *Neuron* **100**:964-976.e7. doi:10.1016/j.neuron.2018.09.030

Ryan Morehead J, Taylor JA, Parvin DE, Ivry RB. 2017. Characteristics of implicit

sensorimotor adaptation revealed by task-irrelevant clamped feedback. *J Cogn

Neurosci* **29**:1061–1074. doi:10.1162/jocn_a_01108

Sainburg RL, Ghez C, Kalakanis D. 1999. Intersegmental dynamics are controlled by

sequential anticipatory, error correction, and postural mechanisms. *J Neurophysiol

81:1045–1056.

Shadmehr R, Mussa-Ivaldi FA. 1994. Adaptive representation of dynamics during

learning of a motor task. *J Neurosci* **14**:3208–3224. doi:10.1523/JNEUROSCI.14-

05-03208.1994

Shmuelof L, Huang VS, Haith AM, Delnicki RJ, Mazzoni P, Krakauer JW. 2012.

Overcoming motor "forgetting" through reinforcement of learned actions. *J Neurosci*

32:14617–14621. doi:10.1523/JNEUROSCI.2184-12.2012

Sing GC, Joiner WM, Nanayakkara T, Brayanov JB, Smith MA. 2009. Primitives for

motor adaptation reflect correlated neural tuning to position and velocity. *Neuron*

64:575–589. doi:10.1016/j.neuron.2009.10.001

Taylor JA, Krakauer JW, Ivry RB. 2014. Explicit and implicit contributions to learning in a

sensorimotor adaptation task. *J Neurosci* **34**:3023–3032.

doi:10.1523/JNEUROSCI.3619-13.2014

Tomasino B, Borroni P, Isaja A, Rumiati RI. 2005. The role of the primary motor cortex

in mental rotation: a TMS study. *Cogn Neuropsychol* **22**:348–63.

doi:10.1080/02643290442000185

Tseng YW, Diedrichsen J, Krakauer JW, Shadmehr R, Bastian AJ. 2007. Sensory

prediction errors drive cerebellum-dependent adaptation of reaching. *J*

Neurophysiol **98**:54–62. doi:10.1152/jn.00266.2007

Van der Kooij K, Wijdenes LO, Rigterink T, Overvliet KE, Smeets JBJ. 2018. Reward

abundance interferes with error-based learning in a visuomotor adaptation task.

PLoS One **13**. doi:10.1371/journal.pone.0193002

Vaswani PA, Shmuelof L, Haith AM, Delnicki RJ, Huang VS, Mazzoni P, Shadmehr R,

Krakauer JW. 2015. Persistent residual errors in motor adaptation tasks: Reversion

to baseline and exploratory escape. *J Neurosci* **35**:6969–6977.

doi:10.1523/JNEUROSCI.2656-14.2015

Wang J, Bao S, Tays GD. 2019. Lack of generalization between explicit and implicit

visuomotor learning. *PLoS One* **14**:e0224099. doi:10.1371/journal.pone.0224099

Wang J, Sainburg RL. 2005. Adaptation to visuomotor rotations remaps movement

vectors, not final positions. *J Neurosci* **25**:4024–4030.

doi:10.1523/JNEUROSCI.5000-04.2005

Wei K, Körding K. 2009. Relevance of error: What drives motor adaptation? *J*

Neurophysiol **101**:655–664. doi:10.1152/jn.90545.2008

 FIGURE LEGEND

 Figure 1: Experimental setup and Task. (a) Subjects performed reaching movements

 on a digitizing tablet using a handheld stylus while looking into a mirror placed between

 the tablet and a horizontally mounted display screen. Start positions, targets, and a

 feedback cursor was displayed on the screen, which were reflected in the mirror. **(b)** On

 the learning trials of experiment 1, the reach target was "jumped" by 10-degrees

 counterclockwise while cursor motion was always clamped in the direction of the

 original target (SPE = 0). For participants in the Miss group, this arrangement resulted in

 a TE since the cursor failed to strike the displaced target. For participants in the Hit

 group, target size was increased along with the jump, which caused the clamped cursor

 to hit the new target despite the shift in its location; this resulted in a condition where

 both SPEs and TEs were eliminated. In experiment 2, participants were exposed to

 conditions similar to the Miss group, but were additionally explicitly instructed to ignore

 the (10- or 20-degree) target shift and move towards the original target location.

 Figure 2: **Pattern of hand angle changes in experiment 1. (a)** Group averaged hand

 angle deviation (relative to the original target direction) across trials of different

 experimental blocks. During learning, greater net change was seen for the Miss

 compared to the Hit group; learning in the Hit group was strongly attenuated. Shaded

 regions denote SEM. **(b)** On average, early learning was not different between the

 groups, but the Miss group showed significantly greater hand deviation at **(c)** the end of

 learning and also demonstrated **(d)** larger after-effects. Interestingly, although the target

 jump was only 10-degrees, the net change in hand angle for the Miss group was ~2.5

 times this magnitude. Dots represent individual participants.

Figure 3: **Pattern of hand angle changes in experiment 2 wherein participants**

were explicitly instructed to ignore the target jump. (a) Group averaged hand angle

deviation across trials of different blocks. No major deviation was seen in the hand

angle (relative to the original target location) across trials. Shaded regions denote SEM.

(b) Average hand angle deviation remained close to zero during early as well as late

learning stages, and after-effects were also absent in both the 10-degree and 20-degree

target jump groups. Thus, learning was generally suppressed when participants were

instructed to ignore the target-jump-induced task error. Dots represent individual

participants.

FIGURE 1

A

B

FIGURE 2

FIGURE 3

A

B