Antibody Humanization: Intra and Inter VH-VL Non-bond Energy Sort Best Humanized Antibody

Qiang Zhong

antibodydesign@163.com

ABSTRACT

Antibody humanization of non-human derived antibody reduces immunogenicity of antibody drug. Computer aided antibody humanization has became an efficient and rapid routine process. Our computational humanization pipeline includes CDR grafting onto antibody crystal structure and humanization of CDR grafted antibody structure. Then, intra and inter VH-VL non-bond energy is calculated and sorted for selection best humanized antibody. Compare to experimental dataset, result indicate that intra and inter VH-VL non-bond energy could rank humanized antibody.

INTRODUCTION

Computer aided antibody humanization has became an efficient and rapid routine process[Tsuchiya and Mizuguchi, 2016; Nowak et al., 2016; Nguyen et al., 2017; Regep et al., 2017; Kuroda et al., 2020; Sawant et al., 2020]. Many humanized antibodies have been developed by this method[Fransson et al., 2010; Apgar et al., 2016; Margreitter et al., 2016]. Computer aided antibody humanization process include complementarity determining region (CDR) grafting and human germline framework homology modeling[Haidar et al., 2012; Hanf et al., 2014; Choi et al., 2016; Kurella et al., 2018; Chowdhury et al., 2018; Zhang et al., 2020]. In our process, the murine antibody CDR was grafted onto homology antibody structure by loop modeling and side chain packing. Then, CDR grafted antibody structure was humanized by human germline framework. All humanized antibody structure was released on website [http://120.48.17.198] and intra and inter VH-VL non-bond energy were calculated and sorted to select best humanized antibody.

METHOD

CDR region of user inputted non-human VH and VL sequence was automatically defined by program. Then, homology antibody structures were selected to build CDR grafted antibody by loop modeling and side chain packing.   Energy minimized CDR grafted antibody was used to build humanized antibody by selection pair VH-VL human germline framework. Humanized antibody was optimized by loop modeling and side chain packing. Intra and inter VH-VL non-bond energy of humanized antibody was calculated and sorted to select best human germline framework. Whole humanization pipeline was built on website [http://120.48.17.198].

RESULT and DISCUSSION

1 Intra and Inter VH-VL non-bond energy of humanized antibody crystal structure

Intra and Inter VH-VL non-bond energy of humanized antibody crystal structure was calculated. In Table 1, intra VH and VL non-bond energy range from -1000kcal/mol to -1400kcal/mol , inter VH-VL non-bond energy range from -40kcal/mol to -60kcal/mol . These value are perfect well for antibody structure database(their intra VH and VL non-bond energy ranged from -900kcal/mol to -1500kcal/mol, inter VH-VL non-bond energy ranged from -25kcal/mol to -60kcal/mol).

2 Murine and other source antibody crystal structure as template of humanization

Murine or other antibody crystal structure was selected as template of humanization (CDR have already been in antibody crystal structure).   Then, template structure was humanized by paired VH-VL human germline framework. Humanized antibody structure was built by loop modeling and side chain packing. Then, Intra and inter VH-VL non-bond energy of humanized antibody was calculated in Table 2. Intra VH and VL non-bond energy range from -900kcal/mol to -1400kcal/mol, inter VH-VL non-bond energy range from -40kcal/mol to -60 kcal/mol.

3 Non-human derived antibody crystal structure as template of humanization

Non-human derived antibody crystal structure was selected by sequence identity from user inputted VH and VL sequence. Non-human antibody was selected as template of CDR grafting, loop modeling and side chain packing. Optimized CDR grafted antibody structure was humanized by paired VH-VL human germline framework. Humanized antibody structure was optimized by loop modeling and side chain packing. Then, intra and inter VH-VL non-bond energy was calculated in Table 3. Intra VH and VL non-bond energy range from -900kcal/mol to 1300kcal/mol, inter VH-VL non-bond energy range from -30kcal/mol to -55 kcal/mol.

4 Best humanized antibody was ranked by template source from humanized antibody crystal structure

Top 10 VH and VL human germline framework sequence was selected by sequence identity from humanized antibody crystal structure. For example, in Table 4, VH and VL human germline framework randomly combined to build humanized antibody structure by template source from humanized antibody crystal structure. Humanized antibody structure was optimized and calculated intra and inter VH-VL non-bond energy. In Table 5-7, rank 1-9 humanized antibody was selected by intra and inter VH-VL non-bond energy.

5 Humanized antibody was ranked by template source from murine and other antibody crystal structure

Murine and other source antibody crystal structure was selected as template to build humanized antibody (CDR have already been in antibody crystal structure). Then human germline framework in Table 4 was randomly combined for humanization. Humanized antibody was optimized by loop modeling and side chain packing. Then, optimized humanized antibody was calculated intra and inter VH-VL non-bond energy for sorting top 9 humanized antibody. Some of rank 1-9 humanized antibody VH and VL framework in Table 8-10 could be found in Table 5-7. Therefore,

intra and inter VH-VL non-bond energy could be used for selection best humanized antibody source from murine and other antibody crystal structure.

6 Humanized antibody was ranked by template source from non-human antibody crystal structure

Non-human derived antibody structure was selected by sequence identity from user inputted VH and VL sequence. Then, CDR grafted antibody was built by CDR grafting, loop modeling and side chain packing. Optimized CDR grafted antibody was humanized by human germline framework in Table 4. Humanized antibody was optimized by loop modeling and side chain packing. Then, intra and inter VH-VL non-bond energy of humanized antibody was calculated for sorting top 9 humanized antibody.   In Table 11-13, some of rank 1-9 humanized antibody VH-VL gene could be found in Table 5-7. Therefore, intra and inter VH-VL non-bond energy could be used for selection best humanized antibody source from non-human crystal structure.

CONCLUSION

User inputted VH-VL sequence is used to search antibody crystal structure. These antibody structures can be used as template for CDR grafting, loop modeling and side chain packing.   Optimized CDR grafted antibody is humanized by human germline framework. Humanized antibody is optimized by loop modeling and side chain packing. Then intra and inter VH-VL non-bond energy is calculated and sorted for selection best humanized antibody. Result indicate that intra and inter VH-VL non-bond energy could rank humanized antibody.

ACKNOWLEDGMENTS

This work was supported by National High-tech R&D Program of China (863 Program) 2014AA021103 to QZ.

REFERENCE

1. Apgar JR, Mader M, Agostinelli R, Benard S, Bialek P, Johnson M, Gao Y, Krebs M, Owens J, Parris K, St Andre M, Svenson K, Morris C, Tchistiakova L. Beyond CDR-grafting: Structure-guided humanization of framework and CDR regions of an anti-myostatin antibody. MAbs. 2016 Oct;8(7):1302-1318. doi: 10.1080/19420862.2016.1215786. Epub 2016 Sep 13. PMID: 27625211; PMCID: PMC5058614.

2. Choi Y, Ndong C, Griswold KE, Bailey-Kellogg C. Computationally driven antibody engineering enables simultaneous humanization and thermostabilization. Protein Eng Des Sel. 2016 Oct;29(10):419-426. doi: 10.1093/protein/gzw024. Epub 2016 Jun 21. PMID: 27334453; PMCID: PMC5036863.

3. Chowdhury R, Allan MF, Maranas CD. OptMAVEn-2.0: De novo Design of Variable Antibody Regions against Targeted Antigen Epitopes. Antibodies (Basel). 2018 Jun 30;7(3):23. doi: 10.3390/antib7030023. PMID: 31544875; PMCID: PMC6640672.

4. Fransson J, Teplyakov A, Raghunathan G, Chi E, Cordier W, Dinh T, Feng Y, Giles-Komar J, Gilliland G, Lollo B, Malia TJ, Nishioka W, Obmolova G, Zhao S, Zhao Y, Swanson RV, Almagro JC. Human framework adaptation of a mouse anti-human IL-13 antibody. J Mol Biol. 2010 Apr 30;398(2):214-31. doi: 10.1016/j.jmb.2010.03.004. Epub 2010 Mar 10. PMID: 20226193.

5. Haidar JN, Yuan QA, Zeng L, Snavely M, Luna X, Zhang H, Zhu W, Ludwig DL, Zhu Z. A universal combinatorial design of antibody framework to graft distinct CDR sequences: a bioinformatics approach. Proteins. 2012 Mar;80(3):896-912. doi: 10.1002/prot.23246. Epub 2011 Dec 16. Erratum in: Proteins. 2013 Sep;81(9):1677. PMID: 22180101.

6. Hanf KJ, Arndt JW, Chen LL, Jarpe M, Boriack-Sjodin PA, Li Y, van Vlijmen HW, Pepinsky RB, Simon KJ, Lugovskoy A. Antibody humanization by redesign of complementarity-determining region residues proximate to the acceptor framework. Methods. 2014 Jan 1;65(1):68-76. doi: 10.1016/j.ymeth.2013.06.024. Epub 2013 Jun 28. PMID: 23816785.

7. Kuroda D, Tsumoto K. Engineering Stability, Viscosity, and Immunogenicity of Antibodies by Computational Design. J Pharm Sci. 2020 May;109(5):1631-1651. doi: 10.1016/j.xphs.2020.01.011. Epub 2020 Jan 18. PMID: 31958430.

8. Kurella VB, Gali R. Antibody Design and Humanization via In Silico Modeling. Methods Mol Biol. 2018;1827:3-14. doi: 10.1007/978-1-4939-8648-4_1. PMID: 30196489.

9. Margreitter C, Mayrhofer P, Kunert R, Oostenbrink C. Antibody humanization by molecular dynamics simulations-in-silico guided selection of critical backmutations. J Mol Recognit. 2016 Jun;29(6):266-75. doi: 10.1002/jmr.2527. Epub 2016 Jan 8. PMID: 26748949; PMCID: PMC4948679.

10. Nguyen MN, Pradhan MR, Verma C, Zhong P. The interfacial character of antibody paratopes: analysis of antibody-antigen structures. Bioinformatics. 2017 Oct 1;33(19):2971-2976. doi: 10.1093/bioinformatics/btx389. PMID: 28633399.

11. Nowak J, Baker T, Georges G, Kelm S, Klostermann S, Shi J, Sridharan S, Deane CM. Length-independent structural similarities enrich the antibody CDR canonical class model. MAbs. 2016 May-Jun;8(4):751-60. doi:

10.1080/19420862.2016.1158370. PMID: 26963563; PMCID: PMC4966832.

12. Regep C, Georges G, Shi J, Popovic B, Deane CM. The H3 loop of antibodies shows unique structural characteristics. Proteins. 2017 Jul;85(7):1311-1318. doi: 10.1002/prot.25291. Epub 2017 Apr 6. PMID: 28342222; PMCID: PMC5535007.

13. Sawant MS, Streu CN, Wu L, Tessier PM. Toward Drug-Like Multispecific Antibodies by Design. Int J Mol Sci. 2020 Oct 12;21(20):7496. doi: 10.3390/ijms21207496. PMID: 33053650; PMCID: PMC7589779.

14. Tsuchiya Y, Mizuguchi K. The diversity of H3 loops determines the antigen-binding tendencies of antibody CDR loops. Protein Sci. 2016 Apr;25(4):815-25. doi: 10.1002/pro.2874. Epub 2016 Jan 20. PMID: 26749247; PMCID: PMC4941225.

15. Zhang CH, Kim K, Jin Z, Zheng F, Zhan CG. Systematic Structure-Based Virtual Screening Approach to Antibody Selection and Design of a Humanized Antibody against Multiple Addictive Opioids without Affecting Treatment Agents Naloxone and Naltrexone. ACS Chem Neurosci. 2020 Dec 23. doi: 10.1021/acschemneuro.0c00670. Epub ahead of print. PMID: 33356138.

Table 1 Humanized antibody crystal structure template calculated non-bond energy

PDBID	Humanized antibody sequence	Intra VH and VL non-bond energy kcal/mol	Inter VH-VL non-bond energy kcal/mol
1AD9	EIQLVQSGAEVKKPGSSVKVSCKASGYTFT DYYINWMRQAPGQGLEWIGWIDPGSGNTK YNEKFKGRATLTVDTSTNTAYMELSSLRSE DTAFYFCAREKTTYYYAMDYWGQGTLVTV SS	-1241.77	-53.3762
	DIQMTQSPSTLSASVGDRVTITCRSSKSLLHS NGDTFLYWFQQKPGKAPKLLMYRMSNLAS GVPSRFSGSGSGTEFTLTISSLQPDDFATYYC MQHLEYPFTFGQGTKVEVK	-1155.1	
3L7F	QVTLKESGPVLVKPTETLTLTCTVSGFSLST YGMGVGWIRQPPGKALEWLAHIWWDDVK RYNPALKSRLTISKDTSKSQVVLTMTNMDP VDTATYYCARMGSDYDVWFDYWGQGTLV TVSS	-1244.27	-52.9754
	EIVLTQSPATLSLSPGERATLSCRASKSISKY LAWYQQKPGQAPRLLIYSGSTLQSGIPARFS GSGSGTDFTLTISSLEPEDFAVYYCQQHNEY PYTFGQGTKLEIK	-1048.42	

PDBID			
5F3H	EVQLLESGGGLVQPGGSLRLSCAASGFTFSSYAMSWVRQAPGKGLEWVSTISSGGSYTSYPDSVKGRFTISRDNSKNTLYLQMNSLRAEDTAVYYCAKQDYAMNYWGQGTLVTVSS	-1168.4	-49.1272
	DIQMTQSPSSLSASVGDRVTITCKASQDVSTAVAWYQQKPGKAPKLLIYSASYRYTGVPSRFSGSGSGTDFTLTISSLNPEDFATYYCQQHYSTPWTFGGGTKVEIK	-1059.59	

Table 2 Murine or other antibody crystal structure template calculated non-bond energy

PDBID	Murine or other antibody sequence	Humanized antibody sequence	Intra VH and VL non-bond energy kcal/mol	Inter VH-VL non-bond energy kcal/mol
1AE6	QIQLQQSGPELVKPGASVKISCKASGYTFTDYYINWMKQKPGQGLEWIGWIDPGSGNTKYNEKFKGKATLTVDTSSSTAYMQLSSLTSEDTAVYFCAREKTTYYYAMDYWGQGTSVTVSA	EIQLVQSGAEVKKPGSSVKVSCKASGYTFTDYYINWMRQAPGQGLEWIGWIDPGSGNTKYNEKFKGRATLTVDTSTNTAYMELSSLRSEDTAFYFCAREKTTYYYAMDYWGQGTLVTVSS	-1146.65	-46.0465
	DIVMTQAAPSVPVTPGESLSISCRSSKSLLHSNGDTFLYWFLQRPGQSPQLLIYRMSNLASGVPDRFSGSGSGTAFTLRVSRVEAEDVGVYYCMQHLEYPFTFGAGTKLELK	DIQMTQSPSTLSASVGDRVTITCRSSKSLLHSNGDTFLYWFQQKPGKAPKLLMYRMSNLASGVPSRFSGSGSGTEFTLTISSLQPDDFATYYCMQHLEYPFTFGQGTKVEVK	-1005.98	
3L7E	QVTLKESGPGILQPSQTLSLTCSFSGFSLSTYGMGVGWIRQPSGKGLEWLAHIWWDDVKRYNPALKSRLTISKDTSGSQVFLKIASVDTSDTATYYCARMGSDYDVWFDYWGQGTLVTVSA	QVTLKESGPVLVKPTETLTLTCTVSGFSLSTYGMGVGWIRQPPGKALEWLAHIWWDDVKRYNPALKSRLTISKDTSKSQVVLTMTNMDPVDTATYYCARMGSDYDVWFDYWGQGTLVTVSS	-1160.11	-51.168

	DVQITQSPSYLAASP GETITLNCRASKSIS KYLAWYQEKPGKT NKLLIYSGSTLQSGI PSRFSGSGSGTDFTL TISSLEPEDFAMYFC QQHNEYPYTFGGGT KLEIK	EIVLTQSPATLSLSPG ERATLSCRASKSISKY LAWYQQKPGQAPRL LIYSGSTLQSGIPARFS GSGSGTDFTLTISSLEP EDFAVYYCQQHNEYP YTFGQGTKLEIK	-1105.08	
5F3B	EVQLVESGGGLVKP GGSLKLSCAASGFT FSSYAMSWVRQTPE KRLEWVATISSGGS YTSYPDSVKGRFTIS RDNAKNTLYLQMSS LRSEDTAMYYCAR QDYAMNYWGQGTL VTVSS	EVQLLESGGGLVQPG GSLRLSCAASGFTFSS YAMSWVRQAPGKGL EWVSTISSGGSYTSYP DSVKGRFTISRDNSK NTLYLQMNSLRAEDT AVYYCAKQDYAMNY WGQGTLVTVSS	-1249.08	-49.0268
	DIEMTQSHKFMSTS VGDRVSITCKASQD VSTAVAWYQQKPG QSPKLLLYSASYRY TGVPDRFTGSGSGT DFTFTISSVNAEDLA VYYCQQHYSTPWTF GGGTKVEIK	DIQMTQSPSSLSASVG DRVTITCKASQDVST AVAWYQQKPGKAPK LLIYSASYRYTGVPSR FSGSGSGTDFTLTISSL NPEDFATYYCQQHYS TPWTFGGGTKVEIK	-1086.49	

Table 3 Non-human antibody crystal structure template calculated non-bond energy

PDBID	Non-human antibody sequence	Humanized antibody sequence	Intra VH and VL non-bond energy kcal/mol	Inter VH-VL non-bond energy kcal/mol
1MJJ	QVQLQQPGAELVKPG ASVKLSCKAS[GYTFT DYY]INWVKQRPGQG LEWIGN[IDPGSGNT] HYNEKFKNKATLTVD TSSSTAYMQLSSLTSD DSAVYYC[AREKTTY YYAMDY]WGQGTLV TVSA	EIQLVQSGAEVKKP GSSVKVSCKASGYT FTDYYINWMRQAP GQGLEWIGWIDPGS GNTKYNEKFKGRA TLTVDTSTNTAYME LSSLRSEDTAFYFCA REKTTYYYAMDYW GQGTLVTVSS	-953.167	-42.319
	DIVMTQAAPSVPVTP GESVSISCRSS[KSLLH SNGDTF]LYWFLQRP GQSPQLLIY[RMS]NL ASGVPDRFSGSGSGT	DIQMTQSPSTLSASV GDRVTITCRSSKSLL HSNGDTFLYWFQQ KPGKAPKLLMYRM SNLASGVPSRFSGSG	-1051.16	

	AFTLRISRVEAEDVG VYYC[MQHLEYPFT]F GAGTKLELK	SGTEFTLTISSLQPD DFATYYCMQHLEY PFTFGQGTKVEVK		
3L5W	QVTLKESGPGILQPSQ TLSLTCSFS[GFSLSTY GMG]VGWIRQPSGKG LEWLAH[IWWDDVK] RYNPALKSRLTISKDT SGSQVFLKIASVDTSD TATYYC[ARMGSDYD VWFDY]WGQGTLVT VSA	QVTLKESGPVLVKP TETLTLTCTVSGFSL STYGMGVGWIRQPP GKALEWLAHIWWD DVKRYNPALKSRLT ISKDTSKSQVVLTM TNMDPVDTATYYC ARMGSDYDVWFDY WGQGTLVTVSS	-1226.97	-50.4224
	DVQITQSPSYLAASPG ETITLNCRAS[KSISKY]LAWYQEKPGKTNKL LIY[SGS]TLQSGIPSRF SGSGSGTDFTLTISSLE PEDFAMYFC[QQHNE YPYT]FGGGTKLEIK	EIVLTQSPATLSLSP GERATLSCRASKSIS KYLAWYQQKPGQA PRLLIYSGSTLQSGIP ARFSGSGSGTDFTLT ISSLEPEDFAVYYCQ QHNEYPYTFGQGTK LEIK	-1106.68	
5XS7	EVQLVESGGGGLVKPG GSLKLSCAAS[GFTFS SYA]MSWVRQTPEKR LELVAH[ISSGGSYT]Y YPDTVKGRFTISRDN AKNTLYLQMSSLKSE DTAMYYC[ARQDYA MNY]WGQGTTLTVSS	EVQLLESGGGLVQP GGSLRLSCAASGFT FSSYAMSWVRQAP GKGLEWVSTISSGG SYTSYPDSVKGRFTI SRDNSKNTLYLQM NSLRAEDTAVYYCA KQDYAMNYWGQG TLVTVSS	-1085.16	-33.7364
	DIVMTQSHKFMSTSV GDRVSITCKAS[QDVS TA]VAWYQQRPGQSP KLLIY[SAS]YRYTGVP DRFTGSGSGTDFTFTI SSVQAEDLAVYYC[Q QHYSTPWT]FGGGTK LEIK	DIQMTQSPSSLSASV GDRVTITCKASQDV STAVAWYQQKPGK APKLLIYSASYRYT GVPSRFSGSGSGTDF TLTISSLNPEDFATY YCQQHYSTPWTFG GGTKVEIK	-931.264	

Table 4 Top 10 VH and VL human germline framework

Rank	1AD9		3L7F		5F3H	
1	1AD9H	1AD9L	3L7FH	3L7FL	5F3HH	5F3HL
2	IGHV1-3* 01	IGKV1-5* 01	IGHV2-26* 02-IGHV2-2	IGKV3-11* 01	IGHV3-23*03	IGKV1D-12*02- IGKV1D-12*01-

			6*01			IGKV1-12*02-IGKV1-12*01
3	IGHV1-18*04-IGHV1-18*01	IGKV1-5*03	IGHV2-26*03	IGKV3D-7*01-IGKV3/OR2-268*02-IGKV3/OR2-268*01	IGHV3-23*05	IGKV1-6*02-IGKV1-6*01
4	IGHV1-69D*01-IGHV1-69*13-IGHV1-69*12-IGHV1-69*01	IGKV1-5*02	IGHV2-5*02	IGKV3D-11*03	IGHV3-23*04	IGKV1D-13*02-IGKV1D-13*01-IGKV1-13*02
5	IGHV1-69*05	IGKV1-17*01	IGHV2-5*01	IGKV3D-11*01	IGHV3-23D*01-IGHV3-23*01	IGKV1D-39*01-IGKV1-39*01
6	IGHV1-69*16	IGKV1-16*01	IGHV2-5*09	IGKV3D-11*02	IGHV3-53*02	IGKV1-39*02
7	IGHV1-69*15	IGKV1-NL1*01	IGHV2-5*06-IGHV2-5*05	IGKV3-11*02	IGHV3-23*02	IGKV1-NL1*01
8	IGHV1-69*11	IGKV1-17*03	IGHV2-5*04	IGKV3D-20*02	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01	IGKV1-5*01
9	IGHV1-69*17	IGKV1-9*01	IGHV2-5*08	IGKV3-20*01	IGHV3-66*03	IGKV1-5*03
10	IGHV1-69*14-IGHV1-69*06	IGKV1-17*02	IGHV2/OR16-5*01	IGKV3D-15*01-IGKV3-15*01	IGHV3-53*01	IGKV1-27*01

Table 5 Top 9 humanized antibody template with 1AD9

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV1-3*01-1AD9L	-1264.06	-1174.53	-52.1395
2	IGHV1-3*01-IGKV1-NL1*01	-1273.36	-1133.73	-51.4032
3	IGHV1-69*11-1AD9L	-1234.91	-1170.49	-50.8565
4	IGHV1-69*15-1AD9L	-1234.91	-1170.49	-50.8565
5	1AD9H-1AD9L	-1241.77	-1155.1	-53.3762
6	IGHV1-69*05-1AD9L	-1218.29	-1171.59	-50.3606
7	IGHV1-69*16-1AD9L	-1218.29	-1171.59	-50.3606
8	1AD9H-IGKV1-NL1*01	-1249.31	-1135.32	-52.2981
9	IGHV1-69D*01-IGHV1-69*13-IGHV1-69*12-IGHV1-69*01-1AD9L	-1215.11	-1171.07	-50.4236

Table 6 Top 9 humanized antibody template with 3L7F

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	3L7FH-IGKV3D-20*02	-1245.37	-1068.45	-52.9509
2	3L7FH-IGKV3-11*02	-1246.3	-1064.82	-52.8501
3	3L7FH-IGKV3-11*01	-1246.2	-1065.4	-49.4023
4	3L7FH-IGKV3D-15*01-IGKV3-15*01	-1245.52	-1061.7	-49.9812
5	3L7FH-IGKV3-20*01	-1246.05	-1054.99	-52.8499
6	3L7FH-3L7FL	-1244.27	-1048.42	-52.9754
7	3L7FH-IGKV3D-7*01-IGKV3/OR2-268*02-IGKV3/OR2-268*01	-1245.91	-1040.16	-50.3278
8	IGHV2-5*09-IGKV3D-20*02	-1068.69	-1075.64	-51.972
9	IGHV2-5*09-IGKV3-11*02	-1068.45	-1074.8	-52.1395

Table 7 Top 9 humanized antibody template with 5F3H

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV3-23*03-IGKV1-5*01	-1188.43	-1065.99	-49.6727
2	IGHV3-23*03-IGKV1-5*03	-1188.43	-1065.99	-49.6727
3	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-IGKV1-5*01	-1184.17	-1066.22	-49.1262
4	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-IGKV1-5*03	-1184.17	-1066.22	-49.1262
5	5F3HH-IGKV1-5*01	-1179.68	-1065.45	-49.9844
6	5F3HH-IGKV1-5*03	-1179.68	-1065.45	-49.9844
7	IGHV3-23*05-IGKV1-5*01	-1179.95	-1065.56	-49.4334
8	IGHV3-23*05-IGKV1-5*03	-1179.95	-1065.56	-49.4334
9	IGHV3-53*01-IGKV1-5*01	-1177.03	-1066.15	-49.2809
22	5F3HH-5F3HL	-1168.4	-1059.59	-49.1272

Table 8 Top 9 humanized antibody template with 1AE6

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV1-3*01-1AD9L	-1127.61	-1047.12	-53.0664
2	1AD9H-IGKV1-5*01	-1143.12	-1032.38	-48.7873
3	1AD9H-IGKV1-5*03	-1143.12	-1032.38	-48.7873
4	1AD9H-IGKV1-5*02	-1140.71	-1029.61	-50.2803
5	IGHV1-3*01-IGKV1-5*01	-1125.35	-1033.61	-52.8156
6	IGHV1-3*01-IGKV1-5*03	-1125.35	-1033.61	-52.8156
7	1AD9H-IGKV1-17*02	-1143.97	-1026.23	-46.9193
8	1AD9H-IGKV1-17*01	-1147.72	-1022.63	-46.7637
9	IGHV1-3*01-IGKV1-5*02	-1128.03	-1031.66	-52.033

Table 9 Top 9 humanized antibody template with 3L7E

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV2-5*08-IGKV3D-20*02	-1185.35	-1115.58	-47.9664
2	IGHV2-5*08-3L7FL	-1182.2	-1108.66	-50.4048
3	IGHV2-5*08-IGKV3-11*02	-1185.55	-1107.84	-48.2813
4	IGHV2-5*08-IGKV3-20*01	-1185.31	-1107.56	-48.0529
5	IGHV2-5*04-IGKV3D-20*02	-1175.21	-1114.91	-48.0891
6	IGHV2-5*01-IGKV3D-20*02	-1172.76	-1115.2	-48.1578
7	IGHV2-5*02-IGKV3D-20*02	-1172.76	-1115.2	-48.1578
8	IGHV2-5*08-IGKV3-11*01	-1185.57	-1102.47	-48.0565
9	IGHV2-5*04-IGKV3-11*02	-1176.39	-1109.7	-48.1239

Table 10 Top 9 humanized antibody template with 5F3B

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV3-53*01-5F3HL	-1270.01	-1086.12	-47.9012
2	IGHV3-66*03-5F3HL	-1270.01	-1086.12	-47.9012
3	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-5F3HL	-1268.52	-1085.73	-48.038
4	IGHV3-23*03-5F3HL	-1266.15	-1086.16	-48.9234
5	IGHV3-53*02-5F3HL	-1262.08	-1086.12	-48.8344
6	IGHV3-23*03-IGKV1-5*01	-1265.61	-1084.3	-46.7451
7	IGHV3-23*03-IGKV1-5*03	-1265.61	-1084.3	-46.7451
8	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-IGKV1-5*01	-1267.16	-1084.06	-45.8075
9	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-IGKV1-5*03	-1267.16	-1084.06	-45.8075

Table 11 Top 9 humanized antibody template with 1MJJ

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV1-3*01-1AD9L	-957.923	-1049.05	-47.2008
2	IGHV1-3*01-IGKV1-5*02	-953.934	-1043.96	-50.0913
3	IGHV1-3*01-IGKV1-16*01	-954.108	-1044.86	-49.342
4	IGHV1-3*01-IGKV1-9*01	-950.754	-1046.37	-48.7738
5	IGHV1-3*01-IGKV1-5*01	-953.907	-1040.09	-49.9078
6	IGHV1-3*01-IGKV1-5*03	-953.907	-1040.09	-49.9078
7	1AD9H-1AD9L	-953.167	-1051.16	-42.319
8	1AD9H-IGKV1-9*01	-951.375	-1050.56	-41.6717
9	1AD9H-IGKV1-5*01	-950.974	-1041.92	-46.0397

Table 12 Top 9 humanized antibody template with 3L5W

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol

1	3L7FH-IGKV3-11*02	-1220.15	-1120.73	-54.1098
2	3L7FH-IGKV3-11*01	-1218.71	-1110.03	-55.5043
3	3L7FH-IGKV3D-20*02	-1224.81	-1113.4	-49.979
4	3L7FH-3L7FL	-1226.97	-1106.68	-50.4224
5	3L7FH-IGKV3-20*01	-1224.62	-1102.52	-52.3325
6	IGHV2-5*09-IGKV3-11*02	-1198.87	-1122.39	-53.9434
7	IGHV2-5*01-IGKV3-11*02	-1197.92	-1122.18	-53.0765
8	IGHV2-5*02-IGKV3-11*02	-1197.92	-1122.18	-53.0765
9	IGHV2-5*04-IGKV3-11*02	-1194.83	-1122.41	-53.9548

Table 13 Top 9 humanized antibody template with 5XS7

Rank	HL Gene	H intra kcal/mol	L intra kcal/mol	HL inter kcal/mol
1	IGHV3-23*04-5F3HL	-1104.9	-929.997	-36.4064
2	IGHV3-23D*01-IGHV3-23*01-5F3HL	-1103.05	-931.231	-36.5693
3	IGHV3-23*05-5F3HL	-1101.42	-932.443	-36.3889
4	IGHV3-23*02-5F3HL	-1100.79	-929.255	-36.3646
5	IGHV3-53*01-5F3HL	-1097.44	-931.202	-36.9109
6	IGHV3-66*03-5F3HL	-1097.44	-931.202	-36.9109
7	IGHV3-66*04-IGHV3-66*02-IGHV3-66*01-5F3HL	-1095.53	-929.957	-37.0653
8	IGHV3-53*02-5F3HL	-1095.15	-930.529	-36.868
9	IGHV3-23*03-5F3HL	-1093.12	-932.089	-36.8587