APICURON: a database to credit and acknowledge the work of biocurators

Andras Hatos[1], Federica Quaglia[1], Damiano Piovesan[1], Silvio Tosatto[1,*]

[1]University of Padova, Dept. of Biomedical Sciences, Padova, Italy.
[*]To whom correspondence should be addressed.

Abstract

APICURON (URL: apicuron.org) is an open resource that tracks and credits the work of biocurators across multiple participating knowledgebases. Biocuration is essential to extract knowledge from research data and make it available in a structured and standardized way to the scientific community. However, processing biological data - mainly from literature - requires a huge effort which is difficult to quantify and acknowledge. APICURON collects biocuration events from third party resources and aggregates this information, spotlighting biocurator contributions. APICURON promotes biocurator engagement implementing gamification concepts like badges, medals and leaderboards and at the same time provides a monitoring service for registered resources. APICURON adopts a data model that is flexible enough to represent and track the majority of biocuration activities. Biocurators are identified through their ORCID. The definition of curation events, scoring systems and rules for badges and medals are resource-specific and easily customizable. Registered resources can transfer curation activities on the fly through a secure and robust API. Here we show how simple and effective it is to connect a resource to APICURON describing the DisProt database of intrinsically disordered proteins as a use case. We believe APICURON will provide biological knowledgebases with a service to recognize and credit the effort of their biocurators, monitor their activity and promote curators engagement.

Database URL: https://apicuron.org

Introduction

Biocuration plays a key role in making research data available to the scientific community in a structured and standardized way. Managing biological data in the biocuration context requires ensuring their accuracy, accessibility and reusability (1,2). Biocurators deal with unstructured data, mainly derived from publications, that need to be collected, verified, standardized and integrated into dedicated databases (1,2). Even though in principle expert curation scales well with the growth of scientific literature, it is highly demanding, requiring to allocate dedicated resources and time (3,4).

Despite its importance, the contribution and effort of biocurators is extremely difficult to acknowledge and quantify (5). This is relevant not only for hired-curators but also in the case of community curators or experts which occasionally provides feedback on existing annotation records. The European life science infrastructure for biological information (ELIXIR, https://elxir-europe.org), the International Society for Biocuration (ISB, https://www.biocuration.org) (6) and the Global Organization for Bioinformatics Learning,

Education and Training (GOBLET, https://www.mygoblet.org) (7,8) recognized the need to ensure that the role of biocurator is visible and valued (5). According to a global survey they found that biocurators have diverse job titles, are highly skilled, perform a variety of activities and use a wide range of tools and resources. But the majority of biocurators are unaware of this as a career, or simply think that biocuration is not the main aspect of their job (5).

An established strategy for crediting curators is to offer co-authorship in the article describing the corresponding curated database. However, publication is not always guaranteed or can just be occasional, at the best every two years as stated by Nucleic Acid Research database issue rules (9) (https://academic.oup.com/nar/pages/ms_prep_database). Although the motivation of non-hired biocurators increase and dim right before- and after-publication (10) they are nevertheless required to regularly maintain and extend the data collection. In addition, curation contributions can come from experts in the field which are not interested in entering a database publication, for example those authors that simply provide feedback on annotations referring to their publications. All these cases are never acknowledged. In addition, biocurators often work behind the scenes in projects where biocuration is needed, e.g. construction of specific datasets (11–13).

Several efforts have been made during the last decade to credit the work of biocurators in manually curated resources. The Pfam database of protein families (http://pfam.xfam.org/) relies on an ORCID-based system. Biocurators can link their contributions to their ORCID profile claiming Pfam curated entries (16) and their contribution is discoverable by means of the EBI-Search system (15). The mission of the Open Researcher & Contributor ID (ORCID, https://orcid.org) is to provide a registry of persistent unique identifiers for researchers and scholars (14). ORCID allows integration of 'Works' which are publications, data sets, conference presentations, etc. in the user profile page. However, ORCID is not designed to directly manage biocuration activities and it does not provide a system to aggregate and weigh this type of information. The Clinical Interpretation of Variants in Cancer database (CIViC, https://civicdb.org/home) (17) implemented a sophisticated system which takes into consideration biocuration roles. The "*curators*" submit new pieces of evidence while "*editors*" validate new annotations by accepting or rejecting the curators' work. This is similar to the "curator" and "reviewer" system implemented in DisProt (18,19). CIViC also implements some of the core concepts of gamification. Gamification consists of providing motivational affordances and "gameful" experiences in non-game related settings. It is meant to support user engagement and positive behavioural patterns that lead to an overall increase in the quality and productivity of users' activities (18,19) A key concept of gamification consists of providing users with badges and scores associated with their achievements, giving rise to a positive feedback mechanism that keeps users engaged and motivated and increases their competitiveness (18,19). CIViC includes dedicated profile pages for all biocurators. Contributions are clearly tracked and biocurators accumulate activity scores and badges (17). However, these tracked contributions pertain only to the biocuration activities provided in CIViC and no similar tracking system is currently available for other manually curated resources. Biocurators working for different organizations or databases do not have a shared place to record their achievements.

Here we provide a comprehensive description on the implementation of APICURON and the gamification concepts used. APICURON aims at providing biological databases and organizations with a real-time automatic tracking system of biocuration activities.

APICURON, regardless of the field of interest, is a unified resource able to properly acknowledge and recognize the work of biocurators.

APICURON implements badges, medals and leaderboards which promote engagement and allow to evaluate objectively the amount and quality of the contributions. The achievements and scoring systems are defined by the member databases themselves as different resources need to capture different types of activities and want to value biocuration actions differently.

APICURON is agnostic and somehow state-less. It cross-references the annotation source and activity records are uniquely identified. Every change in the source database, including changes in existing records, can be (re)submitted on the fly. The web interface provides both a resource- and curator-centric view including personal pages summarizing biocurators achievements for all resources they work for.

Finally we explain in detail how a partner resource can connect to APICURON and submit biocuration events by describing the integration of the DisProt database of intrinsically disordered proteins (IDPs) (20) as a use case.

Database structure and implementation

APICURON is a web server accessible through a public REStful API or through a user friendly web interface built on top of the same API. It can be used as an external tracker by third party resources and by the biocurators themselves to demonstrate and value their contributions. APICURON is easy to connect with third party databases allowing small emerging databases to adopt best practices and save the cost of implementing the technology for tracking curators work. In the following paragraphs we describe the philosophy and technical solutions adopted by APICURON to track curation activities, implement gamification experience and manage data transfer (transactions) with registered resources and organizations. An example about how a database can connect to APICURON is provided in the "DisProt use case" section.

Biocuration activity records

The main feature of APICURON is the tracking of biocuration activities or events. A biocuration event is identified by four fields, *entity*, *activity*, *agent* and *timestamp,* fulfilling the recommendations provided in (21). In APICURON the *entity* corresponds to the curated data object, which is identified by using the identifiers.org resolving system (22). The *activity* is the actual curation activity, such as "entry creation" or "entry invalidation". Although different databases can define different activities, those are required to be mappable to PROV terms as defined by the World Wide Web Consortium (W3C) Provenance Working Group (23). PROV terms, *generation*[1], *revision*[2] and *invalidation*[3], provide a way to define the life cycle of an object. In APICURON the *agent* is the biocurator that has performed the biocuration activity and it is identified by the ORCID (14) in order to avoid duplicates or wrong attributions. Finally, the timestamp provides the date and time of the biocuration activity.

---

[1] https://www.w3.org/TR/prov-o/#Generation

[2] https://www.w3.org/TR/prov-o/#Revision

[3] https://www.w3.org/TR/prov-o/#Invalidation

Achievements and ranking

APICURON implements gamification by providing badges, medals and leaderboards. They are meant to encourage participation and commitment and promote engagement. *Badges* are based on an absolute count of the activities and represent biocurators milestones or achievements. They are not competitive as independent from those of other curators, e.g. "First paper curated" or "Senior biocurator". On the other end *medals* are competitive as based on the relative performance of each biocurator and depend on the ranking, eg. "Best biocurator 2020" or "Top 10 biocurator 2020". Since biocuration records have a timestamp, medals can be defined on a time frame, e.g. "Best biocurator 2021". In order to provide flexible and personalized achievements, each partner resource or database can define different rules to assign badges and medals. Another gamification concept is the leaderboard which represents the global ranking across all players. Different databases might track different types of activities or might want to evaluate different activities in different ways. In APICURON different databases are treated as independent entities and rankings and achievements are never combined. Leaderboards are calculated based on the amount of curation activities and the score associated with each type of activity.

Web server

The APICURON workflow is described in Figure 1. APICURON is a web server which exposes a REStful API. Some endpoints are private and serve for the submission of curation activities from member databases. Public endpoints provide achievements and rankings for third party clients and are also used by the APICURON website. Biocurators activity can be submitted at any time by registered resources. Whenever new data is submitted, biocurator achievements and ranking are recalculated and made available to the web interface (website) or third party services, including the registered resources themselves and other services like ORCID. The list of endpoints and their functionality are provided in Table 1.

This strategy allows the member databases to delegate completely the tracking management and gamification (storage, versioning, achievement and ranking calculation) to APICURON. All data are cross-referenced and stored permanently and the design is flexible enough to accommodate different types of biocuration activities. APCURON can manage different rewording strategies, never mixing records coming from different resources.

Member (or client) resources that decide to connect to APICURON are requested to register a new account. At registration time they have to provide the full list of all possible biocuration activities and the corresponding scores which are used to calculate medals and the leaderboard. In addition they are requested to provide achievements definitions, i.e. the rules for assigning badges and medals.

Submitted data are upserted in the database using the *entity*, *activity*, *agent*, *timestamp* quadruplet as identifier, so that existing records with the same identifier can be overwritten. APICURON does not create an internal identifier so it is the responsibility of the registered resource (client) to decide whether to preserve or overwrite existing records.

The server is implemented using Node.js framework (https://nodejs.org) and stores data in MongoDB database (https://www.mongodb.com). All communications travel through the HTTPS protocol and private communications are protected by an authentication system with JSON Web Token (JWT) credentials.

Figure 1. APICURON workflow.

Registered resources (left) submit biocuration events to APICURON. APICURON web server (center) stores biocuration activities and updates achievements (medals, badges) and leaderboards on the fly. Results are served through a public API. (Right) APICURON can be cross-referenced by ORCID; biocuration databases can use APICURON to monitor biocurators work and human users can access the APICURON web interface to see biocurators achievements and ranking.

Endpoint	Accessibility	Type	Purpose
submit_description	private	post	Store information about a member resource (list of activity terms and scores, badges, medals, resource description)
submit_activity	private	post	Store biocuration events of a member resource
delete_activity	private	get	Delete biocuration events of a member resource. Parameters: start/end date, ORCID, etc.
curators	public	get	Return biocurators achievements (badges, medals, ranking). Parameters: resource URI, ORCID, etc.
reports	public	get	Return biocuration events activities. Parameters: resource URI, ORCID, etc.
resources	public	get	Return information about a member resource as provided with *submit_description*. Parameters: resource URI

Table 1. APICURON API endpoints.

All endpoints are to be prefixed with the https://apicuron.org/api/ domain fragment. All responses are objects in JSON format. Full documentation is available on the APICURON website.

Website

APICURON both promotes biocurators engagement and provides a monitoring service for client resources (member databases). The APICURON web interface provides two different perspectives to highlight biocuration work, one focusing on biocurators themselves (personal page) and another on biocurators as contributors of a resource (database page).

The curator personal page provides the complete history of the activities, badges and medals and some biographical information as provided by the ORCID public API. A simple statistics provides the amount of activity aggregated at the level of the corresponding PROV category. Medals and badges are provided as graphical elements and colored based on type and importance. Only earned medals are displayed, whereas all badges are always visible but only those achieved appear as activated (highlighted).

The database page allows to visualize information for a specific database including the full list of available medals and badges, the leaderboard and the full history of biocuration activities. By clicking on medals and badges is it possible to update the leaderboard table and see the list biocurators who earned a given medal or badge.

DisProt use case

DisProt is a manually curated database of intrinsically disordered proteins (IDPs) and regions (IDRs) (20). DisProt annotations are provided by a community of expert biocurators who are rewarded with co-authorship in the main database publication every three years. All annotations are checked and validated by a small team of reviewers. DisProt tracks curation work and provides a rudimentary leaderboard, however proper recognition is missing. Here we showcase how DisProt can value the biocurators' effort qualitatively and quantitatively with APICURON.

A DisProt annotation is a piece of evidence of an IDR which must include an experimental detection method, the reference to the corresponding publication and sequence boundaries of the disordered region. In DisProt each evidence has a stable region identifier, e.g. DP00086r067, an IDR evidence of the human tumor suppressor p53.

DisProt achievements

DisProt implements versioning in order to track all IDRs changes between different releases. Each time a biocurator fills-in new data in the DisProt curation interface, a copy of the previous version is stored in a history collection and the new object replaces the old one in the active collection.

In DisProt annotation events which are submitted to APICURON are defined by comparing the current version of an IDR with the previous version. For each IDR DisProt compares all fields one-by-one across the version history and maps the differences to a controlled vocabulary of activity terms. DisProt performs this calculation and submits curation activities to APICURON every day in order to keep biocurators engaged. Some activity terms and the corresponding PROV categories are reported in Table 2.

While activities are directly reported by the client database, medals and badges are calculated by APICURON based on the rules defined by DisProt at registration time. Different databases can define different types of activities and different rules for badges and

medals. In Table 2 and 3 are reported some examples for DisProt. The "Newbie curator" is achieved when a biocurator totals at least ten activities of any type. To calculate medals for each biocurator APICURON multiplies the number of activities by the corresponding score and ranks the biocurators. Time-dependent medals, e.g. "Best biocurator 2017", are calculated by filtering activities by date before generating the ranking.

Category	Term	Score	Description
generation	region_reference_first_generation	50	Added publication not available before in the database
generation	region_first_generation	20	First region created for an entry
generation	region_statement_generation	5	Created article snippet supporting the evidence
generation	region_crossref_generation	5	Added cross reference to other resources
revision	region_validation_revision	20	Validation of an evidence created by another biocurator
revision	region_statement_revision	5	Revised article snippet supporting the evidence
revision	region_crossref_revision	5	Revised cross reference to other resources
invalidation	region_invalidation	20	Invalidated region

Table 2. Example of activity terms as defined in DisProt.
Category corresponds to the PROV classes accepted by APICURON. Term is the internal identifier of an activity while Score is used to calculate the ranking and assign medals.

Group	Name	Count	Activity terms
1	Newbie curator	10	all activity terms *
1	Experienced curator	100	all activity terms *
1	Advanced curator	500	all activity terms *
1	Senior curator	1000	all activity terms *
1	Curator ace	5000	all activity terms *
4	Novel publication in database	1	region_reference_first_generation
4	Bibliophile	10	region_reference_first
4	Librarian	50	region_reference_first
4	Book worm	100	region_reference_first
4	Book addicted	1000	region_reference_first

Table 3. Example of badges as defined in DisProt.
Group is an identifier for those badges evaluated on the same set of activity terms. (*) "All activity terms" indicates that the corresponding badges are evaluated considering all possible types of biocuration activities.

Group	Name	Ranking	From	To	Activity terms

1	All time best biocurator	1			all activity terms *
2	Best biocurator 2016	1	1/1/2016	31/12/2016	all activity terms *
3	Best biocurator 2017	1	1/1/2017	31/12/2017	all activity terms *
1	All time top 10 biocurator	10			all activity terms *
2	Top 10 biocurator 2016	10	1/1/2016	31/12/2016	all activity terms *
3	Top 10 biocurator 2017	10	1/1/2017	31/12/2017	all activity terms *
1	All time top 25 biocurator	25			all activity terms *
2	Top 25 biocurator 2016	25	1/1/2016	31/12/2016	all activity terms *
3	Top 25 biocurator 2017	25	1/1/2017	31/12/2017	all activity terms *

Table 4. Example of medals as defined in DisProt.
Group is an identifier for those medals evaluated on the same time frame (From/To). Ranking indicates the curator ranking threshold to achieve a medal. (*) "All activity terms" indicates that the corresponding medals are evaluated considering all possible types of biocuration activities.

How to become member database

We welcome all manually curated resources or biocuration organizations, especially those relying on community curation, to become APICURON partners.

To connect to APICURON a resource delegate needs to contact the APICURON team to plan their involvement and if necessary receive support for the definition of the biocuration activities, associated scores, badges and medals. Each registered resource can directly submit data through the APICURON API after receiving credentials.

We encourage the submission through the API but we are still open to include small or brand new resources that do not have enough resources to implement a web server able to push data. In that case the curation team will take care of collecting curation activities from a dedicated repository.

APICURON serve as an external tracker of biocuration activities of each one of its partner resource, playing a crucial role not only in well-known and established databases but also in smaller, newer manually curated resources and, virtually, also for non-academic institutions and research companies where biocuration is required with the aim of properly crediting the work of biocurators, raising awareness to the crucial role played by biocuration in scientific research and promoting good practices.

The APICURON team can be contacted at *apicuron@ngp-net.bio.unipd.it*.

Conclusion and future work

Here we presented APICURON, a resource to track and acknowledge the work of biocurators. In order to engage biocurators APICURON implements gamification concepts by introducing achievements and leaderboards. APICURON stores biocuration events as provided by registered resources and calculates achievements and ranking based on custom rules and scoring schemas. Biocuration records can be provided at any time and achievements get updated on the fly. Each database defines scores and rules and has its own leaderboard.

The APICURON web interface provides both a biocurator- and resource-centric viewpoint. Biocurators are identified by their ORCID so that they can report APICURON achievements in the *curriculum vitae*. A robust API allows to integrate APICURON results into third-party resources and possibly, in the future, directly into ORCID.

APICURON already includes the biocuration activities as provided by DisProt. We hope that a wider use of APICURON will increase awareness of the crucial role played by biocurators in making life science data available in a well-structured way. We also hope that the knowledge and skills offered by biocurators will be better recognized in career paths as strongly recommended by ELIXIR, ISB and GOBLET organizations. We encourage curation databases, including small and newer resources, to connect to APICURON therefore adopting best practices for keeping biocurators motivated and promoting their visibility.

Acknowledgments

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 778247 and No 823886.

Funding from the Italian Ministry of University and Research (MIUR), PRIN (Grant No. 2017483NH8). This work was funded by ELIXIR, the research infrastructure for life-science data - ELIXIR Data Platform.

References

1. International Society for Biocuration (2018) Biocuration: Distilling data into knowledge. *PLoS Biol.*, **16**, e2002846.
2. Tang, Y. A., Pichler, K., Füllgrabe, A., et al. (2019) Ten quick tips for biocuration. *PLOS Comput. Biol.*, **15**, e1006906.
3. Poux, S., Arighi, C. N., Magrane, M., et al. (2017) On expert curation and scalability: UniProtKB/Swiss-Prot as a case study. *Bioinforma. Oxf. Engl.*, **33**, 3454–3460.
4. Venkatesan, A., Karamanis, N., Ide-Smith, M., et al. (2019) Understanding life sciences data curation practices via user research. *F1000Research*, **8**, 1622.
5. Holinski, A., Burke, M. L., Morgan, S. L., et al. (2020) Biocuration - mapping resources and needs. *F1000Research*, **9**, 1094.
6. Bateman, A. (2010) Curators of the world unite: the International Society of Biocuration. *Bioinforma. Oxf. Engl.*, **26**, 991.
7. Attwood, T. K., Bongcam-Rudloff, E., Brazas, M. E., et al. (2015) Correction: GOBLET: The Global Organisation for Bioinformatics Learning, Education and Training. *PLoS Comput. Biol.*, **11**, e1004281.
8. Corpas, M., Jimenez, R. C., Bongcam-Rudloff, E., et al. (2015) The GOBLET training portal: a global repository of bioinformatics training materials, courses and trainers. *Bioinforma. Oxf. Engl.*, **31**, 140–142.
9. Rigden, D. J. and Fernández, X. M. (2020) The 27th annual Nucleic Acids Research database issue and molecular biology database collection. *Nucleic Acids Res.*, **48**, D1–D8.
10. Attwood, T. K., Agit, B. and Ellis, L. B. M. (2015) Longevity of Biological Databases. *EMBnet.journal*, **21**, 803.
11. Perfetto, L., Pastrello, C., Del-Toro, N., et al. (2020) The IMEx coronavirus interactome:

an evolving map of Coronaviridae-host molecular interactions. *Database J. Biol. Databases Curation*, **2020**.

12. Panni, S., Lovering, R. C., Porras, P., et al. (2020) Non-coding RNA regulatory networks. *Biochim. Biophys. Acta Gene Regul. Mech.*, **1863**, 194417.

13. Haenig, C., Atias, N., Taylor, A. K., et al. (2020) Interactome Mapping Provides a Network of Neurodegenerative Disease Proteins and Uncovers Widespread Protein Aggregation in Affected Brains. *Cell Rep.*, **32**, 108050.

14. Haak, L. L., Fenner, M., Paglione, L., et al. (2012) ORCID: a system to uniquely identify researchers. *Learn. Publ.*, **25**, 259–264.

15. Park, Y. M., Squizzato, S., Buso, N., et al. (2017) The EBI search engine: EBI search as a service-making biological data accessible for all. *Nucleic Acids Res.*, **45**, W545–W549.

16. El-Gebali, S., Mistry, J., Bateman, A., et al. (2019) The Pfam protein families database in 2019. *Nucleic Acids Res.*, **47**, D427–D432.

17. Griffith, M., Spies, N. C., Krysiak, K., et al. (2017) CIViC is a community knowledgebase for expert crowdsourcing the clinical interpretation of variants in cancer. *Nat. Genet.*, **49**, 170–174.

18. Huotari, K. and Hamari, J. (2012) Defining gamification: a service marketing perspective. *Proceeding of the 16th International Academic MindTrek Conference*, MindTrek '12, Association for Computing Machinery, New York, NY, USA, pp. 17–22.

19. Hamari, J., Koivisto, J. and Sarsa, H. (2014) Does Gamification Work? – A Literature Review of Empirical Studies on Gamification. *2014 47th Hawaii International Conference on System Sciences*, pp. 3025–3034.

20. Hatos, A., Hajdu-Soltész, B., Monzon, A. M., et al. (2020) DisProt: intrinsic protein disorder annotation in 2020. *Nucleic Acids Res.*, **48**, D269–D276.

21. Thessen, A. E., Woodburn, M., Koureas, D., et al. (2019) Proper Attribution for Curation and Maintenance of Research Collections: Metadata Recommendations of the RDA/TDWG Working Group. *Data Sci. J.*, **18**, 54.

22. Wimalaratne, S. M., Juty, N., Kunze, J., et al. (2018) Uniform resolution of compact identifiers for biomedical data. *Sci. Data*, **5**, 180029.

23. Moreau, L., Groth, P., Cheney, J., et al. (2015) The rationale of PROV. *J. Web Semant.*, **35**, 235–257.

24. Lazar, T., Martínez-Pérez, E., Quaglia, F., et al. (2020) PED in 2021: a major update of the protein ensemble database for intrinsically disordered proteins. *Nucleic Acids Res.*