The hippocampus shows an own-age bias during unfamiliar face viewing

Joshua D. Koen[1]*, Nedra Hauck[2], Michael D. Rugg[2,3]

[1]Department of Psychology, University of Notre Dame

[2]Center for Vital Longevity and School of Behavioral and Brain Sciences, University of Texas at
Dallas

[3]School of Psychology, University of East Anglia, UK

*Correspondence: jkoen@nd.edu

Acknowledgements: This work was supported by an award to M.D.R. from the National Institute
on Aging [grant number AG039103], and by awards to J.D.K. from the National Institute on Aging
[grant number AG049583] and the Aging Mind Foundation.

Data Availability Statement: The data that support the findings of this study are available from the
corresponding author upon reasonable request.

Conflict of Interest Statement: The authors declare no conflicts of interest.

Abstract

The present study investigated the neural correlates of the own-age bias for face recognition in a repetition suppression paradigm. Healthy young and older adults viewed upright and inverted unfamiliar faces. Some of the upright faces were repeated following one of two delays (lag 0 or lag 11). Repetition suppression effects were observed in bilateral fusiform cortex, with no evidence of an own-age bias. By contrast, the right anterior hippocampus showed an own-age bias (greater activity for own- than other-age faces) when viewing an unfamiliar face for the first time. Given the importance of the hippocampus to episodic memory encoding, we conjecture that the increased hippocampal activity for own-age relative to other-age faces reflects differential engagement of neural processes supporting the episodic encoding of faces and might provide insight into the processes giving rise to own-age biases in face recognition memory.

Rapic Communication

The ways in which we evaluate, attend to, and remember human faces are susceptible to own-age biases (e.g., Bartlett and Fulton, 1991; Ebner, 2008; Wiese et al., 2008; for review, see Rhodes and Anastasi, 2012). Notably, both young and older adults show better recognition memory for own-age faces (Rhodes and Anastasi, 2012). These findings have motivated research that has demonstrated own-age biases in neural correlates of face processing (Ebner et al., 2011a, 2011b; Neumann et al., 2015; Wiese et al., 2008; Wolff et al., 2012; for review, see Wiese et al., 2013). Most studies have however used EEG to examine face-related neural activity, and thus little is known about the specific brain regions involved in own-age biases (Ebner et al., 2011a; Wright et al., 2008). Understanding the neuroanatomical correlates of the own-age bias will play an important role in understanding the processes contributing to this phenomenon. Here, we investigated whether own-age biases moderate repetition suppression effects elicited by unfamiliar faces and whether own-age biases are evident when viewing faces for the first time.

Repeating faces elicits a 'repetition suppression effect' whereby the BOLD response is reduced for repeated compared to first presentation faces (for reviews, see Henson, 2016; Henson and Rugg, 2003). Repetition suppression effects in regions such as the occipital and fusiform face areas are proposed to reflect modulation of processes contributing to the identification of individual faces (Goh et al., 2010; Hermann et al., 2017). This proposal aligns with perceptual expertise theories of the own-age bias arguing that own-age faces are processed more efficiently and are better individuated than other-age faces due to more extensive experience with own-age peers. Here, we investigated whether own-age biases moderate repetition suppression effects elicited by unfamiliar faces and whether own-age biases are evident when viewing faces for the first time.

A total of 24 young (18-30 years of age) and 26 older (64-75 years of age) healthy, cognitively participated in this study (see Supplemental Table S1 for sample demographics and neuropsychological test performance). While undergoing fMRI, participants completed a face viewing task comprising a mixture of upright and inverted young and older adult faces (Figure 1). Participants made a button press to inverted faces. Upright faces were either presented on a single occasion or repeated after lags of 0 (immediately) or 11 trials. Face age was coded as a Face Age Congruency factor whereby own-age faces were those faces from the same age group as the participant (e.g., young faces were coded as same age faces for young adults) whereas other-age faces were those face stimuli depicting individuals not in the participants age group (e.g., for young adults, older faces were coded as different age faces).

The behavioral results show no effects of Age Group, Face Age Congruency, or any interaction performance (median reaction time, accuracy, or false alarms; see Supplemental Material and Supplemental Table S2).

The fMRI data were modeled at the second level using an ANOVA model that included an Age Group factor (young vs. older) and a Trial Type factor with eight levels formed by crossing the factors of face age (young, older) and trial type (novel, lag0 repeat, lag11 repeat, inverted; see Supplemental Materials for more details). Below, we report planned contrasts derived from this model to examine effects of face repetition and own-age bias (see Table 1). Results relevant to face inversion effects are reported in Supplemental Materials.

The first planned contrast aimed to identify voxels showing significant main effects of face repetition. No clusters showed repetition enhancement effects. However, clusters showing repetition

suppression effects were identified in bilateral fusiform gyrus (Table 1 and Figure 2A-B). The
suppression effects did not differ significantly between young and older adults, between repetition
lags, or own-age and other-age faces according to follow-up analyses that exclusively masked the
repetition suppression contrast with interaction terms involving repetition and the other factors
(exclusive mask threshold set at $p < .10$). The absence of age group differences in repetition
suppression effects in the fusiform gyrus is consistent with prior fMRI findings (Goh et al., 2010).
The lack of an effect of repetition lag is however inconsistent with previous research reporting larger
repetition suppression effects in fusiform cortex for immediate compared to long lag face repeats
(Henson et al., 2000; for related findings, see Nagy and Rugg, 1989).

We next conducted planned contrasts aimed at identifying voxels where face repetition
effects differed in magnitude between young and older adults (i.e., regions showing an Age Group
by Repetition Interaction, collapsed across lag). This contrast identified a cluster in the left interior
temporal gyrus (Figure 2C-D) that showed larger repetition suppression effects in older adults.
Repetition suppression indices (i.e., first – repeat) extracted from a 5mm sphere around the peak
voxel manifesting the interaction revealed a significant repetition suppression effect for repeated
faces in older adults, $t(25) = 3.24$, $p = .003$, but repetition *enhancement* for repeated faces in the
younger adults , $t(23) = 2.85$, $p = .009$. The location of this interaction is in the vicinity of a left
inferior temporal cluster previously reported to show repetition suppression effects for familiar
concepts (e.g., yellow banana), but not novel concepts (e.g., purple banana) (Reggev et al., 2016).
Given that familiar concepts are accrued through experience, it is possible that the present
interaction reflects age-group differences in exposure to faces (for a related discussion, see Koen and
Rugg, 2019). By this argument, the left inferior temporal gyrus is a region that is especially sensitive
to cumulative lifetime experience of a perceptual category such as faces. Future research will be
needed to test the validity of this proposal.

A further planned contrast searched for voxels where face repetition effects differed in
magnitude between repetition lag (i.e., voxels demonstrating a lag by repetition interaction).
Consistent with the findings reported above, no suprathreshold clusters were identified by this
contrast. Additionally, and of importance, no suprathreshold effects were identified by the planned
contrast searching for evidence of an interaction between Face Age Congruency and Repetition.

In summary, we did not identify any regions where repetition suppression effects demonstrated
an own-age bias (for similar findings in the own-race bias literature, see Reggev et al., 2020). These
null findings are arguably inconsistent with perceptual expertise accounts of the own-age bias. Such
accounts propose that own-age faces are more efficiently processed with better individuation than
other-age faces due to due to more extensive experience with own-age peers. If face repetition
suppression effects reflect modulation of processes contributing to the identification of individual
faces (Hermann et al., 2017), then we might expect that own-age faces would elicit a greater
suppression effect than other-age faces. We did not observe this. Future research employing
morphed faces (Goh et al., 2010) might shed additional light on this issue.

We next conducted a planned contrast between the first presentation trials of upright, own-
age and other-age faces to identify voxels showing an own-age bias. Repeated faces were excluded
from the analysis to mitigate potentially confounding effects of familiarity or other repetition-related
processes (for the outcome of the contrast on repeated images, see Supplemental Materials and
Supplemental Figure S1). The above-described contrast identified a cluster of voxels demonstrating
a Face Age Congruency effect in the right anterior hippocampus (Table 1 and Figure 3). The cluster

demonstrated elevated BOLD activity for own-age relative to other-age faces. This effect did not
significantly differ in magnitude between young and older adults based on exclusively masking (at p
< .10) the above contrast with the interaction contrast between Age Group and Face Age
Congruency. Moreover, a conjunction analysis performed by inclusively masking the own-age versus
other-age contrasts conducted separately for young and older adults (each at $p < .01$) revealed a
cluster that overlapped with that identified in the initial analyses. Furthermore, a mixed effects
ANOVA conducted on the means of the beta estimates extracted from a 5mm sphere centered on
the hippocampus peak voxel revealed no evidence of an Age Group by Face Age Congruency
interaction (see Supplemental Materials). There were no detectable repetition suppression effects in
this hippocampal cluster (see Supplemental Materials and Supplemental Figure S3).

The only region that demonstrated an own-age bias was the right anterior hippocampus. We
have no ready explanation for this finding, and stress that it needs replication. However, given the
well-established role of the hippocampus in memory encoding (Eichenbaum et al., 2007; Kim,
2011), we conjecture that this own-age bias in face-elicited hippocampal activity might be related to
the own-age bias evident in recognition memory (Rhodes and Anastasi, 2012). There are several
possible accounts of this finding, which are not mutually exclusive. For example, it could be that it is
easier to bind previously acquired personal or semantic knowledge about familiar individuals to
unfamiliar own-age compared to other-age faces. Alternately, own-age faces may more readily attract
attention to discriminating facial features compared to other-age faces, in turn modulating encoding-
related hippocampal activity (Aly and Turk-Browne, 2015, 2017; Uncapher and Rugg, 2009).
Another interesting hypothesis is that the own-age bias observed here in the hippocampus reflects
the formation of face representations with higher fidelity than in the case of other-age faces (for
reviews, see Ekstrom and Yonelinas, 2020; Yonelinas, 2013). Future studies that link the own-age
bias in recognition memory to these hippocampal effects promise to shed light on these and other
possibilities.

142   **References**

Aly M, Turk-Browne NB. 2017. How Hippocampal Memory Shapes, and Is Shaped by, Attention
In: Hannula DE, Duff MC, editors. The Hippocampus from Cells to Systems. Cham: Springer
International Publishing. pp. 369–403. doi:10.1007/978-3-319-50406-3_12

Aly M, Turk-Browne NB. 2015. Attention Stabilizes Representations in the Human Hippocampus.
Cerebral Cortex bhv041. doi:10.1093/cercor/bhv041

Bartlett JC, Fulton A. 1991. Familiarity and recognition of faces in old age. *Memory & Cognition*
19:229–238. doi:10.3758/BF03211147

de Chastelaine M, Wang TH, Minton B, Muftuler LT, Rugg MD. 2011. The Effects of Age, Memory
Performance, and Callosal Integrity on the Neural Correlates of Successful Associative
Encoding. *Cerebral Cortex* **21**:2166–2176. doi:10.1093/cercor/bhq294

Ebner NC. 2008. Age of face matters: Age-group differences in ratings of young and old faces. *Behav*
Res **40**:130–136. doi:10.3758/brm.40.1.130

Ebner NC, Gluth S, Johnson MR, Raye CL, Mitchell KJ, Johnson MK. 2011a. Medial prefrontal
cortex activity when thinking about others depends on their age. *Neurocase* **17**:260–269.
doi:10.1080/13554794.2010.536953

Ebner NC, He Y, Fichtenholtz HM, McCarthy G, Johnson MK. 2011b. Electrophysiological
correlates of processing faces of younger and older individuals. *Soc Cogn Affect Neurosci* **6**:526–
535. doi:10.1093/scan/nsq074

Eichenbaum H, Yonelinas AP, Ranganath C. 2007. The Medial Temporal Lobe and Recognition
Memory. *Annual Review of Neuroscience* **30**:123–152.
doi:10.1146/annurev.neuro.30.051606.094328

Ekstrom AD, Yonelinas AP. 2020. Precision, binding, and the hippocampus: Precisely what are we
talking about? *Neuropsychologia* **138**:107341. doi:10.1016/j.neuropsychologia.2020.107341

Goh JO, Suzuki A, Park DC. 2010. Reduced neural selectivity increases fMRI adaptation with age
during face discrimination. *NeuroImage* **51**:336–344. doi:10.1016/j.neuroimage.2010.01.107

Henson R, Shallice T, Dolan R. 2000. Neuroimaging Evidence for Dissociable Forms of Repetition
Priming. *Science* **287**:1269–1272. doi:10.1126/science.287.5456.1269

Henson RN. 2016. Repetition suppression to faces in the fusiform face area: A personal and
dynamic journey. *Cortex*, Special Issue:Repetition suppression-an integrative view **80**:174–184.
doi:10.1016/j.cortex.2015.09.012

Henson RNA, Rugg MD. 2003. Neural response suppression, haemodynamic repetition effects, and
behavioural priming. *Neuropsychologia* **41**:263–270. doi:10.1016/s0028-3932(02)00159-8

Hermann P, Grotheer M, Kovács G, Vidnyánszky Z. 2017. The relationship between repetition
suppression and face perception. *Brain Imaging and Behavior* **11**:1018–1028. doi:10.1007/s11682-
016-9575-9

Kim H. 2011. Neural activity that predicts subsequent memory and forgetting: A meta-analysis of 74
fMRI studies. *NeuroImage* **54**:2446–2461. doi:10.1016/j.neuroimage.2010.09.045

Koen JD, Hauck N, Rugg MD. 2019. The relationship between age, neural differentiation, and
memory performance. *Journal of Neuroscience* **39**:149–162.
doi:https://doi.org/10.1523/JNEUROSCI.1498-18.2018

Koen JD, Horne ED, Hauck N, Rugg MD. 2018. Age-related Differences in Prestimulus
Subsequent Memory Effects Assessed with Event-Related Potentials. *Journal of Cognitive*
Neuroscience **30**:829–850. doi:10.1162/jocn_a_01249

Koen JD, Rugg MD. 2019. Neural Dedifferentiation in the Aging Brain. *Trends in Cognitive Sciences*
23:547–559. doi:10.1016/j.tics.2019.04.012

Minear M, Park DC. 2004. A lifespan database of adult facial stimuli. *Behavior Research Methods,*
Instruments, & Computers **36**:630–633. doi:10.3758/bf03206543

Nagy ME, Rugg MD. 1989. Modulation of Event-Related Potentials by Word Repetition: The
Effects of Inter-Item Lag. *Psychophysiology* **26**:431–436. doi:https://doi.org/10.1111/j.1469-
8986.1989.tb01946.x

Neumann MF, End A, Luttmann S, Schweinberger SR, Wiese H. 2015. The own-age bias in face
memory is unrelated to differences in attention—Evidence from event-related potentials.
Cognitive, Affective, & Behavioral Neuroscience **15**:180–194. doi:10.3758/s13415-014-0306-7

Reggev N, Bein O, Maril A. 2016. Distinct Neural Suppression and Encoding Effects for
Conceptual Novelty and Familiarity. *Journal of Cognitive Neuroscience* **28**:1455–1470.
doi:10.1162/jocn_a_00994

Reggev N, Brodie K, Cikara M, Mitchell JP. 2020. Human face-selective cortex does not distinguish
between members of a racial outgroup. *eNeuro*. doi:10.1523/ENEURO.0431-19.2020

Rhodes MG, Anastasi JS. 2012. The own-age bias in face recognition: A meta-analytic and
theoretical review. *Psychological Bulletin* **138**:146–174. doi:10.1037/a0025750

Uncapher MR, Rugg MD. 2009. Selecting for Memory? The Influence of Selective Attention on the
Mnemonic Binding of Contextual Information. *Journal of Neuroscience* **29**:8270–8279.
doi:10.1523/jneurosci.1043-09.2009

Wiese H, Komes J, Schweinberger SR. 2013. Ageing faces in ageing minds: A review on the own-age
bias in face recognition. *Visual Cognition* **21**:1337–1363. doi:10.1080/13506285.2013.823139

Wiese H, Schweinberger SR, Hansen K. 2008. The age of the beholder: ERP evidence of an own-
age bias in face memory. *Neuropsychologia* **46**:2973–2985.
doi:10.1016/j.neuropsychologia.2008.06.007

Wolff N, Wiese H, Schweinberger SR. 2012. Face recognition memory across the adult life span:
Event-related potential evidence from the own-age bias. *Psychology and Aging* **27**:1066–1081.
doi:10.1037/a0029112

Wright CI, Negreira A, Gold AL, Britton JC, Williams D, Feldman Barrett L. 2008. Neural
correlates of novelty and face–age effects in young and elderly adults. *NeuroImage* **42**:956–968.
doi:10.1016/j.neuroimage.2008.05.015

Yonelinas AP. 2013. The hippocampus supports high-resolution binding in the service of
perception, working memory and long-term memory. *Behavioural Brain Research* **254**:34–44.
doi:10.1016/j.bbr.2013.05.030

Table 1. Regions showing effects of face repetition and age congruency.

Region	MNI Coordinates			Cluster size	Peak z
	x	y	z		
Repetition Suppression					
R. Fusiform Gyrus[a,b]	39	-43	-28	493	5.82
L. Fusiform Gyrus[a]	-39	-46	-28	328	4.20
Age Group by Repetition Interaction (Older: Repetition Suppression, Young: Repetition Enhancement)					
L. Inferior Temporal Cortex[a,b]	-51	-43	-19	128	5.22
Face Age Congruency Effects (Own-Age > Other-Age Faces)					
R. Hippocampus[b]	21	-10	-22	71	4.99

Note. Regions showing repetition suppression effects were identified from a planned contrast of first
and repeated face trials (i.e., a main effect of face repetition) without regard for other conditions (i.e.,
repetition lag, Age Group, and Face Age Congruency). The left interior temporal cortex was
identified by a contrast modeling the Age Group by Repetition (first vs. repeated) interaction
regardless of Lag and Face Age Congruency. Face Age Congruency effects were identified from an
own-age versus other-age contrast for first presentation, upright face trials. [a]Significant at $p < .001$
height threshold with $p < .05$, FWE cluster threshold). [b]Significant at the voxel-level corrected
threshold ($p < .05$, FWE, height threshold).

Figure 1. Schematic of the face repetition task. Participants saw a series of young and older adult faces in a face inversion task. Participants were instructed to make a button press if the face was inverted, and otherwise to simply view the faces. Each face was shown for 1 second and followed by an inter-trial interval (fixation cross) for 1.25 seconds. There was a total of 8 conditions formed by crossing Face Age (young, older) and Trial Type (first, lag 0 repeat, lag 11 repeat, inverted). Additional details are reported in the Materials and Methods section.

Figure 2. Age-group invariant (top panels) and age-group dependent (bottom panels) face repetition
suppression effects. (A) A cluster in the right fusiform gyrus (x = 39, y = -43, z = -28) showing
suppression of the BOLD signal for repeated faces compared to the first presentation of faces in
both young and older adults. A similar pattern was observed in the left fusiform gyrus (not shown,
see Table 1). (B) Repetition suppression estimates (first minus repeated presentation) extracted from
a 5mm sphere centered on the right fusiform gyrus peak voxel. (C) A cluster in the left inferior
temporal cortex (x = 39, y = -43, z = -28) showing larger repetition suppression effects for older
relative to younger adults. (D) Repetition suppression estimates extracted from a 5mm sphere
centered on the left inferior temporal cortex peak voxel. The interaction in this region is driven by
the combination of repetition suppression in older adults and repetition enhancement in younger
adults. (A) and (C) are shown at p < .001, uncorrected, for visualization purposes, and depicted in
neurological orientation (right is right). In (B) and (D), the solid black circles represent condition
means, and the green and orange points depict data from individual participants.

Figure 3. BOLD signals in the right hippocampus were greater when young and older adults viewed faces belonging to their own age group relative to other age faces. (A) Viewing the first repetition of novel faces was associated with an own-age bias in the right anterior hippocampus (x = 22, y = -10, z = -24). The image is shown at a threshold of at p < .001 uncorrected, for visualization purposes. (B) The beta values extracted from a 5mm sphere centered on the peak coordinate in the right hippocampus. The solid black circles represent condition means, and the green and orange points depict data from individual participants.