Motion extrapolation in the flash-lag effect depends on perceived, rather than physical speed

Jane Yook[1,2,3], Lysha Lee[1], Simone Vossel[2,3], Ralph Weidner[2], & Hinze Hogendoorn[1]

1 Melbourne School of Psychological Sciences, The University of Melbourne, Parkville,

Australia

2 Cognitive Neuroscience, Institute of Neuroscience and Medicine (INM-3), Research Centre

Jülich, Jülich, Germany

3 Department of Psychology, Faculty of Human Sciences, University of Cologne, Cologne,

Germany

Acknowledgements

This study was supported by an Australian Research Council (ARC) Discovery Projects Grant

awarded to H.H. (DP180102268).

Commercial relationships: none.

Corresponding author: Jane Yook Jeong In

Email: jyook@student.unimelb.edu.au

Address: Melbourne School of Psychological Sciences, Redmond Barry Building, The

University of Melbourne, Parkville, VIC 3010 Australia.

30   Abstract

In the flash-lag effect (FLE), a flash in spatiotemporal alignment with a moving object is often

misperceived as lagging behind the moving object. One proposed explanation for the illusion is

based on predictive motion extrapolation of trajectories. In this interpretation, observers require

an estimate of the object's velocity to anticipate future positions, implying that the FLE is

dependent on a neural representation of perceived velocity. By contrast, alternative models of the

FLE based on differential latencies or temporal averaging should not rely on such a representation

of velocity. Here, we test the extrapolation account by investigating whether the FLE is sensitive

to illusory changes in perceived speed when physical speed is actually constant. This was tested

using rotational wedge stimuli with variable noise texture (Experiment 1) and luminance contrast

(Experiment 2). We show for both manipulations, differences in perceived speed corresponded to

differences in the FLE: dynamic versus static noise, and low versus high contrast stimuli led to

increases in perceived speed and FLE magnitudes. These effects were consistent across different

textures and were not due to low-level factors. Our results support the idea that the FLE depends

on a neural representation of velocity, which is consistent with mechanisms of motion

extrapolation. Hence, the faster the perceived speed, the larger the extrapolation, the stronger the

flash-lag.

Keywords: position perception, flash-lag effect, perceived speed, motion extrapolation, noise

texture, luminance contrast, spatial vision, motion

1. Introduction

In the process of visual perception, delays incur as information encoded by the retina is transmitted to the visual cortex (Schmolesky et al., 1998). Neural processing across the visual hierarchy subsequently takes time. By the time a time-varying stimulus—such as a moving object—is processed, its position information will already be outdated (De Valois & De Valois, 1991). More importantly, the object will continue to move in the physical world and its perceived position will lag at any given time (Maunsell & Gibson, 1992). The impact of such delays should be significant when localizing moving objects, but despite this, we seem to be able to accurately pursue and interact with even fast-moving objects (Smeets & Brenner, 1995). One proposed explanation is that neural delays are partly, perceptually compensated by motion extrapolation (Nijhawan, 1994, 2002). The visual system is thought to predict the trajectory of an object by actively extrapolating future positions so that observers can perceive it as closely as possible to its veridical positions.

A strong case for motion extrapolation has been made as the basis of a motion-induced position shift known as the flash-lag effect (FLE), which was first described by Metzger (1932) and rediscovered by MacKay (1958). It was reinterpreted by Nijhwawan (1994), who demonstrated that a flashed target presented as physically aligned to a continuously moving bar is misperceived as spatially lagging behind the bar. Although the illusion is argued to have many possible causes, Nijhawan proposed that the perceived position of the bar is actually shifted forward along its trajectory, resulting in a displacement between the two stimuli. That is, the observer's percept of the moving object is already extrapolated. Insofar as motion extrapolation compensates for the distance traveled during the time required for neural transmission and processing, then this sort of shift would be expected for the moving object but not for the flash (Nijhawan, 2002).

The illusion appears to be stronger with increasing speed, although not necessarily linearly (Wojtach, Sung, Truong, & Purves, 2008). This implies that the brain might rely on a symbolic, neuronal representation of motion—where an object is (position) and how fast it is moving (velocity)—in the computation of predicting current or future positions based on its motion history (Rosenbaum, 1975; Nijhawan & Wu, 2009; Crick and Koch, 1995; Pollen, 2003). Theoretically, the extrapolation process could depend on representations of physical velocity or, alternatively, of

perceived velocity. Even though the two share many properties, speed perception is often
influenced by various factors such as contrast (Stone & Thompson, 1992), transiency/duration
(Treue, Snowden, & Andersen, 1993), and spatial (Smith & Edgar, 1990) and temporal frequency
(Shen, Shimodaira & Ohashi, 2003), so observers tend to under/overestimate the speed at which
objects are moving. According to this model, the FLE could vary with perceived speed.

In alternative explanations of the FLE, however, the illusion has been generally attributed to
temporal processes that cause the moving object and the flash to appear misaligned only in time
(see Krekelberg and Lappe (2001), Nijhawan (2002, 2008), Hubbard (2014), and Hogendoorn
(2020) for reviews). The FLE has been described to result from attentional shifting (Baldo & Klein,
1995; but see Khurana & Nijhawan, 1995; Khurana, Watanabe, Nijhawan, 2000), differential
processing latencies (Purushothaman, Patel, Bedell, & Ögmen, 1998; Eagleman & Sejnowski,
2000; Whitney, Murakami, & Cavanagh, 2000; Ögmen, Patel, Bedell, & Camuz, 2004; but see
Nijhawan, Watanabe, Khurana, & Shimojo, 2004; Eagleman & Sejnowski, 2000; Arnold, Ong, &
Roseboom, 2009), temporal averaging of positions (Krekelberg & Lappe, 1999; Whitney et al.,
2000; Brenner & Smeets, 2000), or postdiction mechanisms (Eagleman & Sejnowski, 2000;
Eagleman & Sejnowski, 2007). In these accounts, the magnitude of the FLE would also be
expected to increase with speed of the moving object—but only in the form of a temporal offset
which translates into a spatial error (Krekelberg and Lappe, 1999, 2000). Nijhawan's (1994)
motion extrapolation account therefore uniquely requires an explicit calculation to estimate the
distance the object will travel, and only it predicts that the magnitude of the FLE modulates as
perceived speed is altered. Here we test this unique prediction based on motion extrapolation.

2. Experiment 1

One method of manipulating perceived speed is by adding noise to a moving object (Treue et al.,
1993). Carlson, Schrater, and He (2006) presented a moving object comprising a smaller square
with static noise texture superimposed on a larger square with dynamic noise texture. When the
object moved (i.e. the two squares moved 'together' in the same direction), the area of static noise
consistently appeared to lag behind the area of dynamic noise, causing an illusory percept that they
called the Floating Square illusion. Importantly, they found that dynamic noise appeared to move

faster than static noise at the same physical speed, to which they concluded that the lag was due to
a difference in the perceived speeds of the two textures. The results of this experiment are
consistent with the idea perceived speed influences motion extrapolation, and in line with this
study, our motion stimuli contained either static or flickering dynamic noise. Participants carried
out a spatial localization task where they reported, in a two-alternative forced-choice task (2AFC),
whether a rotating stimulus or a flashed target appeared ahead of the other, i.e. leading in the
direction of motion. This task is hereafter referred to as the flash-lag task (Experiment 1A), which
served to measure extrapolation performance. A control speed-discrimination task (Experiment
1B) was used to test if the noise textures actually differed in perceived speed. We hypothesized
that if the FLE is sensitive to a change in perceived speed, then both the perceived speed and
perceived flash-lag would increase for dynamic noise relative to static noise stimuli. If the FLE is
not dependent on perceived speed, then there should be no difference in the FLE magnitudes
between the two noise textures.

2.1 Participants

A total of 30 observers participated in Experiment 1A, and 20 observers participated in Experiment
1B. A further 49 observers participated in both experimental tasks, who were intended for
correlation analysis (see *2.4.3 Individual differences*). Two observers were excluded from
Experiment 1A because their results significantly violated normality (Shapiro-Wilk: $p < 0.001$;
Kolmogorov-Smirnov: $p < 0.001$). One observer was excluded from both tasks for ignoring the
instructions and incorrectly performing the tasks. Together, this yielded a total of 76 observers in
Experiment 1A (23 males, mean age 24.2 years and SD 6 years) and 68 observers in Experiment
1B (23 males, mean age 24.2 years and SD 5.6 years), with 48 of these observers having completed
both tasks.

All observers were naïve to the purpose of the experiment, right-handed, and reported normal or
corrected-to-normal vision. Observers gave informed consent and were reimbursed 10 AUD per
hour for their participation in the experiment. The study was conducted in accordance with the
Declaration of Helsinki and approved by the University of Melbourne Human Research Ethics
Committee of the Melbourne School of Psychological Sciences (Ethics ID 1954146.2).

2.2 Stimuli

All stimuli were presented on a 24.5-inch ASUS ROG PG258Q monitor (1920 x 1080 resolution,

200Hz), controlled by an HP EliteDesk 800 G3 TWR running MATLAB R2017b (Mathworks,

Natick, NA) with PsychToolbox 3.04.14 extensions (Kleiner et al., 2007). Participants sat in a

light-attenuated room and viewed the stimuli from a headrest at a distance of 60 cm from the

monitor.

The primary stimulus consisted of a wedge segment from an annulus, displayed around a centrally

presented white fixation point (Figure 1). Its inner and outer edges were 4.05° and 6.75° of visual

angle away from the fixation point and subtended 45° of polar angle along the radial axis. The

wedge rotated within the annulus, in randomly interweaved clockwise or counter-clockwise

circular motion at a fixed speed of 200° of polar angle/s.

The stimulus was defined by one of two textures: either a filtered noise texture or a square checkers

pattern. Filtered noise was created by applying a low-pass filter on white noise at 0.5 cycles/degree,

and square checkers were created using 5x5 pixel black and white checkerboard pattern. Dynamic

noise textures were created using a new set of pixels, of no correlation with the previous set, chosen

at every frame. The background annulus always contained absolutely static texture, because

observers would be unable to distinguish the wedge from the background annulus if both textures

were dynamic. Motion for static wedge against its annulus was thus defined as second-order

motion.

Figure 1. Example stimuli used in Experiment 1. For texture types (A) filtered noise and (B) square

checkers, the primary stimulus consisted of a rotating wedge segment (green outline)

superimposed onto an annulus with the same static noise. For illustrative purposes, the flashing

effect of dynamic noise is highlighted using a starburst pattern in this figure.

In Experiment 1A, observers compared the position of the primary stimulus to a briefly flashed

target stimulus. The target stimulus was defined by the same static texture as the primary stimulus

and was flashed along the inner circumference of the annulus. Its inner and outer edges

corresponded to 2.43° and 3.78° of visual angle from fixation and subtended 45° of polar angle

along the radial axis.

In Experiment 1B, observers compared the speed of the primary stimulus to a previously presented

reference stimulus. The reference stimulus was a solid black wedge the same size and shape as the

primary stimulus, presented on a gray background. The speed of the moving stimulus was constant

at 200° of polar angle/s, but the speed of the reference varied across trials according to a staircase

procedure (see *2.3 Procedure* below). The primary and reference stimuli always rotated in the

same direction on a given trial, which was randomly chosen at the start of each trial.

2.3 Procedure

2.3.1 Experiment 1A: Flash-lag task

Each trial consisted of a stimulation sequence of approximately 2s (Figure 2). The primary

stimulus was presented against a gray background, and the wedge began rotating from a random

position in the annulus. After 850, 1000, or 1150ms (chosen at random), the target stimulus flashed

briefly for 15ms along the primary stimulus' trajectory. The primary stimulus continued rotating

for the remainder of the sequence (1150, 1000, or 850ms) and then disappeared. Participants were

instructed to fixate a white central point throughout all trials while they judged whether the rotating

or flashed wedge was spatially ahead in the direction of motion. They had up to 5s to respond

using a keypress as a method of two-alternative forced choice (2AFC) – 'i' for inner (target

stimulus) or 'o' for outer (primary stimulus) – which prompted the next trial.

Primary stimulus
850, 1000, or 1150ms

Target stimulus flashes
15ms

Primary stimulus continues
850, 1000, or 1150ms

"Which is ahead?"
Response
Up to 5000ms

Figure 2. Schematic illustration of Experiment 1A. A fixation point was shown on the center of

the screen at the onset of each block. The stimulation sequence began with the primary stimulus

rotating inside an annulus. The target stimulus flashed at a randomly chosen moment during the

sequence. At the end of the sequence, observers were asked to respond using a keypress. Once the

response was made, the next trial began immediately. Each trial lasted up to 7s, the stimulation

sequence lasting approximately 2s.

The physical alignment between the primary stimulus and the target was driven by a 1-up, 1-down

staircase procedure, with trials randomly drawn from two interleaved staircases. One staircase

started at +20° of polar angle difference (primary stimulus ahead of flash) and the other started at

0° (physically aligned) during the central presentation frame. Depending on the participant's

response, the difference was adjusted by ±2° for the following trial drawn from that staircase.

Observers completed 120 trials from each staircase, and the final 60 points of each staircase were

averaged to estimate the point of subjective equality (PSE): the displacement at which the moving

and flashed wedges were perceived to be aligned.

Trials were blocked into 4 conditions. Each condition block consisted of 120 trials lasting up to

7s, for a total of 480 trials over 4 blocks. The conditions were determined based on a combination

of *noise type* (static or dynamic) and *texture type* (filtered noise or square checkers). All

participants completed a practice block of 12 trials before completing the rest of the experimental

blocks. The order of experimental blocks was randomized for observers who completed only
Experiment 1A and counterbalanced for those who completed both Experiment 1A and 1B.
Between each block, participants could take a self-paced break. The total testing duration was
approximately 30 minutes.
222
2.3.2 Experiment 1B: Speed-discrimination task
Each trial began with the presentation of the reference stimulus at a random position against a grey
background (Figure 3). The reference stimulus rotated for either 1500, 1750, or 2000ms (randomly
chosen) and then disappeared. The primary stimulus from the above flash-lag task (herein test
stimulus) appeared from a random position within the annulus and rotated for 1500, 1750, or
2000ms (randomly chosen) until the sequence ended. We varied the presentation duration to ensure
observers could not reliably base their responses on the difference between distance traveled.
Participants were instructed to fixate the white central point throughout all trials while they judged
whether the reference or test wedge rotated faster around the fixation point. They had up to 5s to
respond using a keypress to indicate which of the two stimuli was perceived to move faster: '1'
for first (reference stimulus) or '2' for second (test stimulus).
234

235
Figure 3. Schematic illustration of Experiment 1B. A fixation point was shown on the center of
the screen at the onset of each block. During the stimulation sequence, the reference and test
wedges were presented sequentially. At the end of the sequence, observers were asked to respond
using a keypress. Once a response was made, the next trial began immediately. Each trial lasted
up to 9s, the stimulation sequence lasting up to 4s.

The speed of the test stimulus was constant at 200° of polar angle/s. The speed of the reference

stimulus changed using a similar staircase procedure to vary the speed ratio of the two stimuli, and

trials were drawn from one of two interleaved staircases. Because speed perception follows a

logarithmic function, staircases were adjusted by multiplying and dividing, rather than adding and

subtracting. The first staircase was initialized at 1.075^7, and the second started at 1.075^{-7}, with step

size set to 1.075 for both. The value of the staircase on a given trial was proportionate to the relative

speed of the reference stimulus compared to the test stimulus. For example, 1.075^7 (~1.66)

indicated that the reference wedge rotated at 166% of the speed of the test wedge (166% of 200°/s).

Depending on the observer's response, the speed on the next trial drawn from a given staircase

was adjusted by multiplying or dividing by 1.075. Observers completed 72 trials from each

staircase, and the geometric mean of the last 36 trials from both staircases determined the PSE: the

speed at which the reference was perceived to match the speed of the test wedge.

Trials were blocked into the same 4 conditions used in Experiment 1A (*noise type* (static or

dynamic noise) and *texture type* (filtered noise or square checkers)). All observers completed a

total of 4 blocks. Observers who completed only Experiment 1B completed 72 trials per block (for

a total of 288 trials) and observers who completed both Experiment 1A and 1B completed 144

trials per block (for a total of 576 trials). The total testing duration was 25 and 50 minutes,

respectively.

2.4 Results

We tested for perceived flash-lag and/or perceived speed differences in each condition using a

two-way repeated measures ANOVA, with the factor of *noise type* (static or dynamic noise) and

texture type (filtered noise or square checkers). We then performed post hoc paired-samples *t*-tests

(two-tailed) with Bonferroni corrections to estimate the differences in the FLE magnitudes and/or

perceived speed of the primary stimulus when it was presented in static noise compared to dynamic

noise.

2.4.1 Experiment 1A: Effect of noise texture on perceived flash-lag

A repeated measures ANOVA revealed a significant main effect of noise type ($F_{1,75}$ = 5.14, p =

0.026), with greater FLE magnitudes observed for dynamic noise than for static noise wedges

(Figure 4A). There was no significant main effect of texture type ($F_{1,75}$ = 1.61, p = 0.209) or an

interaction effect between the two factors ($F_{1,75}$ = 0.81, p = 0.37). Follow-up t-tests showed that

mean FLE magnitudes was significantly larger for dynamic noise compared to static noise stimuli

in the filtered noise condition (t_{75} = 2.49, p = 0.015), but the difference did not reach significance

in the square checkers condition (t_{75} = 1.03, p = 0.309).

Figure 4. Results of Experiment 1A and 1B. For illustrative purposes, the bars are highlighted with

corresponding textures in this figure. (A) Bar graph comparing mean FLE magnitudes between

static and dynamic noise wedges across both texture conditions in Experiment 1A. (B) Bar graph

comparing mean perceived speeds of static and dynamic noise wedges across both texture

conditions in Experiment 1B. Perceived speed was calculated as a ratio of the reference speed

relative to the test speed. The baseline speed is indicated as y = 1. Error bars represent standard

errors across observers. Asterisks above the bars indicate statistically significant main effect of

noise type. * denotes $p < 0.05$. *** denotes $p < 0.001$.

2.4.2 Experiment 1B: Effect of noise texture on perceived speed

A repeated measures ANOVA showed a significant main effect of noise type on perceived speed

($F_{1,67}$ = 35.82, $p < 0.001$), with greater perceived speeds reported for dynamic noise than for static

noise wedges (Figure 4B). Follow-up t-tests showed that this effect was significant in both filtered

noise (t_{67} = 4.08, $p < 0.001$) and square checkers (t_{67} = 5.33, $p < 0.001$) conditions. We also

observed a main effect of texture type ($F_{1,67}$= 11.5, p = 0.001) but no significant interaction effect

($F_{1,67}$ = 2.518, p = 0.117).

2.4.3 Individual differences

To further investigate the possible relationship between perceived speed and the FLE, we

examined correlations for the 48 observers that completed both Experiment 1A and 1B. We

hypothesized that the effects of dynamic noise on the FLE magnitudes and perceived speed might

correlate across observers. Observers for whom dynamic noise greatly increased perceived speed

would also be expected to report large changes in the FLE; and conversely, observers with minimal

(or negative) effects of dynamic noise on perceived speed would be expected to show

corresponding small or negative effects on the illusion. However, Pearson's correlation (two-

tailed) revealed no significant correlation between the two measures in either filtered noise (r =

0.15, p = 0.3) or square checkers (r = 0.07, p = 0.64) conditions.

Figure 5. Mean [dynamic-static] differences in the FLE plotted as a function of mean differences

in perceived speed for (A) filtered noise and (B) square checkers texture conditions.

312   **3. Experiment 2**

The results from Experiment 1 demonstrate that, in line with the motion extrapolation account,

adding dynamic compared to static noise is accompanied by increases in the magnitude of the

flash-lag effect (FLE). To provide confidence that the effect is due to changes in perceived speed

rather than unknown low-level factors, we carried out a parallel set of experiments using a different

manipulation in Experiment 2: by varying luminance contrast. It is widely reported that speed is

underestimated at low contrasts (Thompson, 1982; Blakemore & Snowden, 1999; Anstis, 2003),

which has been argued to explain why drivers frequently drive too fast under foggy conditions (as

over-compensation; Snowden, Stimpson, & Ruddle, 1998; Anstis, 2003; but see Owens, Wood, &

Carberry, 2010; Pretto, Bresciani, Rainer, & Bülthoff, 2012). However, the effect of contrast also

appears to depend on velocity and luminance, reversing direction for high physical speeds

(Thompson, Brooks, & Hammett, 2006; Hawken, Gegenfurtner, & Tang, 1994) and low luminance

(Vaziri-Pashkam & Cavanagh, 2008, 2011). Here we changed the contrast of the moving object

against a uniform background. Observers completed identical flash-lag and speed-discrimination

tasks as in Experiment 1 to explore whether an independent manipulation of perceived speed

similarly affects the FLE.

3.1 Participants

As for Experiment 2, we opted for small-N methods. Seven observers (3 males, mean age 25.3

years, SD 3.4 years) participated in the experiment. All observers had previously participated in

psychophysical experiments and completed both Experiment 2A (Flash-lag) and 2B (Speed-

discrimination).

3.2 Stimuli

Stimuli were similar to those used in Experiment 1, with the following exceptions (Figure 6).

Observers viewed the primary stimulus moving on a rotational trajectory around the fixation point,

as in Experiment 1, with the exception that the wedge was presented on a blank gray background

without the annulus that was presented in Experiment 1. This controlled for potential mediation

effects due to context, which would require observers to distinguish between the contrasts of the

wedge and annulus at the same time (e.g., Blakemore & Snowden, 2000). Observers viewed the

stimuli from a distance of 50 cm. The inner and outer edges of the primary stimulus were 4.75°

and 7.92° of visual angle away from the fixation point and subtended 3.17° of polar angle along

the radial axis. The inner and outer edges of the target stimulus in Experiment 2A were 3.46° and

4.44° from fixation, subtending 1.58° of polar angle along the radial axis.

Stimuli were filled with filtered noise or square checkers, as in Experiment 1, and always presented

in static texture. The main experimental manipulation of Experiment 2 was that on each trial, the

primary stimulus was presented at either high (100%) or low (10%) luminance contrast relative to

the gray background.

Figure 6. Example stimuli used in Experiment 2. For texture types (A) filtered noise and (B) square

checkers, the primary stimulus consisted of a rotating wedge segment (blue outline) against a gray

uniform background. The different contrast levels and missing background annuli are illustrated

in this figure.

3.3 Procedure

Observers completed the experiment in a light-attenuated room in their own homes, with the same

high-performance monitor set-up as in Experiment 1 but a chinrest, to accommodate restrictions

during the 2020 COVID-19 pandemic. As per Experiment 1, in Experiment 2A we probed the

perceived flash-lag for each condition, and in Experiment 2B we probed the perceived speed for

each condition.

Trials were blocked into 4 condition blocks determined by *contrast level* (high or low) and *texture*

type (filtered noise or square checkers). All observers completed a total of 4 blocks: 120 trials per

block (for a total of 480 trials) in Experiment 2A and 144 trials per block (for a total of 576 trials)

in Experiment 2B. The total testing duration was approximately 80 minutes.

3.4 Results

As in Experiment 1, we submitted all FLE magnitudes (Experiment 2A) and perceived speeds (Experiment 2B) to repeated measures ANOVAs with two factors: *contrast level* (high or low) and *texture type* (filtered noise or square checkers).

3.4.1 Experiment 2A: Effect of contrast on perceived flash-lag

A repeated measures ANOVA revealed a significant main effect of contrast level ($F_{1,6} = 7.32$, $p = 0.035$), with greater FLE magnitudes observed for low contrast than high contrast wedges (Figure 7). There was a main effect of texture type ($F_{1,6} = 28.87$, $p = 0.002$), with greater FLE magnitudes observed for square checkers than for filtered noise stimuli. There was no significant interaction effect between the two factors ($F_{1,6} = 0.47$, $p = 0.52$). Post-hoc *t*-tests revealed a significant FLE magnitude difference in the filtered noise condition ($t_6 = 3.47$, $p = 0.013$), but the difference did not reach significance in the square checkers condition ($t_6 = 2.12$, $p = 0.078$). Figure 7B shows that the FLE was consistently larger at low contrast compared to high contrast for all but two observers (P6; filtered noise condition; P3; square checkers condition).

Figure 7. Results of Experiment 2A. (A) Bar graphs comparing mean FLE magnitudes between high and low contrast levels across both texture conditions, pooled over seven observers. (B) Bar graphs for individual observers. Error bars represent standard errors across observers. Asterisks above the bars indicate statistically significant main effect of contrast level. * denotes $p < 0.05$.

3.4.2 Experiment 2B: Effect of contrast on perceived speed

A repeated measures ANOVA revealed a significant main effect of contrast level on perceived speed ($F_{1,6} = 52.85$, $p < 0.001$), with low contrast perceived to move faster than high contrast wedges (Figure 8). There was no significant main effect of texture type ($F_{1,6} = 0.086$, $p = 0.779$) or significant interaction effect ($F_{1,6} = 4.68$, $p = 0.074$). Post-hoc t-tests revealed that differences in perceived speed were significant in both filtered noise ($t_6 = 5.72$, $p = 0.001$) and square checkers ($t_6 = 7.31$, $p < 0.001$) conditions. Figure 8B shows that this effect was highly consistent across individual observers.

402
Figure 8. Results of Experiment 2B. (A) Bar graphs comparing mean perceived speeds between high and low contrast levels across both texture conditions, pooled over seven observers. (B) Bar graphs for individual observers. Perceived speed was calculated as a ratio of the reference speed relative to the test speed. The baseline speed is indicated as y = 1. Error bars represent standard errors across observers. Asterisks above the bars indicate statistically significant main effect of contrast level. *** denotes $p < 0.001$.

410   **4. Discussion**

The present study explored how the flash-lag effect (FLE) was modulated by changes in perceived

speed. We achieved this by altering perceived speed of a moving object when physical speed was

constant. The main findings were: (a) Experiment 1 showed that the dynamic noise increased

perceived speed as well as FLE magnitude, compared to static noise, and (b) Experiment 2

confirmed a similar effect whereby low contrast increased perceived speed and FLE magnitude

compared to high contrast. These findings demonstrate that the illusion is stronger for faster

perceived speeds, consistent with the motion extrapolation account of the FLE.

Experiment 1 showed clear increases in perceived speeds as well as FLE magnitudes for dynamic

noise relative to static noise stimuli. This was qualitatively similar across two textures, albeit more

pronounced for filtered noise. Overall, these results replicate previously reported effects on

perceived speed in gratings, Gabor patches, and the Floating Square illusion (De Valois & De

Valois, 1991; Treue et al., 1993; Shen et al., 2003; Carlson et al., 2006), which supports our

hypothesis that the observed changes in the FLE could be explained by the difference in perceived

speeds of the two noise textures.

Our flicker manipulation, however, did not see a correlation between FLE magnitude and changes

in perceived speed across observers. If a neural representation of perceived speed is used to fuel

the extrapolation process behind the illusion, then, in principle, we would expect to see a causal

relationship between the two measures. Of course, the observed patterns of results could suggest

that even though the effect of perceived speed is robust within individuals, it can explain only a

small proportion of the variance in the illusion across individuals. This could be noise, but a portion

of observers also show a decrease in FLE magnitude despite clear increases in perceived speed.

To explain this observation, one issue we could consider is whether observers make use of the

same kind of speed information in both tasks of this study—when they make explicit speed

judgments in a speed discrimination task versus when they perform extrapolation in a flash-lag

task. For example, one study reported that varying stimuli contrast affected extrapolation

judgments but not visuo-motor decisions (de' Seperti & Thornton, 2019). Observers showed

contrast biases when they made saccades to an imagined target but not to avoid colliding with

multiple targets, which suggests that they involve different mechanisms in the process of motion

prediction. Possibly, we can infer that representations that support explicit reports of how fast an

object is could also be distinct from representations dedicated for implicit processing of where an

object is. The nature of these representations could be fundamentally different and constitute

separate processes, or they may represent different aspects of the same process, with similar

relationships to physical speed and are subject to the same biases and manipulations as reported in

the present experiments. If observers rely on such neural representations of speed, it seems likely

that the same flicker manipulation can lead to a larger effect in perceived speed but to a less extent

in the FLE task. It is entirely possible that other factors—indeed, including noise—could play a

more important role in determining individual differences in the magnitude of the FLE than in

speed judgments.

The results of Experiment 2 show a pattern consistent with Experiment 1. An interesting

observation was that the perceived speed of the moving object increased at low contrast. This was

surprising in regard to the classic 'Thompson effect' described in the literature (Blakemore &

Snowden, 1999; Stone & Thompson, 1992; Anstis, 2003; Snowden et al., 1998) but supports a

related observation in which low contrast actually increases perceived speed (Thompson et al.,

2006; Hawken et al., 1994; Pretto et al., 2012). The reverse effect has been reported for objects

with higher temporal frequencies (i.e. < 8Hz) or speeds (i.e. < 8° of visual angle (dva) per second;

Thompson, 1982; Stone & Thompson, 1992; Blakemore & Snowden, 1999). Although we did not

intend for the primary stimulus to move at such a rapid rate *per se*, 200° of polar angle/s (28.15

dva/s) is relatively fast compared to the range of speeds tested in studies outlined here (e.g., ~8-17

dva/s; Stone & Thompson, 1992; Blakemore & Snowden, 1999; Thompson et al., 2006). Our

motion stimuli could validly appear faster at low than high contrast. However, we confirm that

28.15 dva/s still falls well within the range of speeds which observers perceive the FLE (3-50

dva/s; Wojtach et al., 2008), and the estimated FLE magnitudes that correspond to this speed are

also close to the average FLE magnitudes reported here, ~15-22° of polar angle = ~2-3° of visual

angle.

Moreover, the FLE shifts were in the hypothesized direction and were consistent with previously

reported contrast effects in other flash-lag paradigms (e.g., flash-initiated condition; Khoei,

Masson, & Perrinet, 2017; Kanai, Sheth, & Shimojo, 2004; Purushothaman et al., 1998). Kanai et

al. (2004) interpreted their results based on differential latencies, explaining that motion stimuli

take longer to process at low contrast because they are harder to detect than at high contrast. This

notion of stimulus uncertainty, in turn, gives rise to the displacement of the FLE. Our results,

however, demonstrate that the extrapolation process underlying the FLE is unlikely to be driven

by uncertainty. While making objects fainter (or noisier) could indeed affect visibility and spatial

certainty, in principle, such a process based on uncertainty would depend on speed estimates that

are less available or accurate. It would predict effects opposite to the ones presented here, whereby

extrapolation is weaker and the FLE magnitudes are smaller for low contrast stimuli. In practice,

uncertainty seems to have little impact on observers' speed judgments than previously thought

(Stocker & Simoncelli, 2006), and observers are able to accurately perform extrapolation despite

limited visibility (Graf, Warren, & Maloney, 2005). Possibly, this could hint at mechanisms that

already factor some representations of uncertainty for optimal motion perception and/or

subsequent decision-making (e.g., Tassinari, Hudson, & Landy, 2004), but that question is beyond

the scope of this study. Here we observed that contrast modulates the FLE in the same direction

as it modulates perceived speed, which implies that the change in FLE magnitude is perhaps more

parsimoniously explained by the change in perceived speed rather than uncertainty.

These findings show evidence for behavioral motion extrapolation, which is consistent with neural

implementations of motion extrapolation thought to compensate for neural delays. Extrapolation

mechanisms have been identified in the form of pre-activations of neural representations, as the

brain anticipates for moving objects in their next positions. For example, Hogendoorn and Burkitt

(2018) showed in an EEG decoding paradigm that peak activity in the visual system occurs at

shorter latencies for predictable than unpredictable motion stimuli. Blom, Feuerriegel, Johnson,

Bode, and Hogendoorn (2020) extended these findings by demonstrating that this predictive

representation is pre-activated even when a stimulus does not reach its anticipated position. The

present effects complement these studies and the mechanisms underlying these instances of neural

motion extrapolation.

In conclusion, we have shown in two experiments the putative role of perceived speed in the FLE.

We reported subjective increases in FLE magnitude and perceived speed when the moving object

contained dynamic noise relative to static noise, and when the moving object was presented in low

contrast relative to high contrast. The results presented here suggest that a neural representation of

perceived speed is required to anticipate positions of moving objects while accounting for delays

in visual processing. Therefore, motion extrapolation in the FLE depends on perceived, rather than

physical speed.

509   References

510   Anstis, S. (2003). Moving objects appear to slow down at low contrasts. *Neural Networks, 16,*

511   933–938.

512   Arnold, D.H., Ong, Y., & Roseboom, W. (2009). Simple differential latencies modulate, but do

513   not cause the flash-lag effect. *Journal of Vision, 9*(5):4, 1–8.

514   Baldo, M.V.C., & Klein, S.A. (1995). Extrapolation or attention shift? *Nature, 378,* 565–566.

515   Blakemore, M., & Snowden, R. (1999). The effect of contrast upon perceived speed: A general

516   phenomenon? *Perception, 28,* 33–48.

517   Blom, T., Feuerriegel, D., Johnson, P., Bode, S., & Hogendoorn, H. (2020). Predictions drive

518   neural representations of visual events ahead of incoming sensory information. *PNAS,*

519   *117*(13), 7510–7515.

520   Brenner, E., & Smeets, J. (2000). Motion extrapolation is not responsible for the flash-lag effect.

521   *Vision Research, 40*, 1645–1648.

522   Carlson, T.A., Schrater, P., & He, S. (2006). Floating square illusion: Perceptual uncoupling of

523   static and dynamic objects in motion. *Journal of Vision, 6,* 132–144.

524   Crick, F., & Koch, C. (1995). Are we aware of neural activity in primary visual cortex? *Nature,*

525   *375*, 121–123.

526   de' Seperti, C., & Thornton, I.M. (2019). Motion prediction at low contrast. *Vision Research,*

527   *154,* 85–96.

528   De Valois, R.L., & De Valois, K.K. (1991). Vernier acuity with stationary moving Gabor. *Vision*

529   *Research, 31*(9), 1619–1626.

530   Eagleman, D., & Sejnowski, T.J. (2000). Motion integration and postdiction in visual awareness.

531   *Science*, *287*(5460), 2036–2038.

532   Eagleman, D., & Sejnowski, T.J. (2007). Motion signals bias localization judgments: A unified

533   explanation for the flash-lag, flash-drag, flash-jump and Fröhlich illusions. *Journal of*

534   *Vision, 7*(43), 1–12.

535   Graf, E.W., Warren, P.A., & Maloney, L.T. (2005). Explicit estimation of visual uncertainty in

536   human motion processing. *Vision Research, 45*(24), 3050–3059.

537   Hawken, M.J., Gegenfurtner, K.R., & Tang, C. (1994). Contrast dependence of color and

538   luminance motion mechanisms in human vision. *Nature, 367,* 268–270.

Hogendoorn, H. (2020). Motion extrapolation in visual processing: Lessons from 25 years of
flash-lag debate. *The Journal of Neuroscience, 40*(30), 5698–5705.

Hogendoorn, H., & Burkitt, A.N. (2018). Predictive coding of visual object position ahead of
moving objects revealed by time-resolved EEG decoding. *Neuroimage*, 171, 55–61.

Hubbard, T.L. (2014). The flash-lag effect and related mislocalizations: Findings, properties, and
theories. *Psychological Bulletin, 140*(1), 308–338.

Kanai, R., Sheth, B.R., & Shimojo, S. (2004). Stopping the motion and sleuthing the flash-lag
effect: Spatial uncertainty is the key to perceptual mislocalization. *Vision Research, 44*,
2605–2619.

Khoei M.A., Masson, G.S., & Perrinet, L.U. (2017). The flash-lag effect as a motion-based
predictive shift. *PLoS Computational Biology, 13*(1), e1005068.

Khurana, B., & Nijhawan. R. (1995). Extrapolation or attention shift? *Nature, 378,* 566.

Khurana, B., Watanabe, K., & Nijhawan, R. (2000) The role of attention in motion extrapolation:
Are moving objects `corrected' or flashed objects attentionally delayed? *Perception, 29,*
675–692.

Kleiner, M., Brainard, D., Pelli, D., Ingling, A., Murray, R., & Broussard, C. (2007). What's new
in psychtoolbox. *Perception, 36*(14), 1–16.

Krekelberg, B., & Lappe, M. (1999). Temporal recruitment along the trajectory of moving
objects and the perception of position. *Vision Research, 39,* 2669–2679.

Krekelberg, B., & Lappe, M. (2000). A model of the perceived relative positions of moving
objects based upon a slow averaging process. *Vision Research*, *40*, 201–215.

Krekelberg, B., & Lappe, M. (2001). Neuronal latencies and the position of moving objects.
Trends in Neuroscience, 24(6), 335–339.

MacKay, D. M. (1958). Perceptual stability of a stroboscopically lit visual field containing self-
luminous objects. *Nature*, *181*(4607), 507–508.

Maunsell, J.H.R., & Gibson, J.R. (1992). Visual response latencies in striate cortex of the
macaque monkey. *Journal of Neurophysiology, 68*(4), 1332–1344.

Metzger, W. (1932). Versuch einer gemeinsamen Theorie der Phänomene Fröhlichs und
Hazelhoffs und Kritik ihrer Verfahren zur Messung der Empfindungszeit. *Psychologische*
Forschung, 16(1), 176–200.

Nijhawan, R. (1994). Motion extrapolation in catching. *Nature, 370,* 256–257.

Nijhawan, R. (2002). Neural delays, visual motion and the flash-lag effect. *TRENDS in Cognitive*
Sciences, 6(9), 387–393.

Nijhawan, R. (2008). Visual prediction: Psychopyhsics and neurophysiology of compensation
for time delays. *Behavioral and Brain Sciences, 31,* 179–239.

Nijhawan, R., & Wu, S. (2009). Compensating time delays with neural predictions: Are
predictions sensory of motor? *Philosophical Transactions: Mathematical, Physical and*
Engineering Sciences, 367(1891), 1063–1078.

Nijhawan, R., Watanabe, K., Khurana, B., & Shimojo, S. (2004). Compensation of neural delays
in visuo-motor behaviour: No evidence for shorter afferent delays for visual motion.
Visual Cognition, 11(2-3), 275–298.

Ögmen, H., Patel, S.S., Bedell, H.E., & Camuz, K. (2004). Differential latencies and the
dynamics of the position computation process for moving targets, assessed with the flash-
lag effect. *Vision Research, 44*(18), 2109–2128.

Owens, D.A., Wood, J., & Carberry, T. (2010). Effects of reduced contrast on the perception and
control of speed when driving. *Perception, 39,* 1199–1215.

Pollen, D.A. (2003). Explicit neural representations, recursive neural networks and conscious
visual perception. *Cerebral Cortex, 13*(8), 807–814.

Pretto, P., Bresciani, J.-P., Rainer, G., & Bülthoff, H.H. (2012). Foggy perception slows us
down. *eLIfe, 1*: e00031.

Purushothaman, G., Patel, S.S., Bedell, H.E., & Ögmen, H. (1998). Moving ahead through
differential visual latency. *Nature, 396,* 424.

Rolke, B., & Hofmann, P. (2007). Temporal uncertainty degrades perceptual
processing. *Psychonomic Bulletin & Review*, 14, 522–526.

Rosenbaum, D.A. (1975). Perception and extrapolation of velocity and acceleration. *Journal of*
Experimental Psychology: Human Perception and Performance, 1(4), 395–403.

Schmolesky, M.T., Wang, Y., Hanes, D.P., Thompson, K.G., Leutgeb, S., Schall, J.D., &
Leventhal, A.G. (1998). Signal timing across the macaque visual system. *Journal of*
Neurophysiology, 79, 3272–3278.

Shen, H., Shimodaira, Y., & Ohashi, G. (2003). Effects of temporal frequency on speed
discrimination and perceived speed. *Proceedings of the International Joint Conference*
on Neural Networks, 1, 188–193.

Smeets, J., & Brenner, E. (1995). Prediction of moving target's position in fast goal-direction action. *Biological Cybernetics, 73,* 519–528.

Smith, A.T., & Edgar, G.K. (1990). The influence of spatial frequency on perceived temporal frequency and perceived speed. *Vision Research, 30*, 1467–1474.

Snowden, R.J., Stimpson, N., & Ruddle, R.A. (1998). Speed perception fogs up as visibility drops. *Nature, 392*, 450.

Stocker, A.A., & Simoncelli, E.P. (2006). Noise characteristics and prior expectations in human visual speed perception. *Nature Neuroscience, 9*(4), 578–585.

Stone, L. S., & Thompson, P. (1992). Human speed perception is contrast dependent. *Vision Research, 32*(8), 1535–1549.

Tassinari, H., Hudson, T.E., & Landy, M.S. (2006). Combining priors and noisy visual cues in a rapid pointing task. *The Journal of Neuroscience, 26*(40), 10154–10163.

Thompson, P. (1982). Perceived rate of movement depends on contrast. *Vision Research, 22*, 377–380.

Thompson, P., Brooks, K., & Hammett, S.T. (2006). Speed can go up as well as down at low contrast: Implications for motions of motion perception. *Vision Research, 46,* 782–786.

Treue, S., Snowden, R.J., & Andersen, R.A. (1993). The effect of transiency on perceived velocity of visual patterns: A case of "temporal capture". *Vision Research, 33*(5/6), 791–198.

Vaziri-Pashkam, M., & Cavanagh, P. (2008). Apparent speed increases at low luminance. *Journal of Vision, 8*(16), 1–12.

Vaziri-Pashkam, M., & Cavanagh, P. (2011). Effect of speed overestimation on flash-lag at low luminance. *I-Perception, 2,* 1063–1075.

Whitney, D., Murakami, I., & Cavanagh, P. (2000). Illusory spatial offset of a flash relative to a moving stimulus is caused by differential latencies for moving and flashed stimuli. *Vision Research, 40*(2), 137–149.

Wojtach, W.T., Sung, K., Truong, S., & Purves, D. (2008). An empirical explanation of the flash-lag effect. *PNAS, 105*(42), 16338-–16343.