Motion extrapolation in the flash-lag effect depends on perceived, rather than physical speed

Jane Yook[1,2,3], Lysha Lee[1], Simone Vossel[2,3], Ralph Weidner[2], & Hinze Hogendoorn[1]

1 Melbourne School of Psychological Sciences, The University of Melbourne, Parkville, Australia

2 Cognitive Neuroscience, Institute of Neuroscience and Medicine (INM-3), Forschungszentrum

Jülich, Jülich, Germany

3 Department of Psychology, Faculty of Human Sciences, University of Cologne, Cologne,

Germany

Acknowledgements

This study was supported by an Australian Research Council (ARC) Discovery Projects Grant

awarded to H.H. (DP180102268).

Commercial relationships: none.

Corresponding author: Jane Yook

Email: jyook@student.unimelb.edu.au

Address: Melbourne School of Psychological Sciences, Redmond Barry Building, The University

of Melbourne, Parkville, VIC 3010 Australia.

29   Abstract

In the flash-lag effect (FLE), a flash in spatiotemporal alignment with a moving object is

misperceived as lagging behind the moving object. One proposed explanation for this illusion is

based on predictive motion extrapolation of trajectories. In this interpretation, the diverging effects

of velocity on the perceived position of the moving object suggest that FLE might be based on the

neural representation of perceived, rather than physical, velocity. By contrast, alternative

explanations based on differential latency or temporal averaging would predict that the FLE does

not rely on such a representation of perceived velocity. Here we examined whether the FLE is

sensitive to illusory changes in perceived speed that result in changes to perceived velocity, while

physical speed is constant. The perceived speed of the moving object was manipulated using

revolving wedge stimuli with variable pattern textures (Experiment 1) and luminance contrast

(Experiment 2). The motion extrapolation interpretation would predict that the changes in FLE

magnitude should correspond to the changes in the perceived speed of the moving object. In the

current study, two experiments demonstrated that perceived speed and FLE magnitude increased

in the dynamic pattern relative to the static pattern conditions, and that the same effect was found

in the low contrast compared to the high contrast conditions. These results showed that

manipulations of texture and contrast that are known to alter judgments of perceived speed also

modulate perceived position. We interpret this as a consequence of motion extrapolation

mechanisms and discuss possible explanations for why we observed no cross-effect correlation.

Keywords: flash-lag effect, perceived speed, perceived position, motion extrapolation, dynamic

pattern, luminance contrast

52   **1. Introduction**

In the process of visual perception, delays are incurred as information encoded by the retina is

transmitted to the visual cortex (Schmolesky et al., 1998). Neural processing subsequently takes

time, so for a time-varying stimulus such as a moving object, its position information would be

outdated when it is available in visual cortical areas (De Valois & De Valois, 1991). Because the

object would continue moving in the physical world, a lag between its perceived and veridical

position would be inevitable at any given time (Maunsell & Gibson, 1992). Intuitively, the impact

of such delays should be significant when localizing moving objects, but despite this, we seem to

be able to accurately pursue and interact with even fast-moving objects (Smeets & Brenner,

1995b). One proposed explanation is that neural delays are partly compensated perceptually by a

process of motion extrapolation (Nijhawan, 1994, 2002; motor compensation is also observed in

Kerzel & Gegenfurtner, 2003 and outlined in Nijhawan & Wu, 2009). The motion extrapolation

hypothesis proposes that the brain continuously extrapolates the trajectory of a moving object to

predict where it is now, as closely as possible to its veridical position (Cavanagh, 1997; Nijhawan

& Wu, 2009).

A strong case for visual motion extrapolation has been made on the basis of motion-induced

position shifts, many of which indicate a strong coupling between motion and position signals. For

example, the Fröhlich effect describes an illusory forward shift in the starting point of the motion

trajectory (Fröhlich, 1924), and the representational momentum phenomenon involves a forward

displacement in the stopping point of a moving object (Freyd & Finke, 1984; Hubbard, 1995, 2005,

2018). Similarly, when an object moves into a blindspot, the final position of the occluded object

is extrapolated in the direction of motion beyond its vanishing point (Maus & Nijhawan, 2008); or

if a moving object contains a moving texture, the perceived position of the object appears shifted

toward the direction of motion of the texture, as opposed to motion of the object itself (Arnold,

Thompson, & Johnston, 2007; De Valois & De Valois, 1991; Roach, McGraw, & Johnston, 2011).

Of these illusions, this paper is concerned with the related flash-lag effect (FLE). The FLE has

received extensive attention since Nijhawan (1994) reported that a flashed object is misperceived

as lagging behind a physically aligned, continuously moving object. Explanations based on motion

extrapolation mechanisms propose that the perceived position of the moving object is extrapolated,

evoking an apparent spatial offset even though the two objects are always physically aligned

(Nijhawan, 1994, 2002). Although different possible causes have been proposed for the FLE (see

Hubbard, 2014; Maus, Khurana, & Nijhawan, 2010; Nijhawan, 2002 for reviews), convergent

evidence from neural, behavioral, and computational studies demonstrate how extrapolation could

be implemented in the visual system – and that this could compensate for neural delays and

potentially explain the above illusions (Hogendoorn, 2020). Were these mechanisms to underlie

the FLE, then such a shift should be expected, indeed, for the moving object but not the flash

(Maus & Nijhawan, 2006; Nijhawan, 2002).

According to the motion extrapolation interpretation, the predictive mechanism that results in the

FLE and related illusions derives from a process of constantly estimating and updating motion

and/or position signals (Kwon, Tadin, & Knill, 2015). Arguably, early extrapolation signals have

been shown to carry an estimate of an object's velocity, in order to gauge the distance for the object

to (have) travel(ed) (Crick & Koch, 1995; Nijhawan, 2008; Nijhawan & Wu, 2009; Pollen, 2003;

Rosenbaum, 1975). Importantly, in both representational momentum (Freyd & Finke, 1985;

Hubbard & Bharucha, 1988) and the FLE (Brenner & Smeets, 2000; Krekelberg & Lappe, 1999,

2000; López-Moliner & Linares, 2006; Murakami, 2001; Nijhawan, 1994; Nijhawan, Watanabe,

Khurana, & Shimojo, 2004), the perceived offset increases linearly with the velocity of the moving

object. However, not all FLE studies are consistent. Kanai, Sheth, and Shimojo (2004) observed

that the FLE was unaffected by velocity when FLE magnitudes was measured in spatial units and,

in fact, decreased with increased velocity in units of time. Cantor and Schor (2007) showed that

the FLE decreases for velocities greater than one degree of visual angle (hereafter denoted as dva

throughout the manuscript) per second, while Wojtach, Sung, Truong, and Purves (2008) tested a

larger range of 3 dva/s–50 dva/s and found that the FLE varied as a logarithmic function of

velocity, so the linear effects consistent with previous observations were only shown at the lower

velocity ranges. Such inconsistent effects led us to question whether these FLE findings might be

due to changes in perceived, rather than physical velocity (Finke, Freyd, & Shyi, 1986; Makin,

Stewart, & Poliakoff, 2009). Although physical velocity and perceived velocity are naturally

closely correlated, the distinction is that (physical) velocity could be perceived differently

depending on properties such as object contrast (Stone & Thompson, 1992), transiency/duration

(Treue, Snowden, & Andersen, 1993), as well as spatial (Smith & Edgar, 1990) and temporal

(Shen, Shimodaira & Ohashi, 2003) frequency. For this reason, we investigate the nature of the

velocity representation that contributes to the neural computation that generates the perceived

offset in the FLE.

In the present study, we test the hypothesis that the magnitude of the FLE depends on perceived

velocity, resulting from changes in perceived speed, even when the physical velocity of the moving

object is unchanged. Unique among explanations of the FLE, under the motion extrapolation

model, a neural representation of velocity is necessary for an explicit computation that allows us

to correctly perceive objects in their current and future positions despite neural delays. Other

models of the FLE which attribute the FLE to temporal processes (based on differential processing

latency and attentional shifts; Baldo & Klein, 1995; Purushothaman, Patel, Bedell, & Ögmen,

1998; Ögmen, Patel, Bedell, & Camuz, 2004; Whitney & Murakami, 1998, or based on temporal

averaging of positions, sampling, and postdiction; Brenner & Smeets, 2000; Eagleman &

Sejnowski, 2000, 2007; Krekelberg & Lappe, 1999, 2000; Whitney, Murakami, & Cavanagh,

2000) would also expect the FLE to increase with faster physical speed – but only as a temporal

offset evident as a spatial error (Kanai et al., 2004; Krekelberg and Lappe, 1999, 2000). These

models therefore do not require an explicit representation of velocity, and as such, would not be

expected to depend on perceived speed when physical speed remains constant.

132   **2.   Experiment 1**

One method of manipulating perceived speed is by dynamically modulating the texture of a

moving object (Treue et al., 1993). When Carlson, Schrater, and He (2006) presented a smaller

square with a static noise texture superimposed on top of a larger square with dynamic noise and

the two objects moved together, the area of static noise was perceived to consistently lag behind

the area of dynamic noise – causing an illusory percept that they called the Floating Square illusion.

Despite having the same physical velocities, observers perceived the dynamic noise object to move

faster and separate from the static noise object. The difference in perceived speed of the two

patterns was sufficient to generate large perceptual errors when their relative positions were in fact

identical. The results from this experiment are consistent with the idea that motion extrapolation

is influenced by perceived speed. We apply this manipulation to an FLE paradigm, where our

motion stimulus contains either a static or a dynamic pattern.

Participants carried out a two-alternative forced-choice (2AFC) spatial localization task where they

were asked whether a revolving stimulus or a flashed target appeared to lead in the direction of

motion, at the moment of the flash. Hereafter we refer to this as the flash-lag task (Experiment

1A). In a control speed-discrimination task (Experiment 1B), participants were asked whether the

patterns differed in perceived speed. We hypothesized that if the FLE were sensitive to a change

in perceived speed, then both perceived speed and perceived offset would be greater for the

dynamic stimulus relative to the static stimulus. Conversely, if the FLE were not dependent on

perceived speed, then we would expect no difference in FLE magnitudes as an addition of a

dynamic pattern.

2.1 Participants

A total of 99 observers participated in one or both parts of Experiment 1: 30 observers participated

only in Experiment 1A, and 20 observers participated only in Experiment 1B. To investigate

possible correlations between the FLE measure obtained in Experiment 1A and the perceived

speed measure obtained in Experiment 1B, a further 49 observers participated in both tasks. Two

observers were excluded from Experiment 1A because their results significantly violated normality

(Shapiro-Wilk: $p < 0.001$; Kolmogorov-Smirnov: $p < 0.001$). One observer was excluded from

both tasks for incorrectly performing the tasks. Together, this yielded a total of 76 observers in

Experiment 1A (23 males, mean age 24.2 years and SD 6 years) and 68 observers in Experiment

1B (23 males, mean age 24.2 years and SD 5.6 years), with 48 of these observers having completed

both tasks.

All observers were naïve to the purpose of the experiment, were right-handed, and reported normal

or corrected-to-normal vision. Observers gave informed consent and were reimbursed 10 AUD per

hour for their participation in the experiment. The study was conducted in accordance with the

Declaration of Helsinki and approved by the University of Melbourne Human Research Ethics

Committee of the Melbourne School of Psychological Sciences (Ethics ID 1954146.2).

2.2 Stimuli

All stimuli were presented on a 24.5-inch ASUS ROG PG258 monitor (ASUS, Taipei, Taiwan)

with a resolution of 1920 × 1080 running at 200 Hz, controlled by an HP EliteDesk 800 G3 TWR

running MATLAB R2017b (Mathworks, Natick, NA) with PsychToolbox 3.04.14 extensions

(Kleiner et al., 2007). Participants sat in a light-attenuated room and viewed the stimuli from a

headrest at 60 cm from the screen.

The motion stimulus consisted of a wedge segment superimposed on a static annulus, which was

centered at a white fixation point and displayed on a uniform 50 % gray background (Figure 1A).

The wedge's inner and outer edges were 4.05 dva and 6.75 dva away from the fixation point and

subtended 45 degrees of polar angle (hereafter denoted as ° throughout the manuscript; whereas,

dva denotes degrees of visual angle) along the radial axis. The wedge revolved at a fixed speed of

200 °/s. The direction of motion varied randomly between clockwise or counter-clockwise across

trials but was constant within a given trial.

The wedge and annulus contained one of two textures. Filtered noise was created by applying a

low-pass filter on white noise at 0.5 cycles/deg, and pixelated noise was created using an array of

5 x 5 pixel blocks with random luminance. The dynamic pattern was added by replacing the

textures with a new random set of pixels, of no correlation with the previous set, at every frame.

This configuration resulted in a flickering appearance of the texture. The background of the

annulus always had the static pattern, because otherwise the wedge would be indistinguishable

from the annulus if both textures were patterned dynamically (second-order motion).

Figure 1. Schematic illustration of the stimulus configuration and flash-lag sequence in

Experiment 1A. (A) Wedge and annulus containing filtered noise (top) and pixelated noise

(bottom) texture (see also <u>videos</u> of the stimuli used in this experiment; speed reduced for

illustrative purposes). (B) During a given trial, the wedge revolved within the annulus (shown with

a pixelated noise texture and outlined in red in the figure). The target flashed after half the time of

the overall sequence, and after a delay, observers were asked to respond using a keypress. A

complete trial lasted up to 7 s, with the presentation sequence lasting 2 s. In Experiment 2A, the

motion stimulus was a wedge segment without the annulus.

In Experiment 1A, observers compared the position of the wedge to a target. The target was a

stationary wedge with the same static texture (Figure 1B). Its inner and outer edges corresponded

to 2.43 dva and 3.78 dva from fixation and subtended 45 ° along the radial axis.

In Experiment 1B, observers compared the speed of the wedge to a comparison. The comparison

was a solid black wedge. The speed of the wedge was constant at 200 °/s, but the speed of the

comparison varied across trials using a staircase procedure (see *2.3 Procedure* below). Both stimuli

always revolved in the same direction, which was randomly chosen at the start of each trial.

2.3 Procedure

2.3.1 Experiment 1A: Flash-lag task

On each trial, the wedge was presented from a random starting position of the annulus and revolved

for one of three possible durations (850, 1000, or 1150 ms chosen at random). After half the time

of the overall sequence, the target was presented for 15 ms along the inner circumference of the

annulus, after which the wedge continued revolving for the remaining 1150, 1000, or 850 ms of

its trajectory (cumulative presentation duration of 2 s). Then, observers were instructed to report

whether the wedge or target was spatially ahead of the other when the target had appeared (2AFC).

Keypress responses were recorded in the next 5 s – 'i' as in inner (target) or 'o' as in outer (wedge)

– and prompted the next trial.

The relative spatial location of the wedge and target was driven by a one-up, one-down staircase

procedure, and trials were randomly drawn from two interleaved staircases. At the first trial of

each condition block, one staircase started at a large difference of +20 ° (moving ahead of flash).

A –20 ° starting point was omitted in this procedure as a reversing, flash-lead presentation would

be redundant for the purpose of our hypothesized flash-lag illusion. Instead, the second staircase

started at a smaller difference of 0 ° (physically aligned). Depending on the response, the difference

was adjusted by ±2 ° in the following trial drawn from that staircase. Observers completed 120

trials from each staircase, and the final 60 points of each staircase were averaged to estimate the

point of subjective equality (PSE): the displacement at which the wedge and target were perceived

as aligned.

Trials were blocked into 4 conditions. Each condition consisted of 120 trials (each lasting up to 7

s), for a total of 480 trials over 4 blocks. The conditions were determined based on a combination

of *pattern type* (static or dynamic) and *texture type* (filtered noise or pixelated noise). The order of

condition was randomized for observers who completed only Experiment 1A and counterbalanced

if they completed both Experiment 1A and 1B. All observers completed 12 trials as practice before

each experimental block, followed by a self-paced break. This resulted in a total testing duration

of approximately 30 minutes.

2.3.2 Experiment 1B: Speed-discrimination task

On each trial, the comparison was presented from a random starting position against a 50 % gray

background and revolved for a randomly chosen duration of 1500, 1750, or 2000 ms (Figure 2).

Then, the comparison was removed from display, and the wedge from Experiment 1A was

presented from a random starting position of the annulus and revolved for 1500, 1750, or 2000 ms

also randomly chosen. Presentation duration and starting position were varied so that observers

could not reliably base their responses on the difference between the distance traveled by each

wedge. After the sequence ended, observers were instructed to report whether the comparison or

the wedge revolved faster (2AFC). Keypress responses were recorded in the next 5 s – '1' for first

(comparison) or '2' for second (wedge) – and prompted the next trial.

Figure 2. Schematic illustration of Experiment 1B. During a given trial, the comparison and the

wedge within the annulus (shown with a pixelated noise texture and outlined in blue in the figure)

were presented sequentially. After a delay, observers were asked to respond using a keypress. A

complete trial lasted up to 9 s, with the presentation sequence lasting up to 4 s. In Experiment 2B,

the motion stimulus was a wedge segment without the annulus.

While the speed of the wedge was fixed, the speed of the comparison was determined using a

similar staircase procedure using the ratio of these two stimulus speeds. Trials were drawn from

one of two interleaved staircases. The first staircase was initialized at 1.075^7 °, and the second

started at 1.075^{-7} °, with a step size set to 1.075 ° for both. The staircase value of a given trial was

proportionate to the relative speed of the comparison and the wedge. Because velocity is

represented logarithmically in perception (Nover, Anderson, & DeAngelis, 2005; Priebe &

Lisberger, 2004), the steps were adjusted by means of multiplying and dividing, rather than adding

and subtracting. For example, 1.075^{7} ° (~ 1.66) indicated that the comparison revolved at 166 %

of the speed of the wedge (166 % of 200 °/s). Depending on the response, the speed of the

comparison was adjusted by 1.075 ° in the following trial drawn from that staircase. Observers

completed 72 trials from each staircase, and the last 36 points of each staircase were averaged to

estimate the PSE: the speed at which the comparison and wedge were perceived to match.

Trials were blocked into the same 4 conditions of Experiment 1A: *pattern type* (static or dynamic)

and *texture type* (filtered noise or pixelated noise). All observers completed a total of 4 blocks.

Observers who completed only Experiment 1B completed 72 trials per block (for a total of 288

trials), and observers who completed both Experiment 1A and 1B completed 144 trials per block

(for a total of 576 trials). The total testing duration was 25 and 50 minutes, respectively.

2.4 Results

We tested for differences in the magnitude of the FLE and perceived speed in each condition using

a two-way repeated measures ANOVA with factors of *pattern type* (static or dynamic) and *texture*

type (filtered noise or pixelated noise). Post hoc paired-samples *t*-tests (two-tailed) with Bonferroni

corrections estimated these differences.

2.4.1 Experiment 1A: Effect of dynamic pattern on perceived flash-lag

A repeated measures ANOVA revealed a significant main effect of pattern type ($F_{1,75} = 5.14$, $p =$

0.026), with greater FLE magnitudes observed for dynamic pattern than for static pattern wedges

(Figure 3A). There was no significant main effect of texture type ($F_{1,75} = 1.61$, $p = 0.209$) and no

interaction effect between the two factors ($F_{1,75} = 0.81$, $p = 0.37$). The mean PSE was significantly

larger for dynamic pattern compared to static pattern wedges for the filtered noise texture ($t_{75} =$

2.49, $p = 0.015$), but the difference did not reach significance for the pixelated noise texture ($t_{75} =$

1.03, $p = 0.309$).

Figure 3. Results of Experiment 1. For illustrative purposes, the bars contain corresponding textures in the figure. (A) Mean FLE magnitudes of static pattern and dynamic pattern wedges across the texture conditions in Experiment 1A. (B) Mean perceived speeds of static pattern and dynamic pattern wedges across the texture conditions in Experiment 1B. Perceived speed was calculated as a ratio of the comparison speed relative to the wedge speed (taller bars mean that objects in that condition were perceived as faster). Baseline speed is indicated by a horizontal dashed line at y = 1. Mean perceived speeds were significantly different from zero and between pattern conditions. Error bars represent standard errors across observers. Asterisks above the bars indicate a statistically significant main effect of pattern type. * denotes $p < 0.05$. *** denotes $p < 0.001$.

2.4.2 Experiment 1B: Effect of dynamic pattern on perceived speed

A repeated measures ANOVA showed a significant main effect of pattern type on perceived speed ($F_{1,67} = 35.82, p < 0.001$), with higher perceived speeds reported for dynamic pattern than for static pattern wedges (Figure 3B). This effect was significant for both filtered noise ($t_{67} = 4.08, p < 0.001$) and pixelated noise ($t_{67} = 5.33, p < 0.001$) textures. In addition, there was a significant main effect of texture type ($F_{1,67} = 11.5, p = 0.001$) but no significant interaction effect ($F_{1,67} = 2.518, p = 0.117$).

2.4.3 Cross-effect correlation

In order to further evaluate the possible relationship between the two measures, we investigated whether a dynamic pattern affected perceived speed and perceived position (flash-lag) in the same

way. We were interested in the relation between one effect and the other, and if this was consistent

between observers in a cross-effect correlation analysis. Among 48 observers who completed both

tasks, we hypothesized that observers for whom the dynamic pattern textures greatly increased

perceived speed would be expected to report larger changes in the illusion, and conversely,

observers with minimal (or negative) changes in perceived speed would be expected to show

corresponding small or negative effects in the illusion. However, Pearson's correlation (two-tailed)

did not reveal a significant correlation between the two tasks in either filtered noise (r = 0.15, p =

0.3) or pixelated noise (r = 0.07, p = 0.64) conditions (Figure 4).

Figure 4. Change in FLE magnitude plotted as a function of change in perceived speed for (A)

filtered noise and (B) pixelated noise textures. Legend for texture type is shown in the top right

corner of each panel.

334   **3. Experiment 2**

Overall, Experiment 1 demonstrates that the dynamic modulation of a moving object's texture,

which is known to influence perceived speed, also influences the perceived position of the moving

object – systemically in the same direction in the FLE, as predicted by the motion extrapolation

model. To provide confidence that this effect is due to changes in perceived speed rather than

unknown low-level factors, we carried out a parallel set of experiments to investigate whether a

different, independent manipulation of perceived speed similarly affects the FLE.

The well-known 'Thompson effect' describes how speed is underestimated at low contrasts

(Anstis, 2003; Blakemore & Snowden, 1999; Snowden, Stimpson, & Ruddle, 1998; Thompson,

1982). As a natural example, this has been used to explain why drivers frequently drive too fast

under foggy conditions, compensating for their incorrect estimates of how fast (or slow) they and

other cars are moving (Anstis, 2003; Snowden et al., 1998; but see also Owens, Wood, & Carberry,

2010; Pretto, Bresciani, Rainer, & Bülthoff, 2012). Theoretically, this effect is consistent with the

findings of Berry, Brivanlou, Jordan, and Meister (1999), which showed that anticipatory neural

responses for the leading edges of a moving object varied based on the contrast of the object. It

also resembles the Hess effect (Hess, 1904), a similar illusion to the Floating Squares illusion and

the FLE, in which a brighter object is perceived to lead a dimmer object when the two are actually

aligned and have the same physical velocities. However, the effects of contrast on perceived speed

depend on properties such as object luminance or physical velocity, and a handful of studies

previously demonstrated that the effect can reverse under certain circumstances. For example,

perceived speed can be overestimated at higher velocities (>8 dva/s; Hawken, Gegenfurtner, &

Tang, 1994; Pretto et al., 2012; Thompson, Brooks, & Hammett, 2006) and low luminance levels

(Vaziri-Pashkam & Cavanagh, 2008, 2011).

The effects of contrast have also been specifically investigated in the context of motion

extrapolation. In the FLE, Kanai et al. (2004) found increases in FLE magnitude with decreases in

contrast of moving objects with the background. Kanai et al. suggested that the FLE was modulated

by positional uncertainty, as visibility is affected when the contrast of a target and background is

reduced. Maus and Nijhawan (2006, 2009) also reported that the forward displacement of a moving

object increases if the contrast of the target gradually decreased, while Hubbard and Ruppel (2014)

reported that representational momentum decreases with low or decreasing contrast of the target

and background. Finally, Vaziri-Pashkam and Cavanagh's (2011) FLE paradigm presented a

moving patch of random dots against the background containing static random dots. While they

found that the perceived speed of moving objects increases at low luminance, caused by motion

blurring for faster speeds (Vaziri-Pashkam & Cavanagh, 2008), there were no additional effects

on FLE magnitude due to these changes in perceived speed.

We reexamined the effects of contrast in Experiment 2. In line with Experiment 1, the primary

(moving) stimulus revolved at a speed of 200 °/s, but presented at either high (100 %) or low (10

%) contrast. Based on the divergent effects of contrast on perceived speed in the previous literature

as briefly discussed above, we had no a priori directional hypothesis about the effect of contrast

on perceived speed. Instead, we hypothesized that any effect of contrast on perceived speed would

be mirrored in an effect on FLE magnitudes in the same direction. In other words, mean FLE

magnitudes would increase in high contrast relative to low contrast conditions if perceived speed

increased with high contrast, or in the opposite direction, it would increase for low contrast

compared to high contrast conditions if perceived speed increased with low contrast. Conversely,

if the FLE were not driven by perceived speed, then we would expect an effect of contrast on

perceived speed, but no effect on FLE magnitudes.

3.1 Participants

Seven observers (3 males, mean age 25.3 years, SD 3.4 years) participated in the experiment. All

were experienced observers and completed both Experiment 2A (Flash-lag) and 2B (Speed-

discrimination). All inclusion criteria were identical to Experiment 1.

3.2 Stimuli

Stimuli were similar to those used in Experiment 1 with the following exceptions (see also videos

of the stimuli used in this experiment). In Experiment 2, the motion stimulus consisted of a wedge

segment without the annulus, against a uniform gray background. In doing so, we aimed to control

for a potential confounding effect, as otherwise observers would be required to detect the contrast

of the wedge on top of the background of the annulus against the background, while tracking the

wedge's motion (Blakemore & Snowden, 2000).

Observers viewed the stimuli from a distance of 50 cm. The inner and outer edges of the wedge

and the comparison were 4.75 dva and 7.92 dva away from the fixation point and subtended 45 °

along the radial axis. The inner and outer edges of the target were 3.46 dva and 4.44 dva from

fixation, subtending 45 ° along the radial axis. Stimuli textures were filtered noise or pixelated

noise and always presented as a static pattern. The main experimental manipulation of Experiment

2 was that on each trial, the wedge was presented at high (100 %) or low (10 %) contrast relative

to the gray background. The target was always presented at 100 % contrast.

3.3 Procedure

Due to the COVID-19 pandemic, observers participated from their own homes. All observers were

provided with identical-speed ASUS ROG PG258Q monitors (1920 x 1080 resolution, 200 Hz),

and completed the experiment in a dimly lit room. A chinrest was not used for this experiment, but

observers were instructed to sit approximately 50 cm from the screen and make sure the fixation

point was at eye level.

The experimental conditions were determined by a combination of *contrast level* (high or low) and

texture type (filtered noise or pixelated noise). All observers completed a total of 4 blocks: 120

trials per block (for a total of 480 trials) in Experiment 2A and 144 trials per block (for a total of

576 trials) in Experiment 2B. The total testing duration was approximately 80 minutes.

3.4 Results

As in Experiment 1, we probed FLE magnitudes for each condition in Experiment 2A and

perceived speed in Experiment 2B. We submitted all data to a two-way repeated measures

ANOVA with factors of *contrast level* (high or low) and *texture type* (filtered noise or pixelated

noise) and *t*-tests. All relevant assumptions were met.

3.4.1 Experiment 2A: Effect of contrast on perceived flash-lag

A repeated measures ANOVA revealed a significant main effect of contrast level ($F_{1,6} = 7.32$, $p =$

0.035), with greater FLE magnitudes observed for low contrast than for high contrast wedges

(Figure 5A). There was a main effect of texture type ($F_{1,6} = 28.87$, $p = 0.002$), with greater FLE

magnitudes observed for pixelated noise than for filtered noise conditions. There was no

significant interaction effect ($F_{1,6} = 0.47$, $p = 0.52$). The mean PSE was significantly larger for low

contrast compared to high contrast wedges for filtered noise ($t_6 = 3.47$, $p = 0.013$), but the

difference did not reach significance for pixelated noise ($t_6 = 2.12$, $p = 0.078$). For individual data,

the FLE consistently increased in low contrast compared to high contrast conditions for all but two

observers (P6 for filtered noise and P3 for pixelated noise; Figure 5B).

Figure 5. Results of Experiment 2A. For illustrative purposes, the bars contain corresponding textures and contrasts in this figure. (A) Mean FLE magnitudes of high and low contrast wedges across texture conditions, pooled over all seven observers. (B) Individual observers. Error bars represent standard errors across observers. The asterisk above the bars indicates a statistically significant main effect of contrast level at $p < 0.05$.

3.4.2 Experiment 2B: Effect of contrast on perceived speed

A repeated measures ANOVA revealed a significant main effect of contrast level on perceived speed ($F_{1,6} = 52.85$, $p < 0.001$), with low contrast perceived to move faster than high contrast wedges of the same velocity (Figure 6A). There was no significant main effect of texture type ($F_{1,6} = 0.086$, $p = 0.779$) or an interaction effect ($F_{1,6} = 4.68$, $p = 0.074$). The mean PSE was significantly larger for low contrast compared to high contrast wedges in both filtered noise ($t_6 = 5.72$, $p = 0.001$) and pixelated noise ($t_6 = 7.31$, $p < 0.001$) conditions. The effect was highly consistent across individual observers (Figure 6B).

Figure 6. Results of Experiment 2B. For illustrative purposes, the bars contain corresponding textures and contrasts in this figure. (A) Mean perceived speeds of high and low contrast wedges across texture conditions, pooled over all seven observers. (B) Individual observers. Perceived speed was calculated as a ratio of the comparison relative to the wedge speed, and the baseline speed is indicated as y = 1. Error bars represent standard errors across observers. Asterisks above the bars indicate a statistically significant main effect of contrast level. *** denotes $p < 0.001$.

4. Discussion

The flash-lag effect (FLE) is a classic illusion that has been argued to result from motion extrapolation mechanisms that might be implemented in the visual system to contribute to overcoming its time delays. Although many alternative explanations for the FLE have been presented, the motion extrapolation account uniquely posits a neural computation that requires a representation of velocity. We hypothesized that under this interpretation, experimental manipulations that affect perceived velocity might similarly influence the magnitude of the FLE. Therefore, we examined how illusions of perceived speed could alter the perceived flash-lag in two experiments. We show that dynamically modulating a texture causes an illusory percept of increased speed as well as increased FLE magnitude compared to a static pattern. Similarly, when objects were presented at low contrast, both perceived speed and FLE magnitude also increased

relative to high contrast. These findings appear to be consistent with the motion extrapolation

account of the FLE.

Experiment 1 shows robust differences between dynamic and static patterns for perceived speed

and FLE magnitude. Such differences were qualitatively similar across different textures. Overall,

these results closely reproduce the previously reported effects on the perceived speed of gratings,

Gabor patches, and in the Floating Square illusion (Carlson et al., 2006; De Valois & De Valois,

1991; Shen et al., 2003; Treue et al., 1993), and are also consistent with the effects of speed on

motion extrapolation (Brenner & Smeets, 2000; Freyd & Finke, 1985; Hubbard & Bharucha, 1988;

Krekelberg & Lappe, 1999, 2000; López-Moliner & Linares, 2006; Murakami, 2001; Nijhawan,

1994; Nijhawan et al., 2004).

Experiment 2 likewise shows subjective increases in both perceived speed and FLE magnitude at

low contrast relative to high contrast. These results diverge from findings of previous motion

extrapolation studies on the effects of contrast (e.g., Hubbard & Ruppel, 2014; Maus & Nijhawan,

2006, 2009), in that our motion stimulus was perceived as faster at low contrast than high contrast.

The discrepancy with the Thompson effect is likely due to methodological differences because our

wedge had revolved at approximately 28.15 dva/s, which is significantly faster than in the literature

we outlined here (approximately 3-17 dva/s; Blakemore & Snowden, 1999; Hubbard & Ruppel,

2014; Maus & Nijhawan, 2006, 2009; Stone & Thompson, 1992; Thompson et al., 2006).

Consistent with this interpretation, Vaziri-Pashkam and Cavanagh (2011) found that out of a range

of velocities, only their highest velocity of 27.36 dva/s was overestimated at low contrasts.

If a neural representation of perceived velocity is used to inform the extrapolation process that

underlies the FLE, then we would expect to see a causal relationship between the effects of

dynamic pattern on perceived speed and the effects on the FLE. However, we did not observe a

correlation between the behavioral responses, similar to Vaziri-Pashkam and Cavanagh (2011),

with a portion of observers showing a decrease in FLE magnitude despite clear increases in

perceived speed. One possibility is that the experiments in this study illustrate that different

processes are involved in making judgments of speed versus relative position. For example,

de'Sperati and Thornton (2019) showed that varying the contrast of a moving object influenced

extrapolation judgments but not interceptive decisions when observers were required to make

saccadic eye movements to avoid colliding with multiple moving targets. Based on these findings,

de' Sperati and Thornton suggested these tasks involve intrinsically different processes. An

important question arising from our findings is therefore whether the representations of velocity

that contribute to explicit reports of motion (i.e. *how fast* an object is perceived to move) differ

from the representations used for implicit processing of position (i.e. *where* an object is; cf.

Brenner & Smeets, 1994; Smeets & Brenner, 1995a) – and involve different cortical areas – or,

alternatively, if a shared velocity representation might cause greater differences in perceived speed

than in the FLE. The latter explanation could reconcile findings of Vaziri-Pashkam and Cavanagh

(2011), as at low luminance the effects of perceived speed did not significantly affect the overall

magnitude of the FLE any more than the effects of physical speed.

Furthermore, there was a large variability for individual observers in Experiments 1A and 1B. This

could be partly attributed to measurement noise, so we can suspect that the effect of perceived

speed (although robust within individuals) might explain only a small proportion of the variance

in the illusion across individuals in our study. Other factors might also influence responses in the

FLE (thereby contributing to error variance). Kanai et al. (2004) reported FLE biases in the same

direction, but they explain their effect of contrast using uncertainty (see also Fu, Shen, & Dan,

2001; Maus & Nijhawan, 2006, 2009; Purushothaman et al., 1998; Vreven & Verghese, 2005).

According to this interpretation, increases in FLE magnitude are caused by increases in positional

uncertainty, due to decreased contrast rather than increased perceived speed. This reasoning is also

compatible with Experiment 1 if the dynamic pattern would increase uncertainty; presumably,

dynamically patterned or low contrast objects would be expected to elicit weaker or noisier

position signals for the visual system to work with. In turn, the perceived position might depend

more strongly on predictions originating from extrapolation processes, and be less strongly

influenced by (uncertain) sensory information. This would, in principle, be expected to cause

increases in FLE magnitude for dynamic pattern or low contrast conditions as we observe here.

However, the hypothesized effects of uncertainty have been shown to have little impact on

judgments of speed (Stocker & Simoncelli, 2006), and observers can accurately report the

extrapolated positions of moving objects despite decreases in visibility (Graf, Warren, & Maloney,

2005), making this interpretation unlikely.

Instead, we might consider if there is an indirect or additional influence of uncertainty. Uncertainty

could predict an increase in error variance, and this would be expected to work against any

systemic biases, rather than cause one. This would be compatible with the absence of a cross-effect

correlation. Another possible influence on our effects is not in terms of uncertainty, but in the

amount of attention allocated to the moving object. We cannot rule this possibility out, as we did

not explicitly control or measure attention in our different conditions. Conceivably, an object

containing a dynamic pattern might require more attention to localize than an object containing a

static texture. If this were true, then we might expect a greater FLE, based on studies showing that

the FLE increases when attention is divided (e.g., across concurrent tasks, across multiple stimuli,

or for increased speeds; Sarich, Chappell, & Burgess, 2007; Scocchia, Actis-Grosso, de'Sperati,

Stucchi, & Baud-Bovy, 2009). This explanation also applies if low contrast requires more attention

than high contrast. These alternative interpretations need to be tested by future experiments.

Overall, the pattern of results is consistent with the notion that the magnitude of the FLE depends

on a neural representation of velocity that is sensitive to (some of) the same experimental

manipulations that also affect over reports of perceived speed. This finding is consistent with an

explanation of the FLE in terms of visual motion extrapolation. It also corroborates a growing

body of evidence supporting the existence of neural mechanisms involved in extrapolation in both

animal models (e.g., Benvenuti et al., 2020; Berry et al.,1999; Jancke, Erlhagen, Schöner, & Dinse,

2004; Palmer, Marre, Berry, & Bialek, 2015; Schwartz, Taylor, Fisher, Harris, & Berry, 2007;

Subramaniyan et al., 2018; Sunberg, Fallah, & Reynolds, 2006) and human neuroimaging (e.g.,

Blom, Feuerriegel, Johnson, Bode, & Hogendoorn, 2020; Ekman, Kok, & de Lange, 2017;

Hogendoorn & Burkitt, 2018; Schneider, Marquardt, Sengupta, De Martino, & Goebel, 2019), and

is consistent with several decades investigating motion extrapolation in perception (Hogendoorn,

2020; Hubbard, 2005, 2014, 2018; Maus et al., 2010; Nijhawan, 2002, 2008).

References

Anstis, S. (2003). Moving objects appear to slow down at low contrasts. *Neural Networks, 16,* 933–938.

Arnold, D.H., Thompson, M. & Johnston, A. (2007). Motion and position coding. *Vision Research, 47*, 2403–2410.

Baldo, M.V.C., & Klein, S.A. (1995). Extrapolation or attention shift? *Nature, 378,* 565–566.

Benvenuti, G., Chemla, S., Boonman, A., Perrinet, L., Masson, G.S., & Chavane, F. (2020). Anticipatory responses along motion trajectories in awake monkey area V1. *BioRxiv*, 010017.

Berry M.J., Brivanlou I.H., Jordan T.A., & Meister M. (1999). Anticipation of moving stimuli by the retina. *Nature*, *398,* 334–338.

Blakemore, M.R, & Snowden, R.J. (1999). The effect of contrast upon perceived speed: A general phenomenon? *Perception, 28,* 33–48.

Blakemore, M.R., & Snowden, R.J. (2000). Textured backgrounds alter perceived speed. *Vision Research, 40*(6), 629–638.

Blom, T., Feuerriegel, D., Johnson, P., Bode, S., & Hogendoorn, H. (2020). Predictions drive neural representations of visual events ahead of incoming sensory information. *PNAS, 117*(13), 7510–7515.

Brenner, E., & Smeets, J. (1994). Different frames of reference for position and motion. *Naturwissenschaften, 81*, 30–32.

Brenner, E., & Smeets, J. (2000). Motion extrapolation is not responsible for the flash-lag effect. *Vision Research, 40*, 1645–1648.

Cantor, C.R.L., & Schor, C.M. (2007). Stimulus dependence of the flash-lag effect. *Vision Research, 47*(22), 2841–2854.

Carlson, T.A., Schrater, P., & He, S. (2006). Floating Square illusion: Perceptual uncoupling of static and dynamic objects in motion. *Journal of Vision, 6,* 132–144.

Cavanagh, P. (1997). Visual perception: Predicting the present. *Nature, 386*(6620), 19–21.

Crick, F., & Koch, C. (1995). Are we aware of neural activity in primary visual cortex? *Nature, 375*, 121–123.

de' Sperati, C., & Thornton, I.M. (2019). Motion prediction at low contrast. *Vision Research, 154,* 85–96.

De Valois, R.L., & De Valois, K.K. (1991). Vernier acuity with stationary moving Gabor. *Vision Research, 31*(9), 1619–1626.

Eagleman, D., & Sejnowski, T.J. (2000). Motion integration and postdiction in visual awareness. *Science*, *287*(5460), 2036–2038.

Eagleman, D., & Sejnowski, T.J. (2007). Motion signals bias localization judgments: A unified explanation for the flash-lag, flash-drag, flash-jump and Fröhlich illusions. *Journal of Vision, 7*(43), 1–12.

Ekman, M., Kok, P. & de Lange, F. (2017). Time-compressed preplay of anticipated events in human primary visual cortex. *Nature Communications, 8*, 15276.

Finke, R.A., Freyd, J.J., & Shyi, G.C. (1986). Implied velocity and acceleration induce transformations of visual memory. *Journal of Experimental Psychology: General, 115*(2), 175–188.

Freyd, J.J., & Finke, R.A. (1984). Representational momentum. *Journal of Experimental Psychology: Learning, Memory, and Cognition, 10*(1), 126–132.

Freyd, J.J., & Finke, R.A. (1985). A velocity effect for representational momentum. *Bull. Psychon. Soc., 23*, 443–446.

Fröhlich, F.W. (1924). Über die Messung der Empfindungszeit. *Pflügers Arch., 202,* 566–572.

Fu, Y.X., Shen, S.Y., & Dan, Y. (2001). Motion-induced perceptual extrapolation of blurred visual targets. *Journal of Neuroscience, 21*(20), RC172.

Graf, E.W., Warren, P.A., & Maloney, L.T. (2005). Explicit estimation of visual uncertainty in human motion processing. *Vision Research, 45*(24), 3050–3059.

Hess, C. (1904). Untersuchungenu¨ber den Erregungsvorgang im Sehorgan bei kurz- und bei la¨ngerdauernder Reizung. *Pflu¨ger's Arch. ges. Physiol., 101*, 226–262.

Hawken, M.J., Gegenfurtner, K.R., & Tang, C. (1994). Contrast dependence of color and luminance motion mechanisms in human vision. *Nature, 367,* 268–270.

Hogendoorn, H. (2020). Motion extrapolation in visual processing: Lessons from 25 years of flash-lag debate. *The Journal of Neuroscience, 40*(30), 5698–5705.

Hogendoorn, H., & Burkitt, A.N. (2018). Predictive coding of visual object position ahead of moving objects revealed by time-resolved EEG decoding. *Neuroimage*, 171, 55–61.

Hubbard, T.L. (1995). Environmental invariants in the representation of motion: Implied dynamics and representational momentum, gravity, friction, and centripetal force. *Psychonomic Bulletin & Review, 2,* 322–338.

Hubbard, T.L. (2005). Representational momentum and related displacements in spatial memory: A review of the findings. *Psychonomic Bulletin & Review, 12,* 822-851.

Hubbard, T.L. (2014). The flash-lag effect and related mislocalizations: Findings, properties, and theories. *Psychological Bulletin, 140*(1), 308–338.

Hubbard, T.L. (2018). Influences on representational momentum. In T. L. Hubbard (Ed.). *Spatial biases in perception and cognition* (pp. 121–138). New York: Cambridge University Press.

Hubbard, T.L., & Bharucha, J.J. (1988). Judged displacement in apparent vertical and horizontal motion. *Perception & Psychophysics 44,* 211–221.

Hubbard, T.L., & Ruppel, S.E. (2014). An effect of contrast and luminance on visual representational momentum for location. *Perception, 43*(8), 754–766.

Jancke, D., Erlhagen, W., Schöner, G., & Dinse, H.R. (2004). Shorter latencies for motion trajectories than for flashes in population responses of cat primary visual cortex. *Journal of Physiology*, *556*(3), 971–982.

Kanai, R., Sheth, B.R., & Shimojo, S. (2004). Stopping the motion and sleuthing the flash-lag effect: Spatial uncertainty is the key to perceptual mislocalization. *Vision Research, 44*, 2605–2619.

Kerzel, D., & Gegenfurtner, K.R. (2003). Neuronal processing delays are compensated in the sensorimotor branch of the visual system. *Current Biology, 13*(22), 1975–1978.

Kleiner, M., Brainard, D., Pelli, D., Ingling, A., Murray, R., & Broussard, C. (2007). What's new in Psychtoolbox. *Perception, 36*(14), 1–16.

Krekelberg, B., & Lappe, M. (1999). Temporal recruitment along the trajectory of moving objects and the perception of position. *Vision Research, 39,* 2669–2679.

Krekelberg, B., & Lappe, M. (2000). A model of the perceived relative positions of moving objects based upon a slow averaging process. *Vision Research*, *40*, 201–215.

Kwon, O.S., Tadin, D., & Knill, D.C. (2015). Unifying account of visual motion and position perception. *PNAS, 112*(26), 8142–8147.

López-Moliner, J., & Linares, D. (2006). The flash-lag effect is reduced when the flash is perceived as a sensory consequence of our action. *Vision Research, 46*(13), 2122–2129.

Makin, A.D.J., Stewart, A.J. & Poliakoff, E. (2009). Typical object velocity influences motion extrapolation. *Exp Brain Res, 193,* 137–142.

Maunsell, J.H.R., & Gibson, J.R. (1992). Visual response latencies in striate cortex of the macaque monkey. *Journal of Neurophysiology, 68*(4), 1332–1344.

Maus, G.W., Khurana, B., & Nijhawan, R. (2010). History and theory of flash-lag: Past, present, and future. In R. Nihawan & B. Khurana (Eds.), *Space and time in perception and action* (pp. 477–499). Cambridge University Press.

Maus, G.W., & Nijhawan, R. (2006). Forward displacements of fading objects in motion: The role of transient signals in perceiving position. *Vision Research, 46*(26), 4375–4381.

Maus, G.W., & Nijhawan, R. (2008). Motion extrapolation into the blind spot. *Psychol Sci., 19*(11), 1087–1091.

Maus, G.W., & Nijhawan, R. (2009). Going, going, gone: Localizing abrupt offsets of moving objects. *J Exp Psychol Hum Percept Perform., 35*, 611–626.

Murakami, I. (2001). The flash-lag effect as a spatiotemporal correlation structure. *Journal of Vision, 1*(2), 126–136.

Nijhawan, R. (1994). Motion extrapolation in catching. *Nature, 370,* 256–257.

Nijhawan, R. (2002). Neural delays, visual motion and the flash-lag effect. *TRENDS in Cognitive Sciences, 6*(9), 387–393.

Nijhawan, R. (2008). Visual prediction: Psychophysics and neurophysiology of compensation for time delays. *Behavioral and Brain Sciences, 31,* 179–239.

Nijhawan, R., & Wu, S. (2009). Compensating time delays with neural predictions: Are predictions sensory of motor? *Philosophical Transactions: Mathematical, Physical and Engineering Sciences, 367*(1891), 1063–1078.

Nijhawan, R., Watanabe, K., Khurana, B., & Shimojo, S. (2004). Compensation of neural delays in visuo-motor behaviour: No evidence for shorter afferent delays for visual motion. *Visual Cognition, 11*(2-3), 275–298.

Nover, H., Anderson, C.H., & DeAngelis, G.C. (2005). A logarithmic, scale-invariant representation of speed in macaque middle temporal area accounts for speed discrimination performance. *Journal of Neuroscience, 25*(43), 10049–10060.

Ögmen, H., Patel, S.S., Bedell, H.E., & Camuz, K. (2004). Differential latencies and the dynamics of the position computation process for moving targets, assessed with the flash-lag effect. *Vision Research, 44*(18), 2109–2128.

Owens, D.A., Wood, J., & Carberry, T. (2010). Effects of reduced contrast on the perception and control of speed when driving. *Perception, 39,* 1199–1215.

Palmer, S.E., Marre, O., Berry, M.J., & Bialek, W. (2015). Predictive information in a sensory population. *PNAS, 112*(22), 6908–6913.

Pollen, D.A. (2003). Explicit neural representations, recursive neural networks and conscious visual perception. *Cerebral Cortex, 13*(8), 807–814.

Pretto, P., Bresciani, J.-P., Rainer, G., & Bülthoff, H.H. (2012). Foggy perception slows us down. *eLIfe, 1*: e00031.

Priebe, N.J., & Lisberger, S.G. (2004). Estimating target speed from the population response in visual area MT. *Journal of Neuroscience, 24*(8), 1907–1916.

Purushothaman, G., Patel, S.S., Bedell, H.E., & Ögmen, H. (1998). Moving ahead through differential visual latency. *Nature, 396,* 424.

Roach, N. W., McGraw, P. V., & Johnston, A. (2011). Visual motion induces a forward prediction of spatial pattern. *Current Biology, 21*(9), 740–745.

Rosenbaum, D.A. (1975). Perception and extrapolation of velocity and acceleration. *Journal of Experimental Psychology: Human Perception and Performance, 1*(4), 395–403.

Sarich, D., Chappell, M., & Burgess, C. (2007). Dividing attention in the flash-lag illusion. *Vision Research, 47*(4), 544–547.

Scocchia, L., Actis-Grosso, R., de'Sperati, C., Stucchi, N., & Baud-Bovy, G. (2009). Observer's control of the moving stimulus increases the flash-lag effect. *Vision Research, 49*(19), 2363-2370.

Schmolesky, M.T., Wang, Y., Hanes, D.P., Thompson, K.G., Leutgeb, S., Schall, J.D., & Leventhal, A.G. (1998). Signal timing across the macaque visual system. *Journal of Neurophysiology, 79*, 3272–3278.

Schneider, M., Marquardt, I., Sengupta, S., De Martino, F., & Goebel, R. (2019). Motion Displaces Population Receptive Fields in the Direction Opposite to Motion. *BioRxiv*, 759183.

Schwartz, G., Taylor, S., Fisher, C., Harris, R., & Berry, M.J. (2007). Synchronized firing among retinal ganglion cells signals motion reversal. *Neuron*, *55*(6), 958–969.

Shen, H., Shimodaira, Y., & Ohashi, G. (2003). Effects of temporal frequency on speed discrimination and perceived speed. *Proceedings of the International Joint Conference on Neural Networks, 1,* 188–193.

Smeets, J., & Brenner, E. (1995a). Perception and action are based on the same visual information: Distinction between position and velocity. *Journal of Experimental Psychology: Human Perception and Performance, 21*(1), 19–31.

Smeets, J., & Brenner, E. (1995b). Prediction of moving target's position in fast goal-direction action. *Biological Cybernetics, 73,* 519–528.

Smith, A.T., & Edgar, G.K. (1990). The influence of spatial frequency on perceived temporal frequency and perceived speed. *Vision Research, 30*, 1467–1474.

Snowden, R.J., Stimpson, N., & Ruddle, R.A. (1998). Speed perception fogs up as visibility drops. *Nature, 392*, 450.

Stocker, A.A., & Simoncelli, E.P. (2006). Noise characteristics and prior expectations in human visual speed perception. *Nature Neuroscience, 9*(4), 578–585.

Stone, L. S., & Thompson, P. (1992). Human speed perception is contrast dependent. *Vision Research, 32*(8), 1535–1549.

Subramaniyan, M., Ecker, A.S., Patel, S.S., Cotton, R.J., Bethge, M., Pitkow, X., Berens, P., & Tolias, A.S. (2018). Faster processing of moving compared with flashed bars in awake macaque V1 provides a neural correlate of the flash lag illusion. *J Neurophysiol.*, *120*(5), 2430–2452.

Sundberg, K.A., Fallah, M., Reynolds, J.H. (2006). A motion-dependent distortion of retinotopy in area V4. *Neuron, 49*(3), 447–57.

Thompson, P. (1982). Perceived rate of movement depends on contrast. *Vision Research, 22*, 377–380.

Thompson, P., Brooks, K., & Hammett, S.T. (2006). Speed can go up as well as down at low contrast: Implications for motions of motion perception. *Vision Research, 46,* 782–786.

Treue, S., Snowden, R.J., & Andersen, R.A. (1993). The effect of transiency on perceived velocity of visual patterns: A case of "temporal capture". *Vision Research, 33*(5/6), 791–198.

Vaziri-Pashkam, M., & Cavanagh, P. (2008). Apparent speed increases at low luminance. *Journal of Vision, 8*(16), 1–12.

Vaziri-Pashkam, M., & Cavanagh, P. (2011). Effect of speed overestimation on flash-lag at low luminance. *I-Perception, 2,* 1063–1075.

Vreven, D., & Verghese, P. (2005). Predictability and the dynamics of position processing in the flash-lag effect. *Perception, 34*(1), 31–44.

Whitney, D., & Murakami, I. (1998). Latency difference, not spatial extrapolation. *Nat Neurosci.*, *1*(8), 656–657.

Whitney, D., Murakami, I., & Cavanagh, P. (2000). Illusory spatial offset of a flash relative to a moving stimulus is caused by differential latencies for moving and flashed stimuli. *Vision Research, 40*(2), 137–149.

Wojtach, W.T., Sung, K., Truong, S., & Purves, D. (2008). An empirical explanation of the flash-lag effect. *PNAS, 105*(42), 16338–16343.