Flexible control of Pavlovian-instrumental transfer based on expected reward value

Andrew T. Marshall[1], Briac Halbout[2], Christy N. Munson[2], Collin Hutson[2], and Sean B. Ostlund[2]

1. Children's Hospital Los Angeles, and the Department of Pediatrics, University of Southern California, Los Angeles, CA, USA
2. Department of Anesthesiology and Perioperative Care, Department of Neurobiology and Behavior, Irvine Center for Addiction Neuroscience (ICAN), Center for the Neurobiology of Learning and Memory (CNLM), Center for Neural Circuit Mapping (CNCM), University of California, Irvine School of Medicine, Irvine, CA, USA

Correspondence Dr Sean Ostlund, Department of Anesthesiology & Perioperative Care, University of California, Irvine School of Medicine, Irvine, CA 92697, USA. E-mail: sostlund@uci.edu

Acknowledgements
The authors are supported by NIH grants DA046667 (SBO), MH12685 (SBO), MH106972 (SBO), DA050116 (BH). Raw data and code are available from the corresponding author upon request. This article was published as a preprint on bioRxiv: doi: https://doi.org/10.1101/2021.04.08.438512.

29 **Abstract**
30

The Pavlovian-instrumental transfer (PIT) paradigm is widely used to assay the
motivational influence of reward-predictive cues, reflected by their ability to invigorate
instrumental behavior. Leading theories assume that a cue's motivational properties are
tied to predicted reward value. We outline an alternative view which recognizes that
reward-predictive cues may suppress rather than motivate instrumental behavior under
certain conditions, an effect termed positive conditioned suppression. We posit that
cues signaling imminent reward delivery tend to inhibit instrumental behavior, which is
exploratory by nature, in order to facilitate efficient retrieval of the expected reward.
According to this view, the motivation to engage in instrumental behavior during a cue
should be *inversely* related to the value of the predicted reward, since there is more to
lose by failing to secure a high-value reward than a low-value reward. We tested this
hypothesis in rats using a PIT protocol known to induce positive conditioned
suppression. In Experiment 1, cues signaling different reward magnitudes elicited
distinct response patterns. Whereas the 1-pellet cue increased instrumental behavior,
cues signaling 3 or 9 pellets suppressed instrumental behavior and elicited high levels
of food-port activity. Experiment 2 found that reward-predictive cues suppressed
instrumental behavior and increased food-port activity in a flexible manner that was
disrupted by post-training reward devaluation. Further analyses suggest that these
findings were not driven by overt competition between the instrumental and food-port
responses. We discuss how the PIT task may provide a useful tool for studying
cognitive control over cue-motivated behavior in rodents.

52
53

Reward-paired cues acquire Pavlovian incentive motivational properties which allow

them to invigorate instrumental reward-seeking behavior (Dickinson et al. 2000; Estes

1948; Lovibond 1981), a phenomenon referred to as Pavlovian-instrumental transfer

(PIT). This influence seems to serve an adaptive function by promoting risky and

effortful foraging activity in environments that signal potential reward availability. The

PIT paradigm is widely used to study the mechanisms of cue-motivated behavior

(Cartoni et al. 2016; Corbit and Balleine 2016) and how they contribute to pathological

reward seeking in addiction and related disorders (Corbit and Janak 2007; 2016;

Garbusow et al. 2016; Genauck et al. 2020; LeBlanc et al. 2013; LeBlanc et al. 2014;

LeBlanc et al. 2012; Marshall and Ostlund 2018; Ostlund et al. 2014; Saddoris et al.

2011; Sebold et al. 2021; Shiflett 2012; Shiflett et al. 2013; Vogel et al. 2018; Wyvell

and Berridge 2001). However, despite decades of research, much remains unclear

about how fundamental variables such as expected reward value influence expression

of the PIT effect.

Leading computational models of incentive learning (Dayan and Balleine 2002; McClure

et al. 2003; Zhang et al. 2009) assume that motivational value is assigned to cues

based on the total amount of delay-discounted reward that they predict (i.e., their state

value). The motivational influence of cues should therefore directly depend on basic

Pavlovian conditioning parameters such as reward probability, cue-reward interval, and

reward magnitude. This account makes some intuitive predictions. For instance, a cue

that reliably signals the immediate delivery of a large reward should acquire strong

motivational properties, whereas a cue signaling that an upcoming reward will be small,

delayed, or unlikely to occur at all, should acquire weak motivational properties.

However, in contrast to these predictions, evidence suggests that the motivational

impact of reward-paired cues is instead *inversely* related to their ability to predict

reward. For instance, cues signaling a high probability of imminent reward do not

invigorate and may even suppress instrumental performance, an effect known as

positive conditioned suppression (Azrin and Hake 1969; Crombag et al. 2008; Lovibond

1981; Meltzer and Hamm 1978; Miczek and Grossman 1971; Vandyne 1971). Instead,

such cues elicit high levels of Pavlovian conditioned approach behavior directed at the

food-port (Marshall et al. 2020). In contrast, cues that signal a low probability of reward

become potent motivators of instrumental behavior, while eliciting more modest levels of

food-port activity (Marshall et al. 2020). The motivational influence of cues also depends

on their temporal relationship with reward delivery (Delamater and Holland 2008;

Delamater and Oakeshott 2007; Lovibond 1981; Matell and Della Valle 2018). For

instance, we have shown that cues signaling a fixed 30-sec interval between cue onset

and reward delivery produce a gradual suppression of instrumental behavior and a

coincident increase in food-port activity as the expected reward delivery time draws

near (Marshall and Ostlund 2018).

Such findings suggest that reward-paired cues can acquire distinct motivational and

predictive properties that evoke different kinds of behavior, with the former promoting

the pursuit of new rewards through instrumental behavior and the latter eliciting a pause

in instrumental behavior and anticipatory reward-retrieval activity (Ostlund and Marshall

2021). Organizing behavior in this manner, based on reward expectancy, is important

for efficient foraging and is a central pillar of behavior systems theory (Timberlake et al.

1982). While it is adaptive to seek out new rewards through instrumental behavior (or

other general search activities) when rewards are scarce, such behavior is unnecessary

and may even interfere with the retrieval of a reward that is expected soon (i.e., focal

search), increasing the chance that it will be pilfered or otherwise lost.

However, this simplistic description of foraging sidesteps the complexity involved in

ambiguous situations, when cues may elicit conflicting tendencies to both seek out new

rewards *and* collect an expected reward. The factors involved in resolving such conflict

are not well understood, though presumably the value of the expected reward plays an

important role. Early studies on the interaction between Pavlovian and instrumental

learning processes may also provide some insight. For instance, Konorski and

colleagues demonstrated through a series of studies that Pavlovian cues predicting

imminent reward do not simply elicit conditioned consummatory responses – in their

case, salivation and orienting toward the food cup – they also acquire the ability to

acutely interrupt ongoing instrumental behavior (Ellison and Konorski 1965; Konorski

1967). Such cues were also able to prevent other discriminative cues from motivating

instrumental performance (Soltysik et al. 1976) and were themselves extremely

resistant to acquiring motivational properties if later used as discriminative stimuli for

instrumental performance (Konorski and Wyrwicka 1950). These findings suggest that

cues signaling imminent, response-independent reward actively inhibit the expression of

cue-motivated behavior.

Following this logic, we have hypothesized that Pavlovian cues acquire the potential to

motivate instrumental behavior, but that this motivational response is subject to

cognitive control and is therefore suppressed in situations where such behavior would

be disadvantageous (Marshall et al. 2020; Marshall and Ostlund 2018; Ostlund and

Marshall 2021). Cognitive control broadly refers to the ability to regulate thoughts,

emotions, and actions based on an internally represented behavioral goal (Braver

2012). A core function of cognitive control is to override prepotent response tendencies

– particularly those which are impulsive or habitual in nature – in situations where an

alternative course of action is more advantageous (Botvinick and Braver 2015; Miller

and Cohen 2001). We can apply this framework to PIT by assuming that when a cue

signals that a valuable reward is imminent, the impulse to engage in instrumental

reward-seeking behavior will be suppressed in order to allow for efficient reward

retrieval. Thus, the value of the reward predicted by a cue should play an important

albeit indirect role in modulating instrumental performance, indicating the degree to

which such behavior should be suppressed. A cue that signals imminent delivery of a

high-value reward should therefore be less effective in motivating instrumental behavior

and more effective in eliciting food-port activity than a cue that signals a less valuable

reward. These predictions are readily distinguished from those made by theories of

incentive learning that assume a positive correlation between motivational and

predictive value (Dayan and Balleine 2002; McClure et al. 2003; Zhang et al. 2009).

Interesting, the limited data that exist on this subject suggests that expected reward

value rarely affects the expression of PIT performance. For instance, several studies

have shown that cues retain their ability to motivate instrumental behavior despite

predicting a reward that has been devalued through conditioned taste aversion learning

(Colwill and Rescorla 1990; Holland 2004; Rescorla 1994). However, such studies have

generally used PIT protocols designed to maximize motivational effects and use cues

that signal long, sporadic intervals before reward delivery. Therefore, while these

findings suggest that cues normally motivate instrumental behavior independently of

expected reward value, they do not address whether expected reward value modulates

the suppressive influence of cues that signal imminent reward (i.e., positive conditioned

suppression).

We investigated this issue using an alternative version of the PIT task in which reward-

predictive cues tend to suppress instrumental behavior and increase food-port activity in

apparent anticipation of reward delivery (Marshall and Ostlund 2018). The role of

expected reward value on these responses was assessed using a parametric

manipulation of reward magnitude in Experiment 1 and post-training reward devaluation

in Experiment 2.

Experiment 1

165
Experiment 1 investigated the influence of expected reward magnitude on the

expression of instrumental reward-seeking and food-port entry behavior during PIT

testing. Briefly, hungry rats were first trained to lever press for food pellets before

undergoing Pavlovian conditioning, in which two distinct 30-sec auditory cues signaled

food pellet delivery at cue offset. Reward magnitude was varied across cues and

groups. While all groups had at least one cue that signaled three food pellets, the

alternate cue signaled either one (Group 1/3), three (Group 3/3), or nine food pellets

(Group 3/9). PIT testing was then performed by intermittently presenting these reward-

predictive cues in a noncontingent manner while rats were free to press the lever and

enter the food-port, in the absence of reward delivery.

Methods

Animals and Apparatus

Twenty-six experimentally naïve adult male Long Evans rats (Envigo) were used in this

experiment. They arrived at the facility (University of California, Irvine; Irvine, CA, USA)

at approximately 10 weeks of age. They were pair-housed in a colony room set to a

standard 12:12 hr light:dark schedule. Rats were tested during the light phase. Water

was always provided ad libitum in the home cages. Rats were fed between 10-14 g of

standard lab chow per day during the experiment to maintain them at ~85% of their

estimated free-feeding bodyweight. Husbandry and experimental procedures were

approved by the UC Irvine Institutional Animal Care and Use Committee (IACUC) and

conducted in accordance with the National Research Council Guide for the Care and

Use of Laboratory Animals.

The experiment was conducted in 14 operant chambers (Med-Associates; St. Albans,

VT), each housed within sound-attenuating, ventilated boxes. Each chamber was

equipped with a stainless-steel grid floor; two stainless steel walls (front and back); and

a transparent polycarbonate side-wall, ceiling, and door. Pellet dispensers, mounted on

the outside of the operant chamber, were equipped to deliver 45-mg food pellets (Bio-

Serv) into a recessed food-port centered on the lower section of the front wall. Head

entries into the food-port were transduced by an infrared photobeam. A retractable lever

was located to the left of the food-port, on the front wall. The chamber was also

equipped with a house light centered at the top of the back wall. Auditory stimuli were

presented to animals via a speaker located on the back wall. Experimental events were

controlled and recorded with 10-ms resolution by the software program MED-PC IV

(Tatham and Zurn 1989).

Procedure

Magazine training. All sessions of all phases began with the onset of the houselight. In

each of two 30-minute sessions of magazine training, grain-based food pellets were

delivered on a random-time (RT) 60-s schedule.

Instrumental training. During initial instrumental (lever-press) training, rats were

continuously reinforced with a grain-based food pellet delivery for pressing the left lever

(fixed-ratio, FR-1), earning a maximum of 30 pellets per session. These FR-1 sessions

lasted no more than 30 min. Seven rats required an extra session of FR-1 training,

which lasted until these rats earned 30 pellets. During subsequent training sessions,

lever pressing was reinforced according to a random-interval (RI) schedule, such that

the lever remained available but was inactive for an average of t seconds after each

reward delivery, where individual t values were selected randomly from an exponential

distribution. The RI schedule was changed over training days with 1 day of RI-5 ($t = 5$

sec), 1 day of RI-15 ($t = 15$ sec), 2 days of RI-30 ($t = 30$ sec), and 10 days of RI-45 ($t =$

45 sec) training. Each RI session lasted 30 minutes.

Pavlovian training. Pavlovian training involved exposure to two 30-s conditioned

stimuli (CS; 3-kHz tone and 10-Hz clicker; 80 dB) which were paired with reward (grain-

based food pellets). Rats were assigned to one of three groups with different CS-reward

magnitude arrangements. For Group 1/3 ($n = 9$), one CS terminated with 1 pellet and

the other with 3 pellets. For Group 3/3 ($n = 8$), both CSs terminated with 3 pellets. For

Group 3/9 ($n = 9$), one CS terminated with 3 pellets and the other with 9 pellets.

Stimulus identity was counterbalanced with group and reward magnitude conditions.

In each 20-min session, a 60-s interval preceded onset of the first CS. There was a

random 120-s inter-trial-interval (ITI) between CS presentations, and a 60-s interval

following the final CS presentation prior to the end of the session. Pavlovian training

lasted for 25 daily sessions, each involving 4 pseudorandomly-alternating presentations

of each CS (8 total trials per session).

Pavlovian-to-instrumental transfer (PIT). Following Pavlovian training, rats received

two daily sessions of instrumental retraining (identical to earlier sessions with the RI-45

schedule) followed, on the next day, by one 30-min session of instrumental extinction, in

which the lever was continuously available but was inactive. On the following day, rats

received a PIT test session (30.25 minutes in duration), during which the lever was once

again continuously available but inactive. During the test, rats received 4 noncontingent

presentations of each 30-s CS in pseudorandom order (ABBABAAB). The ITI was 150

s, and a 5-min interval preceded onset of the first CS. No food pellets were delivered at

test.

Data Analysis

All summary measures were obtained from the raw data using MATLAB (The

MathWorks; Natick, MA, USA), and analyzed with mixed-effects regression models

(Pinheiro and Bates 2000), a powerful analytical framework that is both well established

and highly recommended for behavioral research (Boisgontier and Cheval 2016).

Mixed-effects models are comparable to repeated-measures regression analyses, and

allow for parameter estimation per manipulation condition (fixed effects) and the

individual (random effects) (Bolker et al. 2009; Hoffman and Rovine 2007; Pinheiro and

Bates 2000; Schielzeth et al. 2013). Mixed-effects regression models (1) effectively

handle missing data and (2) permit the inclusion of categorical and continuous

predictors in the same analysis, thus allowing detection of group-level changes across

ordered data samples (i.e., continuous time points) while also accounting for

corresponding individual differences. All relevant fixed-effects factors were included in

each model. Categorical predictors were effects-coded (i.e., codes sum to 0), and

continuous predictors were mean-centered. For analyses of Pavlovian training and PIT,

the fixed-effects structure included main effects of group and reward magnitude, and the

random-effects structure included a by-rat random intercept. PIT analyses also included

main effects of time within the CS (i.e., CS 10-s period), with CS Reward Magnitude ×

CS 10-s Period interactions also included for analysis of individual groups. (Here,

analysis of Group 1/3's food-port-entry behavior employed a linear model with no

random effects due to random-effects convergence issues given outlier removal,

described below.) Both group (categorical) and reward magnitude (continuous; i.e., 1, 3,

9) were included in these analyses to differentiate overall between-group differences in

behavior versus sample-wide changes in behavior as a function of differences in reward

magnitude. Instrumental training analyses incorporated generalized linear mixed-effects

models (family: gamma, link: log) with predictors of group and time since the previous

reward delivery. The random-effects structure included a random by-rat slope of time

since reward delivery and a random intercept of rat, restricted to be uncorrelated. The

alpha level for all tests was .05. Sample sizes were not predetermined based on

statistical analysis but are similar to those reported in previous publications (Halbout et

al. 2019; Marshall et al. 2020; Marshall and Ostlund 2018). Main effects and interactions

are reported as the results of ANOVA F-tests (i.e., whether the coefficients for each

fixed effect were significantly different from 0).

Our primary dependent measures were the rates of lever pressing and food-port entry

behavior (recorded as the number of discrete food-port beam breaks). We quantified

cue-induced changes in behavior by subtracting the mean response rate (response per

minute) during pre-CS periods (30 sec each) from the mean response rate during CS

periods, calculated separately for consecutive 10-sec periods within individual 30-sec

CSs to characterize the time course of responding. Pre-CS (baseline) data were

averaged across all CS trials (within-subject).

The final five sessions of Pavlovian training were used to assess conditioned food-port

entry behavior during CS trials relative to pre-CS baseline periods. Analyses of

instrumental training included the final three sessions of training. Data points were

considered outliers if their values were at least three scaled median absolute deviations

from the median (Leys et al. 2013), in which the median value of the absolute deviations

from the median was scaled by ~1.48 (Rousseeuw and Croux 1993) and then multiplied

by 3; for PIT analyses, outliers were based on the rats' mean difference scores within

each condition. For the current experiment, 24 individual data points were removed from

the instrumental training analysis (i.e., 24 of 1,170 data points [26 rats × 45 bins]) and

one rats' data (Group 1/3, 3-pellet CS) were removed from the PIT analyses of food-

port-entry behavior. Lastly, 38 of 528 data points (i.e., paired observations of lever-

pressing and food-port-entry behavior) were excluded from trial-by-trial analyses of

concurrent local changes in both CS-induced lever-pressing and food-port-entry

behavior. There were no outliers in the other analyses. Outlier removal was specific to

each analysis, such that a rats' exclusion from one analysis did not prohibit inclusion

from other analyses.

Results

Instrumental and Pavlovian Training

Rats were first trained to lever press for food reward. While the rats had not yet been

assigned to groups for Pavlovian training, Figure 1A shows the groups' mean lever-

press rates on an RI-45 s schedule of reinforcement as a function of time since the

previous reward delivery. All groups [mean (SEM)] lever pressed at comparable rates

[Group 1/3: 15.8 (1.8); Group 3/3: 14.8 (1.4); Group 3/9: 15.7 (1.5)]. Per a generalized

linear mixed-effects model (distribution = gamma, link = log) on response rates during

the 15-45 s time window, there was neither a main effect of group, $F(1, 786) = 0.21$, $p =$

.812, nor a Group × Time interaction, $F(2, 786) = 0.77$, $p = .461$.

Figure 1. **Instrumental and Pavlovian training in Experiment 1**. (A) Lever-press rates on a

random-interval (RI) 45-s schedule of reinforcement as a function of time (in seconds) since

previous reward delivery. (B) CS-induced increases in food-port entry rate relative to the pre-CS

baseline. CS = conditioned stimulus. G1v3 = Group 1/3. G3v3 = Group 3/3. G3v9 = Group 3/9.

Error bars reflect ± 1 between-subjects standard error of the mean.

Following instrumental training, rats were trained to associate two 30-s CSs with food

reward, delivered upon termination of the cues. Figure 1B shows conditioned food-port

entry behavior (relative to the pre-CS baseline) for the final 5 sessions of training.

Analysis of these data revealed a main effect of group, $F(2, 40) = 5.69$, $p = .007$, and a

main effect of CS reward magnitude, $F(1, 40) = 16.27$, $p < .001$. The latter effect

appeared to be driven by Groups 1/3 and 3/9, which showed higher levels of food-port

activity during whichever CS signaled the larger of the two possible reward magnitudes.

Pavlovian-instrumental transfer (PIT)

Following two sessions of instrumental retraining and one session of instrumental

extinction, rats were given a PIT test, in which the 30-s CSs were presented while the

rats were able to freely lever press without reinforcement. Figures 2A and 2B show rats'

CS-induced change in lever-press rate and food-port entry rate, respectively, relative to

pre-CS baseline periods. Analyses revealed main effects of group, $F(2, 127) = 3.59$, $p =$

.030, and CS reward magnitude on lever pressing, $F(1, 127) = 5.74$, $p = .018$, in which

CS-induced lever pressing decreased with increases in predicted reward magnitude.

For food-port entry rate, there was a main effect of group, $F(2, 124) = 4.71$, $p = .011$,

and a significant increase in CS-induced food-port entries with predicted reward

magnitude, $F(1, 124) = 4.45$, $p = .037$.

Figure 2. **Pavlovian-instrumental transfer in Experiment 1**. CS-induced changes in (A) lever-press rates and (B) food-port entries (relative to the pre-CS baseline) on the Pavlovian-instrumental transfer (PIT) test. These data are plotted separately according to Group and Reward Magnitude and show changes in responding over time (10-sec bins) during 30-sec CS presentations (averaged across trials). CS = conditioned stimulus. G1v3 = Group 1/3. G3v3 = Group 3/3. G3v9 = Group 3/9. Error bars reflect ± 1 between-subjects standard error of the mean.

Given the between-groups manipulation of reward magnitude and that one group experienced only one reward magnitude (i.e., Group 3/3), a second set of within-group analyses were conducted to better elucidate how differential reward magnitude influenced CS-induced changes in behavior. For Group 1/3, the 3-pellet CS reduced press rates more than the 1-pellet CS, $F(1, 50) = 8.37$, $p = .006$, and also led to higher levels of food-port entry, $F(1, 47) = 10.08$, $p = .003$. The food-port entry analysis also detected a significant CS Reward Magnitude × CS 10-s Period interaction, $F(1, 47) = 4.16$, $p = .047$, which indicated that the increase in food-port entries over time was

steeper for the 3-pellet CS than the 1-pellet CS. Similarly, for Group 3/9, lever pressing

was suppressed more by the 9-pellet CS than the 3-pellet CS, $F(1, 50) = 5.36$, $p = .025$,

but there was no effect of reward magnitude on food-port entry, $F(1, 50) = 1.79$, $p =$

.187.

These findings are consistent with the cognitive control hypothesis but could be the

product of response competition between food-port and lever-press behaviors.

Specifically, when given a cue that signals a large, desirable reward, rats may simply

lose the opportunity to lever press because they are preoccupied with checking the

food-port. However, we found little support this alternative account. For instance, if a

rat's tendency to check the food-port during a specific cue period interferes with their

ability to also press the lever during that period, then these responses should be

negatively correlated across cue periods for individual rats (e.g., large increases in food-

port activity should co-occur unchanged or decreased press rates). To investigate this

possibility, we assessed the within-subject correlation between press- and entry-rate

difference scores across all 10-sec CS time bins (3 bins per trial x 4 trials, as in Figure

2), separately for each CS type, for each rat. Figure 3 shows that, with the exception of

one CS type for each of 2 rats, r's ≤ -0.59, p's ≤ .045, lever pressing and food-port

entries were *not* significantly correlated, p's ≥ .050 (median p-value = .467). Moreover,

of the 2 rats that did show significant correlations between press and entry rate, neither

correlation passed Bonferroni correction for multiple comparisons (i.e., .05 divided by 44

separate correlations = .0011). Also notable was the finding that rats were in many

cases able to increase their rate of lever pressing (i.e., displaying positive difference

scores) during cue periods with extreme increases food-port entry behavior (> 30

entries/min), suggesting that food-port activity did not impose a major limit on lever-

press performance.

Figure 3. **Trial-by-trial relationship between food-port-entry and lever-press rate for each**

10-s CS bin during the Pavlovian-instrumental transfer (PIT) test for individual rats in

Experiment 1. Scatterplots are presented for each rat. Data are separated by trial (unlike in

Figure 2) and 10-s CS bin (as in Figure 2). The abscissa shows CS-induced changes in food-

port-entry rate for individual time bins; the ordinate shows CS-induced changes in lever-press

rate for corresponding time bins. For each CS type for each rat, simple regression lines were fit,

with dashed lines indicating that the fit was not significant and bolded solid lines indicating

significance at $p < .05$. CS = conditioned stimulus.

We also assessed whether food-port and lever-press responses competed more acutely

over short time frames. For this analysis, we constructed peri-event histograms showing

the probability of food-port entry occurrence during 0.1-sec periods surrounding

individual lever-press responses (Figure 4A-C) and the corresponding probability of

lever-press occurrence surrounding individual food-port entry responses (Figure 4D-F);

a +/- 8-sec peri-event window was used for the panels in Figure 4. Visual inspection of

these data indicates that there were only very brief (~ 1-sec) dips in the probability of

food-port behavior when rats lever pressed (Figures 4A-C) and in the probability of

lever-pressing when rats entered the food-port (Figures 4D-F). Importantly, we also

observed pronounced *increases* in the probability of food-port checking shortly after

lever-press performance (Figures 4A-C) and in the probability of lever-press prior to

food-port entry behavior (Figures 4D-F). These findings are consistent with previous

reports (Halbout et al. 2019; Marshall et al. 2020; Marshall and Ostlund 2018) and

indicate that these responses were typically performed together as a lever-press→port-

entry action sequence.

Figure 4. Peri-event histograms for lever-pressing and food-port-entry behavior during the Pavlovian-instrumental transfer test in Experiment 1. **(A-C)** Probability of food-port entries as a function of time from each lever press. **(D-F)** Probability of lever presses as a function of time from each food-port entry. Note the y-axes are different for Panels A-C and Panels D-F.

Discussion

The results of Experiment 1 indicate that the motivational influence of reward-predictive

cues on instrumental behavior varies inversely with expected reward magnitude, with

the 1-pellet cue increasing reward seeking and the 3- and 9-pellet cues decreasing this

behavior, particularly near the expected time of reward delivery. In contrast, attempts to

retrieve reward at the food-port were more apparent when larger rewards were

expected. While we did not include a control for nonassociative effects (e.g.,

pseudoconditioning) in this study, we have included such controls in several previous

studies using similar designs and typically find that unpaired cues have little or no effect

on instrumental performance (LeBlanc et al. 2013; LeBlanc et al. 2014; Ostlund et al.

2014). Moreover, the parametric effects of reward magnitude strongly imply that CS-

induced changes in lever-press rate were attributable to CS-specific associative

learning.

It is also notable that cue-elicited food-port entries did not monotonically vary with the

magnitude of the predicted reward during either Pavlovian training or PIT testing,

particularly in Group 3/9. While this may reflect random variability, our informal

observations suggest that cues signaling larger rewards tend to elicit fewer but more

persistent bouts of waiting at the food-port than the other cues. We therefore recorded

and analyzed food-port dwell times in Experiment 2 to more fully characterize the

influence of predicted reward value on this behavior and further probe competition

between food-port and lever-press responses.

Experiment 2

In Experiment 1, reward value (magnitude) was manipulated during Pavlovian

conditioning. This complicates data interpretation because it conflates the influence that

reward value has on conditioned responding with the potential influence that expected

reward value may have on the regulation of PIT performance. Consider the finding that

rats decrease their rate of lever pressing when presented with a cue that predicts the

delivery of 3 or 9 pellets. This may reflect a previously established tendency for such

cues to elicit a competing food-port response, which may be performed in an automatic

and inflexible manner. Thus, the results of Experiment 1 do not provide definitive

support for the hypothesis that reward-predictive cues prompt a flexible shift from lever

pressing to checking the food-port based on expected reward value, even though they

are generally compatible with this account.

The post-training reward devaluation procedure avoids this issue and provides a more

direct test of the degree to which a response is performed flexibly, based on an internal

representation of the expected reward (Colwill and Rescorla 1990; Holland 2004;

Holland and Straub 1979; Rescorla 1994). We applied this approach to probe the

influence of expected reward value on PIT performance using the same basic task used

in Experiment 1, but with a few key changes. In Experiment 2, rats were once again

trained to press a lever for a grain-based food pellet, after which they were given

differential Pavlovian conditioning with two distinct CS-reward contingencies. One CS

signaled the delivery of 3 banana pellets and the other CS signaled the delivery of 3

chocolate pellets. Based on the results of Group 3/3 in Experiment 1, we anticipated

that this training would establish cues that suppress lever pressing and elicit high levels

of food-port activity during the PIT test. However, in the current experiment, we

established a conditioned taste aversion to one of the two Pavlovian rewards after

training but prior to testing. Thus, while the two CSs signaled equally valuable rewards

during training, only one of these CSs signaled a valuable reward at test, with the other

signaling a recently devalued reward. According to the cognitive control account, this

treatment should selectively disrupt the behavioral effects of the CS associated with the

devalued reward since this cue no longer signals a need to suppress lever pressing and

check the food-port. However, if the behavioral effects of these CSs are established

during training and expressed in a habitual or automatic manner at test, then reward

devaluation should have no impact on task performance.

Methods

Animals and Apparatus

Sixteen experimentally naïve adult male Long Evans rats (Charles River) were used in

Experiment 2. As in Experiment 1, they arrived at the facility at approximately 10 weeks

of age. Husbandry, feeding, and experimental conditions were identical to that of

Experiment 1. The experiment was conducted in 16 operant chambers identical to the

ones used in Experiment 1.

Procedure

Magazine training. Rats received two magazine-training sessions as described in

Experiment 1.

Instrumental training. Instrumental training was conducted as in Experiment 1 with

the exception that all rats received two daily sessions of FR-1 training, which were

followed by 1 day of RI-15, 2 days of RI-30, and 10 days of RI-45 training.

Pavlovian training. Pavlovian training was conducted according to the same

conditions that were used for Experiment 1's Group 3/3, except that each cue predicted

a different type of food pellet. The food pellets used during Pavlovian training also

differed from the one used during instrumental training. For half of the rats (n = 8) a 3-

kHz tone predicted the delivery of three chocolate-flavored, sucrose-based pellets and a

10-Hz clicker predicted the delivery of three banana-flavored, sucrose-based pellets (45

mg; Dustless Precision Pellets, BioServ). The other rats (n = 8) received the alternative

arrangement (i.e., the tone predicted banana pellets and the click predicted chocolate

pellets). As for Experiment 1, Pavlovian training sessions involved 4 pseudorandomly-

alternating presentations of each CS (8 total trials per session) separated by 120-s ITI.

Pavlovian training took place over 25 sessions.

Specific reward devaluation by conditioned taste aversion (CTA). Following

Pavlovian training one of the two food pellets used during Pavlovian conditioning was

devalued through conditioned taste aversion learning. One type of food pellet was

paired with nausea induced by an injection of lithium chloride (LiCl), whereas the other

food pellet was paired with a saline injection (counterbalanced across conditioning

contingencies; both reward and stimulus identity). Rats first received 20 g of one type of

food pellet in a metal cup in a neutral housing plexiglass cage for 60 min, after which

they were given an injection of saline (20 mL/kg) before being returned to the home

cage. The following day they received 20 g of the other type of food pellet for 60 min,

followed by an injection of 20 mL/kg LiCl (0.15 M) (Balleine and Dickinson 1992; Bouton

et al. 2020) before being placed back in their home cage. Rats received a total of three

trials (days) with each food-injection arrangement in alternation over six days.

Pavlovian-to-instrumental transfer (PIT). Following CTA, rats received two daily

sessions of instrumental retraining (identical to earlier sessions with the RI-45 schedule)

followed, on the next day, by a 30-min session of instrumental extinction, as in

Experiment 1. On the following day, rats received a PIT test session as in Experiment 1,

during which the lever was once again continuously available but inactive. During the

test, rats received 4 noncontingent presentations of each 30-s CS in pseudorandom

order (ABBABAAB). The ITI was 150 s, and a 5-min interval preceded onset of the first

CS. No food pellets were delivered at test.

Data Analysis

As in Experiment 1, summary measures were obtained from the raw data using

MATLAB (The MathWorks; Natick, MA, USA) and analyzed with mixed-effects

regression models (Pinheiro and Bates 2000). Even though devaluation had yet to

occur, Pavlovian training analyses included fixed effects of group (i.e., banana- vs.

chocolate-flavored pellet devaluation) and CS type (i.e., devalued vs. nondevalued) and

a by-rat random intercept. Unlike Experiment 1, due to programming error, instrumental-

training analysis collapsed across all time bins, and a Wilcoxon rank sum test was used

to compare average lever-pressing rates between the rats who were to have banana

pellets devalued and those who were to have chocolate pellets devalued. For PIT

analyses, because there were no group differences during Pavlovian and instrumental

training (as reported below), the fixed-effects structure included CS type and 10-s CS

time bin (CS Time; continuous), along with the corresponding two-way interaction (CS

Type × CS Time); the random-effects structure included a by-rat random intercept.

Similarly, for the analysis of conditioned taste aversion (CTA), which preceded PIT, the

mixed-effects model's fixed-effects structure included the main effects of and interaction

between day (1, 2, 3; continuous) and CTA condition (saline, LiCl; categorical), with by-

rat random intercepts and slopes as a function of day (restricted to be uncorrelated). For

CTA analysis, because the criterion was grams consumed, we employed a Poisson

distribution with a log link function (i.e., data were converted to decagrams for analysis).

Categorical predictors were effects-coded (i.e., codes sum to 0), and continuous

predictors were mean-centered.

As in Experiment 1, our primary measures were lever-press and food-port entry rates.

Food-port dwell times were also recorded and analyzed. Outlier detection and removal

were also conducted as in Experiment 1. Specifically, data from one rat was removed

from instrumental training analyses and data from one rat was removed from Pavlovian

training analyses; for PIT analyses, one rat's lever-press data for trials with the

nondevalued CS was removed. Two data points were removed from the CTA analyses.

Lastly, 41 of 384 data points (i.e., paired observations of lever-pressing and food-port-

entry behavior) were excluded from trial-by-trial analyses of concurrent local changes in

both CS-induced lever-pressing and food-port-entry behavior, and 31 of 384 data points

(i.e., paired observations of lever-pressing and dwell-time behavior) were excluded from

trial-by-trial analyses of concurrent changes in both CS-induced lever-pressing and CS-

induced changes in dwell time. As in Experiment 1, the alpha level for all tests was .05,

and main effects and interactions are reported as the results of ANOVA *F*-tests.

Results

Instrumental and Pavlovian Training

As in Experiment 1, rats were first trained to lever press for food, with the final days of

training involving an RI-45-s schedule of reinforcement. While the rats had yet to

experience any reward devaluation, we compared the extent to which lever-press rates

differed by the eventual groups. Across the final three sessions of instrumental training,

mean (*SEM*) lever-press response rates for the rats in which the banana- and

chocolate-flavored pellets were later devalued were 15.3 (1.5) and 14.8 (1.4),

respectively, which were not significantly different, p = .397 (Wilcoxon rank sum test).

Likewise, there were no group differences in cue-elicited food-port entry behavior during

the final five sessions of Pavlovian training, $F(1, 27)$ = 0.01, p = .942 [banana devalued:

10.3 (1.3); chocolate devalued: 10.0 (2.1)], and there were no differences in cue-elicited

food-port entry behavior between the subsequently devalued versus nondevalued cues,

$F(1, 27)$ = 1.88, p = .182 [devalued: 9.5 (1.9); nondevalued: 10.8 (1.7)].

Conditioned taste aversion (CTA) training

After initial training, one of the two types of food pellet used during Pavlovian

conditioning was devalued through CTA training. As expected, rats selectively avoided

consuming the food pellet that was paired with LiCl versus the saline-paired food, F(1,

90) = 634.25, p < .001 (Figure 5). Analysis also revealed a main effect of day, F(1, 90) =

144.18, p < .001, and a significant Day × CTA Condition interaction, F(1, 90) = 663.63, p

< .001.

Figure 5. **Conditioned taste aversion in Experiment 2**. Grams consumed of the food reward

paired with saline or lithium chloride (LiCl) as a function of day (trial). Error bars reflect ± 1

between-subjects standard error of the mean.

Pavlovian-instrumental transfer (PIT)

After CTA training, rats received 2 sessions of instrumental retraining and 1 session of

instrumental extinction before undergoing a PIT test. Figure 3 shows cue-elicited

changes in lever pressing and food-port entry behavior relative to the 30-s pre-CS

period, plotted separately by CS type based on whether or not that cue signaled a

devalued reward. For lever pressing (Figure 6A), there was a main effect of CS type,

F(1, 89) = 6.23, p = .014, with the cue that signaled the nondevalued reward

suppressing the rate of lever pressing more than the cue that signaled the devalued

reward. There was no effect of CS time, $F(1, 89) = 2.61$, $p = .110$, nor was there a CS

Time × CS Type interaction, $F(1, 89) = 0.06$, $p = .809$.

In addition to being less effective in suppressing instrumental behavior, the cue that

signaled the devalued reward was less effective in increasing food-port entries versus

the cue that signaled the nondevalued reward, $F(1, 92) = 4.83$, $p = .031$ (Figure 6B).

There was a main effect of CS Time on cue-induced food-port entries, $F(1, 92) = 13.25$,

$p < .001$, but not a CS Time × CS Type interaction, $F(1, 92) = 0.04$, $p = .833$.

Figure 6. **Pavlovian-instrumental transfer in Experiment 2**. CS-induced changes in (A) lever-
press rates and (B) food-port entries relative to the pre-CS baseline on the Pavlovian-
instrumental transfer (PIT) test. These data are plotted separately according to CS Type
(Devalued vs. Nondevalued) and show changes in responding over time (10-sec bins) during
30-sec CS presentations (averaged across trials). CS = conditioned stimulus. Error bars reflect
± 1 between-subjects standard error of the mean.

As in Experiment 1, such findings raise the possibility that food-port entry behavior may

have interfered with lever-press performance during PIT trials through response

competition. However, we once again found that local changes in entry rate did not

negatively correlate with changes in press rate (Figure 7), as would be expected if cue-

elicited food-port behavior prevented rats from pressing the lever. Except for one rat

with respect to the nondevalued CS, r = .59, p = .045, there were no significant within-

subject associations between changes in press rate and changes in food-port behavior,

p's ≥ .055 (median p-value = .522). Moreover, inspection of the peri-event histograms

(Figure 8) indicates that these responses again produced only very brief periods of overt

competition, which was offset by their coordinated performance as lever-press→food-

port entry sequences.

Figure 7. **Trial-by-trial relationship between food-port-entry and lever-press rate for each 10-s CS bin during the Pavlovian-instrumental transfer (PIT) test for individual rats in Experiment 2**. Scatterplots are presented for each rat. Data are separated by trial (unlike in Figure 6) and 10-s CS bin (as in Figure 6). The abscissa shows the CS-induced changes in food-port-entry rate for individual time bins; the ordinate shows the CS-induced changes in lever-press rate for corresponding time bins. For each CS type for each rat, simple regression lines were fit, with dashed lines indicating that the fit was not significant and bolded lines indicating significance at $p < .05$. CS = conditioned stimulus.

Figure 8. Peri-event histograms for lever-pressing and food-port-entry behavior during the Pavlovian-instrumental transfer test in Experiment 2. **(A)** Probability of food-port entries as a function of time from each lever press. **(B)** Probability of lever presses as a function of time from each food-port entry. Note the y-axes are different for Panels A and B.

We also analyzed food-port dwell times (Figure 9) during the PIT test, which revealed that rats waited with their heads in the food-port to a similar degree during both CSs. Specifically, while dwell time increased over time during CS presentations, $F(1, 92) = 8.55$, $p = .004$, there was no effect of CS type, $F(1, 92) = 0.34$, $p = .564$, nor a CS Time × CS Type interaction, $F(1, 92) = 0.87$, $p = .354$. Furthermore, except for one rat with respect to the nondevalued CS, $r = .66$, $p = .027$, we found no within-subject correlations between CS-induced changes in dwell time and CS-induced changes in lever pressing, p's ≥ .050 (median p-value = .440; Figure 10). Therefore, it seems unlikely that the effect of reward devaluation on cue-elicited pressing was mediated by interference with food-port behavior.

Figure 9. **Food-port dwell time (s) during the Pavlovian-instrumental transfer test in**
Experiment 2. CS-induced changes in the amount of time rats spent in the food-port relative to
the pre-CS baseline during the Pavlovian-instrumental transfer (PIT) test. CS = conditioned
stimulus. Error bars reflect ± 1 between-subjects standard error of the mean.

Figure 10. **Trial-by-trial relationship between food-port dwell times and lever-press rate**
for each 10-s CS bin during the Pavlovian-instrumental transfer (PIT) test for individual
rats in Experiment 2. Scatterplots are presented for each rat. Data are separated by trial
(unlike in Figures 6 and 9) and 10-s CS bin (as in Figures 6 and 9). The abscissa shows the CS-
induced changes in dwell time for individual time bins; the ordinate shows CS-induced changes
in lever-press rate for corresponding time bins. For each CS type for each rat, simple regression
lines were fit, with dashed lines indicating that the fit was not significant and bolded lines
indicating significance at $p < .05$. CS = conditioned stimulus.

Discussion

These results show that Pavlovian reward-predictive cues can suppress instrumental

behavior and increase food-port activity in a flexible manner that depends on the current

value of the expected reward. It is worth noting that the devalued CS had little influence

on instrumental behavior in either direction. It is possible that cues which normally

suppress behavior may acquire latent motivational properties that can be expressed

under certain circumstances. For instance, a cue that signals a devalued reward might

become an effective motivator of instrumental behavior if the devaluation treatment

removes the inhibitory influence of reward expectancy without disrupting that cue's

motivational properties. As noted above, previous studies have shown that reward

devaluation typically does not disrupt the motivational influence of reward-paired cues

(Colwill and Rescorla 1990; Holland 2004; Rescorla 1994). However, such studies have

explored a limited range of parameters, typically involving cues that are loosely

correlated with reward delivery. Thus, it is possible that cues that signal precise

information about the time of reward delivery, such as the CSs used here, acquire

reward-specific motivational properties that are gated by expected reward value.

Interestingly, (Colwill and Rescorla 1990) found that while cues generally retain their

ability to motivate instrumental behavior following reward devaluation, this was not the

case for cues that signal forced intra-oral reward delivery, suggesting that Pavlovian

incentive motivation is indeed modulated by reward value under certain circumstances.

It is also possible that highly predictive cues, such as our CSs, do not acquire significant

motivational properties, or at least do not acquire properties that allow them to motivate

instrumental behavior. It is also notable that the current experiment used a "general" PIT

design, in that different rewards were used during instrumental and Pavlovian

conditioning phases, which may have limited the excitatory motivational influence of the

CSs. In contrast, in Experiment 1 and related studies (Marshall and Ostlund 2018), the

same reward was used during both conditioning phases, which may support a stronger

excitatory PIT effect. This procedural difference may also explain why, in Experiment 2,

we did not observe an initial rise or progressive decrease in lever pressing during CS

presentations, as in Experiment 1 and previous studies (Marshall and Ostlund 2018).

Yet another possibility is that the devaluation procedure used here was incomplete or

for some other reason failed to completely disrupt the suppressive influence of reward

expectancy on instrumental behavior. In this case, the motivational potential of the

devalued CS would remain unexpressed. While future studies will be needed to assess

these possibilities, the current findings provide strong evidence that the suppressive

influence of reward-predictive cues is flexibly modulated by expected reward value.

General Discussion

The current study shows that reward expectancy plays an important role in regulating

the expression of PIT performance. In Experiment 1, we found that cues signaling a

relatively small reward (1 pellet) elicit an immediate and sustained increase in lever

pressing while only modestly increasing food-port activity. In contrast, cues signaling

either intermediate (3 pellets) or large (9 pellets) magnitude rewards suppressed lever

pressing, particularly at the end of the cue period, near the expected time of reward

delivery. Experiment 2 provided more definitive evidence that reward-predictive cues

suppress instrumental behavior in a flexible, goal-directed manner. Specifically, we

found that the tendency for rats to withhold lever pressing when presented with such a

cue was attenuated if that cue signaled a devalued reward.

While the current findings show that expected reward value governs the suppressive

influence of reward-predictive cues on instrumental behavior, this is usually not the case

for the excitatory motivational influence of cues (i.e., Pavlovian incentive motivation). As

noted earlier, cues that are effective in motivating instrumental behavior tend to be long

in duration (e.g., 2-min) and signal sporadic reward delivery (Crombag et al. 2008;

Lovibond 1981). Previous studies have shown that the motivational influence of such

cues is surprisingly insensitive to post-training reward devaluation (Colwill and Rescorla

1990; Holland 2004; Rescorla 1994). This has been shown for both the nonspecific,

response-invigorating effect of such cues (Holland 2004), referred to as general PIT, as

well as the specific form of PIT, in which cues selectively increase the performance of

instrumental actions with which they share a common outcome (Colwill and Rescorla

1990; Holland 2004; Lingawi et al. 2022; Rescorla 1994; Sommer et al. 2022) (but see,

Panayi and Killcross 2022). Thus, the excitatory PIT effect appears to be driven by a

Pavlovian motivational process which compels instrumental behavior in an automatic or

habitual manner, as opposed to prompting a more deliberative process of goal-directed

decision making. This conclusion is bolstered by reports that instrumental training

protocols that promote habit formation also render performance more sensitive to

Pavlovian incentive motivation (Holland 2004; Wiltgen et al. 2012).

We propose that although Pavlovian incentive motivation is normally deployed in an

automatic manner, it is susceptible to top-down cognitive control under certain

conditions, allowing it to be flexibly regulated based on the current value of an expected

reward. Reward timing appears to be another important factor involved in regulating

Pavlovian incentive motivation. For instance, lever pressing is suppressed by cues

signaling imminent reward and stimulated by cues signaling long delays in reward

delivery (Crombag et al. 2008; Lovibond 1981; Marshall and Ostlund 2018). Moreover,

we have shown that cues signaling relatively short, predictable delays in reward delivery

provoke a gradual decrease in instrumental behavior that is most pronounced at the

expected reward delivery time (Marshall and Ostlund 2018), a trend that was also

apparent in Experiment 1. Pavlovian incentive motivation also appears to be negatively

regulated by expected reward probability. For instance, we have shown that cues

signaling that a low probability of reward tend to increase instrumental behavior,

whereas cues signaling a high probability of reward tend to decrease instrumental

behavior (Marshall et al. 2020). In addition to signaling information about reward

likelihood, timing, magnitude, and incentive value, cues also shape instrumental

behavior by signaling qualitative details about the flavor and texture of expected

rewards, as is evident in the specific PIT effect (Balleine 2016; Balleine and Ostlund

2007; Delamater 2011). This ability for cues to bias action selection to promote the

pursuit of expected rewards is dissociable from their more general motivational effects

(Corbit and Balleine 2016; Ostlund and Maidment 2012).

Our conceptual framework is generally compatible with behavior systems theory

(Timberlake et al. 1982), which assumes that cues shape conditioned behavior by

relaying information about the timing and location of food. According to this account,

cues that signal uncertain or delayed reward trigger a general search mode (e.g., sign-

tracking), whereas cues signaling imminent reward trigger a focal search mode (e.g.,

goal-tracking). Research on the influence of expected reward probability (Anselme et al.

2013; Davey and Cleland 1984) and reward timing (Timberlake et al. 1982) on

Pavlovian conditioned responding largely support these predictions. By extension, this

theory also readily explains the influence of these factors on PIT performance if one

makes the straightforward assumption that instrumental behavior is a general search

activity and food-port entry is a focal search activity. However, the behavior systems

account does not specify how rewards are represented during learning and therefore

does not make useful predictions about whether treatments such as reward devaluation

should differentially affect general versus focal search behavior.

Our framework is more directly aligned with Konorski's theory (1967, p. 276-280) that

Pavlovian conditioning involves independent motivational and cognitive learning

processes. According to this model, reward-paired cues rapidly become associated with

the emotional-motivational properties of reward, allowing them to elicit preparatory

conditioned responses and instrumental behavior. This motivational capacity extends to

all reward-paired cues, regardless of their temporal relationship with reward. However,

short cues that signal imminent reward delivery are assumed to be unique in their

tendency to form a separate association with a sensorily detailed representation of

reward. Activating this representation results in what is essentially a cognitive reward

expectancy, which is assumed to both evoke reward-specific consummatory behaviors

and inhibit concurrent activity in the emotional-motivational pathway, thereby

suppressing the impulse to act. This model readily accounts for the opposing effects of

reward imminence and reward probability on lever pressing and food-port approach

behavior during PIT, but also accounts for the opposing effects of reward magnitude

and incentive value on these behaviors, at least if one assumes that activation of the

sensory reward representation is greater when the predicted reward is large and

desirable than when it is small or undesirable. However, it should be noted that

Konorski's account does not readily explain the specific PIT effect, since it assumes that

the process of activating an outcome-specific reward representation should also

dampen a cue's motivational effects. Even more problematic, Delamater and Holland

(2008) found that cues that signal imminent reward (2-sec delay) are less effective at

eliciting specific PIT than cues signaling longer delays in reward delivery (20- to 180-

sec). Such findings are at odds with Konorski's account and indicate that temporal and

sensory features of reward are differentially encoded during Pavlovian conditioning and

exert distinct effects on instrumental performance.

We suggest that this inhibitory influence of reward-predictive cues represents a form of

top-down cognitive control that allows for flexible and efficient foraging behavior.

Seeking out new rewards through exploratory instrumental behavior is useful when

rewards are scarce, unpredictable, or difficult to obtain. However, when reward delivery

is imminent, such behavior becomes wasteful and may interfere with reward retrieval

and consumption. We suggest that rapidly shifting from reward seeking to reward

retrieval is particularly advantageous when a highly desirable reward is expected,

because there is more to lose in such situations. Conversely, there is less need to avoid

reward seeking when a small or devalued reward is expected since the potential loss is

relatively low. In this case, it may be more appropriate to delay searching for the

expected reward, perhaps until ongoing instrumental behavior has been completed.

While the current paper focuses on how Pavlovian learning influences instrumental

behavior, similar processes appear to shape the expression of conditioned approach

behavior. Rats' tendency to sign-track (i.e., approach the cue) is commonly assumed to

reflect a generalized motivational response (incentive salience), whereas goal-tracking

(i.e., checking the food-port) is assumed to be mediated by a cognitive expectancy of

reward (Flagel et al. 2009; Robinson et al. 2018; Sarter and Phillips 2018). This

distinction is supported in part by findings that goal-tracking tends to be more sensitive

than sign-tracking to reward devaluation (Amaya et al. 2020; but see Derman et al.

2018; Keefer et al. 2020; Morrison et al. 2015; Patitucci et al. 2016). There is now a

large body of studies that have adopted this framework to elucidate the neural

mechanisms of motivation and cognitive control and explore how individual variability in

conditioned approach behavior relate to addiction vulnerability (Anselme and Robinson

2020; Flagel et al. 2009; Robinson et al. 2018; Sarter and Phillips 2018). We suggest

that the PIT paradigm provides a complementary approach that more directly models

cognitive control over voluntary instrumental reward-seeking behavior.

At first glance, the current findings appear to be incompatible with current theories of

incentive learning (Dayan and Balleine 2002; McClure et al. 2003; Zhang et al. 2009)

which assume that the motivational properties of reward-predictive cues are directly

linked to their state values – i.e., the total delay-discount reward expected based on a

cue, as determined by temporal difference learning. These theories make the

straightforward and intuitive prediction that cues signaling that an upcoming reward will

be large and desirable should be more motivating than cues that predict a small or

undesirable reward. In contrast, the current study found evidence of the opposite

relationship; that is, the motivational effects of a cue varied inversely with the value of

the predicted reward. This theoretical approach is also difficult to reconcile with previous

findings that the motivational effects of a cue are negatively regulated by reward

probability (Marshall et al. 2020) and reward imminence or timing (Marshall and Ostlund

2018).

However, this interpretation assumes that the degree to which a cue stimulates

instrumental performance provides a reliable and selective readout of its incentive

motivational properties. While this is indeed the central assumption of the PIT paradigm

(Corbit and Balleine 2016; Holmes et al. 2010; Rescorla and Solomon 1967), it is

possible that a cue's motivational properties can also stimulate other appetitive

behaviors such as food-port activity. If this were the case, it would be a mistake to

conclude that cues that signal large, valuable reward lack motivational properties, since

they are generally effective in eliciting some form of appetitive behavior, if not

instrumental performance *per se*. It is also possible that cues are indeed assigned

motivational properties in line with their state values, as has been posited (Dayan and

Balleine 2002; McClure et al. 2003; Zhang et al. 2009), but that these properties remain

latent under certain conditions, such as when they are actively suppressed to allow for

other more controlled reward-seeking actions or strategies, such as devaluation-

sensitive food-port entry behavior. This is in line with previous studies showing that cues

which signal imminent delivery of a valuable reward can motivate instrumental behavior

if the predicted reward does not require the production of an conflicting consummatory

response (Baxter and Zamble 1982; LeBlanc et al. 2012; Lovibond 1983), or if the

conflicting behavior (e.g., food-port activity) has been extinguished prior to testing

(Holmes et al. 2010; Marshall and Ostlund 2018). While such findings are typically

interpreted in terms of overt response competition, we suggest that they may instead

reflect conditions under which it is not advantageous to suppress Pavlovian incentive

motivation or its excitatory influence on instrumental reward-seeking behavior.

Regardless of which of these accounts is more accurate, both are at least compatible

with the assumption that the motivational properties of a cue are linked to its state value

(Dayan and Balleine 2002; McClure et al. 2003; Zhang et al. 2009).

We have proposed (Ostlund and Marshall 2021) that this tendency for reward-predictive

cues to suppress instrumental behavior (positive conditioned suppression), may be

useful for assaying cognitive control over cue-motivated behavior and how it can go

awry to produce maladaptive behavior. For instance, we have shown that adolescent

male rats are impaired in using expected reward probability to shift from instrumental

behavior to food-port entry during PIT (Marshall et al. 2020). Whereas these rats

increased their instrumental behavior when presented with a cue that signaled a high

probability of reward, a control group of adult male rats showed the opposite effect,

suppressing their instrumental behavior while focusing their activity at the food-port.

Interestingly, cues that signaled a low probability of reward elicited a similar increase in

instrumental behavior in both adolescent and adult groups, which indicates that

adolescent rats were not simply more motivated by reward-paired cues. Using a similar

approach, we have shown that rats with a history of repeated cocaine exposure are

impaired in regulating their cue-motivated behavior, in this case based on the expected

time of reward delivery (Marshall and Ostlund 2018).

The current study suggests that such deficits reflect a failure of cognitive control over

cue-motivated behavior, which is normally expressed in a flexible and goal-directed

manner. Further work is needed to validate this framework. For instance, more should

be done to determine if cues normally motivate instrumental behavior through an

automatic process (that is, without considering the current value of the predicted

reward) and whether this depends on Pavlovian conditioning parameters such as CS-

reward interval. More should also be done to characterize the nature of the positive

conditioned suppression effect. While our findings suggest that this effect is not a simple

product of response competition, it would be a mistake to conclude that response

conflict plays no role in this phenomenon. Indeed, theories of cognitive control assume

that one of its core functions is to flexibly resolve conflict between competing response

tendencies (Botvinick and Braver 2015; Braver 2012). Although some findings suggest

that positive conditioned suppression may be limited to situations that involve conflict

between overt motor responses (Baxter and Zamble 1982; Lovibond 1983), this

question deserves more attention. For instance, previous reports suggest that positive

conditioned suppression is particularly pronounced when instrumental behavior is

reinforced on a high-effort ratio schedule (Kelly 1973; Lovibond 1981; Soltysik et al.

1976), which suggests that this effect may reflect an adaptive response to reduce

unnecessary energy expenditure.

References
906
Amaya KA, Stott JJ, Smith KS (2020) Sign-tracking behavior is sensitive to outcome
devaluation in a devaluation context-dependent manner: implications for
analyzing habitual behavior. Learn Memory 27: 136-149.
Anselme P, Robinson MJF (2020) From sign-tracking to attentional bias: Implications for
gambling and substance use disorders. Progress in Neuro-Psychopharmacology
and Biological Psychiatry 99: 109861.
Anselme P, Robinson MJF, Berridge KC (2013) Reward uncertainty enhances incentive
salience attribution as sign-tracking. Behavioural Brain Research 238: 53-61.
Azrin NH, Hake DF (1969) Positive Conditioned Suppresion - Conditioned Suppression
Using Positive Reinforcers as Unconditioned Stimuli. J Exp Anal Behav 12: 167-
173.
Balleine BW (2016) The cognitive control of goal-directed action: how predictive
learning affects choice Advances in Cognitive Neurodynamics (V). Springer, pp
27-33
Balleine BW, Dickinson A (1992) Signalling and incentive processes in instrumental
reinforcer devaluation. The Quarterly Journal of Experimental Psychology
Section B 45: 285-301.
Balleine BW, Ostlund SB (2007) Still at the choice-point - Action selection and initiation
in instrumental conditioning. In: Balleine BW, Doya K, Odoherty J, Sakagami M
(eds) Reward and Decision Making in Corticobasal Ganglia Networks (Annals of
the New York Academy of Sciences), pp 147-171
Baxter DJ, Zamble E (1982) Reinforcer and response specificity in appetitive transfer of
control. Animal Learning & Behavior 10: 201-210.
Boisgontier MP, Cheval B (2016) The anova to mixed model transition. Neurosci
Biobehav Rev 68: 1004-1005.
Bolker BM, Brooks ME, Clark CJ, Geange SW, Poulsen JR, Stevens MHH, White J-SS
(2009) Generalized linear mixed models: a practical guide for ecology and
evolution. Trends in Ecology & Evolution 24: 127-135.
Botvinick M, Braver T (2015) Motivation and Cognitive Control: From Behavior to Neural
Mechanism. Annual Review of Psychology 66: 83-113.

Bouton ME, Broomer MC, Rey CN, Thrailkill EA (2020) Unexpected food outcomes can

return a habit to goal-directed action. Neurobiology of Learning and Memory 169:

107163.

Braver TS (2012) The variable nature of cognitive control: a dual mechanisms

framework. Trends in Cognitive Sciences 16: 106-113.

Cartoni E, Balleine BW, Baldassarre G (2016) Appetitive Pavlovian-instrumental

Transfer: A review. Neurosci Biobehav Rev 71: 829-848.

Colwill RM, Rescorla RA (1990) Effect of reinforcer devaluation on discriminative control

of instrumental behavior. Journal of Experimental Psychology: Animal Behavior

Processes 16: 40-47.

Corbit LH, Balleine BW (2016) Learning and Motivational Processes Contributing to

Pavlovian-Instrumental Transfer and Their Neural Bases: Dopamine and Beyond.

Curr Top Behav Neurosci 27: 259-89.

Corbit LH, Janak PH (2007) Ethanol-associated cues produce general pavlovian-

instrumental transfer. Alcohol Clin Exp Res 31: 766-74.

Corbit LH, Janak PH (2016) Changes in the Influence of Alcohol-Paired Stimuli on

Alcohol Seeking across Extended Training. Front Psychiatry 7: 169.

Crombag HS, Galarce EM, Holland PC (2008) Pavlovian influences on goal-directed

behavior in mice: The role of cue-reinforcer relations. Learn Memory 15: 299-

303.

Davey GCL, Cleland GG (1984) Food Anticipation and Lever-Directed Activities in Rats.

Learning and Motivation 15: 12-36.

Dayan P, Balleine BW (2002) Reward, motivation, and reinforcement learning. Neuron

36: 285-98.

Delamater AR (2011) At the interface of learning and cognition: An associative learning

perspective. International Journal of Comparative Psychology 24.

Delamater AR, Holland PC (2008) The influence of CS-US interval on several different

indices of learning in appetitive conditioning. Journal of experimental psychology

Animal behavior processes 34: 202-222.

Delamater AR, Oakeshott S (2007) Learning about multiple attributes of reward in
Pavlovian conditioning. Annals of the New York Academy of Sciences 1104: 1-
20.
Derman RC, Schneider K, Juarez S, Delamater AR (2018) Sign-tracking is an
expectancy-mediated behavior that relies on prediction error mechanisms. Learn
Memory 25: 550-563.
Dickinson A, Smith J, Mirenowicz J (2000) Dissociation of Pavlovian and instrumental
incentive learning under dopamine antagonists. Behav Neurosci 114: 468-483.
Ellison GD, Konorski J (1965) An investigation of the relations between salivary and
motor responses during instrumental performance. Acta biologiae experimentalis
25: 297-315.
Estes WK (1948) Discriminative conditioning; effects of a Pavlovian conditioned
stimulus upon a subsequently established operant response. J Exp Psychol 38:
173-7.
Flagel SB, Akil H, Robinson TE (2009) Individual differences in the attribution of
incentive salience to reward-related cues: Implications for addiction.
Neuropharmacology 56: 139-148.
Garbusow M, Schad DJ, Sebold M, Friedel E, Bernhardt N, Koch SP, Steinacher B,
Kathmann N, Geurts DEM, Sommer C, Müller DK, Nebe S, Paul S, Wittchen H-
U, Zimmermann US, Walter H, Smolka MN, Sterzer P, Rapp MA, Huys QJM,
Schlagenhauf F, Heinz A (2016) Pavlovian-to-instrumental transfer effects in the
nucleus accumbens relate to relapse in alcohol dependence. Addiction Biology
21: 719-731.
Genauck A, Andrejevic M, Brehm K, Matthis C, Heinz A, Weinreich A, Kathmann N,
Romanczuk-Seiferth N (2020) Cue-induced effects on decision-making
distinguish subjects with gambling disorder from healthy controls. Addict Biol 25:
e12841.
Halbout B, Marshall AT, Azimi A, Liljeholm M, Mahler SV, Wassum KM, Ostlund SB
(2019) Mesolimbic dopamine projections mediate cue-motivated reward seeking
but not reward retrieval in rats. Elife 8: e43551.

Hoffman L, Rovine MJ (2007) Multilevel models for the experimental psychologist:
Foundations and illustrative examples. Behavior Research Methods 39: 101-117.

Holland PC (2004) Relations between Pavlovian-instrumental transfer and reinforcer
devaluation. J Exp Psychol Anim Behav Process 30: 104-17.

Holland PC, Straub JJ (1979) Differential effects of two ways of devaluing the
unconditioned stimulus after Pavlovian appetitive conditioning. Journal of
Experimental Psychology: Animal Behavior Processes 5: 65.

Holmes NM, Marchand AR, Coutureau E (2010) Pavlovian to instrumental transfer: a
neurobehavioural perspective. Neurosci Biobehav Rev 34: 1277-95.

Keefer SE, Bacharach SZ, Kochli DE, Chabot JM, Calu DJ (2020) Effects of limited and
extended Pavlovian training on devaluation sensitivity of sign-and goal-tracking
rats. Frontiers in Behavioral Neuroscience 14: 3.

Kelly DD (1973) SUPPRESSION OF RANDOM-RATIO AND ACCELERATION OF
TEMPORALLY SPACED RESPONDING BY THE SAME PREREWARD
STIMULUS IN MONKEYS 1. J Exp Anal Behav 20: 363-373.

Konorski J (1967) Integrative Activity of the Brain: An Interdisciplinary Approach.
University of Chicago Press

Konorski J, Wyrwicka W (1950) Researches Into Conditioned Reflexes of the Second
Type. 1. Transformation of Conditioned Reflexes of the First Type into
Conditioned Reflexes of the Second Type. Acta biologiae experimentalis 15: 193-
208.

LeBlanc KH, Maidment NT, Ostlund SB (2013) Repeated cocaine exposure facilitates
the expression of incentive motivation and induces habitual control in rats. PloS
one 8: e61355.

LeBlanc KH, Maidment NT, Ostlund SB (2014) Impact of repeated intravenous cocaine
administration on incentive motivation depends on mode of drug delivery. Addict
Biol 19: 965-71.

LeBlanc KH, Ostlund SB, Maidment NT (2012) Pavlovian-to-instrumental transfer in
cocaine seeking rats. Behav Neurosci 126: 681-9.

Leys C, Ley C, Klein O, Bernard P, Licata L (2013) Detecting outliers: Do not use
standard deviation around the mean, use absolute deviation around the median.
Journal of Experimental Social Psychology 49: 764-766.
Lingawi NW, Berman T, Bounds J, Laurent V (2022) Sensory-Specific Satiety
Dissociates General and Specific Pavlovian-Instrumental Transfer. Front Behav
Neurosci 16: 877720.
Lovibond PF (1981) Appetitive Pavlovian-Instrumental Interactions - Effects of Inter-
Stimulus Interval and Baseline Reinforcement Conditions. Q J Exp Psychol-B 33:
257-269.
Lovibond PF (1983) Facilitation of instrumental behavior by a Pavlovian appetitive
conditioned stimulus. J Exp Psychol Anim Behav Process 9: 225-47.
Marshall AT, Munson CN, Maidment NT, Ostlund SB (2020) Reward-predictive cues
elicit excessive reward seeking in adolescent rats. Dev Cogn Neurosci 45:
100838.
Marshall AT, Ostlund SB (2018) Repeated cocaine exposure dysregulates cognitive
control over cue-evoked reward-seeking behavior during Pavlovian-to-
instrumental transfer. Learn Mem 25: 399-409.
Matell MS, Della Valle RB (2018) Temporal specificity in Pavlovian-to-instrumental
transfer. Learn Memory 25: 8-20.
McClure SM, Daw ND, Montague PR (2003) A computational substrate for incentive
salience. Trends Neurosci 26: 423-8.
Meltzer D, Hamm RJ (1978) Differential conditioning of conditioned enhancement and
positive conditioned suppression. Bulletin of the Psychonomic Society 11: 29-32.
Miczek KA, Grossman SP (1971) POSITIVE CONDITIONED SUPPRESSION:
EFFECTS OF CS DURATION 1. J Exp Anal Behav 15: 243-247.
Miller EK, Cohen JD (2001) An Integrative Theory of Prefrontal Cortex Function. Annual
Review of Neuroscience 24: 167-202.
Morrison SE, Bamkole MA, Nicola SM (2015) Sign tracking, but not goal tracking, is
resistant to outcome devaluation. Frontiers in neuroscience 9: 468.

Ostlund SB, LeBlanc KH, Kosheleff AR, Wassum KM, Maidment NT (2014) Phasic
mesolimbic dopamine signaling encodes the facilitation of incentive motivation
produced by repeated cocaine exposure. Neuropsychopharmacology 39: 2441-9.
Ostlund SB, Maidment NT (2012) Dopamine Receptor Blockade Attenuates the General
Incentive Motivational Effects of Noncontingently Delivered Rewards and
Reward-Paired Cues Without Affecting Their Ability to Bias Action Selection.
Neuropsychopharmacology 37: 508-519.
Ostlund SB, Marshall AT (2021) Probing the role of reward expectancy in Pavlovian-
instrumental transfer. Current Opinion in Behavioral Sciences 41: 106-113.
Panayi MC, Killcross S (2022) Outcome devaluation by specific satiety disrupts
sensory-specific Pavlovian-to-instrumental transfer. Front Behav Neurosci 16:
983480.
Patitucci E, Nelson AJD, Dwyer DM, Honey RC (2016) The origins of individual
differences in how learning is expressed in rats: A general-process perspective.
Journal of Experimental Psychology: Animal Learning and Cognition 42: 313.
Pinheiro JC, Bates DM (2000) Mixed-effects models in S and S-PLUS. Springer, New
York
Rescorla RA (1994) Transfer of instrumental control mediated by a devalued outcome.
Animal Learning & Behavior 22: 27-33.
Rescorla RA, Solomon RL (1967) Two-process learning theory: Relationships between
Pavlovian conditioning and instrumental learning. Psychol Rev 74: 151-82.
Robinson TE, Carr C, Kawa AB (2018) The propensity to attribute incentive salience to
drug cues and poor cognitive control combine to render sign-trackers susceptible
to addiction. Sign-tracking and drug addiction (Vol A) 10.
Rousseeuw PJ, Croux C (1993) Alternatives to the Median Absolute Deviation. Journal
of the American Statistical Association 88: 1273-1283.
Saddoris MP, Stamatakis A, Carelli RM (2011) Neural correlates of Pavlovian-to-
instrumental transfer in the nucleus accumbens shell are selectively potentiated
following cocaine self-administration. European Journal of Neuroscience 33:
2274-2287.

Sarter M, Phillips KB (2018) The neuroscience of cognitive-motivational styles: Sign-and
goal-trackers as animal models. Behav Neurosci 132: 1.

Schielzeth H, Nakagawa S, Freckleton R (2013) Nested by design: model fitting and
interpretation in a mixed model era. Methods in Ecology and Evolution 4: 14-24.

Sebold M, Garbusow M, Cerci D, Chen K, Sommer C, Huys QJ, Nebe S, Rapp M, Veer
IM, Zimmermann US, Smolka MN, Walter H, Heinz A, Friedel E (2021)
Association of the OPRM1 A118G polymorphism and Pavlovian-to-instrumental
transfer: Clinical relevance for alcohol dependence. J Psychopharmacol:
269881121991992.

Shiflett MW (2012) The effects of amphetamine exposure on outcome-selective
Pavlovian-instrumental transfer in rats. Psychopharmacology (Berl) 223: 361-70.

Shiflett MW, Riccie M, DiMatteo R (2013) The effects of amphetamine sensitization on
conditioned inhibition during a Pavlovian-instrumental transfer task in rats.
Psychopharmacology (Berl) 230: 137-47.

Soltysik S, Konorski J, Holownia A, Rentoul T (1976) The effect of conditioned stimuli
signalling food upon the autochthonous instrumental responses in dogs. Acta
Neurobioliae Experimentalis 36: 277-310.

Sommer S, Münster A, Fehrentz JA, Hauber W (2022) Effects of Motivational
Downshifts on Specific Pavlovian-Instrumental Transfer in Rats. Int J
Neuropsychopharmacol 25: 173-184.

Tatham TA, Zurn KR (1989) The MED-PC experimental apparatus programming
system. Behavior Research Methods, Instruments, & Computers 21: 294-302.

Timberlake W, Wahl G, King DA (1982) Stimulus and response contingencies in the
misbehavior of rats. Journal of Experimental Psychology: Animal Behavior
Processes 8: 62.

Vandyne GC (1971) Conditioned Suppression with a Positive Us in Rat. J Comp Physiol
Psych 77: 131-&.

Vogel V, Kollei I, Duka T, Snagowski J, Brand M, Muller A, Loeber S (2018) Pavlovian-
to-instrumental transfer: A new paradigm to assess pathological mechanisms
with regard to the use of Internet applications. Behav Brain Res 347: 8-16.

Wiltgen BJ, Sinclair C, Lane C, Barrows F, Molina M, Chabanon-Hicks C (2012) The
effect of ratio and interval training on Pavlovian-instrumental transfer in mice.
PloS one 7: e48227.
Wyvell CL, Berridge KC (2001) Incentive sensitization by previous amphetamine
exposure: increased cue-triggered "wanting" for sucrose reward. J Neurosci 21:
7831-40.
Zhang J, Berridge KC, Tindell AJ, Smith KS, Aldridge JW (2009) A neural computational
model of incentive salience. PLoS Comput Biol 5: e1000437.
1122