Identification of Key Pathways and Genes in Dementia via Integrated Bioinformatics Analysis

Basavaraj Vastrad[1], Chanabasayya Vastrad*[2]

1. Department of Biochemistry, Basaveshwar College of Pharmacy, Gadag, Karnataka 582103, India.

2. Biostatistics and Bioinformatics, Chanabasava Nilaya, Bharthinagar, Dharwad 580001, Karnataka, India.

* Chanabasayya Vastrad

channu.vastrad@gmail.com

Ph: +919480073398

Chanabasava Nilaya, Bharthinagar,

Dharwad 580001 , Karanataka, India

Abstract

To provide a better understanding of dementia at the molecular level, this study aimed to identify the genes and key pathways associated with dementia by using integrated bioinformatics analysis. Based on the expression profiling by high throughput sequencing dataset GSE153960 derived from the Gene Expression Omnibus (GEO), the differentially expressed genes (DEGs) between patients with dementia and healthy controls were identified. With DEGs, we performed a series of functional enrichment analyses. Then, a protein–protein interaction (PPI) network, modules, miRNA-hub gene regulatory network and TF-hub gene regulatory network was constructed, analyzed and visualized, with which the hub genes miRNAs and TFs nodes were screened out. Finally, validation of hub genes was performed by using receiver operating characteristic curve (ROC) analysis and RT-PCR. A total of 948 DEGs were screened out, among which 475 genes were up regulated; while 473 were down regulated. Functional enrichment analyses indicated that DEGs were mainly involved in defense response, ion transport, neutrophil degranulation and neuronal system. The hub genes (CDK1, TOP2A, MAD2L1, RSL24D1, CDKN1A, NOTCH3, MYB, PWP2, WNT7B and HSPA12B) were identified from PPI network, modules, miRNA-hub gene regulatory network and TF-hub gene regulatory network. We identified a series of key genes along with the pathways that were most closely related with dementia initiation and progression. Our results provide a more detailed molecular mechanism for the advancement of dementia, shedding light on the potential biomarkers and therapeutic targets.

Keywords: dementia; expression profiling by high throughput sequencing; bioinformatics; differentially expressed gene; protein-protein interaction network

Introduction

Dementia is a neuropsychiatric syndrome characterized by losses of cognitive and emotional abilities [1]. Dementia patients show varying levels of behavior disturbance includes agitation, aggression, and rejection of care [2]. The numbers of cases of dementia are increasing globally and it has become an essential mental health concern. According to a survey, the prevalence of dementia is expected to reaching 110 million in 2050 [3]. The prevalence of dementia fast elevates from about 2-3% among those aged 70–75 years to 20–25% among those aged 85 years or more [4]. Alzheimer's disease is the neurodegenerative origin of dementia [5]. Many investigations suggest that modifications in multiple genes and signaling pathways are associated in controlling the advancement of dementia. However, an inadequacy of investigation on the precise molecular mechanisms of dementia advancement limits the treatment efficacy of the disease at present. Therefore, understanding the molecular mechanisms of dementia occurrence and progression is of utmost essential for diagnosis, prognosis and targeted therapy in the future.

In recent decades, more and more researchers have devoted themselves to exploring the molecular mechanisms by which signaling pathways regulates the progression of dementia. Signaling pathways includes TGF-β signaling pathway [6], TLR4/MyD88/NF-κB signaling pathway [7], Akt/mTOR signaling pathway [8], SIRT1/PGC-1α signaling pathway [9] and VEGF–VEGFR2 signaling pathway [10] are involved in the initiation and progression of dementia. Further, a series of genes such as UBQLN2 [11], PRKAR1B [12], apolipoprotein E (APOE) [13], TREM2 [14] and PON1 [15], have been predicted as target genes for diagnosing and treatment of dementia. However, the interactions between genes, signal pathway, miRNAs and transcription factors (TFs) warrant further comprehensive analysis.

RNA sequencing has increasingly become a promising tool in studying neuropsychiatric disorders [16]. These genomic data offer possibilities for identifying certain disease□related genes. Recently, many investigations have been performed according to expression profiling by high throughput sequencing data profiles to elucidate the pathogenesis of dementia [17].

In the current study, we downloaded expression profiling by high throughput sequencing dataset, GSE153960 [18], from the NCBI Gene Expression Omnibus database (NCBI GEO) (http://www.ncbi.nlm.nih.gov/geo/) [19], including gene expression data from 263 patients with dementia and 277 healthy controls. We identified differentially expressed genes (DEGs) using the limma R bioconductor package with standard data processing. To further understand the function of genes, Gene Ontology (GO) enrichment analysis, REACTOME pathway enrichment analysis, protein-protein interaction (PPI) network construction and analysis, module analysis, miRNA-hub regulatory gene network construction and analysis and TF-hub regulatory gene network construction and analysis were performed in sequence. Finally, selected hub genes were verified by receiver operating characteristic curve (ROC) analysis and RT-PCR. We anticipated that these investigations will implement further insight of dementia pathogenesis and development at the molecular level.

Material and Methods

RNA sequencing data

The expression profiling by high throughput sequencing dataset (GEO access number: GSE153960, contributed by Prudencio et al. [18], were downloaded from the NCBI GEO, which was currently the largest fully public gene expression resource. There were a total of 540 samples in this analysis, including 263 patients with dementia and 277 healthy controls.

Identification of DEGs

The DEGs were identified by using limma package in R between patients with dementia and healthy controls [20], with the criteria of |log fold change (FC)| > 0.6 for up regulated genes, |log fold change (FC)| < -0.7 for down regulated genes and p-value < 0.05 followed by multiple-testing correction using the Benjamini-Hochberg procedure to obtain the adjusted p-value [21].

GO and REACTOME pathway enrichment analysis

ToppGene (ToppFun) (https://toppgene.cchmc.org/enrichment.jsp) [22] is a tool which provides a comprehensive set of functional annotation tools for researchers to investigate the biological meaning of genes. Identified DEGs were investigated

further using ToppGene, Gene Ontology (GO) (http://geneontology.org/) [23] and REACTOME (https://reactome.org/) [24] pathway enrichment analyses. P<0.05 and gene counts of >5 were considered to indicate a statistically significant difference in the functional enrichment analysis.

PPI network construction and module analysis

Identified DEGs were mapped into the online Search Tool for the Retrieval of Interacting Genes (STRING) database [25] to evaluate the interactive relationships among the DEGs. Interactions with a combined score >0.4 were defined as statistically significant. Cytoscape software (version 3.8.2) (www.cytoscape.org) [26] was used to visualize the integrated regulatory networks. According to the node degree [27], betweenness centrality [28], stress centrality [29] and closeness centrality [30] in the Cytoscape plugin Network Analyzer, the top five ranked genes were defined as hub genes. . The Cytoscape plugin PEWCC1 (http://apps.cytoscape.org/apps/PEWCC1) [31] was used to further detect deeper connected regions within the PPI network.

MiRNA-hub gene regulatory network construction

MiRNA-hub gene regulatory was constructed employing the hub genes. MiRNA targets were extracted from miRNet database (https://www.mirnet.ca/) [32]. The regulatory interactions between miRNA and hub genes were obtained. The miRNA-target regulatory networks were visualized by Cytoscape.

TF-hub gene regulatory network construction

TF-hub gene regulatory was constructed employing the hub genes. TF targets were extracted from NetworkAnalyst database (https://www.networkanalyst.ca/) [33]. The regulatory interactions between TF and hub genes were obtained. The TF-target regulatory networks were visualized by Cytoscape.

Validation of hub genes by receiver operating characteristic curve (ROC) analysis

The multivariate modeling with selected hub genes were used to identify biomarkers with high sensitivity and specificity for dementia diagnosis. Used one data as training set and other as validation set iteratively. The receiver operator

characteristic curves were plotted and area under curve (AUC) was determined independently to check the conduct of each model using the R packages "pROC" [34]. An AUC $>$ 0.9 marked that the model had a positive fitting effect.

Detection of the mRNA expression of the hub genes by RT-PCR

SK-N-MC (ATCC HTB-10) culture for dementia and neuronal progenitor cells (ATCC ACS-5007) a normal control were purchased from the American Type Culture Collection (ATCC) (Maryland, USA). SK-N-MC cells were cultured in Eagle's Minimum Essential Medium (EMEM) which contains 10% fetal bovine serum. Neuronal progenitor cells were cultured in Dulbecco's modified Eagle's medium (DMEM) F-12 medium. The culture temperature is 37 °C and CO_2 concentration is 5%. TRI Reagent (Sigma, USA) was used to extract Total RNA according to the manufacturer instructions. Subsequently, complementary DNA was synthesized from the RNA by reverse transcription using the FastQuant RT kit (with gDNase; Tiangen Biotech Co., Ltd.). The RT-PCR assay was performed with QuantStudio 7 Flex real-time PCR system (Thermo Fisher Scientific, Waltham, MA, USA). β-actin was used for the endogenous control. Primer sequences were listed in Table 1. The $2^{-\Delta\Delta ct}$ method was used to calculate Relative genes expression levels [35].

Results

Identification of DEGs

There were 263 patients with dementia and 277 healthy controls in our present study. Via Limma in R bioconductor package, we identified 948 DEGs from GSE153960. Among them, 475 genes were up regulated; while 473 were down regulated (Table 2). A heatmap of the up regulated and down regulated genes, was produced using the gplots package and R software. A volcano plot of all of the DEGs was generated using ggplot2 package and R software. The heatmap and volcano plot are shown in Fig. 1 and and Fig. 2, respectively.

GO and REACTOME pathway enrichment analysis

GO and REACTOME enrichment analysis for DEGs was performed using the ToppGene. We uploaded all DEGs to identify the GO categories and REACTOME pathways of the DEGs. The enriched GO terms were classified into biological

process (BP), cellular component (CC) and molecular function (MF). GO analysis results showed that for BP, up regulated genes were significantly enriched in defense response and cell activation (Table 3). Down regulated genes were significantly enriched in BP, including ion transport and trans-synaptic signaling (Table 3). Up regulated genes were significantly enriched in CC, including whole membrane and intrinsic component of plasma membrane (Table 3). Down regulated genes were significantly enriched in CC, including integral component of plasma membrane and neuron projection (Table 3). GO MF showed that the up regulated genes were significantly enriched in molecular transducer activity and signaling receptor binding (Table 3). Down regulated genes were significantly enriched in MF, including transporter activity and transmembrane signaling receptor activity (Table 3). Moreover, REACTOME pathways were over represented in the up regulated genes, including neutrophil degranulation and innate immune system, while the down regulated genes were significantly enriched in REACTOME pathways, including neuronal system and NCAM signaling for neurite out-growth (Table 4).

PPI network construction and module analysis

By using the STRING database, the PPI network of DEGs was established and consisted of 3837 nodes and 7530 edges (Fig .3). The PPI network was observed by Cytoscape, and the cut-off criterion of hub gene selection with high node degree, betweenness centrality, stress centrality and closeness centrality. A top 10 genes were selected for key biomarker identification (Table 5). They consisted of 5 up regulated genes (CDK1, TOP2A, MAD2L1, RSL24D1 and CDKN1A) and 5 down regulated genes (NOTCH3, MYB, PWP2, WNT7B and HSPA12B). The 2 most significant modules were extracted from the PPI network by PEWCC1, which included a module 1 consisted of 9 nodes and 17 edges (Fig.4A), which are mainly associated with molecular transducer activity and innate immune system and module 2 consisted of 8 nodes and 15 edges (Fig.4B), which are mainly associated with GPCR ligand binding, neuronal system, trans-synaptic signaling and integral component of plasma membrane.

MiRNA-hub gene regulatory network construction

The miRNA-hub gene regulatory network was shown in Fig. 5, consisting of 2303 nodes and 9686 interactions. The nodes with high topological score can be regarded as key network nodes. The results, output by the powerful visualization system, indicated that 444 miRNAs (ex; hsa-mir-1248) might target CDKN1A, 127 miRNAs (ex; hsa-mir-6887-3p) might target TGFBR1, 113 miRNAs (ex; hsa-mir-101-5p) might target EIF4A2, 109 miRNAs (ex; hsa-mir-488-5p) might target CDK1, 107 miRNAs (ex; hsa-mir-548l) might target HSPA13, 88 miRNAs (ex; hsa-mir-6886-5p) might target WNT7B, 47 miRNAs (ex; hsa-mir-150-3p) might target MYB, 43 miRNAs (ex; hsa-mir-195-5p) might target NR4A1, 41 miRNAs (ex; hsa-mir-206) might target NOTCH3 and 35 miRNAs (ex; hsa-mir-155-5p) might target KIFC2 and are listed in Table 6.

TF-hub gene regulatory network construction

The TF-hub gene regulatory network was shown in Fig. 6, consisting of 577 nodes and 5405 interactions. The nodes with high topological score can be regarded as key network nodes. The results, output by the powerful visualization system, indicated that 105 TFs (ex; MLLT1) might target CDKN1A, 63 TFs (ex; STAT1) might target EIF4A2, 37 TFs (ex; TBP) might target U2AF1, 33 TFs (ex; ELF1) might target SFN, 24 TFs (ex; HMBOX1) might target BTK, 71 TFs (ex; BCL11B) might target KIFC2, 61 TFs (ex; TEAD3) might target CALML6, 49 TFs (ex; KAT2A) might target NR4A1, 44 TFs (ex; SP3) might target MYB and 32 TFs (ex; FOSL2) might target ADCY4 and are listed in Table 6.

Validation of hub genes by receiver operating characteristic curve (ROC) analysis

ROC curve analysis using "pROC" packages was performed to calculate the capacity of 5 up regulated and 5 down genes to distinguish patients with dementia from healthy controls. CDK1, TOP2A, MAD2L1, RSL24D1, CDKN1A, NOTCH3, MYB, PWP2, WNT7B and HSPA12B all exhibited excellent diagnostic efficiency (AUC > 0.9) (Fig. 7).

Detection of the mRNA expression of the hub genes by RT-PCR

As presented in the result, CDK1, TOP2A, MAD2L1, RSL24D1 and CDKN1A were markedly up regulated in dementia samples, when compared with the normal control, while NOTCH3, MYB, PWP2, WNT7B and HSPA12B were markedly down regulated in dementia samples, when compared with the normal control (Fig. 8). It should be noted that the expression situation of CDK1, TOP2A, MAD2L1, RSL24D1, CDKN1A, NOTCH3, MYB, PWP2, WNT7B and HSPA12B were consistent in above results of bioinformatics.

Discussion

As dementia is the most frequent neurodegenerative disorder worldwide, it is important to understand the molecular mechanism of dementia, which might provide a novel field in diagnosis and therapy of dementia. In this investigation, we got a total of 948 DEGs including 475 up regulated and 473 down regulated genes. Sanfilippo et al [36], Kamboh et al [37], Hartlage-Rübsamen et al [38], Pey et al [39], Yu et al [40] and Wang et al [41] found that CHI3L2, SERPINA3, CCL2, CD163, HLA-DRB5 and GSTM1 are expressed in Alzheimer's disease patients. BCL2A1 is implicated in the growth of amyotrophic lateral sclerosis [42], but this gene might be associated with progression of dementia. HES5 [43] and CYP2D6 [44] are detected in brain cells and is highly correlated with dementia.

The DEGs obtained were remarkably enriched in GO terms and pathway under defense response, whole membrane, molecular transducer activity, neutrophil degranulation, ion transport, integral component of plasma membrane, transporter activity and neuronal system. Defense response [45], cell activation [46], whole membrane [47], intrinsic component of plasma membrane [48], neutrophil degranulation [49], innate immune system [50], hemostasis [51], ion transport [52], neuron projection [53], transporter activity [54], neuronal system [55] and axon guidance [56] were responsible for progression of dementia. HGF (hepatocyte growth factor) [57], HLA-DRB1 [58], CHI3L1 [59], S100A8 [60], S100A9 [61], S100A12 [62], FCGR2B [63], HP (haptoglobin) [64], AIF1 [36], CCR1 [65], ALOX5AP [66], FPR2 [67], CR1 [68], CFI (complement factor I) [69], AQP4 [70], SLC11A1 [71], CTSS (cathepsin S) [72], CXCR2 [73], IL10 [74], IL18 [75], CYP19A1 [76], BTK (Bruton tyrosine kinase) [77], C7 [78], PLA2G7 [79], SOCS3 [80], OLR1 [81], LIPA (lipase A, lysosomal acid type) [82], CD86 [83], TLR5 [84], CD44 [85], CD68 [86], CD74 [87], LTF

(lactotransferrin) [88], LYZ (lysozyme) [89], S100A10 [90], AQP1 [91], GPR84 [92], HPSE (heparanase) [93], NGFR (nerve growth factor receptor) [94], RHOQ (ras homolog family member Q) [95], EGF (epidermal growth factor) [96], CDK1 [97], PKD1 [98], HTR6 [99], GRIN1 [100], AGRN (agrin) [101] and GP6 [102] have been shown as a promising biomarkers in Alzheimer's disease. Field et al [103], Lincoln et al [104], Ziliotto et al [105], El Sharkawi et al [106], Cossins et al [107], Mirowska-Guzel et al [108], Asouri et al [109], Cardamone et al [110], Begovich et al [111], Bennetts et al [112], Iparraguirre et al [113] and Oldoni et al [114] reported that HLA-DPB1, HLA-DQA1, CCL18, CCL20, MMP7, IL1A, IL2RA, CYBB (cytochrome b-245 beta chain), PTPN22, HLA-DMB, ANXA2 and CHIT1expression were associated with progression of multiple sclerosis, but these genes might be liable for advancement of dementia. Chang et al [115], Jamshidi et al [116], Campolo et al [117], Bottero et al [118], Gao et al [119], Haga et al [120], Klaver et al [121], Greenbaum et al [122] and Aguirre et al [123] reported that expression of HLA-DQB1, HLA-DRA, TLR7, TLR8, PTPRC (protein tyrosine phosphatase receptor type C), OSMR (oncostatin M receptor), FABP5, LAMP2, CHRNA5 and IL13RA1 could be an index for Parkinson's disease progression, but these genes might be responsible for progression of dementia. Shmuel-Galia et al. [124], Paloneva et al. [125], Abu-Rumeileh et al. [126], Wojta et al. [127], Ries et al. [128], Bernstein et al. [129], Qian and Ke [130], Kitic et al. [131], Gorevic et al. [132], Bonham et al. [133], Shi et al. [134], Maddison and Giorgini [135], Wang et al. [136], Pase et al. [137], Daniele et al. [138], Hayward and Lee [139], Wang et al. [140], Kim et al. [141], Götz et al. [142], Budge et al. [143], Loeffler et al. [144], Cacciagli et al. [145], Stoffel et al. [146], Koper et al. [147], Philippe et al. [148], Cursano et al. [149], Butler et al. [150], Cho et al. [151] and Casiglia et al. [152] presented that expression of TLR6, TYROBP (transmembrane immune signaling adaptor TYROBP), SERPINA1, CCR5, ANXA1, SLC7A2, HAMP (hepcidin antimicrobial peptide), TSLP (thymic stromal lymphopoietin), B2M, CXCR4, C3, KYNU (kynureninase), CASP1, CD14, TLR1, TLR2, TREM2, HCK (HCK proto-oncogene, Src family tyrosine kinase), MAOB (monoamine oxidase B), GPNMB (glycoprotein nmb), CP (ceruloplasmin), AP1S2, SMPD3, CXCL11, SHANK3, CRHR1, DRD4, NOTCH3 and GNB3 were associated with progression of dementia. Yamamoto et al. [153], Wang et al. [154], Stringer et al. [155] and Brenner et al. [156] demonstrated that that the expression of SPP1, C5AR1, CACNA1H and CACNA1A are associated with the prognosis

of amyotrophic lateral sclerosis, but these genes might be associated with advancement of dementia. TGFBR1 [157], SCN4A [158], KCNT1 [159], SLC13A5 [160] and CACNA1B [161] were reported to be associated with progression of epilepsy, but these genes might be involved in dementia.

A PPI network and modules were constructed with DEGs, which revealed that the top hub genes with highest node degree, betweenness centrality, stress centrality and closeness centrality.TOP2A, MAD2L1, RSL24D1, CDKN1A, PWP2, WNT7B, HSPA12B, CCNG1, GADD45A, SFN (stratifin), CEP55, PTTG1, GRM2, SHANK1 and GRM4 were might be the novel biomarkers for dementia progression.

A miRNA-hub gene regulatory network and TF-hub gene regulatory network with the hub genes were constructed, and identified as the key genes, miRNAs and TFs in dementia. Hsa-mir-1248 [162], hsa-mir-195-5p [163] and SP3 [164] might play important role in Alzheimer's disease, but these genes might be linked with progression of dementia. Hsa-mir-101-5p has been reported in multiple sclerosis [165], but this gene might be liable for progression of dementia. Reports indicate that hsa-mir-206 [166], hsa-mir-107 [167], STAT1 [168], TBP (TATA-binding protein) [169] and KAT2A [170] were found in dementia. BCL11B has been shown to be activated in amyotrophic lateral sclerosis [171], but this gene might be liable for advancement of dementia. Fan et al. [172] and Rouillard et al. [173] found that FOSL2 and NR4A1 might be involved in the development of Parkinson's disease, but these genes might be linked with dementia progression. Hsa-mir-6887-3p, hsa-mir-488-5p, hsa-mir-548l, hsa-mir-6886-5p, hsa-mir-150-3p, MLLT1, ELF1, HMBOX1, TEAD3, EIF4A2, HSPA13, KIFC2, U2AF1, CALML6 and ADCY4 were might be the novel biomarkers for dementia progression.

`   In conclusion, we used a series of bioinformatics analysis methods to identify the key genes and pathways associated in dementia initiation and progression from expression profiling by high throughput sequencing data containing patients with dementia and healthy controls. Our results provide a more detailed molecular mechanism for the advancement of dementia, shedding light on the potential biomarkers and therapeutic targets. However, the interacting

molecular mechanism and function of genes need to be confirmed in more experiments.

NOTCH3, MYB, PWP2, WNT7B and

Acknowledgement

I thank Delphine Fagegaltier, New York Genome Center, Center for Genomics of Neurodegenerative Disease, Hemali Phatnani, New York, USA, very much, the author who deposited their profiling by high throughput sequencing dataset GSE153960, into the public GEO database.

Conflict of interest

The authors declare that they have no conflict of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

Informed consent

No informed consent because this study does not contain human or animals participants.

Availability of data and materials

The datasets supporting the conclusions of this article are available in the GEO (Gene Expression Omnibus) (https://www.ncbi.nlm.nih.gov/geo/) repository. [(GSE153960) (https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE153960)]

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Author Contributions

B. V.   - Writing original draft, and review and editing

C. V.   - Software and investigation

Authors

Basavaraj Vastrad   ORCID ID: 0000-0003-2202-7637

Chanabasayya Vastrad   ORCID ID: 0000-0003-3615-4450

References

1. Cantone M, Di Pino G, Capone F, Piombo M, Chiarello D, Cheeran B, Pennisi G, Di Lazzaro V. The contribution of transcranial magnetic stimulation in the diagnosis and in the management of dementia. Clin Neurophysiol. 2014;125(8):1509-1532. doi:10.1016/j.clinph.2014.04.010

2. Marx KA, Scott JB, Piersol CV, Gitlin LN. Tailored Activities to Reduce Neuropsychiatric Behaviors in Persons With Dementia: Case Report. Am J Occup Ther. 2019;73(2):7302205160p1-7302205160p9. doi:10.5014/ajot.2019.029546

3. Lyketsos CG. Treatment Development for Alzheimer's Disease: How Are We Doing?. Adv Exp Med Biol. 2020;1195:19. doi:10.1007/978-3-030-32633-3_3

4. Aarsland D. Epidemiology and Pathophysiology of Dementia-Related Psychosis. J Clin Psychiatry. 2020;81(5):AD19038BR1C. doi:10.4088/JCP.AD19038BR1C

5. Chancellor B, Duncan A, Chatterjee A. Art therapy for Alzheimer's disease and other dementias. J Alzheimers Dis. 2014;39(1):1-11. doi:10.3233/JAD-131295

6. Kandasamy M, Anusuyadevi M, Aigner KM, Unger MS, Kniewallner KM, de Sousa DMB, Altendorfer B, Mrowetz H, Bogdahn U, Aigner L. TGF-β Signaling: A Therapeutic Target to Reinstate Regenerative Plasticity in Vascular Dementia?. Aging Dis. 2020;11(4):828-850. doi:10.14336/AD.2020.0222

7. Wang L, Yang JW, Lin LT, Huang J, Wang XR, Su XT, Cao Y, Fisher M, Liu CZ. Acupuncture Attenuates Inflammation in Microglia of Vascular Dementia Rats by Inhibiting miR-93-Mediated TLR4/MyD88/NF-κB

Signaling Pathway. Oxid Med Cell Longev. 2020;2020:8253904. doi:10.1155/2020/8253904

8. Xu J, Qi Q, Lv P, Dong Y, Jiang X, Liu Z. Oxiracetam ameliorates cognitive deficits in vascular dementia rats by regulating the expression of neuronal apoptosis/autophagy-related genes associated with the activation of the Akt/mTOR signaling pathway. Braz J Med Biol Res. 2019;52(11):e8371. doi:10.1590/1414-431X20198371

9. Yao P, Li Y, Yang Y, Yu S, Chen Y. Triptolide Improves Cognitive Dysfunction in Rats with Vascular Dementia by Activating the SIRT1/PGC-1α Signaling Pathway. Neurochem Res. 2019;44(8):1977-1985. doi:10.1007/s11064-019-02831-3

10. Wang J, Fu X, Jiang C, Yu L, Wang M, Han W, Liu L, Wang J. Bone marrow mononuclear cell transplantation promotes therapeutic angiogenesis via upregulation of the VEGF-VEGFR2 signaling pathway in a rat model of vascular dementia. Behav Brain Res. 2014;265:171-180. doi:10.1016/j.bbr.2014.02.033

11. Deng HX, Chen W, Hong ST, Boycott KM, Gorrie GH, Siddique N, Yang Y, Fecto F, Shi Y, Zhai H, et al. Mutations in UBQLN2 cause dominant X-linked juvenile and adult-onset ALS and ALS/dementia. Nature. 2011;477(7363):211-215. doi:10.1038/nature10353

12. Cohn-Hokke PE, Wong TH, Rizzu P, Breedveld G, van der Flier WM, Scheltens P, Baas F, Heutink P, Meijers-Heijboer EJ, van Swieten JC, et al. Mutation frequency of PRKAR1B and the major familial dementia genes in a Dutch early onset dementia cohort. J Neurol. 2014;261(11):2085-2092. doi:10.1007/s00415-014-7456-y

13. Regland B, Blennow K, Germgård T, Koch-Schmidt AC, Gottfries CG. The role of the polymorphic genes apolipoprotein E and methylene-tetrahydrofolate reductase in the development of dementia of the Alzheimer type. Dement Geriatr Cogn Disord. 1999;10(4):245-251. doi:10.1159/000017127

14. Guerreiro RJ, Lohmann E, Brás JM, Gibbs JR, Rohrer JD, Gurunlian N, Dursun B, Bilgic B, Hanagasi H, Gurvit H, et al. Using exome sequencing to reveal mutations in TREM2 presenting as a frontotemporal dementia-like syndrome without bone involvement. JAMA Neurol. 2013;70(1):78-84. doi:10.1001/jamaneurol.2013.579

15. Alam R, Tripathi M, Mansoori N, Parveen S, Luthra K, Lakshmy R, Sharma S, Arulselvi S, Mukhopadhyay AK. Synergistic epistasis of paraoxonase 1 (rs662 and rs85460) and apolipoprotein E4 genes in pathogenesis of Alzheimer's disease and vascular dementia. Am J Alzheimers Dis Other Demen. 2014;29(8):769-776. doi:10.1177/1533317514539541

16. Hardwick SA, Bassett SD, Kaczorowski D, Blackburn J, Barton K, Bartonicek N, Carswell SL, Tilgner HU, Loy C, Halliday G, et al. Targeted, High-Resolution RNA Sequencing of Non-coding Genomic Regions Associated With Neuropsychiatric Functions. Front Genet. 2019;10:309. doi:10.3389/fgene.2019.00309

17. Rajkumar AP, Hye A, Lange J, Manesh YR, Ballard C, Fladby T, Aarsland D. Next-Generation RNA-Sequencing of Serum Small Extracellular Vesicles Discovers Potential Diagnostic Biomarkers for Dementia With Lewy Bodies. Am J Geriatr Psychiatry. 2020;S1064-7481(20)30532-7. doi:10.1016/j.jagp.2020.10.012

18. Prudencio M, Humphrey J, Pickles S, Brown AL, Hill SE, Kachergus JM, Shi J, Heckman MG, Spiegel MR, Cook C, et al. Truncated stathmin-2 is a marker of TDP-43 pathology in frontotemporal dementia. J Clin Invest. 2020;130(11):6080-6092. doi:10.1172/JCI139741

19. Clough E, Barrett T. The Gene Expression Omnibus Database. Methods Mol Biol. 2016;1418:93-110. doi:10.1007/978-1-4939-3578-9_5

20. Ritchie ME, Phipson B, Wu D, Hu Y, Law CW, Shi W, Smyth GK. limma powers differential expression analyses for RNA-sequencing and microarray studies. Nucleic Acids Res. 2015;43(7):e47. doi:10.1093/nar/gkv007

21. Hardcastle TJ. Generalized empirical Bayesian methods for discovery of differential data in high-throughput biology. Bioinformatics. 2016;32(2):195-202. doi:10.1093/bioinformatics/btv569

22. Chen J, Bardes EE, Aronow BJ, Jegga AG. ToppGene Suite for gene list enrichment analysis and candidate gene prioritization. Nucleic Acids Res. 2009;37(Web Server issue):W305-W311. doi:10.1093/nar/gkp427

23. Thomas PD. The Gene Ontology and the Meaning of Biological Function. Methods Mol Biol. 2017;1446:15□24. doi:10.1007/978-1-4939-3743-1_2

24. Fabregat A, Jupe S, Matthews L, Sidiropoulos K, Gillespie M, Garapati P, Haw R, Jassal B, Korninger F, May B et al The Reactome Pathway

Knowledgebase. Nucleic Acids Res. 2018;46(D1):D649–D655. doi:10.1093/nar/gkx1132

25. Szklarczyk D, Franceschini A, Kuhn M, Simonovic M, Roth A, Minguez P, Doerks T, Stark M, Muller J, Bork P et al. The STRING database in 2011: functional interaction networks of proteins, globally integrated and scored. Nucleic Acids Res. 2011;39(Database issue):D561-D568. doi:10.1093/nar/gkq973

26. Shannon P, Markiel A, Ozier O, Baliga NS, Wang JT, Ramage D, Amin N, Schwikowski B, Ideker T Cytoscape: a software environment for integrated models of biomolecular interaction networks. Genome Res 2003;13(11):2498-2504. doi:10.1101/gr.1239303

27. Przulj N, Wigle DA, Jurisica I. Functional topology in a network of protein interactions. Bioinformatics. 2004;20(3):340–348. doi:10.1093/bioinformatics/btg415

28. Nguyen TP, Liu WC, Jordán F. Inferring pleiotropy by network analysis: linked diseases in the human PPI network. BMC Syst Biol. 2011;5:179. doi:10.1186/1752-0509-5-179

29. Shi Z, Zhang B. Fast network centrality analysis using GPUs. BMC Bioinformatics. 2011;12:149. doi:10.1186/1471-2105-12-149

30. Fadhal E, Gamieldien J, Mwambene EC. Protein interaction networks as metric spaces: a novel perspective on distribution of hubs. BMC Syst Biol. 2014;8:6. doi:10.1186/1752-0509-8-6

31. Zaki N, Efimov D, Berengueres J. Protein complex detection using interaction reliability assessment and weighted clustering coefficient. BMC Bioinformatics. 2013;14:163. doi:10.1186/1471-2105-14

32. Fan Y, Xia J (2018) miRNet-Functional Analysis and Visual Exploration of miRNA-Target Interactions in a Network Context. Methods Mol Biol 1819:215-233. doi:10.1007/978-1-4939-8618-7_10

33. Zhou G, Soufan O, Ewald J, Hancock REW, Basu N, Xia J (2019) NetworkAnalyst 3.0: a visual analytics platform for comprehensive gene expression profiling and meta-analysis. Nucleic Acids Res 47:W234-W241. doi:10.1093/nar/gkz240

34. Robin X, Turck N, Hainard A, Tiberti N, Lisacek F, Sanchez JC, Müller M. pROC: an open-source package for R and S+ to analyze and compare ROC curves. BMC Bioinformatics 2011;12:77. doi:10.1186/1471-2105-12-77

35. Livak KJ, Schmittgen TD Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. Methods 2001;25:402–408. doi:10.1006/meth.2001.1262

36. Sanfilippo C, Castrogiovanni P, Imbesi R, Di Rosa M. CHI3L2 Expression Levels Are Correlated with AIF1, PECAM1, and CALB1 in the Brains of Alzheimer's Disease Patients. J Mol Neurosci. 2020;70(10):1598-1610. doi:10.1007/s12031-020-01667-9

37. Kamboh MI, Minster RL, Kenney M, Ozturk A, Desai PP, Kammerer CM, DeKosky ST. Alpha-1-antichymotrypsin (ACT or SERPINA3) polymorphism may affect age-at-onset and disease duration of Alzheimer's disease. Neurobiol Aging. 2006;27(10):1435-1439. doi:10.1016/j.neurobiolaging.2005.07.015

38. Hartlage-Rübsamen M, Waniek A, Meissner J, Morawski M, Schilling S, Jäger C, Kleinschmidt M, Cynis H, Kehlen A, Arendt T et al. Isoglutaminyl cyclase contributes to CCL2-driven neuroinflammation in Alzheimer's disease. Acta Neuropathol. 2015;129(4):565-583. doi:10.1007/s00401-015-1395-2

39. Pey P, Pearce RK, Kalaitzakis ME, Griffin WS, Gentleman SM. Phenotypic profile of alternative activation marker CD163 is different in Alzheimer's and Parkinson's disease. Acta Neuropathol Commun. 2014;2:21. doi:10.1186/2051-5960-2-21

40. Yu L, Chibnik LB, Srivastava GP, Pochet N, Yang J, Xu J, Kozubek J, Obholzer N, Leurgans SE, Schneider JA, et al. Association of Brain DNA methylation in SORL1, ABCA7, HLA-DRB5, SLC24A4, and BIN1 with pathological diagnosis of Alzheimer disease. JAMA Neurol. 2015;72(1):15-24. doi:10.1001/jamaneurol.2014.3049

41. Wang M, Li Y, Lin L, Song G, Deng T. GSTM1 Null Genotype and GSTP1 Ile105Val Polymorphism Are Associated with Alzheimer's Disease: a Meta-Analysis. Mol Neurobiol. 2016;53(2):1355-1364. doi:10.1007/s12035-015-9092-7

42. Iaccarino C, Mura ME, Esposito S, Carta F, Sanna G, Turrini F, Carrì MT, Crosio C. Bcl2-A1 interacts with pro-caspase-3: implications for amyotrophic lateral sclerosis. Neurobiol Dis. 2011;43(3):642-650. doi:10.1016/j.nbd.2011.05.013

43. Kondo N, Tohnai G, Sahashi K, Iida M, Kataoka M, Nakatsuji H, Tsutsumi Y, Hashizume A, Adachi H, Koike H, et al. DNA methylation inhibitor attenuates polyglutamine-induced neurodegeneration by regulating Hes5. EMBO Mol Med. 2019;11(5):e8547. doi:10.15252/emmm.201708547

44. Chamnanphon M, Wainipitapong S, Wiwattarangkul T, Chuchuen P, Nissaipan K, Phaisal W, Tangwongchai S, Sukasem C, Wittayalertpanya S, Gaedigk A, et al. CYP2D6 Predicts Plasma Donepezil Concentrations in a Cohort of Thai Patients with Mild to Moderate Dementia. Pharmgenomics Pers Med. 2020;13:543-551. doi:10.2147/PGPM.S276230

45. Licastro F, Chiappelli M. Brain immune responses cognitive decline and dementia: relationship with phenotype expression and genetic background. Mech Ageing Dev. 2003;124(4):539-548. doi:10.1016/s0047-6374(03)00034-4

46. Schubert P, Rudolphi K. Interfering with the pathologic activation of microglial cells and astrocytes in dementia. Alzheimer Dis Assoc Disord. 1998;12 Suppl 2:S21-S28.

47. Paonessa F, Evans LD, Solanki R, Larrieu D, Wray S, Hardy J, Jackson SP, Livesey FJ. Microtubules Deform the Nuclear Membrane and Disrupt Nucleocytoplasmic Transport in Tau-Mediated Frontotemporal Dementia. Cell Rep. 2019;26(3):582-593.e5. doi:10.1016/j.celrep.2018.12.085

48. Verdier Y, Zarándi M, Penke B. Amyloid beta-peptide interactions with neuronal and glial cell plasma membrane: binding sites and implications for Alzheimer's disease. J Pept Sci. 2004;10(5):229-248. doi:10.1002/psc.573

49. Licastro F, Morini MC, Davis LJ, Malpassi P, Cucinotta D, Parente R, Melotti C, Savorani G. Increased chemiluminescence response of neutrophils from the peripheral blood of patients with senile dementia of the Alzheimer's type. J Neuroimmunol. 1994;51(1):21-26. doi:10.1016/0165-5728(94)90124-4

50. van der Willik KD, Fani L, Rizopoulos D, Licher S, Fest J, Schagen SB, Ikram MK, Ikram MA. Balance between innate versus adaptive immune system and the risk of dementia: a population-based cohort study. J Neuroinflammation. 2019;16(1):68. doi:10.1186/s12974-019-1454-z

51. Loures CMG, Duarte RCF, Silva MVF, Cicarini WB, de Souza LC, Caramelli P, Borges KBG, Carvalho MDG. Hemostatic Abnormalities in

Dementia: A Systematic Review and Meta-Analysis. Semin Thromb Hemost. 2019;45(5):514-522. doi:10.1055/s-0039-1688444

52. Benos DJ, Hahn BH, Bubien JK, Ghosh SK, Mashburn NA, Chaikin MA, Shaw GM, Benveniste EN. Envelope glycoprotein gp120 of human immunodeficiency virus type 1 alters ion transport in astrocytes: implications for AIDS dementia complex. Proc Natl Acad Sci U S A. 1994;91(2):494-498. doi:10.1073/pnas.91.2.494

53. Bondareff W, Mountjoy CQ, Roth M. Loss of neurons of origin of the adrenergic projection to cerebral cortex (nucleus locus ceruleus) in senile dementia. Neurology. 1982;32(2):164-168. doi:10.1212/wnl.32.2.164

54. Jellinger KA. Striatal dopamine transporter activity may predict β-amyloid pathology in dementia with Lewy bodies. Neurology. 2020;94(13):557-558. doi:10.1212/WNL.0000000000009167

55. Seeley WW. Selective functional, regional, and neuronal vulnerability in frontotemporal dementia. Curr Opin Neurol. 2008;21(6):701-707. doi:10.1097/WCO.0b013e3283168e2d

56. Zhou L, Pupo GM, Gupta P, Liu B, Tran SL, Rahme R, Wang B, Rua R, Rizos H, Carroll A, et al. A parallel genome-wide mRNA and microRNA profiling of the frontal cortex of HIV patients with and without HIV-associated dementia shows the role of axon guidance and downstream pathways in HIV-mediated neurodegeneration. BMC Genomics. 2012;13:677. doi:10.1186/1471-2164-13-677

57. Sharma S. Hepatocyte growth factor in synaptic plasticity and Alzheimer's disease. ScientificWorldJournal. 2010;10:457-461. doi:10.1100/tsw.2010.49

58. Lu RC, Yang W, Tan L, Sun FR, Tan MS, Zhang W, Wang HF, Tan L. Association of HLA-DRB1 polymorphism with Alzheimer's disease: a replication and meta-analysis. Oncotarget. 2017;8(54):93219-93226. doi:10.18632/oncotarget.21479

59. Lananna BV, McKee CA, King MW, Del-Aguila JL, Dimitry JM, Farias FHG, Nadarajah CJ, Xiong DD, Guo C, Cammack AJ, et al. Chi3l1/YKL-40 is controlled by the astrocyte circadian clock and regulates neuroinflammation and Alzheimer's disease pathogenesis. Sci Transl Med. 2020;12(574):eaax3519. doi:10.1126/scitranslmed.aax3519

60. Lodeiro M, Puerta E, Ismail MA, Rodriguez-Rodriguez P, Rönnbäck A, Codita A, Parrado-Fernandez C, Maioli S, Gil-Bea F, Merino-Serrais P, et

al. Aggregation of the Inflammatory S100A8 Precedes Aβ Plaque Formation in Transgenic APP Mice: Positive Feedback for S100A8 and Aβ Productions. J Gerontol A Biol Sci Med Sci. 2017;72(3):319-328. doi:10.1093/gerona/glw073

61. Wang C, Iashchishyn IA, Pansieri J, Nyström S, Klementieva O, Kara J, Horvath I, Moskalenko R, Rofougaran R, Gouras G, et al. S100A9-Driven Amyloid-Neuroinflammatory Cascade in Traumatic Brain Injury as a Precursor State for Alzheimer's Disease. Sci Rep. 2018;8(1):12836. doi:10.1038/s41598-018-31141-x

62. Shepherd CE, Goyette J, Utter V, Rahimi F, Yang Z, Geczy CL, Halliday GM. Inflammatory S100A9 and S100A12 proteins in Alzheimer's disease. Neurobiol Aging. 2006;27(11):1554-1563. doi:10.1016/j.neurobiolaging.2005.09.033

63. Costa AS, Agostini S, Guerini FR, Mancuso R, Clerici M, Pandey JP. Relation between FCGRIIB rs1050501 and HSV-1 specific IgG antibodies in Alzheimer's disease. J Transl Med. 2020;18(1):325. doi:10.1186/s12967-020-02495-6

64. Song IU, Kim YD, Chung SW, Cho HJ. Association between serum haptoglobin and the pathogenesis of Alzheimer's disease. Intern Med. 2015;54(5):453-457. doi:10.2169/internalmedicine.54.2876

65. Halks-Miller M, Schroeder ML, Haroutunian V, Moenning U, Rossi M, Achim C, Purohit D, Mahmoudi M, Horuk R. CCR1 is an early and specific marker of Alzheimer's disease. Ann Neurol. 2003;54(5):638-646. doi:10.1002/ana.10733

66. Manev H, Manev R. 5-Lipoxygenase (ALOX5) and FLAP (ALOX5AP) gene polymorphisms as factors in vascular pathology and Alzheimer's disease. Med Hypotheses. 2006;66(3):501-503. doi:10.1016/j.mehy.2005.09.031

67. Iribarren P, Zhou Y, Hu J, Le Y, Wang JM. Role of formyl peptide receptor-like 1 (FPRL1/FPR2) in mononuclear phagocyte responses in Alzheimer disease. Immunol Res. 2005;31(3):165-176. doi:10.1385/IR:31:3:165

68. Mahmoudi R, Feldman S, Kisserli A, Duret V, Tabary T, Bertholon LA, Badr S, Nonnonhou V, Cesar A, Neuraz A, et al. Inherited and Acquired Decrease in Complement Receptor 1 (CR1) Density on Red Blood Cells

Associated with High Levels of Soluble CR1 in Alzheimer's Disease. Int J Mol Sci. 2018;19(8):2175. doi:10.3390/ijms19082175

69. Lashkari K, Teague G, Chen H, Lin YQ, Kumar S, McLaughlin MM, López FJ. A monoclonal antibody targeting amyloid β (Aβ) restores complement factor I bioactivity: Potential implications in age-related macular degeneration and Alzheimer's disease. PLoS One. 2018;13(5):e0195751. doi:10.1371/journal.pone.0195751

70. Zeppenfeld DM, Simon M, Haswell JD, D'Abreo D, Murchison C, Quinn JF, Grafe MR, Woltjer RL, Kaye J, Iliff JJ. Association of Perivascular Localization of Aquaporin-4 With Cognition and Alzheimer Disease in Aging Brains. JAMA Neurol. 2017;74(1):91-99. doi:10.1001/jamaneurol.2016.4370

71. Jamieson SE, White JK, Howson JM, Pask R, Smith AN, Brayne C, Evans JG, Xuereb J, Cairns NJ, Rubinsztein DC, et al. Candidate gene association study of solute carrier family 11a members 1 (SLC11A1) and 2 (SLC11A2) genes in Alzheimer's disease. Neurosci Lett. 2005;374(2):124-128. doi:10.1016/j.neulet.2004.10.038

72. Lemere CA, Munger JS, Shi GP, Natkin L, Haass C, Chapman HA, Selkoe DJ. The lysosomal cysteine protease, cathepsin S, is increased in Alzheimer's disease and Down syndrome brain. An immunocytochemical study. Am J Pathol. 1995;146(4):848-860.

73. Ryu JK, Cho T, Choi HB, Jantaratnotai N, McLarnon JG. Pharmacological antagonism of interleukin-8 receptor CXCR2 inhibits inflammatory reactivity and is neuroprotective in an animal model of Alzheimer's disease. J Neuroinflammation. 2015;12:144. doi:10.1186/s12974-015-0339-z

74. Babić Leko M, Nikolac Perković M, Klepac N, Štrac DŠ, Borovečki F, Pivac N, Hof PR, Šimić G. IL-1β, IL-6, IL-10, and TNFα Single Nucleotide Polymorphisms in Human Influence the Susceptibility to Alzheimer's Disease Pathology. J Alzheimers Dis. 2020;75(3):1029-1047. doi:10.3233/JAD-200056

75. Scarabino D, Peconi M, Broggio E, Gambina G, Maggi E, Armeli F, Mantuano E, Morello M, Corbo RM, Businaro R. Relationship between proinflammatory cytokines (Il-1beta, Il-18) and leukocyte telomere length in mild cognitive impairment and Alzheimer's disease. Exp Gerontol. 2020;136:110945. doi:10.1016/j.exger.2020.110945

76. Song Y, Lu Y, Liang Z, Yang Y, Liu X. Association between rs10046, rs1143704, rs767199, rs727479, rs1065778, rs1062033, rs1008805, and rs700519 polymorphisms in aromatase (CYP19A1) gene and Alzheimer's disease risk: a systematic review and meta-analysis involving 11,051 subjects. Neurol Sci. 2019;40(12):2515-2527. doi:10.1007/s10072-019-04003-1

77. Keaney J, Gasser J, Gillet G, Scholz D, Kadiu I. Inhibition of Bruton's Tyrosine Kinase Modulates Microglial Phagocytosis: Therapeutic Implications for Alzheimer's Disease. J Neuroimmune Pharmacol. 2019;14(3):448-461. doi:10.1007/s11481-019-09839-0

78. Zhang DF, Fan Y, Xu M, Wang G, Wang D, Li J, Kong LL, Zhou H, Luo R, Bi R, et al. Complement C7 is a novel risk gene for Alzheimer's disease in Han Chinese. Natl Sci Rev. 2019;6(2):257-274. doi:10.1093/nsr/nwy127

79. Koshy B, Miyashita A, St Jean P, Stirnadel H, Kaise T, Rubio JP, Mooser V, Kuwano R, Irizarry MC. Genetic deficiency of plasma lipoprotein-associated phospholipase A2 (PLA2G7 V297F null mutation) and risk of Alzheimer's disease in Japan. J Alzheimers Dis. 2010;21(3):775-780. doi:10.3233/JAD-2010-100513

80. Cao L, Wang Z, Wan W. Suppressor of Cytokine Signaling 3: Emerging Role Linking Central Insulin Resistance and Alzheimer's Disease. Front Neurosci. 2018;12:417. doi:10.3389/fnins.2018.00417

81. Wang ZT, Zhong XL, Tan MS, Wang HF, Tan CC, Zhang W, Zheng ZJ, Kong LL, Tan L, Sun L.Association of lectin-like oxidized low density lipoprotein receptor 1 (OLR1) polymorphisms with late-onset Alzheimer disease in Han Chinese. Ann Transl Med. 2018;6(10):172. doi:10.21037/atm.2018.04.31

82. von Trotha KT, Heun R, Schmitz S, Lütjohann D, Maier W, Kölsch H. Influence of lysosomal acid lipase polymorphisms on chromosome 10 on the risk of Alzheimer's disease and cholesterol metabolism. Neurosci Lett. 2006;402(3):262-266. doi:10.1016/j.neulet.2006.04.009

83. Busse S, Steiner J, Alter J, Dobrowolny H, Mawrin C, Bogerts B, Hartig R, Busse M. Expression of HLA-DR, CD80, and CD86 in Healthy Aging and Alzheimer's Disease. J Alzheimers Dis. 2015;47(1):177-184. doi:10.3233/JAD-150217

84. Herrera-Rivero M, Santarelli F, Brosseron F, Kummer MP, Heneka MT. Dysregulation of TLR5 and TAM Ligands in the Alzheimer's Brain as Contributors to Disease Progression. Mol Neurobiol. 2019;56(9):6539-6550. doi:10.1007/s12035-019-1540-3

85. Pinner E, Gruper Y, Ben Zimra M, Kristt D, Laudon M, Naor D, Zisapel N. CD44 Splice Variants as Potential Players in Alzheimer's Disease Pathology. J Alzheimers Dis. 2017;58(4):1137-1149. doi:10.3233/JAD-161245

86. Matsumura A, Suzuki S, Iwahara N, Hisahara S, Kawamata J, Suzuki H, Yamauchi A, Takata K, Kitamura Y, Shimohama S. Temporal changes of CD68 and α7 nicotinic acetylcholine receptor expression in microglia in Alzheimer's disease-like mouse models. J Alzheimers Dis. 2015;44(2):409-423. doi:10.3233/JAD-141572

87. Kiyota T, Zhang G, Morrison CM, Bosch ME, Weir RA, Lu Y, Dong W, Gendelman HE. AAV2/1 CD74 Gene Transfer Reduces β-amyloidosis and Improves Learning and Memory in a Mouse Model of Alzheimer's Disease. Mol Ther. 2015;23(11):1712-1721. doi:10.1038/mt.2015.142

88. Wang L, Sato H, Zhao S, Tooyama I. Deposition of lactoferrin in fibrillar-type senile plaques in the brains of transgenic mouse models of Alzheimer's disease. Neurosci Lett. 2010;481(3):164-167. doi:10.1016/j.neulet.2010.06.079

89. Sandin L, Bergkvist L, Nath S, Kielkopf C, Janefjord C, Helmfors L, Zetterberg H, Blennow K, Li H, Nilsberth C, et al. Beneficial effects of increased lysozyme levels in Alzheimer's disease modelled in Drosophila melanogaster. FEBS J. 2016;283(19):3508-3522. doi:10.1111/febs.13830

90. King A, Szekely B, Calapkulu E, Ali H, Rios F, Jones S, Troakes C. The Increased Densities, But Different Distributions, of Both C3 and S100A10 Immunopositive Astrocyte-Like Cells in Alzheimer's Disease Brains Suggest Possible Roles for Both A1 and A2 Astrocytes in the Disease Pathogenesis. Brain Sci. 2020;10(8):503. doi:10.3390/brainsci10080503

91. Nikpour M, Sharafi A, Hamidi M, Andalib S. Effect of Colloidal Aqueous Solution of Fullerene (C60) in the Presence of a P-Glycoprotein Inhibitor (Verapamil) on Spatial Memory and Hippocampal Expression of Sirtuin6, SELADIN1, and AQP1 Genes in a Rat Model of Alzheimer's Disease. ACS Chem Neurosci. 2020;11(17):2549-2565. doi:10.1021/acschemneuro.0c00213

92. Audoy-Rémus J, Bozoyan L, Dumas A, Filali M, Lecours C, Lacroix S, Rivest S, Tremblay ME, Vallières L. GPR84 deficiency reduces microgliosis, but accelerates dendritic degeneration and cognitive decline in a mouse model of Alzheimer's disease. Brain Behav Immun. 2015;46:112-120. doi:10.1016/j.bbi.2015.01.010

93. García B, Martín C, García-Suárez O, Muñiz-Alonso B, Ordiales H, Fernández-Menéndez S, Santos-Juanes J, Lorente-Gea L, Castañón S, Vicente-Etxenausia I, et al. Upregulated Expression of Heparanase and Heparanase 2 in the Brains of Alzheimer's Disease. J Alzheimers Dis. 2017;58(1):185-192. doi:10.3233/JAD-161298

94. Cheng HC, Sun Y, Lai LC, Chen SY, Lee WC, Chen JH, Chen TF, Chen HH, Wen LL, Yip PK, et al. Genetic polymorphisms of nerve growth factor receptor (NGFR) and the risk of Alzheimer's disease. J Negat Results Biomed. 2012;11:5. doi:10.1186/1477-5751-11-5

95. Tian Z, Dong Q, Wu T, Guo J. MicroRNA-20b-5p aggravates neuronal apoptosis induced by β-Amyloid via down-regulation of Ras homolog family member C in Alzheimer's disease. Neurosci Lett. 2021;742:135542. doi:10.1016/j.neulet.2020.135542

96. Birecree E, Whetsell WO Jr, Stoscheck C, King LE Jr, Nanney LB. Immunoreactive epidermal growth factor receptors in neuritic plaques from patients with Alzheimer's disease. J Neuropathol Exp Neurol. 1988;47(5):549-560. doi:10.1097/00005072-198809000-00006

97. Hilgeroth A, Tell V, Kramer S, Totzke F, Schachtele C. Approaches to a multitargeting drug development: first profiled 3- ethoxycarbonyl-1-aza-9-oxafluorenes representing a perspective compound class targeting Alzheimer disease relevant kinases CDK1, CDK5 and GSK-3β. Med Chem. 2014;10(1):90-97. doi:10.2174/1573406410011131226141606

98. Chen S, Jiang Q, Huang P, Hu C, Shen H, Schachner M, Zhao W. The L1 cell adhesion molecule affects protein kinase D1 activity in the cerebral cortex in a mouse model of Alzheimer's disease. Brain Res Bull. 2020;162:141-150. doi:10.1016/j.brainresbull.2020.06.004

99. Kan R, Wang B, Zhang C, Yang Z, Ji S, Lu Z, Zheng C, Jin F, Wang L. Association of the HTR6 polymorphism C267T with late-onset Alzheimer's disease in Chinese. Neurosci Lett. 2004;372(1-2):27-29. doi:10.1016/j.neulet.2004.09.007

100.   Wang Y, Zhang H, Wang J, Yu M, Zhang Q, Yan S, You D, Shi L, Zhang L, Wang L, et al. Aconiti lateralis Radix Praeparata inhibits Alzheimer's disease by regulating the complex regulation network with the core of GRIN1 and MAPK1. Pharm Biol. 2021;59(1):311-320. doi:10.1080/13880209.2021.1900879

101.   Rauch SM, Huen K, Miller MC, Chaudry H, Lau M, Sanes JR, Johanson CE, Stopa EG, Burgess RW. Changes in brain β-amyloid deposition and aquaporin 4 levels in response to altered agrin expression in mice. J Neuropathol Exp Neurol. 2011;70(12):1124-1137. doi:10.1097/NEN.0b013e31823b0b12

102.   Laske C, Leyhe T, Stransky E, Eschweiler GW, Bueltmann A, Langer H, Stellos K, Gawaz M. Association of platelet-derived soluble glycoprotein VI in plasma with Alzheimer's disease. J Psychiatr Res. 2008;42(9):746-751. doi:10.1016/j.jpsychires.2007.07.017

103.   Field J, Browning SR, Johnson LJ, Danoy P, Varney MD, Tait BD, Gandhi KS, Charlesworth JC, Heard RN. A polymorphism in the HLA-DPB1 gene is associated with susceptibility to multiple sclerosis. PLoS One. 2010;5(10):e13454. doi:10.1371/journal.pone.0013454

104.   Lincoln MR, Ramagopalan SV, Chao MJ, Herrera BM, Deluca GC, Orton SM, Dyment DA, Sadovnick AD, Ebers GC. Epistasis among HLA-DRB1, HLA-DQA1, and HLA-DQB1 loci determines multiple sclerosis susceptibility. Proc Natl Acad Sci U S A. 2009;106(18):7542-7547. doi:10.1073/pnas.0812664106

105.   Ziliotto N, Bernardi F, Jakimovski D, Baroni M, Bergsland N, Ramasamy DP, Weinstock-Guttman B, Zamboni P, Marchetti G, Zivadinov R, et al. Increased CCL18 plasma levels are associated with neurodegenerative MRI outcomes in multiple sclerosis patients. Mult Scler Relat Disord. 2018;25:37-42. doi:10.1016/j.msard.2018.07.009

106.   El Sharkawi FZ, Ali SA, Hegazy MI, Atya HB. The combined effect of IL-17F and CCL20 gene polymorphism in susceptibility to multiple sclerosis in Egypt. Gene. 2019;685:164-169. doi:10.1016/j.gene.2018.11.006

107.   Cossins JA, Clements JM, Ford J, Miller KM, Pigott R, Vos W, Van der Valk P, De Groot CJ. Enhanced expression of MMP-7 and MMP-9 in

demyelinating multiple sclerosis lesions. Acta Neuropathol. 1997;94(6):590-598. doi:10.1007/s004010050754

108. Mirowska-Guzel D, Gromadzka G, Mach A, Czlonkowski A, Czlonkowska A. Association of IL1A, IL1B, ILRN, IL6, IL10 and TNF-α polymorphisms with risk and clinical course of multiple sclerosis in a Polish population. J Neuroimmunol. 2011;236(1-2):87-92. doi:10.1016/j.jneuroim.2011.04.014

109. Asouri M, Alinejad Rokni H, Sahraian MA, Fattahi S, Motamed N, Doosti R, Rahimi H, Lotfi M, Moslemi A, Karimpoor M, et al. Analysis of Single Nucleotide Polymorphisms in HLA-DRA, IL2RA , and HMGB1 Genes in Multiple Sclerosis. Rep Biochem Mol Biol. 2020;9(2):198-208. doi:10.29252/rbmb.9.2.199

110. Cardamone G, Paraboschi EM, Soldà G, Duga S, Saarela J, Asselta R. Genetic Association and Altered Gene Expression of CYBB in Multiple Sclerosis Patients. Biomedicines. 2018;6(4):117. doi:10.3390/biomedicines6040117

111. Begovich AB, Caillier SJ, Alexander HC, Penko JM, Hauser SL, Barcellos LF, Oksenberg JR. The R620W polymorphism of the protein tyrosine phosphatase PTPN22 is not associated with multiple sclerosis. Am J Hum Genet. 2005;76(1):184-187. doi:10.1086/42724

112. Bennetts BH, Teutsch SM, Buhler MM, Heard RN, Stewart GJ. HLA-DMB gene and HLA-DRA promoter region polymorphisms in Australian multiple sclerosis patients. Hum Immunol. 1999;60(9):886-893. doi:10.1016/s0198-8859(99)00054-3

113. Iparraguirre L, Muñoz-Culla M, Prada-Luengo I, Castillo-Triviño T, Olascoaga J, Otaegui D. Circular RNA profiling reveals that circular RNAs from ANXA2 can be used as new biomarkers for multiple sclerosis. Hum Mol Genet. 2017;26(18):3564-3572. doi:10.1093/hmg/ddx243

114. Oldoni E, Smets I, Mallants K, Vandebergh M, Van Horebeek L, Poesen K, Dupont P, Dubois B, Goris A. CHIT1 at Diagnosis Reflects Long-Term Multiple Sclerosis Disease Activity. Ann Neurol. 2020;87(4):633-645. doi:10.1002/ana.25691

115. Chang KH, Wu YR, Chen YC, Fung HC, Lee-Chen GJ, Chen CM. STK39, But Not BST1, HLA-DQB1, and SPPL2B Polymorphism, Is

Associated With Han-Chinese Parkinson's Disease in Taiwan. Medicine (Baltimore). 2015;94(41):e1690. doi:10.1097/MD.0000000000001690

116.   Jamshidi J, Movafagh A, Emamalizadeh B, Zare Bidoki A, Manafi A, Ghasemi Firouzabadi S, Shahidi GA, Kazeminasab S, Petramfar P, Fazeli A, et al. HLA-DRA is associated with Parkinson's disease in Iranian population. Int J Immunogenet. 2014;41(6):508-511. doi:10.1111/iji.12151

117.   Campolo M, Filippone A, Biondo C, Mancuso G, Casili G, Lanza M, Cuzzocrea S, Esposito E, Paterniti I. TLR7/8 in the Pathogenesis of Parkinson's Disease. Int J Mol Sci. 2020;21(24):9384. doi:10.3390/ijms21249384

118.   Bottero V, Santiago JA, Potashkin JA. PTPRC Expression in Blood is Downregulated in Parkinson's and Progressive Supranuclear Palsy Disorders. J Parkinsons Dis. 2018;8(4):529-537. doi:10.3233/JPD-181391

119.   Gao JX, Li Y, Wang SN, Chen XC, Lin LL, Zhang H. Overexpression of microRNA-183 promotes apoptosis of substantia nigra neurons via the inhibition of OSMR in a mouse model of Parkinson's disease. Int J Mol Med. 2019;43(1):209-220. doi:10.3892/ijmm.2018.3982

120.   Haga H, Yamada R, Izumi H, Shinoda Y, Kawahata I, Miyachi H, Fukunaga K. Novel fatty acid-binding protein 3 ligand inhibits dopaminergic neuronal death and improves motor and cognitive impairments in Parkinson's disease model mice. Pharmacol Biochem Behav. 2020;191:172891. doi:10.1016/j.pbb.2020.172891

121.   Klaver AC, Coffey MP, Aasly JO, Loeffler DA. CSF lamp2 concentrations are decreased in female Parkinson's disease patients with LRRK2 mutations. Brain Res. 2018;1683:12-16. doi:10.1016/j.brainres.2018.01.016

122.   Greenbaum L, Rigbi A, Lipshtat N, Cilia R, Tesei S, Asselta R, Djaldetti R, Goldwurm S, Lerer B. Association of nicotine dependence susceptibility gene, CHRNA5, with Parkinson's disease age at onset: gene and smoking status interaction. Parkinsonism Relat Disord. 2013;19(1):72-76. doi:10.1016/j.parkreldis.2012.07.007

123.   Aguirre CA, Concetta Morale M, Peng Q, Sanchez-Alavez M, Cintrón-Colón R, Feng K, Fazelpour S, Maher P, Conti B. Two single nucleotide polymorphisms in IL13 and IL13RA1 from individuals with idiopathic Parkinson's disease increase cellular susceptibility to oxidative

stress. Brain Behav Immun. 2020;88:920-924. doi:10.1016/j.bbi.2020.04.007

124. Shmuel-Galia L, Klug Y, Porat Z, Charni M, Zarmi B, Shai Y. Intramembrane attenuation of the TLR4-TLR6 dimer impairs receptor assembly and reduces microglia-mediated neurodegeneration. J Biol Chem. 2017;292(32):13415-13427. doi:10.1074/jbc.M117.784983

125. Paloneva J, Kestilä M, Wu J, Salminen A, Böhling T, Ruotsalainen V, Hakola P, Bakker AB, Phillips JH, Pekkarinen P, et al. Loss-of-function mutations in TYROBP (DAP12) result in a presenile dementia with bone cysts. Nat Genet. 2000;25(3):357-361. doi:10.1038/77153

126. Abu-Rumeileh S, Halbgebauer S, Steinacker P, Anderl-Straub S, Polischi B, Ludolph AC, Capellari S, Parchi P, Otto M. CSF SerpinA1 in Creutzfeldt-Jakob disease and frontotemporal lobar degeneration. Ann Clin Transl Neurol. 2020;7(2):191-199. doi:10.1002/acn3.50980

127. Wojta KJ, Ayer AH, Ramos EM, Nguyen PD, Karydas AM, Yokoyama JS, Kramer J, Lee SE, Boxer A, Miller BL, et al. Lack of Association Between the CCR5-delta32 Polymorphism and Neurodegenerative Disorders. Alzheimer Dis Assoc Disord. 2020;34(3):244-247. doi:10.1097/WAD.0000000000000367

128. Ries M, Loiola R, Shah UN, Gentleman SM, Solito E, Sastre M. The anti-inflammatory Annexin A1 induces the clearance and degradation of the amyloid-β peptide. J Neuroinflammation. 2016;13(1):234. doi:10.1186/s12974-016-0692-6

129. Bernstein HG, Keilhoff G, Dobrowolny H, Steiner J. SLC Solute Carrier Transporters and Neurodegenerative Disorders: Drawing Attention to Cationic Amino Acid Transporters 1 and 2. Clin Psychopharmacol Neurosci. 2020;18(3):467-468. doi:10.9758/cpn.2020.18.3.467

130. Qian ZM, Ke Y. Hepcidin and its therapeutic potential in neurodegenerative disorders. Med Res Rev. 2020;40(2):633-653. doi:10.1002/med.21631

131. Kitic M, Wimmer I, Adzemovic M, Kögl N, Rudel A, Lassmann H, Bradl M. Thymic stromal lymphopoietin is expressed in the intact central nervous system and upregulated in the myelin-degenerative central nervous system. Glia. 2014;62(7):1066-1074. doi:10.1002/glia.22662

132. Gorevic PD, Casey TT, Stone WJ, DiRaimondo CR, Prelli FC, Frangione B. Beta-2 microglobulin is an amyloidogenic protein in man. J Clin Invest. 1985;76(6):2425-2429. doi:10.1172/JCI112257

133. Bonham LW, Karch CM, Fan CC, Tan C, Geier EG, Wang Y, Wen N, Broce IJ, Li Y, Barkovich MJ, et al. CXCR4 involvement in neurodegenerative diseases. Transl Psychiatry. 2018;8(1):73. doi:10.1038/s41398-017-0049-7

134. Shi Q, Chowdhury S, Ma R, Le KX, Hong S, Caldarone BJ, Stevens B, Lemere CA. Complement C3 deficiency protects against neurodegeneration in aged plaque-rich APP/PS1 mice. Sci Transl Med. 2017;9(392):eaaf6295. doi:10.1126/scitranslmed.aaf6295

135. Maddison DC, Giorgini F. The kynurenine pathway and neurodegenerative disease. Semin Cell Dev Biol. 2015;40:134-141. doi:10.1016/j.semcdb.2015.03.002

136. Wang D, Zhang J, Jiang W, Cao Z, Zhao F, Cai T, Aschner M, Luo W. The role of NLRP3-CASP1 in inflammasome-mediated neuroinflammation and autophagy dysfunction in manganese-induced, hippocampal-dependent impairment of learning and memory ability. Autophagy. 2017;13(5):914-927. doi:10.1080/15548627.2017.1293766

137. Pase MP, Himali JJ, Beiser AS, DeCarli C, McGrath ER, Satizabal CL, Aparicio HJ, Adams HHH, Reiner AP, Longstreth WT Jr, et al. Association of CD14 with incident dementia and markers of brain aging and injury. Neurology. 2020;94(3):e254-e266. doi:10.1212/WNL.0000000000008682

138. Daniele SG, Béraud D, Davenport C, Cheng K, Yin H, Maguire-Zeiss KA. Activation of MyD88-dependent TLR1/2 signaling by misfolded α-synuclein, a protein linked to neurodegenerative disorders. Sci Signal. 2015;8(376):ra45. doi:10.1126/scisignal.2005965

139. Hayward JH, Lee SJ. A Decade of Research on TLR2 Discovering Its Pivotal Role in Glial Activation and Neuroinflammation in Neurodegenerative Diseases. Exp Neurobiol. 2014;23(2):138-147. doi:10.5607/en.2014.23.2.138

140. Wang Q, Yang W, Zhang J, Zhao Y, Xu Y. TREM2 Overexpression Attenuates Cognitive Deficits in Experimental Models of Vascular Dementia. Neural Plast. 2020;2020:8834275. doi:10.1155/2020/8834275

141. Kim MO, Suh HS, Si Q, Terman BI, Lee SC. Anti-CD45RO suppresses human immunodeficiency virus type 1 replication in microglia: role of Hck tyrosine kinase and implications for AIDS dementia. J Virol. 2006;80(1):62-72. doi:10.1128/JVI.80.1.62-72.2006

142. Götz ME, Fischer P, Gsell W, Riederer P, Streifler M, Simanyi M, Müller F, Danielczyk W. Platelet monoamine oxidase B activity in dementia. A 4-year follow-up. Dement Geriatr Cogn Disord. 1998;9(2):74-77. doi:10.1159/000017026

143. Budge KM, Neal ML, Richardson JR, Safadi FF. Glycoprotein NMB: an Emerging Role in Neurodegenerative Disease. Mol Neurobiol. 2018;55(6):5167-5176. doi:10.1007/s12035-017-0707-z

144. Loeffler DA, LeWitt PA, Juneau PL, Sima AA, Nguyen HU, DeMaggio AJ, Brickman CM, Brewer GJ, Dick RD, Troyer MD, et al. Increased regional brain concentrations of ceruloplasmin in neurodegenerative disorders. Brain Res. 1996;738(2):265-274. doi:10.1016/s0006-8993(96)00782-2

145. Cacciagli P, Desvignes JP, Girard N, Delepine M, Zelenika D, Lathrop M, Lévy N, Ledbetter DH, Dobyns WB, Villard L. AP1S2 is mutated in X-linked Dandy-Walker malformation with intellectual disability, basal ganglia disease and seizures (Pettigrew syndrome). Eur J Hum Genet. 2014;22(3):363-368. doi:10.1038/ejhg.2013.135

146. Stoffel W, Jenke B, Schmidt-Soltau I, Binczek E, Brodesser S, Hammels I. SMPD3 deficiency perturbs neuronal proteostasis and causes progressive cognitive impairment. Cell Death Dis. 2018;9(5):507. doi:10.1038/s41419-018-0560-7

147. Koper OM, Kamińska J, Sawicki K, Kemona H. CXCL9, CXCL10, CXCL11, and their receptor (CXCR3) in neuroinflammation and neurodegeneration. Adv Clin Exp Med. 2018;27(6):849-856. doi:10.17219/acem/68846

148. Philippe A, Craus Y, Rio M, Bahi-Buisson N, Boddaert N, Malan V, Bonnefont JP, Robel L. Case report: an unexpected link between partial deletion of the SHANK3 gene and Heller's dementia infantilis, a rare subtype of autism spectrum disorder. BMC Psychiatry. 2015;15:256. doi:10.1186/s12888-015-0631-6

149.   Cursano S, Battaglia CR, Urrutia-Ruiz C, Grabrucker S, Schön M, Bockmann J, Braumüller S, Radermacher P, Roselli F, Huber-Lang M, et al. A CRHR1 antagonist prevents synaptic loss and memory deficits in a trauma-induced delirium-like syndrome . Mol Psychiatry. 2020;10.1038/s41380-020-0659-y. doi:10.1038/s41380-020-0659-y

150.   Butler PM, Chiong W, Perry DC, Miller ZA, Gennatas ED, Brown JA, Pasquini L, Karydas A, Dokuru D, Coppola G, et al. Dopamine receptor D4 (DRD4) polymorphisms with reduced functional potency intensify atrophy in syndrome-specific sites of frontotemporal dementia. Neuroimage Clin. 2019;23:101822. doi:10.1016/j.nicl.2019.101822

151.   Cho BPH, Nannoni S, Harshfield EL, Tozer D, Gräf S, Bell S, Markus HS. NOTCH3 variants are more common than expected in the general population and associated with stroke and vascular dementia: an analysis of 200 000 participants. J Neurol Neurosurg Psychiatry. 2021;jnnp-2020-325838. doi:10.1136/jnnp-2020-325838

152.   Casiglia E, Giordano N, Tikhonoff V, Boschetti G, Mazza A, Caffi S, Guidotti F, Bisiacchi P. Cognitive Functions across the GNB3 C825T Polymorphism in an Elderly Italian Population. Neurol Res Int. 2013;2013:597034. doi:10.1155/2013/597034

153.   Yamamoto T, Murayama S, Takao M, Isa T, Higo N. Expression of secreted phosphoprotein 1 (osteopontin) in human sensorimotor cortex and spinal cord: Changes in patients with amyotrophic lateral sclerosis. Brain Res. 2017;1655:168-175. doi:10.1016/j.brainres.2016.10.030

154.   Wang HA, Lee JD, Lee KM, Woodruff TM, Noakes PG. Complement C5a-C5aR1 signalling drives skeletal muscle macrophage recruitment in the hSOD1G93A mouse model of amyotrophic lateral sclerosis. Skelet Muscle. 2017;7(1):10. doi:10.1186/s13395-017-0128-8

155.   Stringer RN, Jurkovicova-Tarabova B, Huang S, Haji-Ghassemi O, Idoux R, Liashenko A, Souza IA, Rzhepetskyy Y, Lacinova L, Van Petegem F, et al. A rare CACNA1H variant associated with amyotrophic lateral sclerosis causes complete loss of Cav3.2□T-type channel activity. Mol Brain. 2020;13(1):33. doi:10.1186/s13041-020-00577-6

156.   Brenner D, Müller K, Gastl R, Gorges M, Otto M, Pinkhardt EH, Kassubek J, Weishaupt JH, Ludolph AC. Analysis of CACNA1A CAG

repeat lengths in patients with familial ALS. Neurobiol Aging. 2019;74:235.e5-235.e8. doi:10.1016/j.neurobiolaging.2018.09.019

157. Zheng Z, Yan Y, Guo Q, Wang L, Han X, Liu S. Genetic Interaction of H19 and TGFBR1 Polymorphisms with Risk of Epilepsy in a Chinese Population. Pharmgenomics Pers Med. 2021;14:77-86. doi:10.2147/PGPM.S279664

158. Bergareche A, Bednarz M, Sánchez E, Krebs CE, Ruiz-Martinez J, De La Riva P, Makarov V, Gorostidi A, Jurkat-Rott K, Marti-Masso JF, et al. SCN4A pore mutation pathogenetically contributes to autosomal dominant essential tremor and may increase susceptibility to epilepsy. Hum Mol Genet. 2015;24(24):7111-7120. doi:10.1093/hmg/ddv410

159. McTague A, Nair U, Malhotra S, Meyer E, Trump N, Gazina EV, Papandreou A, Ngoh A, Ackermann S, Ambegaonkar G, et al. Clinical and molecular characterization of KCNT1-related severe early-onset epilepsy. Neurology. 2018;90(1):e55-e66. doi:10.1212/WNL.0000000000004762

160. Matricardi S, De Liso P, Freri E, Costa P, Castellotti B, Magri S, Gellera C, Granata T, Musante L, Lesca G, et al. Neonatal developmental and epileptic encephalopathy due to autosomal recessive variants in SLC13A5 gene. Epilepsia. 2020;61(11):2474-2485. doi:10.1111/epi.16699

161. Gorman KM, Meyer E, Grozeva D, Spinelli E, McTague A, Sanchis-Juan A, Carss KJ, Bryant E, Reich A, Schneider AL, et al. Bi-allelic Loss-of-Function CACNA1B Mutations in Progressive Epilepsy-Dyskinesia. Am J Hum Genet. 2019;104(5):948-956. doi:10.1016/j.ajhg.2019.03.005

162. Hewel C, Kaiser J, Wierczeiko A, Linke J, Reinhardt C, Endres K, Gerber S. Common miRNA Patterns of Alzheimer's Disease and Parkinson's Disease and Their Putative Impact on Commensal Gut Microbiota. Front Neurosci. 2019;13:113. doi:10.3389/fnins.2019.00113

163. Takousis P, Sadlon A, Schulz J, Wohlers I, Dobricic V, Middleton L, Lill CM, Perneczky R, Bertram L. Differential expression of microRNAs in Alzheimer's disease brain, blood, and cerebrospinal fluid. Alzheimers Dement. 2019;15(11):1468-1477. doi:10.1016/j.jalz.2019.06.4952

164. Boutillier S, Lannes B, Buée L, Delacourte A, Rouaux C, Mohr M, Bellocq JP, Sellal F, Larmet Y, Boutillier AL, et al. Sp3 and sp4 transcription factor levels are increased in brains of patients with

Alzheimer's disease. Neurodegener Dis. 2007;4(6):413-423. doi:10.1159/000107701

165.   Chen J, Zhu J, Wang Z, Yao X, Wu X, Liu F, Zheng W, Li Z, Lin A. MicroRNAs Correlate with Multiple Sclerosis and Neuromyelitis Optica Spectrum Disorder in a Chinese Population. Med Sci Monit. 2017;23:2565-2583. doi:10.12659/msm.904642

166.   Grasso M, Piscopo P, Talarico G, Ricci L, Crestini A, Tosto G, Gasparini M, Bruno G, Denti MA, Confaloni A. Plasma microRNA profiling distinguishes patients with frontotemporal dementia from healthy subjects. Neurobiol Aging. 2019;84:240.e1-240.e12. doi:10.1016/j.neurobiolaging.2019.01.024

167.   Nelson PT, Wang WX, Janse SA, Thompson KL. MicroRNA expression patterns in human anterior cingulate and motor cortex: A study of dementia with Lewy bodies cases and controls. Brain Res. 2018;1678:374-383. doi:10.1016/j.brainres.2017.11.009

168.   Ebner FH, Mariotto S, Darra E, Suzuki H, Cavalieri E. Use of STAT1 inhibitors in the treatment of brain I/R injury and neurodegenerative diseases. Cent Nerv Syst Agents Med Chem. 2011;11(1):2-7. doi:10.2174/187152411794961077

169.   Bruni AC, Takahashi-Fujigasaki J, Maltecca F, Foncin JF, Servadio A, Casari G, D'Adamo P, Maletta R, Curcio SA, De Michele G, et al. Behavioral disorder, dementia, ataxia, and rigidity in a large family with TATA box-binding protein mutation. Arch Neurol. 2004;61(8):1314-1320. doi:10.1001/archneur.61.8.1314

170.   Nematollahi A, Sun G, Jayawickrama GS, Hanrahan JR, Church WB. Study of the Activity and Possible Mechanism of Action of a Reversible Inhibitor of Recombinant Human KAT-2: A Promising Lead in Neurodegenerative and Cognitive Disorders. Molecules. 2016;21(7):856. Published 2016 Jun 29. doi:10.3390/molecules21070856

171.   Lennon MJ, Jones SP, Lovelace MD, Guillemin GJ, Brew BJ. Bcl11b: A New Piece to the Complex Puzzle of Amyotrophic Lateral Sclerosis Neuropathogenesis?. Neurotox Res. 2016;29(2):201-207. doi:10.1007/s12640-015-9573-5

172.   Fan S, Yin Q, Li D, Ma J, Li L, Chai S, Guo H, Yang Z. Anti-neuroinflammatory effects of Eucommia ulmoides Oliv. In a Parkinson's

mouse model through the regulation of p38/JNK-Fosl2 gene expression. J Ethnopharmacol. 2020;260:113016. doi:10.1016/j.jep.2020.113016

173.   Rouillard C, Baillargeon J, Paquet B, St-Hilaire M, Maheux J, Lévesque C, Darlix N, Majeur S, Lévesque D. Genetic disruption of the nuclear receptor Nur77 (Nr4a1) in rat reduces dopamine cell loss and l-Dopa-induced dyskinesia in experimental Parkinson's disease. Exp Neurol. 2018;304:143-153. doi:10.1016/j.expneurol.2018.03.008

Tables

Table 1 The sequences of primers for quantitative RT-PCR

Genes	Forward Primers	Reverse Primers
JUN	TTCCTCCAGTCCGAGAGCG	TGAGAAGGTCCGAGTTCTTGG
VCAM1	TTGGGAGCCTCAACGGTACT	GCAATCGTTTTGTATTCAGGGGA
RELA	TGCGATTCCGCTATAAATGCG	ACAAGTTCATGTGGATGAGGC
U2AF2	ATGTCGGACTTCGACGAGTTC	CCTGTGCCGATTCTCCTTGT
ADRB2	ATGTCGGTTATCGTCCTGGC	GGTTTGTAGTCGCTCGAACTTG
FN1	ATGTGGACCCCTCCTGATAGT	GCCCAGTGATTTCAGCAAAGG
CDK1	AGGTACTTACGGTGTGGTGTAT	CTCGCTTTCAAGTCTGATCTTCT
TK1	AGTGCCTGGTCATCAAGTATGC	GCTGCCACAATTACTGTCTTGC
A2M	GGCAGAATTTCCGCTTAGAGG	CACACACGGACACATTCATCT
ACTA2	CCCAGACATCAGGGAGTAATGG	TCTATCGGATACTTCAGCGTCA

Table 2 The statistical metrics for key differentially expressed genes (DEGs)

Gene Symbol	logFC	pValue	adj.P.Val	tvalue	Regulation	Gene Name
PENK	4.860097	2.31E-06	6.52E-05	4.724639	Up	proenkephalin
CYP4F11	4.557396	1.08E-08	6.35E-07	5.718164	Up	cytochrome P450 family 4 subfamily F member 11
SAA1	4.462926	1.67E-10	1.47E-08	6.389109	Up	serum amyloid A1
CARTPT	4.198389	4.41E-06	0.000113	4.591213	Up	CART prepropeptide
SUCNR1	4.145076	1.59E-08	8.96E-07	5.651175	Up	succinate receptor 1
ORM1	3.813821	8.85E-06	0.000205	4.443579	Up	orosomucoid 1
CRP	3.755592	3.74E-42	3.70E-39	13.60499	Up	C-reactive protein
ITGAX	3.641001	2.84E-06	7.77E-05	4.681713	Up	integrin subunit alpha X
APCS	3.628065	6.73E-19	2.00E-16	8.87927	Up	amyloid P component, serum
CA12	3.545671	6.04E-13	8.54E-11	7.199606	Up	carbonic anhydrase 12
CACNA2D3	3.499413	2.91E-07	1.12E-05	5.128975	Up	calcium voltage-gated channel auxiliary subunit alpha2delta 3
SLITRK6	3.470335	1.29E-14	2.33E-12	7.706578	Up	SLIT and NTRK like family member 6
F11	3.438039	1.28E-11	1.45E-09	6.771333	Up	coagulation factor XI
CHI3L2	3.353492	0.003527	0.025134	2.917594	Up	chitinase 3 like 2
MUC15	3.285	5.44E-05	0.000915	4.035669	Up	mucin 15, cell surface associated
MSMB	3.271431	0.007069	0.041925	2.693557	Up	microseminoprotein beta
UCA1	3.175529	4.97E-12	6.20E-10	6.906567	Up	urothelial cancer associated 1

C4BPA	3.156304	7.62E-08	3.42E-06	5.375891	Up	complement component 4 binding protein alpha
SERPINA6	3.094247	1.58E-14	2.79E-12	7.680819	Up	serpin family A member 6
FGFBP1	3.063736	5.24E-05	0.000889	4.044509	Up	fibroblast growth factor binding protein 1
FGA	3.039962	2.40E-05	0.000469	4.224153	Up	fibrinogen alpha chain
HAO1	2.988341	0.008352	0.047393	2.6375	Up	hydroxyacid oxidase 1
PIGR	2.974332	3.80E-22	1.48E-19	9.676431	Up	polymeric immunoglobulin receptor
PPY	2.954157	6.32E-32	3.61E-29	11.75944	Up	pancreatic polypeptide
ALDH1A2	2.942058	0.000702	0.00735	3.38886	Up	aldehyde dehydrogenase 1 family member A2
PSTPIP2	2.936601	0.000134	0.001922	3.81981	Up	proline-serine-threonine phosphatase interacting protein 2
SAA2	2.886413	0.000194	0.002625	3.726124	Up	serum amyloid A2
SNORA62	2.866455	0.000796	0.008139	3.354352	Up	small nucleolar RNA, H/ACA box 62
LRG1	2.815781	3.99E-09	2.54E-07	5.884742	Up	leucine rich alpha-2-glycoprotein 1
C16orf54	2.814328	0.000711	0.00743	3.385114	Up	chromosome 16 open reading frame 54
RGS1	2.76984	0.000395	0.004659	3.543409	Up	regulator of G protein signaling 1
TMEM132B	2.721191	3.82E-09	2.44E-07	5.891843	Up	transmembrane protein 132B
AMBN	2.717325	0.005864	0.036494	2.75531	Up	ameloblastin
STX19	2.699996	1.05E-05	0.000235	4.407223	Up	syntaxin 19
RAB33A	2.694358	0.006201	0.038131	2.736957	Up	RAB33A, member RAS oncogene family
KYNU	2.63086	0.000374	0.004463	3.557871	Up	kynureninase
LOC389834	2.602019	1.62E-11	1.79E-09	6.736442	Up	ankyrin repeat domain 57 pseudogene
SLC17A1	2.594486	0.003475	0.024908	2.922231	Up	solute carrier family 17 member 1
ADRB2	2.548793	0.001254	0.011599	3.226378	Up	adrenoceptor beta 2
AADAC	2.519181	0.004121	0.028255	2.868728	Up	arylacetamide deacetylase
VNN1	2.51097	4.17E-09	2.65E-07	5.877277	Up	vanin 1
SLPI	2.505407	9.85E-11	9.02E-09	6.469308	Up	secretory leukocyte peptidase inhibitor
SLCO1A2	2.502753	0.000923	0.009176	3.313154	Up	solute carrier organic anion transporter family member 1A2
ST8SIA1	2.488529	2.41E-06	6.74E-05	4.715297	Up	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 1
NRAP	2.399155	4.27E-05	0.000748	4.092199	Up	nebulin related anchoring protein
HLA-DRA	2.388682	2.35E-08	1.25E-06	5.584286	Up	major histocompatibility complex, class II, DR alpha
CHI3L1	2.387761	2.28E-06	6.49E-05	4.72652	Up	chitinase 3 like 1
SLC19A3	2.385339	0.001489	0.013224	3.176838	Up	solute carrier family 19 member 3
AMBP	2.361932	1.13E-11	1.30E-09	6.788459	Up	alpha-1-microglobulin/bikunin precursor
REG3A	2.360754	1.23E-16	2.77E-14	8.279959	Up	regenerating family member 3 alpha
SLITRK1	2.357923	0.000111	0.001645	3.864203	Up	SLIT and NTRK like family member 1
IDUA	2.326669	4.20E-06	0.000109	4.601026	Up	alpha-L-iduronidase
GLB1L3	2.31374	0.00073	0.007589	3.377954	Up	galactosidase beta 1 like 3
CCL20	2.287171	1.33E-06	4.22E-05	4.834695	Up	C-C motif chemokine ligand 20
VNN2	2.286735	7.10E-06	0.000169	4.490666	Up	vanin 2
LOC100287042	2.281235	3.41E-05	0.000622	4.144375	Up	uncharacterized LOC100287042
SLC25A19	2.270193	2.32E-06	6.56E-05	4.723098	Up	solute carrier family 25 member 19
GABRE	2.249575	0.002005	0.016626	3.089455	Up	gamma-aminobutyric acid type A receptor subunit epsilon
NR1H4	2.247257	0.001413	0.012715	3.192038	Up	nuclear receptor subfamily 1 group H member 4
TSPAN8	2.233034	1.85E-12	2.50E-10	7.045428	Up	tetraspanin 8

CEACAM7	2.226633	5.58E-08	2.64E-06	5.43174	Up	CEA cell adhesion molecule 7
CA4	2.191782	0.006301	0.038587	2.731677	Up	carbonic anhydrase 4
CERS1	2.18001	0.006481	0.039298	2.722409	Up	ceramide synthase 1
CDH17	2.177532	0.002096	0.017108	3.076347	Up	cadherin 17
PPP1R1B	2.15086	0.00586	0.036487	2.755516	Up	protein phosphatase 1 regulatory inhibitor subunit 1B
ACSF3	2.095319	0.000462	0.005303	3.501601	Up	acyl-CoA synthetase family member 3
FFAR1	2.080867	0.005375	0.03423	2.783637	Up	free fatty acid receptor 1
SERPINA10	2.046459	8.11E-06	0.00019	4.462269	Up	serpin family A member 10
FIGNL1	2.041234	4.60E-05	0.000794	4.07531	Up	fidgetin like 1
ADH1C	2.037037	4.35E-06	0.000112	4.594134	Up	alcohol dehydrogenase 1C (class I), gamma polypeptide
HLA-DMB	2.032997	0.005544	0.035075	2.773628	Up	major histocompatibility complex, class II, DM beta
SLC34A2	2.032368	2.84E-05	0.00054	4.186165	Up	solute carrier family 34 member 2
SPATA2L	2.020068	5.03E-05	0.00086	4.054045	Up	spermatogenesis associated 2 like
HCN3	1.997149	5.93E-08	2.76E-06	5.420837	Up	hyperpolarization activated cyclic nucleotide gated potassium channel 3
KCTD16	1.962394	0.003351	0.024334	2.933559	Up	potassium channel tetramerization domain containing 16
PKLR	1.928837	3.46E-06	9.23E-05	4.641383	Up	pyruvate kinase L/R
DUOXA2	1.924972	1.06E-06	3.44E-05	4.880573	Up	dual oxidase maturation factor 2
FA2H	1.92455	0.002863	0.021636	2.982087	Up	fatty acid 2-hydroxylase
TUB	1.917857	1.09E-07	4.74E-06	5.311478	Up	TUB bipartite transcription factor
PID1	1.916368	0.004177	0.028518	2.864483	Up	phosphotyrosine interaction domain containing 1
MLIP	1.913434	2.16E-07	8.57E-06	5.184749	Up	muscular LMNA interacting protein
GCNT3	1.908059	1.93E-08	1.06E-06	5.618207	Up	glucosaminyl (N-acetyl) transferase 3, mucin type
OTOGL	1.892097	1.00E-04	0.001501	3.890689	Up	otogelin like
CDKN2A	1.883974	0.00094	0.009327	3.307815	Up	cyclin dependent kinase inhibitor 2A
MACROD1	1.872259	0.007006	0.04162	2.696554	Up	mono-ADP ribosylhydrolase 1
VCAM1	1.871446	3.76E-06	9.91E-05	4.624033	Up	vascular cell adhesion molecule 1
LGALS4	1.84876	9.70E-06	0.00022	4.423816	Up	galectin 4
TMEM143	1.846802	0.001428	0.012824	3.188908	Up	transmembrane protein 143
CRH	1.827098	2.35E-06	6.62E-05	4.720469	Up	corticotropin releasing hormone
WDR72	1.824566	0.008691	0.048752	2.623982	Up	WD repeat domain 72
WDR24	1.819369	0.001795	0.015187	3.122228	Up	WD repeat domain 24
KCNQ1	1.817087	1.48E-05	0.000311	4.331946	Up	potassium voltage-gated channel subfamily Q member 1
NR4A2	1.815373	1.42E-10	1.27E-08	6.413344	Up	nuclear receptor subfamily 4 group A member 2
NECAB2	1.813422	0.001222	0.011371	3.233672	Up	N-terminal EF-hand calcium binding protein 2
URB2	1.811519	8.32E-05	0.001288	3.93486	Up	URB2 ribosome biogenesis homolog
ALB	1.794782	1.48E-05	0.000311	4.331897	Up	albumin
KCNH6	1.77235	5.47E-05	0.000915	4.03459	Up	potassium voltage-gated channel subfamily H member 6
CNGA1	1.769682	5.46E-05	0.000915	4.035139	Up	cyclic nucleotide gated channel subunit alpha 1
MAT1A	1.766294	0.00023	0.003021	3.683726	Up	methionine adenosyltransferase 1A
SLC24A3	1.759392	0.004454	0.029889	2.844072	Up	solute carrier family 24 member 3
DAB2IP	1.759192	7.46E-07	2.52E-05	4.949072	Up	DAB2 interacting protein
SNORA20	1.756052	0.003502	0.025024	2.919876	Up	small nucleolar RNA, H/ACA box 20
ARRDC2	1.750189	6.94E-06	0.000166	4.495401	Up	arrestin domain containing 2

PLIN5	1.739472	0.006153	0.037942	2.739541	Up	perilipin 5
SLC6A20	1.736959	0.008503	0.047957	2.631413	Up	solute carrier family 6 member 20
CD74	1.736016	2.32E-11	2.48E-09	6.684348	Up	CD74 molecule
DUOXA1	1.726737	5.87E-05	0.000971	4.018021	Up	dual oxidase maturation factor 1
CP	1.7227	2.93E-10	2.44E-08	6.302509	Up	ceruloplasmin
ALDOB	1.721723	0.000101	0.001509	3.889197	Up	aldolase, fructose-bisphosphate B
OIP5	1.717334	0.008267	0.047125	2.640977	Up	Opa interacting protein 5
HLA-F-AS1	1.716992	4.92E-06	0.000124	4.568213	Up	HLA-F antisense RNA 1
PCDH10	1.715746	0.001468	0.01308	3.18087	Up	protocadherin 10
FJX1	1.693333	0.003956	0.027372	2.881683	Up	four-jointed box kinase 1
MAP3K9	1.683732	9.32E-06	0.000214	4.432432	Up	mitogen-activated protein kinase kinase kinase 9
HABP2	1.681662	0.000412	0.004825	3.532477	Up	hyaluronan binding protein 2
BRD7P3	1.677208	0.000205	0.002741	3.712458	Up	bromodomain containing 7 pseudogene 3
SHROOM1	1.671713	1.55E-08	8.74E-07	5.656164	Up	shroom family member 1
PTPRH	1.669188	0.000118	0.001725	3.85006	Up	protein tyrosine phosphatase receptor type H
SHANK2	1.665031	0.000579	0.006326	3.441284	Up	SH3 and multiple ankyrin repeat domains 2
PGR	1.657716	1.99E-09	1.33E-07	5.999007	Up	progesterone receptor
PHLDA3	1.65533	0.000794	0.008137	3.354941	Up	pleckstrin homology like domain family A member 3
S100Z	1.652261	0.00568	0.035738	2.765729	Up	S100 calcium binding protein Z
SOCS1	1.634331	0.003513	0.025042	2.918905	Up	suppressor of cytokine signaling 1
ASPSCR1	1.624667	0.000167	0.002316	3.764994	Up	ASPSCR1 tether for SLC2A4, UBX domain containing
BIRC3	1.618173	5.91E-09	3.66E-07	5.819157	Up	baculoviral IAP repeat containing 3
C1QTNF4	1.614263	0.004843	0.031685	2.817264	Up	C1q and TNF related 4
RNF32	1.601341	0.005621	0.035412	2.76913	Up	ring finger protein 32
VARS2	1.58278	0.000596	0.006463	3.433317	Up	valyl-tRNA synthetase 2, mitochondrial
PLEKHB1	1.578123	5.54E-05	0.000926	4.031511	Up	pleckstrin homology domain containing B1
CDH22	1.571917	0.005098	0.03286	2.800754	Up	cadherin 22
DOCK8	1.567052	0.004065	0.027932	2.873092	Up	dedicator of cytokinesis 8
SERTM1	1.564759	0.001697	0.014507	3.13872	Up	serine rich and transmembrane domain containing 1
ADRB1	1.554144	0.001395	0.012583	3.195745	Up	adrenoceptor beta 1
CALY	1.543282	0.000114	0.001673	3.858656	Up	calcyon neuron specific vesicular protein
ACSS2	1.542	7.54E-05	0.001186	3.958622	Up	acyl-CoA synthetase short chain family member 2
JMJD4	1.540229	0.000174	0.002405	3.754382	Up	jumonji domain containing 4
STEAP4	1.533888	0.004097	0.028125	2.870632	Up	STEAP4 metalloreductase
OSGIN2	1.529591	1.60E-06	4.91E-05	4.798679	Up	oxidative stress induced growth inhibitor family member 2
SPP1	1.527485	4.18E-11	4.25E-09	6.597665	Up	secreted phosphoprotein 1
ZNF784	1.523025	0.008388	0.047542	2.636046	Up	zinc finger protein 784
RHOT2	1.510241	1.68E-08	9.37E-07	5.642248	Up	ras homolog family member T2
DPP4	1.507531	1.17E-06	3.76E-05	4.860897	Up	dipeptidyl peptidase 4
DEFB1	1.505726	5.22E-05	0.000885	4.045675	Up	defensin beta 1
FAM20A	1.500559	0.005505	0.034873	2.775919	Up	FAM20A golgi associated secretory pathway pseudokinase
KLB	1.489726	0.001201	0.011223	3.238649	Up	klotho beta
CLIP2	1.487029	0.000132	0.001905	3.823121	Up	CAP-Gly domain containing linker protein 2

MVD	1.483339	0.000281	0.003571	3.631897	Up	mevalonate diphosphate decarboxylase
SCNN1A	1.482171	0.005552	0.035114	2.773124	Up	sodium channel epithelial 1 subunit alpha
LRRC24	1.468999	0.000285	0.003597	3.628672	Up	leucine rich repeat containing 24
ELL	1.459712	0.002701	0.020786	2.999815	Up	elongation factor for RNA polymerase II
CCDC85B	1.454035	0.000695	0.007327	3.391678	Up	coiled-coil domain containing 85B
DENND2D	1.448171	2.07E-06	6.02E-05	4.746846	Up	DENN domain containing 2D
NR4A3	1.443348	0.000701	0.00735	3.389062	Up	nuclear receptor subfamily 4 group A member 3
PEX7	1.441084	0.000698	0.00735	3.39031	Up	peroxisomal biogenesis factor 7
CASP10	1.43516	0.001067	0.010216	3.272233	Up	caspase 10
RNASE4	1.434292	8.21E-09	4.96E-07	5.764056	Up	ribonuclease A family member 4
GGA1	1.422219	2.17E-06	6.27E-05	4.736599	Up	golgi associated, gamma adaptin ear containing, ARF binding protein 1
ZBTB48	1.420898	5.67E-06	0.00014	4.538176	Up	zinc finger and BTB domain containing 48
ARX	1.41982	4.88E-07	1.75E-05	5.031034	Up	aristaless related homeobox
HLA-DRB1	1.417078	0.005289	0.033753	2.788877	Up	major histocompatibility complex, class II, DR beta 1
HSD17B2	1.41604	0.005122	0.032969	2.799273	Up	hydroxysteroid 17-beta dehydrogenase 2
FAM98C	1.412537	0.001652	0.014229	3.146501	Up	family with sequence similarity 98 member C
KLKB1	1.408861	0.003203	0.023502	2.94759	Up	kallikrein B1
KLHDC1	1.40424	0.000949	0.009368	3.305269	Up	kelch domain containing 1
RAB20	1.402783	0.007176	0.042473	2.688558	Up	RAB20, member RAS oncogene family
DUOX2	1.400604	8.92E-06	0.000206	4.441768	Up	dual oxidase 2
CASP1	1.396972	0.004561	0.030411	2.836529	Up	caspase 1
CHN2	1.393794	0.00846	0.047791	2.633124	Up	chimerin 2
KCNC4	1.383783	0.001837	0.015486	3.115314	Up	potassium voltage-gated channel subfamily C member 4
ARMC7	1.382084	3.64E-05	0.000655	4.128939	Up	armadillo repeat containing 7
LAT2	1.375052	0.008875	0.049473	2.616818	Up	linker for activation of T cells family member 2
WFDC2	1.361957	4.56E-05	0.000788	4.077326	Up	WAP four-disulfide core domain 2
NPAS4	1.357653	0.002985	0.022333	2.969242	Up	neuronal PAS domain protein 4
HLA-DPB1	1.353913	0.008542	0.048154	2.629871	Up	major histocompatibility complex, class II, DP beta 1
RARRES2	1.349155	0.002552	0.019943	3.017143	Up	retinoic acid receptor responder 2
RFX1	1.349082	7.70E-05	0.001207	3.953595	Up	regulatory factor X1
CYP3A5	1.33808	2.89E-06	7.86E-05	4.67874	Up	cytochrome P450 family 3 subfamily A member 5
MIR29C	1.334143	0.000797	0.008139	3.353784	Up	microRNA 29c
MRPL12	1.333729	0.001991	0.016546	3.091565	Up	mitochondrial ribosomal protein L12
FBXO36	1.333024	1.23E-05	0.000269	4.372934	Up	F-box protein 36
FAM86DP	1.328847	0.005607	0.035369	2.76994	Up	family with sequence similarity 86 member D, pseudogene
ARVCF	1.326161	3.31E-05	0.00061	4.150713	Up	ARVCF delta catenin family member
DEPTOR	1.318149	0.001117	0.010593	3.259253	Up	DEP domain containing MTOR interacting protein
KCNJ8	1.318057	0.000238	0.003115	3.674944	Up	potassium inwardly rectifying channel subfamily J member 8
PDZK1IP1	1.315801	9.18E-05	0.001398	3.911373	Up	PDZK1 interacting protein 1
CFB	1.315099	3.82E-06	9.99E-05	4.621177	Up	complement factor B
CPT1B	1.308267	0.000694	0.007327	3.391758	Up	carnitine palmitoyltransferase 1B
MMRN1	1.306941	0.000963	0.009463	3.30117	Up	multimerin 1
ETV3	1.301854	0.001294	0.011913	3.217317	Up	ETS variant transcription factor 3

DTNB	1.283314	0.005856	0.036476	2.755748	Up	dystrobrevin beta
MMP1	1.282851	0.000374	0.004463	3.557922	Up	matrix metallopeptidase 1
TMEM176A	1.282033	6.86E-10	5.17E-08	6.169302	Up	transmembrane protein 176A
NR4A1	1.277418	9.03E-10	6.61E-08	6.125627	Up	nuclear receptor subfamily 4 group A member 1
TYMP	1.269805	0.003887	0.02702	2.887229	Up	thymidine phosphorylase
WHAMMP3	1.268427	0.00011	0.001633	3.86674	Up	WAS protein homolog associated with actin, golgi membranes and microtubules pseudogene 3
GPX2	1.266532	1.24E-06	3.98E-05	4.848674	Up	glutathione peroxidase 2
MRC1	1.265704	0.002608	0.020311	3.010482	Up	mannose receptor C-type 1
SLC28A3	1.261081	0.005242	0.033569	2.791764	Up	solute carrier family 28 member 3
GRINA	1.260001	1.66E-09	1.13E-07	6.028311	Up	glutamate ionotropic receptor NMDA type subunit associated protein 1
COMTD1	1.259376	0.000438	0.005062	3.516212	Up	catechol-O-methyltransferase domain containing 1
ITPKC	1.253391	0.003493	0.025012	2.92061	Up	inositol-trisphosphate 3-kinase C
LTBP3	1.251497	8.68E-07	2.89E-05	4.919326	Up	latent transforming growth factor beta binding protein 3
MT1A	1.250232	0.001512	0.013377	3.172284	Up	metallothionein 1A
ZNF34	1.239207	0.001255	0.011605	3.226068	Up	zinc finger protein 34
FBXW5	1.233028	1.30E-06	4.11E-05	4.840395	Up	F-box and WD repeat domain containing 5
LCN2	1.224204	1.29E-05	0.00028	4.362318	Up	lipocalin 2
CEACAM19	1.214525	0.007367	0.04329	2.679795	Up	CEA cell adhesion molecule 19
PRLR	1.214388	0.002876	0.021699	2.980724	Up	prolactin receptor
ZNF862	1.210155	0.003181	0.023371	2.949721	Up	zinc finger protein 862
STXBP6	1.205294	0.000536	0.00594	3.462271	Up	syntaxin binding protein 6
DUSP8	1.202609	8.43E-05	0.001299	3.931698	Up	dual specificity phosphatase 8
ZC3H12A	1.195651	0.001091	0.010383	3.265831	Up	zinc finger CCCH-type containing 12A
LHPP	1.194241	0.003948	0.027329	2.882321	Up	phospholysine phosphohistidine inorganic pyrophosphate phosphatase
GP2	1.191415	0.002309	0.018474	3.047314	Up	glycoprotein 2
SIK1	1.18886	1.21E-05	0.000266	4.376562	Up	salt inducible kinase 1
SERPING1	1.188811	1.08E-05	0.00024	4.401319	Up	serpin family G member 1
ATP13A2	1.188695	0.003061	0.022786	2.961525	Up	ATPase cation transporting 13A2
ADORA2A	1.188079	0.002256	0.018136	3.054326	Up	adenosine A2a receptor
BTG2	1.187414	2.04E-12	2.70E-10	7.031727	Up	BTG anti-proliferation factor 2
SEMA3E	1.184185	2.70E-05	0.000518	4.197493	Up	semaphorin 3E
MUC13	1.181307	2.25E-07	8.87E-06	5.177146	Up	mucin 13, cell surface associated
STS	1.181228	0.007185	0.042494	2.688133	Up	steroid sulfatase
CPM	1.180739	0.000637	0.006829	3.415186	Up	carboxypeptidase M
PPP1R12B	1.178311	0.00055	0.006085	3.45499	Up	protein phosphatase 1 regulatory subunit 12B
TMEM30B	1.174283	6.10E-08	2.81E-06	5.415896	Up	transmembrane protein 30B
UNC119B	1.172844	0.000104	0.00155	3.880943	Up	unc-119 lipid binding chaperone B
CHRNE	1.172479	0.000127	0.001847	3.831284	Up	cholinergic receptor nicotinic epsilon subunit
RPS6KA6	1.170868	0.000293	0.003668	3.621693	Up	ribosomal protein S6 kinase A6
ITGB3BP	1.16542	2.55E-05	0.000496	4.210131	Up	integrin subunit beta 3 binding protein
TPSG1	1.160373	0.001307	0.011969	3.214515	Up	tryptase gamma 1
TNFAIP2	1.159342	3.35E-05	0.000615	4.14848	Up	TNF alpha induced protein 2

ZBTB7A	1.155527	9.88E-10	7.16E-08	6.111375	Up	zinc finger and BTB domain containing 7A
BBC3	1.154274	0.006236	0.03831	2.735096	Up	BCL2 binding component 3
EPS8L2	1.149059	2.71E-06	7.46E-05	4.691359	Up	EPS8 like 2
DAPK2	1.148499	0.00055	0.006084	3.455243	Up	death associated protein kinase 2
SDC4	1.147833	2.13E-06	6.17E-05	4.740494	Up	syndecan 4
SPOCK3	1.147027	0.001613	0.013975	3.153535	Up	SPARC (osteonectin), cwcv and kazal like domains proteoglycan 3
ZFP36	1.145497	4.76E-10	3.82E-08	6.226781	Up	ZFP36 ring finger protein
CA2	1.144512	0.003937	0.02728	2.883181	Up	carbonic anhydrase 2
GRAMD4	1.143431	0.000704	0.007369	3.38796	Up	GRAM domain containing 4
KIFC2	1.137498	0.006227	0.038275	2.735575	Up	kinesin family member C2
RASSF5	1.136232	2.75E-06	7.55E-05	4.688523	Up	Ras association domain family member 5
CTSD	1.132154	3.47E-11	3.60E-09	6.625256	Up	cathepsin D
SPTSSB	1.131418	0.000381	0.004523	3.553075	Up	serine palmitoyltransferase small subunit B
SOD2	1.126412	6.27E-11	6.21E-09	6.537195	Up	superoxide dismutase 2
ROGDI	1.125008	0.000108	0.001606	3.871842	Up	rogdi atypical leucine zipper
WHAMMP2	1.122241	0.001637	0.014145	3.149165	Up	WAS protein homolog associated with actin, golgi membranes and microtubules pseudogene 2
JAKMIP1	1.121972	0.007586	0.044265	2.669952	Up	janus kinase and microtubule interacting protein 1
SMOC1	1.120388	4.12E-05	0.000724	4.100379	Up	SPARC related modular calcium binding 1
KAT8	1.118592	0.000671	0.00712	3.401263	Up	lysine acetyltransferase 8
MRS2P2	1.109493	0.005082	0.032798	2.801787	Up	MRS2 pseudogene 2
PBX2	1.106311	0.000883	0.008875	3.325261	Up	PBX homeobox 2
NAT9	1.105312	0.00236	0.018801	3.040739	Up	N-acetyltransferase 9 (putative)
GBP2	1.097352	0.00316	0.023257	2.951688	Up	guanylate binding protein 2
APOH	1.0953	0.001207	0.01127	3.237117	Up	apolipoprotein H
ARSA	1.094952	8.14E-05	0.001267	3.940246	Up	arylsulfatase A
PIM3	1.093568	6.09E-05	0.000997	4.009468	Up	Pim-3 proto-oncogene, serine/threonine kinase
DDX25	1.087549	0.008743	0.048956	2.621949	Up	DEAD-box helicase 25
EGR3	1.083482	0.004081	0.02803	2.871842	Up	early growth response 3
RAB17	1.080047	0.000476	0.00542	3.493738	Up	RAB17, member RAS oncogene family
SNORD102	1.078771	0.000943	0.009353	3.306857	Up	small nucleolar RNA, C/D box 102
GSDMD	1.07772	0.001234	0.011455	3.230845	Up	gasdermin D
HLA-B	1.072221	2.50E-17	6.18E-15	8.467954	Up	major histocompatibility complex, class I, B
PON3	1.071857	0.00437	0.029495	2.850165	Up	paraoxonase 3
C1R	1.071156	0.003238	0.023686	2.944197	Up	complement C1r
HYI	1.069764	4.05E-05	0.000713	4.104388	Up	hydroxypyruvate isomerase (putative)
DDX54	1.068929	0.001651	0.014228	3.146782	Up	DEAD-box helicase 54
LONP1	1.066421	9.16E-06	0.000211	4.436098	Up	lon peptidase 1, mitochondrial
SERPINA1	1.062074	1.98E-08	1.08E-06	5.614097	Up	serpin family A member 1
MGC70870	1.055503	0.004001	0.027598	2.878076	Up	C-terminal binding protein 2 pseudogene
UBD	1.054856	0.007211	0.042594	2.686948	Up	ubiquitin D
CASZ1	1.054643	0.003332	0.024209	2.935302	Up	castor zinc finger 1
SNCA	1.052071	0.001465	0.013067	3.181438	Up	synuclein alpha

ONECUT2	1.050612	0.000491	0.005529	3.485354	Up	one cut homeobox 2
EGR4	1.047477	0.003331	0.024209	2.935462	Up	early growth response 4
PNLIP	1.044398	0.001947	0.01625	3.098235	Up	pancreatic lipase
SLC29A4	1.044248	8.53E-05	0.001311	3.928868	Up	solute carrier family 29 member 4
JUN	1.041042	5.35E-11	5.37E-09	6.560931	Up	Jun proto-oncogene, AP-1 transcription factor subunit
OCRL	1.035964	0.000137	0.001962	3.813522	Up	OCRL inositol polyphosphate-5-phosphatase
DHCR24	1.031289	3.93E-05	0.000696	4.111443	Up	24-dehydrocholesterol reductase
TMC5	1.028393	0.001332	0.012139	3.209069	Up	transmembrane channel like 5
FSTL5	1.022268	0.000867	0.008745	3.330316	Up	follistatin like 5
RAP1A	1.013348	2.63E-06	7.26E-05	4.698065	Up	RAP1A, member of RAS oncogene family
AOX1	1.012166	0.002812	0.021393	2.987574	Up	aldehyde oxidase 1
ZNF692	1.011426	0.002003	0.01662	3.089814	Up	zinc finger protein 692
SLC22A17	1.011289	3.88E-07	1.44E-05	5.074865	Up	solute carrier family 22 member 17
TRAPPC5	1.010652	5.56E-07	1.94E-05	5.005747	Up	trafficking protein particle complex 5
CTSS	1.010378	0.000557	0.006137	3.451709	Up	cathepsin S
COX5A	1.008381	2.21E-11	2.37E-09	6.691712	Up	cytochrome c oxidase subunit 5A
NUDT16	1.004815	0.002233	0.01798	3.057404	Up	nudix hydrolase 16
C1orf122	0.998501	1.80E-06	5.45E-05	4.774514	Up	chromosome 1 open reading frame 122
SNHG1	0.992947	0.001731	0.014763	3.132913	Up	small nucleolar RNA host gene 1
ABHD12	0.98966	4.40E-05	0.000766	4.08564	Up	abhydrolase domain containing 12, lysophospholipase
MIR147B	0.989371	1.01E-06	3.31E-05	4.889678	Up	microRNA 147b
TTR	0.98906	2.80E-11	2.95E-09	6.656749	Up	transthyretin
RAB27A	0.986412	0.000326	0.004015	3.593435	Up	RAB27A, member RAS oncogene family
GNAI1	0.98537	5.81E-07	2.02E-05	4.997344	Up	G protein subunit alpha i1
TM4SF4	0.982872	1.68E-08	9.37E-07	5.642406	Up	transmembrane 4 L six family member 4
SCN3A	0.981372	0.001031	0.009986	3.281956	Up	sodium voltage-gated channel alpha subunit 3
TMED10P1	0.981285	1.17E-09	8.18E-08	6.084545	Up	transmembrane p24 trafficking protein 10 pseudogene 1
SLC16A7	0.979185	0.003043	0.022676	2.963325	Up	solute carrier family 16 member 7
IL6R	0.97521	0.002568	0.020043	3.01516	Up	interleukin 6 receptor
IMPA2	0.974629	0.004064	0.027932	2.873126	Up	inositol monophosphatase 2
DUSP1	0.97403	1.62E-09	1.11E-07	6.032277	Up	dual specificity phosphatase 1
HSPA1B	0.973353	1.57E-06	4.84E-05	4.802269	Up	heat shock protein family A (Hsp70) member 1B
SLC12A7	0.970748	0.000457	0.005244	3.504999	Up	solute carrier family 12 member 7
NAGLU	0.967873	0.001187	0.011106	3.242006	Up	N-acetyl-alpha-glucosaminidase
DLEC1	0.95751	0.001453	0.012998	3.183982	Up	DLEC1 cilia and flagella associated protein
C15orf48	0.957485	1.05E-07	4.62E-06	5.317105	Up	chromosome 15 open reading frame 48
ABCB1	0.951745	0.000274	0.003499	3.638721	Up	ATP binding cassette subfamily B member 1
RIPPLY2	0.949701	0.003964	0.027394	2.880986	Up	ripply transcriptional repressor 2
XAB2	0.947952	0.004995	0.032378	2.80736	Up	XPA binding protein 2
PTP4A1	0.944972	3.71E-12	4.71E-10	6.947816	Up	protein tyrosine phosphatase 4A1
GBA2	0.942585	0.000161	0.002251	3.774149	Up	glucosylceramidase beta 2
F10	0.941789	0.000946	0.009363	3.305991	Up	coagulation factor X
ANG	0.940414	0.000569	0.006246	3.445744	Up	angiogenin

AFMID	0.940065	0.000663	0.007049	3.404575	Up	arylformamidase
ASL	0.939426	0.000486	0.005494	3.488568	Up	argininosuccinate lyase
POLD3	0.937297	0.001543	0.013561	3.166421	Up	DNA polymerase delta 3, accessory subunit
SERTAD3	0.932907	0.004437	0.029803	2.845289	Up	SERTA domain containing 3
GABBR1	0.93278	0.008879	0.049473	2.616667	Up	gamma-aminobutyric acid type B receptor subunit 1
CACNA1H	0.924741	0.008616	0.048407	2.626944	Up	calcium voltage-gated channel subunit alpha1 H
SNORA16A	0.923544	0.004705	0.031053	2.826564	Up	small nucleolar RNA, H/ACA box 16A
SCYL3	0.922277	0.006814	0.04082	2.705785	Up	SCY1 like pseudokinase 3
HLA-J	0.918614	1.94E-12	2.60E-10	7.038739	Up	major histocompatibility complex, class I, J (pseudogene)
CXCL2	0.917487	0.007511	0.043967	2.673279	Up	C-X-C motif chemokine ligand 2
PHF2	0.917134	0.000249	0.003226	3.663365	Up	PHD finger protein 2
TRIB2	0.911615	0.003408	0.024577	2.928347	Up	tribbles pseudokinase 2
PSMG1	0.909231	0.00298	0.022303	2.969825	Up	proteasome assembly chaperone 1
PDK4	0.90829	4.21E-06	0.000109	4.60061	Up	pyruvate dehydrogenase kinase 4
SNORD58C	0.907764	0.001022	0.009924	3.284462	Up	small nucleolar RNA, C/D box 58C
PDE4D	0.906149	0.001133	0.010707	3.255316	Up	phosphodiesterase 4D
RPS10P7	0.90502	0.001134	0.010716	3.254896	Up	ribosomal protein S10 pseudogene 7
CENPB	0.904336	0.00031	0.003844	3.606946	Up	centromere protein B
HLA-E	0.904162	6.68E-12	8.06E-10	6.864398	Up	major histocompatibility complex, class I, E
NUCB1	0.894836	8.94E-09	5.31E-07	5.749746	Up	nucleobindin 1
CHCHD10	0.894544	0.001878	0.015787	3.108808	Up	coiled-coil-helix-coiled-coil-helix domain containing 10
PLA2G4C	0.894513	0.005097	0.03286	2.800841	Up	phospholipase A2 group IVC
HLA-H	0.894171	3.72E-16	8.01E-14	8.147234	Up	major histocompatibility complex, class I, H (pseudogene)
ALDH2	0.889919	0.000355	0.004306	3.571102	Up	aldehyde dehydrogenase 2 family member
TLCD1	0.889556	0.000423	0.004945	3.525304	Up	TLC domain containing 1
QSOX1	0.889003	0.000201	0.002694	3.717941	Up	quiescin sulfhydryl oxidase 1
GNPTG	0.887892	1.68E-06	5.13E-05	4.788321	Up	N-acetylglucosamine-1-phosphate transferase subunit gamma
GAMT	0.885655	0.000914	0.009113	3.315622	Up	guanidinoacetate N-methyltransferase
MUC20	0.885387	0.003114	0.023048	2.956302	Up	mucin 20, cell surface associated
GAA	0.883575	0.000625	0.006716	3.420709	Up	glucosidase alpha, acid
EPHX1	0.882556	0.001246	0.011542	3.228161	Up	epoxide hydrolase 1
IRX2	0.87814	0.002012	0.016648	3.088401	Up	iroquois homeobox 2
KDM1B	0.877681	0.005787	0.036232	2.759592	Up	lysine demethylase 1B
AGT	0.872907	0.000369	0.00442	3.561241	Up	angiotensinogen
APOL1	0.871137	0.006065	0.037495	2.744251	Up	apolipoprotein L1
ERBB3	0.866594	0.004566	0.030436	2.836126	Up	erb-b2 receptor tyrosine kinase 3
GC	0.865249	2.64E-05	0.000509	4.202422	Up	GC vitamin D binding protein
RMRP	0.86397	0.007313	0.043044	2.682239	Up	RNA component of mitochondrial RNA processing endoribonuclease
PCSK1N	0.863171	6.05E-08	2.80E-06	5.417249	Up	proprotein convertase subtilisin/kexin type 1 inhibitor
SLC38A4	0.862664	3.30E-05	0.000608	4.151567	Up	solute carrier family 38 member 4
MLXIPL	0.858192	6.46E-05	0.001051	3.995352	Up	MLX interacting protein like
RELA	0.857395	0.001565	0.013703	3.162393	Up	RELA proto-oncogene, NF-kB subunit
ABHD14A	0.850443	0.002904	0.02186	2.97768	Up	abhydrolase domain containing 14A

Gene						Description
C8orf82	0.850138	0.008439	0.047738	2.634	Up	chromosome 8 open reading frame 82
UNKL	0.847906	7.89E-06	0.000186	4.468256	Up	unk like zinc finger
PTPRN2	0.840172	6.24E-06	0.000152	4.51796	Up	protein tyrosine phosphatase receptor type N2
RTN1	0.837885	0.001814	0.015323	3.119108	Up	reticulon 1
FAM193B	0.835166	0.002056	0.016897	3.082015	Up	family with sequence similarity 193 member B
SLC44A4	0.830175	0.00423	0.028795	2.860443	Up	solute carrier family 44 member 4
TMEM183B	0.829275	0.000465	0.005319	3.500193	Up	transmembrane protein 183B
C4orf48	0.827987	0.000237	0.003105	3.676047	Up	chromosome 4 open reading frame 48
TBL2	0.824308	0.006363	0.038834	2.72849	Up	transducin beta like 2
CEBPD	0.822274	0.001777	0.015066	3.125176	Up	CCAAT enhancer binding protein delta
RCAN2	0.817966	0.002449	0.019362	3.029615	Up	regulator of calcineurin 2
LYZ	0.814951	0.004806	0.031556	2.819766	Up	lysozyme
IFITM2	0.813561	0.000853	0.008613	3.335119	Up	interferon induced transmembrane protein 2
FAM8A1	0.810943	0.004296	0.029143	2.855578	Up	family with sequence similarity 8 member A1
REPIN1	0.808075	0.000433	0.005031	3.519312	Up	replication initiator 1
DCAF11	0.805362	0.00197	0.016392	3.094725	Up	DDB1 and CUL4 associated factor 11
HLA-C	0.800301	3.33E-12	4.26E-10	6.962988	Up	major histocompatibility complex, class I, C
BTG1	0.800153	8.89E-09	5.30E-07	5.750679	Up	BTG anti-proliferation factor 1
RAB5C	0.797754	1.87E-05	0.000381	4.279496	Up	RAB5C, member RAS oncogene family
ARRDC4	0.79144	0.00267	0.02064	3.003382	Up	arrestin domain containing 4
HLA-A	0.789204	3.01E-15	5.65E-13	7.890626	Up	major histocompatibility complex, class I, A
PJA1	0.78577	0.007641	0.0445	2.667514	Up	praja ring finger ubiquitin ligase 1
TRIOBP	0.785496	0.004833	0.031656	2.817931	Up	TRIO and F-actin binding protein
CLU	0.784071	1.52E-11	1.70E-09	6.745903	Up	clusterin
SDHA	0.783467	0.000506	0.005656	3.477682	Up	succinate dehydrogenase complex flavoprotein subunit A
KCNK3	0.783131	0.000368	0.004415	3.561765	Up	potassium two pore domain channel subfamily K member 3
RORA	0.782585	0.002328	0.018607	3.044836	Up	RAR related orphan receptor A
GCG	0.78151	1.87E-05	0.000381	4.279675	Up	glucagon
SLC4A4	0.781078	0.003066	0.022802	2.961006	Up	solute carrier family 4 member 4
SPINT2	0.780022	9.63E-11	8.88E-09	6.472653	Up	serine peptidase inhibitor, Kunitz type 2
CFC1	0.776461	0.000113	0.001657	3.861527	Up	cripto, FRL-1, cryptic family 1
CFC1B	0.776461	0.000113	0.001657	3.861527	Up	cripto, FRL-1, cryptic family 1B
GPX3	0.773677	9.26E-07	3.06E-05	4.906725	Up	glutathione peroxidase 3
MAF	0.769808	0.001577	0.013743	3.16013	Up	MAF bZIP transcription factor
PFKL	0.768515	0.002023	0.016727	3.086839	Up	phosphofructokinase, liver type
BCS1L	0.76814	0.00669	0.040207	2.71188	Up	BCS1 homolog, ubiquinol-cytochrome c reductase complex chaperone
POLR2A	0.760606	3.80E-05	0.000676	4.119563	Up	RNA polymerase II subunit A
RNF149	0.757628	3.03E-05	0.000569	4.171111	Up	ring finger protein 149
HPS3	0.757014	0.003509	0.025028	2.919233	Up	HPS3 biogenesis of lysosomal organelles complex 2 subunit 1
ANP32A	0.756629	8.89E-05	0.001361	3.919	Up	acidic nuclear phosphoprotein 32 family member A
COA5	0.755377	0.000444	0.005122	3.512514	Up	cytochrome c oxidase assembly factor 5
PUS7L	0.752571	0.004713	0.031065	2.826015	Up	pseudouridine synthase 7 like
DACH1	0.751247	0.001646	0.014201	3.147665	Up	dachshund family transcription factor 1

RNPEP	0.75053	0.000405	0.004758	3.536608	Up	arginyl aminopeptidase
SERPINE2	0.74936	0.001499	0.013289	3.174888	Up	serpin family E member 2
LSM6	0.747747	5.05E-05	0.00086	4.053353	Up	LSM6 homolog, U6 small nuclear RNA and mRNA degradation associated
ABLIM1	0.74695	3.75E-06	9.89E-05	4.624807	Up	actin binding LIM protein 1
PPAN-P2RY11	0.745678	5.43E-05	0.000913	4.036365	Up	PPAN-P2RY11 readthrough
GET4	0.743207	0.002683	0.020717	3.001928	Up	guided entry of tail-anchored proteins factor 4
SPAG16	0.742949	0.000338	0.004142	3.584044	Up	sperm associated antigen 16
RAP1GAP	0.74019	0.001536	0.013537	3.167786	Up	RAP1 GTPase activating protein
MTMR12	0.739827	0.003094	0.022947	2.958222	Up	myotubularin related protein 12
SNN	0.739567	0.001212	0.011301	3.23615	Up	stannin
ITPK1	0.737421	0.002697	0.020771	3.000349	Up	inositol-tetrakisphosphate 1-kinase
PLTP	0.735518	1.70E-07	6.94E-06	5.229404	Up	phospholipid transfer protein
SESN1	0.733841	0.004166	0.028469	2.865326	Up	sestrin 1
CCDC86	0.732086	0.005585	0.035271	2.77121	Up	coiled-coil domain containing 86
CHGB	0.731999	5.33E-07	1.87E-05	5.014107	Up	chromogranin B
RGS4	0.731903	9.90E-05	0.001492	3.892916	Up	regulator of G protein signaling 4
CLDN7	0.729918	8.21E-05	0.001277	3.938047	Up	claudin 7
PPM1B	0.724653	0.008246	0.047041	2.641841	Up	protein phosphatase, Mg2+/Mn2+ dependent 1B
C9orf16	0.722277	0.00032	0.00394	3.598756	Up	chromosome 9 open reading frame 16
POLD2	0.72133	0.000506	0.005656	3.477682	Up	DNA polymerase delta 2, accessory subunit
CYB5R3	0.720759	2.38E-06	6.67E-05	4.718096	Up	cytochrome b5 reductase 3
TMEM176B	0.720352	1.06E-05	0.000237	4.40538	Up	transmembrane protein 176B
CMTM8	0.719692	0.008327	0.047336	2.638533	Up	CKLF like MARVEL transmembrane domain containing 8
PCSK2	0.717848	1.24E-05	0.000272	4.370337	Up	proprotein convertase subtilisin/kexin type 2
P4HA1	0.717174	0.000198	0.002659	3.721805	Up	prolyl 4-hydroxylase subunit alpha 1
RPRD1A	0.71633	0.001345	0.012208	3.206219	Up	regulation of nuclear pre-mRNA domain containing 1A
CES2	0.716072	0.001076	0.010276	3.269859	Up	carboxylesterase 2
MAN1A1	0.714242	6.27E-06	0.000152	4.516969	Up	mannosidase alpha class 1A member 1
CACNA1A	0.712675	0.001542	0.013561	3.166569	Up	calcium voltage-gated channel subunit alpha1 A
KLHL12	0.711808	0.007545	0.044081	2.671774	Up	kelch like family member 12
ID2	0.710358	3.60E-05	0.000651	4.131867	Up	inhibitor of DNA binding 2
ARHGAP12	0.709594	0.00071	0.007421	3.385629	Up	Rho GTPase activating protein 12
MOCS2	0.709439	3.97E-05	0.000701	4.109489	Up	molybdenum cofactor synthesis 2
TUSC2	0.708041	0.006864	0.041019	2.703368	Up	tumor suppressor 2, mitochondrial calcium regulator
TCEAL2	0.707716	0.002121	0.017261	3.072677	Up	transcription elongation factor A like 2
U2AF2	0.70594	0.007189	0.042501	2.687943	Up	U2 small nuclear RNA auxiliary factor 2
MGRN1	0.703772	0.00124	0.011491	3.22959	Up	mahogunin ring finger 1
PPARA	0.703065	0.005332	0.033986	2.786232	Up	peroxisome proliferator activated receptor alpha
CAPN7	0.701948	0.003625	0.025627	2.909118	Up	calpain 7
ARL6IP4	0.700483	8.56E-05	0.001313	3.928163	Up	ADP ribosylation factor like GTPase 6 interacting protein 4
ANXA4	0.700394	0.00019	0.002576	3.732303	Up	annexin A4
SUCLG2	0.70025	0.000827	0.008388	3.343483	Up	succinate-CoA ligase GDP-forming subunit beta
TFRC	0.700148	6.66E-05	0.001078	3.988234	Up	transferrin receptor

Gene	logFC	P.Value	adj.P.Val	t	Regulation	Description
TTC39A	0.699028	0.000609	0.006568	3.427548	Up	tetratricopeptide repeat domain 39A
MRPL38	0.695461	0.007369	0.04329	2.679669	Up	mitochondrial ribosomal protein L38
TXNDC11	0.693311	0.002648	0.020521	3.005867	Up	thioredoxin domain containing 11
SLC39A1	0.687707	0.003642	0.025729	2.907625	Up	solute carrier family 39 member 1
LOC100129534	0.686772	3.72E-25	1.67E-22	10.36124	Up	small nuclear ribonucleoprotein polypeptide N pseudogene
COQ4	0.685338	0.006238	0.03831	2.735002	Up	coenzyme Q4
GALNT3	0.684973	0.002196	0.017742	3.062363	Up	polypeptide N-acetylgalactosaminyltransferase 3
LDLR	0.681819	0.000344	0.004196	3.579354	Up	low density lipoprotein receptor
BET1	0.681654	0.000455	0.005234	3.505722	Up	Bet1 golgi vesicular membrane trafficking protein
DUT	0.67494	0.000365	0.004386	3.564089	Up	deoxyuridine triphosphatase
FTH1	0.674678	9.55E-12	1.11E-09	6.813071	Up	ferritin heavy chain 1
LY75-CD302	0.672266	0.00339	0.024517	2.930009	Up	LY75-CD302 readthrough
SSBP3	0.66799	0.005563	0.035169	2.772481	Up	single stranded DNA binding protein 3
ARHGEF10L	0.664155	0.008544	0.048154	2.629762	Up	Rho guanine nucleotide exchange factor 10 like
SLMAP	0.663003	0.001703	0.014549	3.137686	Up	sarcolemma associated protein
PGRMC1	0.661335	0.000753	0.007766	3.36948	Up	progesterone receptor membrane component 1
HLA-F	0.659739	3.46E-05	0.00063	4.140949	Up	major histocompatibility complex, class I, F
SEC24B	0.658743	0.004881	0.031836	2.814813	Up	SEC24 homolog B, COPII coat complex component
PPP1CC	0.652481	0.00073	0.007589	3.378032	Up	protein phosphatase 1 catalytic subunit gamma
CCDC152	0.651268	0.004007	0.027622	2.877578	Up	coiled-coil domain containing 152
STAMBP	0.648299	0.00318	0.023371	2.949738	Up	STAM binding protein
DPP7	0.644342	0.004665	0.030928	2.829281	Up	dipeptidyl peptidase 7
CD81	0.644011	8.52E-06	0.000199	4.451719	Up	CD81 molecule
AK1	0.64326	0.002527	0.019794	3.020081	Up	adenylate kinase 1
SEMA4B	0.642691	0.005039	0.032592	2.804522	Up	semaphorin 4B
HIF1A	0.641721	5.37E-06	0.000134	4.54991	Up	hypoxia inducible factor 1 subunit alpha
GPAA1	0.640751	0.00177	0.015039	3.126294	Up	glycosylphosphatidylinositol anchor attachment 1
SLC25A36	0.637235	0.002624	0.02039	3.008665	Up	solute carrier family 25 member 36
CCDC18	0.635747	0.003935	0.027279	2.883347	Up	coiled-coil domain containing 18
CPLX2	0.634062	0.006991	0.041576	2.697274	Up	complexin 2
GGA2	0.633393	0.000806	0.008195	3.350871	Up	golgi associated, gamma adaptin ear containing, ARF binding protein 2
GIGYF1	0.63099	1.35E-05	0.000292	4.35222	Up	GRB10 interacting GYF protein 1
SULT1E1	-8.16887	1.02E-44	1.17E-41	-14.0299	Down	sulfotransferase family 1E member 1
SEMA3C	-6.99712	3.64E-53	6.76E-50	-15.3482	Down	semaphorin 3C
ISLR	-6.99695	1.69E-65	1.25E-61	-17.0924	Down	immunoglobulin superfamily containing leucine rich repeat
PCK1	-6.8013	5.06E-39	4.18E-36	-13.0673	Down	phosphoenolpyruvate carboxykinase 1
KRT17	-6.28089	3.08E-45	3.81E-42	-14.1148	Down	keratin 17
IGF2BP3	-5.85349	6.87E-36	5.10E-33	-12.5066	Down	insulin like growth factor 2 mRNA binding protein 3
TDO2	-5.56834	5.84E-33	3.61E-30	-11.9588	Down	tryptophan 2,3-dioxygenase
POSTN	-5.43333	8.15E-47	1.10E-43	-14.3686	Down	periostin
COL6A3	-5.35601	6.96E-88	1.03E-83	-19.8731	Down	collagen type VI alpha 3 chain
SOX11	-5.00018	2.19E-33	1.42E-30	-12.0398	Down	SRY-box transcription factor 11
KRT6B	-4.96583	7.73E-12	9.11E-10	-6.8434	Down	keratin 6B

IL1RL1	-4.95954	1.75E-06	5.29E-05	-4.78075	Down	interleukin 1 receptor like 1
BNC2	-4.91463	1.36E-28	6.73E-26	-11.0928	Down	basonuclin 2
SLCO2A1	-4.86935	2.68E-17	6.53E-15	-8.4597	Down	solute carrier organic anion transporter family member 2A1
TAGLN	-4.73723	1.06E-38	8.25E-36	-13.0113	Down	transgelin
S1PR1	-4.72945	9.65E-10	7.03E-08	-6.11507	Down	sphingosine-1-phosphate receptor 1
NRG3	-4.7291	6.74E-08	3.07E-06	-5.39788	Down	neuregulin 3
GJC1	-4.70503	2.40E-30	1.32E-27	-11.4482	Down	gap junction protein gamma 1
NTM	-4.63089	3.87E-18	1.06E-15	-8.68256	Down	neurotrimin
ST6GAL2	-4.60433	2.92E-15	5.55E-13	-7.89441	Down	ST6 beta-galactoside alpha-2,6-sialyltransferase 2
CSF2	-4.59632	1.14E-11	1.31E-09	-6.78722	Down	colony stimulating factor 2
SULF1	-4.52079	1.82E-42	1.93E-39	-13.6575	Down	sulfatase 1
CD34	-4.493	1.30E-14	2.33E-12	-7.70548	Down	CD34 molecule
RASSF2	-4.42796	1.18E-13	1.85E-11	-7.41871	Down	Ras association domain family member 2
ACTA2	-4.36581	4.29E-39	3.74E-36	-13.08	Down	actin alpha 2, smooth muscle
TOP2A	-4.363	4.09E-12	5.15E-10	-6.9339	Down	DNA topoisomerase II alpha
CENPE	-4.35643	4.63E-08	2.25E-06	-5.46505	Down	centromere protein E
ESM1	-4.33455	7.61E-10	5.68E-08	-6.15282	Down	endothelial cell specific molecule 1
ADAMTS12	-4.31989	6.88E-17	1.57E-14	-8.34908	Down	ADAM metallopeptidase with thrombospondin type 1 motif 12
TGFBI	-4.31696	6.45E-49	9.58E-46	-14.7	Down	transforming growth factor beta induced
OLFML1	-4.29731	2.09E-10	1.79E-08	-6.35473	Down	olfactomedin like 1
GJA4	-4.28558	1.78E-05	0.000365	-4.29121	Down	gap junction protein alpha 4
CLIC5	-4.25197	1.80E-08	9.94E-07	-5.63015	Down	chloride intracellular channel 5
OLFML3	-4.24213	2.40E-13	3.59E-11	-7.32459	Down	olfactomedin like 3
COL3A1	-4.19955	1.49E-54	3.70E-51	-15.554	Down	collagen type III alpha 1 chain
EGF	-4.18772	1.09E-12	1.50E-10	-7.11819	Down	epidermal growth factor
MUC4	-4.18467	5.87E-06	0.000144	-4.53109	Down	mucin 4, cell surface associated
COL1A2	-4.17512	1.54E-55	4.59E-52	-15.6987	Down	collagen type I alpha 2 chain
FN1	-4.17427	8.36E-63	4.14E-59	-16.7268	Down	fibronectin 1
LUM	-4.1577	1.94E-40	1.80E-37	-13.313	Down	lumican
SPARC	-4.14871	5.75E-57	2.13E-53	-15.9061	Down	secreted protein acidic and cysteine rich
FRZB	-4.1365	8.96E-10	6.58E-08	-6.12698	Down	frizzled related protein
COL5A1	-4.12837	1.48E-28	6.93E-26	-11.0849	Down	collagen type V alpha 1 chain
THY1	-4.09014	8.03E-25	3.51E-22	-10.2874	Down	Thy-1 cell surface antigen
EMCN	-4.0853	8.78E-11	8.34E-09	-6.48654	Down	endomucin
PECAM1	-4.06447	4.57E-13	6.79E-11	-7.23754	Down	platelet and endothelial cell adhesion molecule 1
GAP43	-4.00349	6.11E-19	1.85E-16	-8.88993	Down	growth associated protein 43
ASB9	-3.99904	6.65E-29	3.40E-26	-11.1566	Down	ankyrin repeat and SOCS box containing 9
AFAP1L1	-3.99574	1.57E-07	6.51E-06	-5.24426	Down	actin filament associated protein 1 like 1
XAF1	-3.96621	7.76E-15	1.44E-12	-7.77142	Down	XIAP associated factor 1
SRPX	-3.9576	8.61E-10	6.36E-08	-6.13322	Down	sushi repeat containing protein X-linked
HEPH	-3.94057	1.14E-08	6.66E-07	-5.70859	Down	hephaestin
BCAS1	-3.91979	2.94E-06	7.98E-05	-4.67529	Down	brain enriched myelin associated protein 1
NES	-3.90754	1.59E-15	3.14E-13	-7.96988	Down	nestin

FABP4	-3.90568	4.07E-11	4.17E-09	-6.60142	Down	fatty acid binding protein 4
CST6	-3.89561	1.18E-07	5.03E-06	-5.29674	Down	cystatin E/M
CD248	-3.88898	5.14E-12	6.34E-10	-6.90153	Down	CD248 molecule
PTGS2	-3.86934	2.65E-19	8.51E-17	-8.9824	Down	prostaglandin-endoperoxide synthase 2
ENPEP	-3.85123	1.95E-06	5.75E-05	-4.7584	Down	glutamyl aminopeptidase
LTB4R	-3.84992	6.75E-07	2.30E-05	-4.96848	Down	leukotriene B4 receptor
ITGA11	-3.8315	2.63E-10	2.22E-08	-6.31901	Down	integrin subunit alpha 11
IGDCC4	-3.82989	6.78E-17	1.57E-14	-8.35083	Down	immunoglobulin superfamily DCC subclass member 4
SPOCD1	-3.82989	4.20E-08	2.08E-06	-5.48232	Down	SPOC domain containing 1
VCAN	-3.82926	1.49E-28	6.93E-26	-11.0844	Down	versican
MFAP2	-3.82601	2.21E-20	7.63E-18	-9.25168	Down	microfibril associated protein 2
PI15	-3.81639	1.29E-11	1.45E-09	-6.76976	Down	peptidase inhibitor 15
COL1A1	-3.81542	2.97E-50	4.90E-47	-14.907	Down	collagen type I alpha 1 chain
HHATL	-3.81056	2.62E-08	1.38E-06	-5.56493	Down	hedgehog acyltransferase like
LRRC17	-3.78527	1.35E-09	9.35E-08	-6.06157	Down	leucine rich repeat containing 17
FHOD3	-3.77153	5.30E-12	6.45E-10	-6.89726	Down	formin homology 2 domain containing 3
DACT1	-3.75494	1.10E-10	9.99E-09	-6.45208	Down	dishevelled binding antagonist of beta catenin 1
PIEZO2	-3.73731	1.53E-15	3.07E-13	-7.97465	Down	piezo type mechanosensitive ion channel component 2
REP15	-3.72234	2.11E-07	8.40E-06	-5.18894	Down	RAB15 effector protein
CPA4	-3.69821	2.45E-12	3.19E-10	-7.00608	Down	carboxypeptidase A4
NID1	-3.67312	1.68E-18	4.79E-16	-8.77708	Down	nidogen 1
PRSS12	-3.65724	1.30E-15	2.64E-13	-7.9947	Down	serine protease 12
GUCY1A2	-3.64287	3.48E-05	0.000633	-4.13939	Down	guanylate cyclase 1 soluble subunit alpha 2
HAS2	-3.61739	5.44E-21	2.07E-18	-9.40026	Down	hyaluronan synthase 2
TMEM233	-3.61228	0.001142	0.010766	-3.25303	Down	transmembrane protein 233
ADA	-3.60883	2.18E-13	3.31E-11	-7.33707	Down	adenosine deaminase
LDHAL6A	-3.60004	5.92E-06	0.000145	-4.5294	Down	lactate dehydrogenase A like 6A
PALMD	-3.59649	7.10E-08	3.23E-06	-5.38855	Down	palmdelphin
FIBIN	-3.57473	5.38E-08	2.57E-06	-5.43815	Down	fin bud initiation factor homolog
ARG1	-3.57404	0.005807	0.036311	-2.75847	Down	arginase 1
CDH13	-3.56691	3.89E-05	0.000691	-4.11376	Down	cadherin 13
CDH11	-3.48989	8.32E-21	3.01E-18	-9.35553	Down	cadherin 11
BMP4	-3.48514	2.37E-08	1.26E-06	-5.58236	Down	bone morphogenetic protein 4
HCLS1	-3.48103	6.80E-07	2.31E-05	-4.96694	Down	hematopoietic cell-specific Lyn substrate 1
HSF2BP	-3.4663	0.002364	0.01882	-3.0402	Down	heat shock transcription factor 2 binding protein
KIF2C	-3.46461	0.00019	0.002576	-3.73201	Down	kinesin family member 2C
CMAHP	-3.4563	0.000365	0.004386	-3.56411	Down	cytidine monophospho-N-acetylneuraminic acid hydroxylase, pseudogene
CCNJL	-3.44621	3.38E-05	0.00062	-4.14601	Down	cyclin J like
COL12A1	-3.43746	6.71E-13	9.40E-11	-7.18524	Down	collagen type XII alpha 1 chain
PLXDC1	-3.42606	6.77E-09	4.17E-07	-5.79652	Down	plexin domain containing 1
FLI1	-3.42332	0.000294	0.003672	-3.62093	Down	Fli-1 proto-oncogene, ETS transcription factor
SLC2A2	-3.42142	1.23E-08	7.10E-07	-5.6957	Down	solute carrier family 2 member 2
MEG8	-3.41669	1.00E-05	0.000226	-4.41685	Down	maternally expressed 8, small nucleolar RNA host gene

FLNC	-3.41112	0.000175	0.002423	-3.75208	Down	filamin C
ALPK2	-3.40152	0.00075	0.007745	-3.37063	Down	alpha kinase 2
SST	-3.37446	1.81E-53	3.83E-50	-15.3936	Down	somatostatin
BTN2A2	-3.36353	3.62E-11	3.73E-09	-6.61885	Down	butyrophilin subfamily 2 member A2
CYBRD1	-3.35493	6.77E-12	8.11E-10	-6.86235	Down	cytochrome b reductase 1
BUB1	-3.35131	0.00012	0.001749	-3.84637	Down	BUB1 mitotic checkpoint serine/threonine kinase
STRA6	-3.35023	1.39E-07	5.85E-06	-5.2665	Down	signaling receptor and transporter of retinol STRA6
PTHLH	-3.34655	1.42E-08	8.09E-07	-5.67072	Down	parathyroid hormone like hormone
TULP2	-3.33857	4.38E-10	3.55E-08	-6.24001	Down	TUB like protein 2
LEF1	-3.33571	6.25E-07	2.16E-05	-4.98345	Down	lymphoid enhancer binding factor 1
GLI2	-3.32111	9.92E-07	3.26E-05	-4.89315	Down	GLI family zinc finger 2
POU2F2	-3.31154	2.21E-06	6.35E-05	-4.73306	Down	POU class 2 homeobox 2
ZFHX4	-3.30289	6.86E-11	6.70E-09	-6.52373	Down	zinc finger homeobox 4
VGLL3	-3.29299	5.04E-16	1.07E-13	-8.11063	Down	vestigial like family member 3
ADAMTS6	-3.27426	7.88E-16	1.65E-13	-8.05597	Down	ADAM metallopeptidase with thrombospondin type 1 motif 6
SRPX2	-3.27082	8.78E-20	2.90E-17	-9.10308	Down	sushi repeat containing protein X-linked 2
TNFAIP6	-3.27015	1.41E-23	5.97E-21	-10.0079	Down	TNF alpha induced protein 6
UPK1B	-3.26379	2.81E-06	7.70E-05	-4.68427	Down	uroplakin 1B
DDX43	-3.26053	0.000486	0.005496	-3.4881	Down	DEAD-box helicase 43
P4HA3	-3.25419	2.56E-05	0.000497	-4.20961	Down	prolyl 4-hydroxylase subunit alpha 3
ADAM28	-3.25015	1.68E-05	0.000349	-4.30313	Down	ADAM metallopeptidase domain 28
RPA4	-3.23437	0.002467	0.019475	-3.02739	Down	replication protein A4
GIMAP7	-3.23156	0.000937	0.009301	-3.30879	Down	GTPase, IMAP family member 7
COL22A1	-3.23086	0.001317	0.012041	-3.21229	Down	collagen type XXII alpha 1 chain
BGN	-3.22635	1.70E-23	7.02E-21	-9.98901	Down	biglycan
BPIFC	-3.21015	0.006092	0.037603	-2.74277	Down	BPI fold containing family C
IL18	-3.20589	8.09E-11	7.80E-09	-6.49886	Down	interleukin 18
GPC3	-3.20357	5.22E-06	0.000131	-4.55581	Down	glypican 3
CD93	-3.19308	5.91E-08	2.76E-06	-5.42147	Down	CD93 molecule
PGF	-3.19231	1.25E-05	0.000273	-4.36831	Down	placental growth factor
PLEKHG1	-3.18607	4.24E-10	3.48E-08	-6.24488	Down	pleckstrin homology and RhoGEF domain containing G1
CMTM3	-3.18497	5.80E-20	1.96E-17	-9.14799	Down	CKLF like MARVEL transmembrane domain containing 3
CTSK	-3.16971	1.64E-17	4.35E-15	-8.51671	Down	cathepsin K
GRIP1	-3.16616	6.42E-10	4.89E-08	-6.17974	Down	glutamate receptor interacting protein 1
S1PR3	-3.16211	6.70E-10	5.07E-08	-6.17307	Down	sphingosine-1-phosphate receptor 3
CNGA3	-3.15833	4.78E-10	3.82E-08	-6.22618	Down	cyclic nucleotide gated channel subunit alpha 3
ADAMTS16	-3.15294	1.09E-05	0.000243	-4.39764	Down	ADAM metallopeptidase with thrombospondin type 1 motif 16
LAMA1	-3.15139	1.14E-05	0.000253	-4.38889	Down	laminin subunit alpha 1
A2M	-3.14799	2.96E-17	7.09E-15	-8.44816	Down	alpha-2-macroglobulin
MYCT1	-3.12838	2.80E-05	0.000535	-4.18913	Down	MYC target 1
LRRC70	-3.12174	3.67E-05	0.000657	-4.12742	Down	leucine rich repeat containing 70
ST8SIA4	-3.12163	2.25E-08	1.21E-06	-5.59122	Down	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 4
COL5A2	-3.11416	1.22E-20	4.31E-18	-9.31513	Down	collagen type V alpha 2 chain

DGKI	-3.10767	1.70E-05	0.000352	-4.30088	Down	diacylglycerol kinase iota
NETO2	-3.10713	7.23E-05	0.00115	-3.96847	Down	neuropilin and tolloid like 2
SNAI2	-3.09547	2.95E-11	3.08E-09	-6.64921	Down	snail family transcriptional repressor 2
UNC5D	-3.09533	5.19E-10	4.08E-08	-6.21334	Down	unc-5 netrin receptor D
TRIM36	-3.09527	0.000179	0.002459	-3.74687	Down	tripartite motif containing 36
COL14A1	-3.09404	4.86E-05	0.000836	-4.06217	Down	collagen type XIV alpha 1 chain
EBF1	-3.06903	5.45E-13	7.94E-11	-7.21355	Down	EBF transcription factor 1
VAT1L	-3.06878	1.32E-09	9.21E-08	-6.0648	Down	vesicle amine transport 1 like
EPHB6	-3.06128	6.62E-07	2.27E-05	-4.97217	Down	EPH receptor B6
ALK	-3.05586	2.28E-06	6.49E-05	-4.72653	Down	ALK receptor tyrosine kinase
GHRL	-3.05351	1.65E-11	1.81E-09	-6.73366	Down	ghrelin and obestatin prepropeptide
HEY2	-3.04581	0.001033	0.009991	-3.28144	Down	hes related family bHLH transcription factor with YRPW motif 2
FBN1	-3.04283	2.19E-16	4.85E-14	-8.21132	Down	fibrillin 1
SLC7A5	-3.0307	3.65E-16	7.97E-14	-8.14962	Down	solute carrier family 7 member 5
RASIP1	-3.0253	1.38E-05	0.000297	-4.34762	Down	Ras interacting protein 1
CDK1	-3.01086	0.001964	0.016358	-3.09569	Down	cyclin dependent kinase 1
C1orf54	-3.00335	1.08E-09	7.70E-08	-6.09648	Down	chromosome 1 open reading frame 54
SLC9A9	-2.99945	3.67E-07	1.37E-05	-5.08539	Down	solute carrier family 9 member A9
SOX7	-2.99541	3.92E-05	0.000694	-4.1124	Down	SRY-box transcription factor 7
TET1	-2.98965	2.86E-09	1.88E-07	-5.93916	Down	tet methylcytosine dioxygenase 1
TMPRSS11E	-2.97933	0.002569	0.020043	-3.01511	Down	transmembrane serine protease 11E
MGP	-2.97256	1.24E-14	2.27E-12	-7.71206	Down	matrix Gla protein
RAB38	-2.97255	0.002875	0.021699	-2.98083	Down	RAB38, member RAS oncogene family
HOXA3	-2.9662	1.47E-05	0.00031	-4.33381	Down	homeobox A3
F2R	-2.96073	1.37E-13	2.12E-11	-7.3993	Down	coagulation factor II thrombin receptor
GGT5	-2.95488	1.87E-06	5.57E-05	-4.7675	Down	gamma-glutamyltransferase 5
ANO1	-2.94931	3.19E-07	1.21E-05	-5.11161	Down	anoctamin 1
TPX2	-2.94516	0.000244	0.003179	-3.66887	Down	TPX2 microtubule nucleation factor
KCNH7	-2.94502	2.84E-05	0.00054	-4.1863	Down	potassium voltage-gated channel subfamily H member 7
ECSCR	-2.93745	0.000713	0.007436	-3.38472	Down	endothelial cell surface expressed chemotaxis and apoptosis regulator
SALL4	-2.92459	1.19E-06	3.84E-05	-4.85668	Down	spalt like transcription factor 4
EDNRA	-2.92262	6.19E-10	4.76E-08	-6.18556	Down	endothelin receptor type A
LTBP2	-2.91196	4.94E-13	7.26E-11	-7.22705	Down	latent transforming growth factor beta binding protein 2
DLL4	-2.91058	2.82E-14	4.77E-12	-7.6061	Down	delta like canonical Notch ligand 4
MMP3	-2.90798	2.23E-06	6.38E-05	-4.73179	Down	matrix metallopeptidase 3
TBC1D2	-2.8974	0.000753	0.007766	-3.36966	Down	TBC1 domain family member 2
AGPAT4-IT1	-2.89031	2.87E-05	0.000544	-4.18382	Down	AGPAT4 intronic transcript 1
KIT	-2.89029	1.92E-06	5.69E-05	-4.76181	Down	KIT proto-oncogene, receptor tyrosine kinase
ECM2	-2.8828	6.75E-05	0.00109	-3.98476	Down	extracellular matrix protein 2
KANK4	-2.88067	2.26E-08	1.21E-06	-5.59113	Down	KN motif and ankyrin repeat domains 4
GLIPR1L2	-2.87857	6.40E-05	0.001042	-3.99754	Down	GLIPR1 like 2
PLA2R1	-2.87806	0.001	0.009746	-3.29066	Down	phospholipase A2 receptor 1
FAT3	-2.87436	5.46E-05	0.000915	-4.03496	Down	FAT atypical cadherin 3

CLEC4A	-2.87294	5.63E-08	2.65E-06	-5.43021	Down	C-type lectin domain family 4 member A
ARHGAP25	-2.86511	0.001001	0.009757	-3.29016	Down	Rho GTPase activating protein 25
SLC17A6	-2.86505	1.70E-09	1.16E-07	-6.02454	Down	solute carrier family 17 member 6
PCDH12	-2.85982	0.001587	0.013797	-3.15831	Down	protocadherin 12
NELL2	-2.8545	8.54E-06	0.000199	-4.45114	Down	neural EGFL like 2
ITM2A	-2.84768	2.86E-05	0.000544	-4.18436	Down	integral membrane protein 2A
NID2	-2.84571	1.32E-18	3.84E-16	-8.80424	Down	nidogen 2
SPATA9	-2.84139	0.00542	0.034441	-2.78094	Down	spermatogenesis associated 9
SGCD	-2.84061	8.87E-11	8.34E-09	-6.48501	Down	sarcoglycan delta
LFNG	-2.83599	1.25E-07	5.31E-06	-5.28574	Down	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
HLA-DQB1	-2.83038	2.70E-06	7.45E-05	-4.69216	Down	major histocompatibility complex, class II, DQ beta 1
MMRN2	-2.8234	0.000835	0.008454	-3.34107	Down	multimerin 2
ZNF792	-2.81878	0.002122	0.017261	-3.07254	Down	zinc finger protein 792
ZBTB47	-2.81672	8.84E-11	8.34E-09	-6.48554	Down	zinc finger and BTB domain containing 47
SHF	-2.81445	0.001202	0.011223	-3.2385	Down	Src homology 2 domain containing F
STOX2	-2.81284	2.67E-07	1.04E-05	-5.14502	Down	storkhead box 2
HRH1	-2.80952	0.001428	0.012824	-3.18885	Down	histamine receptor H1
KIF6	-2.80909	0.00234	0.018683	-3.04329	Down	kinesin family member 6
TMSB15A	-2.80489	0.003508	0.025028	-2.91935	Down	thymosin beta 15A
TIMP3	-2.8038	4.86E-29	2.58E-26	-11.1845	Down	TIMP metallopeptidase inhibitor 3
ECM1	-2.79117	5.29E-09	3.33E-07	-5.83785	Down	extracellular matrix protein 1
EFNB2	-2.78262	3.18E-10	2.64E-08	-6.28971	Down	ephrin B2
GSTM1	-2.78072	1.01E-09	7.27E-08	-6.10804	Down	glutathione S-transferase mu 1
PCDH18	-2.7784	1.12E-07	4.83E-06	-5.30644	Down	protocadherin 18
NEXN	-2.77765	1.09E-12	1.50E-10	-7.11905	Down	nexilin F-actin binding protein
L1TD1	-2.77685	0.005073	0.032755	-2.80235	Down	LINE1 type transposase domain containing 1
SV2B	-2.77498	1.79E-07	7.22E-06	-5.21948	Down	synaptic vesicle glycoprotein 2B
SOX18	-2.76804	0.006074	0.037528	-2.74375	Down	SRY-box transcription factor 18
MXRA8	-2.76766	5.24E-07	1.85E-05	-5.01738	Down	matrix remodeling associated 8
LRRC8E	-2.7564	0.000417	0.004875	-3.52935	Down	leucine rich repeat containing 8 VRAC subunit E
MME	-2.7491	0.000693	0.007326	-3.39227	Down	membrane metalloendopeptidase
ADORA2B	-2.74876	5.74E-05	0.000957	-4.02315	Down	adenosine A2b receptor
SYNGR3	-2.7427	0.000291	0.003655	-3.62343	Down	synaptogyrin 3
LAMA4	-2.74251	2.56E-14	4.37E-12	-7.61889	Down	laminin subunit alpha 4
TAF4B	-2.73821	0.000393	0.004653	-3.545	Down	TATA-box binding protein associated factor 4b
THBS1	-2.73673	7.95E-21	2.95E-18	-9.36034	Down	thrombospondin 1
SERPIND1	-2.73469	0.004266	0.028995	-2.85777	Down	serpin family D member 1
IL16	-2.72384	3.78E-06	9.95E-05	-4.62289	Down	interleukin 16
CDKN3	-2.72285	0.004623	0.030704	-2.83218	Down	cyclin dependent kinase inhibitor 3
SYNPO2	-2.7177	0.000514	0.005736	-3.47327	Down	synaptopodin 2
ECEL1	-2.71388	6.05E-06	0.000147	-4.52456	Down	endothelin converting enzyme like 1
PDGFB	-2.69036	5.23E-07	1.85E-05	-5.01779	Down	platelet derived growth factor subunit B
UBE2C	-2.68901	0.002195	0.017742	-3.06256	Down	ubiquitin conjugating enzyme E2 C

HCST	-2.68161	0.000187	0.002549	-3.7358	Down	hematopoietic cell signal transducer
TMEM150C	-2.67938	4.09E-08	2.04E-06	-5.48704	Down	transmembrane protein 150C
OLFML2B	-2.66936	3.75E-05	0.000671	-4.12246	Down	olfactomedin like 2B
COLQ	-2.66494	2.65E-05	0.000511	-4.20122	Down	collagen like tail subunit of asymmetric acetylcholinesterase
STIL	-2.66382	0.000424	0.004948	-3.52458	Down	STIL centriolar assembly protein
MCM6	-2.66171	6.57E-08	3.00E-06	-5.40261	Down	minichromosome maintenance complex component 6
BEND6	-2.65803	0.00165	0.014228	-3.14695	Down	BEN domain containing 6
PXDN	-2.65789	1.77E-17	4.61E-15	-8.50802	Down	peroxidasin
RIPK3	-2.65386	9.93E-06	0.000224	-4.41867	Down	receptor interacting serine/threonine kinase 3
ASPM	-2.65337	0.005797	0.036279	-2.75903	Down	assembly factor for spindle microtubules
GHRLOS	-2.64408	2.47E-07	9.68E-06	-5.15983	Down	ghrelin opposite strand/antisense RNA
MSRB3	-2.6411	3.65E-08	1.85E-06	-5.50705	Down	methionine sulfoxide reductase B3
HMGA2	-2.64083	0.000876	0.008816	-3.32752	Down	high mobility group AT-hook 2
TRIM45	-2.63708	1.20E-08	6.99E-07	-5.69971	Down	tripartite motif containing 45
ATP6V1E2	-2.63692	0.003308	0.024094	-2.93754	Down	ATPase H+ transporting V1 subunit E2
SIX2	-2.63471	7.28E-05	0.001155	-3.96686	Down	SIX homeobox 2
ABI3BP	-2.63028	6.04E-10	4.67E-08	-6.18938	Down	ABI family member 3 binding protein
GDPD5	-2.6276	1.02E-05	0.000231	-4.41198	Down	glycerophosphodiester phosphodiesterase domain containing 5
PGM2	-2.62683	1.85E-12	2.50E-10	-7.04523	Down	phosphoglucomutase 2
INHBE	-2.62503	0.004887	0.031838	-2.81439	Down	inhibin subunit beta E
SLC1A3	-2.62355	0.005447	0.03458	-2.77934	Down	solute carrier family 1 member 3
GLRA1	-2.62355	4.43E-06	0.000113	-4.59034	Down	glycine receptor alpha 1
WNT5B	-2.62164	0.001625	0.014049	-3.15143	Down	Wnt family member 5B
PTN	-2.61945	0.002944	0.022103	-2.97351	Down	pleiotrophin
ZNF221	-2.61559	0.000133	0.001914	-3.82135	Down	zinc finger protein 221
SNX30	-2.60435	3.60E-14	5.88E-12	-7.57466	Down	sorting nexin family member 30
LRRC2	-2.60302	0.001772	0.015046	-3.12599	Down	leucine rich repeat containing 2
SLC16A10	-2.59549	0.001137	0.010732	-3.25427	Down	solute carrier family 16 member 10
E2F7	-2.59406	0.003671	0.025888	-2.90509	Down	E2F transcription factor 7
COL15A1	-2.58589	1.77E-13	2.71E-11	-7.36502	Down	collagen type XV alpha 1 chain
CECR2	-2.57882	0.001106	0.010498	-3.26199	Down	CECR2 histone acetyl-lysine reader
GAL	-2.5777	1.81E-05	0.00037	-4.28761	Down	galanin and GMAP prepropeptide
RSPH9	-2.57587	7.46E-06	0.000176	-4.48025	Down	radial spoke head component 9
GREM2	-2.57338	0.001316	0.012041	-3.21236	Down	gremlin 2, DAN family BMP antagonist
ULBP1	-2.56108	8.10E-06	0.00019	-4.46259	Down	UL16 binding protein 1
ADAMTS2	-2.55522	2.83E-10	2.37E-08	-6.30783	Down	ADAM metallopeptidase with thrombospondin type 1 motif 2
TNFRSF11B	-2.55422	1.05E-15	2.16E-13	-8.02144	Down	TNF receptor superfamily member 11b
PDGFRA	-2.55277	1.38E-06	4.33E-05	-4.82788	Down	platelet derived growth factor receptor alpha
ANKRD1	-2.55247	1.64E-06	5.02E-05	-4.79397	Down	ankyrin repeat domain 1
ZSCAN5A	-2.5507	0.000186	0.002532	-3.73795	Down	zinc finger and SCAN domain containing 5A
ANLN	-2.54686	0.00894	0.049674	-2.61436	Down	anillin actin binding protein
CALCRL	-2.5459	6.67E-05	0.001078	-3.98793	Down	calcitonin receptor like receptor
PTCHD1	-2.53207	0.008784	0.049131	-2.62035	Down	patched domain containing 1

COL5A3	-2.53127	4.02E-05	0.000709	-4.10631	Down	collagen type V alpha 3 chain
TUBB2B	-2.52603	1.88E-15	3.66E-13	-7.94933	Down	tubulin beta 2B class IIb
CDH5	-2.5235	0.000309	0.003837	-3.60762	Down	cadherin 5
LOX	-2.5188	2.50E-07	9.77E-06	-5.15766	Down	lysyl oxidase
COL4A1	-2.51738	4.87E-17	1.15E-14	-8.38969	Down	collagen type IV alpha 1 chain
ARHGEF10	-2.51681	6.61E-06	0.000159	-4.50591	Down	Rho guanine nucleotide exchange factor 10
MFGE8	-2.51447	1.59E-07	6.58E-06	-5.24136	Down	milk fat globule EGF and factor V/VIII domain containing
AEBP1	-2.50754	4.36E-10	3.55E-08	-6.2407	Down	AE binding protein 1
TRIM9	-2.50587	6.64E-11	6.53E-09	-6.52855	Down	tripartite motif containing 9
ZNF300	-2.50558	4.35E-06	0.000112	-4.59401	Down	zinc finger protein 300
ERG	-2.50536	0.000161	0.002256	-3.77336	Down	ETS transcription factor ERG
SLC22A3	-2.5052	0.000534	0.005923	-3.46328	Down	solute carrier family 22 member 3
FRMD5	-2.50177	0.001268	0.011698	-3.22323	Down	FERM domain containing 5
GLIPR2	-2.50019	2.91E-14	4.85E-12	-7.60241	Down	GLI pathogenesis related 2
PADI2	-2.49886	0.002365	0.01882	-3.04012	Down	peptidyl arginine deiminase 2
TK1	-2.49497	8.31E-05	0.001288	-3.93535	Down	thymidine kinase 1
DCAF4L1	-2.4942	0.000198	0.002659	-3.72214	Down	DDB1 and CUL4 associated factor 4 like 1
CNTNAP2	-2.49282	0.005935	0.036859	-2.75137	Down	contactin associated protein 2
TNFAIP8L1	-2.49185	2.31E-06	6.52E-05	-4.72453	Down	TNF alpha induced protein 8 like 1
ZC4H2	-2.49002	7.59E-08	3.42E-06	-5.37653	Down	zinc finger C4H2-type containing
ANKRD7	-2.48969	0.000358	0.004334	-3.56895	Down	ankyrin repeat domain 7
ZKSCAN3	-2.48914	0.000748	0.007729	-3.37138	Down	zinc finger with KRAB and SCAN domains 3
MMP9	-2.48823	2.21E-05	0.000438	-4.24242	Down	matrix metallopeptidase 9
PGAM2	-2.48601	0.002059	0.016911	-3.08159	Down	phosphoglycerate mutase 2
FFAR2	-2.4797	0.000571	0.00625	-3.44516	Down	free fatty acid receptor 2
CDR1	-2.47829	2.58E-06	7.17E-05	-4.70155	Down	cerebellar degeneration related protein 1
KLHL25	-2.47258	0.000631	0.006766	-3.41812	Down	kelch like family member 25
ZNF16	-2.47235	4.04E-06	0.000105	-4.60933	Down	zinc finger protein 16
TCF7	-2.4718	2.01E-08	1.08E-06	-5.61122	Down	transcription factor 7
MMS22L	-2.47167	1.14E-08	6.66E-07	-5.70884	Down	MMS22 like, DNA repair protein
PHLDA1	-2.46355	4.09E-19	1.27E-16	-8.93438	Down	pleckstrin homology like domain family A member 1
SULT4A1	-2.46335	1.73E-07	7.04E-06	-5.2257	Down	sulfotransferase family 4A member 1
GTDC1	-2.46248	1.90E-06	5.65E-05	-4.76341	Down	glycosyltransferase like domain containing 1
PCDH7	-2.46229	7.44E-12	8.84E-10	-6.84888	Down	protocadherin 7
COL6A2	-2.45951	1.34E-06	4.22E-05	-4.83439	Down	collagen type VI alpha 2 chain
HSD3BP4	-2.45746	0.000403	0.004737	-3.53824	Down	hydroxy-delta-5-steroid dehydrogenase, 3 beta, pseudogene 4
KDR	-2.45267	9.46E-05	0.001435	-3.90403	Down	kinase insert domain receptor
MYL9	-2.45098	5.12E-10	4.04E-08	-6.21545	Down	myosin light chain 9
NRBP2	-2.44931	5.08E-07	1.81E-05	-5.02323	Down	nuclear receptor binding protein 2
SERPINE1	-2.44289	2.10E-17	5.38E-15	-8.48813	Down	serpin family E member 1
CDH6	-2.4343	1.27E-08	7.31E-07	-5.6895	Down	cadherin 6
DCHS1	-2.43327	5.12E-07	1.82E-05	-5.02175	Down	dachsous cadherin-related 1
KIF26B	-2.43288	4.55E-05	0.000788	-4.0775	Down	kinesin family member 26B

ZRANB3	-2.42846	3.91E-07	1.44E-05	-5.07349	Down	zinc finger RANBP2-type containing 3
GPR161	-2.42658	3.29E-05	0.000606	-4.15258	Down	G protein-coupled receptor 161
NTNG2	-2.42597	2.30E-07	9.03E-06	-5.17351	Down	netrin G2
ACOX2	-2.42189	0.003694	0.025973	-2.90319	Down	acyl-CoA oxidase 2
RASSF9	-2.41937	0.002996	0.022378	-2.96817	Down	Ras association domain family member 9
AKNA	-2.41806	2.82E-06	7.71E-05	-4.68362	Down	AT-hook transcription factor
ESAM	-2.40768	7.39E-05	0.001167	-3.96338	Down	endothelial cell adhesion molecule
FBN2	-2.40672	0.008006	0.046061	-2.65183	Down	fibrillin 2
C19orf33	-2.40386	4.52E-07	1.64E-05	-5.04584	Down	chromosome 19 open reading frame 33
LOC644656	-2.40278	0.002798	0.021326	-2.98915	Down	uncharacterized LOC644656
PCDHB5	-2.40027	0.000313	0.003872	-3.60443	Down	protocadherin beta 5
GHR	-2.39572	0.006329	0.038709	-2.73023	Down	growth hormone receptor
IGSF9	-2.39305	0.000112	0.001649	-3.86333	Down	immunoglobulin superfamily member 9
CDC6	-2.3927	0.000947	0.009363	-3.30573	Down	cell division cycle 6
ZSCAN20	-2.38179	4.74E-05	0.000817	-4.06812	Down	zinc finger and SCAN domain containing 20
TRPA1	-2.37958	3.39E-06	9.08E-05	-4.6454	Down	transient receptor potential cation channel subfamily A member 1
CERS4	-2.37699	3.01E-07	1.15E-05	-5.12261	Down	ceramide synthase 4
RGS5	-2.37518	4.56E-07	1.65E-05	-5.04413	Down	regulator of G protein signaling 5
MFAP4	-2.37381	2.11E-09	1.40E-07	-5.98924	Down	microfibril associated protein 4
SNTB1	-2.37108	1.28E-05	0.000279	-4.36296	Down	syntrophin beta 1
TGFB3	-2.37062	1.28E-10	1.15E-08	-6.42986	Down	transforming growth factor beta 3
ARAP3	-2.36298	6.30E-05	0.001029	-4.0011	Down	ArfGAP with RhoGAP domain, ankyrin repeat and PH domain 3
DCX	-2.35488	5.92E-10	4.60E-08	-6.19261	Down	doublecortin
DOK6	-2.35163	0.001404	0.012641	-3.19388	Down	docking protein 6
REM2	-2.33807	0.000734	0.007608	-3.37667	Down	RRAD and GEM like GTPase 2
MST1R	-2.33382	0.000891	0.008939	-3.32291	Down	macrophage stimulating 1 receptor
ADCK2	-2.33367	4.19E-07	1.53E-05	-5.05994	Down	aarF domain containing kinase 2
ZNF382	-2.33358	1.08E-06	3.48E-05	-4.87723	Down	zinc finger protein 382
ITPKB	-2.33313	8.26E-05	0.001283	-3.93677	Down	inositol-trisphosphate 3-kinase B
TCF7L1	-2.32815	4.07E-06	0.000106	-4.6079	Down	transcription factor 7 like 1
COLEC11	-2.32755	0.005638	0.035504	-2.76815	Down	collectin subfamily member 11
RTEL1	-2.3271	0.002213	0.017864	-3.05999	Down	regulator of telomere elongation helicase 1
PLAU	-2.32405	4.95E-10	3.93E-08	-6.22066	Down	plasminogen activator, urokinase
ZNF225	-2.32232	1.94E-05	0.000392	-4.27161	Down	zinc finger protein 225
TEKT2	-2.32148	7.70E-05	0.001207	-3.9537	Down	tektin 2
SNORD116-20	-2.32074	0.000412	0.004825	-3.53253	Down	small nucleolar RNA, C/D box 116-20
PLXNA4	-2.31931	0.007018	0.041668	-2.69601	Down	plexin A4
LYG1	-2.31421	0.001683	0.014407	-3.14107	Down	lysozyme g1
KLRK1	-2.31205	5.92E-07	2.05E-05	-4.99391	Down	killer cell lectin like receptor K1
PPP4R1L	-2.30845	0.000193	0.002608	-3.72846	Down	protein phosphatase 4 regulatory subunit 1 like (pseudogene)
RAB36	-2.30784	1.33E-07	5.62E-06	-5.27483	Down	RAB36, member RAS oncogene family
GPRC5A	-2.30755	1.59E-07	6.56E-06	-5.24219	Down	G protein-coupled receptor class C group 5 member A
MICAL2	-2.30536	4.40E-10	3.55E-08	-6.23919	Down	microtubule associated monooxygenase, calponin and LIM domain

						containing 2
CNN1	-2.30412	0.006192	0.038125	-2.73741	Down	calponin 1
CABLES1	-2.28816	5.14E-05	0.000873	-4.04934	Down	Cdk5 and Abl enzyme substrate 1
HEY1	-2.28283	1.51E-06	4.69E-05	-4.80928	Down	hes related family bHLH transcription factor with YRPW motif 1
STAMBPL1	-2.2809	0.0002	0.002685	-3.71904	Down	STAM binding protein like 1
FILIP1	-2.27926	0.000297	0.003712	-3.6177	Down	filamin A interacting protein 1
TCF19	-2.27043	0.005182	0.033297	-2.79551	Down	transcription factor 19
ADM2	-2.2693	7.21E-05	0.00115	-3.96924	Down	adrenomedullin 2
F2RL3	-2.26218	0.006973	0.041522	-2.69811	Down	F2R like thrombin or trypsin receptor 3
JAK3	-2.25837	7.02E-10	5.27E-08	-6.16561	Down	Janus kinase 3
AMPD3	-2.25431	1.17E-07	5.02E-06	-5.29776	Down	adenosine monophosphate deaminase 3
LOC283922	-2.25375	0.000198	0.002659	-3.72171	Down	pyruvate dehydrogenase phosphatase regulatory subunit pseudogene
PRC1	-2.24885	0.001354	0.012271	-3.20439	Down	protein regulator of cytokinesis 1
OMD	-2.2486	0.000424	0.004948	-3.5246	Down	osteomodulin
CAPN3	-2.2486	0.000375	0.004463	-3.55721	Down	calpain 3
CENPL	-2.24563	0.000284	0.003592	-3.62991	Down	centromere protein L
AGPAT4	-2.24338	1.76E-08	9.81E-07	-5.63375	Down	1-acylglycerol-3-phosphate O-acyltransferase 4
TNFRSF9	-2.24232	0.000673	0.007129	-3.40031	Down	TNF receptor superfamily member 9
THBS2	-2.23939	1.53E-08	8.69E-07	-5.65772	Down	thrombospondin 2
GATA4	-2.23356	0.001673	0.014344	-3.14287	Down	GATA binding protein 4
ZNF578	-2.22449	5.95E-11	5.93E-09	-6.54494	Down	zinc finger protein 578
NLRP1	-2.22383	0.005604	0.035369	-2.77008	Down	NLR family pyrin domain containing 1
IFITM1	-2.22304	5.17E-12	6.34E-10	-6.90092	Down	interferon induced transmembrane protein 1
CDCA7L	-2.21912	0.000175	0.002415	-3.75311	Down	cell division cycle associated 7 like
SULF2	-2.21472	7.92E-11	7.69E-09	-6.5021	Down	sulfatase 2
MMP11	-2.21439	4.16E-06	0.000108	-4.60305	Down	matrix metallopeptidase 11
NGF	-2.2138	0.008589	0.048333	-2.62798	Down	nerve growth factor
IL1RAP	-2.2124	8.29E-09	4.96E-07	-5.76255	Down	interleukin 1 receptor accessory protein
ASPN	-2.21173	9.25E-05	0.001406	-3.90938	Down	asporin
KLHDC8B	-2.20812	4.15E-07	1.52E-05	-5.06209	Down	kelch domain containing 8B
EFNA4	-2.20663	0.008279	0.047176	-2.64048	Down	ephrin A4
CTHRC1	-2.20605	6.86E-06	0.000164	-4.49806	Down	collagen triple helix repeat containing 1
OLFM1	-2.20308	7.85E-09	4.76E-07	-5.77156	Down	olfactomedin 1
CETN4P	-2.19988	0.00501	0.032446	-2.80642	Down	centrin 4, pseudogene
NFE2L3	-2.19936	4.59E-06	0.000116	-4.58292	Down	nuclear factor, erythroid 2 like 3
KIF14	-2.19759	0.008838	0.04936	-2.61825	Down	kinesin family member 14
SNORD57	-2.19175	1.87E-05	0.000381	-4.27993	Down	small nucleolar RNA, C/D box 57
LPAR6	-2.18519	4.28E-11	4.32E-09	-6.59411	Down	lysophosphatidic acid receptor 6
PLAT	-2.18436	6.98E-09	4.28E-07	-5.79147	Down	plasminogen activator, tissue type
FUT4	-2.1843	4.79E-08	2.30E-06	-5.459	Down	fucosyltransferase 4
ANKRD36BP2	-2.18367	1.37E-09	9.50E-08	-6.0584	Down	ankyrin repeat domain 36B pseudogene 2
ZNF74	-2.18352	3.01E-06	8.17E-05	-4.66989	Down	zinc finger protein 74
TMEM204	-2.17915	0.007828	0.0452	-2.65939	Down	transmembrane protein 204

GFPT2	-2.17823	1.08E-06	3.50E-05	-4.87557	Down	glutamine-fructose-6-phosphate transaminase 2
C22orf42	-2.17509	1.42E-06	4.45E-05	-4.82203	Down	chromosome 22 open reading frame 42
NHS	-2.17259	1.37E-05	0.000297	-4.34817	Down	NHS actin remodeling regulator
EFS	-2.16928	0.004816	0.031576	-2.81908	Down	embryonal Fyn-associated substrate
ADAM19	-2.16658	1.99E-08	1.08E-06	-5.61289	Down	ADAM metallopeptidase domain 19
APOBEC3B	-2.16319	6.86E-06	0.000164	-4.49784	Down	apolipoprotein B mRNA editing enzyme catalytic subunit 3B
CHTF18	-2.16232	0.00212	0.017258	-3.07291	Down	chromosome transmission fidelity factor 18
KNDC1	-2.15888	6.74E-05	0.001089	-3.98525	Down	kinase non-catalytic C-lobe domain containing 1
CHEK1	-2.15805	1.94E-05	0.000392	-4.27124	Down	checkpoint kinase 1
MCAM	-2.15289	3.80E-07	1.41E-05	-5.07866	Down	melanoma cell adhesion molecule
LCP1	-2.15194	4.07E-05	0.000715	-4.10363	Down	lymphocyte cytosolic protein 1
LRFN5	-2.14996	0.006628	0.039915	-2.71496	Down	leucine rich repeat and fibronectin type III domain containing 5
ACSM3	-2.14536	2.20E-10	1.88E-08	-6.34645	Down	acyl-CoA synthetase medium chain family member 3
DCAF4	-2.1387	1.56E-05	0.000326	-4.32021	Down	DDB1 and CUL4 associated factor 4
MTBP	-2.13416	0.001085	0.010338	-3.2676	Down	MDM2 binding protein
KLHL1	-2.13391	0.002973	0.022264	-2.97051	Down	kelch like family member 1
VANGL1	-2.12864	1.83E-06	5.51E-05	-4.77175	Down	VANGL planar cell polarity protein 1
GPX8	-2.1259	3.62E-09	2.34E-07	-5.90058	Down	glutathione peroxidase 8 (putative)
LOC100379224	-2.12575	1.98E-06	5.82E-05	-4.7552	Down	uncharacterized LOC100379224
TIPIN	-2.1246	1.64E-05	0.000341	-4.30951	Down	TIMELESS interacting protein
SPRY4	-2.12151	2.05E-06	5.98E-05	-4.74849	Down	sprouty RTK signaling antagonist 4
PTPRE	-2.11764	7.05E-09	4.31E-07	-5.78979	Down	protein tyrosine phosphatase receptor type E
C10orf55	-2.11758	0.000531	0.005903	-3.46456	Down	chromosome 10 putative open reading frame 55
EMP1	-2.11626	1.21E-08	7.01E-07	-5.69857	Down	epithelial membrane protein 1
ZNF660	-2.11231	1.86E-06	5.57E-05	-4.76806	Down	zinc finger protein 660
H19	-2.11172	7.49E-07	2.52E-05	-4.94826	Down	H19 imprinted maternally expressed transcript
TBXA2R	-2.10662	0.008229	0.047003	-2.64251	Down	thromboxane A2 receptor
USP6	-2.10526	7.52E-06	0.000178	-4.47843	Down	ubiquitin specific peptidase 6
LAMA2	-2.10455	3.11E-05	0.000579	-4.16536	Down	laminin subunit alpha 2
LOC154761	-2.10453	9.94E-05	0.001494	-3.89211	Down	family with sequence similarity 115, member C pseudogene
HHLA2	-2.1032	0.001625	0.014049	-3.15132	Down	HERV-H LTR-associating 2
ZNF350	-2.09835	6.03E-08	2.80E-06	-5.41803	Down	zinc finger protein 350
GPR82	-2.09727	0.000466	0.005327	-3.49961	Down	G protein-coupled receptor 82
RPTOR	-2.09525	4.42E-05	0.000768	-4.08461	Down	regulatory associated protein of MTOR complex 1
PRPH2	-2.09306	2.24E-05	0.000442	-4.23918	Down	peripherin 2
SYTL2	-2.09238	9.57E-06	0.000218	-4.4266	Down	synaptotagmin like 2
ZNF577	-2.09237	5.29E-05	0.000894	-4.04223	Down	zinc finger protein 577
CHL1	-2.09068	5.84E-05	0.000967	-4.01912	Down	cell adhesion molecule L1 like
DNAJC22	-2.08584	2.39E-06	6.69E-05	-4.71712	Down	DnaJ heat shock protein family (Hsp40) member C22
SPARCL1	-2.08481	1.46E-05	0.00031	-4.3342	Down	SPARC like 1
CXCR4	-2.08402	7.59E-05	0.001192	-3.95705	Down	C-X-C motif chemokine receptor 4
EPPK1	-2.08312	5.17E-08	2.47E-06	-5.44552	Down	epiplakin 1
ATAT1	-2.07916	1.13E-07	4.85E-06	-5.30486	Down	alpha tubulin acetyltransferase 1

RYR3	-2.07755	0.00289	0.021795	-2.97916	Down	ryanodine receptor 3
PRR11	-2.07467	0.000171	0.002372	-3.7581	Down	proline rich 11
ZNF624	-2.06913	2.27E-05	0.000447	-4.23646	Down	zinc finger protein 624
ARHGAP6	-2.06665	0.004771	0.031366	-2.82207	Down	Rho GTPase activating protein 6
FAT4	-2.06599	0.000946	0.009363	-3.30624	Down	FAT atypical cadherin 4
LOC374443	-2.06089	0.00379	0.026492	-2.89513	Down	C-type lectin domain family 2 member D pseudogene
FGG	-2.05957	0.002532	0.019815	-3.01947	Down	fibrinogen gamma chain
STK10	-2.05632	4.63E-06	0.000117	-4.5811	Down	serine/threonine kinase 10
TEAD3	-2.0544	8.36E-05	0.00129	-3.93384	Down	TEA domain transcription factor 3
ZNF778	-2.05438	0.006697	0.040233	-2.71153	Down	zinc finger protein 778
ZNF564	-2.052	1.00E-07	4.41E-06	-5.32623	Down	zinc finger protein 564
FAM200A	-2.05146	1.68E-06	5.12E-05	-4.7889	Down	family with sequence similarity 200 member A
IGF2	-2.05109	6.07E-14	9.69E-12	-7.50655	Down	insulin like growth factor 2
BACH2	-2.05081	1.83E-06	5.51E-05	-4.77135	Down	BTB domain and CNC homolog 2
LRRC37B	-2.0495	9.93E-08	4.38E-06	-5.32793	Down	leucine rich repeat containing 37B
NOX5	-2.04697	0.003455	0.024799	-2.92404	Down	NADPH oxidase 5
DDR2	-2.04377	4.94E-07	1.77E-05	-5.02879	Down	discoidin domain receptor tyrosine kinase 2
FOXQ1	-2.04319	0.000588	0.006397	-3.43689	Down	forkhead box Q1
TMEM116	-2.04083	3.23E-08	1.66E-06	-5.52823	Down	transmembrane protein 116
RNF138P1	-2.03873	1.47E-05	0.00031	-4.33385	Down	ring finger protein 138 pseudogene 1
MEX3A	-2.03718	0.000573	0.006263	-3.4442	Down	mex-3 RNA binding family member A
SEMA3A	-2.03545	9.14E-05	0.001393	-3.91241	Down	semaphorin 3A
ZNF300P1	-2.03197	0.002385	0.018952	-3.03753	Down	zinc finger protein 300 pseudogene 1
NAA40	-2.0275	1.04E-09	7.43E-08	-6.10309	Down	N-alpha-acetyltransferase 40, NatD catalytic subunit
DAND5	-2.02131	0.000699	0.00735	-3.38988	Down	DAN domain BMP antagonist family member 5
TFF1	-2.0112	0.004679	0.030977	-2.82835	Down	trefoil factor 1
NOTCH3	-2.00738	2.63E-08	1.38E-06	-5.56445	Down	notch receptor 3
RRN3P2	-2.00495	2.82E-05	0.000538	-4.18763	Down	RRN3 pseudogene 2
RFTN1	-2.00494	0.006985	0.041558	-2.69758	Down	raftlin, lipid raft linker 1
USH2A	-2.00478	0.00357	0.025308	-2.91384	Down	usherin
HPSE	-2.00475	0.003458	0.024806	-2.92381	Down	heparanase
NKAPL	-2.00325	1.27E-05	0.000277	-4.3652	Down	NFKB activating protein like
DGKD	-2.00014	3.76E-09	2.42E-07	-5.89422	Down	diacylglycerol kinase delta
ARHGAP31	-1.9977	0.000157	0.002214	-3.77925	Down	Rho GTPase activating protein 31
ZNF565	-1.99447	0.001321	0.012061	-3.21146	Down	zinc finger protein 565
C2orf88	-1.99129	0.000208	0.002777	-3.70889	Down	chromosome 2 open reading frame 88

Table 3 The enriched GO terms of the up and down regulated differentially expressed genes

GO ID	CATEGORY	GO Name	P Value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
				Up regulated genes				
GO:0006952	BP	defense response	3.72E-10	2.20E-06	2.03E-05	2.20E-06	84	HIF1A,HLA-A,HLA-B,HLA-C,HLA-DPB1,HLA-

							DRA,HLA-DRB1,PENK,HLA-E,HLA-F,HLA-H,TUSC2,CHI3L1,ADORA2A,SAA1,SAA2,SERPINA1,ADRB2,CLU,AGT,FGA,CCL20,HSPA1B,VCAM1,MUC20,DUOXA2,MRC1,ZC3H12A,UBD,MUC15,APCS,BIRC3,DUOX2,IFITM2,PPARA,MUC13,SUCNR1,APOL1,RAB20,CRH,ZFP36,PPM1B,CRP,PLA2G4C,DUOXA1,SLPI,SOCS1,SNCA,CYP4F11,ABHD12,CTSS,IL6R,DAB2IP,SPP1,GBP2,ITGAX,GRAMD4,CFB,DEFB1,JUN,VNN1,KCNJ8,SERPING1,C1R,C4BPA,KLKB1,KYNU,RAB27A,NR1H4,DPP4,RARRES2,GPX2,CASP1,RELA,LCN2,CXCL2,LDLR,ORM1,GSDMD,REG3A,CD74,RORA,CD81,LYZ
GO:0046903	BP	secretion	3.05E-09	3.40E-06	3.15E-05	1.80E-05	81	ERBB3,HIF1A,HLA-E,HLA-F,HLA-H,PFKL,CHI3L1,TTR,LRG1,ADORA2A,SAA1,SERPINA1,SERPINE2,ADRB1,ADRB2,PIGR,CLU,AGT,FGA,ALB,C1QTNF4,HSPA1B,SDC4,DPP7,ZC3H12A,ANG,LAT2,ANXA4,SUCNR1,APOH,IDUA,CRH,CRP,MMRN1,CARTPT,PIM3,STX19,ARSA,PPY,STXBP6,SLPI,FTH1,SOCS1,SNCA,CTSD,CTSS,PRLR,GAA,GABBR1,SPP1,CPLX2,GCG,ITGAX,PGRMC1,QSOX1,KCNC4,PTPRN2,VNN1,CYB5R3,SERPING1,KCNQ1,CACNA1H,RAB27A,NR1H4,RAB5C,CA2,CACNA1A,DPP4,RAP1A,RARRES2,FFAR1,CASP1,NR4A3,LCN2,SLC44A4,ATP13A2,ORM1,GSDMD,CD74,TNFAIP2,LYZ
GO:0099503	CC	secretory vesicle	1.46E-07	8.06E-06	5.73E-05	9.94E-05	52	PCSK2,PENK,HLA-H,CHGB,PFKL,CHI3L1,TTR,LRG1,SERPINA1,SERPINE2,PIGR,CLU,SCNN1A,FGA,ALB,HSPA1B,DPP7,CLIP2,APOH,MMRN1,CARTPT,STX19,ARSA,SLPI,FTH1,SNCA,CTSD,CTSS,GAA,GABBR1,GCG,ITGAX,PGRMC1,QSOX1,KCNC4,PTPRN2,VNN1,CYB5R3,SERPING1,KCNQ1,PCSK1N,RAB27A,RAB5C,CA4,RAP1A,ROGDI,RARRES2,LCN2,ORM1,RNPEP,GSDMD,LYZ

GO:0005794	CC	Golgi apparatus	9.60E-06	2.85E-04	2.03E-03	6.56E-03	64	MAN1A1,GCNT3,HLA-A,HLA-B,HLA-C,BET1,HLA-DPB1,HLA-DRA,TRAPPC5,HLA-DRB1,DAPK2,HLA-E,HLA-F,HLA-H,PLEKHB1,RTN1,F10,ABCB1,ADORA2A,SERPINA1,RAB33A,CLU,SEC24B,DDX54,ALB,SDC4,VCAM1,MUC20,DPP7,MUC15,ST8SIA1,MUC13,RAB20,GBA2,STS,PSMG1,CERS1,SNCA,FAM20A,GGA1,TMEM30B,GGA2,GALNT3,SPP1,GBP2,GNPTG,DEFB1,QSOX1,KCNC4,DHCR24,PCSK1N,RAB27A,CA4,DPP4,RAP1GAP,SCYL3,NUCB1,STEAP4,OCRL,GRINA,LDLR,RNPEP,CD74,KLHL12
GO:0042802	MF	identical protein binding	7.07E-06	9.36E-04	7.17E-03	8.43E-03	77	ERBB3,CEBPD,ZBTB48,MAT1A,DAPK2,PEX7,OIP5,PFKL,NR4A1,PLEKHB1,TTR,F11,PGR,ADH1C,ADORA2A,SERPINA1,ADRB2,PLIN5,MAP3K9,ALB,ALDH2,ALDOB,SDC4,MOCS2,AMBP,NECAB2,ANG,ANXA4,AOX1,APCS,PON3,CLDN7,MUC13,APOH,CRP,ASL,FTH1,SNCA,SLC4A4,PRLR,IL6R,MVD,SOD2,DAB2IP,IMPA2,GAMT,GBP2,LHPP,GCG,S100Z,GNPTG,DEFB1,RASSF5,JUN,KCNQ1,KYNU,DPP4,RAP1GAP,NUDT16,NR4A2,CASP1,NR4A3,RELA,LCN2,TYMP,LDLR,TFRC,MLXIPL,CDH22,RPRD1A,P4HA1,REG3A,CD74,KLHL12,LYZ,CDH17,MAF
GO:0022857	MF	transmembrane transporter activity	7.16E-04	2.84E-02	2.18E-01	8.53E-01	50	PDE4D,SLC24A3,SLC22A17,CHRNE,ABCB1,KCNH6,ADRB1,ADRB2,COX5A,SCN3A,SCNN1A,CNGA1,AMBP,HCN3,SLC34A2,APOL1,CRH,SHANK2,SLC17A1,SLCO1A2,SLC6A20,C15orf48,SNCA,SLC4A4,SLC12A7,CTSS,CACNA2D3,GABRE,CHCHD10,SLC39A1,SLC28A3,GC,KCNC4,KCNJ8,SLMAP,KCNK3,KCNQ1,CACNA1H,SLC29A4,CACNA1A,SLC38A4,SLC19A3,SLC44A4,ATP13A2,TFRC,SLC25A36,TMC5,SLC25A19,SLC16A7,CDH17

Down regulated genes

| GO:0007155 | BP | cell adhesion | 9.22E-24 | 1.36E-20 | 1.26E-19 | 5.42E-20 | 101 | EPHB6,PDGFRA,EFS,PECAM1,MCAM,PCDH12,ADA,MFAP4,MFGE8,BTN2A |

							2,FBN1,MYL9,LRFN5,COL14A1,IGSF9,PLAU,SPARCL1,SRPX,FGG,PCDH18,COL1A1,COL3A1,COL5A1,NID2,COL6A2,COL6A3,ITGA11,COL12A1,COL15A1,FN1,ABI3BP,FAT3,MXRA8,COL5A3,ARG1,KLRK1,CD93,POSTN,ARHGAP6,IGF2,VCAN,SNAI2,CNTNAP2,PLXNA4,DCHS1,IL1RAP,MUC4,NEXN,CHL1,IL18,ADAM19,PCDHB5,LAMA1,ISLR,HPSE,ITPKB,PTN,JAK3,STK10,BMP4,NTNG2,SRPX2,CLEC4A,CXCR4,NTM,GLI2,KIF14,NID1,KDR,KIT,UNC5D,FAT4,KIF26B,ECM2,DDR2,AKNA,LAMA2,LAMA4,ESAM,PRPH2,OMD,S1PR1,ADAMTS12,TGFBI,HHLA2,THBS1,THBS2,EFNB2,THY1,CD34,SERPINE1,MMRN2,TNFAIP6,HAS2,LEF1,CDH5,PCDH7,CDH6,CDH11,FRMD5,CDH13
GO:0051674	BP	localization of cell	1.21E-15	4.46E-13	4.13E-12	7.14E-12	100	SYNPO2,ERG,PDGFB,PDGFRA,EFS,PECAM1,ACTA2,MCAM,SOX18,ADA,F2R,PGF,SEMA3A,WNT5B,ADORA2B,ANLN,ASPM,HRH1,CTHRC1,OLFM1,PLAT,PLAU,MMP9,RSPH9,COL1A1,COL1A2,COL3A1,COL5A1,SEMA3C,ITGA11,FN1,DLL4,FAT3,IFITM1,KLRK1,POSTN,IGF2,VCAN,SNAI2,PLXNA4,DCHS1,GLIPR2,NRG3,NEXN,SIX2,CHL1,IL16,SPARC,IL18,EPPK1,LAMA1,TUBB2B,SST,DCX,PTGS2,PTN,STK10,BMP4,TEKT2,SRPX2,GPC3,CXCR4,SULF1,KIF14,KDR,KIT,UNC5D,TBXA2R,TMSB15A,RIPK3,CD248,FFAR2,DDR2,LAMA2,LAMA4,ESAM,LCP1,ECM1,S1PR1,EDNRA,ADAMTS12,THBS1,ARAP3,EFNB2,EGF,THY1,LOX,CD34,SERPINE1,MMRN2,SLC7A5,CDK1,TNFAIP6,HAS2,LEF1,PADI2,CDH5,ENPEP,FRMD5,CDH13
GO:0031012	CC	extracellular matrix	1.31E-36	7.24E-34	5.00E-33	7.24E-34	77	A2M,PDGFB,COL22A1,COLQ,WNT5B,MFAP2,MFAP4,MFGE8,FBN1,FBN2,MGP,AEBP1,CTHRC1,COL14A1,PLAT,SPARCL1,SRPX,MMP3,FGG,MMP9,MMP11,USH2A,COL1A1,COL1A2,COL3A1,COL4A1,COL5A1,COL5A2,NID2,COL6A2,COL6A3,SEMA3

GO ID	Category	Term	P-value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
								C,COL12A1,COL15A1,FN1,ABI3BP,ADAMTS2,OLFML2B,COL5A3,POSTN,IGF2,VCAN,MUC4,IL16,SPARC,ADAM19,ASPN,LAMA1,HPSE,BGN,PTN,SRPX2,PXDN,GPC3,SULF1,NID1,INHBE,CD248,ECM2,LAMA2,LAMA4,OMD,ECM1,TNFRSF11B,TGFB3,TGFBI,THBS1,THBS2,TIMP3,LOX,SERPINE1,MMRN2,IL1RL1,LTBP2,LUM,CDH13,LRRC17
GO:0031226	CC	intrinsic component of plasma membrane	6.42E-07	2.97E-05	2.05E-04	3.56E-04	72	EPHB6,KCNH7,PDGFRA,PCDH12,F2R,SEMA3A,ADORA2B,LRFN5,UPK1B,HRH1,OLFM1,ECEL1,MME,LTB4R,ALK,PCDH18,LRRC8E,SEMA3C,ITGA11,DLL4,SGCD,TMPRSS11E,SLC1A3,SLC2A2,IGDCC4,KLRK1,MST1R,SLCO2A1,SLC22A3,CNTNAP2,PLXNA4,ULBP1,NRG3,IL1RAP,MUC4,SLC16A10,TNFRSF9,NOX5,PCDHB5,LRRC70,GGT5,GHR,GJA4,NTNG2,GPC3,CLEC4A,GLRA1,TMEM150C,KDR,STRA6,KIT,NOTCH3,TBXA2R,TRPA1,F2RL3,FFAR2,DDR2,ANO1,PRPH2,GPRC5A,S1PR1,S1PR3,EDNRA,EFNA4,EFNB2,THY1,LPAR6,CD34,CALCRL,HAS2,PCDH7,ENPEP
GO:0005198	MF	structural molecule activity	1.52E-13	4.81E-11	3.58E-10	1.44E-10	55	COL22A1,COLQ,MFAP2,MFAP4,MFGE8,FBN1,FBN2,MYL9,MGP,AEBP1,UPK1B,CTHRC1,COL14A1,SRPX,FGG,COL1A1,COL1A2,COL3A1,COL4A1,COL5A1,COL5A2,NID2,COL6A2,COL6A3,COL12A1,COL15A1,FN1,ABI3BP,COL5A3,POSTN,VCAN,MUC4,NEXN,SNTB1,SPARC,EPPK1,ASPN,LAMA1,TUBB2B,BGN,SRPX2,PXDN,NID1,KRT6B,KRT17,CAPN3,LAMA2,LAMA4,ECM1,TGFBI,THBS1,THBS2,MMRN2,LTBP2,LUM

Biological Process(BP), Cellular Component(CC) and Molecular Functions (MF)

Table 4 The enriched pathway terms of the up and down regulated differentially expressed genes

Pathway ID	Pathway Name	P-value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
			Up regulated genes				
1457780	Neutrophil degranulatio	6.39E-06	1.26E-03	9.10E-03	5.03E-03	31	HLA-A,HLA-B,HLA-C,HLA-

	n					H,PFKL,CHI3L1,TTR,LRG1,SERPINA1,PIGR,HSPA1B,DPP7,ARSA,SLPI,FTH1,CTSD,CTSS,GAA,ITGAX,PGRMC1,QSOX1,PTPRN2,VNN1,CYB5R3,RAB27A,RAB5C,RAP1A,LCN2,ORM1,GSDMD,LYZ
1269203	Innate Immune System	9.95E-05	1.31E-02	9.45E-02	7.83E-02	57	ERBB3,HLA-A,HLA-B,HLA-C,HLA-E,HLA-H,PFKL,CHI3L1,NR4A1,TTR,LRG1,SAA1,SERPINA1,PIGR,CLU,FGA,HSPA1B,KLB,MUC20,DPP7,LAT2,MUC15,BIRC3,MUC13,CRP,ARSA,SLPI,FTH1,SOCS1,CTSD,CTSS,GAA,DAB2IP,ITGAX,PGRMC1,CFB,DEFB1,QSOX1,JUN,PTPRN2,VNN1,CYB5R3,C1R,C4BPA,RAB27A,RAB5C,RAP1A,DUSP1,DUSP8,CASP1,CASP10,RELA,LCN2,ORM1,GSDMD,REG3A,LYZ
1269310	Cytokine Signaling in Immune system	9.77E-04	5.91E-02	4.28E-01	7.69E-01	35	ERBB3,HIF1A,CEBPD,HLA-A,HLA-B,HLA-C,HLA-DPB1,HLA-DRA,HLA-DRB1,HLA-E,HLA-F,HLA-H,SAA1,FGA,MMP1,CCL20,VCAM1,KLB,BIRC3,IFITM2,PPM1B,SOCS1,PRLR,IL6R,DAB2IP,GBP2,ITGAX,RAP1A,DUSP1,DUSP8,CASP1,RELA,LCN2,CXCL2,RORA
1270144	Metabolism of vitamins and cofactors	2.57E-03	1.36E-01	9.83E-01	1.00E+00	12	TTR,SDC4,MOCS2,PNLIP,AOX1,GC,VNN2,VNN1,CYB5R3,SLC19A3,LDLR,SLC25A19
1269367	Platelet degranulation	2.59E-03	1.36E-01	9.83E-01	1.00E+00	10	SERPINA1,CLU,FGA,ALB,APOH,MMRN1,QSOX1,SERPING1,RARRES2,ORM1
1269907	SLC-mediated transmembrane transport	9.26E-03	2.80E-01	1.00E+00	1.00E+00	15	SLC24A3,ALB,SLC34A2,CP,SLC17A1,SLCO1A2,SLC6A20,SLC4A4,SLC12A7,SLC39A1,SLC28A3,SLC29A4,SLC38A4,SLC44A4,SLC16A7
	Down regulated genes						
1270244	Extracellular matrix organization	2.05E-25	1.40E-22	9.91E-22	1.40E-22	49	A2M,PDGFB,PECAM1,COL22A1,MFAP2,MFAP4,FBN1,FBN2,COL14A1,MMP3,FGG,MMP9,MMP11,COL1A1,COL1A2,COL3A1,COL4A1,COL5A1,COL5A2,NID2,COL6A2,COL6A3,ITGA11,COL12A1,COL15A1,FN1,ADAMTS2,COL5A3,VCAN,CTSK,SPARC,ASPN,LAMA1,P4HA3,BGN,BMP4,ADAMTS16,NID1,KDR,CAPN3,DDR2,LAMA2,LAMA4,TGFB3,THBS1,LOX,SERPINE1,L

1269010	Diseases of glycosylation	3.76E-07	4.27E-05	3.03E-04	2.56E-04	13	TBP2,LUM ADAMTS2,VCAN,MUC 4,BGN,GPC3,ADAMTS1 6,NOTCH3,OMD,ADA MTS12,THBS1,THBS2, ADAMTS6,LUM
1269350	Platelet activation, signaling and aggregation	5.91E-06	4.03E-04	2.86E-03	4.03E-03	22	A2M,PDGFB,PECAM1, F2R,FGG,FN1,DGKD,IG F2,CSF2,SPARC,ISLR,J AK3,TBXA2R,F2RL3,E CM1,TGFB3,THBS1,EG F,TIMP3,SERPINE1,DG KI,PCDH7
1269340	Hemostasis	8.35E-05	4.29E-03	3.05E-02	5.69E-02	34	A2M,PDGFB,CENPE,PE CAM1,F2R,PLAT,PLAU ,FGG,KIF6,FN1,DGKD,I GF2,CSF2,SPARC,GAT A4,ISLR,CABLES1,JAK 3,KIF2C,TBXA2R,F2RL 3,KIF26B,ESAM,ECM1, TGFB3,THBS1,EGF,GU CY1A2,TIMP3,SERPINE 1,DGKI,SLC7A5,PCDH7 ,SERPIND1
1270303	Axon guidance	1.66E-03	4.51E-02	3.20E-01	1.00E+00	27	EPHB6,DOK6,PDGFB,P DGFRA,SEMA3A,MYL 9,FGG,MMP9,COL4A1, COL6A2,COL6A3,FN1, CSF2,PLXNA4,NRG3,C HL1,GAP43,LAMA1,DC X,JAK3,KDR,ST8SIA4, KIT,UNC5D,EFNA4,EF NB2,EGF
1269592	Gastrin-CREB signalling pathway via PKC and MAPK	7.76E-03	1.82E-01	1.00E+00	1.00E+00	21	PDGFB,PDGFRA,F2R,H RH1,LTB4R,MMP3,FGG ,FN1,DGKD,CSF2,NRG3 ,GHRL,JAK3,KIT,TBXA 2R,F2RL3,FFAR2,EDNR A,EGF,LPAR6,DGKI

Table 5 Topology table for up and down regulated genes

Regulation	Node	Degree	Betweenness	Stress	Closeness
Up	JUN	1596	0.297948	5.04E+08	0.437877
Up	VCAM1	661	0.055649	1.83E+08	0.379038
Up	RELA	440	0.066286	65857496	0.392096
Up	U2AF2	401	0.032981	50615222	0.375241
Up	ADRB2	360	0.051656	1.09E+08	0.357594
Up	PPP1CC	350	0.055551	48521756	0.382627
Up	POLR2A	320	0.042098	73677082	0.357008
Up	CD81	244	0.02104	53426396	0.344262
Up	SDHA	228	0.023854	17009994	0.380039
Up	SNCA	224	0.025545	56250412	0.341272
Up	ALB	217	0.032126	27109520	0.350929
Up	ERBB3	207	0.023464	46497836	0.338957
Up	HIF1A	201	0.022327	16543606	0.372868
Up	OCRL	183	0.021433	38355000	0.33816
Up	MRPL12	182	0.021656	24757490	0.335917
Up	RAB5C	164	0.019293	18077018	0.349243
Up	CCDC85B	148	0.026064	17688698	0.320629
Up	CLU	148	0.018422	34351976	0.331337
Up	FTH1	112	0.015754	15114778	0.329531
Up	TFRC	110	0.016321	10628564	0.378798
Up	SPINT2	108	0.018333	13787598	0.314599
Up	MRPL38	108	0.014795	7135306	0.347488

Up	CACNA1A	101	0.013778	14792904	0.318909
Up	SPP1	100	0.011753	13635028	0.324872
Up	GNAI1	100	0.016452	7052876	0.346084
Up	PPM1B	99	0.010628	13845334	0.333148
Up	CHN2	94	0.003043	7480904	0.324097
Up	ZBTB48	91	0.007794	14008360	0.306699
Up	ID2	88	0.008382	20399246	0.31338
Up	DUT	85	0.006791	9371824	0.325667
Up	PGR	83	0.005038	6050756	0.33088
Up	TMEM30B	80	0.012048	8252762	0.301821
Up	HSPA1B	78	0.00697	6310746	0.350331
Up	SOD2	77	0.006883	13105960	0.314833
Up	CASP1	75	0.008457	14148852	0.309164
Up	STAMBP	73	0.008256	8962166	0.315013
Up	NECAB2	72	0.00898	20828314	0.294
Up	SOCS1	71	0.00732	4459136	0.332855
Up	ATP13A2	70	0.01148	8100584	0.311952
Up	CENPB	69	0.00962	5877652	0.328913
Up	COX5A	68	0.004787	9014728	0.310793
Up	PGRMC1	67	0.005965	5851738	0.324374
Up	PFKL	67	0.005301	4220404	0.339501
Up	ZFP36	65	0.005869	5840334	0.325814
Up	SLMAP	64	0.008847	14906016	0.300925
Up	KLHL12	62	0.006002	9477918	0.31082
Up	SERPINA1	61	0.004959	3442108	0.32758
Up	CRP	61	0.00901	3976752	0.320944
Up	HLA-DRA	58	0.006376	6984242	0.303374
Up	SEC24B	57	0.005122	7921100	0.311736
Up	HLA-E	57	0.008193	5417646	0.301114
Up	RASSF5	54	0.005973	5581726	0.309603
Up	CYB5R3	53	0.005535	4457008	0.322007
Up	DUSP1	50	0.0047	10162126	0.297576
Up	LYZ	48	0.004406	2822858	0.352771
Up	DTNB	46	0.006085	5998870	0.297047
Up	GBP2	46	0.002674	2254472	0.315954
Up	KYNU	45	0.003541	8318140	0.294385
Up	ZBTB7A	44	0.003479	2378948	0.318641
Up	NUCB1	44	0.003535	3000438	0.311156
Up	GABRE	42	0.006362	6963592	0.273467
Up	DUSP8	42	0.003924	3730912	0.305695
Up	FGA	41	0.002177	1408648	0.322498
Up	VNN2	39	0.004648	4918216	0.275309
Up	PIGR	38	0.003219	4218970	0.283356
Up	CHGB	37	0.002356	1883312	0.310458
Up	HLA-DPB1	37	0.005437	4024006	0.28368
Up	MVD	37	0.00277	1785902	0.307209
Up	GPAA1	36	0.006228	5917528	0.291675
Up	POLD2	36	0.004619	5556090	0.301063
Up	DPP4	34	0.004172	1947850	0.298874
Up	RFX1	32	0.003758	7609514	0.295413
Up	EPHX1	31	0.00324	3148816	0.29602
Up	ALDOB	31	0.002792	2018518	0.30784
Up	AGT	31	0.002966	1865644	0.306294
Up	PEX7	28	0.002627	7979132	0.279546
Up	MMP1	28	0.001636	962486	0.318768
Up	IL6R	28	0.004718	1522490	0.295316
Up	AK1	27	0.002177	3763326	0.290274
Up	KCNC4	27	0.002966	4065280	0.287685
Up	MAF	26	0.001371	928624	0.315427
Up	LCN2	26	0.002077	4747150	0.281902
Up	TRIB2	26	0.002374	1372656	0.307157
Up	RNF149	26	0.003073	2741500	0.27934
Up	GC	25	0.001091	1093748	0.300309
Up	BTG1	25	0.0019	963086	0.321863
Up	KCNJ8	24	0.002693	1543874	0.254755
Up	STS	23	0.002783	1476396	0.279026
Up	CCDC86	23	7.45E-04	1261094	0.295801
Up	UBD	22	0.001864	3627404	0.290415
Up	APOH	22	9.68E-04	1240028	0.29797
Up	ABCB1	22	0.001386	2114132	0.29802

Up	RCAN2	22	0.002346	3980546	0.273
Up	DEPTOR	22	0.001221	937788	0.307538
Up	BTG2	20	6.52E-04	1046918	0.283703
Up	ARVCF	19	0.002101	909702	0.281471
Up	AMBP	17	7.00E-04	525586	0.31932
Up	CXCL2	17	9.45E-04	498648	0.305228
Up	MMRN1	17	4.60E-04	617814	0.267011
Up	FAM193B	17	0.001148	1447216	0.291699
Up	HLA-B	16	0.001753	1709356	0.316705
Up	GCG	16	0.001734	1201492	0.270831
Up	ANG	15	0.001061	1182188	0.286699
Up	RIPPLY2	13	6.72E-04	1051108	0.249022
Up	CDKN2A	11	7.57E-04	1062712	0.32113
Up	PDK4	11	5.73E-04	839962	0.257952
Up	PENK	10	0.001694	1717524	0.24922
Up	MAN1A1	10	3.87E-04	238680	0.259994
Up	GAMT	9	3.76E-04	408938	0.279872
Up	CYP3A5	8	0.001126	1514978	0.241538
Up	AOX1	8	2.93E-04	399780	0.258536
Up	HLA-DRB1	7	1.24E-04	74760	0.250776
Up	HLA-A	7	7.84E-04	861244	0.28934
Up	RAB33A	7	5.82E-04	1629132	0.221958
Up	LONP1	6	5.55E-04	2034278	0.328373
Up	HLA-H	6	1.96E-04	63810	0.271086
Up	MAP3K9	6	2.80E-04	523732	0.268857
Up	ALDH2	5	2.38E-04	448744	0.310928
Up	HLA-C	5	4.48E-04	299492	0.271342
Up	NR4A1	5	1.74E-04	265578	0.298378
Up	CARTPT	5	3.33E-04	343864	0.26055
Up	APOL1	4	1.94E-05	34026	0.25131
Up	TBL2	4	7.27E-04	1174624	0.311925
Up	TTR	4	5.60E-04	453308	0.270913
Up	CD74	4	2.05E-04	127222	0.259189
Up	CPM	4	5.33E-04	590954	0.28459
Up	TMEM176A	4	2.82E-04	303148	0.244104
Up	HAO1	4	3.12E-04	1039252	0.250113
Up	CHCHD10	3	4.87E-05	78354	0.27908
Up	SUCLG2	3	8.47E-05	93604	0.283569
Up	CTSD	3	4.02E-05	270406	0.307314
Up	DDX54	3	6.87E-05	270908	0.307341
Up	ANP32A	3	2.05E-05	65462	0.310753
Up	BIRC3	3	5.17E-05	155646	0.286608
Up	GIGYF1	2	5.44E-06	14190	0.272638
Up	RTN1	2	1.68E-05	23170	0.266921
Up	SERPING1	2	2.26E-05	9370	0.261051
Up	SERPINE2	2	2.62E-06	672	0.246784
Up	TRAPPC5	2	6.26E-05	68134	0.249861
Up	APCS	2	0	0	0.295158
Up	SERPINA6	2	3.33E-04	309232	0.296276
Up	REG3A	2	1.52E-05	52952	0.299908
Up	BBC3	2	0	0	0.259778
Up	RPRD1A	2	3.92E-05	277120	0.309669
Up	DACH1	2	0	0	0.309936
Up	RGS4	2	5.44E-05	21664	0.272307
Up	CASP10	2	3.66E-05	73078	0.264702
Up	PPARA	2	3.08E-05	28360	0.285403
Up	DHCR24	2	2.06E-05	30004	0.275109
Up	RAP1A	2	3.50E-05	22882	0.262835
Up	PCDH10	2	6.75E-06	11790	0.233911
Up	F10	2	2.24E-06	2690	0.247787
Up	PSMG1	2	0	0	0.29646
Up	CFB	2	0	0	0.297072
Up	PPP1R12B	2	1.19E-05	11496	0.250122
Up	ABLIM1	2	4.21E-05	35910	0.250479
Up	LTBP3	1	0	0	0.241806
Up	NAT9	1	0	0	0.267189
Up	GGA1	1	0	0	0.229025
Up	PJA1	1	0	0	0.239559
Up	SERPINA10	1	0	0	0.240834
Up	RNF32	1	0	0	0.249376

Up	HLA-DMB	1	0	0	0.232768
Up	SAA1	1	0	0	0.241757
Up	C4BPA	1	0	0	0.294264
Up	GABBR1	1	0	0	0.259778
Up	GET4	1	0	0	0.239455
Up	MUC20	1	0	0	0.235388
Up	NUDT16	1	0	0	0.304543
Up	ITPK1	1	0	0	0.304543
Up	FIGNL1	1	0	0	0.304543
Up	SLC25A19	1	0	0	0.304543
Up	RAP1GAP	1	0	0	0.282411
Up	RPS6KA6	1	0	0	0.247514
Up	ARRDC4	1	0	0	0.263412
Up	RAB27A	1	0	0	0.263412
Up	SPOCK3	1	0	0	0.236807
Up	DENND2D	1	0	0	0.25945
Up	FAM20A	1	0	0	0.245219
Up	TXNDC11	1	0	0	0.248884
Up	CCL20	1	0	0	0.219681
Up	HLA-F	1	0	0	0.231435
Up	LRRC24	1	0	0	0.231435
Up	BCS1L	1	0	0	0.274867
Up	MACROD1	1	0	0	0.274867
Up	KDM1B	1	0	0	0.237111
Up	WFDC2	1	0	0	0.24227
Up	SLC25A36	1	0	0	0.24227
Up	PTPRH	1	0	0	0.253159
Up	ELL	1	0	0	0.263094
Up	XAB2	1	0	0	0.263094
Up	MTMR12	1	0	0	0.229339
Up	PPP1R1B	1	0	0	0.27675
Up	POLD3	1	0	0	0.231405
Up	LSM6	1	0	0	0.231405
Up	MUC13	1	0	0	0.258853
Up	C1orf122	1	0	0	0.25146
Up	SLC22A17	1	0	0	0.219916
Up	NR1H4	1	0	0	0.28167
Up	ITGB3BP	1	0	0	0.28167
Up	PTPRN2	1	0	0	0.245663
Up	ZC3H12A	1	0	0	0.271608
Up	TMEM143	1	0	0	0.231853
Up	FAM8A1	1	0	0	0.237785
Up	QSOX1	1	0	0	0.242974
Up	LDLR	1	0	0	0.229574
Up	LRG1	1	0	0	0.294264
Up	ORM1	1	0	0	0.259778
Up	CA2	1	0	0	0.304543
Up	OIP5	1	0	0	0.304543
Up	IMPA2	1	0	0	0.245671
Up	SDC4	1	0	0	0.252041
Up	GCNT3	1	0	0	0.252041
Up	MT1A	1	0	0	0.257113
Up	FFAR1	1	0	0	0.257113
Up	CEBPD	1	0	0	0.28167
Up	CA12	1	0	0	0.231853
Up	ADORA2A	1	0	0	0.22721
Up	DOCK8	1	0	0	0.257888
Up	STX19	1	0	0	0.230169
Up	TRIOBP	1	0	0	0.242237
Up	CACNA1H	1	0	0	0.220929
Up	SLC39A1	1	0	0	0.239591
Up	P4HA1	1	0	0	0.234338
Down	FN1	800	0.121948	1.77E+08	0.416937
Down	CDK1	321	0.052371	37130306	0.393533
Down	TK1	183	0.028359	22061908	0.356407
Down	A2M	165	0.021657	31093610	0.33221
Down	ACTA2	156	0.021508	16177182	0.356813
Down	ANLN	147	0.012288	32652030	0.31966
Down	RPTOR	138	0.015393	20848032	0.33123
Down	FLNC	130	0.020359	9885742	0.364849

Down	MME	124	0.01613	22827922	0.327014
Down	CHEK1	123	0.0138	9428096	0.36459
Down	MCM6	119	0.012797	10240308	0.34408
Down	HEY1	115	0.007467	26394370	0.324521
Down	TOP2A	113	0.00822	7037480	0.366131
Down	PTN	109	0.01344	17516900	0.319717
Down	RIPK3	109	0.005618	13238646	0.329395
Down	KIT	105	0.00936	8415988	0.318274
Down	BUB1	102	0.012926	9378750	0.327669
Down	IGF2BP3	101	0.006201	5000402	0.358021
Down	CDH5	97	0.014275	14697350	0.31753
Down	STIL	94	0.010914	12929196	0.315912
Down	JAK3	93	0.006847	6645686	0.330743
Down	TUBB2B	89	0.011127	6631350	0.358521
Down	CXCR4	82	0.010003	6983362	0.336956
Down	ALK	79	0.006945	9288848	0.319235
Down	COL1A1	78	0.007539	4482218	0.336184
Down	KIF2C	78	0.00852	6501484	0.336909
Down	NOTCH3	78	0.010163	11236576	0.315068
Down	CDC6	74	0.00694	5538892	0.323892
Down	UBE2C	69	0.00668	5381164	0.318429
Down	ST8SIA4	68	0.011163	8424288	0.30563
Down	EPPK1	68	0.004854	7870332	0.320301
Down	NES	63	0.005965	5426230	0.324301
Down	GRIP1	61	0.006138	14613812	0.304595
Down	LEF1	60	0.005343	4927416	0.310793
Down	MMP9	60	0.006943	5669948	0.345071
Down	THBS1	57	0.003128	2389380	0.326747
Down	COL1A2	48	0.003029	1783500	0.32932
Down	TPX2	46	0.003701	1798214	0.340352
Down	KRT17	45	0.003227	3063576	0.325652
Down	CENPE	43	0.003357	2673372	0.310807
Down	TRIM9	43	0.004332	4076190	0.298973
Down	PLAT	42	0.004548	2384326	0.317222
Down	NEXN	40	0.002111	1827254	0.320901
Down	ARG1	39	0.003041	4412562	0.305942
Down	PTGS2	39	0.002083	2565408	0.316649
Down	PCDH7	38	0.004648	3503260	0.300108
Down	TFF1	38	0.002965	1245772	0.334139
Down	FGG	37	0.002101	1367870	0.309656
Down	HMGA2	36	9.38E-04	969146	0.320587
Down	LCP1	35	0.002865	1240328	0.343735
Down	COL5A1	34	0.001354	878512	0.318627
Down	MMP3	34	0.002251	1415208	0.31027
Down	ASB9	34	0.001201	3273876	0.29823
Down	COL6A2	33	0.003726	2359320	0.308699
Down	IL16	33	0.003152	1947338	0.313625
Down	PRC1	32	0.002506	1394808	0.310378
Down	SPARC	32	0.00126	838072	0.31898
Down	NETO2	32	0.003703	1704326	0.304298
Down	LOX	32	0.001666	910394	0.322152
Down	CDKN3	32	0.003019	1564204	0.302991
Down	COL4A1	31	0.001704	998644	0.318825
Down	VCAN	31	0.002243	3325576	0.281515
Down	TNFAIP6	29	0.004894	3551464	0.309031
Down	BMP4	29	0.00477	6323086	0.261868
Down	DCAF4	29	0.002018	6457740	0.29138
Down	DACT1	28	0.001674	1236348	0.321216
Down	FBN2	27	0.002317	1481936	0.317068
Down	FBN1	27	0.001379	1080758	0.307209
Down	CPA4	27	0.002556	996084	0.289201
Down	PXDN	26	0.002559	2031162	0.300221
Down	CNN1	24	0.002226	1637732	0.325932
Down	GAP43	24	0.00294	1612258	0.325343
Down	FAT3	23	0.002598	2919422	0.275457
Down	KIF26B	22	0.001863	792688	0.306372
Down	CYBRD1	22	0.001123	1561118	0.291533
Down	LRRC8E	22	0.001826	2528860	0.287639
Down	SIX2	22	0.001973	2753556	0.291415
Down	POU2F2	21	0.001426	1334750	0.295316

Down	FLI1	21	0.00112	2415044	0.285052
Down	GPR161	20	0.002009	2695240	0.292303
Down	PCDH12	19	0.001536	1167904	0.272989
Down	ADAMTS2	19	0.002709	2167276	0.259404
Down	ANKRD1	19	0.001457	2414200	0.271906
Down	TEKT2	19	0.002071	3016046	0.282477
Down	COLQ	18	0.003044	3000882	0.306046
Down	MSRB3	18	0.002113	3276728	0.289003
Down	CSF2	17	1.81E-04	232386	0.284073
Down	INHBE	17	0.001905	3619024	0.291805
Down	NTM	17	0.001536	2018548	0.280112
Down	SULF2	16	0.001763	1637484	0.282677
Down	ADAMTS12	14	3.95E-04	228572	0.287916
Down	CABLES1	14	4.83E-04	277378	0.300472
Down	KANK4	14	0.002325	3632254	0.267836
Down	EBF1	14	0.001351	2657292	0.252404
Down	TGFBI	13	4.16E-04	410792	0.302748
Down	CLIC5	13	6.32E-04	350440	0.308236
Down	KLRK1	13	0.001636	1607184	0.253865
Down	SLC16A10	13	0.002048	1684164	0.231182
Down	KLHL1	12	8.40E-04	685122	0.283569
Down	ULBP1	11	0.001627	1909902	0.252616
Down	CENPL	11	0.001015	1075848	0.281835
Down	EFNA4	10	0.001001	1689268	0.262691
Down	SGCD	10	0.001345	549950	0.269018
Down	TNFRSF11B	8	8.96E-04	1069060	0.296057
Down	ERG	8	9.91E-04	1598524	0.326955
Down	PDGFB	8	2.27E-04	209072	0.266763
Down	GPX8	8	9.35E-04	811058	0.233017
Down	ADORA2B	7	8.76E-04	1026210	0.25586
Down	POSTN	6	8.80E-04	1154784	0.237699
Down	KIF6	6	8.38E-04	1734970	0.202506
Down	HLA-DQB1	5	3.89E-04	258228	0.235782
Down	NTNG2	5	1.04E-04	119956	0.2581
Down	HHATL	4	3.03E-04	173754	0.247812
Down	SRPX2	4	1.18E-05	10068	0.23472
Down	TIMP3	4	2.01E-04	158044	0.310097
Down	HCST	4	2.61E-04	63872	0.273894
Down	TCF7L1	4	1.72E-05	21986	0.253936
Down	ZBTB47	4	2.82E-04	354140	0.266063
Down	SALL4	4	1.14E-05	20262	0.267368
Down	CST6	3	5.80E-05	89820	0.250776
Down	LAMA1	3	6.11E-05	12132	0.257601
Down	NID1	3	4.30E-06	4204	0.258499
Down	BGN	3	8.53E-05	103066	0.254728
Down	PDGFRA	3	7.58E-05	77934	0.284916
Down	COL3A1	3	1.64E-06	1006	0.253096
Down	ADA	3	3.21E-05	15284	0.235058
Down	NELL2	2	2.10E-05	14054	0.246513
Down	KDR	2	2.89E-05	27088	0.254746
Down	ECEL1	2	4.32E-05	24446	0.234537
Down	STAMBPL1	2	4.96E-05	27352	0.254268
Down	SERPINE1	2	2.85E-06	2312	0.251741
Down	CD93	2	0	0	0.253811
Down	ZNF16	2	0	0	0.253811
Down	NID2	2	1.07E-06	1590	0.25443
Down	IGDCC4	2	1.01E-04	72314	0.262566
Down	ECM1	2	4.51E-06	13198	0.248764
Down	F2R	2	2.19E-05	6442	0.256902
Down	ASPM	2	1.17E-04	27730	0.255107
Down	THBS2	2	0	0	0.264556
Down	COL5A3	2	0	0	0.251187
Down	GREM2	2	1.13E-06	1018	0.207542
Down	COL14A1	2	3.69E-05	13532	0.278335
Down	GLRA1	2	0	0	0
Down	LDHAL6A	2	8.46E-06	18176	0.280834
Down	MFAP2	2	0	0	0.242474
Down	MST1R	2	2.48E-05	76094	0.293269
Down	FOXQ1	2	2.41E-06	5328	0.256728
Down	PRR11	2	3.99E-06	4210	0.259441

Down	PLAU	2	3.89E-06	3598	0.246159
Down	RGS5	2	3.15E-05	39976	0.279535
Down	HCLS1	2	1.38E-05	64778	0.279764
Down	RASSF9	2	0	0	0.279275
Down	CAPN3	2	1.29E-04	71456	0.26935
Down	EMCN	2	3.95E-06	4814	0.206713
Down	PTPRE	1	0	0	0.244935
Down	GHR	1	0	0	0.24974
Down	KIF14	1	0	0	0.23932
Down	FRMD5	1	0	0	0.23932
Down	TBC1D2	1	0	0	0.246809
Down	MMP11	1	0	0	0.246758
Down	ENPEP	1	0	0	0.234483
Down	NGF	1	0	0	0.249376
Down	DDR2	1	0	0	0.251609
Down	AMPD3	1	0	0	0.259778
Down	KRT6B	1	0	0	0.259778
Down	PALMD	1	0	0	0.304543
Down	BACH2	1	0	0	0.304543
Down	NOX5	1	0	0	0.304543
Down	USP6	1	0	0	0.304543
Down	MCAM	1	0	0	0.263412
Down	LUM	1	0	0	0.247744
Down	CTSK	1	0	0	0.241847
Down	CMTM3	1	0	0	0.245219
Down	FAT4	1	0	0	0.248884
Down	COL12A1	1	0	0	0.256554
Down	ACSM3	1	0	0	0.274867
Down	LAMA4	1	0	0	0.24227
Down	PHLDA1	1	0	0	0.253159
Down	ZNF74	1	0	0	0.263094
Down	NLRP1	1	0	0	0.236161
Down	IL18	1	0	0	0.236161
Down	MFAP4	1	0	0	0.235019
Down	APOBEC3B	1	0	0	0.27675
Down	SPOCD1	1	0	0	0.27675
Down	GPRC5A	1	0	0	0.258853
Down	E2F7	1	0	0	0.244776
Down	NRG3	1	0	0	0.205779
Down	S1PR3	1	0	0	0.257113
Down	TAF4B	1	0	0	0.28167
Down	NRBP2	1	0	0	0.238756
Down	SYNPO2	1	0	0	0.267328
Down	MMS22L	1	0	0	0.256006
Down	TIPIN	1	0	0	0.256006
Down	ACOX2	1	0	0	0.231323
Down	CCNJL	1	0	0	0.240079
Down	ZNF564	1	0	0	0.242793
Down	COLEC11	1	0	0	0.24466
Down	RTEL1	1	0	0	0.237785
Down	CHL1	1	0	0	0.304543
Down	BCAS1	1	0	0	0.304543
Down	DCX	1	0	0	0.245219
Down	COL6A3	1	0	0	0.241643
Down	EGF	1	0	0	0.253159
Down	ZSCAN20	1	0	0	0.242605
Down	IFITM1	1	0	0	0.256106
Down	STK10	1	0	0	0.256106
Down	HRH1	1	0	0	0.256106
Down	PECAM1	1	0	0	0.252041
Down	PCK1	1	0	0	0.257113
Down	S1PR1	1	0	0	0.257113
Down	MYL9	1	0	0	0.252714
Down	SLC7A5	1	0	0	0.252714
Down	GATA4	1	0	0	0.238613
Down	RASSF2	1	0	0	0.236417
Down	CDCA7L	1	0	0	0.24466
Down	ISLR	1	0	0	0.24466
Down	GPC3	1	0	0	0.201677
Down	EFNB2	1	0	0	0.233486

Down	HEY2	1	0	0	0.245018

Table 6 miRNA - hub gene and TF – hub gene interaction

Regulation	Hub Genes	Degree	MicroRNA	Regulation	Hub Genes	Degree	TF
Up	MRPL12	102	hsa-mir-1255b-5p	Up	JUN	62	VDR
Up	RAB5C	100	hsa-mir-499a-5p	Up	POLR2A	45	BACH1
Up	VCAM1	86	hsa-mir-200a-3p	Up	HIF1A	39	TFCP2L1
Up	HIF1A	84	hsa-mir-449c-5p	Up	MRPL12	36	HOXC9
Up	CLU	69	hsa-mir-520a-5p	Up	U2AF2	34	GATA2
Up	U2AF2	56	hsa-mir-3144-5p	Up	RELA	34	FOXO3
Up	OCRL	55	hsa-mir-95-5p	Up	PPP1CC	32	SOX2
Up	PPP1CC	49	hsa-mir-4643	Up	ADRB2	27	GATA1
Up	RELA	41	hsa-mir-1303	Up	ERBB3	25	STAT1
Up	ERBB3	40	hsa-mir-4732-5p	Up	SNCA	25	RUNX2
Up	JUN	38	hsa-mir-3178	Up	CD81	22	XRN2
Up	CD81	23	hsa-mir-552-3p	Up	SDHA	22	ESR1
Up	POLR2A	16	hsa-mir-744-5p	Up	VCAM1	16	EP300
Up	SDHA	5	hsa-mir-760	Up	ALB	12	STAT3
Up	SNCA	4	hsa-mir-7-5p	Up	OCRL	9	TEAD4
Down	CDK1	52	hsa-mir-410-3p	Down	RPTOR	52	TBX3
Down	CHEK1	52	hsa-mir-3941	Down	FN1	46	ATF3
Down	TK1	45	hsa-mir-181d-3p	Down	ANLN	42	GATA4
Down	KIT	25	hsa-mir-181c-5p	Down	MME	31	PAX6
Down	TOP2A	17	hsa-mir-708-5p	Down	HEY1	28	FOXP1
Down	FN1	8	hsa-mir-140-3p	Down	TK1	28	SOX11
Down	MCM6	6	hsa-mir-34a-5p	Down	PTN	27	SOX17
Down	ANLN	5	hsa-mir-497-5p	Down	CHEK1	27	HOXB4
Down	HEY1	4	hsa-mir-30b-5p	Down	TOP2A	25	RUNX1
Down	RPTOR	3	hsa-mir-27a-3p	Down	MCM6	24	HNF4A
Down	A2M	3	hsa-mir-98-5p	Down	FLNC	21	RNF2
Down	MME	2	hsa-mir-1-3p	Down	CDK1	19	FOXM1
Down	FLNC	2	hsa-mir-454-3p	Down	RIPK3	16	NACC1
Down	PTN	1	hsa-mir-155-5p	Down	A2M	14	FOXA2
Down	ACTA2	1	hsa-mir-484	Down	ACTA2	14	SMAD4

Figures

Fig. 1. Heat map of differentially expressed genes. Legend on the top left indicate log fold change of genes. (A1 – A277= healthy controls; B1 – B263 = patients with dementia)

Fig. 2. Volcano plot of differentially expressed genes. Genes with a significant change of more than two-fold were selected. Green dot represented up regulated significant genes and red dot represented down regulated significant genes.

Fig. 3. PPI network of DEGs. The PPI network of DEGs was constructed using Cytoscap. Up regulated genes are marked in green; down regulated genes are marked in red

Fig. 4. Modules of isolated form PPI of DEGs. (A) The most significant module was obtained from PPI network with 9 nodes and 17 edges for up regulated genes (B) The most significant module was obtained from PPI network with 8 nodes and 15 edges for down regulated genes. Up regulated genes are marked in green; down regulated genes are marked in red.

Fig. 5. MiRNA - hub gene regulatory network. The purple color diamond nodes represent the key miRNAs; up regulated genes are marked in green; down regulated genes are marked in red.

Fig. 6. TF - hub gene regulatory network. The blue color triangle nodes represent the key TFs; up regulated genes are marked in green; down regulated genes are marked in red.

Fig. 7 ROC curve validated the sensitivity, specificity of hub genes as a predictive biomarker for dementia prognosis. A) CDK1 B) TOP2A C) MAD2L1 D) RSL24D1 E) CDKN1A F) NOTCH3 G) MYB H) PWP2 I) WNT7B J) HSPA12B

Fig. 8 Validation of hub genes by RT- PCR. A) CDK1 B) TOP2A C) MAD2L1 D) RSL24D1 E) CDKN1A F) NOTCH3 G) MYB H) PWP2 I) WNT7B J) HSPA12B