Genetics and material culture support repeated expansions into
Paleolithic Eurasia from a population hub out of Africa

Leonardo Vallini[1], Giulia Marciani[2], Serena Aneli[1], Eugenio Bortolini[2], Stefano Benazzi[2,3],
Telmo Pievani[1], Luca Pagani[1,4]

1 Department of Biology, University of Padova, Padova, Italy
2 Department of Cultural Heritage, University of Bologna, Ravenna, Italy
3 Department of Human Evolution, Max Planck Institute for Evolutionary Anthropology,
Leipzig, Germany
4 Institute of Genomics, University of Tartu, Tartu, Estonia

Abstract
The population dynamics that followed the out of Africa expansion (OoA) and the
whereabouts of the early migrants before the differentiation that ultimately led to the
formation of Oceanian, West and East Eurasian macro populations have long been debated.
Shedding light on these events may, in turn, provide clues to better understand cultural
evolution in Eurasia between 50kya and 35kya.
Here we analyze Eurasian Paleolithic DNA evidence to provide a comprehensive population
model and validate it in light of available material culture. Leveraging on our integrated
approach we propose the existence of a Eurasian population Hub, where *Homo sapiens*
lived between the OoA and the broader colonization of Eurasia, which was characterized by
multiple events of expansion and local extinction. A major population wave out of Hub, of
which Ust'Ishim, Bacho Kiro and Tianyuan are unadmixed representatives, is broadly
associated with Initial Upper Paleolithic lithics and populated West and East Eurasia before
or around 45 kya, before getting largely extinct in Europe. In this light, we suggest a
parsimonious placement of Oase1 as an individual related to Bacho Kiro who experienced
additional Neanderthal introgression. Another expansion, started before 38 kya, is broadly
associated with Upper Paleolithic industries and repopulated Europe with sporadic
admixtures with the previous wave (GoyetQ116-1) and more systematic ones while moving
through Siberia (Yana, Mal'ta).

Introduction
Several layers of genetic, palaeoanthropology and palaeoclimatology evidence point to 70-
60 kya as the most likely time window for the major colonization of Eurasia by *Homo*
sapiens. For several millennia, however, the human population Out of Africa (OoA) did not
expand much from a demographic perspective, with the divergence between Eastern and
Western Eurasian populations inferred not earlier than 45-40 kya ago from modern DNA
data(Bergström et al., 2020; Choin et al., 2021; Malaspinas et al., 2016; Pagani et al., 2015,
2016; Schiffels & Durbin, 2014; Soares et al., 2012). We can imagine that, after leaving
Africa(Pagani, 2019), the ancestors of all non Africans lived somewhere on the new
continent, interbred with Neanderthals(Green et al., 2010) and persisted as a single
population for at least 15 thousand years (conservatively, the time between the OoA
bottleneck and the split between European and East Asian populations, marking the
beginning of a broader expansion) and later expanded from this "population Hub" ultimately

colonizing all of Eurasia and further.
Disentangling the processes underlying population and technological shifts between ~50 kya
and ~35 kya during the broader colonization of Eurasia is critical to explain the shaping of
current *H. sapiens* genetic diversity out of Africa, and to understand if cultural change
documented in the archaeological record can be attributed to population movements, human
interactions, convergence or any intermediate mechanism of biocultural exchange. This time
interval is characterised by the appearance and turnover of several techno-complexes
which, based on technological characteristics, we divide into: i) production of blades using
volumetric and levallois methods here extensively defined as Initial Upper Paleolithic (IUP)
(E. Boëda et al., 2013; Kuhn, 2019; Kuhn & Zwyns, 2014) ; ii) lithic industries characterized
by the production of blades and bladelets often together with ornaments and bone tools and
here inclusively defined as Upper Paleolithic (UP) ; iii) non-Mousterian and non-IUP
technologies appeared during the Middle to Upper Palaeolithic transition, comprising
Uluzzian, Châtelperronian, Szeletian and Lincombian-Ranisian-Jermanowician (LRJ) (see
Supplementary Section 1 for an in-depth definition of these material culture labels). Only a
few contexts present with both material culture and stratigraphically related human remains
for which aDNA is available (Table 1, Table S1), which leads to many possible scenarios of
association between cultural change and human migration, as well as with inter- and intra-
specific human interaction.

From a genetic perspective, two recent studies found that around 45 kya, nearby European
territories were occupied by either a human population basal to all Eurasians: Zlatý
Kůň(Prüfer et al., 2021), or by a human population that is closer to ancient and
contemporary East Asians than to later and contemporary Europeans(Hajdinjak et al., 2021),
which triggers the question of where and how the European component, later represented by
Kostenki14 (38 kya), differentiated after separating from East Asians.

Table 1 Summary of Paleolithic individuals used for qpGraph modeling, see table S1 for full details

Sample	Techno-complex	Country	Date(kya)	Reference
Zlatý Kůň	Szeletian/IUP[a]	Czech Republic	>45	(Prüfer et al., 2021)
Ust'Ishim	IUP[a]	Russia	45	(Fu et al., 2014)
Bacho Kiro	IUP	Bulgaria	45	(Hajdinjak et al., 2021)
Oase1	IUP/UP[a]	Romania	40	(Fu et al., 2015)
Tianyuan	IUP[a]	China	40	(Yang et al., 2017)
Kostenki14	UP[a]	Russia	38	(Fu et al., 2016)
GoyetQ116-1	UP[a]	Belgium	35	(Fu et al., 2016)
Sunghir	UP	Russia	34	(Sikora et al., 2017)
Yana	UP	Russia	32	(Sikora et al., 2019)
Mal'ta	UP	Russia	24	(Raghavan et al., 2014)

68   a: attribution based on nearby coeval sites

Results

We used Treemix(Pickrell & Pritchard, 2012) for a preliminary, unsupervised exploration of the genetic relationships among the crucial samples listed in Table 1 and, after adding up to 5 admixture events we found that it fails in identifying well known events such as the Neanderthal admixture shared by all Eurasians that is instead monopolized by Bacho Kiro, and noted high residuals in any solution offered by this method (results not shown). Despite known limitations involved in its reliance on initial topologies based on the operator's assumptions, we resorted to qpGraph (Supplementary Section **2**), implementing the simple population tree proposed by Pruefer and colleagues(Prüfer et al., 2021) and proceeded step-wise to minimize the aforementioned issues. We tried to add Bacho Kiro in all plausible positions without invoking additional admixture events, with the exception of the extra Neanderthal introgression already documented for the Bacho Kiro samples(Hajdinjak et al., 2021) (Figure S1, Supplementary Section 3). To allow the likely European Neanderthal population that admixed with the ancestors of Bacho Kiro to be different from the Neanderthal population that admixed with the ancestors of all non Africans shortly after the Out of Africa, we modeled it as a different node closer to the Neanderthal from Vindija (Croatia); if it was indeed the same Neanderthal population the inferred drift between the two nodes would be 0. Additionally, to avoid our results to be driven by later population interaction between Eurasia and Western Africa(Chen et al., 2020) or by the putative admixture of Mbuti pygmies with an archaic ghost hominin(Hammer et al., 2011; Hsieh et al., 2016; Lipson et al., 2020) we used four ancient South African hunter-gatherers(Schlebusch et al., 2017; Skoglund et al., 2017) (Table S1) instead of Mbuti, and found the best placement of Bacho Kiro as a sister group of Tianyuan (Figure S1.C, Supplementary Section 3.2). This placement is different from the one proposed by(Hajdinjak et al., 2021) and we found little support for a model placing Bacho Kiro as an early branch among the Out of Africa lineage (Figure S1.A) when immediately accounting for its higher Neanderthal ancestry, possibly also thanks to the availability of Zlatý Kůň, who may provide a good guidance to the basal OoA genetic landscape. After adding Kostenki14 as a key ancient European sample, we found that Ust'Ishim would fit better as a basal split along the branch leading to Tianyuan and Bacho Kiro (Supplementary Section **3.3**) (Figure S2).

The scenario emerging from our proposed tree (Figure 1A, Figure S2.B) depicts Zlatý Kůň as a population basal to all subsequent splits within Eurasia. Downstream of Zlatý Kůň, the separation of Ust'Ishim and other genetically East Asian ancient samples (Bacho Kiro and Tianyuan, red in Figure 1A) from the branch eventually leading to Kostenki and Sunghir (genetically West Eurasians with a deep shared genetic drift - 49 units -, in blue in Figure 1A) defines the first major subdivision of Eurasian genetic components. Although this represents only one of several otherwise unexplored possible trees, its topology is broadly matched by the spatiotemporal distribution of material cultural evidence at a cross-continental scale, according to the present state of archaeological knowledge. From a chronological point of view the right branch (red) of Figure 1A presents samples dated ~45/40 kya, while the left (blue) one is instead characterised by a younger date of the Kostenki and Sunghir samples (38 and 34 kya respectively). The structure emerging from genetic distances is also supported and confirmed by technological evidence. The earlier, red branch is consistently populated by contexts either directly showing or surrounded by geographic and temporal proxies exhibiting IUP technology (Table S1, Table S2). The later, blue branch is instead predominantly characterised by contexts with UP technology (Table S1, Table S2). Finally, the basal Zlatý Kůň is coeval to Eastern European sites exhibiting Mousterian, non-Mousterian and IUP technologies (Table S1, Table S3).

Notably, Oase1, which has so far been regarded as a lineage unrelated to extant
Eurasians(Fu et al., 2015), can be modeled as an additional admixture between the Bacho
Kiro population, or a closely related one, and Neanderthals (Figure 1A, Supplementary
Section 3.4). This result is coherent from a geographical and chronological perspective,
being Oase1 dated to around 5 ky later with respect to Bacho Kiro and being located just a
few hundred kilometers away. Incidentally, the proposed placement of Oase1 on the graph
provides support for the claim made in the original Oase1 publication(Fu et al., 2015) about
an additional pulse of Neanderthal admixture experienced by the Oase1 ancestors between
the one shared by all non Africans and the one that occurred 4-6 generations before it lived.
We here propose that such an event may be shared with the Bacho Kiro population or with a
closely related one, which could be seen as ancestral to Oase1. To rule out the possibility
that Oase1 attraction to Bacho Kiro is driven by the excess of Neanderthal ancestry they
share, we masked the most recent Neanderthal introgressed segments of Oase1 and re-run
the analysis: Oase1 holds its position and can be modeled without the last admixture event
with Neandethal hence confirming its genuine affinity with Bacho Kiro (Figure S3.D,
Supplementary section 3.4). Finally, this placement for Oase1 is consistent with the reported
East Asian genetic affinities for another sample from the same site (Oase2, Supplementary
Section 3.4).

Our model inferred by genetic data and supported by material culture, would then explain
Ust'Ishim as the result of early IUP movements towards Siberia(Nicolas Zwyns, 2021;
Nicolas Zwyns et al., 2019), and the presence of Bacho Kiro-like populations in Europe at
least from 45kya as part of a broader peopling event that reached as far East as Tianyuan
(40kya) with little or no interaction with pre-existing Zlatý Kůň-like groups (Figure S4,
Supplementary Section 3.5) but with occasional contacts with Neanderthals(Fu et al., 2015;
Hajdinjak et al., 2021). The UP branch in the model would have then emerged from a
putative OoA population Hub well after 45kya, a scenario that finds support in previous
hypotheses on the appearance of UP techno-complexes (e.g. Aurignacian) in Europe,
although the role of migrations and exchange between Europe, and Western Asia and the
Levant is still debated(Bataille et al., 2020; Conard, 2002; Davies, 2007; Falcucci et al.,
2020; Hoffecker, 2009; Hublin, 2015; Le Brun-Ricalens et al., 2009; Mellars, 2006; Nigst et
al., 2014; Teyssandier, 2006; Zilhão, 2014) . The origin and spatiotemporal development of
later UP techno-complexes (e.g. Gravettian) are also still debated, and are currently
interpreted as the outcome of mixed processes involving regional adaptation, functional
convergence, and exchange between populations which took place in Europe(Kozłowski,
2015; Moreau, 2012; M. Otte, 2013; Marcel Otte, 2017; Pesesse, 2010) after the putative
split from the OoA hub. As far as Northern Asia is concerned, the UP legacy may be
responsible for the West Eurasian components already reported in ancient Siberian samples
dated between 34kya (Salkhit(Massilani et al., 2020)), 31kya (Yana1(Sikora et al., 2019))
and 24kya (Mal'ta(Raghavan et al., 2014)). Admixture events in varying proportions between
sister groups of Sunghir and Tianyuan can indeed explain this observation (Figure 1A,
purple leaves; Figure S5, Supplementary Section 3.6). This is further supported by the
younger chronology for these two sites which is compatible with a stepwise arrival of West
Eurasian components in Siberia following the UP exit from the Hub sometimes before 38
kya. The lack of West Eurasian components in Tianyuan and in subsequent East Asian
individuals may provide clues on the resistance of those groups to the incoming UP
population movements, or on subsequent re-expansion from a genetically IUP-like
population reservoir.

West Eurasian IUP populations, on the other hand, likely declined and ultimately
disappeared, as suggested by the fact that our population tree is compatible with the arrival
in Europe of UP groups who experienced no further admixture with pre-existing IUP or
Neanderthals, with the exception of GoyetQ116-1. The East Asian component carried by this
sample(Fu et al., 2016) can be described as an interaction between pre-existing Bacho Kiro-
like and incoming UP groups in West Europe with an additional Tianyuan-like component.
Such a variegated East Asian substrate found in the otherwise West Eurasian GoyetQ116-1
sample accounts for yet undescribed complexities within the IUP population branch (Figure
S6, Supplementary Section 3.7). Interestingly, the fade of the IUP populations in Europe
coincides with the extinction of the last Neanderthals(Hajdinjak et al., 2018).

Given the relatively simple population tree needed to explain the post OoA Eurasian
population movements using aDNA samples available to date, and benefiting from the basal
position of Zlatý Kůň, we tried to model Oceanian populations (using modern Papuans)
within the emerging picture to resolve a long lasting debate on their topological position with
respect to East and West Eurasians. Starting from the topologies proposed in(Choin et al.,
2021; Malaspinas et al., 2016) we first tried to place Papuans as the most basal branch
along the non-African sub-tree, allowing for the documented Denisova admixture(Meyer et
al., 2012; Reich et al., 2011). We avoided including the sampled Denisova aDNA within the
population tree to eliminate attractions from yet uncharacterized, deep splits along the
hominin branch(Hajdinjak et al., 2021), and opted for letting qpGraph infer Denisova as a
basal split along the archaic human lineage. Simply placing Papuans in a basal position
(either before or after the split of Zlatý Kůň) was rejected and highlighted a notable attraction
between them and Tianyuan. We then modelled Papuans as sister of Tianyuan (Figure 1.B,
Figure S7.A)(Wall, 2017), a solution that yielded only two marginal outliers that could be
resolved when taking all the SNPs into account (Supplementary Section 3.8). This topology
could be further improved when allowing for a contribution of a basal lineage, whose
magnitude decreased the deeper was its position along and beyond the OoA tree: 94% as
the ancestor of Bacho Kiro and Tianyuan (Figure S7.B) or 53% as the most basal IUP
lineage (Figure S7.C), 40% before the West/East Eurasia split (Figure S7.D), 2% before the
Zlatý Kůň lineage, along the OoA path (Figure S7.E) and 2% as an extinct OoA (xOoA,
Figure S7.F) as proposed by Pagani and colleagues(Pagani et al., 2016). Notably, all the
acceptable solutions for the placement of Papuans within the broader OoA tree encompass
a Denisova contribution and confirm Zlatý Kůň as the most basal human genome among the
ones ever found Out of Africa. Taken together with a lower bound of the final settlement of
Sahul at 37 kya (the date of the deepest population splits estimated by(Malaspinas et al.,
2016)) it is reasonable to describe Papuans as either an almost even mixture between East
Asians and a lineage basal to West and East Asians occurred sometimes between 45 and
38kya, or as a sister lineage of East Asians with or without a minor basal OoA or xOoA
contribution. We here chose to parsimoniously describe Papuans as a simple sister group of
Tianyuan, cautioning that this may be just one out of six equifinal possibilities.

Figure 1 qpGraph models for Paleolithic Eurasia. **Panel A:** Best fit population model that recapitulates the major population streams from an Out of Africa hub, colored according to the most parsimonious lithic culture affiliation (Transitional complexes: yellow; Initial Upper Paleolithic, IUP: red; Upper Paleolithic, UP: blue). See Supplementary Sections 1 and 3 for more details on the qpGraph generation and on the material culture labels. The tree proposed here is based on 71539 SNPs due to the presence of Oase1, but its significance holds with a greater number of SNPs (302476) when Oase1 is removed (Figure S5.C). **Panel B:** Modern Papuans can be modelled as a terminal branch of the Paleolithic expansion that was associated with IUP in Eurasia. Such a model, based on 417400 SNPs, is just one of the six acceptable possibilities we identified (Figure S7) and is reported here just on the basis of its parsimonious nature.

Nodes labelled with "H" represent population differentiation inferred to have happened inside the population hub out of Africa. Asterisks indicate genetic drift putatively occurred inside the hub, which differentiates the West and East Eurasian genetic components.

Discussion

In conclusion, via introducing the concept of post OoA population Hub, our model provides a robust, elegant and parsimonious framework to explain the relationships between the most representative ancient human DNA available to date between 60 and 24kya across Eurasia, which can be accommodated within just three expansions out of a putative OoA Hub (Figure 2, Supplementary Section 4). Zlatý Kůň may represent an early expansion, which left little to no traces in subsequent Eurasians and occurred before or around 45kya (Figure 2A). We speculate this population movement might be linked either to IUP(Richter et al., 2008; Tostevin, 2003) or to non-Mousterian and non-IUP lithic techno-complexes that appeared in Central and Eastern Europe between 48-44kya (e.g., Szeletian, LRJ)(Nejman et al., 2017; Svoboda, 2000).

A subsequent expansion (linked to IUP in Eurasia) can be dated earlier than 45kya as proposed by Zwyn and colleagues(Nicolas Zwyns et al., 2019), and here we propose it to be a wider phenomenon that populated the broad geographic area between Mediterranean Levant(Eric Boëda & Bonilauri, 2006; Kadowaki et al., 2021; Kuhn et al., 2009; Leder, 2017; Marks & Kaufman, 1983), East Europe(Fewlass et al., 2020; Hublin et al., 2020; Richter et al., 2008), Siberia-Mongolia(Derevianko et al., 2013; Kuhn, 2019; Rybin et al., 2020; N. Zwyns et al., 2012; Nicolas Zwyns et al., 2019; N. Zwyns & Lbova, 2019) and East Asia(E. Boëda et al., 2013; Morgan et al., 2014; Peng et al., 2020) in less than 5ky, reaching as far South as Papua New Guinea before 38kya, and which eventually died out in Europe after repeated admixtures with Neanderthals (Bacho Kiro and Oase1 being two notable examples) **(**Figure 2.B**)**. In Western Europe, in the same timeframe, this interaction has been suggested as a trigger for the development of Chatelperronian material culture(Roussel et al., 2016), while the Uluzzian techno-complex in Mediterranean Europe may tentatively be better explained by an additional, yet uncharacterized expansion from the Hub(Benazzi et al., 2011; Marciani et al., 2020) although genomic data from Uluzzian strata is still lacking. The Uluzzian technocomplex is indeed characterized by unprecedented versatility and efficient management of production costs, considerably lower standardisation in design compared to Mousterian industries, lower time and energy expenditure for initialisation and management of volumes, and a much shorter response time to change in raw material or environmental conditions(Arrighi, Marciani, et al., 2020; Collina et al., 2020; Marciani et al., 2020; Moroni et al., 2013, 2018; Peresani et al., 2019; Riel-Salvatore, 2007, 2009, 2010; Silvestrini et al., 2021). In addition, this technological change is linked to the appearance of complementary tools(Haidle et al., 2015)[,(Sano et al., 2019)], innovations in hunting strategies(Boscato & Crezzini, 2012; Romandini et al., 2020), and a shared package of symbolic artefacts(Arrighi, Bortolini, et al., 2020; Arrighi, Moroni, et al., 2020). All these almost unique and distinctive elements make it very difficult to infer heritable continuity with local Mousterian material culture, or preferential technological proximity with any other IUP/UP Eurasian technology, and support the hypothesis of an independent population expansion.

The last major expansion needed to explain the observed data (UP) took place later than 45 kya and before 38kya and repopulated (Kostenki, Sunghir), or interacted with, pre-existing human groups (GoyetQ116-1, Figure S6) in Europe, and admixed with members of the previous IUP wave in Siberia (Yana, Mal'ta and perhaps Salkhit) as it moved East in the subsequent 5-10kya (Figure 2.C). The split time between East and West Eurasians estimated at ~40 kya(Malaspinas et al., 2016) from modern genomes and the differentiation of these two macro-populations can therefore be explained by the inferred timing of the IUP

exit from the Hub, followed by subsequent diversification within the Hub of the ancestors of
West Eurasians, later mitigated by ongoing cross-Eurasian gene flow. Importantly, the
qpGraph results that form the basis for this emerging picture describe only one of the many
possible arrangements of the genetic data we explored and, by itself, it shouldn't be
interpreted as the only or best outcome. Remarkably though, the arrangement described
here matches and simplifies scenarios inferred from material culture evidence, and provides
a framework for placing genetic and cultural data onto a coherent landscape.

In this paper, we used extensive cultural categories that are in agreement with the demic
movements at the present, coarse scale of analysis. The general trends observed here
emerge from a broad perspective, and further work is needed to test specific hypotheses
concerning actual processes of branching, local adaptation, cultural transmission and
convergence(Groucutt, 2020; Kuhn, 2019). Similarly, we remain oblivious about the precise
location of the inferred population Hub, although North Africa or West Asia seem the most
plausible candidates. More ancient genomes are needed, as well as a better understanding
of the role of South and SouthEast Asia, for which currently known material culture suggests
complex trajectories(Allen & O'Connell, 2014; Bird et al., 2019; Bradshaw et al., 2021;
Clarkson et al., 2017; Dennell & Petraglia, 2012; Michel et al., 2016; O'Connell et al., 2018;
Petraglia et al., 2010; Shackelford et al., 2018; Sun et al., 2021; Westaway et al., 2017).

Figure 2 Subsequent expansions into Eurasia from a population hub out of Africa. **Panel A**: Zlatý Kůň can be described as a putative early expansion from the population formed after the major expansion Out of Africa and hybridization with Neanderthals, and could be linked with transitional cultures found in Europe 48-45 kya. **Panel B:** Representative samples dated between 45 kya and 40 kya across Eurasia can be ascribed to a population movement with uniform genetic features and material culture

consistent with an Initial Upper Palaeolithic affiliation and which can also explain Oase1 after allowing
for additional Neanderthal contributions; modern Papuans may be genetically seen as an extreme
extension of this movement. **Panel C:** following local genetic differentiation, a subsequent population
expansion could explain the genetic components found in ancient samples <38 kya which contain it in
unadmixed form (Kostenki14, Sunghir) or admixed with pre-existing IUP components (Goyet Q116-1,
Yana1, Mal'ta).
The dates at the top right of each map provide a lower bound, based on the C14 of the earliest
available sample for the inferred population wave.
* indicate sites for which material culture was not available in direct association. For these sites the
nearest spatio-temporal proxies were used, as indicated in Table S1. Numbers on the map refer to the
position of relevant proxies: 1: Szeleta (S); 2: Pod_Hradem (S); 3: Moravský_Krumlov_IV (S); 4:
Stranska_Skala_III-IIIc (IUP); 5: Brno-Bohunice (IUP); 6: Bacho_Kiro_IUP_layer_11 (IUP); 7:
Ořechov_IV_–_Kabáty (IUP); 8: Brno-Bohunice (IUP); 9: Românesti-Dumbravita (UP); 10: Cosava
(UP); 11: Tincova (UP); 12: Kara_Bom_OH_5_OH6 (IUP); 13: Tolbor-4_layer_4-5-6 (IUP); 14: Tolbor-
16_layer_6 (IUP); 15: Kamenka_A (IUP); 16: Suindonggou_1 (IUP); 17: Suindonggou_2 (IUP); 18:
Maisières-Canal (UP); 19: Spy_Ossiferous_Horizon_2 (UP); 20: Kostenki_12_Vokov (UP); 21:
Kostenki_1 (UP).

Material and Methods
We downloaded the aligned sequences for the IUP Bacho Kiro individuals from the
European Nucleotide Archive (accession number PRJEB39134), and merged files from the
same individual. We clipped 3 bases off the ends of each read to avoid excess of aDNA
damage using trimBam (https://genome.sph.umich.edu/wiki/BamUtil:_trimBam) and then
generated pseudo-haploid calls with the genotype caller pileupCaller
(https://github.com/stschiff/sequenceTools/tree/master/src-pileupCaller) using the
majorityCall option that, for each locus, either chooses the allele supported by the highest
number of reads or picks one randomly if the number is the same. Only positions with base
quality and read quality higher than 30 were considered. The processed Eigenstrat files of
the Zlatý Kůň individual were kindly provided by Prof. Cosimo Posth and Dr. He Yu.

We merged the files with the 1240K "Allen Ancient DNA Resource" v44.3 database
(https://reich.hms.harvard.edu/allen-ancient-dna-resource-aadr-downloadable-genotypes-
present-day-and-ancient-dna-data)(Bergström et al., 2020; Skoglund et al., 2015), then kept
only autosomal SNPs (1,150,639) using Plink 1.9(Chang et al., 2015) and then converted
back to Eigenstrat format using Admixtools convertf(Patterson et al., 2012).

We ran Admixtools qpGraph(Patterson et al., 2012),
https://github.com/DReichLab/AdmixTools, qpGraph version: 7365) with the following
parameters: outpop: NULL, blgsize: 0.05, lsqmode: YES, diag: .0001, useallsnps: NO,
bigiter: 6, forcezmode: YES, initmix: 10000, precision: .0001, zthresh: 3.0, terse: NO, hires:
YES.

Data and Code Availability
No new data or software was generated for this study. All software, lithic information and
genomes are publicly available from the published sources.
Allen ancient DNA resource data repository: https://reich.hms.harvard.edu/allen-ancient-dna-
resource-aadr-downloadable-genotypes-present-day-and-ancient-dna-data

European Nucleotide Archive (accession numbers PRJEB39134; PRJEB39040)
Palaeoenvironmental data: https://www.ncei.noaa.gov/
Software: https://github.com/DReichLab/AdmixTools, qpGraph version: 7365

Acknowledgements
The authors would like to thank Prof. Cosimo Post and Dr. He Yu for having contributed the
processed Eigenstrat files of the Zlatý Kůň genome. Site coordinates were obtained from the
ROCEEH Out of Africa Database (ROAD) (http://www.roceeh.org), and the work of the data
contributors and ROAD community is gratefully acknowledged. This work was supported by:
UniPd PRID 2019 (to S.A.) and by the European Research Council (ERC) under the
European Union's Horizon 2020 research and innovation program (grant agreement No
724046 – SUCCESS; http://www.erc-success.eu/ to S.B., G.M., E.B.).

Authors Contribution
Conceptualization: L.V, L.P; Data Analyses: L.V., G.M, E.B, S.A.; Drafting of the manuscript:
L.V., G.M, E.B, L.P.; Interpretation of Results: T.P, S.B., L.P.; Revision of the manuscript: all
authors.

Competing interests
The authors declare no competing interests

References

Allen, J., & O'Connell, J. (2014). Both half right:Updating the evidence for dating first human

arrivals in Sahul. *Australian Archaeology*, *79*(1), 86–108.

Arrighi, S., Bortolini, E., Tassoni, L., Benocci, A., Manganelli, G., Spagnolo, V., Foresi, L. M.,

Bambini, A. M., Lugli, F., Badino, F., Aureli, D., Boschin, F., Figus, C., Marciani, G.,

Oxilia, G., Silvestrini, S., Cipriani, A., Romandini, M., Peresani, M., … Benazzi, S.

(2020). Backdating systematic shell ornament making in Europe to 45,000 years ago. In

Archaeological and Anthropological Sciences (Vol. 12, Issue 2).

https://doi.org/10.1007/s12520-019-00985-3

Arrighi, S., Marciani, G., Rossini, M., Santos, M. C. P., Fiorini, A., Martini, I., Aureli, D.,

Badino, F., Bortolini, E., Figus, C., Lugli, F., Oxilia, G., Romandini, M., Silvestrini, S.,

Ronchitelli, A., Moroni, A., & Benazzi, S. (2020). Between the hammerstone and the

anvil: bipolar knapping and other percussive activities in the late Mousterian and the

Uluzzian of Grotta di Castelcivita (Italy). In *Archaeological and Anthropological Sciences*

(Vol. 12, Issue 11). https://doi.org/10.1007/s12520-020-01216-w

Arrighi, S., Moroni, A., Tassoni, L., Boschin, F., Badino, F., Bortolini, E., Boscato, P.,

Crezzini, J., Figus, C., Forte, M., Lugli, F., Marciani, G., Oxilia, G., Negrino, F., Riel-
Salvatore, J., Romandini, M., Peresani, M., Spinapolice, E. E., Ronchitelli, A., &
Benazzi, S. (2020). Bone tools, ornaments and other unusual objects during the Middle
to Upper Palaeolithic transition in Italy. In *Quaternary International* (Vol. 551, pp. 169–
187). https://doi.org/10.1016/j.quaint.2019.11.016

Bataille, G., Falcucci, A., Tafelmaier, Y., & Conard, N. J. (2020). Technological differences
between Kostenki 17/II (Spitsynskaya industry, Central Russia) and the
Protoaurignacian: Reply to Dinnis et al. (2019). *Journal of Human Evolution*, *146*,
102685.

Benazzi, S., Douka, K., Fornai, C., Bauer, C. C., Kullmer, O., Svoboda, J., Pap, I., Mallegni,
F., Bayle, P., Coquerelle, M., Condemi, S., Ronchitelli, A., Harvati, K., & Weber, G. W.
(2011). Early dispersal of modern humans in Europe and implications for Neanderthal
behaviour. *Nature*, *479*(7374), 525–528.

Bergström, A., McCarthy, S. A., Hui, R., Almarri, M. A., Ayub, Q., Danecek, P., Chen, Y.,
Felkel, S., Hallast, P., Kamm, J., Blanché, H., Deleuze, J.-F., Cann, H., Mallick, S.,
Reich, D., Sandhu, M. S., Skoglund, P., Scally, A., Xue, Y., … Tyler-Smith, C. (2020).
Insights into human genetic variation and population history from 929 diverse genomes.
Science, *367*(6484). https://doi.org/10.1126/science.aay5012

Bird, M. I., Condie, S. A., O'Connor, S., O'Grady, D., Reepmeyer, C., Ulm, S., Zega, M.,
Saltré, F., & Bradshaw, C. J. A. (2019). Early human settlement of Sahul was not an
accident. *Scientific Reports*, *9*(1), 8220.

Boëda, E., & Bonilauri, S. (2006). THE FIRST BLADELET PRODUCTION 40,000 YEARS
AGO. *L'Anthropologie*, *44*(1), 75–92.

Boëda, E., Hou, Y. M., Forestier, H., Sarel, J., & Wang, H. M. (2013). Levallois and non-
Levallois blade production at Shuidonggou in Ningxia, North China. *Quaternary*
International: The Journal of the International Union for Quaternary Research, *295*,
191–203.

Boscato, P., & Crezzini, J. (2012). Middle–Upper Palaeolithic transition in Southern Italy:

Uluzzian macromammals from Grotta del Cavallo (Apulia). In *Quaternary International*

(Vol. 252, pp. 90–98). https://doi.org/10.1016/j.quaint.2011.03.028

Bradshaw, C. J. A., Norman, K., Ulm, S., Williams, A. N., Clarkson, C., Chadœuf, J., Lin, S.

C., Jacobs, Z., Roberts, R. G., Bird, M. I., Weyrich, L. S., Haberle, S. G., O'Connor, S.,

Llamas, B., Cohen, T. J., Friedrich, T., Veth, P., Leavesley, M., & Saltré, F. (2021).

Stochastic models support rapid peopling of Late Pleistocene Sahul. *Nature*

Communications, *12*(1), 2440.

Chang, C. C., Chow, C. C., Tellier, L. C., Vattikuti, S., Purcell, S. M., & Lee, J. J. (2015).

Second-generation PLINK: rising to the challenge of larger and richer datasets.

GigaScience, *4*, 7.

Chen, L., Wolf, A. B., Fu, W., Li, L., & Akey, J. M. (2020). Identifying and Interpreting

Apparent Neanderthal Ancestry in African Individuals. *Cell*, *180*(4), 677–687.e16.

Choin, J., Mendoza-Revilla, J., Arauna, L. R., Cuadros-Espinoza, S., Cassar, O., Larena, M.,

Ko, A. M.-S., Harmant, C., Laurent, R., Verdu, P., Laval, G., Boland, A., Olaso, R.,

Deleuze, J.-F., Valentin, F., Ko, Y.-C., Jakobsson, M., Gessain, A., Excoffier, L., …

Quintana-Murci, L. (2021). Genomic insights into population history and biological

adaptation in Oceania. *Nature*, *592*(7855), 583–589.

Clarkson, C., Jacobs, Z., Marwick, B., Fullagar, R., Wallis, L., Smith, M., Roberts, R. G.,

Hayes, E., Lowe, K., Carah, X., Florin, S. A., McNeil, J., Cox, D., Arnold, L. J., Hua, Q.,

Huntley, J., Brand, H. E. A., Manne, T., Fairbairn, A., … Pardoe, C. (2017). Human

occupation of northern Australia by 65,000 years ago. *Nature*, *547*(7663), 306–310.

Collina, C., Marciani, G., Martini, I., Donadio, C., Repola, L., Bortolini, E., Arrighi, S., Badino,

F., Figus, C., Lugli, F., Oxilia, G., Romandini, M., Silvestrini, S., Piperno, M., & Benazzi,

S. (2020). Refining the Uluzzian through a new lithic assemblage from Roccia San

Sebastiano (Mondragone, southern Italy). In *Quaternary International* (Vol. 551, pp.

150–168). https://doi.org/10.1016/j.quaint.2020.03.056

Conard, N. J. (2002). The timing of cultural innovations and the dispersal of modern humans

in Europe. *Terra Nostra 2002/6: DEQUA-Tagung 2002*, 82–94.

Davies, W. (2007). Re-evaluating the Aurignacian as an expression of modern human

mobility and dispersal. *2007) Rethinking the Human Revolution: New Behavioural and*

Biological Perspectives on the Origin and Dispersal of Modern Humans. Cambridge:

McDonald Institute for Archaeological Research, 263–274.

Dennell, R., & Petraglia, M. D. (2012). The dispersal of Homo sapiens across southern Asia:

how early, how often, how complex? *Quaternary Science Reviews*, *47*, 15–22.

Derevianko, A. P., Rybin, E. P., Gladyshev, S. A., Gunchinsuren, B., Tsybankov, A. A., &

Olsen, J. W. (2013). Early Upper Paleolithic Stone Tool Technologies of Northern

Mongolia: The Case of Tolbor-4 and Tolbor-15*. In *Archaeology, Ethnology and*

Anthropology of Eurasia (Vol. 41, Issue 4, pp. 21–37).

https://doi.org/10.1016/j.aeae.2014.07.004

Falcucci, A., Conard, N. J., & Peresani, M. (2020). Breaking through the Aquitaine frame: A

re-evaluation on the significance of regional variants during the Aurignacian as seen

from a key record in southern Europe. *Journal of Anthropological Sciences = Rivista Di*

Antropologia: JASS / Istituto Italiano Di Antropologia, *98*, 99–140.

Fewlass, H., Talamo, S., Wacker, L., Kromer, B., Tuna, T., Fagault, Y., Bard, E., McPherron,

S. P., Aldeias, V., Maria, R., Martisius, N. L., Paskulin, L., Rezek, Z., Sinet-Mathiot, V.,

Sirakova, S., Smith, G. M., Spasov, R., Welker, F., Sirakov, N., … Hublin, J.-J. (2020). A

14C chronology for the Middle to Upper Palaeolithic transition at Bacho Kiro Cave,

Bulgaria. In *Nature Ecology & Evolution* (Vol. 4, Issue 6, pp. 794–801).

https://doi.org/10.1038/s41559-020-1136-3

Fu, Q., Hajdinjak, M., Moldovan, O. T., Constantin, S., Mallick, S., Skoglund, P., Patterson,

N., Rohland, N., Lazaridis, I., Nickel, B., Viola, B., Prüfer, K., Meyer, M., Kelso, J.,

Reich, D., & Pääbo, S. (2015). An early modern human from Romania with a recent

Neanderthal ancestor. *Nature*, *524*(7564), 216–219.

Fu, Q., Li, H., Moorjani, P., Jay, F., Slepchenko, S. M., Bondarev, A. A., Johnson, P. L. F.,

Aximu-Petri, A., Prüfer, K., de Filippo, C., Meyer, M., Zwyns, N., Salazar-García, D. C.,

Kuzmin, Y. V., Keates, S. G., Kosintsev, P. A., Razhev, D. I., Richards, M. P., Peristov,

N. V., … Pääbo, S. (2014). Genome sequence of a 45,000-year-old modern human

from western Siberia. *Nature*, *514*(7523), 445–449.

Fu, Q., Posth, C., Hajdinjak, M., Petr, M., Mallick, S., Fernandes, D., Furtwängler, A., Haak,

W., Meyer, M., Mittnik, A., Nickel, B., Peltzer, A., Rohland, N., Slon, V., Talamo, S.,

Lazaridis, I., Lipson, M., Mathieson, I., Schiffels, S., … Reich, D. (2016). The genetic

history of Ice Age Europe. *Nature*, *534*(7606), 200–205.

Green, R. E., Krause, J., Briggs, A. W., Maricic, T., Stenzel, U., Kircher, M., Patterson, N., Li,

H., Zhai, W., Fritz, M. H.-Y., Hansen, N. F., Durand, E. Y., Malaspinas, A.-S., Jensen, J.

D., Marques-Bonet, T., Alkan, C., Prüfer, K., Meyer, M., Burbano, H. A., … Pääbo, S.

(2010). A draft sequence of the Neandertal genome. *Science*, *328*(5979), 710–722.

Groucutt, H. S. (2020). Into the Tangled Web of Culture-History and Convergent Evolution.

In *Vertebrate Paleobiology and Paleoanthropology* (pp. 1–12).

https://doi.org/10.1007/978-3-030-46126-3_1

Haidle, M. N., Bolus, M., Collard, M., Conard, N., Garofoli, D., Lombard, M., Nowell, A.,

Tennie, C., & Whiten, A. (2015). The Nature of Culture: an eight-grade model for the

evolution and expansion of cultural capacities in hominins and other animals. *Journal of*

Anthropological Sciences = Rivista Di Antropologia: JASS / Istituto Italiano Di

Antropologia, *93*, 43–70.

Hajdinjak, M., Fu, Q., Hübner, A., Petr, M., Mafessoni, F., Grote, S., Skoglund, P.,

Narasimham, V., Rougier, H., Crevecoeur, I., Semal, P., Soressi, M., Talamo, S.,

Hublin, J.-J., Gušić, I., Kućan, Ž., Rudan, P., Golovanova, L. V., Doronichev, V. B., …

Kelso, J. (2018). Reconstructing the genetic history of late Neanderthals. *Nature*,

555(7698), 652–656.

Hajdinjak, M., Mafessoni, F., Skov, L., Vernot, B., Hübner, A., Fu, Q., Essel, E., Nagel, S.,

Nickel, B., Richter, J., Moldovan, O. T., Constantin, S., Endarova, E., Zahariev, N.,

Spasov, R., Welker, F., Smith, G. M., Sinet-Mathiot, V., Paskulin, L., … Pääbo, S.

(2021). Initial Upper Palaeolithic humans in Europe had recent Neanderthal ancestry.

Nature, *592*(7853), 253–257.

Hammer, M. F., Woerner, A. E., Mendez, F. L., Watkins, J. C., & Wall, J. D. (2011). Genetic

evidence for archaic admixture in Africa. *Proceedings of the National Academy of*

Sciences of the United States of America, *108*(37), 15123–15128.

Hoffecker, J. F. (2009). Out of Africa: modern human origins special feature: the spread of

modern humans in Europe. *Proceedings of the National Academy of Sciences of the*

United States of America, *106*(38), 16040–16045.

Hsieh, P., Woerner, A. E., Wall, J. D., Lachance, J., Tishkoff, S. A., Gutenkunst, R. N., &

Hammer, M. F. (2016). Model-based analyses of whole-genome data reveal a complex

evolutionary history involving archaic introgression in Central African Pygmies. *Genome*

Research, *26*(3), 291–300.

Hublin, J.-J. (2015). The modern human colonization of western Eurasia: when and where?

Quaternary Science Reviews, *118*, 194–210.

Hublin, J.-J., Sirakov, N., Aldeias, V., Bailey, S., Bard, E., Delvigne, V., Endarova, E.,

Fagault, Y., Fewlass, H., Hajdinjak, M., Kromer, B., Krumov, I., Marreiros, J., Martisius,

N. L., Paskulin, L., Sinet-Mathiot, V., Meyer, M., Pääbo, S., Popov, V., … Tsanova, T.

(2020). Initial Upper Palaeolithic Homo sapiens from Bacho Kiro Cave, Bulgaria. *Nature*,

581(7808), 299–302.

Kadowaki, S., Suga, E., & Henry, D. O. (2021). Frequency and production technology of

bladelets in Late Middle Paleolithic, Initial Upper Paleolithic, and Early Upper Paleolithic

(Ahmarian) assemblages in Jebel Qalkha, Southern Jordan. In *Quaternary International*.

https://doi.org/10.1016/j.quaint.2021.03.012

Kozłowski, J. K. (2015). The origin of the gravettian. *Quaternary International: The Journal of*

the International Union for Quaternary Research, *359-360*, 3–18.

Kuhn, S. L. (2019). Initial Upper Paleolithic: A (near) global problem and a global

opportunity. *Archaeological Research in Asia*, *17*, 2–8.

Kuhn, S. L., Stiner, M. C., Güleç, E., Ozer, I., Yilmaz, H., Baykara, I., Açikkol, A., Goldberg,

P., Molina, K. M., Unay, E., & Suata-Alpaslan, F. (2009). The early Upper Paleolithic

occupations at Uçağizli Cave (Hatay, Turkey). *Journal of Human Evolution*, *56*(2), 87–

113.

Kuhn, S. L., & Zwyns, N. (2014). Rethinking the initial Upper Paleolithic. *Quaternary International*, *347*, 29–38.

Le Brun-Ricalens, F. L., Bordes, J.-G., & Eizenberg, L. (2009). A crossed-glance between southern European and Middle-Near Eastern early Upper Palaeolithic lithic technocomplexes. Existing models, new perspectives. In *The Mediterranean from 50,000 to 25,000 bp: Turning Points and New Directions.* (Vol. 66, pp. 11–33).

Leder, D. (2017). Core reduction strategies at the Initial Upper Palaeolithic sites of Ksar Akil and Abou Halka in Lebanon. *Lithics, The Journal of the Lithic Studies Society.* https://www.semanticscholar.org/paper/b3ae3d24daa6256817e3f70d774432699d38e22 b

Lipson, M., Ribot, I., Mallick, S., Rohland, N., Olalde, I., Adamski, N., Broomandkhoshbacht, N., Lawson, A. M., López, S., Oppenheimer, J., Stewardson, K., Asombang, R. N., Bocherens, H., Bradman, N., Culleton, B. J., Cornelissen, E., Crevecoeur, I., de Maret, P., Fomine, F. L. M., … Reich, D. (2020). Ancient West African foragers in the context of African population history. *Nature*, *577*(7792), 665–670.

Malaspinas, A.-S., Westaway, M. C., Muller, C., Sousa, V. C., Lao, O., Alves, I., Bergström, A., Athanasiadis, G., Cheng, J. Y., Crawford, J. E., Heupink, T. H., Macholdt, E., Peischl, S., Rasmussen, S., Schiffels, S., Subramanian, S., Wright, J. L., Albrechtsen, A., Barbieri, C., … Willerslev, E. (2016). A genomic history of Aboriginal Australia. *Nature*, *538*(7624), 207–214.

Marciani, G., Ronchitelli, A., Arrighi, S., Badino, F., Bortolini, E., Boscato, P., Boschin, F., Crezzini, J., Delpiano, D., Falcucci, A., Figus, C., Lugli, F., Oxilia, G., Romandini, M., Riel-Salvatore, J., Negrino, F., Peresani, M., Spinapolice, E. E., Moroni, A., & Benazzi, S. (2020). Lithic techno-complexes in Italy from 50 to 39 thousand years BP: An overview of lithic technological changes across the Middle-Upper Palaeolithic boundary. In *Quaternary International* (Vol. 551, pp. 123–149). https://doi.org/10.1016/j.quaint.2019.11.005

Marks, A., & Kaufman, D. (1983). Boker Tachtit: the artifacts. In *Prehistory and*

Paleoenvironments in the Central Negev, Israel. Southern Methodist University Press.

Massilani, D., Skov, L., Hajdinjak, M., Gunchinsuren, B., Tseveendorj, D., Yi, S., Lee, J.,

Nagel, S., Nickel, B., Devièse, T., Higham, T., Meyer, M., Kelso, J., Peter, B. M., &

Pääbo, S. (2020). Denisovan ancestry and population history of early East Asians.

Science, *370*(6516), 579–583.

Mellars, P. (2006). Archeology and the dispersal of modern humans in Europe:

Deconstructing the "Aurignacian." *Evolutionary Anthropology*, *15*(5), 167–182.

Meyer, M., Kircher, M., Gansauge, M.-T., Li, H., Racimo, F., Mallick, S., Schraiber, J. G.,

Jay, F., Prüfer, K., de Filippo, C., Sudmant, P. H., Alkan, C., Fu, Q., Do, R., Rohland, N.,

Tandon, A., Siebauer, M., Green, R. E., Bryc, K., … Pääbo, S. (2012). A high-coverage

genome sequence from an archaic Denisovan individual. *Science*, *338*(6104), 222–226.

Michel, V., Valladas, H., Shen, G., Wang, W., Zhao, J.-X., Shen, C.-C., Valensi, P., & Bae,

C. J. (2016). The earliest modern Homo sapiens in China? *Journal of Human Evolution*,

101, 101–104.

Moreau, L. (2012). Le Gravettien ancien d'Europe centrale revisité : mise au point et

perspectives. *L'Anthropologie*, *116*(5), 609–638.

Morgan, C., Barton, L., Yi, M., Bettinger, R. L., Gao, X., & Peng, F. (2014). Redating

Shuidonggou Locality 1 and Implications for the Initial Upper Paleolithic in East Asia. In

Radiocarbon (Vol. 56, Issue 1, pp. 165–179). https://doi.org/10.2458/56.16270

Moroni, A., Boscato, P., & Ronchitelli, A. (2013). What roots for the Uluzzian? Modern

behaviour in Central-Southern Italy and hypotheses on AMH dispersal routes. In

Quaternary International (Vol. 316, pp. 27–44).

https://doi.org/10.1016/j.quaint.2012.10.051

Moroni, A., Ronchitelli, A., Arrighi, S., Aureli, D., Bailey, S., Boscato, P., Boschin, F.,

Capecchi, G., Crezzini, J., Douka, K., Marciani, G., Panetta, D., Ranaldo, F., Ricci, S.,

Scaramucci, S., Spagnolo, V., Benazzi, S., & Gambassini, P. (2018). Grotta del Cavallo

(Apulia-Southern Italy). The Uluzzian in the mirror. *Journal of Anthropological Sciences*

= *Rivista Di Antropologia: JASS / Istituto Italiano Di Antropologia*, *96*, 125–160.

Nejman, L., Wood, R., Wright, D., Lisá, L., Nerudová, Z., Neruda, P., Přichystal, A., &

Svoboda, J. (2017). Hominid visitation of the Moravian Karst during the Middle-Upper

Paleolithic transition: New results from Pod Hradem Cave (Czech Republic). *Journal of*

Human Evolution, *108*, 131–146.

Nigst, P. R., Haesaerts, P., Damblon, F., Frank-Fellner, C., Mallol, C., Viola, B., Götzinger,

M., Niven, L., Trnka, G., & Hublin, J.-J. (2014). Early modern human settlement of

Europe north of the Alps occurred 43,500 years ago in a cold steppe-type environment.

Proceedings of the National Academy of Sciences of the United States of America,

111(40), 14394–14399.

O'Connell, J. F., Allen, J., Williams, M. A. J., Williams, A. N., Turney, C. S. M., Spooner, N.

A., Kamminga, J., Brown, G., & Cooper, A. (2018). When did first reach Southeast Asia

and Sahul? *Proceedings of the National Academy of Sciences of the United States of*

America, *115*(34), 8482–8490.

Otte, M. (2013). Les Gravettiens. *L'Anthropologie*, *4174*(3), 273.

Otte, M. (2017). Obi-Rahmat (Ouzbékistan), origine du Gravettien en Europe, et du

métissage néandertalien. *L'Anthropologie*, *121*(4), 271–287.

Pagani, L. (2019). What is Africa. In Y. Sahle, C. Bentz, & H. Reyes-Centeno (Eds.), *Modern*

Human Origins and Dispersal. Kerns Verlag.

Pagani, L., Lawson, D. J., Jagoda, E., Mörseburg, A., Eriksson, A., Mitt, M., Clemente, F.,

Hudjashov, G., DeGiorgio, M., Saag, L., Wall, J. D., Cardona, A., Mägi, R., Wilson

Sayres, M. A., Kaewert, S., Inchley, C., Scheib, C. L., Järve, M., Karmin, M., …

Metspalu, M. (2016). Genomic analyses inform on migration events during the peopling

of Eurasia. *Nature*, *538*(7624), 238–242.

Pagani, L., Schiffels, S., Gurdasani, D., Danecek, P., Scally, A., Chen, Y., Xue, Y., Haber,

M., Ekong, R., Oljira, T., Mekonnen, E., Luiselli, D., Bradman, N., Bekele, E., Zalloua,

P., Durbin, R., Kivisild, T., & Tyler-Smith, C. (2015). Tracing the route of modern

humans out of Africa by using 225 human genome sequences from Ethiopians and

Egyptians. *American Journal of Human Genetics*, *96*(6), 986–991.

Patterson, N., Moorjani, P., Luo, Y., Mallick, S., Rohland, N., Zhan, Y., Genschoreck, T.,

Webster, T., & Reich, D. (2012). Ancient admixture in human history. *Genetics*, *192*(3),

1065–1093.

Peng, F., Lin, S. C., Patania, I., Levchenko, V., Guo, J., Wang, H., & Gao, X. (2020). A

chronological model for the Late Paleolithic at Shuidonggou Locality 2, North China.

PloS One, *15*(5), e0232682.

Peresani, M., Bertola, S., Delpiano, D., Benazzi, S., & Romandini, M. (2019). The Uluzzian

in the north of Italy: insights around the new evidence at Riparo Broion. In

Archaeological and Anthropological Sciences (Vol. 11, Issue 7, pp. 3503–3536).

https://doi.org/10.1007/s12520-018-0770-z

Pesesse, D. (2010). *Quelques repères pour mieux comprendre l'émergence du Gravettien*

en France.

Petraglia, M. D., Haslam, M., Fuller, D. Q., Boivin, N., & Clarkson, C. (2010). Out of Africa:

new hypotheses and evidence for the dispersal of Homo sapiens along the Indian

Ocean rim. *Annals of Human Biology*, *37*(3), 288–311.

Pickrell, J. K., & Pritchard, J. K. (2012). Inference of population splits and mixtures from

genome-wide allele frequency data. *PLoS Genetics*, *8*(11), e1002967.

Prüfer, K., Posth, C., Yu, H., Stoessel, A., Spyrou, M. A., Deviese, T., Mattonai, M.,

Ribechini, E., Higham, T., Velemínský, P., Brůžek, J., & Krause, J. (2021). A genome

sequence from a modern human skull over 45,000 years old from Zlatý kůň in Czechia.

Nature Ecology & Evolution. https://doi.org/10.1038/s41559-021-01443-x

Raghavan, M., Skoglund, P., Graf, K. E., Metspalu, M., Albrechtsen, A., Moltke, I.,

Rasmussen, S., Stafford, T. W., Jr, Orlando, L., Metspalu, E., Karmin, M., Tambets, K.,

Rootsi, S., Mägi, R., Campos, P. F., Balanovska, E., Balanovsky, O., Khusnutdinova, E.,

Litvinov, S., … Willerslev, E. (2014). Upper Palaeolithic Siberian genome reveals dual

ancestry of Native Americans. *Nature*, *505*(7481), 87–91.

Reich, D., Patterson, N., Kircher, M., Delfin, F., Nandineni, M. R., Pugach, I., Ko, A. M.-S.,

Ko, Y.-C., Jinam, T. A., Phipps, M. E., Saitou, N., Wollstein, A., Kayser, M., Pääbo, S., &

Stoneking, M. (2011). Denisova admixture and the first modern human dispersals into

Southeast Asia and Oceania. *American Journal of Human Genetics*, *89*(4), 516–528.

Richter, D., Tostevin, G., & Skrdla, P. (2008). Bohunician technology and

thermoluminescence dating of the type locality of Brno-Bohunice (Czech Republic).

Journal of Human Evolution, *55*(5), 871–885.

Riel-Salvatore, J. (2007). *The Uluzzian and the Middle-Upper Paleolithic transition in*

southern Italy.

https://search.proquest.com/openview/f293c939232d6dd5b3fb8bf4149cecb2/1?pq-

origsite=gscholar&cbl=18750&casa_token=Ecipy8p1EPcAAAAA:g2PqbE57wbW3MGV

WaO6veNR9rZ7M9A3iSbLrsz24rCS6KFULgnmvCMoRXJrYDpDWRA7RmGqNQg

Riel-Salvatore, J. (2009). What Is a "Transitional" Industry? The Uluzzian of Southern Italy

as a Case Study. In *Sourcebook of Paleolithic Transitions* (pp. 377–396).

https://doi.org/10.1007/978-0-387-76487-0_25

Riel-Salvatore, J. (2010). A Niche Construction Perspective on the Middle–Upper Paleolithic

Transition in Italy. In *Journal of Archaeological Method and Theory* (Vol. 17, Issue 4, pp.

323–355). https://doi.org/10.1007/s10816-010-9093-9

Romandini, M., Crezzini, J., Bortolini, E., Boscato, P., Boschin, F., Carrera, L., Nannini, N.,

Tagliacozzo, A., Terlato, G., Arrighi, S., Badino, F., Figus, C., Lugli, F., Marciani, G.,

Oxilia, G., Moroni, A., Negrino, F., Peresani, M., Riel-Salvatore, J., … Benazzi, S.

(2020). Macromammal and bird assemblages across the late Middle to Upper

Palaeolithic transition in Italy: an extended zooarchaeological review. In *Quaternary*

International (Vol. 551, pp. 188–223). https://doi.org/10.1016/j.quaint.2019.11.008

Roussel, M., Soressi, M., & Hublin, J.-J. (2016). The Châtelperronian conundrum: Blade and

bladelet lithic technologies from Quinçay, France. *Journal of Human Evolution*, *95*, 13–

32.

Rybin, E. P., Paine, C. H., Khatsenovich, A. M., Tsedendorj, B., Talamo, S., Marchenko, D.

V., Rendu, W., Klementiev, A. M., Odsuren, D., Christopher Gillam, J., Gunchinsuren,

B., & Zwyns, N. (2020). A new Upper Paleolithic occupation at the site of Tolbor-21

(Mongolia): Site formation, human behavior and implications for the regional sequence.

In *Quaternary International* (Vol. 559, pp. 133–149).

https://doi.org/10.1016/j.quaint.2020.06.022

Sano, K., Arrighi, S., Stani, C., Aureli, D., Boschin, F., Fiore, I., Spagnolo, V., Ricci, S.,

Crezzini, J., Boscato, P., Gala, M., Tagliacozzo, A., Birarda, G., Vaccari, L., Ronchitelli,

A., Moroni, A., & Benazzi, S. (2019). The earliest evidence for mechanically delivered

projectile weapons in Europe. In *Nature Ecology & Evolution* (Vol. 3, Issue 10, pp.

1409–1414). https://doi.org/10.1038/s41559-019-0990-3

Schiffels, S., & Durbin, R. (2014). Inferring human population size and separation history

from multiple genome sequences. *Nature Genetics*, *46*(8), 919–925.

Schlebusch, C. M., Malmström, H., Günther, T., Sjödin, P., Coutinho, A., Edlund, H.,

Munters, A. R., Vicente, M., Steyn, M., Soodyall, H., Lombard, M., & Jakobsson, M.

(2017). Southern African ancient genomes estimate modern human divergence to

350,000 to 260,000 years ago. *Science*, *358*(6363), 652–655.

Shackelford, L., Demeter, F., Westaway, K., Duringer, P., Ponche, J.-L., Sayavongkhamdy,

T., Zhao, J.-X., Barnes, L., Boyon, M., Sichanthongtip, P., Sénégas, F., Patole-

Edoumba, E., Coppens, Y., Dumoncel, J., & Bacon, A.-M. (2018). Additional evidence

for early modern human morphological diversity in Southeast Asia at Tam Pa Ling,

Laos. *Quaternary International: The Journal of the International Union for Quaternary*

Research, *466*, 93–106.

Sikora, M., Pitulko, V. V., Sousa, V. C., Allentoft, M. E., Vinner, L., Rasmussen, S.,

Margaryan, A., de Barros Damgaard, P., de la Fuente, C., Renaud, G., Yang, M. A., Fu,

Q., Dupanloup, I., Giampoudakis, K., Nogués-Bravo, D., Rahbek, C., Kroonen, G.,

Peyrot, M., McColl, H., … Willerslev, E. (2019). The population history of northeastern

Siberia since the Pleistocene. *Nature*, *570*(7760), 182–188.

Sikora, M., Seguin-Orlando, A., Sousa, V. C., Albrechtsen, A., Korneliussen, T., Ko, A.,

Rasmussen, S., Dupanloup, I., Nigst, P. R., Bosch, M. D., Renaud, G., Allentoft, M. E.,

Margaryan, A., Vasilyev, S. V., Veselovskaya, E. V., Borutskaya, S. B., Deviese, T.,

Comeskey, D., Higham, T., … Willerslev, E. (2017). Ancient genomes show social and

reproductive behavior of early Upper Paleolithic foragers. *Science*, *358*(6363), 659–662.

Silvestrini, S., Romandini, M., Marciani, G., Arrighi, S., Carrera, L., Fiorini, A., López-García,

J. M., Lugli, F., Ranaldo, F., Slon, V., Tassoni, L., Higgins, O. A., Bortolini, E., Curci, A.,

Meyer, M., Meyer, M. C., Oxilia, G., Zerboni, A., Benazzi, S., & Spinapolice, E. E.

(2021). Integrated multidisciplinary ecological analysis from the Uluzzian settlement at

the Uluzzo C Rock Shelter, south-eastern Italy. In *Journal of Quaternary Science*.

https://doi.org/10.1002/jqs.3341

Skoglund, P., Mallick, S., Bortolini, M. C., Chennagiri, N., Hünemeier, T., Petzl-Erler, M. L.,

Salzano, F. M., Patterson, N., & Reich, D. (2015). Genetic evidence for two founding

populations of the Americas. In *Nature* (Vol. 525, Issue 7567, pp. 104–108).

https://doi.org/10.1038/nature14895

Skoglund, P., Thompson, J. C., Prendergast, M. E., Mittnik, A., Sirak, K., Hajdinjak, M.,

Salie, T., Rohland, N., Mallick, S., Peltzer, A., Heinze, A., Olalde, I., Ferry, M., Harney,

E., Michel, M., Stewardson, K., Cerezo-Román, J. I., Chiumia, C., Crowther, A., …

Reich, D. (2017). Reconstructing Prehistoric African Population Structure. *Cell*, *171*(1),

59–71.e21.

Soares, P., Alshamali, F., Pereira, J. B., Fernandes, V., Silva, N. M., Afonso, C., Costa, M.

D., Musilová, E., Macaulay, V., Richards, M. B., Cerny, V., & Pereira, L. (2012). The

Expansion of mtDNA Haplogroup L3 within and out of Africa. *Molecular Biology and*

Evolution, *29*(3), 915–927.

Sun, X.-F., Wen, S.-Q., Lu, C.-Q., Zhou, B.-Y., Curnoe, D., Lu, H.-Y., Li, H.-C., Wang, W.,

Cheng, H., Yi, S.-W., Jia, X., Du, P.-X., Xu, X.-H., Lu, Y.-M., Lu, Y., Zheng, H.-X.,

Zhang, H., Sun, C., Wei, L.-H., … Li, H. (2021). Ancient DNA and multimethod dating

confirm the late arrival of anatomically modern humans in southern China. *Proceedings*

of the National Academy of Sciences of the United States of America, *118*(8).

https://doi.org/10.1073/pnas.2019158118

Svoboda, J. (2000). The depositional context of the Early Upper Paleolithic human fossils

from the Koněprusy (Zlatý kůň) and Mladeč Caves, Czech Republic. In *Journal of*

Human Evolution (Vol. 38, Issue 4, pp. 523–536).

https://doi.org/10.1006/jhev.1999.0361

Teyssandier, N. (2006). Questioning the first Aurignacian: mono or multi cultural

phenomenon during the formation of the Upper Paleolithic in Central Europe and the

Balkans. *L'Anthropologie*, *44*(1), 9–30.

Tostevin, G. B. (2003). Attribute analysis of the lithic technologies of stránská skála ii-iii in

their regional and inter-regional context: Origins of the upper paleolithic in the brno ….

Stránská Skála: Origins of the Upper Paleolithic in the.

https://experts.umn.edu/en/publications/attribute-analysis-of-the-lithic-technologies-of-str

%C3%A1nsk%C3%A1-sk%C3%A1la-i

Wall, J. D. (2017). Inferring Human Demographic Histories of Non-African Populations from

Patterns of Allele Sharing. *American Journal of Human Genetics*, *100*(5), 766–772.

Westaway, K. E., Louys, J., Awe, R. D., Morwood, M. J., Price, G. J., Zhao, J.-X., Aubert, M.,

Joannes-Boyau, R., Smith, T. M., Skinner, M. M., Compton, T., Bailey, R. M., van den

Bergh, G. D., de Vos, J., Pike, A. W. G., Stringer, C., Saptomo, E. W., Rizal, Y., Zaim,

J., … Sulistyanto, B. (2017). An early modern human presence in Sumatra 73,000-

63,000 years ago. *Nature*, *548*(7667), 322–325.

Yang, M. A., Gao, X., Theunert, C., Tong, H., Aximu-Petri, A., Nickel, B., Slatkin, M., Meyer,

M., Pääbo, S., Kelso, J., & Fu, Q. (2017). 40,000-Year-Old Individual from Asia Provides

Insight into Early Population Structure in Eurasia. *Current Biology: CB*, *27*(20), 3202–

3208.e9.

Zilhão, J. (2014). The Upper Palaeolithic of Europe. In *The Cambridge world prehistory* (pp.

1753–1785).

Zwyns, N. (2021). The Initial Upper Paleolithic in Central and East Asia: Blade Technology,

Cultural Transmission, and Implications for Human Dispersals. *Journal of Paleolithic*

Archaeology, *4*(3), 19.

Zwyns, N., & Lbova, L. V. (2019). The Initial Upper Paleolithic of Kamenka site, Zabaikal

region (Siberia): A closer look at the blade technology. In *Archaeological Research in*

Asia (Vol. 17, pp. 24–49). https://doi.org/10.1016/j.ara.2018.02.004

Zwyns, N., Paine, C. H., Tsedendorj, B., Talamo, S., Fitzsimmons, K. E., Gantumur, A.,

Guunii, L., Davakhuu, O., Flas, D., Dogandžić, T., Doerschner, N., Welker, F., Gillam, J.

C., Noyer, J. B., Bakhtiary, R. S., Allshouse, A. F., Smith, K. N., Khatsenovich, A. M.,

Rybin, E. P., … Hublin, J.-J. (2019). The Northern Route for Human dispersal in Central

and Northeast Asia: New evidence from the site of Tolbor-16, Mongolia. *Scientific*

Reports, *9*(1), 11759.

Zwyns, N., Rybin, E. P., Hublin, J.-J., & Derevianko, A. P. (2012). Burin-core technology and

laminar reduction sequences in the initial Upper Paleolithic from Kara-Bom (Gorny-Altai,

Siberia). In *Quaternary International* (Vol. 259, pp. 33–47).

https://doi.org/10.1016/j.quaint.2011.03.036