Probability weighting explains Independence Axiom violations of
Expected Utility Theory in monkeys

Simone Ferrari-Toniolo*, Leo Chi U Seak*, Wolfram Schultz
Department of Physiology, Development and Neuroscience
University of Cambridge, Cambridge, UK

* These authors contributed equally to this study.

Corresponding author: Simone Ferrari-Toniolo
Email: simone.ferraritoniolo@gmail.com

Running title: Axiomatic consistency of risky monkey choices

Keywords: Choice, probability, gamble, violation, preference reversal

Author Contributions: SF-T and WS designed the experiment, SF-T and LCUS conducted the experiments, SF-T and LCUS analyzed the data, SF-T, LCUS and WS wrote the paper.

Competing Interest Statement: The authors declare no competing interests.

Classification: Major: Economic Sciences. Minor: Neuroscience

Acknowledgements
We thank Ms. Christina Thompson, Mr. Aled David and Dr. Henri Bertrand for animal and technical support. The Wellcome Trust (WT 095495, WT 204811), the European Research Council (ERC; 293549) and the US National Institutes of Mental Health Conte Center at Caltech (NIMH; P50MH094258) supported this work.

Abstract

Expected Utility Theory (EUT) provides axioms for maximizing utility in risky choice. The independence axiom (IA) is its most demanding axiom: preferences between two options should not change when altering both options equally by mixing them with a common gamble. We tested common consequence (CC) and common ratio (CR) violations of the IA in thousands of stochastic choice over several months using a large variety of binary option sets. Three monkeys showed few outright *Preference Reversals* (8%) but substantial graded *Preference Changes* (46%) between the initial preferred gamble and the corresponding altered gamble. Linear Discriminant Analysis (LDA) indicated that gamble probabilities predicted most *Preference Changes* in CC (72%) and CR (87%) tests. The Akaike Information Criterion indicated that probability weighting within Cumulative Prospect Theory (CPT) explained choices better than models using Expected Value (EV) or EUT. Fitting by utility and probability weighting functions of CPT resulted in nonlinear and non-parallel indifference curves (IC) in the Marschak-Machina triangle and suggested IA non-compliance of models using EV or EUT. Indeed, CPT models predicted *Preference Changes* better than EV and EUT models. Indifference points in out-of-sample tests were closer to CPT-estimated ICs than EV and EUT ICs. Finally, while the few outright *Preference Reversals* may reflect the long experience of our monkeys, their more graded *Preference Changes* corresponded to those reported for humans. In benefitting from the wide testing possibilities in monkeys, our stringent axiomatic tests contribute critical information about risky decision-making and serves as basis for investigating neuronal decision mechanisms.

Introduction

Most decisions we face include some degree of uncertainty. Economic decision theories that quantify the uncertainty associated with the choice options propose rigorous mathematical foundations for choice under risk. Expected Utility Theory (EUT), large parts of which were formalized by von Neumann and Morgenstern (1944), defines a mathematical framework based on four simple axioms, completeness, transitivity, continuity and independence. These axioms constitute the necessary and sufficient conditions for maximizing a specific subjective quantity, Expected Utility (EU): we simply choose the option with the highest EU. Utility (U) is the subjectively assigned value to a reward magnitude m ($U = u(m)$), and the subjective value of a probabilistic reward corresponds to the expected value of the utility distribution, called Expected Utility ($EU = \sum u(m_i) \cdot p_i$).

The independence axiom (IA) constitutes the fourth EUT axiom and is central to defining EU as subjective value. Together with the continuity axiom, the IA defines how magnitude and probability are combined to compute the global, subjective value of a risky choice option. The IA had been implicitly assumed by von Neumann and Morgenstern in their description of EUT tests and formulated, discussed and empirically tested by Marschak (1950), Allais (1953) and Savage (1954). The IA states that our preferences should not change when mixing all choice options with a common gamble. However, experiments have shown for decades that humans fail to comply with the IA (Allais, 1953; Kahneman and Tversky, 1979; Loomes and Sugden, 1987; Starmer, 2000; Moscati, 2016), which motivated additions to the existing utility theories, including prominently Prospect Theory (Kahneman and Tversky, 1979; Tversky and Kahneman, 1992).

Several sources of IA violations have been proposed, including subjective probability weighting, the certainty effect, and the fanning-out hypothesis (Savage, 1954; Kahneman and Tversky, 1979; Machina, 1982). Past studies have also suggested that violations may not be as systematic as initially thought, reporting a significant proportion of EUT-compliant subjects (Harless and Camerer, 1994; Hey and Orme, 1994). Moreover, among the studies showing significant failures of the IA, high variability and conflicting types of violations have been reported (Conlisk, 1989; List and Haigh, 2005; Blavatskyy et al., 2015; Ruggeri et al., 2020). Finally, human choices were usually tested with a small choice set and not repeated, missing effects of choice variability within each subject. Altogether, these results leave a fragmented picture on the extent, types and causes of IA violations. Clarifying these aspects would crucially contribute to understanding the mechanism underlying economic decisions.

The IA has not been tested in non-human primates, leaving an open question about the limits of compliance with EUT of our closest, experimentally viable, evolutionary relative. Monkeys can choose between actual outcomes that are tangibly delivered after every choice (as opposed to hypothetical outcomes) and can perform hundreds of daily choices. Monkeys allow systematic and incentive-compatible tests of EUT axioms in the same subject across a wide range of tests. Their reliable and stable performance minimizes errors and rules out insufficient learning, as noted for rodent tests of the IA axiom (Battalio et al., 1985; Kagel et al., 1990). Monkeys' choices satisfy first-, second- and third-order stochastic dominance, allow comparisons between risky and riskless utility functions, reveal nonlinear probability weighting, comply with the EUT continuity axiom, and can respect the Independence of Irrelevant Alternatives (IIA) of two-component bundles (Stauffer et al., 2014; 2015; Genest et al., 2016; Pastor-Bernier et al., 2017; Ferrari-Toniolo et al., 2019; 2021; Bujold et al., 2021). However, without testing the IA, these choice data do not yet allow us to identify specific forms of subjective value computation. Work on monkeys is particularly suitable for achieving this goal, as the typical collection of large data sets facilitates thorough comparisons of economic models. As ultimate goal, well-defined behavioral assessments

of EUT axioms, and in particular of the IA, would allow stringent, concept-based brain
investigations of economic choice mechanisms with the high precision of primate single-cell
neurophysiology.

Here, we used the IA to test the conditions and limits of utility-maximizing stochastic
choices in three rhesus monkeys. The animals performed thousands of choices between gambles to
identify specific forms of value computation, notably utility and probability-weighting. We
systematically varied the gambles' probabilities in common consequence and common ratio tests
across the whole Marschak-Machina triangle to gain a comprehensive and detailed view of axiom
compliance and violation. The animals showed relatively few outright *Preference Reversals*,
possibly due to their extended experience with the gambles, but substantial graded *Preference
Changes*. Comparisons between economic model fits to the measured choices demonstrated that the
probability weighting of Cumulative Prospect Theory (CPT) explained the choices better than
models using Expected Value (EV) or EUT. The graded *Preference Changes* in our monkeys
compared in frequency and strength to those reported for humans. These axiom-driven experiments
identified the critical decision variables for utility-maximizing choices according to the IA and
provide a basis for investigating the underlying neuronal signals in primates.

Methods
122

Animals. Three adult male rhesus macaques (*Macaca mulatta*) were used in this experiment:
Monkey A (13 kg), Monkey B (11.5 kg) and Monkey C (11 kg). The animals were born in captivity
at the Medical Research Council's Centre for Macaques (CFM) in the UK. Monkey A ('Tigger') and
Monkey B ('Ugo') had been surgically implanted with a headpost and a recording chamber for
neurophysiological recording; they were was headposted for 2 - 3 hours on each test day of the
current experiment, which was intermingled with neuronal recordings on separate days. Both
animals had previous experience with the visual stimuli and experimental setup (Ferrari-Toniolo et
al., 2019). Monkey C ('Aragorn') had no implant, no head posting and no previous task experience.

All experimental procedures had been ethically reviewed and approved and were regulated
and continuously supervised by the following institutions and individuals in the UK and at the
University of Cambridge (UCam): the Minister of State at the UK Home Office, the Animals in
Science Regulation Unit (ASRU) of the UK Home Office implementing the Animals (Scientific
Procedures) Act 1986 with Amendment Regulations 2012, the UK Animals in Science Committee
(ASC), the local UK Home Office Inspector, the UK National Centre for Replacement, Refinement
and Reduction of Animal Experiments (NC3Rs), the UCam Animal Welfare and Ethical Review
Body (AWERB), the UCam Governance and Strategy Committee, the Home Office Establishment
License Holder of the UCam Biomedical Service (UBS), the UBS Director for Governance and
Welfare, the UBS Named Information and Compliance Support Officer, the UBS Named
Veterinary Surgeon (NVS), and the UBS Named Animal Care and Welfare Officer (NACWO).

Task design. Each animal was seated in custom-made a primate chair (Crist instruments) in which
he chose on each trial between two discrete and distinct options that were simultaneously presented
at the right and left on a computer monitor at a distance of 50 cm in front of it. The animal indicated
its choice by moving a joystick (Biotronix Workshop, University of Cambridge) either to the right
or the left by an equal distance. The position of the joystick was monitored via custom code using
Psychtoolbox 3 in Matlab (The MathWorks). The animals were first trained in >10,000 trials to

learn the independently set reward magnitudes (*m*) and probabilities (*p*) that were indicated by a

specifically set visual stimulus. Reward magnitude was signaled by the vertical position of a

horizonal line; the probability of receiving that reward magnitude was proportional to the length of

the horizonal line away from stimulus center (Fig. 1*A*). A stimulus with a full-length, single

horizontal line corresponded to a sure reward (i.e. a degenerate gamble, $P = 1$), whereas multiple

horizontal lines with less than full length indicated multiple possible gamble outcomes. At the end

of each trial, the chosen option, and no other option, was paid out. From that paid-out option, one,

and only one, of the outcomes was delivered to the animal. Thus, both the options and the outcomes

of each option were mutually exclusive and collectively exhaustive. We used three fixed reward

magnitudes: 0 ml (low; *m1*), 0.25 ml (middle; *m2*) and 0.5 ml (high; *m3*) of the same fruit juice or

water; reward probabilities of the three reward magnitudes (*p1, p2, p3*) varied between 0 and 1,

with a minimum step of 0.02. All option sets alternated pseudo-randomly. More details can be

found in our previous study employing the same presentation design (Ferrari-Toniolo et al., 2021).

Revealed preference and choice indifference. Each animal's preferences were considered to be

revealed from its choices and used as a basis for quantification in later analyses. Preference was

defined as the probability of choosing one gamble over the alternative gamble in the same binary

option set; a gamble was considered to be preferred to another gamble if the first gamble was

chosen with $P > 0.5$. Thus, for a binary option set {A,B}, a stochastic preference relation was

defined as $P(A|\{A,B\}) = N_A/N_{AB}$, where N_A was the number of trials in which the monkey chose A

over B, and N_{AB} was the total number of trials with the {A,B} gamble set. When $P(A|\{A,B\}) > 0.5$

(i.e. when A was chosen in more than 50% of the trials), the monkey stochastically preferred A to B.

We used the binomial test ($P < 0.05$; 1-tailed) to assess the statistical significance of such

preference relation in a specific direction (either $P\{A,B\} > 0.5$ or $P\{A,B\} < 0.5$) against choice

indifference (probability of choosing each option with $P = 0.5$). When $P(A|\{A,B\}) = 0.5$, the animal

was indifferent between two options A and B (i.e. gamble A was as much preferred as gamble B).

Defining the IA. The IA states that for any gamble A that is preferred to a gamble B, the

combination of gamble A with gamble G should be preferred to the combination of gamble B with

gamble G; the combined options are themselves gambles and are called C and D. Compliance with

IA requires that the commonly added gamble G does not change the preference for the options.

Thus, individuals who prefer gambles A to B should also prefer gambles C to D (Fig. 1*B*). Any

preference change constitutes an IA violation. These notions are formally stated as follows:

183           $\forall\ A \succ B \Rightarrow pA + (1\text{-}p)G \succ pB + (1\text{-}p)G;\ \forall G,\ \forall p \in (0,\ 1)$ Eq. 1

184   with A, B and G as gambles and p as probability. Gamble A was always a degenerate gamble with

185   only a safe middle reward (*m2, p2* = 1), as used in Allais' original test (Allais 1953).

187   **Testing the IA.** We assessed IA compliance in two commonly used tests: the common consequence

188   (CC) test and the common ratio (CR) test.

189   The CC test consisted of adding (or subtracting) the same specific probability of an outcome

('common consequence') commonly to both options. Gamble A had a single outcome (*m2* = 0.25 ml,

p2 = 1), gamble B had three outcomes with fixed magnitudes *m1, m2, m3* and varying probabilities

p1, p2, p3 (Fig. 1*C*). For the CC test, we added a common probability *k* to the probability of the

lower outcome (*p1*) to gambles A and B, which defined two new gambles C and D; probability *k*

equals *p2* of option B. Adding probability *k* to the *p1* of gambles A and B consisted of reducing the

original $p2$ by k in both gambles (and thus reducing $p2$ in gamble B to 0) to maintain the sum = 1.0
of all probabilities in each gamble.

The CR test consisted of multiplying the same 'common ratio' with the probabilities of all
non-zero outcomes commonly for both gambles A and B. Gamble A had the same single outcome
as in the CC test ($m2 = 0.25$ ml, $p2 = 1$), but gamble B had two outcomes with fixed magnitudes $m1$,
$m3$ and varying probabilities $p1$, $p3$ (Fig. 1D). For the CR test, we multiplied a common ratio r with
the probability of the middle outcome ($p2$) of gamble A and with the probability of the high
outcome ($p3$) of gamble B and thus defined two new gambles C and D (thus, $p2$ and $p3$ of the new
gambles C and D equalled $p2$ and $p3$ of gambles A and B commonly multiplied by r; $p1$'s of
gambles C and D were adjusted to maintain the sum = 1.0 of all probabilities in each gamble).

The Marschak-Machina triangle constitutes an elegant scheme for graphically representing
choice options and highlighting the predictions and consequences of IA compliance and violation
(Marschak, 1950; Machina, 1982). In this abstract space (Fig. 1C, D, bottom), the x-axis represents
the probability of obtaining the low outcome ($p1$) and the y-axis represents the probability of
obtaining the high outcome ($p3$). The probability of the middle outcome ($p2$) derives from all
probabilities summing to 1.0: $p2 = 1 - p1 - p3$. Each point inside the triangle represents a gamble.
An IA test with two option sets is represented by two parallel lines that connect the original
gambles A and B (blue), and the compounded gambles C and D (green) (note that these lines simply
connect the gambles and do not indicate choice indifference; see below). In CC tests, the probability
of the highest magnitude ($p3$) remains unchanged between gambles B and D (Fig. 1C bottom); thus,
gamble D has the same vertical position as gamble B (y-axis). Thus, the change from option set
{A,B} to option set {C,D} is graphically represented by a horizontal shift of the option set by
probability k. In CR tests, probability $p3$ changes between gambles B and D; these gambles have
different vertical positions along the hypotenuse (Fig. 1D bottom). The change from option set
{A,B} to option set {C,D} is graphically represented by a horizontal shift of gamble A to become
gamble C, and by a downward shift along the hypotenuse from gamble B to gamble D.

In the Marschak-Machina triangle, equally revealed preferred gambles are connected by
indifference curves (IC), whereas unequally preferred gambles are positioned on different ICs (see
Fig. 5). While ICs should be linear and parallel with physical Expected Values (EV) and with
utilities estimated according to EUT, they become non-parallel or curved with violations of the IA
axiom.

Definitions of IA violations. We used two measures for IA violation, *Preference Reversal* and
Preference Change, both of which were based on the revealed preference of gamble A to gamble B
indicated by the probability of choice of the initial gambles $P(A|\{A,B\})$. Thus, we used stochastic
choices and correspondingly stochastic models to test the IA. While both outright *Preference*
Reversal and graded significant *Preference Change* can detect IA violations, they cannot assess
significant axiom compliance, as this corresponds to the null hypothesis of our statistical test.
Nonlinear and non-parallel indifference curves in the Marschak-Machina triangle demonstrate IA
violations, as proposed by several non-EU theories (Savage, 1954; Kahneman and Tversky, 1979;
Machina, 1982; Bordalo, 2012; Bhatia and Loomes, 2017).

Our first, binary measure for IA compliance was *Preference Reversal*. When the fixed
gamble A was stochastically revealed preferred to gamble B, *Preference Reversal* was manifested
as stochastically preferring gamble D to gamble C:

$P(A|\{A,B\}) > 0.5$ & $P(C|\{C,D\}) < 0.5$ Eq. 2

This reversal, in a non-stochastic setting, was originally observed in humans (Allais-type reversal;
Allais 1953; Kahneman and Tversky 1979). To adapt this measure to stochastic choices, we
assessed the significance of the initial preference $P(A|\{A,B\}) > 0.5$ in comparison with choice
indifference ($P(A|\{A,B\}) = 0.5$) using the binomial test (statistical $P < 0.05$; 1-tailed). Then
Preference Reversal was evidenced as significant stochastic preference in the opposite direction
($P(C|\{C,D\}) < 0.5$) (binomial test).

To the opposite, when gamble B was stochastically revealed preferred to gamble A, we
defined *Preference Reversal* as stochastically preferring gamble C to gamble D:

$P(A|\{A,B\}) < 0.5 \ \& \ P(C|\{C,D\}) > 0.5$ Eq. 3

We assessed the significance of this reverse Allais-type *Preference Reversal* (Conlisk, 1989;
Blavatsyy, 2013b) in analogy to the (regular) Allais-type reversal.

Our second, more graded measure for IA violation was *Preference Change*. We used the
metric S introduced by Conlisk (1989) who had assessed IA violations non-stochastically from
single choices of multiple human participants. We adapted the Conlisk'S assessment to repeated,
stochastic choices of individual animals and quantified *Preference Change* stochastically as ratio of
probabilities of Allais-type and reverse Allais-type reversals:

$\text{Conlisk'S} = \dfrac{P(AD)}{P(AD) + P(BC)} - 0.5$ Eq. 4

P(AD) indicates the probability of Allais-type reversals: $P(A|\{A,B\}) > 0.5$ and $P(D|\{C,D\}) > 0.5$.
P(BC) indicates the probability of reverse Allais-type reversals: $P(B|\{A,B\}) > 0.5$ and $P(C|\{C,D\})$
> 0.5. We set Conlisk'S = 0 when P(AD) + P(BC) = 0.

Note that in stochastic choice, any probability different from 0 implies some reversed
preference. For example, when choosing between A and B, a $P(A|\{A,B\}) = 0.9$ indicates not only
that A was preferred to B in 90% of choices but, importantly, also that B was preferred to A in 10%;
these 10% constitute a preference reversal. Thus, our stochastic measure of *Preference Change*
included preference reversals in individual trials without necessarily indicating overall *Preference*
Reversal across the whole set of trials. More specifically, choice probabilities different from 0 in
both option sets {A,B} and {C,D} imply the occurrence of reversals of both Allais-type and reverse
Allais-type; a positive Conlisk'S indicates a majority of Allais-type reversals and a minority of
reverse Allais-type reversals; a negative Conlisk'S indicates the opposite.

Assuming that choices in different trials were independent, we computed $P(AD) =$
$P(A|\{A,B\}) \cdot P(D|\{C,D\})$, obtaining:

$\text{Conlisk'S} = \dfrac{P(A|\{AB\}) \cdot P(D|\{CD\})}{P(A|\{AB\}) \cdot P(D|\{CD\}) + P(B|\{AB\}) \cdot P(C|\{CD\})} - 0.5$ Eq. 5

The Conlisk'S measure is a real number that varies between -0.5 and 0.5. We defined the
significance of Conlisk'S as difference from zero ($P < 0.05$ on pooled sessions from a given monkey;
one-sample t-test). To avoid unreasonably large violation measures from infrequent violations, we
weighted the Conlisk'S with respect to the total proportion of violations and obtained the *Preference*
Change S:

$S = \text{Conlisk'S} \cdot [P(AD) + P(BC)]; \ \text{with} \ P((AD) + P(BC)) \leq 1.0$ Eq. 6

In this way, S is a real number that still varies between -0.5 and 0.5 and indicates the same direction
of systematic IA violation as Conlisk'S but corresponds better to the fraction of trials producing the
violation. The S is a measure of how much the preferences vary between option sets {A,B} and
{C,D} (i.e. the non-vertical negative and positive slopes, indicating S > 0 and S < 0, respectively, in

our preference comparisons in Figs. 2 and 3, red). All subsequent analyses used this S as measure of
Preference Change.

With repeated choices, IA violations may seem to occur simply because of some random
variability in preferences, but the measure of S cancels out random violations in opposite directions
and thus results in a robust measure of *Preference Change*. Compliance with the IA is manifested as
Preference Changes resulting in S = 0, which reflects either an absence of IA violations or a
balanced number of random IA violations in the two directions. *Preference Changes* are manifested
by positive or negative S values that differ significantly from zero ($P < 0.05$; one-sample t-test).

In our stochastic version of EUT, *Preference Changes* (significant S ≠ 0) represent IA
violations in CC tests in which gambles B and D have equal distance from the respective parallel
choice indifference lines representing equal expected utility in the Marschak-Machina triangle (Fig.
1*C*); the equal utility difference should preserve their preference within their respective option sets
and thus maintain linear and parallel ICs. By contrast, *Preference Changes* in CR tests are
necessary but not sufficient for defining IA violations. The CR test places gambles B and D at
different distances from the respective parallel indifference lines (Fig. 1*D*) that reflect different
expected utility differences for the two option sets that may result in preference changes (but not
outright preference reversals) without indicating IA violation. In other words, when using a
stochastic model, linear and parallel ICs can produce non-zero S values in the CR test. Thus, non-
zero S values do not necessarily indicate IA violations in CR tests.

Classification analysis. To check whether the *Preference Changes* in the IA tests depended on
reward probability, we performed classification analyses. We used a Linear Discriminant Analysis
(LDA) classifier (*fitcdiscr* function in Matlab) to predict the sign of the *Preference Change* measure
S. We characterized the changes with a leave-one-out procedure using Linear Discriminant
Analysis (LDA). We trained the LDA with all data except for those from the predicted leave-out
choice tests to build 36 models (18 CC tests and 18 CR tests) for each animal (we discarded one
option set in CR tests with Monkey C in which S was zero). As each of the 36 models was used to
predict the left-out data, we obtained 36 predictions for each animal. We compared these
predictions to the measured directions of *Preference Change* to check the accuracy of the prediction.
To illustrate the test sensitivity (true positive rate / ability to predict one class) and specificity (false
positive rate / ability to predict the other class), we drew a confusion matrix for the CC and CR tests,
separately for each animal (see Fig. 4).

Economic modeling of choice behavior. We defined a standard discrete choice softmax function
(McFadden, 2001) to describe stochastic preferences. The probability *P* of choosing a generic
option A over another option B was defined as:

$P(A|AB) = 1/(1 + e^{-\lambda(V_A - V_B)})$ Eq. 7

where λ represents the noise parameter, defining the steepness of the preference function (steeper
for higher λ values). Based on EV theory, EUT and Cumulative Prospect Theory (CPT), we used
three models to define the value (*V*) of gambles. These models returned different estimates of
choice probability according to Eq. 7.

In the EV model, each option's value was its objective Expected Value:

$\text{EV} = \sum_i p_i \cdot m_i$ Eq. 8

For a generic three outcome gamble in our task, it corresponded to (m_1 was zero in our task and
therefore $p_1 \cdot m_1 = 0$):

$\text{EV}(p_1, p_2, p_3) = p_2 \cdot m_2 + p_3 \cdot m_3$ Eq. 9

In the EUT model, each option's value was defined via the utility function (u):

$\text{EU} = \sum_i p_i \cdot u(m_i)$ Eq. 10

In our gambles' space this mapped to:

$\text{EU}(p_1, p_2, p_3) = p_2 \cdot u(m_2) + p_3 \cdot u(m_3)$ Eq. 11

In the CPT model, each option's value was called a Prospect and defined by a utility

function (u) together with a probability weighting function (w), combined in a cumulative form

(Tversky and Kahneman, 1992):

$Prospect = \sum_i \pi_i \cdot u(m_i)$ Eq. 12

were $\pi_i = w(p_i + \ldots + p_n) - w(p_{i+1} + \ldots + p_n)$, with n indicating the number of outcomes, and

index i corresponding to the outcomes ordered from worst to best (m_1 and m_3 respectively, in our

task). For a generic three-outcome gamble (with probabilities p_1, p_2, p_3), Eq. 12 becomes:

$Prospect = u(m_1) \cdot \left(1 - w(p_2 + p_3)\right) + u(m_2) \cdot \left(w(p_2 + p_3) - w(p_3)\right) + u(m_3) \cdot w(p_3)$ Eq. 13

which, with our set of magnitudes and normalized utility, corresponds to

$Prospect = u(m_2) \cdot \left(w(p_2 + p_3) - w(p_3)\right) + w(p_3)$ Eq. 14

In these three value-estimating equations, each p_i represents the probability of getting the respective

reward magnitude (m_i): p_1 and m_1 represent the probability and magnitude of the lowest outcome (0

ml); p_2 and m_2 the probability and magnitude of the middle outcome (0.25 ml); p_3 and m_3 are

relative to the highest outcome (0.5 ml). In the EUT and CPT models, the utility function was

defined as a power function (free parameter ρ), normalized to the highest magnitude level:

$u(m_i) = \left(\frac{m_i}{m_3}\right)^\rho$ Eq. 15

The ρ parameter defines a convex (ρ > 1) or concave (ρ < 1) utility function, with ρ = 1

corresponding to linear utility. Note that having only three magnitude levels in the current

experiment implied that the only meaningful utility value was that of the middle outcome

magnitude (*m2*) in relation to the other two outcomes (*m1* and *m3*). Thus, although a larger set of

magnitudes may result in more complex utility functions, a power function would be sufficient to

account for the difference in subjective evaluation of the three reward magnitudes used in our study.

In the CPT model, cumulative probability weighting was defined as a two-parameter *Prelec*

function (Prelec) as used before (Ferrari-Toniolo et al., 2019):

$w(p) = e^{-\beta(-ln(p))^\alpha}$ Eq. 16

where α allows the function to vary from inverse-S-shaped ($\alpha < 1$) to S-shaped ($\alpha > 1$), while β

shifts the function vertically.

We estimated the functions' parameters (θ) with the maximum likelihood estimation (MLE)

method, by maximizing the log-likelihood function defined (for a choice between generic options A

and B; using *fminsearch* in Matlab) as:

$LL(\theta | y) = \sum_{i=1}^{n} y_i * log(P(A|AB)) + \sum_{i=1}^{n} y_i * log(P(B|AB))$ Eq. 17

The experimental choice outcome was defined for each trial i by the binary variable y_i (1 when A

chosen, 0 when B chosen) and y_i' (1 when B chosen).

To validate our economic models, we used an out-of-sample dataset that consisted of a set of

gambles that differed from the gamble set used for the IA tests. We presented monkeys with choices

between one fixed option (J) on the x axis (*p1* between 0 and 0.8 in 0.2 increments) or on the y axis
(*p3* between 0.2 and 0.8 in 0.2 increments) and another option (K) with variable *p1* (and *p3*) and
fixed *p2* (with *p2* between 0.2 and 1, in 0.2 increments). For each option J, by varying the
probability *p1* in option K, we identified an indifference point (IP) as the point within the triangle
where a fitted softmax preference function would take the value of 0.5. All choice trials in the out-
of-sample test were pseudo-randomly intermingled. IPs were estimated separately in each
weekdaily session.

Comparison with human choices. We tested whether the observed IA violations in the 18 CC tests
in monkeys corresponded to the violations reported in 39 human studies (Blavatskyy et al., 2015),
using data pooled from all three monkeys. We used two different comparison methods, a confusion
matrix using binary classes of *Preference Change* (either S > 0 or S < 0), and a Pearson correlation
using real-number *Preference Change*s (S varying between -0.5 and +0.5). However, the gambles
used in our monkeys differed from the gambles used in the human studies (see Fig. 7*A*). Therefore,
for more accurate comparisons, we first needed to predict the *Preference Changes* S that would
have occurred in our monkeys had we used the exact same gambles as in humans; to control for
directionality of testing, we also needed to predict, in the reverse direction, the *Preference Changes*
S that would have occurred in the human studies had they used the same gambles as we did in our
monkeys.

For the confusion matrix, we predicted the S's for the unused gambles with an LDA
classifier trained on the S's of the actually used gambles. For predicting the monkey S's for the
gambles used in the human studies, we trained the LDA with the binary monkey S's (S > 0, S < 0),
and the probabilities for the low and the high magnitudes of the monkey gambles (*p1, p3*). In the
reverse direction, for predicting the human S's for the gambles used in our monkeys, we trained the
LDA with the binary human S's, the probabilities for the low and the high magnitudes of the human
gambles (*p1, p3*), and the ratio of the middle and high magnitudes of the human gambles (*m2 / m3*).
Then we used the confusion matrix to compare measured human S's with predicted monkey S's (see
Fig. 7*C* left) and, vice versa, measured monkey S's with predicted human S's (see Fig. 7*D* left). The
accuracy of the comparison was defined in percent from the ratio: (total number of successful
comparisons) / (total number of comparisons). For example, in the confusion matrix shown in Fig.
7*C*, the total number of successful comparisons is (6 + 26) / (6 + 7 + 0 + 26) = 0.82, which equals
82%.

For the Pearson correlation, we predicted the S's for the unused gambles with two different
multiple linear regression systems depending on the direction of comparison. The regression for the
comparison of measured human *Preference Changes* S with predicted monkey S's first estimated
the beta parameters for the S's measured in monkeys as follows:

$Measured'S_{\mathrm{monkey}} = b_0 + b_1 \cdot p_{1-\mathrm{monkey}} + b_2 \cdot p_{3-\mathrm{monkey}}$ Eq. 18

with p1-monkey and p3-monkey as probabilities of lowest and highest magnitude of the gambles
used in option B in monkeys. Then we applied the estimated betas from Eq. 18 to all gambles used
in the 39 human studies to predict the numeric *Preference Change* S for these gambles in monkeys:

$Predicted'S_{\mathrm{monkey}} = b_0 + b_1 \cdot p_{1-\mathrm{human}} + b_2 \cdot p_{3-\mathrm{human}}$ Eq. 19

with p1-human and p3-human as probabilities of lowest and highest magnitude of the gambles used
in option B in humans. Then we compared the measured human S's with the predicted monkey S's
using a Pearson correlation (see Fig 7*C* right).

In the reverse direction, comparing measured monkey S's with predicted human S's, the regression first estimated the beta parameters for the *Preference Change* S measured in humans with the modified regression model:

$Measured'S_{\text{human}} =$

$= b_0 + b_1 \cdot p_{1-\text{human}} + b_2 \cdot p_{3-\text{human}} + b_3 \cdot (m_{2-\text{human}} / m_{3-\text{human}})$ Eq. 20

with p1-human and p3-human as probabilities of lowest and highest magnitudes of gamble B, and m2-human and m3-human as middle and highest magnitude used in humans (magnitudes varied across the human studies but were constant in all monkey gambles). Then we applied the estimated betas from Eq. 20 to all gambles used in our monkeys to predict the numeric *Preference Change* S for these gambles in humans:

$Predicted'S_{\text{human}} =$

$= b_0 + b_1 \cdot p_{1-\text{monkey}} + b_2 \cdot p_{3-\text{monkey}} + b_3 \cdot (m_{2-\text{monkey}} / m_{3-\text{monkey}})$ Eq. 21

with p1-monkey and p3-monkey as probabilities of lowest and highest magnitudes of gamble B, and m2-monkey and m3-monkey as middle and highest magnitude used in monkeys. Then we compared the measured monkey S's with the predicted human S's using Pearson correlation (see Fig 7*D* right).

Results

Experimental design. We used stochastic choices to test compliance with the independence axiom (IA) in three monkeys. Two visual bar stimuli indicated two respective choice options on a computer monitor in front of the animal. The animal chose by moving a joystick towards one of the two options and 1.0 sec later received the reward of the chosen option. Each option was a gamble defined by three reward magnitudes (*m1, m2, m3*; ml of fruit juice) occurring with specific probabilities (*p1, p2, p3*; sum = 1.0) (Fig. 1*A*). Reward magnitude was indicated by bar height (higher was more), and the probability of delivering each magnitude was indicated by bar length away from stimulus center (longer was higher).

Testing the IA began with two gambles A and B that formed option set {A,B}. Gamble A was a degenerate gamble with safe and fixed middle reward magnitude (*m2* = 0.25 ml; *p2* = 1.0), whereas gambles B, C and D were two- or three-outcome gambles. The test gambles C and D derived from the common addition of gamble G and constituted option set {C,D} (Eq. 1). Stochastic compliance with the IA requires that preferences do not change significantly between option sets {A,B} and {C,D} (Fig. 1*B*). We assessed the IA in the common consequence (CC) test and in the common ratio (CR) test (see Methods for definitions; Fig. 1*C, D*). In the Marschak-Machina triangle representing the gambles, an IA test was plotted as a parallel shift of the line connecting the two gambles of each option set ({A,B} and {C,D}), with an additional line length change for a CR test .

IA violations. We performed 18 different CC tests and 18 different CR tests in each of the three monkeys; each test was repeated on average 7.5 times per daily session for Monkey A, 17.7 times per session for Monkey B and 6.1 times per session for Monkey C. We systematically varied the reward probabilities and thereby tested the IA across the whole range represented by the Marschak-Machina triangle. We tested two violation directions: either gamble B was stochastically revealed

preferred to gamble B (probability of choice $P(A|\{A,B\}) > 0.5$) and gamble D was stochastically
preferred to gamble C ($P(C|\{C,D\}) < 0.5$) (Allais-type violation; Allais 1953), or gamble B was
revealed preferred to gamble A ($P(A|\{A,B\}) < 0.5$) and gamble C was stochastically preferred to
gamble D ($P(C|\{C,D\}) > 0.5$) (reverse Allais-type violation; Blavatsyy, 2013b). We considered two
IA violation types, the more substantial binary *Preference Reversals* and the more subtle graded
Preference Changes.

Preference Reversals across option sets {A,B} and {C,D} were defined by Eqs. 2 and 3 for
AD and BC preference directions and tested for significance using the 1-tailed binomial test applied
separately to Allais-type and reverse Allais-type reversals ($P < 0.05$; see Methods). IA violations
indicated by significant *Preference Reversals* occurred only in a few of the 36 tests (N=8 for
Monkey A, N=1 for Monkey B, N=0 for Monkey C; total of 8%; Table 1). Note that all animals
were highly familiar with gamble variations from tens of thousands of trials performed during
several months of weekdaily experimentation.

Preference Changes were defined by Eqs. 4 - 6 that computed the variable S derived from
Conlisk'S and tested for significance using a one-sample t-test against S = 0 in pooled sessions from
a given monkey ($P < 0.05$). In contrast to the few outright *Preference Reversals*, significant
Preference Changes using the metric S were rather frequent in all animals (N=21 for Monkey A,
N=12 for Monkey B, N=17 for Monkey C; total of 46%; Table 2).

Preference Changes are sufficient for defining IA violations in CC tests; here, gambles B
and D have equal distance from the respective parallel choice indifference lines representing equal
expected utility in the Marschak-Machina triangle (Fig. 1*C*); the equal utility difference should
preserve their preference within their respective option sets and thus produce no violation.
Preference Changes S can be conveniently graphed as slopes between option sets {A,B} and {C,D};
negative and positive slopes indicate S > 0 and S < 0, respectively (Fig. 2). The strongest positive
Preference Changes S were significant across sessions in all animals: S = 0.026 ± 0.013 (Monkey
A), S = 0.095 ± 0.015 (Monkey B), S = 0.052 ± 0.010 (Monkey C) (mean ± Standard Error of the
Mean, SEM; all $P < 0.05$; one-sample t-test) (Fig. 2*A*). The strongest negative S's were also
significant across sessions in all animals: S = -0.254 ± 0.020 (Monkey A), S = -0.167 ± 0.014
(Monkey B), S = -0.123 ± 0.014 (Monkey C) (Fig. 2*B*). The weakest absolute S's differed only
insignificantly from zero and thus failed to demonstrate IA violation (Fig. 2*C*). Fig. S1 shows the
full pattern of *Preference Changes* in all CC tests.

In CR tests, *Preference Changes* are only necessary and not sufficient for IA violations; the
test places gambles B and D at different distances from the respective parallel indifference lines
(Fig. 1*D*), reflecting different expected utility differences for the two option sets that may result in
graded *Preference Changes* and thus non-zero S values (but not outright *Preference Reversals*) but
do not indicate IA violations. The strongest positive *Preference Changes* S were significant across
sessions: S = 0.095 ± 0.0143 (Monkey A), S = 0.014 ± 0.015 (Monkey B), S = 0.078 ± 0.009
(Monkey C); all $P < 0.05$) (Fig. 3*A*), as were the strongest negative S's: S = -0.183 ± 0.014 (Monkey
A), S = -0.227 ± 0.019 (Monkey B), S = -0.086 ± 0.012 (Monkey C) (Fig. 3*B*). The smallest
measured absolute S's were insignificant (Fig. 3*C*). Fig. S2 shows the full pattern of *Preference*
Changes in all CR tests.

To summarize, all monkeys showed significant *Preference Changes* in both CC and CR
tests. Below we describe these results in more detail to identify possible factors contributing to the
observed patterns of *Preference Changes*.

Probability dependency of *Preference Change*s. Whereas previous human studies tested specific
gambles, behavioral studies with monkeys can last several months during which large numbers of
behavioral tests can be carried out. We have therefore been able to study choices of gambles over
larger ranges of probabilities that fill wider areas of the Marschak-Machina triangle. This possibility
allowed us to test whether the *Preference Changes* might depend on the probabilities of gamble
outcomes, irrespective of particular preferences between the initial gambles A and B.

For the CC test, we varied the probability of the low outcome of gamble B (*Bp1*; i.e. the
probability of receiving 0 ml in option B) and the probability of the high outcome (*Bp3*; i.e. the
probability of receiving 0.5 ml in option B; thus, $Bp2 = 1 - Bp3 - Bp1$). We defined gambles C and
D by adding probability *Bp2* to the probabilities *p1* of gambles A and B (and thus reducing the
original *p2* of gambles A and B). Therefore, each set of probabilities *(Bp1, Bp3)* defined fully a
particular CC test. Significant IA *Preference Changes* occurred in both directions in different parts
of the Marschak-Machina triangle (Fig. 4*A*; S > 0, purple dots; S < 0, cyan dots; black circles
indicate $P < 0.05$, one-sample t-test against zero). As shown in the confusion matrices, LDA
classifications correctly predicted 14 out of 18 tests (78%) in each of Monkey A and Monkey B,
and 11 out of 18 tests (61%) in Monkey C, which exceeded random prediction (50%) and was no
less than prediction with majority class (i.e. the majority type of the direction of *Preference Change*
for each monkey; 72% for Monkey A, 50% for Monkey B and 61% for Monkey C) (Fig. 4*A* insets).
These results suggested a systematic relationship between *Preference Changes* and reward
probabilities in the CC test.

For the CR test, we varied the ratio *r* and the high-outcome probability in gamble B (*Bp3*; i.e.
the probability of receiving 0.5 ml in option B; thus, $Bp1 = 1 - Bp3$). We defined gambles C and D
by multiplying the common ratio r with the probabilities of all non-zero outcomes of gambles A and
B. Therefore, the two variables *Bp3* and *r* defined fully a particular CR test. Significant IA
Preference Changes occurred in both directions in different parts of the parameter space (Fig. 4*B*; S
> 0, purple dots; S < 0, cyan dots; $P < 0.05$). The confusion matrices showed that LDA
classifications correctly predicted 17 out of 18 tests (94%) in Monkey A, 15 out of 18 tests (83%) in
Monkey B, and 15 out of 17 tests (88%) in Monkey C, all of which exceeded random prediction and
was no less than prediction with majority class (94% for Monkey A, 67% for Monkey B, 82% for
Monkey C) (Fig. 4*B* insets). Hence, similar to the CC test, the *Preference Changes* in the CR test
depended on gamble probabilities.

The systematic nature of the observed *Preference Changes* in both the CC tests and the CR
test encouraged us to model the observed changes mathematically using economic theory.
Therefore, we next fitted our data using different economic choice models and tested whether these
models might explain the observed violations.

Economic models characterizing *Preference Changes*. We compared different economic choice
models in their ability to explain the observed pattern of Preference Changes. We fitted choice data
to stochastic implementations of basic constructs of three economic theories: objective Expected
Value (EV), Expected Utility Theory (EUT) and Cumulative Prospect Theory (CPT).

We defined a standard discrete choice softmax function (McFadden, 2001) to describe
stochastic preferences as the probability of choosing one option over another, in repeated trials (Eq.
7). This function calculates the probability of choosing the first of two options from the value
difference between the two options and includes a noise term that accounts for variability in choices.
The difference between the choice models consisted of different value computations: in the EV
model, each option's value corresponded to its objective Expected Value (EV; Eqs. 8 and 9); in the

EUT model, value was defined as Expected Utility using a utility function (EU; Eqs. 10 and 11); in
the CPT model, value was defined as Prospect and resulted from a utility function (*u*) and a
probability weighting function (*w*), combined in a cumulative form (Eqs. 12-14). The utility
function was a power function (one free parameter), normalized to the highest magnitude (Eq. 15).
The probability weighting function was a two-parameter *Prelec* function (Eq. 16). Finally, we used
a maximum likelihood estimation procedure to identify the model parameters that best represented
the behaviorally measured probability of choice: we estimated the parameters that maximized the
standard log-likelihood function (Eq. 17).

We used the Akaike Information Criterion (AIC) for an initial comparison of the accuracy of
each model, based on the maximum likelihood function (lower AIC values indicate better fit). The
AIC of the EV model was 204.4 ± 11.4 in Monkey A, 144.8 ± 4.8 in Monkey B, and 216.8 ± 8.0 in
Monkey C (mean $\pm$ standard error of the mean, SEM). The AIC of the EUT model across sessions
was 149.5 ± 10.8 in Monkey A, 118.7 ± 4.2 in Monkey B, 115.6 ± 4.2 in Monkey C. The AIC of
the CPT model was 140.5 ± 10.1 in Monkey A, 114.4 ± 4.1 in Monkey B, 110.4 ± 4.3 in Monkey C.
Thus, the CPT model showed the lowest AIC values in all three monkeys and thus explained our
choice data best. This results was confirmed when estimating the parameters separately for choices
in the CC or CR tests (Fig. S3). We will therefore use this model for our further analyses.

According to the CPT model, Monkey A had basically a linear utility function (U(m);
estimated parameter: $\rho = 1.01$) and a probability weighting function with an inverse-S shape (W(p);
estimated parameters: $\alpha = 1.86$; $\beta = 0.42$), whereas Monkeys B and C had convex utility functions
(*Rho* = 1.43 and *Rho* = 1.63, respectively) and inverted-S-shaped probability weighting functions (α
= 1.31; $\beta = 1.13$ and $\alpha = 1.37$; $\beta = 0.767$, respectively) (Fig. 5*A*, insets).

To better understand and visualize how the CPT model might explain the IA violations, we
computed the indifference curves (ICs) in the Marschak-Machina triangle (Fig. 5*A* left), based on
the utility and probability weighting functions estimated from the best-fitting CPT model (Fig. 5*A*,
insets). According to the EV and EUT models, the ICs in the Marschak-Machina triangle should be
linear and parallel to each other, while CPT produces non-linear and non-parallel ICs. The
indifference map (i.e. the full set of ICs) computed from the best fitting CPT model in each animal
showed monkey-specific patterns of non-linear ICs, which reflected the subjective value of choice
options (Fig. 5*A*, colored lines). We considered the "fanning" direction of the ICs to further
characterizes IA violations (Machina, 1982); "fanning-out" (higher ICs more horizontal than lower
ones) characterizes Allais-type violations, and "fanning-in" characterizes reverse Allais-type
violations. We observed a predominantly fanning-in pattern, although areas of fanning-out existed
within the triangle. This pattern reflected the mostly negative values of the measured *Preference*
Changes, supporting the idea that IA violations reflected a non-linear distribution of subjective
values within the Marschak-Machina triangle, which is incompatible with EUT.

To examine how well CPT explained the observed *Preference Changes*, we calculated the S
values that were predicted by the model for each CC and each CR test. On a session-by-session
basis, we estimated the choice probability from outcome probability and magnitude according to Eq.
7 together with Eqs. 12 - 14. The estimated choice probability was then used to calculate each S
using Eq. 6. When comparing the measured and predicted S values for each session, we found
significant Pearson correlation coefficients in all monkeys in the CC test (Monkey A: *Rho* = 0.46, *P*
= $2.1 \cdot 10^{-53}$; Monkey B: *Rho* = 0.21, *P* = $8.9 \cdot 10^{-9}$; Monkey C: *Rho* = 0.29, *P* = $4.4 \cdot 10^{-49}$) as well as in
the CR test (Monkey A: *Rho*=0.74, *P* = $1.1 \cdot 10^{-188}$; Monkey B: *Rho* = 0.60, *P*= $2.4 \cdot 10^{-72}$; Monkey C:
Rho = 0.64, *P* = $2.6 \cdot 10^{-287}$) (Fig. 5*B*). Thus, the CPT model was compatible with the observed
pattern of violations.

We tested the robustness of the CPT model's IC estimation with out-of-sample tests. The animal chose between a fixed option, plotted on one of the axes of the Marschak-Machina triangle, and a varying two- or three-outcome gamble (see Methods). In each session, indifferent points (IPs) were estimated by fitting a softmax function to the measured animal's choices. If the modeled indifference map reflected the true subjective evaluation pattern, the modeled IPs should be close to the measured ICs. A graphical comparison between the IPs and the ICs in Fig. 6*A* predicted by the CPT model demonstrated good correspondence between the out-of-sample IPs (colored points) and the modeled ICs (lines with same color as IPs). When quantifying the distance between the measured out-of-sample IPs and the ICs predicted by the EV, EUT or CPT models, we found significant residuals in all three models ($p < 0.01$ against the ICs; one-sample t-test). The residuals were smaller for the CPT model compared to the EV and EUT models (Fig. 6*B*), which indicated that CPT captured the out-of-sample IPs more accurately than the other models.

Although in their original deterministic formulation the EV and EUT models would not theoretically produce all-or-none *Preference Reversals*, their stochastic versions using the softmax choice function could in principle result in graded *Preference Changes*, in particular in the CR test (see Methods below Eq. 6). We thus investigated in more detail how much the EUT and EV models would explain our data (Figs. S4, S5). Our analysis showed that EV and EUT models failed to explain violations in the CC test, always predicting null *Preference Changes* ($S = 0$) (Figs. S4*B*, inset). On the other hand, both models predicted the violation pattern in the CR test to some degree (Figs. S4*B*, S5), consistent with previous studies employing stochastic versions of the EUT model (Blavatskyy, 2007). However, the EV and EUT models had worse prediction power (smaller correlation coefficients) compared to the CPT model (Figs. S4 and S5).

As a further control, we explicitly tested the hypothesis of ICs being linear and parallel, as implied by EUT (Fig. S6). Because previous human studies usually performed tests on only a few gambles, as plotted in the Marschak-Machina triangle (Fig. 7*A*; Blavatskyy et al., 2015), this method has never been used to investigate EUT. In the current study, we tested separately the linearity and parallelism of the ICs. To test for parallelism, we assumed linear ICs and used a least-squares model to estimate the slopes of the ICs and compare them (Kruskal-Wallis one-way ANOVA; Fig. S6*A, B*). The linearity of the ICs was tested through the residuals of indifferent points in each IC that were estimated with linear least squares using out-of-sample IPs (one-sample t-test against 0; Fig. S6*C*). We found significant non-linearity ($p<0.001$) and non-parallelism ($p<0.05$) for some ICs, suggesting that EUT was not able to capture the subjective values for varying probabilities. This result demonstrates systematic violations in EUT, which was consistent with our AIC and residual analyses. The pattern of generally increasing ICs slopes (Fig. S6*B*) also served as confirmation for a mostly fanning-in direction of the indifference map, which explained the observed pattern of IA violations with mostly negative *Preference Change* values.

Taken together, these results showed that the CPT-based economic choice model predicted the IA violations in both CC and CR tests, outperforming both the EV and the EUT models. These findings suggest that the observed violation pattern might arise from the subjective, non-linear weighting of reward probabilities, in line with the explanation provided by CPT.

Comparison of *Preference Changes* with humans. To explore the possibility of common economic decision mechanisms between evolutionary close species, we compared the observed IA violations in monkeys with those found in humans. We considered results from 39 human studies investigating the CC effect (Blavatskyy et al., 2015). Many of these studies repeated the Allais test; others defined different tests which, when represented in the Marschak-Machina triangle (as *p1* and *p3* of gamble B), were mostly concentrated in the lower left area (Fig. 7*A*). The human studies reported significant *Preference Changes* characterized by S > 0 or S < 0, as well as insignificant changes (S ~ 0) (Fig. 7*B*).

We used two methods to compare our monkey data with the published human data, a confusion matrix and a Pearson correlation. The gambles used in the human studies differed from each other and from those used in monkeys. To nevertheless allow accurate comparisons, we predicted the *Preference Changes* S for the untested gambles with an LDA classifier for the confusion matrix, and with two multiple linear regressions for the Pearson correlation (see Methods; Eqs. 18 - 21).

For the missing gambles, we first used the LDA and the regressions (Eqs. 18 and 19) to predict the S's in our monkeys for the gambles that had been used in humans. Then we compared the actually measured human S's with the predicted monkey S's. The confusion matrix showed that the actual measured S's in humans corresponded successfully to the LDA-predicted S's in monkeys with 82% accuracy (Fig. 7*C* left), which exceeded random (50%) and majority class (i.e. the majority type of the direction of S's across all human studies, 67%). The Pearson correlation between human S's that had been measured and monkey S's that had been predicted by regression (Eqs. 18 and 19) was significant ($Rho = 0.56$, $P = 2.44 \cdot 10^{-4}$) (Fig. 7*C* right).

To test the robustness of these comparisons, we reversed the direction of predicting S's for untested gambles: using LDA and regressions (Eqs. 20 and 21), we predicted the S's in humans for the gambles we had used in monkeys. The confusion matrix showed that the measured monkey S's corresponded to the LDA-predicted human S's with 70% accuracy, which exceeded random (50%) and majority class (61%) (Fig. 7*D* left). The Pearson correlation between the measured monkey S's and the regression-predicted human S's (Eqs. 20 and 21) was significant ($Rho = 0.45$, $P = 5.61 \cdot 10^{-4}$; Fig. 7*D* right).

Thus, while we saw less *Preference Reversals* than are generally reported in humans, the *Preference Changes* in our monkeys corresponded well to those in humans. The result suggests shared decision mechanisms across primate species and encourages neurophysiological investigations in monkeys of neuronal signals and circuits that may underlie these common choice mechanisms.

Discussion

We studied stochastic choices in rhesus monkeys in the two most widely used tests of the IA, common consequence and common ratio, which provide stringent assessment for utility maximization. All three tested monkeys showed few outright *Preference Reversals* between the initial and the altered option sets, possibly due to the animals' extended laboratory experience with weekdaily tests; however, the animals showed substantial graded *Preference Changes* (Figs. 2 and 3; Tables 1 and 2) that depended on gamble probabilities and were largely explained by nonlinear probability weighting (Figs. 4 and 5). According to AIC and out-of-sample analyses, a CPT model with probability weighting explained the choices better than EUT and EV models without probability weighting (Fig. 6). Classification and regression analyses demonstrated similarities between our monkeys' choices and reported human choices (Blavatskyy et al., 2015) (Fig. 7). Together, these results indicate systematic *Preference Changes* in IA tests in monkeys that can be explained by probability weighting of CPT.

While human studies played a crucial role in identifying and explaining IA violations, in particular non-linear probability weighting (Quiggin, 1982; Conlisk, 1989; Tversky and Kahneman, 1992; Camerer and Ho, 1994; Blavatskyy, 2007; Blavatskyy et al., 2015; Harman and Gonzalez, 2015; Schneider and Day, 2016; Ruggeri et al., 2020), the studies were restricted by a number of species-specific factors, including limited trial numbers, limited test variations, limited test repetitions, insufficient learning, behavioral errors and, of course, language and cultural influences. To compensate for limits of trial numbers, some human studies combined data from multiple participants; however, the validity of such tests depends on the subjectivity of individual utility functions and on cultural differences (Loubergé and Outreville, 2011; Ruggeri et al., 2020). Thus, more comprehensive assessments of IA compliance would benefit from wider test variations with more trials than are feasible in humans. This is where monkeys come in. Working with monkeys not only avoids cultural biases but also allows large variations of test conditions in thousands and tens of thousands of trials during weekdaily tests lasting for weeks and months. With such large trial numbers, learning would be completed and play no uncontrolled role, and errors are minimized. Using such large trial numbers allowed us to test the robustness of economic models that confirm the dominant role of probability weighting in common consequence and common ratio IA tests.

Probability weighting is a particularly interesting and important explanation for IA violations. Although reward probability can influence the type and level of IA violations, most human IA violation tests used only limited levels of probability. We tested many probability levels across the Marschak-Machina triangle and substantiated probability weighting as major mechanism underlying *Preference Changes* in both the common consequence and the common ratio tests. We did not make any hypothesis about the existence of probability weighting but instead demonstrated empirically that probability weighting explains *Preference Changes*. Specifically, our leave-one-out classification with LDA demonstrate probability as key factor underlying IA *Preference Changes* in both common consequence and common ratio tests (Fig. 4), and the CPT probability weighting function fitted to the measured behavioral choices successfully predicted *Preference Changes* (Fig. 5). Thus, our study provides a detailed and robust account of the role of probability weighting in IA tests.

Past studies have reported different shapes of the probability weighting function. Humans show anti-S and S-shape probability weighting with instructed and experienced probabilities, respectively (Gonzalez and Wu, 1999; Cavagnaro et al., 2013; Farashahi et al., 2018). Monkeys show anti-S probability-weighting with pseudorandomly varying probabilities (Stauffer et al., 2015)

and S-shape weighting in trial blocks (Ferrari-Toniolo et al., 2019). When presenting a larger set of magnitudes and probabilities, and allowing for more complex shapes of the utility function, our monkeys' choices were best explained by a mostly concave probability weighting function (Ferrari-Toniolo et al., 2021). Humans show a similar concave probability weighting function (Blavatskyy, 2013a). Our current results confirm concave probability weighting with a larger set of finely varying probabilities in three-outcome gambles that allowed us to uniformly sample the whole probability space (Fig. 5*A*). Our results highlight a series of possible factors contributing to the estimated shape of the probability weighting function: the choice of the functional form for utility and probability weighting, the range and resolution of the tested magnitudes and probabilities, and the complexity and representation of choice options (especially two- and three-outcome gambles). Further investigations are required to better isolate the factors influencing the shape of the probability weighting function, including task particulars and elicitation procedures.

Past studies graphed IA violations via the fanning-in and fanning-out directions of ICs in the Marschak-Machina triangle (Machina, 1982). Non-linear ICs, compatible with nonlinear probability weighting, produce different local fanning directions in different areas of the triangle (Fig. 5*A*) (Camerer and Ho, 1994; Kontek et al., 2018). Furthermore, different stochastic versions of EUT (Blavatskyy, 2007) and, more in general, different contributions of noise to the value computation mechanism (Hey and Orme, 1994; Woodford, 2012; Bhatia and Loomes, 2017) might explain IA violations without nonlinear probability weighting. These considerations highlight the complexity in the relation between the shape of the probability weighting function, the pattern of indifference curves and the experimentally revealed types of IA violations. Further theoretical work and model simulations, which are outside of the scope of the current work, should help to elucidate these relations.

Human tests of the IA describe *Preference Changes* characterized by $S > 0$ or $S < 0$ (Allais, 1953; Starmer, 2000; Blavatskyy et al., 2015). Because of these violations, many economic theories have been developed to explain economic choices under risk, including Rank-Dependent Utility (Quiggin, 1982), Cumulative Prospect Theory (Tversky and Kahneman, 1992), and Target-Adjusted Utility (Schneider and Day, 2016). Consistent with human choices, we found that our monkeys' choices show both types of violations in the two most studied tests (common consequence and common ratio). Interestingly, although humans and monkeys may show different probability weighting functions, the *Preference Changes* S seen in the repeated, stochastic choices of our monkeys correspond with 70% - 82% accuracy to the S's computed from choices averaged across human participants (Fig. 7*C*, *D*). This result is not only interesting for general inter-species comparisons but indicates that violations in primates are similar and robust despite methodological differences, such as trial numbers and averaging within subjects as opposed to across subjects.

The IA is arguably the most constrained and direct test that defines Expected Utility, and its maximization, on a numeric, cardinal scale. With these properties, the IA provides for a stringent test framework for investigating brain mechanisms of economic choice. So far, human fMRI studies demonstrate subjective value coding in reward-related brain regions, including the ventral striatum, midbrain, amygdala, and orbitofrontal and ventromedial prefrontal cortex (Hsu et al., 2009; Wu et al., 2011; Gelskov et al., 2015; Seak et al., 2021). Neurophysiological studies in monkeys demonstrate the coding of subjective value in midbrain dopamine neurons and orbitofrontal cortex (Tremblay and Schultz, 1999; Padoa-Schioppa and Assad, 2006; Kobayashi and Schultz, 2008; Lak et al., 2014; Stauffer et al., 2014) and formal utility coding in dopamine neurons (Stauffer et al., 2014). Further, neurons in monkey orbitofrontal cortex carry single-dimensional utility signals for two-dimensional choice options designed according to Revealed Preference Theory (Pastor-Bernier et al., 2019). However, despite attempts of economic decision theories to explain IA violations

(such as prospect theory), the neuronal mechanisms underlying IA violations are unknown. To address the issue, an animal model would be desirable that demonstrates IA violations similar to those seen and analyzed in humans. Our own studies showed that monkeys' choices follow indifference curves of Revealed Preference Theory, satisfy first-, second- and third-order stochastic dominance, demonstrate probability weighting, and comply with the first three EUT axioms (completeness, transitivity, continuity) (Stauffer et al., 2015; Genest et al., 2016; Pastor-Bernier et al., 2017; Ferrari-Toniolo et al., 2019; 2021), all of which suggests compliance with fundamental concepts of economic choice. The current study describes in monkeys the conditions for compliance and violation of the fourth EUT axiom, IA, which is the most demanding and investigated EUT axiom in humans. Tests in rodents have revealed globally similar IA violations as in humans (Battalio et al., 1985; Kagel et al., 1990), but the results have so far not been used for neurophysiological investigations in this species. As the performance of our monkeys in IA tests is also consistent with that in humans, researchers may want to use neurophysiology in animals to understand neuronal choice mechanisms in humans.

Although our study provides systematic and stochastic data on IA violations, there are a few incompletely addressed directions that can be investigated in the future. For example, further research may test whether reward magnitude can influence IA violations, as it does in humans (Blavatskyy et al., 2015). Further, in the absence of own human data, we can only relate our results to those from human experiments that did not necessarily have the exact same design. To more directly compare IA violations between humans and monkeys (in which neurophysiological studies are more feasible), future studies might adapt our experimental design to that used in humans. Further, our tests might support further development of decision theory and computer algorithms, for example by using our data for further advancing model-free and model-based reinforcement learning into the domain of economic choice research (Daw et al., 2011; Miranda et al., 2020). It would be interesting to see how subjective values are updated after win or loss trials in IA violated gambles (model-free: based only on stimuli; model-based: update the whole probability and utility model; or a combination of both). Neurophysiology research on value updating by reinforcement could benefit from the developed experimental designs. Thus, because of its multidisciplinary nature, our current behavioral study may provide the basis for further investigations of behavioral and neuronal mechanism of economic decision-making under risk.

References

Allais M (1953) Le comportement de l'homme rationnel devant le risque: Critique des postulats et axiomes de l'ecole Americaine. Econometrica 21:503-546.

Battalio RC, Kagel JH, MacDonals DN (1985) Animals' Choices over Uncertain Outcomes: Some Initial Experimental Results. Am Econ Rev 75:597-613.

Bhatia S, Loomes G (2017) Noisy preferences in risky choice: A cautionary note. Psychol Rev 124:678–687.

Blavatskyy P (2013a) Which decision theory? Econ Lett 120:40–44.

Blavatskyy P, Ortmann A, Panchenko V (2015) Now you see it, now you don't: How to make the Allais paradox appear, disappear, or reverse. UNSW Bus Sch Res Pap No 2015-14 61:1–24.

Blavatskyy PR (2007) Stochastic expected utility theory. J Risk Uncertain 34:259–286.

Blavatskyy PR (2013b) The reverse Allais paradox. Econ Lett 119:60–64.

Bordalo P, Gennaioli N, ShleiferA (2012) Salience theory of choice under risk. Q J Econ:1243–1285.

Bujold PM, Ferrari-Toniolo S, Chi U Seak L, Schultz W (2021) Comparing utility functions

between risky and riskless choice in rhesus monkeys. Anim Cog (in press).

Camerer CF, Ho T-H (1994) Violations of the betweenness axiom and nonlinearity in probability. J
Risk Uncertain 8:167–196.

Cavagnaro DR, Pitt MA, Gonzalez R, Myung JI (2013) Discriminating among probability
weighting functions using adaptive design optimization. J Risk Uncertain 2013 473 47:255–
289.

Conlisk BJ (1989) Three Variants on the Allais Example. Am Econ Rev 79:392–407.

Daw ND, Gershman SJ, Seymour B, Dayan P, Dolan RJ (2011) Model-based influences on humans'
choices and striatal prediction errors. Neuron 69:1204–1215.

Farashahi S, Azab H, Hayden B, Soltani A (2018) On the flexibility of basic risk attitudes in
monkeys. J Neurosci 38:4383–4398.

Ferrari-Toniolo S, Bujold PM, Grabenhorst F, Báez-Mendoza R, Schultz W (2021) Nonhuman
primates satisfy utility maximization in compliance with the continuity axiom of Expected
Utility Theory. J Neurosci 41:2964–2979.

Ferrari-Toniolo S, Bujold PM, Schultz W (2019) Probability distortion depends on choice sequence
in rhesus monkeys. J Neurosci 39:2915–2929.

Gelskov S V., Henningsson S, Madsen KH, Siebner HR, Ramsøy TZ (2015) Amygdala signals
subjective appetitiveness and aversiveness of mixed gambles. Cortex 66:81–90.

Genest W, Stauffer WR, Schultz W (2016) Utility functions predict variance and skewness risk
preferences in monkeys. Proc Natl Acad Sci 113:8402–8407.

Gonzalez R, Wu G (1999) On the shape of the Ppobability weighting function. Cog Psychol
38:129–166.

Harless BYDW, Camerer CF (1994) The predictive utility of generalized Expected Utility Theories.
Econometrica 62:1251–1289.

Harman JL, Gonzalez C (2015) Allais from experience: Choice consistency, rare events, and
common consequences in repeated decisions. J Behav Decis Mak 28:369–381.

Hey JD, Orme C (1994) Investigating generalizations of Expected Utility Theory using
experimental data. Econometrica 62:1291-1326.

Hsu M, Krajbich I, Zhao C, Camerer CF (2009) Neural response to reward anticipation under risk is
nonlinear in probabilities. J Neurosci 29:2231–2237.

Kagel JH, MacDonald DN, Battalio RC (1990) Tests of "fanning out" of indifference curves:
Results from animal and human experiments. Am Econ Rev 80: 912-921.

Kahneman D, Tversky A (1979) Prospect Theory: An analysis of decision under risk. Econometrica
47:263–292.

Kobayashi S, Schultz W (2008) Influence of reward delays on responses of dopamine neurons. J
Neurosci 28:7837–7846.

Kontek K, Kontek, Krzysztof (2018) Boundary effects in the Marschak-Machina triangle. Judgm
Decis Mak 13:587–606.

Lak A, Stauffer WR, Schultz W (2014) Dopamine prediction error responses integrate subjective
value from different reward dimensions. Proc Natl Acad Sci U S A 111:2343–2348.

List JA, Haigh MS (2005) A simple test of expected utility theory using professional traders. Proc
Natl Acad Sci U S A 102:945–948.

Loomes G, Sugden R (1987) Testing for regret and disappointment in choice under uncertainty.
Econ J 97:118129.

Loubergé H, Outreville JF (2011) Risk taking in the domain of losses: experiments in several
countries. J Risk Res 4:227-236.

Machina MJ (1982) "Expected Utility" analysis without the independence axiom. Econometrica
50:277323.

Marschak J (1950) Rational behavior, uncertain prospects, and measurable utility. Econometrica
18:111-141.

McFadden D (2001) Economic choices. Am Econ Rev 91:351–378.

Miranda B, Malalasekera WMN, Behrens TE, Dayan P, Kennerley SW (2020) Combined model-

free and model-sensitive reinforcement learning in non-human primates. PLOS Comput Biol
16:e1007944.
Moscati I (2016) Retrospectives: How economists came to accept expected utility theory: The case
of samuelson and savage. J Econ Perspect 30:219–236.
Padoa-Schioppa C, Assad JA (2006) Neurons in the orbitofrontal cortex encode economic value.
Nature 441:223–226.
Pastor-Bernier A, Plott CR, Schultz W (2017) Monkeys choose as if maximizing utility compatible
with basic principles of revealed preference theory. Proc Natl Acad Sci 114:E1766–E1775.
Pastor-Bernier A, Stasiak A, Schultz W (2019) Orbitofrontal signals for two-component choice
options comply with indifference curves of Revealed Preference Theory. Nat Comm 101 10:1–
19.
Prelec D (1998) The probability weighting function. Econometrica 66:497-527.
Quiggin J (1982) A theory of anticipated utility. J Econ Behav Organ 3:323–343.
Ruggeri K, Ali S, Folke T (2020) Replicating patterns of prospect theory for decision under risk.
Nat Hum Behav 4:622–633.
Schneider M, Day R (2016) Target-adjusted utility functions and expected-utility paradoxes.
Managment Sci 64:271–287.
Seak LCU, Volkmann K, Pastor-Bernier A, Grabenhorst F, Schultz W (2021) Single-dimensional
human brain signals for two-dimensional economic Ccoice options. J Neurosci 41:3000–3013.
Starmer C (2000) Developments in nonexpected-utility theory: The hunt for a descriptive theory of
choice under risk. Adv Behav Econ XXXVIII:332–382.
Stauffer WR, Lak A, Bossaerts P, Schultz W (2015) Economic choices reveal probability distortion
in macaque monkeys. J Neurosci 35:3146–3154.
Stauffer WR, Lak A, Schultz W (2014) Dopamine reward prediction error responses reflect
marginal utility. Curr Biol 24:2491–2500.
Tremblay L, Schultz W (1999) Relative reward preference in primate orbitofrontal cortex. Nature
398:704–708.
Tversky A, Kahneman D (1992) Advances in Prospect Theory: Cumulative representation of
uncertainty. J Risk Uncertain 5:297–323.
von Neumann J, Morgenstern O (1944) Theory of Games and Economic Behavior. Princeton Univ
Press.
Woodford M (2012) Prospect theory as efficient perceptual distortion. Am Econ Rev 102:41-46.
Wu S-W, Delgado MR, Maloney LT (2011) The neural correlates of subjective utility of monetary
outcome and probability weight in economic and in motor decision under risk. J Neurosci
31:8822–8831.
892
893

895   **Table 1.** *Preference Reversals* while testing the independence axiom.

	Test	*Preference Reversal*	
Monkey A	CC	A ≻ B => C ≺ D	0/18
		A ≺ B => C ≻ D	5/18
	CR	A ≻ B => C ≺ D	0/18
		A ≺ B => C ≻ D	3/18
Monkey B	CC	A ≻ B => C ≺ D	1/18
		A ≺ B => C ≻ D	0/18
	CR	A ≻ B => C ≺ D	0/18
		A ≺ B => C ≻ D	0/18
Monkey C	CC	A ≻ B => C ≺ D	0/18
		A ≺ B => C ≻ D	0/18
	CR	A ≻ B => C ≺ D	0/18
		A ≺ B => C ≻ D	0/18

CC: common consequence test, CR: common ratio test. x ≻ y indicates 'x preferred to y', x ≺ y
indicates 'y preferred to x'. A ≻ B leading to C ≺ D constitutes a stochastic Allais-type
Preference Reversal, as indicated by significant probability of choice: $P(C|\{C,D\}) < 0.5$ (statistical
$P < 0.05$; 1-tailed; binomial test) (see Eq. 2). By contrast, A ≺ B leading to C ≻ D constitutes a
stochastic reverse Allais-type *Preference Reversal*: $(P(D|\{C,D\}) < 0.5$ (statistical $P < 0.05$) (see
Eq. 3).

Table 2. *Preference Changes* while testing the independence axiom.

	Test	Preference Change	
Monkey A	CC	S > 0	1/18
		S < 0	8/18
	CR	S > 0	1/18
		S < 0	11/18
Monkey B	CC	S > 0	2/18
		S < 0	3/18
	CR	S > 0	2/18
		S < 0	5/18
Monkey C	CC	S > 0	2/18
		S < 0	6/18
	CR	S > 0	1/18
		S < 0	8/18

905 CC: common consequence test, CR: common ratio test. *Preference Changes* were measured as real-
906 number S based on a modification of Conlisk'S (see Eqs. 4 - 6) and tested for significance at $P <$
907 0.05 (one-sample t-test against zero). *Preference Changes* represent IA violations for CC tests but
908 are only necessary and not sufficient for claiming IA violations in CR tests.

Fig. 1. Experimental design for testing the independence axiom (IA).
(A) Visual stimulus predicting a three-outcome gamble. The vertical position of each horizontal bar represents reward amount ($m1, m2, m3$; ml of juice); the length of each bar represents reward probability ($p1, p2, p3$) of the respective amounts $m1, m2, m3$.
(B) Principle of testing the IA with two option sets {A,B} and {C,D}. Options C and D are obtained by adding the same gamble G to both options A and B, weighted by probability p.
(C) Common consequence test and its representation in the Marschak-Machina triangle. The x-and y-axes represent the probabilities of the low outcome ($p1$) and high outcome ($p3$), respectively (probability of middle outcome: $p2 = 1-p1-p3$). Blue dots represent the original option set {A,B}, and green dots represent its modified set {C,D} for testing the IA. The yellow arrow indicates how option set {A,B} becomes option set {C,D} by adding the same probability k to the probability $p1$ of the low outcome $m1$ in both gambles A and B. Grey lines connect gambles with same expected value and highlight the linear and parallel nature of indifference curves tested by the IA. IA compliance requires same preferences: if (A ≻ B) then (C ≻ D), or if (A ≺ B) then (C ≺ D) and same choice probabilities.
(D) Common ratio test. Multiplication of option set {A,B} by the same ratio r results in test option set {C,D}. Option set {A,B} becomes option set {C,D} by multiplying a common ratio *r* with the probability of the middle outcome ($p2$) of gamble A and with the probability of the high outcome ($p3$) of gamble B. * and ** and lengths of red lines indicate different distances of gambles from expected values (grey lines), which may result in potential preference changes between the two option sets without necessarily indicating IA violation.

933
934
Fig. 2. *Preference Changes* S during IA common consequence tests.
(*A*) Significant violations with positive *Preference Change* measure S ($P < 0.05$ on pooled sessions
from a given monkey; one-sample t-test against zero). Each panel shows at the left the small
Marschak-Machina triangle for the tested options. The center plot shows the probability of choosing
one option over the other option (Options A and C on the left; Options B and D on the right). Each
dot represents the probability of choosing A over B or C over D in one session; red vertical bars
represent averages of probability of choices (A - B or C - D) across sessions; red intervals show the
95% confidence interval; blue intervals show Standard Deviations (SD); the black line links
preferences in one example session (red dotted line: average across sessions). Small histograms
(right) show the distribution of S's that quantifies the IA violation, across sessions.
(*B*) Significant negative *Preference Changes* S.
(*C*) Insignificant *Preference Changes* S.
947

949
950
951
952 **Fig. 3**. *Preference Changes* (S) during IA common ratio tests.
953 (*A*) Significant positive *Preference Change* measure S (all *P* < 0.05; one-sample t-test). For
954 conventions, see Fig. 2.
955 (*B*) Significant negative *Preference Changes* S.
956 (*C*) Insignificant *Preference Changes* S.
957

959
960
Fig. 4. Probability dependency of IA *Preference Changes*.
(*A*) Common consequence test. The x- and y-axes show the probabilities of low and high
magnitudes of Option B, respectively. Purple and blue dots represent positive and negative
Preference Change measures S, respectively. Black circles around dots indicate significance (*P* <
0.05; one-sample t-test). Insets show confusion matrices from classifications using Linear
Discriminant Analysis (LDA).
(*B*) Common ratio test (one option set with S = 0 was discarded with Monkey C). The x- and y-axes
show the probabilities of middle and high magnitudes of Option B, respectively.
969

971
972
Fig. 5. Cumulative prospect theory (CPT) modeling can explain the measured *Preference Changes*.
(*A*) Choice indifference curves (ICs) in the Marschak-Machina triangle. Each line represents one
IC, and all gambles on a given line are equally preferred to each other. Insets show estimated utility
and probability weighting functions, using the CPT model, from all trials (common ratio and
common consequence tests). The three monkeys had individually differing, mostly non-linear utility
and probability weighting functions. Note that utility functions were only estimated for three points
(black dots), which were the only three magnitudes used in the experiment (*m1, m2, m3*); thus, the
dashed lines do not represent the full shape of the utility function.
(*B*) Pearson correlations between measured S's and S's predicted by the CPT-modeled utility and
probability weighting functions for the common consequence and common ratio tests.
983

985
986

Fig. 6. Out-of-sample tests on indifference curves (ICs) modeled by Cumulative Prospect Theory
(CPT).
(*A*) Close relationship between measured out-of-sample indifference points (IP, colored dots) and
ICs modeled by CPT (colored lines) in common ratio and common consequence tests. Colored dots
show mean IPs across all sessions, corresponding to the same colored ICs; lines show Standard
Errors of the Mean (SEM) of IPs across all sessions.
(*B*) Left: bar charts of means and SEMs of model residuals (distances between model ICs and the
measured out-of-sample IPs). Right: residual differences from different models (means from
individual sessions; top: Expected Value (EV) minus Expected Utility Theory (EUT); bottom: EUT
minus CPT. Smaller residuals for CPT than EUT or EV indicate that CPT better captured the
pattern of the measured out-of-sample IPs.

Fig. 7. Correspondence of *Preference Changes* S between monkeys and humans.
(*A*) Gamble positions in the Marschak-Machina triangle of 39 independent human common
consequence studies (Blavatskyy et al., 2015). The x-axis represents the probability of getting the
low outcome in option B and the y-axis represents the probability of getting the high outcome in
option B (see option B in Fig. 1*D*). The diagram illustrates the location of the reward probability
tested in the human studies (black dots). Gray circles correspond to the CC tests we performed on
monkeys in the current study.
(*B*) Results from the 39 human studies. Blue and green bars refer to option sets 1 {A, B} and 2 {C,
D}, respectively (see Fig. 1*B*). The y-axis indicates the probability of choosing option 1 (A or C).
(*C*) Correspondence between measured human S's (39 studies; *B*) and predicted monkey S's. Left:
confusion matrix of classes of human S's and classes of monkey S's predicted from actually used
monkey gambles by Linear Discriminant Analysis (LDA). The LDA prediction of monkey S's
allowed comparison of same gambles between the two species. Right: Pearson correlation between
measured human S's and monkey S's predicted by regression (Eq. 18, 19), using the same gambles.
(*D*) Correspondence between measured monkey S's and predicted human S's. This inverse control
test relative to the test shown in *C* was based on the actual gambles used in monkeys and employed
predictions of human S's for these gambles via different LDA and regression (Eqs. 20, 21; see
Methods).

1021

1022
1023 **Supplementary Fig. 1** *A - C. Preference Changes* S during further common consequence tests. (*A*)
1024 Boxplot. For conventions, see Fig. 2. (*B*) Conlisk'S score bar charts (left) and distribution
1025 histograms (right). (*C*) One-sample t-tests against 0% violation with different probability of high
1026 and low outcome in option B (Monkey A). Error bar: mean ± SEM.
1027
1028

Supplementary Fig. 1 *D - F.* As Fig. S1*A-C* but for Monkey B.

1032

1033
1034
1035 **Supplementary Fig. 1** *G - I*. As Fig. S1*A-C* but for Monkey C.
1036

1038
1039 **Supplementary Fig. 2** *A - C*. As Fig. S2*A-C* but for common ratio test, Monkey A.
1040

Supplementary Fig. 2 *D - F*. As Fig. S2*A-C* but for Monkey B.

1045

1046
1047 **Supplementary Fig. 2** *G - I*. As Fig. S2*A-C* but for Monkey C.
1048

1049

1050
1051 **Supplementary Fig. 3.** Comparisons between Expected Value (EV) model, Expected Utility (EUT)
1052 model and Cumulative Prospect Theory (CPT) model, using the Akaike Information Criterion
1053 (AIC). (*A*) Comparisons for common consequence test. Error bars: mean ± SEM. P-values are from
1054 paired t-test. (*B*) Comparisons for common ratio test. (*C*) Comparisons across all tests. (*D*)
1055 Histograms of AIC score differences EUT - CPT models.
1056

1058
1059

Supplementary Fig. 4. Out-of-sample test for the Expected Utility Theory (EUT) model. (*A*)
Utility functions estimated with maximum likelihood. (*B*) Marschak-Machina triangles with
indifference curves estimated using the EUT model and out-of-sample indifference points. Insets
represent the correlation between the predicted (y-axis) and actual *Preference Change* S (x-axis) in
common consequence (CC) and common ratio (CR) tests. Colored small dots represent indifference
points in one session that fall within the same indifference curve with the same color. Big dots
represent means of indifference points across all sessions (i.e. means of the small dots).

1067
1068

1069

1070
1071 **Supplementary Fig. 5.** Out-of-sample test for the Expected Value (EV) model. As Fig. S4*B* but for
1072 the EV model and EV lines.
1073

1074

1075
1076

Supplementary Fig. 6. Out-of-sample test for linearity and parallelism of indifference curves in the
Marschak-Machina triangle. (*A*) Indifference curves estimated with linear least-squares and out-of-
sample indifference points. Colored small dots represent indifference points in one session that fall
within the same indifference curve with the same color. Large dots represent the mean of
indifference points across all sessions (i.e. means of the small dots). Line colors, indifference points
and numbers indicate the indifference curves being tested. (*B*) Bar graphs showing significant
differences in slope of the indifference curves estimated with linear least-squares (mean ± SEM;
one-way ANOVA $p < 0.001$ for all three animals). (*C*) Line plots showing significant residuals
between indifference points and estimated indifference curves (mean ± SEM; $p<0.05$; one-sample t-
test against indifference curves). The y-axis represents the residuals (0 = same as estimated
indifference curves), and the x-axis represents the position of the indifference points, with 1 being
the most left and 5 being the most right in the Marschak-Machina triangle.

1089