Implicit adaptation is modulated by the relevance of feedback

Darius E. Parvin[1], Kristy V. Dang[1], Alissa R. Stover[1], Richard B. Ivry[1,2] & J. Ryan Morehead[3,4*]

[1]School of Psychology, University of California, Berkeley
[2]Helen Wills Neuroscience Institute
[3]School of Psychology, University of Leeds
[4]John A. Paulson School of Engineering & Applied Sciences, Harvard University
*correspondence should be addressed to j.r.morehead@leeds.ac.uk

8
9
ABSTRACT

The motor system adapts to changes in the body and the environment by learning from sensory
prediction errors, the difference between predicted and actual visual feedback. This process is
highly automatic and implicit, with the response to the visual feedback occurring even when the
resultant change from the sensory prediction error worsens task performance. Given that
informative and relevant feedback in the real world is often intertwined with distracting and
irrelevant feedback, we asked how the relevancy of visual feedback impacts implicit adaptation.
To tackle this question, we presented multiple cursors as visual feedback in a center-out reaching
task and varied the task relevance of these cursors. In other words, participants were instructed
to hit a target with a specific task-relevant cursor, while ignoring the other cursors. In Experiment
1, we found that reach aftereffects were attenuated by the mere presence of distracting cursors,
compared to reach aftereffects in response to a single task-relevant cursor. The degree of
attenuation did not depend on the position of the distracting cursors. In Experiment 2, we
examined the interaction between task relevance and attention. Participants were asked to adapt
to a task-relevant cursor/target pair, while ignoring the task-irrelevant cursor/target pair. Critically,
we jittered the location of the relevant and irrelevant target in an uncorrelated manner, allowing
us to index attention via how well participants tracked the position of target. As expected,
participants who were better at tracking the task-relevant target/cursor pair showed greater
aftereffects, and interestingly, the same correlation applied to the task-irrelevant target/cursor
pair. Together, these results highlight the novel role of task relevancy on modulating implicit
adaptation, perhaps by giving greater attention to informative sources of feedback, increasing the
saliency of the sensory prediction error.

INTRODUCTION

Sensory feedback is continuously used to help keep the sensorimotor system calibrated, enabling the production of accurate movements despite ongoing changes to one's body and environment. This adaptive recalibration process is thought to be driven in part or whole by sensory prediction error (SPE), the difference between the predicted and actual sensory feedback (Burge, Ernst, & Banks, 2008; Chaisanguanthum, Joshua, Medina, Bialek, & Lisberger, 2014; Kording, Tenenbaum, & Shadmehr, 2007; Mazzoni & Krakauer, 2006; Wolpert, Ghahramani, & Jordan, 1995). In this paper, we examine what happens to sensorimotor adaptation when the sensory feedback is complex, ambiguous, and redundant.

When performing goal-oriented movements in the real world, the visual field is cluttered, possibly obscuring the feedback of the movement (Burge et al., 2008; Körding & Wolpert, 2004; Tsay, Avraham, et al., 2020; Tsay, Kim, Parvin, Stover, & Ivry, 2021; Wei & Körding, 2010) or even the target itself (Meegan & Tipper, 1998). Furthermore, the motion of other visual objects may be sources of distraction or interference. How does the motor system determine which signal is relevant for evaluating the consequences of an action, and how is this process influenced by the presence of competing visual signals?

Kasuga et al (2013) studied these questions using a center-out reaching task in which the participants could not see their moving arm, but had to rely on feedback provided by a moving cursor (Kasuga, Hirashima, & Nozaki, 2013). On most trials, a single cursor reflecting the participants' true hand position was presented. Interleaved with these were perturbation trials. On some of the perturbation trials, the cursor was rotated relative to the true hand position, introducing a sensory prediction error. On other perturbation trials, there were two or three cursors, each following a different displaced trajectory. For example, one cursor might correspond to the true hand position with the other cursor(s) rotated by varying amounts; or all of the cursors might be rotated from the true hand position. Given that the number of cursors and their respective

rotations was randomized across trials, implicit adaptation was measured by calculating the trial-

by-trial change in hand angle. The results showed that the size of the trial-by-trial change could

be modeled by taking the average predicted response to each of the individual cursors, albeit with

a global attenuation in comparison to the single cursor condition. Thus, the response to two

cursors, one at 0° (veridical feedback) and one rotated by 45° was similar to when there were two

rotated cursors, one at 15° and one at 30°. The fact that there was adaptation even in the former

case is especially surprising given that one cursor provided veridical feedback. The adaptation

system did not appear to be preferentially sensitive to veridical feedback.

One issue of note in the Kasuga study is that, from the participants' perspective, it may be

appropriate to produce a composite error signal from the individual cursors because all of the

cursors were potentially of equal import and relevance to the task. However, in a natural

environment, there is likely to be one relevant source of feedback amongst irrelevant and

potentially distracting sources of information. To better understand how feedback drives

sensorimotor adaptation, it is important to know whether it is sensitive to the relevance of available

feedback. In the context of online feedback control, Reichenbach et al. (2014) provided a

compelling demonstration that the motor system was indeed sensitive to the relevancy of visual

signals (Reichenbach, Franklin, Zatka-Haas, & Diedrichsen, 2014). Participants performed

reaching movements in which the feedback display included one cursor linked to the true hand

position as well as up to 4 distractor cursors that moved with a similar but predetermined, and

thus non-contingent velocity profile. At some point during the movement, one of the cursors made

an abrupt lateral shift. Rapid, online corrections to the perturbation were much stronger when the

perturbed cursor was the one linked to the hand position, compared to when the perturbed cursor

was one of the distractors. Similar effects of task relevance have been observed in force-field

adaptation studies (Heald, Ingram, Flanagan, & Wolpert, 2018), suggesting that implicit processes

required for both on-line corrections and sensorimotor adaptation are sensitive to the task-
relevance of different feedback signals.

In contrast, other lines of research have highlighted how sensorimotor adaptation is
seemingly impervious to feedback regarding task goals and outcomes (Held & Gottlieb, 1958;
Welch, 1969). Consider the aiming landmark task, first introduced by Mazzoni and Krakauer,
(2006). After being briefly exposed to a 45º visuomotor rotation, the participants were instructed
to aim to a landmark positioned 45º in the opposite direction from the target. By implementing this
strategy, the participants were essentially perfect after one trial, producing movements in which
the rotated cursor hit the target. Nonetheless, over the next 100 trials or so, performance
deteriorated, with the hand angle increasing even further away from the target (see also: Taylor
& Ivry, 2011). This paradoxical result arises because the adaptation system, impervious to the
strategy, recalibrates the sensorimotor mapping to reduce the SPE, here defined as the difference
between where the movement was directed (towards the landmark) and where the cursor
appeared (at the target). Similarly, participants implicitly adapt to the movement of a cursor that
follows an invariant spatial trajectory displaced from the target, even when they are fully aware of
the manipulation and told to ignore it (Avraham, Morehead, Kim, & Ivry, 2021; Kim, Morehead,
Parvin, Moazzezi, & Ivry, 2018; Morehead, Taylor, Parvin, & Ivry, 2017; Parvin, McDougle, Taylor,
& Ivry, 2018; Tsay, Parvin, & Ivry, 2020).

Experiments such as these have led to the view that implicit adaptation is solely dependent
on SPE, impervious to feedback concerning the task outcome (but see: Kim, Parvin, & Ivry, 2019).
The results from the multiple cursor study of Kasuga et al. (2013) would also be consistent with
this hypothesis. However, as noted above, the cursors were, in a sense, all task-relevant. Here
we employ a multiple cursor task similar to Kasuga *et al*. with two key changes. First, rather than
randomize the perturbation from trial-to-trial, we employed a fixed rotation throughout the training
period and assessed adaptation in a subsequent block where feedback was withheld. Second,

and most importantly, we varied the cursor configurations and instructions as a way to manipulate

the task relevance of the different visual feedback signals. In this way, we sought to determine

whether implicit adaptation is sensitive to the relevance of the feedback.

METHODS

PARTICIPANTS

Undergraduate students (n = 64, 41 females, age = 20 ± 2 years) were recruited from the

University of California, Berkeley community and financially compensated for their participation in

the experiment. All participants were right handed, as assessed by the Edinburgh Handedness

Inventory (Oldfield, 1971). The research protocol was approved by the UC Berkeley institutional

review board.

EXPERIMENTAL APPARATUS

The participant was seated in front of a horizontally oriented computer monitor that was

supported by a table frame. All hand movements were tracked on a digitizing tablet (53.2 cm x 30

cm, ASUS), positioned 27 cm below the monitor. The participant held a modified air hockey

'paddle' embedded with a digitizing stylus to make center-out reaching movements over the tablet

surface in response to visual stimuli displayed on the monitor. The participant's hand was

occluded by the table/monitor, and the room was minimally lit to further preclude visual feedback

of the arm. The latency between the movement of the digitizing stylus and the updating of the

cursor position on the monitor was 33 milliseconds (ms). The experimental code, controlling the

visual display and acquisition of kinematic information was written in MATLAB (version 2016),

using the Psychophysics toolbox extensions (Pelli, 1997).

OVERVIEW OF THE REACHING TASK

Participants performed 8 cm reaches to targets located around a central starting location.

The start location was indicated by a 6 mm white annulus, and the target was a 6 mm blue circle.

The visual displays also included feedback cursors (3.5 mm white circles) that, depending on the

condition, either corresponded to the participant's hand position or were rotated around the start

location at a fixed angle from the hand position.

In all conditions, participants were instructed to produce rapid movements such that the

task-relevant designated cursor would 'shoot' through the target. Movement onset during the task

was arbitrarily defined as the time at which movement amplitude reached 1 cm from the center of

the start position. Movement time (MT) was defined as the duration from this point until the hand

reached a radial distance of 8 cm, the target distance. Auditory feedback concerning MT was

used to encourage participants to make relatively fast movements. For reaches shorter than 100

ms or longer than 300 ms, the messages 'too fast' or 'too slow' were played over the computer

speaker. A neutral 'knock' sound was played if MT fell within the desired range. Across all trials,

the median reaction time (RT) and MT were 462 ms and 172 ms, respectively. The median total

trial time (TTT), defined as the time from the start of one trial to the start of the next, was 3714

ms. One way ANOVAs revealed no differences between groups for RT ($F_{(3, 44)} = 0.448$, $p = 0.720$),

MT ($F_{(3, 44)} = 1.336$, p = 0.275), or TTT ($F_{(3, 44)} = 0.245$, p = 0.865).

On trials with visual feedback, the cursor or cursors were visible until the movement

amplitude reached 8 cm, whereupon the end point position was frozen for an additional 1 s. By

freezing the cursors, the participant received additional endpoint feedback of performance

accuracy. At the end of the feedback period, the cursors were turned off and the participant moved

their hand back to the start position. To help the participant find the start position, veridical

feedback was provided when their hand was within 1 cm of the start position. Once in the start

position, the feedback cursor was turned off and the annulus filled, indicating that the participant

should prepare for the next trial. The next target appeared once the participant remained within

the starting position for 500 ms.

EXPERIMENT 1

Experiments 1a and 1b (n = 48, 12 per group) employed a similar design in which the

participant completed a series of five blocks. The *No Feedback Baseline* block was composed of

24 reaches without visual feedback, one to each of 24 targets evenly spaced at 15º intervals (0º

to 345º, with 0º corresponding to a rightward movement). This block was included to familiarize

the participants with the experimental apparatus and with making movements in the desired time.

The next block, *Feedback Baseline*, was composed of 10 cycles of reaches, with each cycle

composed of one reach to each of the 24 target locations (240 trials). Veridical online feedback

was provided by a feedback cursor aligned with the participants' hand. Next was the *Training*

block in which the specific experimental manipulations of the cursor feedback were introduced

(detailed below). Targets were limited to three locations (30º, 150º, 270º) with 80 cycles of 3-

target sets (Training, 240 total trials). The 120º spacing was chosen to minimize

generalization/interference of adaptation effects between the three training locations (Day,

Roemmich, Taylor, & Bastian, 2016; Krakauer, Pine, Ghilardi, & Ghez, 2000). The *Aftereffect*

block had one cycle of 24 trials with participants reaching to each target without visual feedback,

similar to *No Feedback Baseline*. At the start of this block, the participant was explicitly instructed

to move their unseen hand directly to the target. The *Washout* block had the same structure but

with veridical visual feedback (3 cycles, or 72 trials). The *Aftereffect* and provided the critical data

to test for aftereffects, indicative of implicit adaptation and generalization. In all blocks, the order

of the target location was randomized within a cycle.

EXPERIMENT 1a

Experiment 1a was designed to examine the influence of distractor cursors on

performance during a visuomotor rotation task. We compared performance between training

conditions in which the display contained a single feedback cursor rotated 45º from the true hand

position or when the display also contained two additional cursors, positioned +/- 45º relative to

the single cursor (Fig 1D).

One Cursor group (n=12): A single feedback cursor was visible during the blocks with

visual feedback. In the *Feedback Baseline* and *Washout* blocks, the cursor provided veridical

feedback. At the start of the Training block, the participant was informed that the feedback cursor

would no longer be veridical but would now be displaced by 45º relative to their hand position

(counterbalanced clockwise or counterclockwise across participants). They were instructed that

the task goal was to compensate for this rotation such that the rotated cursor would hit the target.

The experimenter explained the effect of the rotation on the cursor and the new task by illustrating

it on a whiteboard. Although it could be inferred from the instructions that they could re-aim 45º

away from the target to achieve the goal, we did not explicitly instruct them to use such a strategy.

By making the rotation explicit, we believed there would be less ambiguity in the Aftereffect and

Washout blocks, in which we assess implicit adaptation by instructing participants to reach directly

with their hand. Furthermore, since participants were informed about the rotation of the cursors in

the Three Cursor group (below), this made the number of cursors the only difference between the

two groups.

Three Cursor group (n=12): Three feedback cursors were visible during each of the blocks

with visual feedback, with the cursors separated by 45º. Each cursor had a unique color: green,

orange, and purple (RGB values (/255) [7 210 0], [231 145 53], [234 0 238] respectively). All

colors were approximately matched on luminance based on a 'Hue Chrome Luminance' color

scheme, and the assignment of color to cursor was counterbalanced across participants. In the

Feedback Baseline and *Washout* blocks, the participant was informed that the middle cursor

would correspond to the true hand position and instructed to hit the target with that cursor,

specified in terms of the cursor color, idiosyncratic for each participant. This cursor was flanked

by the two distractor cursors, resulting in three cursors moving at -45º, 0º, 45º, relative to hand

position (Figure 1). The participant was instructed to ignore the other two cursors. Thus, if the

color assignment for the -45º, 0º, 45º cursors was green, orange, and purple respectively, then

the participant was to hit the target with the orange cursor and ignore the green and purple

cursors.

During the Training block, all three cursors were rotated by 45º, such that the cursors now

appeared at 0º, 45º, 90º (or 0º, -45º, -90º, counterbalanced across participants) relative to the true

hand position. The participant was informed of the manipulation and instructed to hit the target

with the middle cursor. Since the relative color assignment of the cursors remained the same, the

instructions did not change. Using the color mapping example from above with a counterclockwise

rotation, the participant's goal was still to hit the target with the orange cursor (now rotated 45º

from true hand position), while ignoring the green and purple cursors. With this arrangement, the

purple cursor now ended up corresponding to the true hand position (0º) and the green cursor

was rotated by 90º, relative to the hand. As such, if each cursor contributes equally to form a

composite SPE (Kasuga et al., 2013), the net SPE in the Three Cursor condition is identical to

that in the One Cursor condition.

EXPERIMENT 1b

As reported below, the inclusion of the two task-irrelevant distractors attenuated

adaptation in the Three Cursor group, relative to the One Cursor group. Experiment 1b was

designed to test two hypotheses that could account for this attenuation. The first hypothesis,

"Error Averaging", posits that adaptation is equally driven by SPE signals generated from all three

cursors, but that their weightings add up to less than 1. Thus, the total amount of adaptation

resulting from a 0º, 45º, and 90º would be less than from just one 45º cursor. The second, "Non-

Specific", hypothesis is that the presence of distractors dilutes the effects of adaptation in a

general manner, and as such, the attenuation effect is not dependent on the particular path of the

distractor cursors. To evaluate these hypotheses, we compared two, three-cursor variants in

Experiment 1b, using the same trial structure as in Experiment 1a.

In the Compensate group (n = 12), the visual feedback was not rotated during the Training

block. Instead, the participants were instructed to hit the target with the 45º side cursor. For

example, if the participant was in the clockwise group (again, counterbalanced across

participants) and had the color mapping shown in Figure 1D, they were instructed to hit the target

with the green cursor. "Compensate" refers to the fact that, while the three cursors were not

rotated relative to baseline, the instructions required participants to compensate for the angular

offset of the task-relevant cursor. Note that as a result of this change in instructions, the angular

offset of task-relevant cursor from the hand position (by 45º) is similar to the Three Cursor

condition in Experiment 1a.

In the Ignore Rotation group (n = 12), the three cursors were rotated by 45º in the Training

block. However, unlike Experiment 1a, the task goal was changed for this block, with the

participant instructed to hit the target with the outer cursor that was in the opposite direction of

the rotation (e.g., for a counterclockwise rotation, the task-relevant cursor now became the cursor

that was clockwise to the center cursor). As shown in Fig. 1D, the net effect of the rotation and

change in instructions results in the task-relevant cursor corresponding to the position of the hand.

"Ignore" here refers to the fact that participants can ignore the 45º rotation applied to the three

cursors since the task-relevant cursor ends up being veridical with respect to the participant's

hand.

In summary, the groups used in Experiment 1a and 1b match average and task-relevant

sensory prediction errors across their conditions, offering a window into the unique contribution

of these errors. Furthermore, with the exception of the Ignore condition, all groups were required

to make a 45º change in reaching angle in the Training block to compensate for the perturbation,

making reaching behavior very similar across these groups.

Figure 1: *Feedback configurations for the Three Cursor group in Experiment 1*. **A)** In the baseline block,
the middle cursor follows the veridical hand position, with two additional cursors rotated either +/- 45º on
either side. Participants are told to reach directly to the target with the middle cursor. **B)** In the *Training*
block, all the cursors are rotated by 45º, such that the middle cursor no longer corresponds to the true hand
position. Participants are told to hit the target with the middle cursor and ignore the other two cursors. **C)**
Target locations for Experiment 1. In the *Training* block, targets appeared in three locations (30º, 150º,
270º). In all other blocks, targets appeared in 24 generalized locations (from 0º to 345º in 15º intervals). **D)**

Experimental conditions for Experiment 1. Experiment 1a compares learning from one cursor versus three
cursors, keeping average SPE and relevant SPE the same. Experiment 1b employs two additional multiple
cursor conditions to understand how the distractor cursors affect implicit adaptation. In the Compensate
group, the three cursors were not rotated during the *Training* block, but the relevant cursor changed.
Participants were instructed to hit with an outer cursor (green cursor), thus making that cursor relevant.
This change in relevancy decreases the average SPE (i.e., 0°) but keeps the relevant SPE the same (i.e.,
45°) as the Three Cursor group. In the Ignore group, the cursors were rotated by 45° during the *Training*
block. Participants were told to hit the target with the cursor that followed their veridical hand position (pink
cursor). Thus, the relevant cursor has change but the average SPE remains the same as the Three Cursor
group.

EXPERIMENT 2

Experiment 2 (*n* = 16) was designed to further investigate how adaptation is influenced by

task-relevant feedback in the context of redundantly controlled objects. Generalization in this

experiment was assessed in one half of the workspace, with reaches limited to 13 target locations

spaced every 15º (Fig. 3C). To control for workspace-specific training artifacts (e.g.,

biomechanical biases), participants were assigned to reach in one of four areas of the workspace

– Top (0°-180°), Left (90°-270°), Bottom (180°-360°), or Right (270°-90°). In the *No Feedback*

Baseline block, the participant made three reaches to each of the 13 targets without visual

feedback. This was followed by the *Feedback Baseline* block, consisting of five reaches to the 13

targets with veridical feedback provided by a single cursor.

In the *Training* block (200 trials, with a break at the midpoint), two targets were presented,

positioned approximately +/-45° clockwise (see below) from the center of the participant's

workspace. Two cursors appeared during the reaching movement, one rotated clockwise (-45°)

and the other counterclockwise (45°) from the true hand position. The participant was instructed

that one target-cursor pair was task-relevant. For example, if the right target was task-relevant,

then the participant's goal was to hit this target with the cursor that was rotated in the clockwise

direction. The participant was told to ignore the other target-cursor pair. The side of the task-

relevant target was counterbalanced across participants. Note that by limiting the workspace to

180°, the instructions were stated in terms of a fixed direction (e.g., "hit the target on the right" or

"hit the upper target"). Following the *Training* block, the participant completed an *Aftereffect* and

Washout block (39 reaches each, three to each of 13 target locations). These blocks provided the

data for assessing aftereffects and generalization.

To verify that the participant was attempting to hit the task-relevant target, the location of

each target was independently jittered from trial to trial. The size of the jitter was one of five values,

-10º, -5º, 0º, 5º, and 10º, and determined in a pseudorandom manner for each participant, such

that each value was selected once every five trials. The overall order was pre-defined so that the

correlation between the jitter for the two targets would be zero across the experiment. As a result

of ensuring they were uncorrelated, the beta weights associated with each target were

independent. By jittering the exact location of the target, we could perform a multiple regression,

using each target as a predictor of hand angle. The beta weights obtained from this analysis

indicate the participant's sensitivity to the relevant and distractor target.

DATA ANALYSIS

The primary dependent variable of interest for all experiments was the heading angle of

the hand. This was defined as the signed angular difference between the position of the hand and

the target angle at peak radial velocity. Trials in which the hand angle was more than 90º away

from the target were excluded from the analysis (42 total, 0.15% of all trials over all participants).

Excluding these trials did not affect the outcome of any statistical tests. All analyses were

performed in custom Matlab (version 2016) scripts. All t-tests were two-tailed unless stated

otherwise. For both experiments, aftereffect analyses were performed on baseline subtracted

data, where the mean of the last three baseline trials for each target was subtracted from all

reaches to that target.

For the Gaussian fitting procedure in Experiment 1a and 1b, we used the fmincon function

in MATLAB to obtain the mean and 95% CI parameter estimates on 1000 bootstrapped samples.

The Gaussian function had three free parameters with the following lower and upper bound

constraints: standard deviation [0º 100º], height [0º 100º], mean [-100º 100º].

No statistical analyses were performed beforehand to determine sample size. The chosen

sample sizes were based on similar studies of visuomotor adaptation (Huang et al., 2011; Galea

et al., 2015; Vaswani et al., 2015), as well as considerations for counterbalancing. Experiment 1

(n=12 per group, 48 total) consisted of 2 participants for every cursor color combination (3) and

direction (2, clockwise vs. counterclockwise). Experiment 2 (n= 16) had 2 participants in every

possible counterbalanced configuration (4 workspaces x 2 directions).

Figure 2. *Experiment 1 Results*. **A)** One Cursor and Three Cursor conditions in Experiment 1a. Middle: Both groups learn and compensate for the rotation at the same rate during training. Right: After the *Training* block, participants were instructed to reach directly to the generalization targets; no feedback was provided. The peak location of the generalization curves did not significantly differ, but the peak amplitude was greater in the One Cursor group compared to the Three Cursor group. **B)** Compensate and Ignore conditions in Experiment 1b. Middle: No change in hand angle was observed in the Ignore group. Right: Significant aftereffects were only seen in the Compensate group. **C)** Direct comparison of the Three Cursor and Compensate groups. No significant differences were observed in either the training (middle) or aftereffect (right) periods. Thick lines denote group means. Shaded regions denote +/- SEM.

Figure 3. *Results from the aftereffect block in Experiment 1*. Three Cursor and Compensate groups have
similar levels of aftereffects. Both groups also had significantly less than the One Cursor group, and
significantly greater aftereffects than the Ignore group. Error bars denote +/- SEM. Dots denote individual
mean aftereffects.

RESULTS

EXPERIMENT 1a

In Experiment 1, we examined the impact of task-irrelevant cursors on implicit adaptation.
We first compared adaptation to displays consisting of either a single cursor (One Cursor group)
or three cursors, separated by 45º (Three Cursor group, Fig 2). In both groups, participants were
informed that, during the training block, the task-relevant cursor (single or middle) was rotated by
45º relative to their hand position, and that their task was to hit the target with this cursor. In the
Three Cursor group, participants were also told that one of the distractor cursors would coincide
with their veridical hand position but that they should ignore it and focus on the task-relevant
cursor.

Performance of the two groups during the Training block was compared to assess effects

of the distractor cursors on overall learning. Both groups appeared to compensate for the

perturbation at a similar rate and extent. There were no significant differences in early learning

(cycles 3-7, One Cursor mean hand angle = 18.00º [9.90º, 26.10º], Three Cursor mean = 26.67º

[17.23º, 36.12º], $[t_{(22)}$ = -1.535, p = 0.139, d = -0.626]), nor in late learning (last 10 cycles, One

Cursor mean = 43.44º [41.27º, 45.62º], Three Cursor mean = 41.55º [40.14º, 42.96º], $[t_{(22)}$ = 1.608,

p = 0.122, d = 0.656]). Previous studies have shown that implicit adaptation is typically limited to

10º-25º of learning (Bond & Taylor, 2015; Kim et al., 2018; Morehead et al., 2017; Tsay, Lee, Ivry,

& Avraham, 2021). Given that the change in hand angle is much larger than this range and that

the participants were explicitly informed of the manipulation, we assume there is a strategic,

aiming contribution to performance here. As such, the results indicate that the distractor cursors

did not have an appreciable influence on the participants' ability to adopt an aiming strategy to

complement adaptation.

To assess implicit adaptation, we included a block of trials after training in which the cursor

was no longer presented (Aftereffect block), and participants were instructed to reach directly

towards the target. Both groups exhibited aftereffects at the trained target location. However, the

magnitude of adaptation differed for the two groups: The One Cursor group had a significantly

greater aftereffect than the Three Cursor group (One Cursor group = 18.10º [14.50º, 21.69º],

Three Cursor group = 9.72º [6.48º, 12.96º], $[t_{(22)}$ = 3.808, p 9.622e-4, d = 1.555]).

There are at least two reasons why the aftereffect would be larger in the One Cursor group.

First, the difference could reflect that adaptation is attenuated by the inclusion of task-irrelevant

distractors. Alternatively, there could be a group difference in the use of an aiming strategy.

Assuming that the generalization function for adaptation is centered on the aiming location (Day

et al., 2016), differences in strategy use could cause differences in measured adaptation at the

training location on aftereffect trials.

To evaluate these two hypotheses, we assessed generalization during the aftereffect

block by measuring adaptation across a set of probe targets that spanned the workspace in 15º

increments (Figure 1C). The attenuation hypothesis predicts that the functions would be aligned

but with a lower peak for the Three Cursor group; the aiming hypothesis predicts that the functions

would be similar in amplitude but misaligned. The results were consistent with the attenuation

hypothesis. While the generalization functions for both groups were shifted towards the presumed

aiming direction of aiming, the peak of the generalization function was similar for the two groups.

Based on parameters obtained when fitting a Gaussian curve to the group data, the peak of the

generalization function was 7.7º [4.4, 10.9] and 9.0º [5.1, 12.8], with considerable overlap of the

confidence intervals for the One Cursor and Three Cursor groups, respectively [mean,

bootstrapped 95% CI]). In contrast, the heights of the peaks were different for the two groups

(One Cursor: 18.8º [16.7, 20.8]; Three Cursor: 11.0º [9.3 12.2]). These findings suggest that the

presence of the additional cursors attenuated the magnitude of implicit adaptation.

<u>Error Averaging vs Relevant error models of adaptation</u>

We next asked how the inclusion of the distractor cursors in the Three Cursor group

influenced adaptation. Specifically, we formulated two possible models to account for the

attenuation.

The Error Averaging model, inspired by Kasuga and colleagues (Kasuga et al., 2013),

proposes that the error from each cursor is processed simultaneously and contributes towards

learning (Equation 1). By this model, the attenuation effect for the Three Cursor group is reflected

in a reduction in the learning term, B_t, relative to what it would be in the One Cursor case. Kasuga

and colleagues observed a reduction of 0.57 for B_t in their three cursor conditions relative to the

One Cursor condition. This value is consistent with our observed attenuation of 0.55 for the Three

Cursor group in Experiment 1a (Three Cursor aftereffect divided by the One Cursor aftereffect).

$$x_{n+1} = A * x_n + B_t * \frac{e_{relevant} + e_{distractor\,1} + e_{distractor\,2}}{3}$$ Equation 1

An alternative model, the Relevant Error model, proposes that implicit adaptation learns

selectively from the relevant error, while the distractor cursors attenuate adaptation in a non-

specific fashion. Thus, the directions of the distractor cursors have no bearing on the direction or

magnitude of the aftereffect. The attenuation due to the presence of the two distractor cursors

would also be manifest in a reduced B_t term, just as in the Error Averaging model (Equation 2).

$$x_{n+1} = A * x_n + B_t * e_{relevant}$$ Equation 2

EXPERIMENT 1b

To compare these two models, we tested two additional groups in Experiment 1b. The difference

between the two models is in their treatment of the distractor cursors. In the Error Averaging

model, feedback information from each cursor is equally weighted to form a composite error

signal, whereas in the Relevant Error model, only the feedback information from the task-relevant

cursor is used to define the error signal. Given that Error Averaging and Relevant Error models

make identical predictions for the Three Cursor group, we devised two, three-cursor variants that

yield divergent predictions for the two models.

In the Compensate group (Figure 2), the mapping between hand position and cursor is

not changed in the Training block; that is, the cursor that provided veridical feedback during the

initial Feedback block continues to provide veridical feedback in the Training block. However, the

instructions change, with the task goal now requiring the participant to hit the target with the cursor

that is offset 45º from the hand (45º clockwise or counterclockwise, counterbalanced across

participants). To achieve this, the participant must move in the opposite direction (e.g., clockwise

if the task goal is to his target with a counterclockwise cursor). While the required hand trajectory

is the same as in the Three Cursor group, the set of errors is different. For the Compensate group,

the sum is now 0º (-45º, 0º, 45º, relative to the hand direction). Thus, the Error Averaging model

would predict no adaptation. In contrast, the Relevant Error model would predict the same amount

of adaptation as observed with the Three Cursor group. Even though the errors from the distractor

cursors are different between the Compensate and Three Cursor groups, both have a task-

relevant cursor that is offset by 45º from the hand direction.

Consistent with the Relevant Error model prediction, participants in the Compensate group

exhibited a robust aftereffect with Gaussian shaped generalization (mean at training location =

7.95º [5.26º, 10.63º], $t_{(11)}$ = 6.510, p = 4.368e-5, d = 1.879). Furthermore, this group behaved

similarly to the Three Cursor group during both the Training and Aftereffect blocks. There were

no significant differences during the Training block in their early learning (mean and 95% CI,

Three Cursor = 26.67º [17.22º, 36.11º], Compensate = 32.09º [25.70º, 38.48º], [$t_{(22)}$ = -1.047, p =

0.306, d = -0.428]), nor in their late learning (mean and 95% CI, Three Cursor = 41.55º [40.14º,

42.96º], Compensate = 40.37º [38.34º, 42.40º], [$t_{(22)}$ = 1.053, p = 0.304, d = 0.430]). There were

also no significant differences in their aftereffects at the training locations (Three Cursor mean =

9.72º [6.48º, 12.96º], Compensate mean = 7.95º [5.26º, 10.63º], $t_{(22)}$ = 0.925, p = 0.365).

The Ignore group provided a second test of the models. Here, a rotation of all three cursors

was introduced during the Training block, identical to that used for the Three Cursor group.

However, the participants were instructed in this block to hit the target with the 0º cursor, the one

that was now veridical with hand position. "Ignore" refers to the fact that the participant's task was

essentially to ignore the rotation by focusing on the (new) cursor that matched their hand position.

The Error Averaging model predicts the same aftereffect as the Three Cursor group, since it is

insensitive to the relevance of the error signals and the average error is again 45º (90º, 45º, 0º,

relative to the hand direction). The Relevant Error model, on the other hand, predicts no

aftereffect, since the hand direction and task-relevant cursor are aligned. Again, the results of the

aftereffects conformed to the Relevant Error prediction. A t-test showed no significant aftereffect

at the training location (mean = -0.45º [-1.66º, 0.75º], $t_{(11)}$ = -0.833, p = 0.423, d = -0.240).

The training period of the Ignore group lent itself to testing another prediction of the Error

Averaging hypothesis. If a composite SPE was present during the training trials, we should

observe a 'drift' away from the target, despite initial accurate performance (Mazzoni, 2006; Taylor

and Ivry, 2011). A t-test against 0 produced a non-significant result (mean = 0.57º [-0.20º, 1.33º],

$t_{(11)}$ = 1.635, p = 0.130, d = 0.472). We were worried, however, that this measure would not be

sufficiently sensitive to capture what might be a transient effect (Taylor and Ivry, 2011). As a more

sensitive alternative, we opted for a cluster analysis, assessing if there were any consecutive

cycles with significant drift (see supplementary information). This approach identified a significant

cluster of two consecutive cycles (training cycles 10 and 11) in which the mean hand angle was

greater than 0º (mean = 1.95º [1.09º, 2.81º], $t_{(11)}$ = 4.992, p = 4.076e-4, d = 1.441). While this

small cluster is in the expected direction, it is very small and of shorter duration than that observed

in previous studies (e.g., a 15º drift that lasts for about 80-100 trials, see Taylor & Ivry [2011]).

Thus, if there was any implicit adaptation in the ignore group, it was very limited.

Overall, the results conflict with the Error Averaging model and are consistent with the

Relevant Error model: Significant aftereffects were observed when the task-relevant cursor was

offset 45º from the hand position during the Training block, either because we imposed a

perturbation or altered the instructions. Moreover, the results from the Ignore group, as well as

the similarities between the Compensate and the Three Cursor group, suggest there is minimal,

or no specific influence from the distractor cursors. Rather, the presence of the distractors

appears to have a non-specific attenuation effect on adaptation to the task-relevant cursor.

EXPERIMENT 2

Although the results of Experiment 1 suggest that task relevance modulates adaptation,

they are far from conclusive in this regard. Not only was there no imposed rotation for the Ignore

group, just a change in the task-relevant color in the Training block, this group also did not have

to aim away from the target (as in the Compensate group). To provide a more direct assessment

of the contribution of task-irrelevant information, we conducted a second experiment, using a

design in which there were two targets positioned approximately 90º apart, and two associated

cursors, one rotated 45º in the clockwise direction from the hand direction and the other rotated

45º in the counterclockwise direction (Figure 4A). One target/cursor was designated task-relevant,

and the other was designated a distractor (i.e., task-irrelevant). Regardless of which was task-

relevant, the movement required to hit the target was directed around the midpoint of the two

targets, resulting in each cursor landing near its associated target. We measured the aftereffects

around each target location to determine the degree of adaptation. We hypothesized that the task-

relevant target may form the locus of generalization for implicit adaptation. Therefore, whether

there is also an aftereffect near the distractor target was of primary interest.

To verify that participants were following the instructions, we jittered the exact position of

the targets (see Methods) and calculated the trial-by-trial hand angle relative to each target

(Figure 4D). Using these time series, we then performed a multiple regression using the positions

of the relevant and distractor targets on each trial to predict the hand angle. This analysis

produced a beta weight for each target, quantifying how much the participant's behavior reflected

the tracking of each target (Figure 4E). We saw that greater weight was given to the task-relevant

target in 15 of the 16 participants. The other participant appeared to not follow directions (beta

weights were -0.14 and 0.09 for both the relevant and distractor targets), and this person's data

were excluded from the remaining analyses.

The mean beta weight for the task-relevant target was 0.76 [0.67, 0.84] and for the

distractor target was 0.20 [0.09, 0.32]. These values were significantly different from one another

($t_{(28)}$ = 8.149, p = 7.16e-9, d = 2.975). Interestingly, the beta weight for the task distractor target

was significantly greater than zero ($t_{(14)}$ = 3.675, p = 0.002, d = 0.949). Thus, while the participants

followed the instruction to track the relevant target, the results indicate that the participants were

not able to completely ignore the distractor target. One possibility is that the distractor target may

have served as an additional visual reference for aiming.

To assess adaptation, participants made reaching movements without feedback to an

array of targets, spanning the workspace that encompassed the two positions of the targets during

the training block. As in Experiment 1, the participants were instructed to reach directly towards

each target. To analyze these data, we collapsed across the two groups (clockwise or

counterclockwise rotation of the task-relevant cursor), displaying the data as though all

participants were instructed to hit the clockwise target and ignore the counterclockwise target

(Figure 4B). A significant aftereffect in the direction consistent with the rotation was observed

around the task-relevant target location (mean 10.87º [6.48º, 15.27º], $t_{(14)}$ = 5.304, p = 1.114e-4 ,

d = 1.370). Interestingly, there was also a significant aftereffect at the distractor target location

(mean -4.37º [-8.27º, -0.47º], $t_{(14)}$ = -2.406, p = 0.031, d = -0.621). The negative aftereffect

associated with the distractor target was consistent with the distractor cursor having the opposite

rotation to the relevant cursor. As expected, when we directly compared the aftereffects across

the two targets by flipping the sign of distractor cursor, aftereffects were marginally greater in the

task-relevant target compared to the distractor cursor ($t_{(14)}$ = 2.00, p = 0.067) with a medium effect

size (d = 0.51).

The fact that we observed a small aftereffect around the distractor target location would

seem at odds with the results of Experiment 1 where the effect of the distractor cursors was not

dependent on their direction (e.g., non-specific attenuation). However, as shown in the beta

weight analysis, the participants in Experiment 2 did not completely ignore the distractor target.

To look at the relationship between tracking and adaptation, we examined the correlation between

beta weights and magnitude of the aftereffect for both the relevant and distractor locations. To

capture how much a participant weighted the relevant target over the distractor, we normalized

the beta weights (beta weight for relevant target / sum of both beta weights) in these correlations.

For the relevant location, the correlation was significant ($r = 0.67$ $p = 0.007$), meaning that those

who were most successful in tracking the relevant target had the largest aftereffect around that

target's associated location. We performed the same analysis for the distractor target. Since the

distractor cursor had the opposite rotation, the predicted correlation would be negative. This

analysis revealed a similar pattern, but the correlation was not significant ($r = -0.30$, $p = 0.274$).

We note that this analysis may be underpowered, given that the range both aftereffect and beta

weights are narrower for the distractor location compared to the relevant location.

Figure 4. *Results of Experiment 2*. **A)** Feedback configuration for training trials. Two cursors appeared during the reach, rotated +/- 45º to the veridical hand position. **B)** Experimental task. Baseline and aftereffect trials had one-cursor feedback reaches to generalization targets. During training, one target/cursor pair was made task-relevant by instructing the participant to focus on hitting that target. By jittering the targets, we can assess how well the participant tracked the relevant target. **C)** Target locations, limited to one half of the workspace. Top: Training target locations, centered +/- 45º from the midpoint of the workspace. The exact location of each target was independently jittered by one of 5 values. Bottom, 13 generalization targets spaced 15º apart. **D)** Trial by trial tracking behavior for distractor (green) and relevant (red) target/cursor pairs. **E)** Beta weights for the relevant target (red) are significantly greater than for the distractor target (green). Data are group mean +/- SEM with lines representing individual performance. **F)** Generalization functions. The magnitude of the aftereffect is larger around the relevant target location (red) compared to the irrelevant distractor location (green), although the latter is also significantly greater than zero. G) Correlation between beta weights and aftereffect for relevant and distractor targets. Significant correlation for the relevant target (red) shows that participants who were better at tracking also had larger aftereffects. Non-significant correlation for distractor target (green). Note that in Panels D and F, the data are transformed to graphically depict the relevant target at 45º for all participants.

DISCUSSION

In this study, we asked how implicit adaptation, an important process for maintaining calibration within the sensorimotor system, is affected by the presence of multiple visual signals. Through our use of task instructions, we varied the information value of the signals, designating one cursor as task-relevant and the others as task-irrelevant. As expected, we found that adaptation was sensitive to the rotation of the task-relevant cursor. Moreover, as shown in Experiment 2, the degree to which participants tracked the target with the relevant cursor predicted the size of their aftereffect, pointing to a strong relationship between the task relevance assigned to the cursor and the amount of adaptation. Interestingly, implicit adaptation was attenuated by the presence of distracting feedback, but this effect was non-specific: The presence of the distractor cursors reduced the magnitude of adaptation, but not the direction of adaptation. These findings highlight a novel role of task relevance for implicit adaptation.

Adaptation is sensitive to task relevance

By presenting multiple cursors and manipulating their relevance, we were able to make sense of two seemingly contradictory findings in the sensorimotor adaptation literature. The results from several studies suggest the motor system is sensitive to the relevance of feedback (Heald et al., 2018; Reichenbach et al., 2014). In contrast, the results from other studies have shown that implicit adaptation is insensitive to task goals. For example, when only one cursor is presented, implicit adaptation will learn from the SPE, regardless of whether participants are explicitly told to ignore the visual feedback, or even when the response to that cursor is detrimental to performance (Mazzoni & Krakauer, 2006; Morehead & Orban de Xivry, 2021; Morehead et al., 2017; Taylor & Ivry, 2011; Taylor, Klemfuss, & Ivry, 2010). Our results suggest a hybrid position: When more than one source of visual motion feedback is present, the input to the adaptation system is restricted to the most relevant source of visual motion feedback. This selectivity constraint has been observed in studies of other implicit motor functions, such as the finding that

online corrections are faster in response to perturbations of a task-relevant cursor (Reichenbach

et al., 2014) or that separate force fields can be learned depending on what part of a virtual tool

is deemed relevant (Heald et al., 2018).

When participants simultaneously see their hand and a rotated cursor, adaptation (to the

cursor) is abolished (Wong, Marvel, Taylor, & Krakauer, 2019). In our conditions involving three

cursors, one cursor always corresponded to the veridical hand position, and the participants were

aware of this relationship. Nonetheless, the Three Cursor and Compensate groups still exhibited

unambiguous implicit adaptation. Moreover, while the aftereffect in these groups was attenuated

relative to the One Cursor group, the magnitude of adaptation was similar to that observed in

Experiment 2 of the current study and in Kasuga et al. (2013), conditions in which there was no

cursor was aligned with hand position. Thus, it appears that the presence of a veridical feedback

signal had no additional effect on attenuation, a result that is at odds with the findings of Wong et

al. (2019). We suggest that the system modulating the input to adaptation is sensitive to the overall

form of the feedback. Seeing an actual hand may be more compelling than cursor feedback,

giving it precedence over the cursor feedback, even if this is at odds with the task goal.

Selectivity of feedback is imperfect

Although adaptation was sensitive to the relevance of the feedback, the overall attenuation

of learning demonstrated that the selectivity was imperfect. The presence of multiple cursors had

a similar attenuating effect in the present study as observed in Kasuga et al. (2013). Specifically,

in both studies, adaptation was attenuated by about 45% when there were three cursors relative

to a standard single cursor condition. This similarity is striking given that Kasuga used

unpredictable rotations, interleaved the single and multi-cursor conditions, provided no

instructions concerning relevance, and measured learning using a trial-by-trial design, whereas

we used a predictable rotation, blocked the conditions, instructed the participants to attend to one

cursor, and measured learning in an aftereffect block.

An attenuation of motor responses due to the presence of irrelevant feedback has also

been observed for online corrections to cursor jumps (Reichenbach et al., 2014). One explanation

behind the attenuation could be that the irrelevant information diverted visual attention from the

relevant cursor, reducing adaptation. Previously, Taylor and Thoroughman (2007) demonstrated

that, in a force field reaching adaptation task, participants adapted less to the perturbation when

performing a secondary task designed to divide attention (Taylor & Thoroughman, 2007). Given

the similarity between the cursors, namely that all originated from the same start position and

moved with the same spatiotemporal correlation, it is likely that the irrelevant cursors resulted in

some degree of attentional diversion in our task (Folk, Remington, & Johnston, 1992). Such a

diversion of attention could degrade the perceptual accuracy of visual motion for the task-relevant

cursor (Cavanagh, 1992).

This attentional explanation is also relevant when considering why participants are

sensitive to task-relevance in the presence of multiple sources of feedback yet are unable to

ignore a single cursor when instructed to do so. An analogy would be with the 'cocktail party effect'

(Cherry, 1953). When there is only one cursor on a dark background, or one person speaking in

isolation, it is difficult to ignore that information. However, when there are multiple cursors, or

multiple speakers, it is possible to tune-in to the most relevant one. Extending the analogy further,

when tuning in to one specific speaker, the presence of other voices may be distracting, reducing

the signal to noise ratio, but the exact words being spoken by the other speakers are of minimal

relevance. Similarly, while we find that the additional cursors attenuated overall adaptation, the

rotations of the distractor cursors appeared to have no effect.

Another possible factor contributing to the attenuation could be related to the effects of

increased uncertainty of visual feedback. Intuitively, if the motor system is trying to determine the

visual motion information that is related to the feedback of a movement, other additional motion

signals are sources of distraction, reducing the overall signal to noise ratio and certainty of the

feedback. Increasing the uncertainty of the feedback, either through blurring the feedback or

displaying a cloud of cursors has been shown to attenuate adaptation and online corrections

(Burge et al., 2008; Körding & Wolpert, 2004; Tsay, Avraham, et al., 2020; Tsay, Kim, et al., 2021;

Wei & Körding, 2010).

Limitations and future directions

A limitation of our study is that we did not control or monitor visual fixation. Since it is likely

that participants directed their gaze at the relevant target (Neggers & Bekkering, 2000), one might

argue that the dominance of the relevant cursor in driving adaptation could reflect the fact that

distractor information is presented at more peripheral locations(s). We think that a fixation-based

argument is unlikely to account for the effects observed here. First, the distractor cursors

attenuated adaptation in all conditions, including in Experiment 2 where the relevant and distractor

cursors were 90º apart. Thus, at least for the angular separations employed here, there is no

obvious relationship between distance and attenuation. Second, prior work (Rand & Rentsch,

2015) has shown that magnitude of implicit adaptation is similar if participants are required to

maintain fixation on the start position, target, or allowed to gaze freely.

Although the present work makes clear that adaptation is impacted when operating in a

complex environment, one that is more akin to our natural environments, the processing stage at

which this interaction occurs is unclear. The present work suggests the operation of a selection

process that constrains the sensory prediction error, with the strength of this signal attenuated in

the presence of task-irrelevant information. Alternatively, the presence of uncertainty may operate

as some sort of gain on adaptation, either in terms of the strength of the sensory prediction or

weight given to the sensory prediction error. An important question for future research is to

elucidate the processes involved in the differential weighting of relevant and irrelevant sensory

feedback, and specify how this information impacts adaptation.

Acknowledgements

657 We thank Jonathan Tsay for his helpful comments on the paper.

Funding

659 This work was supported by grants R35 NS116883, R01 NS105839, and R01 NS1058389 from

660 the National Institutes of Health (NIH).

SUPPLEMENTARY INFORMATION

For the Ignore group in Experiment 1b, we used a cluster analysis approach to identify if

there were any significant clusters during training where the hand deviated from 0 (for an example,

see: Tsay, Parvin, et al., 2020). This step consisted of three steps. First, a t-test was performed

for each cycle, asking if the observed hand angle diverged from zero. Second, clusters were

defined as epochs in which the p value from the t-tests were less than 0.05 for at least two

consecutive cycles. Third, to identify the probability of obtaining a cluster of consecutive cycles

with significant p values, we performed a permutation test. In this, we created 1000 permutations

of the data with the cycles shuffled. For each shuffled permutation, we performed the first two

steps described above to identify clusters and for those meeting this criterion, we calculated the

sum of the t-scores over the significant cycles. Doing this for each of the 1000 permutations

resulted in a distribution of t-scores. The proportion of random permutations which resulted in a t-

score of equal or greater to that obtained from the data could therefore be directly interpreted as

the p value.

Applying the first two steps to the actual data, we identified only one cluster, and only of

length two (training cycle 10 mean = 2.32° [1.29°, 3.35°], $t(11) = 4.956$, $p = 4.315e\text{-}4$, $d = 1.431$,

and cycle 11 mean = = 1.58° [0.55°, 2.62°], $t(11) = 3.362$, $p = 0.006$, $d = 0.971$). The sum of t-

scores for the two consecutive cycles ($t = 8.318$) was compared to the distribution generated by

the permuted distribution, producing a p-value of 0.004. We therefore concluded that this cluster

of cycles represented a significant deviation from 0, rather than being due to chance.

References

Avraham, G., J. R. Morehead, J., Kim, H. E., & Ivry, R. B. (2021). Reexposure to a sensorimotor perturbation produces opposite effects on explicit and implicit learning processes. *PLoS Biology*, *19*(3), e3001147.

Bond, K. M., & Taylor, J. A. (2015). Flexible explicit but rigid implicit learning in a visuomotor adaptation task. *Journal of Neurophysiology*, *113*(10), 3836–3849.

Burge, J., Ernst, M. O., & Banks, M. S. (2008). The statistical determinants of adaptation rate in human reaching. *Journal of Vision*, *8*(4), 20.1-19.

Cavanagh, P. (1992). Attention-based motion perception. Science, 257(5076), 1563-1565.

Chaisanguanthum, K. S., Joshua, M., Medina, J. F., Bialek, W., & Lisberger, S. G. (2014). The neural code for motor control in the cerebellum and oculomotor brainstem. *ENeuro*, *1*(1), ENEURO.0004-14.2014.

Cherry, E. C. (1953). Some experiments on the recognition of speech, with one and with two ears. *The Journal of the Acoustical Society of America*, *25*(5), 975–979.

Day, K. A., Roemmich, R. T., Taylor, J. A., & Bastian, A. J. (2016). Visuomotor Learning Generalizes Around the Intended Movement. *ENeuro*, *3*(2). doi:10.1523/ENEURO.0005-16.2016

Folk, C. L., Remington, R. W., & Johnston, J. C. (1992). Involuntary covert orienting is contingent on attentional control settings. *Journal of Experimental Psychology. Human Perception and Performance*, *18*(4), 1030–1044.

Heald, J. B., Ingram, J. N., Flanagan, J. R., & Wolpert, D. M. (2018). Multiple motor memories are learned to control different points on a tool. *Nature Human Behaviour*, *2*(4), 300–311.

Held, R., & Gottlieb, N. (1958). Technique for studying adaptation to disarranged hand-eye coordination. *Perceptual and Motor Skills*, *8*(3), 83–86.

Kasuga, S., Hirashima, M., & Nozaki, D. (2013). Simultaneous processing of information on multiple errors in visuomotor learning. *PloS One*, *8*(8), e72741.

Kim, H. E., Morehead, J. R., Parvin, D. E., Moazzezi, R., & Ivry, R. B. (2018). Invariant errors reveal limitations in motor correction rather than constraints on error sensitivity. *Communications Biology*, *1*, 19.

Kim, H. E., Parvin, D. E., & Ivry, R. B. (2019). The influence of task outcome on implicit motor learning. *ELife*, *8*. doi:10.7554/eLife.39882

Kording, K. P., Tenenbaum, J. B., & Shadmehr, R. (2007). The dynamics of memory as a consequence of optimal adaptation to a changing body. *Nature Neuroscience*, *10*(6), 779–786.

Körding, K. P., & Wolpert, D. M. (2004). Bayesian integration in sensorimotor learning. *Nature*, *427*(6971), 244–247.

Krakauer, J. W., Pine, Z. M., Ghilardi, M. F., & Ghez, C. (2000). Learning of visuomotor transformations for vectorial planning of reaching trajectories. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, *20*(23), 8916–8924.

Mazzoni, P., & Krakauer, J. W. (2006). An implicit plan overrides an explicit strategy during visuomotor adaptation. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, *26*(14), 3642–3645.

Meegan, D. V., & Tipper, S. P. (1998). Reaching into cluttered visual environments: spatial and temporal influences of distracting objects. *The Quarterly Journal of Experimental Psychology. A, Human Experimental Psychology*, *51*(2), 225–249.

Morehead, J. R., Taylor, J. A., Parvin, D. E., & Ivry, R. B. (2017). Characteristics of Implicit Sensorimotor Adaptation Revealed by Task-irrelevant Clamped Feedback. *Journal of Cognitive Neuroscience*, *29*(6), 1061–1074.

Morehead, J. R., & de Xivry, J. J. O. (2021). A Synthesis of the Many Errors and Learning Processes of Visuomotor Adaptation. bioRxiv.

Neggers, S. F., & Bekkering, H. (2000). Ocular gaze is anchored to the target of an ongoing pointing movement. *Journal of Neurophysiology*, *83*(2), 639–651.

Oldfield, R. C. (1971). The assessment and analysis of handedness: the Edinburgh inventory.

Neuropsychologia, *9*(1), 97–113.

Parvin, D. E., McDougle, S. D., Taylor, J. A., & Ivry, R. B. (2018). Credit Assignment in a Motor

Decision Making Task Is Influenced by Agency and Not Sensory Prediction Errors. *The*

Journal of Neuroscience: The Official Journal of the Society for Neuroscience, *38*(19),

4521–4530.

Pelli, D. G. (1997). The VideoToolbox software for visual psychophysics: transforming numbers

into movies. *Spatial Vision*, *10*(4), 437–442.

Rand, M. K., & Rentsch, S. (2015). Gaze locations affect explicit process but not implicit process

during visuomotor adaptation. *Journal of Neurophysiology*, *113*(1), 88–99.

Reichenbach, A., Franklin, D. W., Zatka-Haas, P., & Diedrichsen, J. (2014). A dedicated binding

mechanism for the visual control of movement. *Current Biology: CB*, *24*(7), 780–785.

Taylor, J. A., & Ivry, R. B. (2011). Flexible cognitive strategies during motor learning. *PLoS*

Computational Biology, *7*(3), e1001096.

Taylor, J. A., Klemfuss, N. M., & Ivry, R. B. (2010). An explicit strategy prevails when the

cerebellum fails to compute movement errors. *Cerebellum* , *9*(4), 580–586.

Taylor, J. A., & Thoroughman, K. A. (2007). Divided attention impairs human motor adaptation

but not feedback control. *Journal of Neurophysiology*, *98*(1), 317–326.

Tsay, J. S., Avraham, G., Kim, H. E., Parvin, D. E., Wang, Z., & Ivry, R. B. (2020). The Effect of

Visual Uncertainty on Implicit Motor Adaptation. *Journal of Neurophysiology*.

doi:10.1152/jn.00493.2020

Tsay, J. S., Kim, H. E., Parvin, D. E., Stover, A. R., & Ivry, R. B. (2021). Individual differences in

proprioception predict the extent of implicit sensorimotor adaptation. *Journal of*

Neurophysiology. doi:10.1152/jn.00585.2020

Tsay, J. S., Lee, A. S., Ivry, R. B., & Avraham, G. (2021). Moving outside the lab: The viability of

conducting   sensorimotor   learning   studies   online   (p.   2021.01.30.181370).

doi:10.1101/2021.01.30.181370

Tsay, J. S., Parvin, D. E., & Ivry, R. B. (2020). Continuous reports of sensed hand position during

sensorimotor adaptation. *Journal of Neurophysiology*, *124*(4), 1122–1130.

Wei, K., & Körding, K. (2010). Uncertainty of feedback and state estimation determines the speed

of motor adaptation. *Frontiers in Computational Neuroscience*, *4*, 11.

Welch, R. B. (1969). Adaptation to prism-displaced vision: The importance of target-pointing.

Perception & Psychophysics, *5*(5), 305–309.

Wolpert, D. M., Ghahramani, Z., & Jordan, M. I. (1995). An internal model for sensorimotor

integration. *Science*, *269*(5232), 1880–1882.

Wong, A. L., Marvel, C. L., Taylor, J. A., & Krakauer, J. W. (2019). Can patients with cerebellar

disease switch learning mechanisms to reduce their adaptation deficits? *Brain: A Journal*

of Neurology. doi:10.1093/brain/awy334

Figure Captions

Figure 1: *Feedback configurations for the Three Cursor group in Experiment 1*. **A)** In the baseline block, the middle cursor follows the veridical hand position, with two additional cursors rotated either +/- 45º on either side. Participants are told to reach directly to the target with the middle cursor. **B)** In the *Training* block, all the cursors are rotated by 45º, such that the middle cursor no longer corresponds to the true hand position. Participants are told to hit the target with the middle cursor and ignore the other two cursors. **C)** Target locations for Experiment 1. In the *Training* block, targets appeared in three locations (30º, 150º, 270º). In all other blocks, targets appeared in 24 generalized locations (from 0º to 345º in 15º intervals). **D)** Experimental conditions for Experiment 1. Experiment 1a compares learning from one cursor versus three cursors, keeping average SPE and relevant SPE the same. Experiment 1b employs two additional multiple cursor conditions to understand how the distractor cursors affect implicit adaptation. In the Compensate group, the three cursors were not rotated during the *Training* block, but the relevant cursor changed. Participants were instructed to hit with an outer cursor (green cursor), thus making that cursor relevant. This change in relevancy decreases the average SPE (i.e., 0°) but keeps the relevant SPE the same (i.e., 45°) as the Three Cursor group. In the Ignore group, the cursors were rotated by 45° during the *Training* block. Participants were told to hit the target with the cursor that followed their veridical hand position (pink cursor). Thus, the relevant cursor has change but the average SPE remains the same as the Three Cursor group.

Figure 2. *Experiment 1 Results*. **A)** One Cursor and Three Cursor conditions in Experiment 1a. Middle: Both groups learn and compensate for the rotation at the same rate during training. Right: After the *Training* block, participants were instructed to reach directly to the generalization targets; no feedback was provided. The peak location of the generalization curves did not significantly differ, but the peak amplitude was greater in the One Cursor group compared to the Three Cursor group. **B)** Compensate and Ignore conditions in Experiment 1b. Middle: No change in hand angle was observed in the Ignore group. Right: Significant aftereffects were only seen in the Compensate group. **C)** Direct comparison of the Three Cursor and Compensate groups. No significant differences were observed in either the training (middle) or aftereffect (right) periods. Thick lines denote group means. Shaded regions denote +/- SEM.

Figure 3. *Results from the aftereffect block in Experiment 1*. Three Cursor and Compensate groups have similar levels of aftereffects. Both groups also had significantly less than the One Cursor group, and significantly greater aftereffects than the Ignore group. Error bars denote +/- SEM. Dots denote individual mean aftereffects.

Figure 4. *Results of Experiment 2*. **A)** Feedback configuration for training trials. Two cursors appeared during the reach, rotated +/- 45º to the veridical hand position. **B)** Experimental task. Baseline and aftereffect trials had one-cursor feedback reaches to generalization targets. During training, one target/cursor pair was made task-relevant by instructing the participant to focus on hitting that target. By jittering the targets, we can assess how well the participant tracked the relevant target. **C)** Target locations, limited to one half of the workspace. Top: Training target locations, centered +/- 45º from the midpoint of the workspace. The exact location of each target was independently jittered by one of 5 values. Bottom, 13 generalization targets spaced 15º apart. **D)** Trial by trial tracking behavior for distractor (green) and relevant (red) target/cursor pairs. **E)** Beta weights for the relevant target (red) are significantly greater than for the distractor target (green). Data are group mean +/- SEM with lines representing individual performance. **F)** Generalization functions. The magnitude of the aftereffect is larger around the relevant target location (red) compared to the irrelevant distractor location (green), although the latter is also significantly greater than zero. G) Correlation between beta weights and aftereffect for relevant and distractor targets. Significant correlation for the relevant target (red) shows that participants who were better at tracking also had larger aftereffects. Non-significant correlation for distractor target (green). Note that in Panels D and F, the data are transformed to graphically depict the relevant target at 45º for all participants.

Figure 1

A Example baseline trial

Start position

B Target

Task Relevant cursor

Distractor cursor

Distractor cursor

Example Training tial (Triple Cursor group)

C Training targets

Generalization targets

D

	Baseline	Training Trials		Average SPE	Relevant SPE
		First trial (Perturbation)	Last trial (Successful)		
Experiment 1a One Cursor		required change		**+ 45º**	**+ 45º**
Three Cursor		relevant	relevant	$\dfrac{0º + 45º + 90º}{3} = $ **+ 45º**	**+ 45º**
Experiment 1b Compensate		relevant	relevant	$\dfrac{- 45º + 0º + 45º}{3} = $ **0º**	**+ 45º**
Ignore		relevant	relevant	$\dfrac{0º + 45º + 90º}{3} = $ **+ 45º**	**0º**

Figure 2

Figure 3

Figure 4