Outbreak.info Research Library: A standardized, searchable platform to discover and
explore COVID-19 resources

Ginger Tsueng[1]*, Julia L. Mullen[1], Manar Alkuzweny[2], Marco Cano[1], Benjamin Rush[3], Emily
Haag[1], Outbreak Curators, Alaa Abdel Latif[4], Xinghua Zhou[1], Zhongchao Qian[1], Emory
Hufbauer[4], Mark Zeller[4], Kristian G. Andersen[4,5], Chunlei Wu[1,5,6], Andrew I. Su[1,5,6], Karthik
Gangavarapu[7], Laura D. Hughes[1]

[1]Department of Integrative, Structural and Computational Biology, The Scripps Research
Institute, La Jolla, CA 92037, USA
[2] Department of Biological Sciences, University of Notre Dame, Notre Dame, IN 46556, USA
[3] Ocuvera, Lincoln, NE 68512, USA
[4] Department of Immunology and Microbiology, The Scripps Research Institute, La Jolla, CA
92037, USA
[5] Scripps Research Translational Institute, La Jolla, CA 92037, USA
[6] Department of Molecular Medicine, The Scripps Research Institute, La Jolla, CA 92037, USA
[7] Department of Human Genetics, David Geffen School of Medicine, University of California
Los Angeles, Los Angeles, CA 90095, USA
*Corresponding authors: gtsueng@scripps.edu, lhughes@scripps.edu

Abstract

To combat the ongoing COVID-19 pandemic, scientists have been conducting research at
breakneck speeds, producing over 52,000 peer-reviewed articles within the first year. To
address the challenge in tracking the vast amount of new research located in separate
repositories, we developed outbreak.info Research Library, a standardized, searchable
interface of COVID-19 and SARS-CoV-2 resources. Unifying metadata from twelve
repositories, we assembled a collection of over 270,000 publications, clinical trials, datasets,
protocols, and other resources as of May 2022. We used a rigorous schema to enforce
consistency across different sources and resource types and linked related resources.
Researchers can quickly search the latest research across data repositories, regardless of
resource type or repository location, via a search interface, public API, and R package. Finally,
we discuss the challenges inherent in combining metadata from scattered and
heterogeneous resources and provide recommendations to streamline this process to aid
scientific research.

Introduction

In early January 2020, SARS-CoV-2 was identified as the virus responsible for a series of pneumonia cases with unknown origin in Wuhan, China[1]. As the virus quickly spread all over the world, the global scientific community began to study the new virus and disease, resulting in the rapid release of research outputs (such as publications, clinical trials, datasets) and resources (i.e. research outputs, websites, portals and more). The frequently uncoordinated generation and curation of resources by different types of resource generators (such as government agencies, NGOs, research institutes, etc.) exacerbate four factors that make finding and using resources a challenge: volume, fragmentation, variety, and standardization (**Figure 1**). These four factors hamper the ability for researchers to discover these resources, and consequently, impede the translation of these protocols, data, and insights into a synthesized understanding of the virus to help combat the pandemic.

For example, the volume of peer-reviewed articles from a single resource (LitCovid) has grown from about 52,000 published within the first twelve months to over 250,000 as of June 2022. Since April 2020, over 1,000 different research outputs have been published on a weekly basis, spanning new protocols, datasets, clinical trials, as well as publications. The rapid proliferation of resources could be manageable if there were a centralized repository for finding them, but none exists. In addition to research outputs like scientific literature, researchers, public health officials, media outlets, and concerned communities independently developed websites providing highly localized or specialized information on infection rates[2,3], prevention policies[4,5,6], and travel restrictions[7] resulting in a fragmented landscape of very different types of resources (**Figure 1**).

The volume and fragmentation issues were immediately obvious. Lacking alternate solutions for addressing these issues, individual and community efforts for curating these resources were created via shared Google spreadsheets[8,9,10] to aid in discoverability. However, the sheets were not a scalable solution and usually lacked sufficient metadata for describing resources, with the exception of Navarro and Capdarest-Arest. Several projects have attempted to address the volume and fragmentation issues, but were most often focused on a single type of resource. For example, NIH's iSearch COVID-19 portfolio[11] and the Kaggle COVID-19 Open Research Dataset Challenge (CORD-19)[12] aggregate scholarly articles, but do not include clinical trials, datasets, or other types of resources.

Compounding search issues caused by the variety of resource types, there has been a long-standing lack of standardization even *within* a particular type of resource. Existing resource repositories which were able to pivot quickly and curate COVID-19 content from their

collections utilized pre-existing metadata standards. For example, researchers involved in
PubMed, which uses Medline citation standards, shifted quickly to create LitCovid[13] which
follows the same standard. Similarly, the National Clinical Trials Registry has their own
custom list of COVID-19 Clinical Trials which follows their own Protocol Registration and
Results System (PRS) schema[14], but these conventions are not followed by the WHO
International Clinical Trials Registry Platform. Zenodo[15] and Figshare[16] , which both enable
export to multiple open data formats including schema.org, do not completely agree on the
marginality, cardinality, and selection of the properties in profiles they use[17,18,19].

What are resources?

- Websites, dashboards, portals
- Research outputs (Publications, Datasets, etc.)
- Lists and collections of other resources
- Guides, policies, recommend-dations
- Tools and code
- Other (learning materials, videos, etc.)

Who contributes to resource proliferation during an outbreak?

	Existing resources	Medical / research institute / association	Governmental Agencies / Trade associations / NGOs	News and Media Outlets	Citizen Scientists	Search engines and others
Examples of resource generators	PubMed, Figshare	JHU, Boston Children's Hospital	CDC, IATA, WHO, ACAPS, Dept. of Public Health	The New York Times, The Atlantic	Phildini, COVID-19 LST	google
What kind of resources do they generate?	Subsets of existing resources	Research Outputs, Websites, portals, tools	Research outputs, portals, lists, guides, policies, and more	Dashboards, Datasets and other Research outputs, websites, apps	Lists, collections, tools, websites, portals, dashboards	Dashboard-like, specialized search results
What are some examples of resources they generate?	LitCovid, Covid Figshare	JHU COVID cases and deaths data, VaccineFinder	WHO Reports, Local county dashboards, CDC, State Declarations	The Atlantic's Covid Tracker, New York Time's data	stayinghomeclub, Daily COVID-19 LST Reports	Google's covid19 search including maps with testing sites, etc.
What is the volume and fragmentation of the resources they generate?	Volume and fragmentation depend on resource	High collective volume but very fragmented	High collective volume, fragmentation dependent on data infrastructure	Varies—depends on syndication and shared infrastructure	Volume unknown due to high level of fragmentation	Low--single resources (search engines) aggregating metadata from other resources
What is the level of standardization for the resource data or metadata?	High within a resource, Low across different resources	Varies— can be high within a resource type or conform to repository requirements. Low across types /repositories	Varies depending on existing policies and infrastructure— lack of guidance/policy: less standardization	High within organization, low between organizations	Low across individual efforts, maybe higher in collective efforts	Prefers high— specialized views require standardized resources

Why are resources hard to find and use?

Volume: There is too much, too quickly	Fragmentation: There is no central place for all of it	Variety: There are many different types	Standardization: Differences exist even within a type

How can we support the use of standardized, centralized resources?

Value-Added Metadata	APIs	User-friendly GUI	Interpretable Visualizations	Shareable Results

Figure 1. What are resources, who contributes to the proliferation of resources, why are resources difficult to find and use, and how can we support their use?

Once the issues of volume, fragmentation, variety, and standardization of resources are
addressed, accessibility of the resulting resources for reuse must be addressed.
Standardized, centralized resources are of no value if researchers are not able to leverage
them. Researchers seeking to process information *en masse* will need an API, while
researchers seeking to browse and explore will prefer a user-friendly interface. APIs
themselves are less useful without a means of understanding the underlying metadata/data
(such as documentation or a GUI), and a user-friendly search portal will be less useful without
the inclusion of value-added metadata (such as ones supporting search/filter, linkage and
exploration, or qualitative evaluation) for improving resource discovery and interpretation.
Interpretability of metadata/data is influenced by the order in which information is
presented. To address this challenge, the user interface must encourage exploration which
gives users control over the information flow to suit their needs. Lastly, if a user has been
able to successfully leverage the standardized, centralized resources, they should be able to
easily save and share the results of their efforts.
99
We address the aforementioned challenges inherent in combining metadata from disparate
and heterogeneous resources and making information more interpretable by building
outbreak.info, a website which integrates a searchable interface for a diverse,
heterogeneous resources which we have collected and standardized (metadata) with
surveillance reports on SARS-CoV-2 variants and mutants (data). Following implementation
considerations for FAIRness[20], our website includes programmatic access via APIs and a
standardized metadata interface built off schema.org. Daily updates ensure that site users
have up-to-date information, essential in the midst of a constantly changing research
landscape. Based on our experience unifying metadata across repositories, we will discuss
issues with centralizing, standardizing, and returning resource metadata, epidemiological
data, and supporting the use of the metadata/data. In a companion piece, we present our
efforts to develop genomic reports to scalably and dynamically track SARS-CoV-2 variants[21].

Results

Standardizing metadata through a schema harmonizing a variety of resource types.
We address issues with metadata variety, standardization, and fragmentation by developing
a harmonized schema. Schema.org provides a framework to standardize metadata for many
different types of data found on the world wide web. However, these standards are not
preserved across different types of data. For example, publication providers like PubMed
typically use the 'author' property in their metadata, while dataset providers like Figshare
and Zenodo are compliant with the DataCite schema and typically prefer 'creator'. Although
both properties are valid for their respective schema.org classes, we normalized our schema

to use 'author' for all 5 of our classes since we expected the volume of publications to dwarf
all other classes of resources. We developed a schema that encompassed five types of
resources based on their proliferation at the beginning of the pandemic and their
importance to the research community: Publications, Datasets, Clinical Trials, Analysis, and
Protocols. We added this schema to the Schema Registry of the Data Discovery Engine
(DDE)[22], a project to share and reuse schemas and register datasets according to a particular
schema. Using this schema we ingested and harmonized metadata from an initial set of
twelve key resources: LitCovid (Publications), bioRxiv/medRxiv (Publications),
ClinicalTrials.gov (NCT) (ClinicalTrials), WHO International Clinical Trials Registry Platform
(WHO ICTRP) (ClinicalTrials), Figshare (Datasets, Publications, and more), Zenodo (Datasets,
Publications, and more), MRC Centre for Global Infectious Disease Analysis (Analyses,
Publications, and More), Protocols.io (Protocols), Protein Data Bank (PDB) (Datasets),
Harvard Dataverse (Datasets), COVID-19 Literature Surveillance Team (Publications), and
ImmPort (Datasets) (**Figure 2a**).

Figure 2. Supporting resource centralization and standardization by developing a harmonizing schema. **a,** Distribution of resources by resource type and source. Note that the x-axis in the bar graphs have different scales. **b,** Heterogeneous and filterable resources (i.e. publications, clinical trials, datasets, etc.) resulting from a single search of the phrase "Delta Variant"**.**

Sources of certain metadata did not map readily to existing schema.org classes. For example, clinical trials registries like NCT have one general schema for both observational and interventional studies, while schema.org provides separate classes for each of these types of studies. Since NCT was a primary source of clinical trials metadata for our research library, we tailored the Outbreak schema based on the combined general NCT schema. Fortunately, many dataset repositories offered schema.org-compliant metadata, even if the repositories differed in the metadata fields that were available. Dataset metadata was harvested from

Zenodo, Figshare, PDB, and Harvard Datasets, while Protocols were imported from
Protocols.io and NCT Protocols. Once our schema was developed, we created parsers (data
plugins) to import and standardize metadata from our initial set of resources. We assembled
the data plugins into a single API via BioThings SDK[23], and scheduled them to update on a
daily basis to ensure up-to-date information. By leveraging the BioThings SDK, we developed
a technology stack that addresses the fragmentation issue by easily integrating metadata
from different pre-existing resources. With a unified schema that harmonizes information
across heterogeneous resource types, a single search (for example "delta variant") to our API
can return relevant publications, datasets, clinical trials, and more (**Figure 2b**).
156
157
Enabling community curation and metadata submission to address fragmentation
and standardization issues.
At the start of the pandemic many curation efforts were neither coordinated, standardized,
or easy to find; however, these efforts served an important role in organizing information
early on. Given the highly-fragmented, diffuse and frequently changing nature inherent to
biomedical resources, we built outbreak.info with the idea that it should be expanded with
the participation of the community. Not only is finding and adding resources to the collection
an onerous process, it also requires us to know the full landscape of resources on the
internet. Furthermore, many resources do not collect metadata useful for linkage,
exploration, and evaluation in machine-readable formats. We enabled community-based
contributions of resource metadata in a variety of ways (**Figure 3a**).

Figure 3. Aggregating resource metadata by leveraging community contributions. **a,** The community contribution pipeline and technology stack for outbreak.info's Research Library. Curators may submit dataset metadata using the DDE built-in guide or from GitHub via the DDE/BioThings SDK. Python-savvy contributors can create parsers to contribute even more metadata via the BioThings SDK plugin architecture. A resource plugin allows the site to automatically ingest and update metadata from the corresponding external resource. Blue arrows indicate manual steps, yellow arrows indicate automatable steps after an initial set up, green arrows indicate completely automated steps. **b,** An example of a detailed metadata record manually-curated by volunteers as it appears in the Research Library.

For single datasets, contributors can submit the metadata via outbreak.info's dataset
submission guide on the Data Discovery Engine, which ensures that the curated metadata
conforms to our schema. From there, it can be saved to GitHub, where it can be improved
by other contributors via forking and pull requests. The DDE automatically passes the
information to the outbreak.info Resources API where it is made discoverable with the
Research Library. We demonstrated its utility by asking two volunteers to annotate metadata
from thirty different individual resources from across the internet and submitted the
metadata for integration via the DDE. As seen in **Figure 3b**, community-contributed
metadata using the DDE is standardized and can be exhaustively detailed. Although both of
our volunteers provided values for many of the available metadata properties (name,
description, topicCategories, keywords, etc.), one provided an extensive list of authors. Using
the BioThings SDK in conjunction with the DDE allows us to centralize and leverage
individualized curation efforts that often occur at the start of a pandemic. Additionally,
collections of standardized datasets, publications and other resources can be submitted to
the Outbreak Resources API by contributing a resource plugin. Resource plugins are
BioThings-compatible Python scripts to harvest metadata from a source and standardize it
to our schema; these parsers can be submitted by anyone with Python coding skills[23]. Our
community contribution pipeline allows us to quickly and flexibly integrate the
uncoordinated data curation efforts, particularly apparent at the start of the pandemic
(**Supplemental Figure 1**).
199
Improving searching, linkage and evaluation of resources to support exploration
Centralizing and standardizing the resources does not automatically make the resources
explorable to a user. While centralizing and standardizing allows for search, aggregation and
some filtering; additional metadata and a user-friendly interface is needed to allow thematic
browsing/filtering and to enable iterative traversal from query to search result to refined
query and vice versa. To support resource exploration and interpretation, we added
properties (value-added metadata) to every class in our schema that would support
searching/filtering/browsing (topicCategories), linkage/exploration (correction, citedBy,
isBasedOn, isRelatedTo), and interpretation (qualitative evaluations) of resources.
209
We selected these properties based on pre-existing citizen science and resource curation
activities, suggesting their value in promoting discoverability. For example, citizen scientists
categorized resources in their lists/collections by type (Dataset, Clinical Trials, etc.) in their
outputs[10] or area of research (Epidemiological, Prevention, etc.)[24] as they found these
classifications helpful for searching, filtering, and browsing their lists/collections. They also
evaluated the level of evidence provided by these resources in order to improve its

interpretability (i.e. understanding the credibility/quality of the resource)[24]. Existing
repositories such as LitCovid also organized information to enhance browsability, but these
efforts were often not captured in the metadata. For instance, LitCovid organized
publications into eight research areas such as Treatments or Prevention, but these
classifications are not available in the actual metadata records for each publication. To
obtain these classifications from LitCovid, subsetted exports of identifiers must be
downloaded from LitCovid and then mapped to the metadata records from PubMed.
223
To classify resources by topicCategory and improve search/browse/filtering capabilities in
our user interface, we used a combination of existing work (LitCovid) and human curation to
augment that categorization to provide higher specificity of topics and to extend to new
types of data (datasets, clinical trials). We applied out-the-box logistic regression,
multinomial naive bayes, and random forest algorithms to create models for classifying each
resource as belonging or not belonging to each topic. These three algorithms were found to
perform best on this binary classification task using out-the-box tests. For example, if a user
wants to browse for all resources (or filter down search results) related to the prevention of
COVID-19, they can select the appropriate topicCategory in the search/search results view of
the resources (**Figure 4a**). Users can also easily traverse from a view of a resource record to
start a new search by clicking on a topicCategory of interest (**Figure 4b**). We further enable
exploration by populating the linkage properties (corrections, citedBy, isBasedOn,
isRelatedTo) from citation metadata (whenever possible), corrections metadata (from
LitCovid, when available), and via an algorithm for matching peer-reviewed papers in LitCovid
with their corresponding preprints in bioRxiv/medRxiv. Together with the corrections
metadata from LitCovid, the algorithm has matched over 2,600 peer-reviewed articles with
their corresponding preprints, enabling users to follow from a publication record from
LitCovid to a publication record in bioRxiv/MedRxiv (**Figure 4b**).
242
Once a user has found a record of interest, they might wonder about the credibility of the
resource. To populate resource evaluations so that users can assess the quality of a resource
and tailor their interpretation accordingly, we leveraged the Oxford 2011 Levels of Evidence
annotations generated by the COVID-19 Literature Surveillance (COVID-19 LST) team[24] as well
as Digital Science's Altmetrics[25]. These evaluations are currently visible in the search results,
and in the future, we will enable users to further filter or sort search results by some
measurement of quality (i.e. Altmetrics: degree of access, or COVID-19 LST: level of evidence).
Lastly, we integrated resources with data and analyses we curated to track SARS-CoV-2
variants[21]. Researchers can seamlessly traverse from a specific variant report like Omicron
to resources on that variant to help understand its behavior (**Figure 4c**). In the absence of a

centralized search interface with linked records, a similar attempt to explore resources
outside the outbreak.info portal would require extensive manual searching from multiple
different sites (**Supplemental Figure 2**), each with their own interfaces and corresponding
search capabilities.

Figure 4. Enabling exploration of the resources. **a,** Selectable options for filtering results by topic
category or other facets enhance searchability and exploration from the search results view. **b,** Links
to other records or to additional potential searches of interest enabling further exploration from a
record view. **c,** Links from the Omicron Variant report to related resources.

Discussion

Over the course of the COVID-19 outbreak, researchers have shared the results of their work
at unprecedented levels – exacerbating existing issues in resource volume, fragmentation,
variety, and standardization. These issues make it challenging to assemble, traverse, and
maintain up-to-date resources. Further, the urgency of a pandemic requires that these issues
be addressed quickly, and in a scalable manner to be able to accommodate more data
flexibly. We launched outbreak.info within 2 months of the start of the COVID-19 pandemic
to address these issues and to highlight barriers in rapidly sharing research outputs in the
midst of a pandemic.

To address the structure and standardization issue, we developed a standardized schema, integrated metadata from different resources into an accessible API, and created a user-friendly search-and-filter, web-based interface. In addition to difficulties standardizing inconsistent metadata models between resources, it is also challenging to maintain a resource library that imports metadata from so many sources, particularly when the metadata updates daily and is prone to change structure. Any changes to the upstream metadata offered by an external site necessitates a change in the parser which imports them. The resource API utilizes the BioThings SDK plugin architecture to handle errors in individual parsers without affecting the availability of the API itself. Using the plugin architecture also allows the creation and maintenance of the individual resource parsers to be crowdsourced to anyone with basic Python knowledge and a GitHub account. Although resource plugins allow outbreak.info to ingest large amounts of standardized metadata, there are still many individual datasets and research outputs scattered throughout the web which are not located in large repositories. Since it is not feasible for one team to locate, identify, and collect standardized metadata from these individual datasets and research outputs, we leveraged the Data Discovery Engine to enable crowdsourcing and citizen science participation in the curation of individual resource metadata.

At the onset of our data harvesting and harmonization efforts, we focused on creating a unified search interface backed by a common schema.org-based schema. With an extendable pipeline in place, we focused next on augmenting the existing metadata by adding properties to help researchers find information more quickly: topic categorization to group related research, resource linking to connect related entities along the data lifecycle from data generation through publication, and integrating external evaluations of the research trustworthiness using a combination of human curation and automated methods.

Citizen scientists have played an active role in data collection[26,27] and making information more accessible[12,24] throughout the current pandemic. Given their ability to perform information extraction[28] and their immense contributions to classification tasks[29], we incorporated citizen science contributions into the training data for classifying resources into our topic categories. Some resource aggregators have used clustering algorithms to categorize the entries in their resource libraries, though many only aggregate resources of a single type (i.e. publications). We employed a different approach due to the heterogeneity of our resources, but our API is openly accessible, so anyone is welcome to apply clustering approaches to classify the entries.

In addition to generating metadata values for improved searching and filtering, we enabled
linkages between resources in our schema. For instance, ideally a publication about a clinical
trial would link to its clinical trial record, protocols used to collect the data, datasets used in
their analyses, and software code underlying the analyses to enable a more meaningful
understanding of this trial. However, these connections rarely exist within the metadata; as
a result, we have generated linkages between preprints and peer-reviewed publications, and
plan to create more linkages between other resource types. Challenges to include these
linkages included: the lack of unique identifiers, inconsistent use of citation metadata fields
between resources, and the lack of structured linkage metadata. For example, the ONS
Deaths Analysis does not have a unique identifier as assigned by Imperial College London,
lacks any citation metadata fields, and instead mentions a potential linkage to an Imperial
College London report in its mention of limitations[30]. Although preprints from bioRxiv[31] and
medRxiv may have links to the corresponding peer-reviewed manuscript on the bioRxiv site,
this information is not accessible via their API, necessitating the use of algorithms to
generate these links.
323
As a result of this centralization, standardization, and linkage, the outbreak.info Research
Library and resources API has been widely used by the external community, including
journalists, members of the medical and public health communities, students, and
biomedical researchers[32]. For instance, the Radx-Rad Data Coordination Center
(https://www.radxrad.org) is utilizing the Outbreak API to collect articles for customized
research digests for its partners. Using the Radx-Rad SearchOutbreak app
(https://searchoutbreak.netlify.app), users select topics based on information submitted
from partners. These are turned into queries for the Outbreak API, and every week, new
articles are added to the digests which are available at the website. A workflow sends an
email to subscribed users. These digests are not currently available to the public but are
expected to be released publicly in the future[33]. Overall, the site receives over a thousand
hits per day on average and its visualizations are shared frequently across social media
platforms like Twitter.
337
While we have developed a framework for addressing resource volume, fragmentation, and
variety that can be applicable to future pandemics, our efforts during this framework
exposed additional limitations in how data and metadata are currently collected and shared.
Researchers have embraced pre-publications, but resources (especially datasets and
computational tools) needed to replicate and extend research results are not linked in ways
that are discoverable. Although many journals and funders have embraced dataset and
source code submission requirements, the result is that the publication of datasets and

software code are still heavily based in publications instead of in community repositories
with well-described metadata to promote discoverability and reuse. In the outbreak.info
Research Library, the largest research output by far is publications, while dataset submission
lags in standardized repositories encouraged by the NIH such as ImmPort, Figshare, and
Zenodo. We hypothesize that this disparity between pre-print and data sharing reflects the
existing incentive structure, where researchers are rewarded for writing papers and less for
providing good, reusable datasets. Ongoing efforts to improve metadata standardization
and encourage schema adoption (such as the efforts in the Bioschemas community) will help
make resources more discoverable in the future – provided researchers adopt and use them.
For this uptake to happen, fundamental changes in the incentive structure for sharing
research outputs may be necessary.
356
Within the eighteen months since SARS-CoV-2 was first identified as the infectious agent of
the COVID-19 pandemic, there have been over 170 million cases and nearly 4 million deaths.
As those numbers continue to grow, so too does the research and understanding of the
causes and consequences of the spread of this virus. Given that there will be other
pandemics in the future, we demonstrate how we built and launched an extendable and
searchable platform for exploring COVID-19 research outputs and genomics data within two
months of the pandemic. We address many of the challenges faced when assembling a
collection of heterogeneous research outputs and data into a searchable platform. Our
platform, outbreak.info, seeks to make COVID-19 data more findable, accessible,
interoperable, reusable and interpretable by addressing many data management issues
exposed by an urgent and frequently-changing situation. Our site is used by a wide variety
of professionals including journalists, members of the medical and public health
communities, students, and biomedical researchers[32]. On average, the site receives over a
thousand hits per day and its visualizations are shared frequently across social media
platforms like Twitter. This platform is also easily extensible to add new metadata sources,
allowing the Research Library to grow with the pandemic as research changes.
373

Methods

Schema development

The development of the schema for standardizing our collection of resources is as previously
described[22]. Briefly, we prioritized five classes of resources which had seen a rapid expansion
at the start of the pandemic due to their importance to the research community:
Publications, Datasets, Clinical Trials, Analysis, and Protocols. We identified the most closely
related classes from schema.org and mapped their properties to available metadata from 2-

5 of the most prolific sources. Additionally, we identified subclasses which were needed to
support our main five classes and standardized the properties within each class. In addition
to standardizing ready-to-harvest metadata, we created new properties which would
support the linkage, exploration, and evaluation of our resources. Our schema was then
refined as we iterated through the available metadata when assembling COVID-19
resources.   The   Outbreak   schema   is   available   at
https://discovery.biothings.io/view/outbreak.
388
Assembly of COVID-19 resources
The resource metadata pipeline for outbreak.info includes two ways to ingest metadata.
First, metadata can be ingested from other resource repositories or collections using the
BioThings SDK data plugins. For each resource repository/collection, a parser/data plugin
enables automated import and updates from that resource. Second, metadata for individual
resources can be submitted via an online form. To assemble the outbreak.info collection of
resources, we collected a list of over a hundred separate resources on COVID-19 and SARS-
CoV-2. This list (**Supplemental Table 1**) included generalist open data repositories,
biomedical-specific data projects including those recommended by the NIH[34] and NSF[36] to
house open data, and individual websites we came across through search engines and other
COVID-19 publications. Prioritizing those resources which had a large number of resources
related to COVID-19, we selected an initial set of 2-3 sources per resource type to import into
our collection. Given the lack of widespread repositories for Analysis Resources, only one
source would be included in our initial import (Imperial College London). An Analysis
resource is defined as a frequently-updated, web-based, data visualization, interpretation,
and/or analysis resource.
405
Community curation of resource metadata
Resource plugins such as those used in the assembly of COVID-19 resources do not
necessarily have to be built by our own team. We used the BioThings SDK[23] and the Data
Discovery Engine[22] so that individual resource collections can be added by writing BioThings
plugins that conform to our schema. Expanding available classes of resources can be done
easily by extending other schema.org classes via the DDE Schema Playground at
https://discovery.biothings.io/schema-playground. Community contributions of resource
plugins can be done via GitHub. In addition to contributing resource plugins for
collections/repositories of metadata, users can enter metadata for individual resources via
the automatic guides created by the Data Discovery Engine. To investigate potential areas of
community contribution, we asked two volunteers to inspect 30 individual datasets sprinkled
around the web and collect the metadata for these datasets. We compared the results

between the two volunteers and their combined results were subsequently submitted into
the collection via the Data Discovery Engine's Outbreak Data Portal Guide at
https://discovery.biothings.io/guide/outbreak/dataset. Improvements or updates for
manually curated metadata can be submitted via GitHub pull requests.

Community curation of searching, linkage, and evaluation metadata and scaling with
machine learning
In an effort to enable improved searching and filtering, we developed a nested list of
thematic or topic-based categories based on an initial list developed by LitCovid[13] with input
from the infectious disease research community and volunteer curators. The list consists of
11 broad categories and 24 specific child categories. Whenever possible, sources with
thematic categories were mapped to our list of categories in order to develop a training set
for basic binary (in group/out group) classifications of required metadata fields such as (title,
abstract and/or description). If an already-curated training set could not be found for a broad
category, it would be created via an iterative process involving term/phrase searching on
LitCovid, evaluating the specificity of the results, identifying new search terms by keyword
frequency, and repeating the process. To generate training data for classifying resources into
specific topic categories, the results from several approaches were combined. These
approaches include direct mapping from LitCovid research areas, keyword mapping from
LitCovid, logical mapping from NCT Clinical Trials metadata, the aforementioned terms
search iteration, and citizen science curation of Zenodo and Figshare datasets.

The efforts of our two volunteers suggested that non-experts were capable of thematically
categorizing datasets, so we built a simple interface to allow citizen scientists to thematically
classify the datasets that were available in our collection at that point in time. Each dataset
was assigned up to 5 topics by at least three different citizen scientists. Citizen scientists were
asked to prioritize specific topic categories over broader ones. 90 citizen scientists
participated in classifying 500 datasets pulled from Figshare and Zenodo. The citizen science
curation site was originally hosted at https://curate.outbreak.info, the code for the site can
be found at https://github.com/outbreak-info/outbreak.info-
resources/tree/master/citsciclassify and the citizen science classifications at
https://github.com/outbreak-
info/topic_classifier/blob/main/data/subtopics/curated_training_df.pickle. These
classifications have been incorporated into the appropriate datasets in our collection, and
have been used to build our models for topic categorization. Basic in-group/out-group
classification models were developed for each category using out-the-box logistic regression,

multinomial naive bayes, and random forest algorithms available from SciKitLearn. The topic
classifier can be found at https://github.com/outbreak-info/topic_classifier.

In addition to community curation of topic categorizations, we identified a citizen science
effort, the COVID-19 Literature Surveillance Team (COVID19-LST), that was evaluating the
quality of COVID-19 related literature. The COVID-19 LST consists of medical students,
practitioners and researchers who evaluate publications on COVID-19 based on the Oxford
Levels of Evidence criteria and write Bottom Line, Up Front summaries[24]. With their
permission, we integrated their outputs (daily reports/summaries, and evaluations) into our
collection.

We further integrated our publications by adding structured linkage metadata, connecting
preprints and their peer-reviewed versions. We performed separate Jaccard's similarity
calculations on the title/text and authors for preprint vs LitCovid Publications. We identified
thresholds with high precision, low sensitivity and binned the matches into (expected match
vs needs review). We also leveraged NLM's pilot preprint program to identify and incorporate
additional matches. The code used for the preprint-matching can be found at
https://github.com/outbreak-info/outbreak_preprint_matcher. Expected matches were
linked via the `correction` property in our schema.

Harmonization and integration of resources and genomics data
The integration of genomics data from GISAID is discussed elsewhere[21]. We built separate
API endpoints for our resources (metadata resources API) and genomics (genomics data API)
using the BioThings SDK[23]. Data is available via our API at api.outbreak.info and through our
R package, as described in Gangavarapu et al.

Acknowledgements

We would like to thank Jasmine Rah, Brennan Joseph Enright, Justin Doroshenko, Thamanna
Nishath and the rest of the COVID-19 Literature Surveillance Team for their incredible work
and allowing us to share their work. We would like to thank Tom Adams and Craig Lazarchick
for their work in identifying metadata from various individual datasets and their extensive
feedback. We thank Sue Andarmani for her suggestions and feedback on dataset categories.
We thank all of the contributors found at (https://blog.outbreak.info/dataset-topic-category-
contributors) for taking the time to categorize datasets. We thank David Valentine for sharing
details about his netlify app as part of the Radx- Radical Data Coordination Center which is
funded by NIH (U24LM013755).

Funding

Work on outbreak.info was supported by National Institute for Allergy and Infectious Diseases (5 U19 AI135995, 3 U19 AI135995-04S3, 3 U19 AI135995-03S2), the National Center For Advancing Translational Sciences (5 U24 TR002306), the Centers for Disease Control and Prevention (75D30120C09795), and the National Institute of General Medical Sciences (R01GM083924).

Conflicts of Interest

KGA has received consulting fees and/or compensated expert testimony on SARS-CoV-2 and the COVID-19 pandemic.

References

1. World Health Organization. Novel Coronavirus (2019-nCoV): situation report, 1. *World Health Organization*. https://apps.who.int/iris/handle/10665/330760 (2020)

2. Dong, E. *et al*. An interactive web-based dashboard to track COVID-19 in real time. *The Lancet Infectious Diseases*, 20(5), 533-534 https://doi.org/10.1016/S1473-3099(20)30120-1 (2020)

3. Kaiser, J. 'Every day is a new surprise.' Inside the effort to produce the world's most popular coronavirus tracker. *Science* https://doi.org/10.1126/science.abc1085 (2020)

4. Noren, L.E. *et al*. Institutional Response to Covid. https://docs.google.com/spreadsheets/d/1IbF_wlmldVssG5spcmNE82nR9btcbF7rUlEqtcXW03o/edit#gid=0 (2020)

5. Morris, A. & citizen scientists. USA COVID-19 K-12 School Closures, Quarantines, and/or Deaths https://docs.google.com/spreadsheets/d/e/2PACX-1vQSD9mm5HTXhxAiHabZA6BPUByWBlP5HZ2jfOPEeGZkMB0ZFsmFBL5orqjIq22mjFNZ7n-11ObCylGn/pubhtml?fbclid=IwAR2tJ8yDVehGpxoP97Cco5HYAxoN014opwwm6uYt4s3E2xDr_8u9KF_LlgI# (2020)

6. James, P. & citizen scientists. Staying Home Club https://github.com/phildini/stayinghomeclub (2020)

7. Pogkas, D. *et al*. The Airlines Halting Flights as Virus Outbreak Spreads. *Bloomberg* https://www.bloomberg.com/graphics/2020-china-coronavirus-airlines-business-effects/ (2020)

8. Joachimiak, M. *et al*. SARS-COV-2 and COVID-19 datasets https://docs.google.com/spreadsheets/d/1eMhot7MjusyM7_2IBnzqi7RlzWWoYnfheWhMgDlPToQ/edit#gid=0 (2020)

9. Skenderi, J. *et al*. COVID-19 Resource Library.
https://docs.google.com/spreadsheets/u/2/d/1cqxDAg4jMHXI6gHOnoV8HqDdRHnmxEJRl-
bhhpe1HEo/htmlview# (2020)

10. Navarro, C. & Capdarest-Arest, N. COVID-19 Open Dataset Sources
https://docs.google.com/spreadsheets/d/10t3vtULr3nTz7mrlKj0rldUys47wsIfOVReHnx3Xu1
8/edit#gid=0 (2020)

11. NIH OPA. iSearch COVID-19 Portfolio https://icite.od.nih.gov/covid19/search (2020)

12. Allen Institute For AI. COVID-19 Open Research Dataset Challenge (CORD-19)
https://www.kaggle.com/allen-institute-for-ai/CORD-19-research-challenge (2020)

13. Chen, Q. et al. LitCovid: an open database of COVID-19 literature. *Nucleic Acids Research*,
49(D1), pp.D1534-D1540 (2020)

14. ClinicalTrials.gov. Protocol Record Schema - XML Schema for electronic transfer of
protocol information into the ClinicalTrials.gov Protocol Registration System.
https://prsinfo.clinicaltrials.gov/ProtocolRecordSchema.xsd (2018)

15. Fava, I. et al. Coronavirus Disease Research Community - COVID-19. *Zenodo.org*.
https://zenodo.org/communities/covid-19/?page=1&size=20 (2020)

16. Hyndman, A. A Figshare COVID-19 Research Publishing Portal. *COVID19.figshare.com*.
https://figshare.com/blog/A_Figshare_COVID-19_Research_Publishing_Portal/558 (2020)

17. European Organization for Nuclear Research. Zenodo FAIR Principles. *Zenodo.org*.
https://about.zenodo.org/principles/ (2013)

18. Hahnel, M. What Google Dataset Search means for academia. *Figshare Blog*.
https://figshare.com/blog/What_Google_Dataset_Search_means_for_academia/422 (2018)

19. Schema.org. About Schema.org. https://schema.org/docs/about.html (2015)

20. Jacobsen, A. *et al*. FAIR Principles: Interpretations and Implementation Considerations.
Data Intelligence 2(1-2), pp.10-29. https://doi.org/10.1162/dint_r_00024 (2020)

21. Gangavarapu, K. *et al*. Outbreak.info: Real-time surveillance of SARS-CoV-2 mutations
and variants. *medRxiv*. https://doi.org/10.1101/2022.01.27.22269965 (2022)

22. Cano, M. et al. Schema Playground: A tool for authoring, extending, and using metadata
schemas to improve FAIRness of biomedical data. *bioRxiv*.
https://doi.org/10.1101/2021.09.02.458726 (2021)

23. Lelong, S. *et al*. BioThings SDK: a toolkit for building high-performance data APIs in
biomedical research. *Bioinformatics*. https://doi.org/10.1093/bioinformatics/btac017 (2021)

24. Rah, J. *et al*. COVID-19 Literature Surveillance Team. *Covid19lst.org*.
https://www.covid19lst.org/copy-of-about (2020)

25. Digital Science. About Us. *Altmetric*. https://www.altmetric.com/about-us/ (Accessed 07
March 2022)

26. Birkin, L.J. et al. Citizen science in the time of COVID-19. *Thorax* 76(7), 636-637.
https://doi.org/10.1136/thoraxjnl-2020-216673 (2021)

27. Rohwer Lab at San Diego State University. #swab4corona. CoVID-19 Citizen Science.
https://covidsample.org/ (Accessed 17 September 2021)

28. Tsueng, G. *et al*. Applying citizen science to gene, drug and disease relationship
extraction from biomedical abstracts. *Bioinformatics* 36(4), 1226-1233.
10.1093/bioinformatics/btz678 (2020)

29. Blickhan, S. *et al*. Transforming research (and public engagement) through citizen
science. *Proceedings of the International Astronomical Union*. Cambridge University Press,
14(A30), pp. 518–523. https://doi.org/10.1017/S174392131900526X (2018)

30. Imperial College COVID-19 Response Team. ONS excess deaths. *Imperial College London*.
http://www.imperial.ac.uk/mrc-global-infectious-disease-analysis/covid-19/covid-19-
reports/ (Accessed 21 October 2021)

31. bioRxiv. COVID-19 SARS-CoV-2 preprints from medRxiv and bioRxiv.
https://connect.biorxiv.org/relate/content/181 (2021)

32. Haag, E. User Stories Outbreak.info Blog https://blog.outbreak.info/?tag=user_stories
(Accessed 06 January 2022)

33. Valentine, D. & Radx. SearchOutbreak. Radical Data Coordination Center.
https://searchoutbreak.netlify.app (2021)

34. BioMedical Informatics Coordinating Committee. Data Sharing Resources. National
Institutes of Health. https://www.nlm.nih.gov/NIHbmic/nih_data_sharing_repositories.html
(2020)

36. National Science Foundation. Open Data at NSF. https://www.nsf.gov/data/ (2013)