Exploring the
Frame Effect

Patrick Cavanagh[1,2], Stuart Anstis[3], Matteo Lisi[4], Mark Wexler[5], Marvin Maechler[6], Marius 't Hart[2], Mohammad Shams-Ahmar[1], and Sharif Saleki[6]

1 Department of Psychology, Glendon College, Toronto, ON, Canada
2 Centre for Vision Research, York University, Toronto, ON, Canada
3 Department of Psychology, University of California at San Diego, La Jolla, CA, USA
4 Department of Psychology, Royal Holloway, University of London, London, UK
5. INCC and CNRS, Université de Paris, Paris, France
6. Department of Psychological and Brain Sciences, Dartmouth College, Hanover, NH, USA

Movies: Click on each movie to open it in a separate browser window.

➙ click here to open this same document on the web with all the movies embedded.

Abstract

Probes flashed within a moving frame are dramatically displaced (Özkan et al, 2021; Wong & Mack, 1981) The effect is much larger than that seen on static or moving probes (induced motion, Duncker, 1929; Wallach et al, 1978). These flashed probes are often perceived with the separation they have in frame coordinates — a 100% effect. Here we explore this frame effect on flashed tests with several versions of the standard stimulus. We find that the frame effect holds for smoothly or abruptly displacing frames, even when the frame changed shape or orientation between the endpoints of its travel. The path could be non-linear, even circular. The effect was driven by perceived not physical motion. Whenthere were competing overlapping frames, the effect was determined by which frame was attended. There were a number of constraints that limited the effect. A static anchor near the flashes suppressed the effect but an extended static texture did not. If the probes were continuous rather than flashed, the effect was abolished. The results suggest that the frame effect is robust to many variations in its shape and path and leads to a perception of flashed tests in their locations relative to the frame as if the frame were stationary.

Introduction

Vision has been shown to encode the motions and positions of objects relative to the frames that surround them (Duncker, 1929; Johansson, 1950), up to and including the frame of the whole visual field. Frames can change what we judge to be "up" (Asch & Witkin, 1948; Morgan, Grant, Melmoth & Solomon, 2015) and what direction we think is straight ahead (Roelofs, 1935; Matin & Fox, 1989). A moving frame can alter the sense of our own motion (Warren, 1895) or that of an object within the frame (Duncker, 1929; Wallach 1959; Johansson, 1950). However, this earlier literature on frame effects typically examined static (Duncker, 1929) or continuously moving probes (Wallach et al, 1978). In contrast, moving frames gave far larger effects on flashed probes (Wong & Mack, 1981; Ozkan et al., 2021). The flashed probes generated illusory offsets as large as the frame's displacement, as if they were seen in the frame's coordinates and the frame were not moving. Paradoxically, the frame was still seen to move, although by less than the distance of its physical travel.

In this paper, we will further explore this of moving frames flashed probes, varying the type of frame, its motion, and the frame's path among other factors. These frame effects with flashed probes not only differ from previous reports in terms of the size of the illusory shift, but also in the nature of the effect on the flashes which appear to be at a fixed location and not in motion. In particular, Johansson (1950) had proposed a process of motion decomposition groups of elements in motion. This decomposition would extract a ''common motion'' vector for all the elements and leave the difference of each individual element from the group vector as ''relative motion''. Each element had two motion vectors: the common motion and the individual motion relative to the group. However, flashed tests do not pick up any sense of the common motion. Instead of a motion decomposition, we get a position decomposition and the effects are dramatic.

Methods

Participants. The experiment was conducted online. 24 participants were recruited by email sent to vision labs across the world. All 8 co-authors also participated. The protocols for the study were approved by the York University Review Board in accordance with the principles of the Declaration of Helsinki (2003).

Stimuli and procedure. The experiment consisted of a set of 21 movies presented to the participants in their web browser, accessed here https://cavlab.net/Demos/FrameExperiment. The participants saw the same 21 videos of frame effects presented in the following results sections, each with a moving frame or background and two flashes, one red and one blue. The flashes were vertically aligned in most videos (horizontally in one and with slight oblique offsets in two others). The question for each test was presented below the video and there was no time limit. For most of the videos, the participants were asked whether the red flashed disc was seen to the right of the blue and they responded with a 4-point scale (1. Yes; 2. Yes, after a while; 3. Not much; and 4. No). Other responses were specific to different questions on some of the videos. They returned their responses by email. The experiment took 10 to 15 minutes.

Analysis. The responses of the participants are combined and reported with the question and response choices for each of the 21 movies.

Results

Where Frames Work

1.1.1. The basic frame effect

Here is the basic frame effect with an outline square moving left and right and a probe disc flashing at each reversal. Click the movie to run it in a browser window. The red and blue discs here are *always* vertically aligned — notice the green line — but when the line disappears, a large offset may appear with red to the right of blue by about as much as the frame's displacement. All observers reported this offset.

Do not stare at or fixate the flashes in any of the demonstrations, that will reduce or eliminate the effect.

Responses (out of 26)		
Does the red	26	Yes.
flash appear	0	Yes, but only after a while.
to the right of	0	Not so much.
the blue flash?	0	No.

Movie 1.1.1. Click to start.

1.1.2. Apparent motion

Here is the same basic frame effect but now with a single step in the displacement — apparent motion. The red and blue discs here are again *always* vertically aligned — notice the green line — but when the line disappears, the offset may appear with red to the right of blue. 77% of observers reported seeing this offset immediately or after some delay. 15% saw no offset.

Responses (out of 26)		
Does the red	16	Yes.
flash appear	4	Yes, but only after a while
to the right of	2	Not so much.
the blue flash?	4	No.

Movie 1.1.2. Click to start.

1.1.3. Second-order motion

Here the frame is a second-order shape defined by flickering dots against the surrounding steady random dots, there is no difference in mean luminance between the frame and the background. A similar test was run with the frame defined by equiluminous colour using a specialized helmet (Figure 1). This gave a strong frame effect. In the second-order motion demonstration below, the red and blue discs are again *always* vertically aligned — notice the green line — but when the line disappears, a large offset may appear with red to the right of blue. 96% of observers saw this offset immediately or with some delay. 4% did not.

Figure 1. Viewing stimuli with the equiluminizing helmet. The screen display is reflected off the front blue filter. See Connolly et al, 2015

Movie 1.1.3. Click to start.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	24	Yes.
	1	Yes, but only after a while
	0	Not so much.
	1	No.

1.1.4. Two frames at once

Here, two frames move opposite directions with all four flashes aligned horizontally. 96% of observers reported the vertical offsets in both frames immediately or with some delay. This shows that the frame effect is not due to eye movement artifacts. Interestingly, smaller effects are seen when comparing positions across the frames.

Movie 1.1.4. Click to start.

Responses (out of 26)		
Are red and blue separated vertically in each frame?	24	Yes.
	1	Yes, but only after a while
	1	Not so much.
	0	No.

1.2. Is the frame effect due to displacement or motion?

We find that both the displacement and the motion generate position offsets, but they act independently. The *displacement* effect is independent of speed and dependent on the size of the displacement (Özkan et al., 2021); whereas, the effect of pure *motion* is speed dependent, independent of path length ([Cavanagh, MacLeod, & Anstis, 2021](#)). Pure motion is tested here using reverse apparent motion (Anstis, 1970) and the stimulus offers no discernible landmarks to carry displacement information. The dots move one way but the motion goes the opposite direction. 96% of observers reported that the flashes, which are always vertically aligned, appear displaced in agreement with the perceived direction and not the physical displacement.

Responses (out of 26)		
Is the top red flash to the right of the bottom one?	16	Yes.
	9	Yes, but only after a while
	1	Not so much.
	0	No.

Movie 1.2. Click to start.

1.3. What moving backgrounds can produce the frame effect?

Any moving background appears to be sufficient, from natural scenes, to outline squares and random dots. Even two discs moving in tandem can be effective. The red and blue discs are always vertically aligned as shown at the beginning by the green line, but red may appear shifted to the right of blue once the line disappears. 88% reported the offset immediately or with some delay, 8% did not see it.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	21	Yes.
	2	Yes, but only after a while
	1	Not so much.
	2	No.

Movie 1.3. Click to start.

1.4.1. Can the background change while moving?

 The background can distort and rotate while still preserving the frame effect. It appears sufficient that some "thing" has displaced. It may change as it displaces. This may be related to the tolerance of apparent motion to shape and feature changes between the first and second position. Here the shape is changing during the motion but once the green line fades, the red disc appears to the right of the blue, even though they are vertically aligned. 92% reported seeing the offset immediately or with some delay, 4% did not see it.

Movie 1.4.1. Click to start.

	Responses (out of 26)	
Does the red	22	Yes.
flash appear	2	Yes, but only after a while
to the right of	1	Not so much.
the blue flash?	1	No.

1.4.2. Can the background rotate while moving?

Here the shape rotates while displacing. The effect (red to the right of blue) may be reduced for some observers. 65% reported seen the offset immediately or with some delay, 19% did not see it.

Movie 1.4.2. Click to start.

	Responses (out of 26)	
Does the red	11	Yes.
flash appear	6	Yes, but only after a while
to the right of	4	Not so much.
the blue flash?	5	No.

1.5.1. Does the displacement have to be linear?

The backgrounds can follow nonlinear paths while still preserving the frame effect that is driven solely by the displacement between initial and final locations when the two flashes appear. Complicated paths are less effective though. Here is a path that follows a semicircular arc. 85% reported seeing the effect immediately or with some delay, 8% did not see it.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	20	Yes.
	2	Yes, but only after a while
	2	Not so much.
	2	No.

Movie 1.5.1. Click to start.

1.5.2. Does the displacement have to be linear?

Does the flashed probe shift because it is pulled by the initial motion of the frame or is its shift a result of the frame's overall path? We can test this with a nonlinear path that starts out in the direction opposite to the final displacement (Fig. 2) like

Figure 2. Direction reversing path.

the one below. The initial motion here is to the right but in the end, the frame has moved to the left. If the shift is caused by the initial motion, the red will appear to the left of blue. If it is caused by the overall displacement, the red will appear to the right of the blue. The outcome was equivocal though, 38% reported seeing red to the right, but 50% reported no offset.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	5	Yes.
	5	Yes, but only after a while
	3	Not so much.
	13	No.

Movie 1.5.2. Click to start.

1.6. Does the displacement have to have transient reversals?

The backgrounds can follow a continuous circular path with no reversal transient while still preserving the frame effect. 81% saw the offset immediately or after some delay in this movie, 8% did not.

	Responses (out of 26)	
Does the red flash appear to the right of the blue flash?	14	Yes.
	7	Yes, but only after a while
	3	Not so much.
	2	No.

Movie 1.6. Click to start.

1.7.1. Attention: What happens when there are two frames?

When there are two frames moving in opposite directions, the flashed discs may initially appear vertically aligned, as they are. But **attention** to the light or dark frame can make the red dot appear to the left of the blue (attend to light frame) or to the right (attend to the dark frame). 71% saw the two flash offsets reverse when they switched attention, 25% saw no offset, 4% saw an offset but could not reverse it.

	Responses (out of 26)	
Is the red flash left of blue at times but right of it at other times?	18	Yes.
	2	I see a separation, but it never reverses.
	0	Not so much.
	6	No.

Movie 1.7.1. Click to start.

1.7.2. Attention: What happens when there are two frames?

Here there are two frames moving orthogonally, one within the other. The flashed discs may initially appear displaced vertically due to the motion of the inner frame, so blue appears to be above red by more than its physical offset (indicated initially by the green square). The inner frame dominates. However, attention to the outer frame may make the flashed dots appear displaced horizontally as well (blue left of red). This may take some time as the inner frame seems to be more effective — perhaps because it is closer to the flashed dots. 81% were able to see both offsets. 19% saw only one or the other.

Responses (out of 26)		
Can you see the blue flash well above the red at times?	21	Yes. Blue above red at times, left of red at other times.
Can you see the blue to the left of red at other times	4	Only above.
	1	Only left.
	0	Nothing.

Movie 1.7.2. Click to start.

1.8.1. Is the frame effect driven by global or local motion?

Here is the first example to demonstrate that the frame effect is determined by the global, perceived motion not by the local, physical motion. Here, in an angled parallelogram, the perceived motion is up and down even though the local motion of the nearest contours is left and right. When viewing the whole shape, the two flashes shift apart vertically, consistent with the global motion. However, when viewing is restricted to a horizontal aperture, the left-right motion dominates and red and blue may shift apart horizontally. Indeed, all observers saw the offset as vertical before the occluders were present, then horizontal after they appeared.

Responses (out of 26)		
Is the blue flash first above red, but in the restricted view more left of red?	25	Yes.
	1	Yes, but only after a while
	0	Not so much.
	0	No.

Movie 1.8.1. Click to start.

1.8.2. Is the frame effect driven by global or local motion?

In this second example, an occluded diamond shifts left and right (<u>Lorenceau & Shiffrar, VR 1992</u>). With gaze near the flashing discs, the motion of the white contours appears to be up and down and there may be no shift of the two flashes. However, with gaze away to the left or right, a left-right motion may be seen and the two flashes should then shift apart horizontally. 69% of observers d i d report the offset when looking peripherally, 8% saw no offset no matter where they looked.

Responses (out of 26)		
Does red appear to the right of blue *when looking outside the movie frame?*	10	Yes.
	8	Yes, but only after a while
	6	Not so much.
	2	No.

Movie 1.8.2. Click to start.

2. Where Frames Do Not Work

2.1.1. Frames do not work when there is a nearby spatial anchor

Here there is initially one vertical line. Its presence anchors the locations of the two flashes and 77% of observers report little or no shift indicating that the nearby static anchor has suppressed the effect of the frame, perhaps because it provides a strong position reference. However, if more lines are added, the frame effect returned for 50% of observers, suggesting that the original line lost its position signal as it became an indistinguishable part of a texture. Interestingly, 23% of observers already saw an offset between the two flashes when only one line was present, and they saw the same offset when all the lines were present. 15% saw no offset in either configuration.

Responses (out of 26)		
Is red to the right of blue *only* after the extra lines appear?	13	Yes, only after.
	6	Red right of blue at all times.
	3	Not so much before or after.
	4	Nothing.

Movie 2.1.1. Click to start.

2.1.2. But static textures do not act as spatial anchors

Perhaps the array of lines in the previous example did not act as an anchor because it was a regular texture. Here there is a random texture and the frame effect works for 88% of the observers despite the nearby stationary spots it provides. This shows that the texture does not have to be uniform to lose its position input to the flash judgments. Only 4% of observers reported no offset here.

Movie 2.1.2. Click to start.

	Responses (out of 26)	
Does the red flash appear to the right of the blue flash?	23	Yes.
	0	Yes, but only after a while
	2	Not so much.
	1	No.

2.2.1. When the frame rotates around the flashes.

If the frame rotates around the tests, here by 180°, the frame effect appears to be suppressed for many observers (46%) — red is not seen to the right of blue. However, some observers (23%) did see an offset here. Notice that the start and end positions of the frame are the same as in the original effect. However, the path between the two end points is quite different, with a rotation around the flash locations rather than a translation across them. Possibly, the continuous presence of one edge near the flashes acts as an anchor, at least for some observers.

Movie 2.2.1. Click to start.

	Responses (out of 26)	
Does the red flash appear to the right of the blue flash?	4	Yes.
	2	Yes, but only after a while
	8	Not so much.
	12	No.

2.2.2. When the frame rotates around the flashes.

Here is a similar case but with 270° of rotation. Now, 73% see no offset and the rest, not much. If anything, red may be seen to the left of blue. The start and end position of the frame are again the same as in the original effect, showing that it is not only the end positions that count.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	0	Yes.
	0	Yes, but only after a while
	7	Not so much.
	19	No.

Movie 2.2.2. Click to start.

2.3. When the frame flips in 3D

Instead of rotation in the plane, the frame now flips out of the plane. Here, 92% of observers report little or no effect, and only 8% see an effect. In fact, you might see red to the left of blue, suggesting that the edge that stays near the flashes serves as the anchor and positions are seen relative to it rather than relative to the flipping frame: red is to the left of that edge when it flashes, blue to its right when it flashes. The start and end position of the flipping frame are the same as in the original translating frame. This shows again that it is not only the end positions that count.

Responses (out of 26)		
Does the red flash appear to the right of the blue flash?	1	Yes.
	1	Yes, but only after a while
	2	Not so much.
	22	No.

Movie 2.3. Click to start.

2.4. When the probe is continuous

Here the frame moves back and forth in its normal fashion, but when the probes are on continuously (rather than flashed), 92% of observers report little or no visible displacement of the continuous probes. 8% report seeing some shift. The continuous probes alternate with the flashed probes to show the difference. The stationary probes were Duncker's (1929) original paradigm, although he used a single dot not two. With a continuous probe, the moving frame only produces a small, reversed motion in the probe (induced motion) when the frame's motion is so slow it is near the motion threshold (e.g., Nakayama & Tyler, 1978).

Responses (out of 26)		
When the probes are steady, do they appear to move? *Ignore the intervals where the probes flash.*	1	Yes.
	1	Yes, but only after a while
	3	Not so much.
	21	No.

Movie 2.4. Click to start.

Conclusions

Previously, the frame effect has been shown to be a remarkably strong illusion, separating aligned flashes by as much as the distance the frame travels (Wong &Mack, 1981; Özkan et al., 2021). Here we explored a wide number of factors to evaluate their influence on the effect. We found that the frame effect was quite robust and held up for smoothly or abruptly displacing frames and for second-order as well as for first-order motion. It held up even when the frame changed shape or orientation between the endpoints of its travel. The frame's path could be non- linear, even circular, although the more complex paths were less effective. Two examples using aperture effects (movies 1.8.1, 1.8.2) showed that the separation of the flashed tests was driven by the perceived motion, not the physical motion. Moreover, when there were competing, overlapping frames (movies 1.7.1, 1.7.2), the effect was determined by which frame was attended although not all observers were able to switch attention between the frames.

These results suggest that the frame effect depends on initially tracking the moving frame. We assume that it is acquired and tracked by attention in the same fashion as a target in the multiple object tracking (MOT) task. The result with the overlapping frames supports the role of attention in this tracking – the two overlapping frames did not cancel each other's effect; instead, the offset between the flashed tests depended on which frame was attended. The unattended frame then became ineffective. Interestingly, targets in MOT can be tracked independently of any shape changes (vanMarle & Scholl,

2003) and we see the same indifference to shape change with the frame effect (see movie 1.4.1). Apparent motion shows a similar tolerance to shape changes (Kolers & Pomerantz, 1971; Kolers & von Grünau, 1976; Zhou et al., 2003). In all these cases, it is a persisting "object" that is being tracked, one whose continuity depends primarily on spatiotemporal proximity rather than fixed shape. Kahneman, Treisman, and Gibbs (1992) addressed this same point with their concept of an "object file" as a transient representation of an entity that may change its properties over time but remains the same thing. In the case of the frame effect, this entity is changing position and serving as a reference for the location of events that take place in its neighborhood. Interestingly, this suggests that the frame effect could be a useful tool for evaluating aspects of continuity – an objective test based on the location of flashed tests.

We also found that there were a number of constraints that limited the effect. An isolated, static anchor near the flashes suppressed the effect but an extended static texture did not. When the frame's path kept one edge of the frame near the flash locations, the effect was reduced or eliminated. If the probes were continuous (as in Dunker, 1929) rather than flashed, the effect was abolished as well. Indeed, previous studies have shown that a moving frame influences a steady probe only when the frame's motion is very slow, much nearer motion threshold than the speeds used here (Nakayama & Tyler, 1978; Reinhardt-Rutland, 1988). Possibly, any visible relative motion between the probes and frame shows that the probes do not belong to the frame (do not group with the frame), suppressing the frame effect. Alternatively, the continuous unmoving probe may also group with the steady background beyond the moving frame, suppressing any effect of the frame.

Figure 3. Proposed organization of the frame effect

The earlier article (Özkan et al., 2021) already established that the frame's motion can separate the perceived position of the flashes by as much as the frame's travel — equivalent to being seen in frame coordinates (the locations in the frame where the probes were when they flashed) with the frame stationary. In this case, its motion would be completely

discounted. But intriguingly, the frame is still seen to move quite well, albeit over a shortened path. Combined with these earlier results, our new observations lead us to propose a rough organization for the frame effect, laid out in Figure 3, where the frame's motion acts along two different pathways once the frame has been acquired and its motion tracked.

In the first, the upper path in Figure 3, the frame's motion acts on the positions of the flashes, contingent on the flashes belonging to or binding with the frame. For example, when attention switched from one frame to the other in movies 1.71 and 1.72, the direction of the separation of the flashes switched as well, indicating that the flashes were seen in the context of, or belonging to, the attended frame. Importantly, the large separations between the flashes matched their separations in frame coordinates – the locations the flashes had relative to the frame when they flashed. Moreover, this illusory separation was seen centered on the frame's path — as if the flashes were fixed in those locations relative to a static frame that was located in the middle of the path. However, this static frame was clearly not visible. We can think of this unseen frame as a virtual or amodal frame although we have no evidence yet of its existence.

The second pathway, the lower one in Figure 3, concerns the perception of the frame's motion. The frame does not come to a standstill as it should to be consistent with large flash separations, but its motion is nevertheless attenuated. This "path shortening" has been reported for bounded motion trajectories before (Whitney, Murakami, & Cavanagh, 2000; Sinico, Anstis, & Casco, 2009; Cavanagh & Anstis, 2013) and is apparent here again.

The observations here and the rough outline of how frames work in Figure 3 suggest several new directions for understanding the frame effect. These build on the nearly 100 years of research on the effect of frames on visual perception but bring new questions. How is the visual scene decomposed into hierarchical sets of dynamic frameworks; what are the limits to the changes of the frame that still maintain its continuity; what properties from each frame are inherited by the elements belonging to the frame; what determines when a test flash "belongs" to the frame? The remarkable strength of the frame effect on perceived location seen here also suggests that it can serve as a powerful tool to examine how vision encodes the dynamic scenes unfolding in front of us.

Acknowledgments

NSERC Canada (PC,BMtH), Dartmouth PBS (SS, MM), ANR (MW), UCSD Psychology (SA).

References

Anstis, S. M. (1970). Phi movement as a subtraction process. *Vision Research*, **10**(12), 1411-30. doi: 10.1016/0042-6989(70)90092-1

Asch, S. E., & Witkin, H. A. (1948). Studies in space orientation: I. Perception of the upright with displaced visual fields. *Journal of Experimental Psychology*, **38**, 325-337. doi: 10.1037/h0057855

Cavanagh, P., & Anstis, S. (2013). The flash grab effect. *Vision Research*, **91**, 8-20. doi: 10.1016/j.visres.2013.07.007

Cavanagh, P., MacLeod, D. I. A., & Anstis, S. (2021). Paradoxical frame stabilization with reverse apparent motion. *Perception*, **50**(15), 137. doi: 10.1177/03010066211059887

Connolly, S., Connolly, D., Cleary, A., Herman, L., & Cavanagh, P. (2017). Build your own equiluminance helmet. *i-Perception*, **8**(4), 1 - 7. doi: 10.1177/2041669517716467

Duncker, K. (1929). Über induzierte Bewegung (Ein Beitrag zur Theorie optisch wahrgenommener Bewegung). *Psychologische Forschung*, **12**, 180–259. doi: 10.1007/BF02409210. Abridged and translated (1938) as "Induced Motion" in *Source Book of Gestalt Psychology* edited and translated by Ellis, W. D.London: Routledge and Kegan Paul. pp 161–172.

Johansson, G. (1950). Configurations in the perception of velocity. *Acta Psychologica*, **7**, 25-79. doi: 10.1016/0001-6918(50)90003-5

Kahneman, D., Treisman, A., & Gibbs, D. J. (1992). The reviewing of object files: Object-specific integration of information. *Cognitive Psychology*, **24**, 175–219. doi: 10.1016/0010-0285(92)90007-O

Kolers, P. A., & Pomerantz, J. R. (1971). Figural change in apparent motion. *Journal of Experimental Psychology*, **87**(1), 99-108. doi: 10.1037/h0030156

Kolers, P. A., & von Grünau, M. (1976). Shape and color in apparent motion. *Vision Research*, **16**, 329-335. doi: 10.1016/0042-6989(76)90192-9

Lorenceau, J., & Shiffrar, M. (1992). The influence of terminators on motionintegration across space. *Vision Research*, **32**(2), 263–273. doi: 10.1016/0042-6989(92)90137-8

Matin, L., & Fox, C. R. (1989). Visually perceived eye level and perceived elevation of objects: linearly additive influences from visual field pitch and from gravity. *Vision Research*, **29**(3), 315-24. doi: 10.1016/0042-6989(89)90080-1.

Morgan, M., Grant, S., Melmoth, D., & Solomon, J. A. (2015). Tilted frames of reference have similar effects on the perception of gravitational vertical and the planning of vertical saccadic eye movements. *Experimental Brain Research*, **233**(7), 2115-25. doi: 10.1007/s00221-015-4282-0.

Nakayama, K., & Tyler, W. (1978). Relative motion induced between stationary lines. *Vision Research*, **18**, 1663–1668. doi: 10.1016/0042-6989(78)90258-4

Özkan, M., Anstis, S., 't Hart, B. M., Wexler, M., & Cavanagh, P. (2021).Paradoxical stabilization of relative

position in moving frames. *Proceedings of the National Academy of Sciences*, **118**(25), 1-8. doi: 10.1073/pnas.2102167118.

Reinhardt-Rutland, A. H. (1988). Induced movement in the visual modality: an overview. *Psychological Bulletin*, **103**, 57–71. doi: 10.1037/0033-2909.103.1.57

Roelofs, C. O. (1935). Die Optische Lokalisation. *Archiv fur Augenheilkunde*, **109**, 395–415.

Sinico, M., Parovel, G., Casco, C., & Anstis, S. (2009). Perceived shrinkage of motion paths. *Journal of Experimental Psychology: Human Perception and Performance*, **35**(4), 948-957. doi: 10.1037/a0014257

vanMarle, K., & Scholl, B. J. (2003). Attentive tracking of objects versus substances. Psychological Science, 14(5), 498-504. doi: 10.1111/1467-9280.03451

Wallach, H. (1959). The perception of motion. *Scientific American*, **201**, 56-60.

Wallach, H., Bacon, J., Schulman, P. (1978). Adaptation in motion perception: Alteration of induced motion. *Perception & Psychophysics*, **24**(6), 509-514.doi: 10.3758/BF03198776

Warren, H. C. (1895). Sensations of rotation. *Psychological Review*, **2**(3), 273–276. doi: 10.1037/h0074437

Whitney, D. V., Murakami, I., & Cavanagh, P. (2000). Illusory spatial offset of a flash relative to a moving stimulus is caused by differential latencies for moving and flashed stimuli. *Vision Research*, **40**, 137-149.

Wong, E., & Mack, A. (1981). Saccadic programming and perceived location. *Acta Psychologica*, **48**, 123-131. doi: 10.1016/0001-6918(81)90054-8

Zhou, Y., Zhou, T. G., Rao, H. Y., Wang, J. J., Meng, M., Chen, M., Zhou. C., & Chen, L. (2003). Contributions of the visual ventral pathway to long-range apparent motion. *Science*, **299**(5606), 417-420. doi: 10.1126/science.1077091