Assessing cats' (*Felis catus*) sensitivity to human pointing gestures

Margaret Mäses & Claudia A.F. Wascher*

Behavioural Ecology Research Group, School of Life Sciences, Anglia Ruskin University, United

Kingdom

*Corresponding author: Claudia A.F. Wascher: School of Life Sciences, Anglia Ruskin University, East

Road, Cambridge, CB1 1PT United Kingdom; Phone: +44 (0) 1223 698270;

e-mail: claudia.wascher@gmail.com

Abstract

A wide range of non-human animal species have been shown to be able to respond to

human referential signals, such as pointing gestures. The aim of the present study was to replicate

previous findings showing cats to be sensitive to human pointing cues (Miklósi *et al.* 2005). In our

study, we presented two types of human pointing gestures - momentary ipsilateral (direct pointing)

and momentary cross-body pointing. We tested nine rescue cats in a two-way object choice task.

On a group level, the success rate of cats was 74.4 percent. Cats performed significantly above

chance level in both the ipsilateral and cross-body pointing condition. Trial number, rewarded side

and type of gesture did not significantly affect the cats' performances in the experiment. On an

individual level, 5 out of 7 cats who completed 20 trials, performed significantly above chance level.

Two cats only completed 10 trials. One of them succeeded in 8, the other in 6 of these. The results

of our study replicate previous findings of cats being responsive to human ipsilateral pointing cues

and add additional knowledge about their ability to follow cross-body pointing cues. Our results

highlight a domestic species, socialised in a group setting, to possess heterospecific communication

skills, however we have to consider parsimonious explanations, such as local and stimulus

enhancement.

Introduction

A wide range of non-human animal species have been shown to be able to respond to human referential signals, such as pointing gestures (Krause et al., 2018; Miklósi & Soproni, 2006). Pointing presents a species specific human communicative signal (Bard et al., 2021). The ability of humans to understand pointing with a hand as an object-directed action develops at the age of between 9 and 12 months (Woodward & Guajardo, 2002). The development of pointing comprehension in humans and non-human animals is likely a result of learning, social experience and interactions (Miklósi & Soproni, 2006). A variety of non-domesticated mammalian taxa, including dolphins (Herman et al., 1999), elephants (Smet & Byrne, 2013), bats (Hall et al., 2011) and sea lions (Malassis & Delfour, 2015), have demonstrated following some form of human pointing. Several studies have examined the understanding of human pointing cues in chimpanzees and other great apes, specifically in the object choice task, initially suggesting subjects being relatively unsuccessful (Kirchhofer et al., 2012; Povinelli et al., 1997). However, recent studies suggest systematic confounds rather than differences between species to cause this effect (Clark et al., 2019; Clark & Leavens, 2019; Hopkins et al., 2013). For example the rearing environment affects the performances of apes in pointing tasks and individuals reared in complex environments outperformed individuals reared under standard conditions (Lyn et al., 2010; Russell et al., 2011).

When it comes to domestic animals, goats (Kaminski et al., 2005; Nawroth et al., 2020), pigs (Nawroth et al., 2016), horses (Proops et al., 2010), cats (Miklósi, et al., 2005), and most prominently – dogs (Bhattacharjee et al., 2020; Bräuer et al., 2006; Hare et al., 1998; Soproni et al., 2002; Tauzin et al., 2015) have been shown to follow pointing signals. In the case of dogs (*Canis familiaris*) in particular, the domestication process has been considered to have shaped the

evolution of their remarkable set of socio-cognitive skills that allow them to successfully

communicate with humans (Hare et al., 2002). However, this hypothesis is contrasted by a range of

wild canids such as wolves, coyotes, and foxes responding to human pointing gestures, as well as

socialisation with humans affecting dog's performance, with pet dogs outperforming dogs housed

in kennels and shelters (reviewed in: Krause et al., 2018).

Despite also being one of the most popular pets and very well adapted to human

environments, cognition of domestic cats (*Felis catus*) has been studied notably less than that of

dogs (Shreve & Udell, 2015). In a previous study, Miklósi, et al. (2005) demonstrated cats' abilities

to follow human pointing being comparable to the abilities of dogs doing so, whereas they

performed poorer compared to dogs in attention getting behaviour. In another study however, they

responded to the attentional state of a person when presented with an unsolvable task (Zhang et

al., 2021). Cats are also able to follow human gaze as referential signal (Pongrácz et al., 2019).

Performance of cats has recently also been tested in other cognitive tasks, for example they have

been shown to be able to differentiate between different quantities (Pisa & Agrillo, 2009), they are

able to mentally represent non-visible objects (Takagi et al., 2021) and they imitate human action to

solve a task (Fugazza et al., 2021).

Nevertheless, the body of research on socio-cognitive capacities of cats remains currently

considerably small. Interestingly, it has been suggested that the process of cat domestication is

different from that of other domestic species, as it was driven by a mutualistic relationship with

humans and was subject to a significantly less strict artificial selection (Clutton-Brock, 1994; Serpell,

2013). Cat domestication can even be claimed to have been self-initiated (Driscoll et al., 2009).

Another aspect worth taking into account is that, compared to most other species studied in the

context of social cognition, cats have an arguably less social lifestyle, as their ancestors were

primarily solitary (Bradshaw, 2016). One might expect that these evolutionary peculiarities have a

negative effect on cats' responsiveness to human communicative signals.

One of the measures by which referential cues can be categorized is their duration, the

signal being either momentary or dynamic (Miklósi & Soproni, 2006). For momentary pointing, the

signaller keeps the arm in the pointing position for only a second (Miklósi et al., 2005). On the other

hand, when giving a dynamic cue, the signal is terminated after the receiver has responded (Miklósi

& Soproni, 2006). The momentary cues are arguably more similar to naturally occurring

communicative interactions than dynamic cues, as the subject has to remember the signal before

making a choice. In the present study, we aimed to test whether cats follow the human momentary

ipsilateral (direct) pointing cues in a two-way choice task, choosing the target, indicated with the

referential signal, above chance level and therefore replicate the findings of Miklósi et al. (2005).

Additionally, we tested whether cats follow the human momentary cross-body pointing cues in a

two-way choice task. As the cross-body form of the signal was most likely novel to the subjects, we

expected the cats to be more successful in following ipsilateral pointing cues. If cats show the ability

to respond accurately to different forms of pointing cues this could be indicative of an ability to

generalize and potentially referential understanding.

Methods

Ethical considerations

The present study received ethical approval from the School Research Ethics Panel of Anglia

Ruskin University. The study was approved by and conducted at Pesaleidja cat shelter in the

Republic of Estonia. This study complies with the national regulations on ethics and research on

animals in Estonia.

Standards for openness and transparency

We report how we determined our sample size, all data exclusions, all manipulations, and all

measures in the study.

Study subjects

The experiment was conducted during summer 2020 (29th June - 12th August). Study

subjects were housed in a rehoming centre in Tallinn, managed by Pesaleidja NGO. A total of

approximately 200 cats were roaming free in different indoor spaces ($10 - 51$ m^2; 0.5 cats per a

square metre; Jaroš, 2018), nine of which participated in the study. Cats were individually tested in

a separate room.

The cat's suitability to participate in the experiment was evaluated in three stages (similar to

the method of Miklósi et al. (2005), with certain alterations described below). Firstly, the potential

subject was approached by the experimenter (M.M.), who sat down next to the individual, and

petted it for one minute. If the cat did not leave during this time or express fearful behaviour (e.g.

flattened ears (Bennett et al., 2017; Deputte et al., 2021; Gourkow et al., 2014); whiskers held

against face; dilated pupils; becoming immobile/freezing; piloerection; arched back; tensely

crouched body position; tail tucked tightly between the legs or around the body; hissing or other

agonistic vocalizations (Tavernier et al., 2020)); of any kind, the experimenter guided the subject

into the testing room (5.5 m²), either by allowing it to follow the experimenter or alternatively

carrying it for a maximum of ten seconds. After separation the subject was given time to explore

the testing room. Here the subject was isolated from its conspecifics for the duration of the

experiment, the doors were closed to prevent the other cats from entering. With those individuals

not initially comfortable, i.e. expressing fearful or stressed behaviour (e.g. attempting to hide

(Bennett et al., 2017; Gourkow et al., 2014); yowling (Tavernier et al., 2020) and standing fixated to

one of the closed doors; pacing back and forth (Gourkow et al., 2014)), with the novel setting, the

experimenter sat on the floor and petted them, calmly allowing them to walk around, as well as

offering some food. If the cat continued showing signs of stress after five minutes, the

experimenter allowed it to exit the room and excluded it from any further testing. As a last stage of

habituation, the experimenter put some food into one of the test bowls (green silicone muffin

cases) and introduced it to the cat by allowing it to smell the bowl. We used small amounts of wet

cat food, as recommended by the shelter staff, as a reward throughout the experiment. Rewards

were given to the subjects in addition to their normal diet. The bowl was then placed on the floor,

approximately one metre from the subject. The cat was allowed to approach it and eat the food. If

the cat was motivated to approach the bowl and showed interest in eating the food, it passed the

third stage and was included in the final experiment. This stage additionally familiarised the cats

with the fact of the bowl containing a food reward. Twenty cats passed the first stage of preliminary

testing, but some of them did not habituate to the novelty of testing room environment quickly

enough, were not food motivated or showed a persistent side bias (description below).

Consequently, ten subjects participated in the final experiment. However, we decided to exclude

one of them from data analyses due to side bias. The remaining nine subjects all completed a

minimum of ten experimental trials. Seven of them completed 20 trials.

Study design

As the cats' everyday diet was provided to them *ad libitum*, timing of the experiment was

not dependent on the feeding regime. Before every trial and out of site of the subject,

approximately the same amount of food, positioned as similarly as possible, was put into both test

bowls (paying attention to prevent visual and odour-induced bias of choice). Next, a bit of food

liquid was smeared onto the inner walls of a third silicone bowl, serving as 'bait' distracting the cats

while the experimenter got into position. The subject was attracted to a position approximately two

metres away the experimenter's final position. The experimenter simultaneously placed the test

bowls in front of them, the middle line between the bowls at an approximate distance of 0.5

metres. The experimenter then made an attention-drawing sound (common utterance used for

calling cats in the local area: 'ks-ks') and presented the pointing cue when the subject was looking

in the direction of the experimenter.

We tested cats' responses to ipsilateral pointing to the left (IL), with the left arm and index

finger pointing at the container on the left side of the experimenter, ipsilateral pointing to the right

(IR), with the right arm and index finger pointing at the container on the right side of the

experimenter, cross-body pointing to the left (CL), with the right arm and index finger pointing at

the container on the left side of the experimenter, and cross-body pointing to the right (CR), with

the left arm and index finger pointing at the container on the right side of the experimenter. The

experimenter maintained a neutral body posture and gaze direction, at all times, while performing

the pointing gestures. After pointing, the subject could choose one of the bowls. The cat was

considered to make a choice when it looked into the bowl or reached into it with its paw. When the

choice corresponded to the direction of the gesture, the cat was allowed to eat the reward from

the 'correct' bowl. When the choice was 'unsuccessful', both bowls were picked up before the

subject was able to eat the food. In the case of the subject not making a choice (*e.g.*, walked

between the test bowls and straight to the experimenter or walked away), the experimenter

repositioned themselves and repeated the trial. In one subject, the experimenter could not lead the

subject to refocus, and therefore, stopped the session and continued on another day. Order of trials

in the four conditions (IL, IR, CL, CR) was pseudo-randomized. Each condition was presented five

times in a total of 20 test trials. Each condition was not repeated more than twice in a row and the

type or direction a maximum of three times.

If the subject continuously chose the bowl on the same side for four consecutive trials,

regardless of the signal, we considered this as an indication for the subject developing a side bias. In

this case, the positioning of the experiment was switched to the opposite side of the room, which

seemed to be effective with four subjects. One subject, who had passed the three stages of

preliminary testing but kept constantly reaching for the bowl on the right side for ten trials, was

consecutively excluded from the experiment.

Data analyses

Data was analysed by M.M., indicating correct, *i.e.* the cat chose the side which was pointed

towards, and incorrect, *i.e.* the cat chose the side which was not pointed towards, responses. An

inter-observer reliability analysis was conducted on 30 % of randomly chosen trials, which were

coded by a second observer (C.A.F.W.). Inter-observer agreement was 100 %. Statistical analyses

were performed in R 4.0.3 (The R Foundation for Statistical Computing, Vienna, Austria,

http://www.r-project.org). A generalised linear mixed model (GLMM) with a binomial distribution

and logit link was used to investigate differences in performance between different conditions in

the package lme4 (Bates et al., 2015). Trial outcome (successful or unsuccessful) was the response

variable, the signal type (ipsilateral or cross-body pointing), location (left or right) and the trial

number (1-20) were included as fixed factors, and the subject identity as a random effect. To assess

multicollinearity between fixed factors, we calculated variance inflation factors (VIFs) using the vif

function in the package car (Fox & Weisberg, 2011). VIFs for all factors were below 2, indicating that

there was no issue with multicollinearity (Zuur et al., 2009). To describe the variance explained by

our models, we provided marginal and conditional R^2 values that range from 0 to 1 and described

the proportion of variance explained by the fixed and by the fixed and random effects combined,

respectively (Nakagawa & Schielzeth, 2013). We calculated marginal and conditional R^2 values using

the r.squaredGLMM function in MuMIn (version 1.15.6; Bartoń, 2019). We conducted exact, two-

tailed binomial tests to investigate whether cats used pointing gestures significantly above chance.

Cohen's h (h) was calculated as a measure of effect size, using the package pwr (Champely, 2020).

In individuals who completed the full 20 trials we further conducted binomial tests to see whether

individuals were successful above chance level. All datasets and the R script used to conduct the

statistical analyses are available as supplementary files.

Results

Results

On a group level, the success rate of cats was 74.4 %. Cats performed significantly above

chance level in both the ipsilateral pointing (Binomial test: p<0.001, h = 1.287, [95% confidence

intervals = 0.702 - 0.884]) and cross-body pointing condition (Binomial test: p = 0.002, h = 0.823,

[95% confidence intervals = 0.564 - 0.78]; Figure 1). Trial number (GLMM: estimate ± standard

deviation = -0.009 ± 0.032, z-value = -0.284, p = 0.776), rewarded side (GLMM: estimate ± standard

deviation = 0.238 ± 0.371, z-value = 0.372, p = 0.709) and type of gesture (GLMM: estimate ±

standard deviation = 0.667 ± 0.374, z-value = 1.78, p = 0.074) did not significantly affect the cats'

performances in the experiment (intercept: GLMM: estimate ± standard deviation = 0.797 ± 0.473,

z-value = 1.685, p = 0.091). Overall, 2 % of the variation in performance was explained by all fixed

factors together (R^2 marginal), and an additional 2 % of the variation in performance was explained

by the random factor (individual, R^2 conditional). On an individual level, 5 out of 7 cats who

completed 20 trials, performed significantly above chance level (individual 2: Binomial test: p =

0.011, h = 1.287, [95% confidence intervals = 0.563 - 0.942], individual 3: Binomial test: p < 0.001, h

= 1.854, [95% confidence intervals = 0.683 - 0.987], individual 4: Binomial test: p = 0.503, h = 0.402,

[95% confidence intervals = 0.36 - 0.808], individual 5: Binomial test: p = 0.011, h = 1.287, [95%

confidence intervals = 0.563 - 0.942], individual 6: Binomial test: p = 0.041, h = 1.047, [95%

confidence intervals = 0.508 - 0.913], individual 7: Binomial test: p = 0.823, h = 0.2, [95% confidence

intervals = 0.315 - 0.769], individual 8: Binomial test: p = 0.002, h = 1.55, [95% confidence intervals

= 0.621 - 0.967]; Figure 2). Two cats only completed 10 trials. One of them succeeded in 8, the

other in 6 of these.

Figure 1. Mean percentage of trials plus standard error where the cats followed ipsilateral pointing

and cross-body pointing. Full line represents 50 % chance level. *P < 0.05; **P < 0.01; ***P < 0.001.

Figure 2: Percentage of successful trials for each focal individual. Sample size (n) indicates the

number of trials per individual. Full line represents 50 % chance level. Binomial test: *P < 0.05; **P

< 0.01; ***P < 0.001.

Discussion

The results of the present study show cat's ability to follow human ipsilateral pointing gestures (Bard et al., 2021), which replicates findings of a previous study (Miklósi *et al.* 2005). Additionally, we show cats to be sensitive to cross-body pointing cues. We did not find a significant difference in performance between ipsilateral pointing and cross-body pointing. The ability to follow human cross-body pointing gestures has been previously shown in a wide variety of species (for a review see: Pack, 2019). Our results show that, similarly to dogs and some other species, also the more solitary living cats use communicative cues from humans. Cognitively, different mechanisms could be involved in the ability of cats to follow human communicative cues, such as stimulus or local enhancement as well as cue learning. If the subjects' choices had been influenced by rapid learning, the performance would be expected to improve over the testing trials (Kaminski et al., 2005; Malassis & Delfour, 2015; Miklósi et al., 2005). The trial number showed no significant influence on trial outcome.

From an evolutionary perspective, the finding that cats are sensitive to human pointing cues is interesting, as cats and their ancestors do not normally experience conspecifics pointing. It has previously been suggested that the process of domestication has selected for socio-cognitive abilities that enable domesticated species to better communicate with humans compared to wild species (Hare et al., 2002). In a previous study Miklósi et al. (2005) directly compared dogs and cats abilities to follow human pointing cues and attention-getting behaviour. While dogs and cats did not differ in their ability to follow human pointing cues, cats lacked some components of attention-getting behaviour compared with dogs. However, recent studies directly comparing human-socialized dogs and wolves, show the wolves to outperform dogs, in contrast to the domestication hypothesis (Range & Marshall-Pescini, 2022; Udell et al., 2008, 2010). Regarding the investigation of

the effects of domestication, it would be necessary to conduct comparable assessments of the

sensitivity to human pointing gestures in socialized individuals of wildcats (*Felis lybica* and/or *Felis*

silvestris; Pongrácz, Szapu & Faragó, 2019). Importantly, our study adds to a growing body of

literature highlighting that also less social species are able to master socio-cognitive tasks. For

example, non-social reptiles (*Geochelone carbonaria*) and fish (*Spinachia spinachia*; *Cottus gobio*;

Barbatula barbatula; *Platichthys flesus*) have been shown to use social information (Webster &

Laland, 2017; Wilkinson et al., 2010). It has been previously suggested that socialisation with

humans can cause animals to acquire communicative skills which allow them to respond to cues

from heterospecifics (Kaminski et al., 2005; Nawroth et al., 2020; Proops et al., 2010; Range &

Marshall-Pescini, 2022), however we would like to highlight that there are more parsimonious

alternative explanations, namely the cats following human pointing via local and stimulus

enhancement, which in the present experiment cannot be ruled out.

Compared to similar studies with cats or dogs, where the experiments have been conducted

in the owners' homes (*e.g.,* Miklósi et al., 2005; Pongrácz et al., 2019), the standardisation of the

testing environment in the current study could be considered an advantage. In a previous study,

family-owned dogs outperformed kennel housed dogs in their capacity to understand human

pointing gestures (D'Aniello et al., 2017; Lazarowski & Dorman, 2015). The shelter environment also

means that cats have been living in a group situation for extended periods of time, which could

have allowed them to acquire certain socio-cognitive skills. However, as mentioned above, cats do

not use pointing cues in conspecific communication, hence any previous experience with pointing

must come from human cat interactions in the shelter or before cats came to the shelter. In

addition, as some other species have demonstrated following conspecific social cues (*e.g.,* Hare &

Tomasello, 1999; Kaminski et al., 2005), such ability could be investigated in cats as well. Similar to

all other studies on animal cognition and behaviour, we need to consider potential sample bias of

our study population as outlined in the STRANGE framework (Webster & Rutz, 2020). We must

consider the social background of focal subjects and as mentioned above, we acknowledge previous

experience with conspecifics and heterospecifics (humans) in the group housed cats. Self-selection

could have affected our results, as from the 200 cats in the shelter, we only tested 9 individuals

who voluntarily participated in the experiment, based on being comfortable to be isolated from the

group and interact with the human experimenter. Out of the seven individuals tested in 20 trials,

five followed human pointing cues significantly above chance level. Future investigations into

individual differences in performance and cats' abilities to follow human pointing cues would be

desirable. This procedure could have selected for more bold individuals to be focal subjects in our

experiment. As our focal subjects are shelter cats, we have very little information about the rearing

history and past experience of the cats. However, we do know all of them to be group housed and

therefore subjected to social experiences and socialisations, as well as experience with human

caregivers. Regarding acclimatisation and habituation, we only tested subjects who acclimatised

well to the experimental setup and passed habituation. We had to exclude one individual who

would not pass the habituation stages and it can very well be that this procedure excluded focal

subjects who are less responsive to human pointing cues. Our experiment was of a short-term

nature, capturing the cats' responses during a short-term period over summer. We did not intend

to investigate potential natural changes in responsiveness, *e.g.,* seasonal changes, ontogenetic

effects, and these areas should be considered for future studies. We also have no information

about the genetic make-up of our focal subjects.

To conclude, the results of our study replicate previous findings of cats being responsive to

human ipsilateral pointing cues and add additional knowledge about their ability to follow cross-

body pointing cues. Our results highlight a domestic species, socialised in a group setting, to

possess communicative skills with heterospecific, however we have to consider parsimonious

explanations such as local and stimulus enhancement.

Acknowledgements

We thank Johanna Miedel, the manager of Pesaleidja, for granting permission to work with

the cats. We would also like to thank the rest of the team of staff and volunteers at Pesaleidja

shelter for their guidance and cooperation on site. We also thank two anonymous reviewers for

their comments, which greatly improved the article.

Conflict of interest

The authors declare no conflict in interest

Author contributions

Conceptualization: MM and CAFW; Methodology: MM and CAFW; Investigation: MM;

Formal analysis: MM and CAFW; Supervision: CAFW; Writing: MM and CAFW.

References

Bard, K. A., Keller, H., Ross, K. M., Hewlett, B., Butler, L., Boysen, S. T., & Matsuzawa, T.

(2021). Joint attention in human and chimpanzee infants in varied socio☐ecological contexts.

Monographs of the Society for Research in Child Development, *86*(4), 7–217.

Bartoń, K. (2019). *MuMIn: Multi-Model Inference.* (1.43.6). https://CRAN.R-

project.org/package=MuMIn

Bates, D., Mächler, M., Bolker, B., & Walker, S. (2015). Fitting linear mixed-effects models using

lme4. *Journal of Statistical Software*, *67*(1), 1–48.

Bennett, V., Gourkow, N., & Mills, D. S. (2017). Facial correlates of emotional behaviour in the

domestic cat (*Felis catus*). *Behavioural Processes*, *141*, 342–350.

https://doi.org/10.1016/j.beproc.2017.03.011

Bhattacharjee, D., Mandal, S., Shit, P., Varghese, M. G., Vishnoi, A., & Bhadra, A. (2020). Free-

ranging dogs are capable of utilizing complex human pointing cues. *Frontiers in Psychology*,

10, 2818. https://doi.org/10.3389/fpsyg.2019.02818

Bradshaw, J. W. S. (2016). Sociality in cats: A comparative review. *Journal of Veterinary Behavior*,

11, 113–124. https://doi.org/10.1016/j.jveb.2015.09.004

Bräuer, J., Kaminski, J., Riedel, J., Call, J., & Tomasello, M. (2006). Making inferences about the

location of hidden food: Social dog, causal ape. *Journal of Comparative Psychology*, *120*(1),

38.

Champely, S. (2020). *pwr: Basic Functions for Power Analysis.* (R package version 1.3-0).

https://CRAN.R-project.org/package=pwr

Clark, H., Elsherif, M. M., & Leavens, D. A. (2019). Ontogeny vs. phylogeny in primate/canid

comparisons: A meta-analysis of the object choice task. *Neuroscience & Biobehavioral*

Reviews, *105*, 178–189. https://doi.org/10.1016/j.neubiorev.2019.06.001

Clark, H., & Leavens, D. A. (2019). Testing dogs in ape-like conditions: The effect of a barrier on

dogs' performance on the object-choice task. *Animal Cognition*, *22*, 1063–1072.

Clutton-Brock, J. (1994). The unnatural world: Behavioural aspects of humans and animals in the

process of domestication. In *Animals and Human Society: Changing Perspectives* (pp. 35–

47). Routledge.

D'Aniello, B., Alterisio, A., Scandurra, A., Petremolo, E., Iommelli, M. R., & Aria, M. (2017).

What's the point? Golden and Labrador retrievers living in kennels do not understand human

pointing gestures. *Animal Cognition*, *20*(4), 777–787. https://doi.org/10.1007/s10071-017-

1098-2

Deputte, B. L., Jumelet, E., Gilbert, C., & Titeux, E. (2021). Heads and tails: An analysis of visual

signals in cats, *Felis catus*. *Animals*, *11*(9), 2752. https://doi.org/10.3390/ani11092752

Driscoll, C. A., Macdonald, D. W., & O'Brien, S. J. (2009). From wild animals to domestic pets, an

evolutionary view of domestication. *Proceedings of the National Academy of Sciences*,

106(Supplement_1), 9971–9978. https://doi.org/10.1073/pnas.0901586106

Fox, J., & Weisberg, S. (2011). *An {R} Companion to Applied Regression.* (second). Sage

Publications.

Fugazza, C., Sommese, A., Pogány, Á., & Miklósi, Á. (2021). Did we find a copycat? Do as I Do in

a domestic cat (*Felis catus*). *Animal Cognition*, *24*(1), 121–131.

https://doi.org/10.1007/s10071-020-01428-6

Gourkow, N., LaVoy, A., Dean, G. A., & Phillips, C. J. C. (2014). Associations of behaviour with

secretory immunoglobulin A and cortisol in domestic cats during their first week in an animal

shelter. *Applied Animal Behaviour Science*, *150*, 55–64.

https://doi.org/10.1016/j.applanim.2013.11.006

Hall, N. J., Udell, M. A. R., Dorey, N. R., Walsh, A. L., & Wynne, C. D. L. (2011). Megachiropteran

bats (pteropus) utilize human referential stimuli to locate hidden food. *Journal of*

Comparative Psychology, *125*(3), 341–346. https://doi.org/10.1037/a0023680

Hare, B., Brown, M., Williamson, C., & Tomasello, M. (2002). The domestication of social

cognition in dogs. *Science*, *298*(5598), 1634–1636. https://doi.org/10.1126/science.1072702

Hare, B., Call, J., & Tomasello, M. (1998). Communication of food location between human and dog

(*Canis familiaris*). *Evolution of Communication*, *2*(1), 137–159.

Hare, B., & Tomasello, M. (1999). Domestic dogs (*Canis familiaris*) use human and conspecific

social cues to locate hidden food. *Journal of Comparative Psychology*, *113*(2), 173–177.

Herman, L. M., Abichandani, S. L., Elhajj, A. N., Herman, E. Y. K., & Sanchez, J. L. (1999).

Dolphins (*Tursiops truncatus*) comprehend the referential character of the human pointing

gesture. *Journal of Comparative Psychology*, *113*(4), 347.

Hopkins, W. D., Russell, J., McIntyre, J., & Leavens, D. A. (2013). Are chimpanzees really so poor

at understanding imperative pointing? Some new data and an alternative view of canine and

ape social cognition. *PLoS ONE*, *8*(11), e79338.

https://doi.org/10.1371/journal.pone.0079338

Jaroš, F. (2018). Cat cultures and threefold modelling of human-animal interactions: On the example

of Estonian cat shelters. *Biosemiotics*, *11*(3), 365–386. https://doi.org/10.1007/s12304-018-

9332-0

Kaminski, J., Riedel, J., Call, J., & Tomasello, M. (2005). Domestic goats, *Capra hircus*, follow gaze

direction and use social cues in an object choice task. *Animal Behaviour*, *69*(1), 11–18.

https://doi.org/10.1016/j.anbehav.2004.05.008

Kirchhofer, K. C., Zimmermann, F., Kaminski, J., & Tomasello, M. (2012). Dogs (*Canis familiaris*),

but not chimpanzees (*Pan troglodytes*), understand imperative pointing. *PLoS ONE*, *7*(2),

e30913. https://doi.org/10.1371/journal.pone.0030913

Krause, M. A., Udell, M. A. R., Leavens, D. A., & Skopos, L. (2018). Animal pointing: Changing

trends and findings from 30 years of research. *Journal of Comparative Psychology*, *132*(3),

326–345. https://doi.org/10.1037/com0000125

Lazarowski, L., & Dorman, D. C. (2015). A comparison of pet and purpose-bred research dog (*Canis*

familiaris) performance on human-guided object-choice tasks. *Behavioural Processes*, *110*,

60–67. https://doi.org/10.1016/j.beproc.2014.09.021

Lyn, H., Russell, J. L., & Hopkins, W. D. (2010). The impact of environment on the comprehension

of declarative communication in apes. *Psychological Science*, *21*(3), 360–365.

https://doi.org/10.1177/0956797610362218

Malassis, R., & Delfour, F. (2015). Sea lions' (*Zalophus californianus*) use of human pointing

gestures as referential cues. *Learning & Behavior*, *43*(2), 101–112.

https://doi.org/10.3758/s13420-014-0165-7

Miklósi, Á., Pongrácz, P., Lakatos, G., Topál, J., & Csányi, V. (2005). A comparative study of the

use of visual communicative signals in interactions between dogs (*Canis familiaris*) and

humans and cats (*Felis catus*) and humans. *Journal of Comparative Psychology*, *119*(2), 179.

Miklósi, Á., & Soproni, K. (2006). A comparative analysis of animals' understanding of the human

pointing gesture. *Animal Cognition*, *9*(2), 81–93. https://doi.org/10.1007/s10071-005-0008-1

Nakagawa, S., & Schielzeth, H. (2013). A general and simple method for obtaining R2 from

generalized linear mixed-effects models. *Methods in Ecology and Evolution*, *4*(2), 133–142.

https://doi.org/10.1111/j.2041-210x.2012.00261.x

Nawroth, C., Ebersbach, M., & Borell, E. V. (2016). Are domestic pigs (*Sus scrofa domestica*) able

to use complex human-given cues to find a hidden reward? *Animal Welfare*, *25*(2), 185–190.

https://doi.org/10.7120/09627286.25.2.185

Nawroth, C., Martin, Z. M., & McElligott, A. G. (2020). Goats follow human pointing gestures in an

object choice task. *Frontiers in Psychology*, *11*, 915.

https://doi.org/10.3389/fpsyg.2020.00915

Pack, A. A. (2019). Pointing. In J. Vonk & T. Shackelford (Eds.), *Encyclopedia of Animal Cognition*

and Behavior (pp. 1–19). Springer International Publishing. https://doi.org/10.1007/978-3-

319-47829-6_753-1

Pisa, P. E., & Agrillo, C. (2009). Quantity discrimination in felines: A preliminary investigation of

the domestic cat (*Felis silvestris catus*). *Journal of Ethology*, *27*(2), 289–293.

https://doi.org/10.1007/s10164-008-0121-0

Pongrácz, P., Szapu, J. S., & Faragó, T. (2019). Cats (*Felis silvestris catus*) read human gaze for

referential information. *Intelligence*, *74*, 43–52. https://doi.org/10.1016/j.intell.2018.11.001

Povinelli, D. J., Reaux, J. E., Bierschwale, D. T., Allain, A. D., & Simon, B. B. (1997). Exploitation

of pointing as a referential gesture in young children, but not adolescent chimpanzees.

Cognitive Development, *12*(4), 423–461. https://doi.org/10.1016/S0885-2014(97)90017-4

Proops, L., Walton, M., & McComb, K. (2010). The use of human-given cues by domestic horses,

Equus caballus, during an object choice task. *Animal Behaviour*, *79*(6), 1205–1209.

https://doi.org/10.1016/j.anbehav.2010.02.015

Range, F., & Marshall-Pescini, S. (2022). Comparing wolves and dogs: Current status and

implications for human 'self-domestication.' *Trends in Cognitive Sciences*,

S1364661322000183. https://doi.org/10.1016/j.tics.2022.01.003

Russell, J. L., Lyn, H., Schaeffer, J. A., & Hopkins, W. D. (2011). The role of socio-communicative

rearing environments in the development of social and physical cognition in apes:

Development of social and physical cognition in apes. *Developmental Science*, *14*(6), 1459–

1470. https://doi.org/10.1111/j.1467-7687.2011.01090.x

Serpell, J. A. (2013). Domestication and history of the cat. In D. C. Turner & P. Bateson (Eds.), *The*

Domestic Cat (3rd ed., pp. 83–100). Cambridge University Press.

https://doi.org/10.1017/CBO9781139177177.011

Shreve, K. R., & Udell, M. A. R. (2015). What's inside your cat's head? A review of cat (*Felis*

silvestris catus) cognition research past, present and future. *Animal Cognition*, *18*(6), 1195–

1206. https://doi.org/10.1007/s10071-015-0897-6

Smet, A. F., & Byrne, R. W. (2013). African elephants can use human pointing cues to find hidden

food. *Current Biology*, *23*(20), 2033–2037. https://doi.org/10.1016/j.cub.2013.08.037

Soproni, K., Miklósi, Á., Topál, J., & Csányi, V. (2002). Dogs' (Canis familaris) responsiveness to

human pointing gestures. *Journal of Comparative Psychology*, *116*(1), 27–34.

https://doi.org/10.1037/0735-7036.116.1.27

Takagi, S., Chijiiwa, H., Arahori, M., Saito, A., Fujita, K., & Kuroshima, H. (2021). Socio-spatial

cognition in cats: Mentally mapping owner's location from voice. *PLOS ONE*, *16*(11),

e0257611. https://doi.org/10.1371/journal.pone.0257611

Tauzin, T., Csík, A., Kis, A., Kovács, K., & Topál, J. (2015). The order of ostensive and referential

signals affects dogs' responsiveness when interacting with a human. *Animal Cognition*, *18*(4),

975–979. https://doi.org/10.1007/s10071-015-0857-1

Tavernier, C., Ahmed, S., Houpt, K. A., & Yeon, S. C. (2020). Feline vocal communication. *Journal*

of Veterinary Science, *21*(1), e18. https://doi.org/10.4142/jvs.2020.21.e18

Udell, M. A. R., Dorey, N. R., & Wynne, C. D. L. (2008). Wolves outperform dogs in following

human social cues. *Animal Behaviour*, *76*(6), 1767–1773.

https://doi.org/10.1016/j.anbehav.2008.07.028

Udell, M. A. R., Dorey, N. R., & Wynne, C. D. L. (2010). What did domestication do to dogs? A

new account of dogs' sensitivity to human actions. *Biological Reviews*, *85*(2), 327–345.

https://doi.org/10.1111/j.1469-185X.2009.00104.x

Webster, M. M., & Laland, K. N. (2017). Social information use and social learning in non-grouping

fishes. *Behavioral Ecology*, *28*(6), 1547–1552. https://doi.org/10.1093/beheco/arx121

Webster, M. M., & Rutz, C. (2020). How STRANGE are your study animals? *Nature*, *582*(7812),

337–340. https://doi.org/10.1038/d41586-020-01751-5

Wilkinson, A., Kuenstner, K., Mueller, J., & Huber, L. (2010). Social learning in a non-social reptile

(*Geochelone carbonaria*). *Biology Letters*, *6*(5), 614–616.

https://doi.org/10.1098/rsbl.2010.0092

Woodward, A. L., & Guajardo, J. J. (2002). Infants' understanding of the point gesture as an object-

directed action. *Cognitive Development*, *17*(1), 1061–1084. https://doi.org/10.1016/S0885-

2014(02)00074-6

Zhang, L., Needham, K. B., Juma, S., Si, X., & Martin, F. (2021). Feline communication strategies

when presented with an unsolvable task: The attentional state of the person matters. *Animal*

Cognition, *24*(5), 1109–1119. https://doi.org/10.1007/s10071-021-01503-6

Zuur, A. F., Ieno, E. N., Walker, N. J., Saveliev, A. A., & Smith, G. M. (2009). *Mixed Effects Models*

and Extension in Ecology With R. Springer.