SARS-CoV-2 ORF1ab[A1061S] potentiate autoreactive T cell responses via epitope mimicry: an explanation to hepatitis of unknown cause

Yu Wang[1,†,#] and Yuexing Liu[2,†,#]

Affiliations

[1]Shanghai Institute of Nutrition and Health, Shanghai Institutes for Biological Sciences, University of Chinese Academy of Sciences, Chinese Academy of Sciences; Shanghai 200031, China;

[2]Guangzhou Laboratory, Guangzhou 510005, China

[†] These authors contributed equally to the work.

Co-responding authors: Yu Wang (oucwangyu@163.com); Yuexing Liu (yancylau@163.com)

Abstract

The World Health Organization have recently announced outbreak news of acute, severe hepatitis of unknown cause in children under a Covid-19 pandemic. Whether it is associated with severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection is still under debating. Here, we performed genomic sequence alignment analysis of the genome of SARS-Cov-2 (Wuhan-hu-1) to the human genome reference. Sequence analysis revealed that the SARS-CoV-2 ORF1ab[1056-1173] presented high identities with the human protein PAPR14[53-176](3Q6Z_A). After searching the fully sequenced SARS-CoV-2 genomes deposited in GISAID (https://www.gisaid.org/), we detected 170 SARS-CoV-2 variants with mutation in ORF1ab[1061], where alanine (A) was substituted by serine (S). This alteration made a 7-amino acid peptide (VVVNASN) in ORF1ab[1056-1062] identical to its counterpart in PARP14[53-59](3Q6Z_A). HLA prediction suggested that the peptides with high identities in PARP14 and ORF1ab could be presented by a same globally prevalent HLA-A*11:01 molecule. And in consistent with the first reported case of hepatitis of unknown, SARS-CoV-2 ORF1ab[VVVNASN] variants were mostly identified as Delta lineages in UK by the late 2021, with an overall frequency of 0.00161%. Thus, our preliminary results raised a possibility that infection by SARS-CoV-2 ORF1ab[VVVNASN] variant might elicit an autoimmune T cell response via epitope mimicry and is associated with the outbreak of unknown hepatitis. We anticipated that these findings will alert the human societies to pay more attention to rare mutations beyond the spike proteins.

Key words

SARS-CoV-2, Hepatitis of unknown cause, Epitope mimicry, ORF1ab, A1061S mutation

Main text

The severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) have caused a global pandemic in the last two years and are still evolving nowadays. Although we have made great progresses in understanding their virology and key steps of life cycle [1], long-term and systematic impacts of these virus on human are still missing, especially of that on the systemic immune status. Beside SARS-CoV-2, the World Health Organization have announced outbreak news of acute, severe hepatitis of unknown origin in children on 23, April 2022 [2]. And according to the records by European Centre for Disease Prevention and Control, the total number of cases reported worldwide were approximately 450 by 11, May 2022[3]. All of the patients were found in children under 16 years old, and it was estimated that more than 10% of the children have required liver transplantation [2].

The etiology of this disease is current unknown. However, some of these children have been identified with ongoing or recent SARS-CoV-2 infections in Israel and the USA [2]. Although linkes between long-lasting effects from the SARS-CoV-2 infection with hepatitis of unknown origin were currently without experimental examination, a case report highlighted a possible association between SARS-CoV-2 infection and subsequent development of T cell participated autoimmune liver disease[4]. In supporting, SARS-CoV-2 superantigens have been hypothesized to involve in excessive T cell activation and possibly the pathogenesis of hepatitis of unknown cause[5].

T cell responses are critically important to eliminate virus infection and also for SARS-CoV-2[6]. The elimination of virus finally resulted in a persistent T cell-pools that processing diverse T cell receptor (TCR) repertoires to virus related antigens, thus leaving a protection for the secondary infections by the same virus. Typically, these T cells were kept in check and did not attack human tissues. However, in some cases, virus infection led to immune disorders and caused autoimmune diseases, which were related to the disturbed peripheral tolerance[7, 8]. In the cases of SARS-CoV-2 infections, severe immune perturbations have been noted[9], thus rising possibilities that impaired peripheral T cell tolerance would occur.

Based on that knowledge, we hypothesized that virus mutations might generate new

antigens that mimicked self-peptides and elicited an autoimmune response in

appropriate inflammatory microenvironments, and thus associated with the emerging

of hepatitis of unknown cause.

PSI-blast identified a motif with high identity between human PARP14 and

SARS-CoV-2 ORF1ab

To test the hypothesis above, we made a whole-genome alignment of SARS-CoV-2

(wh-hu-1)[10] to the human reference genome with PSI-blast in default parameters.

Among all the SARS-CoV-2 proteins aligned, only a hit in ORF1ab (ORF1ab$^{1056-1173}$)

was found, which presented high identity with a sequence in human PARP14

(PARP14$^{53-176}$, sequence ID: 3Q6Z_A) (**Fig. 1A**). The most identical peptide was

located in a motif with 7 amino acids residuals, in which only a differential amino

acid was found in ORF1ab^{1061} comparing to PARP14^{58} (**Fig. 1A**). In addition,

PAPR14$^{62-75}$(sequence ID: 3Q6Z_A) also shared high identity with ORF1ab^{1065-}

^{1078}(**Fig. 1A**).

Rare mutation increased identity between ORF1ab$^{1056-1062}$ and PARP14$^{53-59}$

Since the release of the first sequence of SARS-CoV-2 (wuhan-hu-1) in December

2019, the virus has undergone numerous mutations. The accumulation of mutations in

the genome of SARS-CoV-2 will affect functional properties and may alter

infectivity, disease severity or interactions with host immunity. It was reasonable to

speculate that there might be some SARS-CoV-2 variants with mutations occurring in

ORF1ab$^{1056-1062}$, thus resulting in an increased identity to human PARP14$^{53-59}$

(3Q6Z_A). To test that hypothesis, we downloaded the proteins of SARS-CoV-2

variants deposited on GISAID (https://www.gisaid.org/). Sequence analysis was focus

on the amino acid sequence from 1055 to 1077 on ORF1a protein. Among all the

SARS-CoV-2 protein sequences (10,541,935 in total, by May 10th, 2022), 170

possessed an alanine (A) to serine (S) substitution on the site 1061 of ORF1ab (**Fig.**

1B and 1C). Noteworthily, this alteration made the core amino acid sequences

identical to that of human PARP14$^{53-59}$ (3Q6Z_A). Further analysis revealed that

SARS-CoV-2 ORF1ab^{VVVNASN} variants has been recorded in 15 countries across 5

continents (**Fig. 1B and 1C**). The variants varied by countries with an overall

frequency of 0.00161% worldwide (**Fig. 1C**). In consistent with the firstly reported

cases of hepatitis of unknown, SARS-CoV-2 ORF1ab^{VVVNASN} variants was mostly

detected in the UK (135) and the USA (18) (**Fig. 1D**).

In addition to ORF1ab^{A1061S} substitution, several other mutations that would

potentially increase the sequence identity were also identified. For example,

ORF1ab^{G1073A} have been emerging at a relative high frequency (**Fig. 2A, table 1**).

This mutation led a 11-amino acid motif in ORF1ab (LKHGGGVAAAL) to be more

similar in chemical properties, comparing to human PARP14 (LKHYGGLAAAL)

(**Fig. 2A**). The 170 variants bearing A1061S mutation in ORF1ab were also annotated

to the Variants of Concern (VOC) and most of mutational variants are found within

SARS-CoV-2 Delta lineage (**Fig. 2B**). Although the Omicron variants were causing

most of the infections globally, an Israel research group has warned that Delta

variants were still undergoing circulating in parallel to Omicron variants and might

maintain its circulation in future[11].

HLA prediction suggested potential overlaps of HLA in binding human and

virus peptides

T cells recognized peptides presented by specific array of HLA molecules. Thus,

HLA overlapping was a pre-determinant for cross T cell reactivities induced by

epitope mimicry. We used an online HLA binding prediction tool

(http://tools.iedb.org/mhcii/) to predict peptide binding abilities by a default array of

MHC-I molecules, allowing to evaluate the binding potential and usage overlaps of

HLA molecules by high similar peptides from human PARP14 and SARS-CoV2

ORF1ab. We selected a total of 23 amino acid surrounding the identical 7-amino acid

of ORF1ab^{A1061S} and PARP14 as inputs respectively. As expected, we found that the

peptide <u>VVNASNELK</u> in human PARP14 and <u>VVNASNVYK</u> in ORF1ab ^{A1061S}

could be presented by a same HLA-A*11:01 molecule with comparable high-affinity

(**Fig. 2C**). Importantly, OFR1ab^{A1061S} mutation showed increased binding ability of

this peptide to HLA-A*11:01 molecule, as comparing to its wuhan-hu-1 counterpart

(**Fig. 2C**). These findings suggested both the self- and virus- peptides with high

sequence identity could be presented by a same HLA molecule, supporting that

specific T-cell clones restricted to an HLA-A*11:01 molecules might be cross-

activated by virus peptides mimicry and led to autoimmune responses . Indeed, HLA-

A*11:01 was one of the most prevalent HLAs across the world [8], suggesting virus

antigen presentation by HLA-A*11:01 were generally applicable to the worldwide.

Discussion

Deregulated T cell responses are common triggers of various autoimmune diseases.

Epitope mimicry of host proteins by pathogen is a common inducer in susceptible

individuals to induce biased immune response versus tolerance, leading to tissue

damage[12]. Here we found a mutation in SARS-CoV-2 ORF1ab may lead to

increased identity between pathogen peptides with human proteins, providing a

computational evidence for understanding the leading cause of SARS-CoV-2

associated autoimmune diseases, and also provided a new thought on the outbreaks of

children hepatitis of unknown cause under a background of SARS-CoV-2 pandemic.

The outbreak of hepatitis of unknown cause was currently restricted to children under

16 years old. It should be noted that in children, their thymus output was kept in stack,

T cell repertoires were continuously making, and peripheral tolerance was under

establishing [13]. The disturbance of systematic and local immune microenvironment

by SARS-CoV2 infection was likely to affect the establishment of normal T cell

tolerances, thus possibly explained the preference of children to this type of hepatitis.

Based on that, we anticipated that HLA genotyping may facilitate to uncovering the

real cause of hepatitis.

According to the fully sequenced genomes deposited in GISAID, the frequency of

SARS-CoV-2 ORF1ab^{VVVNASN} variants was around 0.0000161. Among 517,648,631

confirmed SARS-CoV-2 cases by 15, May 2022 (https://covid19.who.int/), it was

roughly estimated that 8334 people, irrespective of children or adults, might be

subjected to risks of autoimmune T cell responses and possibly the hepatitis of

unknown cause. However, other unknown factors may also participate to exacerbate

disease morbidity and severity, and indeed we have noted some mutations will

increase the sequence identity between ORF1ab$^{1065-1078}$ and PAPR14$^{62-75}$(3Q6Z_A).

Most of the variants bearing A1061S substitution were in Delta lineage, and it should

be noteworthy that Delta variants were still circulating in parallel with Omicron

variants[11]. Thus, mutations in these sites should call for our great concerns.

However, our results were still preliminary and we only aimed to discussing a

possible association of SARS-CoV-2 infection with children acute hepatitis of

unknown cause. Further experimental validation of this hypothesis presented here was
urgently needed to figure out the nature of hepatitis of unknown cause.

Acknowledgement:

We thank GISAID for collecting and sharing the sequences of SARS-CoV-2 globally.

Author contributions:

Both Yu Wang and Yuexing Liu contributed to the conceptional design and data
processing.

Conflict of interest:

The authors declared no conflict of interest.

Fundings and ethics:

This manuscript was not funded by any sponsors. All of the data was generated from
public available database and did not required ethics committee approval.

References

1.   Harvey, W.T., et al., SARS-CoV-2 variants, spike mutations and immune
escape. Nat Rev Microbiol, 2021. 19(7): p. 409-424.
2.   WHO, Multi-Country – Acute, severe hepatitis of unknown origin in children.
2022.
3.   ECDC, Epidemiological update: Hepatitis of unknown aetiology in children.
2022.
4.   Osborn, J., S. Szabo, and A.L. Peters, Pediatric Acute Liver Failure Due to
Type 2 Autoimmune Hepatitis Associated With SARS-CoV-2 Infection: A
Case Report. JPGN Rep, 2022. 3(2): p. e204.
5.   Brodin, P. and M. Arditi, Severe acute hepatitis in children: investigate SARS-
CoV-2 superantigens. Lancet Gastroenterol Hepatol, 2022.
6.   Keeton, R., et al., T cell responses to SARS-CoV-2 spike cross-recognize
Omicron. Nature, 2022. 603(7901): p. 488-492.
7.   Knight, J.S., et al., The intersection of COVID-19 and autoimmunity. J Clin
Invest, 2021. 131(24).

8.   Sollid, L.M., Epstein-Barr virus as a driver of multiple sclerosis. Sci Immunol,
193   2022. 7(70): p. eabo7799.
194   9.   Fox, S.E., et al., Cardiac Endotheliitis and Multisystem Inflammatory
195   Syndrome After COVID-19. Ann Intern Med, 2020. 173(12): p. 1025-1027.
196   10.   Wu, F., et al., A new coronavirus associated with human respiratory disease in
197   China. Nature, 2020. 579(7798): p. 265-269.
198   11.   Yaniv, K., et al., Managing an evolving pandemic: Cryptic circulation of the
199   Delta variant during the Omicron rise. Sci Total Environ, 2022. 836: p.
200   155599.
201   12.   Davies, J.M., Molecular mimicry: can epitope mimicry induce autoimmune
202   disease? Immunol Cell Biol, 1997. 75(2): p. 113-26.
203   13.   Deya-Martinez, A., A.M. Flinn, and A.R. Gennery, Neonatal thymectomy in
204   children-accelerating the immunologic clock? J Allergy Clin Immunol, 2020.
205   146(2): p. 236-243.
206   14.   Rambaut, A., et al., A dynamic nomenclature proposal for SARS-CoV-2
207   lineages to assist genomic epidemiology. Nat Microbiol, 2020. 5(11): p. 1403-
208   1407.
209

Figure legends:

Figure 1. SARS-CoV-2 OFR1ab^{A1061S} substitution increased sequence identity with human PARP14 and variant's epidemiology.

(A) PSI blast showing the alignment of SARS-CoV-2 ORF1ab$^{1056-1173}$ with PARP14$^{53-168}$(3Q6Z_A). **(B)** Global distribution of the fully sequenced SARS-CoV-2 genomes possessing A1601S mutation in SARS-CoV-2 OFR1ab VVVNAAN motif. (Basal layer map was created with BioRender.com)**(C)** Counts (and proportions) of OFR1ab^{VVVNASN} variants across 15 countries. **(D)** Monthly trends in accumulated number of OFR1ab^{VVVNASN} variants across 15 countries.

Figure 2. Sequence analysis of variants bearing OFR1ab^{A1061S} substitution.

(A) Mutation preferences and rates in SARS-CoV-2 ORF1ab$^{1055-1079}$ as compared to wuhan-hu-1. **(B)** Pie plot showing phylogenetic assignment of the SARS-CoV-2 variant (ORF1ab^{VVVNASN}) with pangolin[14]. **(C)** Predicted binding ability by HLA-A*11:01 to human PARP14 and SARS-CoV-2 ORF1ab generated peptide.

Figure 1. SARS-CoV-2 OFR1ab^{A1061S} substitution increased sequence similarities with human PARP14 and variant's epidemiology.

Figure 2. Sequence analysis of variants bearing OFR1ab^{A1061S} substitution.

A

Chemistry ▮ Acidic ▮ Basic ▮ Hydrophobic ▮ Neutral ▮ Polar

TVVVNAANVYLKHGGGVAGALNKAT Wuhan-hu-1
DVVVNASNEDLKHYGGLAAALSKAA PARP14(3Q6Z_A)

B

- AY.4(Delta), n=127
- Unassigned, n=8
- B.1.617.2(Delta), n=7
- B.1.2, n=6
- B.1.1.7(Alpha), n=4
- AY.119(Delta), n=2
- B.1.351(Beta), n=2
- P.1(Gamma), n=2
- AY.102(Delta), n=1
- AY.103(Delta), n=1
- AY.117(Delta), n=1
- AY.122(Delta), n=1
- AY.3(Delta), n=1
- AY.39.1.2(Delta), n=1
- AY.43(Delta), n=1
- AY.9.2(Delta), n=1
- B.1.1, n=1
- B.1.1.434, n=1
- B.1.1.519, n=1
- B.1.398, n=1

C

	Allele	Length	Peptide	Score
Human PARP14	HLA-A*11:01	10	VVNASNELK	0.320496
SARS-CoV-2 ORF1ab^{A1061S}	HLA-A*11:01	10	VVNASNVYK	0.730699
SARS-CoV-2 ORF1ab	HLA-A*11:01	10	VVNAANVYK	0.680557

Table1. Mutation frequency in SARS-CoV-2 ORF1ab$^{1055-1079}$ as compared to wuhan-hu-1.

position	composite	allele_frequency	position	composite	allele_frequency	position	composite	allele_frequency
1055	T	0.9968422	1063	Q	1.25E-06	1071	Y	2.69E-06
1055	A	0.0017836	1063	S	9.60E-07	1071	S	2.50E-06
1055	I	6.00E-04	1063	C	7.68E-07	1071	P	1.15E-06
1055	V	4.14E-04	1063	M	5.76E-07	1071	C	9.60E-08
1055	P	1.35E-04	1063	P	3.84E-07	1072	A	0.9993339
1055	N	1.26E-04	1063	R	9.60E-08	1072	G	1.94E-04
1055	K	4.59E-05	1064	Y	0.9989918	1072	V	1.60E-04
1055	G	2.19E-05	1064	G	2.14E-04	1072	N	1.20E-04
1055	Y	1.39E-05	1064	K	1.91E-04	1072	K	6.73E-05
1055	L	1.06E-05	1064	L	1.80E-04	1072	L	4.22E-05
1055	H	2.78E-06	1064	V	1.52E-04	1072	T	3.10E-05
1055	S	1.15E-06	1064	C	1.09E-04	1072	E	1.58E-05
1055	M	1.06E-06	1064	H	7.22E-05	1072	H	1.01E-05
1055	R	8.64E-07	1064	A	4.22E-05	1072	S	7.68E-06
1055	D	3.84E-07	1064	N	2.35E-05	1072	Y	6.05E-06
1055	Q	1.92E-07	1064	I	1.21E-05	1072	D	3.07E-06
1055	E	9.60E-08	1064	D	2.98E-06	1072	Q	3.07E-06
1056	V	0.9983827	1064	M	2.69E-06	1072	I	2.69E-06
1056	L	0.0010483	1064	S	2.40E-06	1072	M	2.30E-06
1056	A	1.82E-04	1064	T	1.15E-06	1072	P	1.06E-06
1056	T	1.32E-04	1064	E	9.60E-07	1072	C	9.60E-08
1056	M	1.05E-04	1064	Q	5.76E-07	1073	G	0.9982889
1056	N	8.86E-05	1064	F	3.84E-07	1073	A	3.97E-04
1056	K	2.53E-05	1064	P	9.60E-08	1073	V	3.79E-04
1056	G	1.90E-05	1065	L	0.9991379	1073	R	3.39E-04
1056	Y	8.16E-06	1065	G	2.15E-04	1073	L	1.80E-04
1056	H	2.78E-06	1065	K	1.91E-04	1073	E	1.62E-04
1056	I	1.44E-06	1065	H	1.80E-04	1073	K	1.06E-04
1056	P	1.34E-06	1065	Y	1.30E-04	1073	N	6.81E-05
1056	E	1.15E-06	1065	A	5.36E-05	1073	T	4.62E-05
1056	Q	9.60E-07	1065	V	4.85E-05	1073	M	7.78E-06
1056	D	7.68E-07	1065	N	1.18E-05	1073	I	6.05E-06
1056	S	1.92E-07	1065	F	7.01E-06	1073	S	5.57E-06
1057	V	0.9994063	1065	T	6.34E-06	1073	H	5.38E-06
1057	N	2.45E-04	1065	M	5.95E-06	1073	D	2.88E-06
1057	A	1.52E-04	1065	D	4.80E-06	1073	Q	2.40E-06
1057	I	6.82E-05	1065	I	2.88E-06	1073	P	1.73E-06
1057	F	3.20E-05	1065	Q	2.69E-06	1073	Y	1.25E-06
1057	K	2.76E-05	1065	P	1.92E-06	1073	C	8.64E-07
1057	Y	1.79E-05	1065	E	1.34E-06	1074	A	0.9984284
1057	G	1.67E-05	1065	S	7.68E-07	1074	T	4.19E-04
1057	L	1.57E-05	1065	C	9.60E-08	1074	V	4.11E-04
1057	H	7.68E-06	1066	K	0.9990457	1074	N	2.43E-04
1057	D	3.65E-06	1066	G	3.42E-04	1074	L	1.80E-04
1057	Q	2.59E-06	1066	H	1.78E-04	1074	G	1.56E-04
1057	P	2.21E-06	1066	L	1.33E-04	1074	K	5.30E-05
1057	T	1.44E-06	1066	A	7.36E-05	1074	S	4.79E-05
1057	S	8.64E-07	1066	V	6.61E-05	1074	D	3.95E-05
1057	E	4.80E-07	1066	R	5.33E-05	1074	Q	7.68E-06
1057	M	2.88E-07	1066	E	4.19E-05	1074	M	4.13E-06
1058	V	0.9992974	1066	N	3.49E-05	1074	E	2.88E-06
1058	N	2.93E-04	1066	T	1.23E-05	1074	Y	2.21E-06
1058	A	2.39E-04	1066	Q	6.15E-06	1074	P	1.44E-06
1058	Y	4.56E-05	1066	I	5.28E-06	1074	C	1.15E-06

1058	I	3.90E-05	1066	D	2.50E-06	1074	I	9.60E-07
1058	L	2.80E-05	1066	S	1.82E-06	1074	H	9.60E-08
1058	K	2.22E-05	1066	Y	1.44E-06	1075	L	0.9991155
1058	G	1.38E-05	1066	M	1.06E-06	1075	N	2.88E-04
1058	P	9.22E-06	1066	P	9.60E-07	1075	K	1.91E-04
1058	H	4.03E-06	1067	H	0.9989511	1075	A	1.90E-04
1058	T	3.74E-06	1067	G	4.45E-04	1075	T	1.11E-04
1058	D	1.25E-06	1067	Y	1.53E-04	1075	V	2.33E-05
1058	E	1.15E-06	1067	K	1.37E-04	1075	I	1.99E-05
1058	M	1.15E-06	1067	V	1.23E-04	1075	G	1.69E-05
1058	Q	2.88E-07	1067	A	9.54E-05	1075	D	1.44E-05
1058	F	1.92E-07	1067	Q	3.48E-05	1075	M	8.74E-06
1058	S	1.92E-07	1067	N	3.27E-05	1075	S	6.05E-06
1059	N	0.9991649	1067	L	1.06E-05	1075	Q	4.13E-06
1059	A	3.72E-04	1067	E	3.36E-06	1075	F	3.55E-06
1059	V	2.44E-04	1067	T	3.17E-06	1075	P	3.26E-06
1059	Y	6.04E-05	1067	R	2.98E-06	1075	E	2.40E-06
1059	L	4.78E-05	1067	D	2.11E-06	1075	C	9.60E-07
1059	K	2.83E-05	1067	M	2.11E-06	1075	Y	8.64E-07
1059	T	2.24E-05	1067	P	1.54E-06	1075	H	2.88E-07
1059	G	1.95E-05	1067	S	1.06E-06	1076	N	0.9992106
1059	S	1.50E-05	1067	I	8.64E-07	1076	A	2.37E-04
1059	P	1.01E-05	1067	C	5.76E-07	1076	K	1.81E-04
1059	H	8.83E-06	1068	G	0.9991909	1076	L	1.30E-04
1059	E	2.78E-06	1068	V	2.00E-04	1076	S	8.46E-05
1059	D	1.82E-06	1068	A	1.65E-04	1076	T	4.67E-05
1059	Q	1.15E-06	1068	H	1.29E-04	1076	V	2.83E-05
1059	M	8.64E-07	1068	E	1.25E-04	1076	D	2.56E-05
1059	I	5.76E-07	1068	R	1.04E-04	1076	M	1.76E-05
1059	C	9.60E-08	1068	N	2.52E-05	1076	G	1.12E-05
1060	A	0.9992057	1068	L	2.01E-05	1076	Q	8.74E-06
1060	N	3.11E-04	1068	D	1.10E-05	1076	E	7.87E-06
1060	V	1.39E-04	1068	Y	9.89E-06	1076	Y	5.38E-06
1060	Y	1.08E-04	1068	K	5.76E-06	1076	C	2.59E-06
1060	L	6.06E-05	1068	T	4.90E-06	1076	H	1.15E-06
1060	K	4.70E-05	1068	S	2.88E-06	1076	I	9.60E-07
1060	T	3.67E-05	1068	Q	2.21E-06	1076	P	6.72E-07
1060	G	3.14E-05	1068	I	1.54E-06	1077	K	0.9989977
1060	S	2.14E-05	1068	P	1.15E-06	1077	N	3.68E-04
1060	H	1.76E-05	1068	M	7.68E-07	1077	A	2.51E-04
1060	D	1.08E-05	1068	C	2.88E-07	1077	T	1.86E-04
1060	P	4.42E-06	1069	G	0.9992562	1077	M	5.09E-05
1060	E	3.07E-06	1069	V	2.04E-04	1077	R	3.22E-05
1060	M	1.73E-06	1069	R	1.57E-04	1077	E	2.16E-05
1060	Q	8.64E-07	1069	E	1.25E-04	1077	V	1.95E-05
1060	I	4.80E-07	1069	A	1.16E-04	1077	G	1.88E-05
1060	C	9.60E-08	1069	L	5.56E-05	1077	Q	1.76E-05
1061	A	0.999099	1069	N	2.47E-05	1077	Y	1.06E-05
1061	V	2.67E-04	1069	K	1.15E-05	1077	S	8.93E-06
1061	N	1.92E-04	1069	Y	1.10E-05	1077	I	5.76E-06
1061	T	1.18E-04	1069	I	1.02E-05	1077	D	5.19E-06
1061	L	1.10E-04	1069	T	8.83E-06	1077	P	2.88E-06
1061	K	6.26E-05	1069	S	6.34E-06	1077	L	2.50E-06
1061	H	4.57E-05	1069	M	5.28E-06	1077	C	2.88E-07
1061	Y	4.02E-05	1069	D	3.36E-06	1077	H	9.60E-08
1061	G	3.40E-05	1069	P	2.59E-06	1078	A	0.9990958
1061	S	1.71E-05	1069	Q	8.64E-07	1078	T	2.55E-04
1061	D	4.13E-06	1069	H	6.72E-07	1078	N	2.23E-04

1061	I	3.36E-06	1069	C	9.60E-08	1078	K	1.29E-04
1061	E	2.78E-06	1069	F	9.60E-08	1078	V	8.99E-05
1061	Q	1.82E-06	1070	G	0.9991746	1078	M	5.98E-05
1061	M	7.68E-07	1070	A	2.98E-04	1078	Q	4.56E-05
1061	P	4.80E-07	1070	V	1.95E-04	1078	S	2.14E-05
1061	C	9.60E-08	1070	L	7.35E-05	1078	D	1.86E-05
1062	N	0.9990169	1070	N	5.66E-05	1078	P	1.56E-05
1062	V	2.17E-04	1070	C	5.19E-05	1078	G	1.39E-05
1062	Y	1.80E-04	1070	S	4.82E-05	1078	I	9.12E-06
1062	A	1.45E-04	1070	D	4.03E-05	1078	L	8.83E-06
1062	S	1.25E-04	1070	K	2.84E-05	1078	E	8.74E-06
1062	K	1.08E-04	1070	M	9.12E-06	1078	Y	2.98E-06
1062	G	7.45E-05	1070	T	6.63E-06	1078	H	1.34E-06
1062	H	6.12E-05	1070	Q	5.47E-06	1078	C	1.15E-06
1062	L	4.96E-05	1070	Y	4.80E-06	1079	T	0.9991392
1062	T	1.19E-05	1070	H	2.40E-06	1079	N	3.63E-04
1062	D	7.11E-06	1070	E	2.11E-06	1079	A	1.99E-04
1062	E	1.06E-06	1070	I	1.34E-06	1079	M	1.05E-04
1062	M	1.06E-06	1070	P	5.76E-07	1079	Q	5.98E-05
1062	Q	9.60E-07	1070	R	3.84E-07	1079	V	5.00E-05
1062	I	4.80E-07	1070	F	9.60E-08	1079	E	1.76E-05
1062	P	9.60E-08	1071	V	0.9985597	1079	L	1.56E-05
1063	V	0.9988616	1071	I	4.22E-04	1079	S	1.38E-05
1063	G	2.42E-04	1071	A	3.91E-04	1079	D	1.18E-05
1063	Y	1.90E-04	1071	G	3.14E-04	1079	G	1.03E-05
1063	L	1.82E-04	1071	L	1.10E-04	1079	I	4.90E-06
1063	N	1.56E-04	1071	N	7.37E-05	1079	K	4.90E-06
1063	I	1.05E-04	1071	K	6.11E-05	1079	Y	2.30E-06
1063	H	1.05E-04	1071	F	1.39E-05	1079	P	1.44E-06
1063	A	5.28E-05	1071	E	1.03E-05	1079	C	1.15E-06
1063	F	4.79E-05	1071	T	9.60E-06	1079	H	2.88E-07
1063	K	4.74E-05	1071	Q	9.22E-06			
1063	T	3.17E-06	1071	H	9.12E-06			
1063	E	1.92E-06	1071	D	7.20E-06			
1063	D	1.44E-06	1071	M	2.88E-06			