**Effects of fire regime on the bird community in an Amazonian savanna**

Laís Araújo Coelho[1,§,*], Camila Duarte Ritter[2,3,§,*], Albertina Pimentel Lima[2], Renato
Cintra[2], William E. Magnusson[2], Tânia Margarete Sanaiotti[2]

[1] Department of Ecology, Evolution, and Environmental Biology, Columbia University,

MC-5557, 1200, Amsterdam Avenue, New York, NY 10027, USA

[2] Instituto Nacional de Pesquisas da Amazônia. Avenida Efigênio Sales, 2239, Manaus,

AM 69060-001, Brazil

[3] Instituto Juruá, Rua das Papoulas, 97, Aleixo, 69083-300, Manaus, AM, Brazil.

16    [*] Corresponding author: kmicaduarte@gmail.com

17    [§] Both authors have contributed equally to this paper.

**ABSTRACT**

Savanna ecosystems are maintained by fires with a fire-adapted biota, and savannas occur in Amazonia in patches surrounded by tropical forest. Different fire regimes can generate structurally diverse vegetation, and the composition of savanna bird assemblages is known to be closely related to vegetation structure. However, long-term approaches and interaction of fire with other environmental factors need to be explored for the better understanding of the effects of fire on birds. In an Amazonian landscape composed by savanna and forest, we investigated the effects of different fire regimes in a 12-ha area in three periods through 23 years. We also examined the effects of frequency and extent of fires, tree cover, and distance to forest on bird composition in twelve 3.7- ha savanna plots. Birds were surveyed with mist-nets and species were classified as to their habitat use by comparison of registers in forest and savanna plots through visual/acoustical surveys. After 13 years without fire, many forest species colonized the area and some savanna species were lost. Fire regime affected avifauna assemblages. The avifauna was sensitive to the occurrence of fires. After one fire event in a plot that had not burned for 12 years, some savanna species returned. These results highlight the effects of the fire regime on birds and indicate that many savanna bird species depend on the occurrence of regular fires.

**Background**

Savanna vegetation is characterized by the occurrence of grasses, shrubs, and trees with discontinuous canopy cover (Ferreira et al. 2015, Silva et al. 2019; Azevedo et al. 2020). Savannas differ from other open vegetation types in that they burn regularly (Ramos-Neto and Pivello 2000). In Tropical America, there are three main domains of the savanna biome: the Llanos and the Guianan domains in northern South America, and the Cerrado domain in central South America (da Silva and Bates 2002, Furley 2006, Azevedo et al. 2020). Beyond these domains, there are also several smaller areas of savanna scattered across Tropical America, such as in the Atlantic Forest, in Central America, on Caribbean islands, and within lowland Amazonia (de Carvalho and Mustin 2017, Pennington et al. 2018). In the Amazon, savannas are estimated to cover between 1.8% (de Carvalho and Mustin 2017, Mustin et al. 2017) and 4% (Pires and Prance 1985) of the region and occur isolated in patches of different sizes, surrounded by a matrix of continuous canopy and moist dependent tropical rainforest (Huber 1982, de Carvalho and Mustin 2017).

Savannas of tropical humid regions are maintained mainly by the incidence of fires (Moreira 2000, Bond and Keeley 2005). Fire regimes differ in the combination of several factors, such as frequency, intensity, extent, and the period of year in which they occur (Bond and Keeley 2005), and some plant species show adaptations to this disturbance (Fidelis and Zirondi 2021). Savanna organisms are resilient to milder fires, similar to natural fire regimes, and are impacted by fires that are more frequent or that occur in seasons different from the natural fire period (Griffiths and Christian 1996, Ramos-Neto and Pivello 2000, Medeiros and Miranda 2008, Smit et al. 2010, Fidelis and Zirondi 2021). Savannas are threatened by changes to the natural fire regimes; while in some areas fires have become more frequent, other savannas undergo a process of

densification of woody vegetation, possibly due to fire suppression (Sanaiotti and

Magnusson 1995, Medeiros and Miranda 2008, Moustakas et al. 2010, Lima et al. 2020).

The effects of the alteration in natural fire regimes could threaten the Amazonian

savanna biota. However, studies on the effect of fires on the savanna biota are generally

incomplete, fragmented, and frequently based on controlled experiments that do not

reflect the real variation of the effects of non-experimental fire regimes (Parr and Chown

2003, Russell-Smith et al. 2010). Amazonian savannas have a unique biota and also allow

the expansion of the Cerrado biota into the region, including some endangered species

(Aleixo and Poletto 2007), connecting populations of Llanos and the Guiana domains

with the Cerrado (Ritter et al. 2021), and maintain genetic diversity because they have

more recent diversification times than populations of the main domains (van Els et al.

2021). Despite their limited distribution, importance for biota, and pressure from the rapid

expansion of agriculture and livestock, the Amazonian savannas are underrepresented in

protected areas (Sanaiotti and Magnusson 1995, Santos and Silva 2007). In this context,

studies on well-known taxonomic groups can offer critical insights for the savanna

dynamics under different levels of disturbance.

Birds have well documented geographic and morphological variability. The

composition of the savanna avifauna is associated with the severity of the fires and varies

along the gradient of disturbance (Barlow and Peres 2004, Clavero et al. 2011, Davis and

Miller 2018). However, evidence of diversified responses to fire regimes led to

"pyrodiverse" management techniques in savannas, without regard to the ecological

significance of some fire patterns (Parr and Andersen 2006). The investigation of the

responses of birds to different intensities and frequency of fires in areas of contact

between savanna and forest is important in order to understand the effects of forest

expansion or of the use of fire for the restoration of savanna avifauna (Artman et al. 2005,

Moura et al. 2016, Davis and Miller 2018). In addition, long-term approaches and those

that consider the spatial variation of fires and their interaction with other environmental

factors need to be incorporated for a better understanding of the relationship between fire

and fauna (Parr and Andersen 2006, Driscoll et al. 2010).

We analysed variation in bird assemblages in an eastern Amazonian savanna in

response to different spatial and temporal scales of fires events. We used two distinct

approaches to evaluate the effects of fire, one based on a time sequence of changes within

plots, and another based on spatial differences in fire events history. We evaluated the

dynamics of the avifauna over 23 years, in which 10 were regularly burned and the last

13 years without fire. Due to the limited sampling periods for the temporal analysis and

as the area had burned before the study began, it was not possible to include a strict

control/impact design. We then, used 12 widely dispersed plots to evaluate the effects of

the frequency and extent of fires, tree cover, and distance to forest on bird assemblages,

to complement time variation in bird assemblages with spatial variation that included

plots with distinct fire histories (Legendre and McArdle 1997). We hypothesised that (i)

avifauna composition would be significantly different after 13 years without fire, with

colonization by some forest species; (ii) fire frequency and extent would affect avifauna

composition, with a higher abundance of savanna species in plots with higher occurrence

and extent of fires.

**Material and Methods**

Study area – The study was conducted in an enclave of savanna within forest in

the state of Pará, Brazil, in the municipality of Santarém, near the village of Alter do Chão

(2 ° 31 'S, 55 ° 00' W) on the right bank of the Tapajós River (Figure 1). The area covers

about 10,000 ha distributed in four non-contiguous enclaves, with a larger portion of the

area being composed of sandy soil covered by an herbaceous layer of varying height and

density, a shrub layer of 60-80 cm, and a tree layer up to 10 m (Cintra and Sanaiotti 2005,

Magnusson et al. 2008). The savanna contains different-size patches of semi-deciduous

forest and is surrounded by the same vegetation (Miranda 1993, Cintra and Sanaiotti

2005). The climate has two well-defined seasons: a dry season from July to December,

and a rainy season from January to June, with 75% of rainfall occurring from December

to June. Fires are frequent in the area; local people traditionally burned the savannas

regularly, usually during the dry season, but environmental agencies have discouraged

burning during the past few decades, suppressing fires in many areas.

Bird sampling – We captured birds with mist-nets (mesh size 36 mm). We

identified the birds based on identification guides (Mata et al. 2006, Ridgely and Tudor

2009) and consultation with specialists. The nomenclature of birds follows the "List of

Brazilian Birds" of the Brazilian Committee of Ornithological Records (CBRO 2011).

Birds captured in this study were marked with metal bands provided by CEMAVE-

ICMBio (authorization number 1177 / 4, ICMBIO / SNA) or coloured plastic bands.

Temporal analysis – We captured birds in three sampling periods over 23 years

(1987/88; 1996/97 and 2009/10): five samples in the period from September 1987 through

August 1988, three samples in the period from September 1996 through February 1997

and five samples in the period from August 2009 through June 2010. The sampling site

was a savanna area of about 12 ha (250 x 450 m) located on a peninsula (Figure 1A,

dotted red rectangle). From at least 1985 until 1997 the area was under a regular fire

regime (Sanaiotti and Cintra 2001). From 1998 until 2010 there were no fires in the study

site. The sampling protocol was standardized throughout the whole study period, in which

we used 20 mist nets of 12 x 2.5 m (36 mm mesh size). The nets were positioned

consecutively, forming a single straight mist-net line. Every second day, the location of

the mist-net line was changed to a perpendicular position distant up to 100 m from the

previous net line (Figure 1B). We varied the net-line positions between samples within

periods, to cover the maximum possible area of the 12-ha site (Fig. 1B). Nets were opened

from 06:00 to 09:00 and from 15:30 to 17:30. Each sample consisted of four positions of

net lines, in which we considered the four morning samples of each net-line position and

the two first sampled afternoon periods, accruing a total of 320 net-hours per sample. The

captures and recaptures are shown in Table S1.

Spatial analysis – To assess the spatial variation in bird assemblages, we sampled

twelve 3.75 ha plots that were separated by at least 1 km. Each plot had four parallel 250

m transects spaced 50 m apart (Fig. 1C). For bird sampling, we used two of the transects

spaced 100 m apart, each with 15 mist nets (36 mm mesh size, nine 9 x 2.5 m mist nets

and six 12 x 2.5 m mist nets), in a total of 30 mist nets per plot. The mist nets were opened

in the same time interval described previously for one day in each plot. Sampling was

done in the dry season from August to October 2010.

Additional short-term fire-effect observations – Plot 9, which had not burned since

1997, had an unexpected fire on 23 October 2010. This plot was sampled again in

November 2010, immediately following the fire event, with the same protocol used in the

12 plots.

Bird classification – We classified bird species regarding the habitat in which they

were most common in the savanna-forest mosaic of the study area. In 1999 and 2000, RC

undertook visual and acoustic sampling of birds in 22 savanna plots and 22 forest plots

(distributed in isolated forest fragments in savanna matrix and in the adjacent continuous

forest) for a posterior classification of species as to their habitat use. The 22 savanna plots

had the same dimensions as the 12 plots sampled with mist-nets in this study. RC sampled

two 250 m transects from 6 to 9 am and from 4 to 6 pm in the afternoon, stopping for two

minutes every 50 m and registering every bird heard or seen within a 10 m radius (Cintra

and Sanaiotti, 2005; Cintra, Magnusson and Albernaz, 2013). The abundances of the

species in the 44 savanna and forest plots were compared with a Wilcoxon test. The

species that were more abundant in forest plots (p<0.05) were classified as forest species

(F), those that were more abundant in savannas were classified as savanna species (S),

and species whose abundances did not differ significantly between the two habitats were

classified as indifferent (I). Six species (Table 1) were classified based on the literature

because they were not recorded in point-count surveys in any of the 44 plots.

<u>Environmental variables</u> – The fire-history data from each plot was collected from

1997 to 2009, except for 1998. The four 250 m transects in the plots were sampled

annually after the burning period (usually from August to December). To estimate the

burn extent in a plot, we checked for burnt herbaceous vegetation (which regenerates

within months after fire) at 2 m intervals, and the annual burn extent value was the

percentage of burnt points per plot (number of points with burnt vegetation/total plot

points). Fires were spatially congruent, so there were no points on burned ground with

unburned vegetation around. The fire history of the plots was calculated by summing all

of the annual burn extent for each plot (range: 0 – 1,200). Another fire-history variable

that we considered was the frequency of fires regardless of their extent. This variable was

calculated by summing the number of years throughout the 12 sampling years in which

the plot was burned. Therefore, this value ranged from 0 to 12 and will hereafter be

referred to as fire frequency.

Data on tree cover were collected from July to August 2007. We used tree cover

measured 3 years prior (with no fire occurrence) to bird sampling because tree cover did

not change significantly in a four year interval in the study region (Vasconcelos et al.

2008), or during subsequent years (personal observation). At 2-m intervals along the four

transects in each plot, a cylindrical metal stick 1-m long with 2 mm diameter was

positioned perpendicularly to the ground and it was noted whether it touched a tree or

was under a tree canopy (height > 2m). We considered tree cover as the proportion of

points that met this criterion. For more information about the method, see Magnusson et

al. (2008).

The composition of the bands 1, 2, 3, 4, 5, and 7 of a Landsat TM 5 image (orbit

227, point 62) of 29 June 2010 was georeferenced to a geographic information system

(ESRI ® ArcMap ™ 3.9) using paths and points collected with GPS in the study area.

The resulting image composition underwent a process of supervised classification by

maximum likelihood with the program ENVI 4.5 © 2008. This resulted in a thematic map

of the study area containing the following classes of land cover: 1) savanna, 2) forest, 3)

water bodies, and 4) other. We obtained the distance to forest for each plot from this

composition, considered as the shortest distance measured from the centroid of each plot

and the edge of the closest forest.

Data analyses – We did not include nightjars or hummingbirds in the analyses

because our mist-net sampling was not appropriate for capturing these groups. Four

species (*Myiarchus swainsoni, Myiarchus ferox, Phaeomyias murina,* and *Camptostoma*

*obsoletum*) were not included in the analysis of temporal variation because irregularities

in their identification were detected. These species were included in the analysis of spatial

variation given that, during the sampling of this data, birds were photographed for

posterior identification. Recaptures within each temporal or spatial sample were not

included in the analysis. We used the number of captures of each species as an index of

relative abundance for each sampling unit for all analysis. All statistical analyses were

done in R software (R Core Team 2021).

To test the first hypothesis (avifauna composition would be significantly different

after 13 years without fire, with colonization by some forest species), we used a two-

dimensional non-metric multidimensional scaling (NMDS) ordination as implemented in

the metaMDS function in the R package vegan 2.5-7 (Oksanen et al. 2010), with the data

from the peninsula over the 23 years. Compositional dissimilarity was quantified with the

Bray-Curtis dissimilarity index. We tested the significance of the NMDS axis for the year

of sampling through the envfit function. Next, we used the Betadisper analysis followed

by the TurkeyHSD test to check for difference among group variances. As no difference

was found ($p > 0.84$) for any pairwise comparison, we used Permutational Analysis of

Variance (PERMANOVA) to assess whether sampling period affected bird assemblage

composition. To test which sampling periods were significantly different from others, we

used the function "pairwise_adonis" with the package ranacapa v. 0.1.0 (Kandlikar

2021)(Kandlikar 2021) with Bonferroni correction. To test if forest species were more

abundant in the no-fire period and savanna species more abundant in the fire period, we

used a Kruskal-Wallis test for both groups separately followed by a pairwise Wilcox test

to detect significantly different groups. To visualize the change in bird community

composition, we used a direct ordination of samples (McCune et al. 2002) in

chronological order to view changes in the community throughout the sampling period in

a compound graph in which the relative abundance of all species is shown (Dambros

2014)(Dambros 2014).

To test the second hypothesis (fire frequency and extent would affect avifauna

composition, with a higher abundance of savanna species in plots with higher occurrence

and extent of fires), we used the relative-abundance dissimilarity measured with the Bray-

Curtis distance and the environmental variables (except for plot 9 after fire since the

variables were collected before the fire event) that were standardized to mean = 0 and

variance = 1. Most variables had high Pearson correlations, except for forest distance

(Table S2). Because fire frequency, fire extent, and tree coverage were correlated, we

used the community dissimilarity as the response variable and the fire frequency and the

distance to forest as explanatory variables in a PERMANOVA. PERMANOVA analyses

of fire extent and tree coverage are presented in the Supplementary html file..

Additionally, we tested the effects of environmental variables on overall bird abundance

and species richness of savanna species and forest species separately. We used

generalized linear models (Crawley 2007) with Poisson error distribution after checking

for the distribution of residuals. We defined a set of models to explain variation in

abundance and richness for savanna species and for forest species separately using fire

frequency and distance to the forest separately and together in the same model. The final

model set included an additional constant, intercept-only model, comprising a total of

four models for each dependent variable. Models were selected using an information-

theory approach based on AIC (Akaike 1974)    using the corrected AIC (dAICc) for

small   with the bbmle v. 1.0.25 package (Bolker and Bolker 2017). Models including fire

extent and tree coverage separately and with distance to the forest as an additive effect

are presented in the supplementary html material.

For the additional short-term fire-effect observations, to visualize the change in

the bird composition in plot 9, we plotted the inverse of abundance pre-fire and total

abundance post-fire of each species in a lollipop graph with ggplo2 v. 3.3.5 (Wickham

2016).Additional R packages used for data curation and visualization were tidyverse

v.1.3.1 (Wickham 2017), and plotly v.4.10.0 (Sievert 2020). The html with the tables,

code, and results are available as supplementary material.

**Results**

<u>Temporal analysis</u> – A total of 620 individuals of 46 species were caught in 723

captures in 13 sampling occasion (five in 1987/88, three in 1996/97, and five in 2009/10)

on the peninsula. Our first hypothesis, that avifauna composition would be significantly

different after 13 years without fire, with colonization by some forest species, was

supported. The samples collected after 13 years without fire did not overlap with the

samples collected under the frequent-fire regime in the space defined by the two NMDS

axes (Figure 2, stress = 0.13; envfit: $r^2$ = 0.59, p = 0.002). The first NMDS axis split

samples from the 2009-10 period without fire (green circles) from the two sampling

periods under fire regime (1987-88 [red triangles] and 1996-97 [orange squares]), which

overlapped along the NMDS axis (Figure 2). The results of PERMANOVA also indicated

that the bird assemblage composition varied significantly among the three sampling

periods in the 12-ha study site of the peninsula ($F$ = 2.73, $P$ = 0.002). The pairwise

comparisons showed that 1987-88 and 1996-97 bird assemblages were not significantly

different, but both were significantly different from the 2009-10 bird assemblage (Table

2). Forest species were more abundant in the period without fire (Chi-square = 17.54, p

< 0.001), but did not differ between 1987/88 and 1996/97 ; both differed from 2009-10

(Table S3). However, savanna species were not significantly different among sampling

periods.

Spatial analysis – In the 12 plots sampled in August 2010, excluding the

resampling of plot 9, we caught 666 individuals belonging to 44 species in 744 captures.

There were no recaptures between different plots. Plot 9 was located in an area that had

not burned for 12 years (the last fire was in 1997), while the fire frequency among the

other plots ranged from 6 to 10 fires in the last 12 years (Table 3). Ten plots (except for

4 and 9) were burned in 2009, one year before the bird sampling took place. Our second

hypothesis, that fire frequency and extent would affect avifauna composition, with a

higher abundance of savanna species in plots with higher occurrence and extent of fires,

was partially supported. The results of PERMANOVA was significant for fire frequency

(F = 3.56, p = 0.004; Table 3). Fire extent F = 3.23, p = 0.005; Table 3) and tree coverage

F = 2.84, p = 0.007; Table 3) were also significant, but these results are not independent

as they are correlated to fire frequency.

Some savanna species were not present in plots with fire-occurrence frequencies

inferior to eight years, and forest species occurred mainly in the lowest extreme of the

fire-frequency gradient (less than six years; Figure 4). Some forest species occurred only

in plots 4 and 9, which were the plots with the lowest fire frequencies in the last 12 years.

The GLM analysis indicated that savanna-species richness was not affected by any of the

environmental variables we tested (Table 4). However, for savanna species abundance, fire frequency alone was the best model (Table 4). In forest species, for both richness and abundance, only distance to forest was kept in the best model (Table 4).

<u>Additional short-term fire-effect observations</u> – The bird species composition in plot 9 a month after the 2010 fire was different from the composition observed previously (Figure 5). Some species, such as *Schistoclamys melanopis*, *Myiarchus ferox, M. tyrannulus,* and *Dendroplex picus* were not captured after the fire, while *Claravis pretiosa* and *Ammodramus humeralis* were captured exclusively in the post-fire survey. In the long-term study, which included plot 9, these species were not captured in any of the samples in the period without fire. However, these species occurred in samples from the periods with frequent-fire regime, and *A. humeralis* was one of the most frequent species in those samples (Figure 3).

**Discussion**

We evaluated the temporal and spatial change in bird assemblages under distinct fire regimes in an Amazonian savanna. Although we had only three periods with a total of 13 samples (five in 1988/89, three in 1997/98, and five in 2009/10 after 13 years without fire), the avifauna composition included more forest species. Similarly, even though only one time period was sampled in the spatial analysis, with just one plot that did not burn, fire frequency affected the avifauna, with some savanna species appearing soon after a fire in a plot that had not previously burned. Although it is not possible to make statistical comparisons for the short-term observations, they were consistent with those in the longer-term studies, with some savanna species appearing soon after a fire in that plot. Each part of the study should be analysed with caution due to limited sampling, but the temporal and spatial analyses reinforce each other and indicate the importance of fires for savanna species.

<u>Temporal analysis</u> – The dynamics of local bird assemblages in our study changed

over time in accordance with changes in fire occurrence. Regular fires maintained the

area suitable for an avifauna comprising typical savanna species, but periods without fire

led to an influx and consequent predominance of forest species in the bird assemblages,

as found for birds and other vertebrates in an Australian savanna under fire suppression

for 23 years (Woinarski et al. 2004).

During the period without fires, there was a marked increase in woody-vegetation

cover, mainly due to an increase in density of tree species associated with forests in the

study region (Lima et al. 2020). Forest birds foraging in adjacent savannas potentially

disperse forest seeds into the savanna (Tubelis 2004). Therefore, it is likely that the influx

of forest birds has intensified the process of forest-tree recruitment by seed dispersal in

the savanna area. The main factor that restricts the establishment of forest-tree seeds in

savannas is fire, in spite of seed morphological constraints, thus, fire suppression favours

the expansion of forest species into the savanna (Hoffmann et al. 2004, de Souza Campos

and Jardim 2020, Lima et al. 2020), and promotes woody-cover increase.

Shrub encroachment (*i.e.* woody-cover increase) has been indicated as a driver of

changes in bird assemblages in African savannas, especially due to the loss of species

associated with open savannas (Krook et al. 2007, Sirami et al. 2009, Sirami and

Monadjem 2012). In our samples, two species that were among the most frequent species

from 1987 to 1997, *A. humeralis* and *C. passerine*, were not recorded in the study site in

periods without fire. These species are ground dwellers and probably associated with

grass cover, a characteristic ubiquitous in African savanna birds that are undergoing

habitat loss due to shrub encroachment (Sirami and Monadjem 2012, Abreu et al. 2017).

Savannas protected from fire have less grass cover and denser woody vegetation in

relation to savannas undergoing frequent burning (Moreira 2000, Woinarski et al. 2004,

Passos et al. 2018). The passage of fire reduces the density of the middle stratum of the

vegetation and reduces shrub-cover extent (Sanaiotti and Magnusson 1995), favours the

expansion of grasses (Moreira 2000, Fidelis and Zirondi 2021), impairs access of birds to

the soil (Crawford 1979), and it is likely that a similar process occurred in our study site.

In the savanna we studied, fires occur during the late dry season, which coincides with

the nesting season of many species of savanna birds (Sanaiotti and Magnusson 1995).

Savanna birds have high specificity in terms of vegetation structure (Tubelis and

Cavalcanti 2001, Krook et al. 2007, Sirami et al. 2009) and the direct effects of fire on

birds is expected to be less pronounced than the strong response of birds to changes in the

environment. The interaction between the direct and indirect effects of fires on the biota

makes it difficult to consider them separately. We did not detect direct short-term effects

of fire on individual birds. In contrast, many individuals were recaptured after fires in the

short and long-term, a result also observed previously in the same region (Cintra and

Sanaiotti 2005) and in the Cerrado of Central Brazil (Piratelli and Blake 2006).

Spatial analysis – The effects of fire frequency, fire extent, and tree cover were

not distinguishable due to their high covariance. Fire inhibits the establishment of young

trees and sprouts, while adult trees in savannas survive burns (Prior et al. 2010). In

Amazonian forest areas, fires are more frequent and cover larger areas in deforested areas

(Sorrensen 2009; Lima et al. 2012), due to the decrease of humidity (Silvestrini et al.

2011). The high correlation between fire frequency and fire extent in our study area

probably results from a similar process. The fires suppress the vegetation making the area

more susceptible to future fires that can burn a bigger area compared with unburned

regions. We expected that plots under a regular fire regime would have little variation in

tree cover over time because of the inhibition of tree recruitment by fire, and consequently

it would be the vegetation strata least correlated with fire history. Therefore, we chose

tree cover as the main vegetation variable. However, tree cover was highly correlated

with fire history, impairing the distinction between the effects of these two variables

(Camill et al. 2009).

A fire-severity index that combined fire extent, shrub-cover loss and branch

diameter (a proxy for fire intensity) affected birds in European mountain rangelands (Pons

and Clavero 2010). Since fire regime is a multifactorial disturbance, which probably has

a multitude of synergistic direct and indirect effects on the biota, it is challenging to assign

organism responses to particular aspects of a fire regime. Here we used fire frequency, as

the proxy of fire regime since it covaries with fire extent and tree coverage.

Some species occurred almost exclusively in the extreme of the fire frequency

and tree-cover gradient. Plots 4 and 9 had a similar and extensive tree cover, but the fire

frequency in plot 4 was pronouncedly higher. The effect of the interaction between these

variables, although very plot-specific, is illustrated by the occurrence pattern of some

species in plot 4. Even though plot 4 shared some forest species exclusively with plot 9

(e.g. *Hemitriccus striaticollis* and *Pathyramphus poluchopterus*), some savanna species

(*e.g. A. humeralis* and *E. chiriquensis*) that occurred in plot 4 were only captured in plot

9 after a fire. In spite of its extensive woody vegetation, its fire frequency probably also

favoured the occurrence of some typical savanna species.

The spatial variation in the fire regime, may contribute to the bird diversity at the

landscape level. As tropical forests and savannas seem to represent alternative states in

some areas, such as the Amazonia where savannas suppressed of fires tend to have more

forest species present (Magnusson et al. 2002). The forest-savanna transition may be

associated with thresholds or tipping points in environmental variables, such as fire

frequency (Hirota et al. 2011, Lehmann et al. 2014). Tropical forest burned several times

became a savanna and savannas surround by forests, after long periods without fire

became more forested with typical forest species returning. As this transition is dynamic

some species could occupy one or another. Indeed, in another Amazonian savanna

landscape, most bird species crossed from one habitat to another (de Sousa et al., 2022),

and in our study distance to the forest was the main factor explaining forest species

richness and abundance.

<u>Implications for conservation</u> – Amazonian savannas share species in common

with the Cerrado, allowing the expansion of the Central South America savanna biota to

the region (Aleixo and Poletto 2007, Ritter et al. 2020), including some threatened species,

such as *Cercomacra carbonaria* and *Synallaxis kollari* (Santos and Silva 2007).

Amazonian savannas are important for conservation at both local and regional levels,

since they occur surrounded by the tropical forest, forming mosaics of complex

vegetation (Adeney et al. 2016), which increase the beta diversity. Furthermore,

Amazonian savannas shelter several Cerrado species with distinct evolutionary and

biogeographic characteristics (Garzón-Orduña et al. 2014, Resende-Moreira et al. 2019,

Ritter et al. 2020).

Savannas are generally distributed in areas with low annual precipitation and high

precipitation seasonality (Lehmann et al. 2011). However, many tropical savannas

currently occur in areas that are predicted to support forests (Bond and Keeley 2005,

Murphy and Bowman 2012). In these areas, disturbances, such as fires, help to keep the

vegetation open (Fidelis and Zirondi 2021). Fire histories that favoured forest species and

culminated in a higher richness were in general detrimental for savanna species (Durigan

2020). However, a frequent-fire regime may lead to species loss and ecological

disequilibrium (Medeiros and Miranda 2005, Fidelis and Pivello 2011). In ecosystems,

such as the Cerrado, where patches of forest harbour a great portion of the diversity (Silva

1995), it is advantageous to apply comprehensive conservation strategies that include

less-frequent fire regimes. However, Amazonian savannas have a limited extent, are

under-protected and threatened, and efforts to conserve their diversity should be

concentrated on the savanna species strongly associated with this habitat. Indeed, a study

focusing on forest habitats in the same area of this study showed that small forest

fragments can maintain a large portion of bird communities (80%) of the continuous-

forest area (Cintra, Magnusson and Albernaz, 2013), highlighting the higher vulnerability

of savanna species birds in the region.

The savannas of Alter do Chão are all on private property, resulting in an

idiosyncratic and unplanned fire regime. This allowed the existence of a dynamic

community over time and space. Regrettably, areas of tropical savannas are under

pressure for agriculture and livestock grazing, resulting in an alarming rate of degradation.

Recent changes in Brazilian environmental policy have resulted in an increase in the rate

of deforestation in Amazonia (Pereira et al. 2019, Rapozo 2021), many times associated

with fires (Silva et al. 2021). Although fire is a key factor for the maintenance of typical

savanna species, the increase of anthropogenic fires associated with climate change,

which increases the frequency and severity of Amazonian droughts, amplifying fire

frequency, extent, and intensity (Xu et al. 2020)(Xu et al. 2020(Xu et al. 2020, may lead

to the loss of bird diversity. Hence, avoiding the largest uncontrolled and illegal fires is

important, but keeping small-scale fires may be a better strategy than trying to avoid fires

altogether or manage complex and costly fire regimes (Andersen and Hoffmann 2011).

One of the main attractions for tourists in the region are the savannas, which do

not occur in most parts of Amazonia. The local people interested in tourism could

maintain the savannas, and their bird fauna, by controlled burns at widely spaced intervals

that are not coincident among savanna patches, but this would require consultation with

a wide variety of landowners.

**Conclusion**

Fire affected bird assemblage composition at several temporal and spatial scales,

and the effects were congruent. Areas under frequent fire disturbance had a predominance

of savanna species in relation to forest species, while some forest species were more

frequent in areas with lower fire frequency. The congruence of the results highlights

validity of space for time substitution when temporal data are unavailable. However, the

use of these two scales provides complementary information and allows a more complete

comprehension of the effects of fire on the fauna. Fires are a key element in maintaining

the eastern-Amazonian savanna-bird communities, but climate change and increased

frequency and intensity of anthropogenic fires may threaten bird diversity if the subtle

effects are not understood.

**Acknowledgments**

We thank the Nobre brothers for support and dedication to the project, Mario Cohn-Haft

for help in species identification and Paulo E.S. Massoca for the help with the production

and analysis of maps. WEM received a productivity scholarship from CNPq.

**Declarations:**

**Ethical Approval**

No ethical requirement was necessary. Birds captured in this study were marked with

metal bands provided by CEMAVE-ICMBio (authorization number 1177 / 4, ICMBIO /

SNA) or coloured plastic bands.

**Competing interests**

The authors declare no competing of interest

**Author contributions**

L.A.C. e T.M.S. conceived the study; L.A.C., A.P.L., R.C., W.E.M. e T.M.S. collected

data. L.A.C. and C.D.R. analyzed data and wrote the manuscript with contribution of all

authors.

**Funding**

We thank INPA for the support and CNPq for the scholarship for LAC's MSc project.

The long-term fire and avifauna data are financed by the productivity scholarships from

CNPq and PPI-INPA to TMS and APL.

**Availability of data and materials**

The html with the scripts will be provided as supplementary material and the script and

tables used here are available at mega.

**References**

Abreu, R. C. R., W. A. Hoffmann, H. L. Vasconcelos, N. A. Pilon, D. R. Rossatto, and
G. Durigan. 2017. The biodiversity cost of carbon sequestration in tropical savanna,
Sci. Adv., 3, e1701284.

Adeney, J. M., N. L. Christensen, A. Vicentini, and M. Cohn-Haft. 2016. White-sand
ecosystems in Amazonia. Biotropica 48:7–23.

Akaike H (1974) A new look at the statistical model identification. In: Selected Papers of
Hirotugu Akaike. Springer, pp 215–222

Aleixo A, Poletto F (2007) Birds of an open vegetation enclave in southern Brazilian
Amazonia. Wilson J Ornithol 119:610–630

Aleixo, A., and F. Poletto. 2007. Birds of an open vegetation enclave in southern Brazilian
Amazonia. The Wilson Journal of Ornithology 119:610–630.

Andersen, A. N., G. D. Cook, L. K. Corbett, M. M. Douglas, R. W. Eager, J. Russell-Smith, S. A. Setterfield, R. J. Williams, and J. C. Z. Woinarski. 2005. Fire frequency and biodiversity conservation in Australian tropical savannas: implications from the Kapalga fire experiment. Austral ecology 30:155–167.

Andersen, A. N., and B. D. Hoffmann. 2011. Conservation value of low fire frequency in tropical savannas: Ants in monsoonal northern Australia. Austral Ecology 36:497–503.

Artman, V. L., T. F. Hutchinson, and J. D. Brawn. 2005. Fire ecology and bird populations in eastern deciduous forests. Studies in Avian Biology. 30: 127-138. 30:127–138.

Azevedo, J. A. R., R. G. Collevatti, C. A. Jaramillo, C. A. E. Strömberg, T. B. Guedes, P. Matos-Maraví, C. D. Bacon, J. D. Carillo, S. Faurby, and A. Antonelli. 2020. On the young savannas in the land of ancient forests. Pages 271–298 Neotropical diversification: Patterns and processes. Springer.

Barlow, J., and C. A. Peres. 2004. Avifaunal responses to single and recurrent wildfires in Amazonian forests. Ecological Applications 14:1358–1373.

Bolker B, Bolker M ben (2017) Package 'bbmle.' Tools for General Maximum Likelihood Estimation 641:

Bond, W. J., and J. E. Keeley. 2005. Fire as a global 'herbivore': the ecology and evolution of flammable ecosystems. Trends in ecology & evolution 20:387–394.

Burnham KP, Anderson DR (2002) Model selection and multimodel inference: a practical-theoretical approach. J. Wildl. Manag. https://doi. org/10.1007/b97636.

CBRO. 2011. Listas das aves do Brasil. http://www. cbro. org. br>. Acesso em 3:2012.

Camill, P., A. Barry, E. Williams, C. Andreassi, J. Limmer, and D. Solick. 2009. Climate-vegetation-fire interactions and their impact on long-term carbon dynamics in a boreal peatland landscape in northern Manitoba, Canada. Journal of Geophysical Research: Biogeosciences 114.

Cintra, R., Magnusson, W. E. and Albernaz, A. (2013) 'Spatial and temporal changes in bird assemblages in forest fragments in an eastern Amazonian savannah', Ecology and Evolution, 3(10), pp. 3249–3262.

Cintra, R., and T. M. Sanaiotti. 2005. Fire effects on the composition of a bird community in an Amazonian savanna (Brazil). Brazilian Journal of Biology 65:683–695.

Clavero, M., L. Brotons, and S. Herrando. 2011. Bird community specialization, bird
conservation and disturbance: the role of wildfires. Journal of Animal Ecology
80:128–136.

Crawford, D. N. 1979. Effects of grass and fires on birds in the Darwin area, Northern
Territory. Emu-Austral Ornithology 79:150–152.

Crawley MJ (2007) Generalized linear models. The R book 511–526

da Silva, J. M. C. 1995. Avian inventory of the Cerrado region, South America:
implications for biological conservation. Bird Conservation International 5:291–
304.

da Silva, J. M. C., and J. M. Bates. 2002. Biogeographic patterns and conservation in the
South American Cerrado: a tropical savanna hotspot: the Cerrado, which includes
both forest and savanna habitats, is the second largest South American biome, and
among the most threatened on the continent. BioScience 52:225–234.

de Carvalho, W. D., and K. Mustin. 2017. The highly threatened and little known
Amazonian savannahs. Nature Ecology & Evolution 1:1–3.

de Sousa, J. et al. (2022) 'Bird species responses to forest-savanna boundaries in an
Amazonian savanna', Avian Conservation and Ecology, 17(1).

de Souza Campos, A. C., and M. A. G. Jardim. 2020. Composição florística da
regeneração de um trecho de savana na Amazônia Oriental. Revista Brasileira de
Geografia Física 13:2777–2787.

Dambros CS (2014) poncho.R. figshare. Software.

Davis, M. A., and A. Miller. 2018. Savanna restoration using fire benefits birds utilizing
dead trees, up to a point. The American Midland Naturalist 179:94–104.

Driscoll, D. A., D. B. Lindenmayer, A. F. Bennett, M. Bode, R. A. Bradstock, G. J. Cary,
M. F. Clarke, N. Dexter, R. Fensham, and G. Friend. 2010. Fire management for
biodiversity conservation: key research questions and our capacity to answer them.
Biological conservation 143:1928–1939.

Durigan, G. 2020. Zero-fire: Not possible nor desirable in the Cerrado of Brazil. Flora
268:151612.

Durigan, G., and J. A. Ratter. 2006. Successional changes in cerrado and cerrado/forest
ecotonal vegetation in western São Paulo State, Brazil, 1962–2000. Edinburgh
Journal of Botany 63:119–130.

Ferreira, R. Q. de S., M. O. Camargo, P. B. de Souza, and V. C. L. de Andrade. 2015. Fitossociologia e estrutura diamétrica de um cerrado sensu stricto, Gurupi, TO. Revista Verde de Agroecologia e Desenvolvimento Sustentável 10:36.

Fidelis, A., and H. L. Zirondi. 2021. And after fire, the Cerrado flowers: A review of post-fire flowering in a tropical savanna. Flora 280:151849.

Fidelis, A., and V. R. Pivello. 2011. Deve-se usar o fogo como instrumento de manejo no Cerrado e Campos Sulinos? Biodiversidade Brasileira-BioBrasil:12–25.

Furley, P. 2006. Tropical23avanass. Progress in Physical Geography 30:105–121.

Garzón-Orduña, I. J., J. E. Benetti-Longhini, and A. V. Z. Brower. 2014. Timing the diversification of the Amazonian biota: butterfly divergences are consistent with Pleistocene refugia. Journal of biogeography 41:1631–1638.

Geiger, E. L., S. G. Gotsch, G. Damasco, M. Haridasan, A. C. Franco, and W. A. Hoffmann. 2011. Distinct roles of savanna and forest tree species in regeneration under fire suppression in a Brazilian savanna. Journal of Vegetation Science 22:312–321.

Goslee, S. C., and D. L. Urban. 2007. The ecodist package for dissimilarity-based analysis of ecological data. Journal of Statistical Software 22:1–19.

Griffiths, A. D., and K. A. Christian. 1996. The effects of fire on the frillneck lizard (Chlamydosaurus kingii) in northern Australia. Australian Journal of Ecology 21:386–398.

Henriques, R. P. B. 2005. Influência da história, solo e fogo na distribuição e dinâmica das fitofisionomias no bioma do Cerrado. Cerrado: Ecologia, Biodiversidade e Conservação (JC Souza Silva & JM Felfili, eds.). Ministério do Meio Ambiente, Brasília:73–92.

Hirota, M., M. Holmgren, E. H. Van Nes, and M. Scheffer. 2011. Global resilience of tropical forest and savanna to critical transitions. Science 334:232–235.

Hoffmann, W. A., B. Orthen, and A. C. Franco. 2004. Constraints to seedling success of savanna and forest trees across the savanna-forest boundary. Oecologia 140:252–260.

Huber, O. 1982. Significance of savanna vegetation in the Amazon territory of Venezuela [Forestry].

Kandlikar G (2021) ranacapa: Utility Functions and "shiny" App for Simple
Environmental DNA Visualizations and Analyses. R package version 01

Khavhagali, V. P., and W. J. Bond. 2008. Increase of woody plants in savannah
ecosystems. Newsl. Grassland Soc. Southern Africa 8:21–24.

Krook, K., W. J. Bond, and P. A. R. Hockey. 2007. The effect of grassland shifts on the
avifauna of a South African savanna. Ostrich-Journal of African Ornithology
78:271–279.

Legendre P, McArdle BH (1997) Comparison of surfaces. Oceanolica Acta 20:27–41

Lehmann, C. E. R., S. A. Archibald, W. A. Hoffmann, and W. J. Bond. 2011. Deciphering
the distribution of the savanna biome. New Phytologist 191:197–209.

Lehmann, C. E. R., T. M. Anderson, M. Sankaran, S. I. Higgins, S. Archibald, W. A.
Hoffmann, N. P. Hanan, R. J. Williams, R. J. Fensham, and J. Felfili. 2014. Savanna
vegetation-fire-climate relationships differ among continents. Science 343:548–
552.

Lima, J. M., A. B. Castro, A. P. Lima, W. E. Magnusson, V. L. Landeiro, and R. F. Fadini.
2020. Influência do regime de queimadas sobre a riqueza e composição florística
de uma savana isolada na Amazônia-PELD Oeste do Pará. Oecologia Australis
24:301–316.

Louzada, J., A. P. Lima, R. Matavelli, L. Zambaldi, and J. Barlow. 2010. Community
structure of dung beetles in Amazonian savannas: role of fire disturbance,
vegetation and landscape structure. Landscape ecology 25:631–641.

Magnusson WE, Sanaiotti TM, Lima AP, et al (2002) A comparison of δ13C ratios of
surface soils in savannas and forests in Amazonia. J Biogeogr 29:857–863.

Magnusson, W. E., A. P. Lima, A. L. K. M. Albernaz, T. M. Sanaiotti, and J.-L.
Guillaumet. 2008. Composição florística e cobertura vegetal das savanas na região
de Alter do Chão, Santarém-PA. Brazilian Journal of Botany 31:165–177.

Marimon, B. S., B. H. Marimon-Junior, T. R. Feldpausch, C. Oliveira-Santos, H. A.
Mews, G. Lopez-Gonzalez, J. Lloyd, D. D. Franczak, E. A. de Oliveira, and L.
Maracahipes. 2014. Disequilibrium and hyperdynamic tree turnover at the forest–
cerrado transition zone in southern Amazonia. Plant Ecology & Diversity 7:281–
292.

Mata, J. R., F. Erize, and M. Rumboll. 2006. Birds of South America: non-passerines:
rheas to woodpeckers. Princeton University Press.

McCune, B., J. B. Grace, and D. L. Urban. 2002. Analysis of ecological communities.
MjM software design Gleneden Beach, OR.

Medeiros, M. B. de, and H. S. Miranda. 2005. Mortalidade pós-fogo em espécies lenhosas
de campo sujo submetido a três queimadas prescritas anuais. Acta Botanica
Brasilica 19:493–500.

Medeiros, M. B., and H. S. Miranda. 2008. Post-fire resprouting and mortality in cerrado
woody plant species over a three-year period. Edinburgh Journal of Botany 65:53–
68.

Miranda, H. S., M. M. C. Bustamante, and A. C. Miranda. 2002. 4. The Fire Factor. Pages
51–68 The cerrados of Brazil. Columbia University Press.

Miranda, I. S. 1993. Estrutura do estrato arbóreo do cerrado amazônico em Alter-do-Chão,
Pará, Brasil. Revta brasil. Bot 16:143–150.

Morandi, P. S., B. S. Marimon, P. V Eisenlohr, B. H. Marimon-Junior, C. Oliveira-Santos,
T. R. Feldpausch, E. A. De Oliveira, S. M. Reis, J. Lloyd, and O. L. Phillips. 2016.
Patterns of tree species composition at watershed-scale in the Amazon 'arc of
deforestation': implications for conservation. Environmental Conservation 43:317–
326.

Moreira, A. G. 2000. Effects of fire protection on savanna structure in Central Brazil.
Journal of biogeography 27:1021–1029.

Moura, N. G., A. C. Lees, A. Aleixo, J. Barlow, E. Berenguer, J. Ferreira, R. Mac Nally,
J. R. Thomson, and T. A. Gardner. 2016. Idiosyncratic responses of Amazonian
birds to primary forest disturbance. Oecologia 180:903–916.

Moustakas, A., K. Wiegand, K. M. Meyer, D. Ward, and M. Sankaran. 2010. perspective:
Learning new tricks from old trees: revisiting the savanna question. Frontiers of
biogeography 2.

Murphy, B. P., and D. M. J. S. Bowman. 2012. What controls the distribution of tropical
forest and savanna? Ecology letters 15:748–758.

Mustin, K., W. D. Carvalho, R. R. Hilário, S. V Costa-Neto, C. Silva, I. M. Vasconcelos,
I. J. Castro, V. Eilers, É. E. Kauano, and R. N. G. Mendes-Junior. 2017.

Biodiversity, threats and conservation challenges in the Cerrado of Amapá, an
Amazonian savanna. Nature Conservation 22:107.

Oksanen, J., F. G. Blanchet, R. Kindt, P. Legendre, R. B. O'hara, G. L. Simpson, P.
Solymos, M. H. H. Stevens, and H. Wagner. 2010. Vegan: community ecology
package. R package version 1.17-4. http://cran. r-project. org>. Acesso em 23:2010.

Parr, C. L., and A. N. Andersen. 2006. Patch mosaic burning for biodiversity conservation:
a critique of the pyrodiversity paradigm. Conservation biology 20:1610–1619.

Parr, C. L., and S. L. Chown. 2003. Burning issues for conservation: a critique of faunal
fire research in Southern Africa. Austral Ecology 28:384–395.

Passos, F. B., B. S. Marimon, O. L. Phillips, P. S. Morandi, E. C. das Neves, F. Elias, S.
M. Reis, B. de Oliveira, T. R. Feldpausch, and B. H. Marimon Júnior. 2018.
Savanna turning into forest: concerted vegetation change at the ecotone between
the Amazon and "Cerrado" biomes. Brazilian Journal of Botany 41:611–619.

Pennington, R. T., C. E. R. Lehmann, and L. M. Rowland. 2018. Tropical savannas and
dry forests. Current Biology 28:R541–R545.

Pereira, E. J. de A. L., P. J. S. Ferreira, L. C. de Santana Ribeiro, T. S. Carvalho, and H.
B. de Barros Pereira. 2019. Policy in Brazil (2016–2019) threaten conservation of
the Amazon rainforest. Environmental Science & Policy 100:8–12.

Phillips, O. L., N. Higuchi, S. Vieira, T. R. Baker, K.-J. Chao, and S. L. Lewis. 2009.
Changes in Amazonian forest biomass, dynamics, and composition, 1980–2002.
Geophysical monograph series 186:373–387.

Piratelli, A., and J. G. Blake. 2006. Bird communities of the southeastern Cerrado region,
Brazil. Ornitologia Neotropical 17:213–225.

Pires, J., and G. Prance. 1985. The vegetation types of the Brazilian Amazon.

Pons, P., and M. Clavero. 2010. Bird responses to fire severity and time since fire in
managed mountain rangelands. Animal Conservation 13:294–305.

Prior, L. D., R. J. Williams, and D. M. J. S. Bowman. 2010. Experimental evidence that
fire causes a tree recruitment bottleneck in an Australian tropical savanna. Journal
of Tropical Ecology 26:595–603.

R Core Team. 2021. R: A Language and Environment for Statistical Computing. R
Foundation for Statistical Computing, Vienna, Austria.

Ramos-Neto, M. B., and V. R. Pivello. 2000. Lightning fires in a Brazilian savanna
national park: rethinking management strategies. Environmental management
26:675–684.

Rapozo, P. 2021. Necropolitics, State of Exception, and Violence Against Indigenous
People in the Amazon Region During the Bolsonaro Administration. Brazilian
Political Science Review 15.

Resende-Moreira, L. C., L. L. Knowles, A. T. Thomaz, J. R. Prado, A. P. Souto, J. P.
Lemos-Filho, and M. B. Lovato. 2019. Evolving in isolation: Genetic tests reject
recent connections of Amazonian savannas with the central Cerrado. Journal of
biogeography 46:196–211.

Ridgely, R. S., and G. Tudor. 2009. Field guide to the songbirds of South America: the
passerines. University of Texas Press.

Ritter, C. D., L. A. Coelho, J. M. Capurucho, S. H. Borges, C. Cornelius, and C. C. Ribas.
2020. Sister species, different histories: comparative phylogeography of two bird
species associated with Amazonian open vegetation. Biological Journal of the
Linnean Society132:. https://doi.org/10.1093/biolinnean/blaa167

Russell-Smith, J., O. F. Price, and B. P. Murphy. 2010. Managing the matrix: Decadal
responses of eucalypt-dominated savanna to ambient fire regimes. Ecological
Applications 20:1615–1632.

Sanaiotti, T. M., and R. Cintra. 2001. Breeding and migrating birds in an Amazonian
savanna. Studies on Neotropical Fauna and environment 36:23–32.

Sanaiotti, T. M., and W. E. Magnusson. 1995. Effects of annual fires on the production
of fleshy fruits eaten by birds in a Brazilian Amazonian savanna. Journal of Tropical
Ecology 11:53–65.

Santos, M. P. D., and J. M. C. Silva. 2007. As aves das savanas de Roraima. Revista
Brasileira de Ornitologia 15:189–207.

Sievert, C. 2020. Interactive web-based data visualization with R, plotly, and shiny. CRC
Press.

Silva, G. E., F. A. G. Guilherme, S. E. S. Carneiro, M. H. O. Pinheiro, and W. C. Ferreira.
2019. Heterogeneidade ambiental e estrutura da vegetação arbustivo-arbórea em
três áreas de Cerrado sentido restrito no sudoeste goiano. Ciência Florestal 29:924–
940.

Silva, P. S., J. Nogueira, J. A. Rodrigues, F. L. M. Santos, J. M. C. Pereira, C. C.
DaCamara, G. A. Daldegan, A. A. Pereira, L. F. Peres, and I. B. Schmidt. 2021.
Putting fire on the map of Brazilian savanna ecoregions. Journal of Environmental
Management 296:113098.

Silvestrini RA, Soares-Filho BS, Nepstad D, et al (2011) Simulating fire regimes in the
Amazon in response to climate change and deforestation. Ecological Applications
21:1573–1590

Sirami, C., C. Seymour, G. Midgley, and P. Barnard. 2009. The impact of shrub
encroachment on savanna bird diversity from local to regional scale. Diversity and
Distributions 15:948–957.

Sirami, C., and A. Monadjem. 2012. Changes in bird communities in Swaziland savannas
between 1998 and 2008 owing to shrub encroachment. Diversity and Distributions
18:390–400.

Smit, I. P. J., G. P. Asner, N. Govender, T. Kennedy-Bowdoin, D. E. Knapp, and J.
Jacobson. 2010. Effects of fire on woody vegetation structure in African savanna.
Ecological Applications 20:1865–1875.

Sorrensen C (2009) Potential hazards of land policy: Conservation, rural development
and fire use in the Brazilian Amazon. Land use policy 26:782–791

Tubelis, D. P. 2004. Species composition and seasonal occurrence of mixed-species
flocks of forest birds in savannas in central Cerrado, Brazil. Ararajuba 12:105–111.

Tubelis, D. P., and R. B. Cavalcanti. 2001. Community similarity and abundance of bird
species in open habitats of a central Brazilian Cerrado. Ornitologia Neotropical
12:57–73.

Vasconcelos, H. L., M. F. Leite, J. M. S. VILHENA, A. P. Lima, and W. E. Magnusson.
2008. Ant diversity in an Amazonian savanna: relationship with vegetation
structure, disturbance by fire, and dominant ants. Austral Ecology 33:221–231.

van Els P, Zarza E, Rocha Moreira L, et al (2021) Recent divergence and lack of shared
phylogeographic history characterize the diversification of neotropical savanna
birds. J Biogeogr 48:1124–1137

Wickham, H. 2016. ggplot2: elegant graphics for data analysis. Springer.

Wickham, H. 2017. tidyverse: Easily Install and Load "Tidyverse" Packages (Version R
package version 1.1. 1).

Woinarski, J. C. Z., J. Risler, and L. Kean. 2004. Response of vegetation and vertebrate
fauna to 23 years of fire exclusion in a tropical Eucalyptus open forest, Northern
Territory, Australia. Austral Ecology 29:156–176.

Xu X, Jia G, Zhang X, et al (2020) Climate regime shift and forest loss amplify fire in
Amazonian forests. Glob Chang Biol 26:5874–5885

Table 1. Species captured by mist-net sampling in the savanna of Alter do Chão–- PA.
Species marked with • had not been registered before in the study area (Sanaiotti & Cintra,
2001). Habitat use refers to the habitat where the species was most frequent in the region
(Savanna, Forest or Indifferent), * are species classified based on literature, for which we
did not have enough data for analyses.

| Family | Species | Habitat Use |
|---|---|---|
| Columbidae | *Crypturellus parvirostris* | S |
| | *Columbina passerina* | S |
| | *Claravis pretiosa* | I |
| | *Zenaida auriculata* | S* |
| | *Leptotila rufaxilla* | F* |
| Bucconidae | *Nystalus maculatus* | S |
| Dendrocolaptidae | *Dendroplex picus* | F |
| | *Lepidocolaptes angustirostris* | S |
| Thamnophilidae | *Formicivora grisea* | F |
| | *Formicivora rufa* | S |
| | *Thamnophilus stictocephalus* | F |
| Pipridae | *Neopelma pallescens* | F |
| | *Manacus manacus* | F |
| Tityridae | *Pachyramphus polychopterus* | F |
| | *Pachyramphus rufus•* | F* |
| Tyrannidae | *Tolmomyias flaviventris* | F |
| | *Todirostrum cinereum* | F |
| | *Camptostoma obsoletus* | S* |
| | *Hemitriccus striaticollis* | F |
| | *Elaenia flavogaster* | S |
| | *Elaenia cristata* | S |

| | | |
|---|---|---|
| | *Elaenia chiriquensis* | S |
| | *Elaenia parvirostris* | S* |
| | *Phaeomyias murina* | S* |
| | *Suiriri suiri* | S |
| | *Myiopagis viridicata•* | F* |
| | *Myiarchus swainsoni* | I |
| | *Myiarchus ferox* | S |
| | *Myiarchus tyrannulus* | S |
| | *Sirystes sibilator* | F |
| | *Megarynchus pitangua* | F |
| | *Tyrannus albogularis* | I |
| | *Tyrannus melancholicus* | I |
| | *Griseotyrannus aurantioatrocristatus•* | S* |
| | *Empidonomus varius* | I |
| **Vireonidae** | *Cyclarhis gujanensis* | S |
| | *Vireo olivaceus* | F |
| | *Hylophilus semicinereus•* | F* |
| | *Hylophilus pectoralis* | F |
| **Hirundinidae** | *Stelgidopteryx ruficollis* | I |
| **Troglodytidae** | *Troglodytes musculus* | S |
| | *Cantorchilus leucotis* | F |
| **Turdidae** | *Turdus leucomelas* | F |
| **Thraupidae** | *Saltator maximus* | I |
| | *Tachyphonus rufus* | F |
| | *Ramphocelus carbo* | F |
| | *Tangara cayana* | S |
| | *Thraupis episcopus* | I |
| | *Thraupis palmarum* | F |

| | | |
|---|---|---|
| | *Schistochlamys melanopis* | I |
| | *Cyanerpes cyaneus* | F |
| **Emberizidae** | *Ammodramus humeralis* | S |
| | *Volatinia jacarina* | S |
| **Cardinalidae** | *Piranga flava* | S |
| **Fringilidae** | *Euphonia chlorotica* | I |

770     Table 2. Pairwise Adonis results from the temporal Permutational Analysis of Variance – PERMANOVA ($F = 2.73$, $P = 0.003$). In bold are

771     highlighted the pairwise significantly different bird assemblage after Bonferroni correction.

| Pairs | F.Model | R2 | p.value | p.adjusted |
|---|---|---|---|---|
| 1987/88 vs 1996/97 | 1.265589 | 0.174189 | 0.212 | 0.64 |
| **1987/88 vs 2009/10** | **3.45626** | **0.301692** | **0.009** | **0.03** |
| **1996/97 vs 2009/10** | **3.232536** | **0.350124** | **0.017** | **0.05** |

773 Table 3. The results of F model and their respective p-value in the PERMANOVA analysis for fire frequency for the twelve years (Freq) and the

774 distance of plot centroid for the forest (For)..

| | P9 | P9 | P4 | P6 | P8 | P16 | P21 | P25 | P26 | P29 | P34 | P33 | P36 | PERMANOVA | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Pre | post | | | | | | | | | | | | F | p |
| **Freq** | 1 | 2 | 6 | 8 | 7 | 9 | 7 | 8 | 8 | 10 | 10 | 8 | 9 | **3.56** | **0.003** |
| **For** | 56 | - | 55 | 220 | 280 | 187 | 280 | 127 | 127 | 180 | 198 | 120 | 383 | 1.62 | 0.1 |

776 Table 4. Generalized Linear Models (GLM) of savanna (Sav.) and forest (For.) Species abundance and richness with the environmental variables. Best models

777 are in bold, for savanna species abundance the best model kept just the fire frequency while for forest species (both richness and abundance) the best model

778 kept just the distance to the next forest.

| | Model | | Estimate | Std. Error | t value | ddAIC |
|---|---|---|---|---|---|---|
| **Sav. abundance** | Null | Intercept | 3.95 | 0.04 | 98.70 | 18.4 |
| | **Fire frequency** | **Intercept** | **3.88** | **0.04** | **86.64** | **0** |
| | | **Estimate** | **0.29** | **0.06** | **4.68** | |
| | Forest distance | Intercept | 3.94 | 0.04 | 97.92 | 16.9 |
| | | Estimate | 0.12 | 0.04 | 2.89 | |
| | Fire frequency + Forest distance | Intercept | 3.88 | 0.04 | 86.48 | 19.3 |
| | | Fire frequency | 0.27 | 0.07 | 4.03 | |
| | | Forest distance | 0.04 | 0.05 | 0.85 | |
| **Sav. richness** | **Null** | **Intercept** | **2.34** | **0.09** | **26.20** | **0** |
| | Fire frequency | Intercept | 2.35 | 0.09 | 25.97 | 6.3 |
| | | Estimate | -0.06 | 0.11 | -0.58 | |
| | Forest distance | Intercept | 2.34 | 0.09 | 25.97 | 5.2 |
| | | Estimate | -0.12 | 0.10 | -1.21 | |
| | Fire frequency + Forest distance | Intercept | 2.34 | 0.09 | 25.21 | 25.2 |
| | | Fire frequency | 0.00 | 0.13 | 0.02 | |
| | | Forest distance | -0.12 | 0.11 | -1.06 | |
| **For. abundance** | Null | Intercept | 1.54 | 0.13 | 11.53 | 62.2 |
| | Fire frequency | Intercept | 1.36 | 0.16 | 8.74 | 21 |
| | | Estimate | -0.85 | 0.11 | -7.52 | |

| | Model | Parameter | | | | |
|---|---|---|---|---|---|---|
| | **Forest distance** | **Intercept** | **0.66** | **0.26** | **2.52** | **0** |
| | | **Estimate** | **-1.61** | **0.24** | **-6.69** | |
| | Fire frequency + Forest distance | Intercept | 0.82 | 0.26 | 3.17 | 17.2 |
| | | Fire frequency | -0.28 | 0.16 | -1.70 | |
| | | Forest distance | -1.25 | 0.31 | -4.06 | |
| **For. richness** | Null | Intercept | 0.95 | 0.18 | 5.28 | 14.4 |
| | Fire frequency | Intercept | 0.85 | 0.20 | 4.30 | 3.2 |
| | | Estimate | -0.72 | 0.16 | -4.64 | |
| | **Forest distance** | **Intercept** | **0.52** | **0.26** | **2.00** | **0** |
| | | **Estimate** | **-1.06** | **0.26** | **-4.02** | |
| | Fire frequency + Forest distance | Intercept | 0.64 | 0.25 | 2.55 | 17.2 |
| | | Fire frequency | -0.36 | 0.21 | -1.71 | |
| | | Forest distance | -0.70 | 0.32 | -2.21 | |

**Figure 1**. A) Landsat image of the study area from June 2010. The purple portion represents the savanna area; the green corresponds to forest

vegetation; and the black colour is the Tapajos River. The black rectangles represent the 12 sampling plots (150 x 250m), while the single red-

dotted rectangle indicates the area where the long-term avifauna dynamics study was undertaken (12ha, "peninsula"); B) Sampling design of the

temporal analysis of variation in bird community study. The outer red dashed rectangle represents the sampling site. The solid lines represent net-

lines, and each set of 4 lines in the same color represents net-line positions in one sample period (in this case, the sampling schemes of three

samples are represented). The overlap of the positions of net-lines throughout the study formed a grid of 12 ha (outer red dashed rectangle); C)

Sampling design of the spatial analysis of bird assemblages. Four parallel transects of 250 m, distant 50 m from each other, were placed in each

plot. In the all four transects, for each 2 m the fire extension and vegetation cover percentage were measured (sum of points with burnt vegetation

or wood vegetation or canopy coverage / total points), represented by the red dots. Birds were sampled in two net-lines placed in the first and third

transects represented by blue lines (dark blue represents the six mist-nets of 12 m and light blue the nine mist-nets of 12 m).

**Figure 2**. Non-metric Multidimensional Scaling (NMDS) with long-term samples (stress = 0.13). The red triangles and orange squares represent samples from periods when the 12-ha study site on the peninsula was under a regular fire regime. The green circles represent samples collected after 12 years without fire. The first NMDS axis split without overlap the samples under regular fire regime period from the samples in the period without fire.

**Figure 3**. Species relative abundance in the 12 ha area of the peninsula. Each row represents a species and the bars represent the relative abundance of the species in the sample. The bar colors represent the sampling period (red = 87/88, orange = 96/97, and green = 09/10). Each column represent a sampling occasion. The samples are ordered chronologically (oldest to most

801    recent) on the horizontal axis. The color of species name indicates that it occurred mainly in

802    savanna (yellow), forest (blue) or the data did not show a trend regarding habitat use (black).

803    After 13 years without fire, some savanna species disappeared of the area.

**A)**

Relative abundance

*Zenaida auriculata*
*Thraupis palmarum*
*Manacus manacus*
*Ammodramus humerali...* s
*Tachyphonus rufus*
*Tyrannus albogularis*
*Suiriri suiriri*
*Elaenia chiriquensis*
*Piranga flava*
*Tyrannus melancholicus*
*Troglodytes musculus*
*Elaenia flavogaster*
*Hylophilus pectoralis*
*Euphonia chlorotica*
*Crypturellus parvirostris*
*Columbina passerina*
*Claravis pretiosa*
*Elaenia cristata*
*Formicivora rufa*
*Myiarchus tyrannulus*
*Thraupis episcopus*
*Tangara cayana*
*Griseotyrannus aurantiotrocristat*
*Volatinia jacarina*
*Lepidocolaptes angustirostris*
*Leptotilla rufaxilla*
*Myiarchus swainsoni*
*Camptostoma obsoletum*
*Schistochlamys melanopis*
*Turdus leucomelas*
*Tolmomyias flaviventris*
*Saltator maximus*
*Phaeomyias murina*
*Vireo olivaceus*
*Nystalus maculatus*
*Cyclarhis gujanensis*
*Dendroplex picus*
*Pachyramphus polychopterus*
*Myarchus ferox*
*Hemitriccus striaticollis*
*Formicivora grisea*
*Ramphocelus carbo*
*Neopelma pallescens*
*Myiopagis viridicata*
*Hylophilus semicinereus*

-3

**Fire frequency (years)**

805 **Figure 4**. Species occurrence in the 12 savanna plots. The plots are ordered by fire frequency

806 per year in the last 12 years. Each row represents a species and the bars represent the relative

807 abundance of the species in the plot. The color of a species name indicates that it occurred

808 mainly in savanna (yellow), forest (blue) or the data did not show a trend regarding habitat use

809 (black). Some species, mostly forest species, are only present with lower fire frequency.

**Figure 5**. Changes in the bird community in plot 9 before (12 years of fire suppression) and after the fire in 2010. The y-axis represents the difference in abundance of each species captured pre-fire (green dots) and post-fire (red dots). For species with the same abundance pre- and post-fire the dots are grey. The color of a species name indicates that it occurred mainly in savanna (yellow), forest (blue) or the data did not show a trend regarding habitat use (black). Ten species were captured only in pre-fire period, while seven were captured only in the post-fire period.

819 Table S1: Birds captured in the temporal-analysis study. Birds with recaptures are marked with

820 an "*".

| ID_CEMAVE | Species | Date | Time | Sampling_occasion |
|---|---|---|---|---|
| Alum 7 | Hemitricus striaticollis | 19/09/1987 | 17:30 | set87-1 |
| NA | Hilophylus pectoralis | 19/09/1987 | 17:30 | set87-1 |
| NA | Hilophylus pectoralis | 19/09/1987 | 17:30 | set87-1 |
| E08420 | Thraupis episcopus | 19/09/1987 | 18:00 | set87-1 |
| G03942 | Columbina passerina | 20/09/1987 | 09:30 | set87-1 |
| D04836 | Elaenia cristata | 20/09/1987 | 08:00 | set87-1 |
| E07026* | Elaenia cristata | 20/09/1987 | 08:00 | set87-1 |
| E08425 | Elaenia cristata | 20/09/1987 | 08:00 | set87-1 |
| NA | Hemitricus striaticollis | 20/09/1987 | 09:00 | set87-1 |
| E07095 | Cyclarhis gujanensis | 21/09/1987 | 17:00 | set87-1 |
| NA | Dendropelx picus | 21/09/1987 | 17:50 | set87-1 |
| NA | Elaenia chiriquensis | 21/09/1987 | 06:30 | set87-1 |
| D04843* | Elaenia cristata | 21/09/1987 | 08:30 | set87-1 |
| E07026* | Elaenia cristata | 21/09/1987 | 09:00 | set87-1 |
| E08430* | Elaenia cristata | 21/09/1987 | 07:30 | set87-1 |
| D08124 | Elaenia flavogaster | 21/09/1987 | 07:30 | set87-1 |
| NA | Manacus manacus | 23/09/1987 | 07:30 | set87-1 |
| H07430 | Nystalus maculatus | 23/09/1987 | 07:30 | set87-1 |
| NA | Ammodramus humeralis | 24/09/1987 | 08:00 | set87-1 |
| NA | Ammodramus humeralis | 24/09/1987 | 08:30 | set87-1 |
| NA | Manacus manacus | 24/09/1987 | 08:30 | set87-1 |
| E08435 | Tangara cayana | 24/09/1987 | 08:30 | set87-1 |
| E08436 | Elaenia flavogaster | 25/09/1987 | 07:00 | set87-2 |
| D08138 | Formicivora grisea | 25/09/1987 | 07:00 | set87-2 |
| NA | Formicivora grisea | 25/09/1987 | 08:30 | set87-2 |
| D04845* | Formicivora rufa | 25/09/1987 | 17:40 | set87-2 |
| D08141* | Formicivora rufa | 25/09/1987 | 17:40 | set87-2 |
| D08147* | Ammodramus humeralis | 26/09/1987 | 08:30 | set87-2 |
| D08148* | Elaenia cristata | 26/09/1987 | 07:00 | set87-2 |
| E04623 | Myiarchus tyrannulus | 26/09/1987 | 07:00 | set87-2 |
| E07050 | Schistoclamys melanopis | 26/09/1987 | 07:00 | set87-2 |
| H07432 | Turdus leucomelas | 26/09/1987 | 07:00 | set87-2 |
| NA | Ammodramus humeralis | 28/09/1987 | 17:20 | set87-2 |
| D04850* | Elaenia cristata | 28/09/1987 | 08:00 | set87-2 |
| D08106* | Elaenia cristata | 28/09/1987 | 09:00 | set87-2 |
| D08132 | Elaenia cristata | 28/09/1987 | 08:00 | set87-2 |
| E07013* | Elaenia cristata | 28/09/1987 | 09:00 | set87-2 |
| E08422* | Elaenia cristata | 28/09/1987 | 09:00 | set87-2 |
| E08439 | Elaenia cristata | 28/09/1987 | 06:30 | set87-2 |
| NA | Elaenia cristata | 28/09/1987 | 09:00 | set87-2 |
| C06115 | Elaenia flavogaster | 28/09/1987 | 16:50 | set87-2 |
| E08442 | Elaenia flavogaster | 28/09/1987 | 09:00 | set87-2 |

| | | | | | |
|---|---|---|---|---|---|
| NA | Empidonomus varius | 28/09/1987 | 16:50 | set87-2 |
| NA | Formicivora grisea | 28/09/1987 | 06:30 | set87-2 |
| NA | Formicivora grisea | 28/09/1987 | 06:30 | set87-2 |
| NA | Formicivora grisea | 28/09/1987 | 08:00 | set87-2 |
| NA | Formicivora grisea | 28/09/1987 | 08:00 | set87-2 |
| D04847 | Hilophylus pectoralis | 28/09/1987 | 16:50 | set87-2 |
| NA | Hilophylus pectoralis | 28/09/1987 | 09:00 | set87-2 |
| E08443 | Lepdocolaptes angustirostris | 28/09/1987 | 09:00 | set87-2 |
| E07040* | Myiarchus tyrannulus | 28/09/1987 | 09:00 | set87-2 |
| NA | Myiarchus tyrannulus | 28/09/1987 | 17:30 | set87-2 |
| D04849 | Tangara cayana | 28/09/1987 | 08:00 | set87-2 |
| E08445 | Thamnophilus punctatus | 28/09/1987 | 08:00 | set87-2 |
| C06118* | Ammodramus humeralis | 29/09/1987 | 09:30 | set87-2 |
| NA | Ammodramus humeralis | 29/09/1987 | 08:30 | set87-2 |
| C06117 | Elaenia flavogaster | 29/09/1987 | 07:30 | set87-2 |
| E08441 | Empidonomus varius | 29/09/1987 | 08:50 | set87-2 |
| NA | Formicivora grisea | 29/09/1987 | 07:30 | set87-2 |
| NA | Hilophylus pectoralis | 29/09/1987 | 07:30 | set87-2 |
| H07433* | Nystalus maculatus | 29/09/1987 | 09:00 | set87-2 |
| H07434 | Nystalus maculatus | 29/09/1987 | 08:50 | set87-2 |
| D04844* | Ammodramus humeralis | 30/11/1987 | 18:10 | dez87-1 |
| E08500 | Elaenia chiriquensis | 30/11/1987 | 17:00 | dez87-1 |
| E07034 | Lepdocolaptes angustirostris | 30/11/1987 | 18:00 | dez87-1 |
| E08453* | Tangara cayana | 30/11/1987 | 07:45 | dez87-1 |
| E08449 | Thraupis episcopus | 30/11/1987 | 17:05 | dez87-1 |
| NA | Ammodramus humeralis | 01/12/1987 | 18:20 | dez87-1 |
| D08110* | Elaenia cristata | 01/12/1987 | 17:15 | dez87-1 |
| E08450 | Elaenia cristata | 01/12/1987 | 17:10 | dez87-1 |
| E08451* | Lepdocolaptes angustirostris | 01/12/1987 | 18:10 | dez87-1 |
| NA | Formicivora grisea | 02/12/1987 | 17:40 | dez87-1 |
| H07453 | Turdus leucomelas | 02/12/1987 | 18:00 | dez87-1 |
| E08452* | Cyclarhis gujanensis | 03/12/1987 | 07:50 | dez87-1 |
| E07037* | Elaenia cristata | 03/12/1987 | 16:30 | dez87-1 |
| NA | Elaenia cristata | 03/12/1987 | 09:00 | dez87-1 |
| NA | Formicivora grisea | 03/12/1987 | 07:40 | dez87-1 |
| D08141* | Formicivora rufa | 03/12/1987 | 07:35 | dez87-1 |
| NA | Formicivora rufa | 03/12/1987 | 07:30 | dez87-1 |
| NA | Hemitriccus stiaticollis | 03/12/1987 | 16:25 | dez87-1 |
| E07040* | Myiarchus tyrannulus | 03/12/1987 | 17:50 | dez87-1 |
| E08447 | Myiarchus tyrannulus | 03/12/1987 | 08:02 | dez87-1 |
| E08453* | Myiarchus tyrannulus | 03/12/1987 | 17:50 | dez87-1 |
| C06113 | Tolmomyias flaviventris | 03/12/1987 | 07:45 | dez87-1 |
| E07089 | Ammodramus humeralis | 04/12/1987 | 18:05 | dez87-2 |
| C06121 | Chiroxiphia pareola | 04/12/1987 | 07:50 | dez87-1 |
| D04840* | Elaenia cristata | 04/12/1987 | 17:30 | dez87-2 |

| | | | | |
|---|---|---|---|---|
| E07100* | Elaenia cristata | 04/12/1987 | 17:20 | dez87-1 |
| E08454 | Elaenia flavogaster | 04/12/1987 | 17:27 | dez87-2 |
| D08145* | Formicivora rufa | 04/12/1987 | 17:26 | dez87-2 |
| NA | Formicivora rufa | 04/12/1987 | 17:25 | dez87-2 |
| C06122 | Tangara cayana | 04/12/1987 | 17:23 | dez87-2 |
| E07002 | Tangara cayana | 04/12/1987 | 17:27 | dez87-2 |
| E08455 | Tyrannus albogularis | 04/12/1987 | 17:32 | dez87-2 |
| C06123 | Ammodramus humeralis | 05/12/1987 | 09:10 | dez87-2 |
| C06124 | Ammodramus humeralis | 05/12/1987 | 18:10 | dez87-2 |
| NA | Ammodramus humeralis | 05/12/1987 | 18:20 | dez87-2 |
| D08105 | Elaenia cristata | 05/12/1987 | 17:40 | dez87-2 |
| D08196 | Elaenia cristata | 05/12/1987 | 16:40 | dez87-2 |
| E08458 | Elaenia flavogaster | 05/12/1987 | 17:45 | dez87-2 |
| NA | Formicivora rufa | 05/12/1987 | 18:00 | dez87-2 |
| E08456 | Tangara cayana | 05/12/1987 | 08:00 | dez87-2 |
| D04843* | Elaenia cristata | 06/12/1987 | 18:00 | dez87-2 |
| NA | Formicivora rufa | 06/12/1987 | 17:30 | dez87-2 |
| E07022* | Myiarchus tyrannulus | 06/12/1987 | 18:00 | dez87-2 |
| E08459 | Tangara cayana | 06/12/1987 | 08:00 | dez87-2 |
| C06125 | Vireo olivaceus | 06/12/1987 | 17:00 | dez87-2 |
| C06127* | Ammodramus humeralis | 07/12/1987 | 09:10 | dez87-2 |
| E08463* | Dendroplex picus | 07/12/1987 | 18:00 | dez87-2 |
| C06128 | Elaenia chiriquensis | 07/12/1987 | 07:30 | dez87-2 |
| C06126 | Elaenia cristata | 07/12/1987 | 07:00 | dez87-2 |
| D08101 | Elaenia cristata | 07/12/1987 | 07:30 | dez87-2 |
| E07008 | Elaenia cristata | 07/12/1987 | 07:20 | dez87-2 |
| E08462* | Elaenia cristata | 07/12/1987 | 17:50 | dez87-2 |
| H07436 | Nystalus maculatus | 07/12/1987 | 07:10 | dez87-2 |
| H07437 | Nystalus maculatus | 07/12/1987 | 07:15 | dez87-2 |
| D04830* | Elaenia cristata | 08/12/1987 | 07:46 | dez87-2 |
| E08464 | Empidonomus varius | 08/12/1987 | 07:55 | dez87-2 |
| NA | Formicivora grisea | 08/12/1987 | 07:45 | dez87-2 |
| G03932 | Turdus leucomelas | 08/12/1987 | 07:50 | dez87-2 |
| C06127* | Ammodramus humeralis | 21/04/1988 | 18:00 | abr88-1 |
| C06143 | Ammodramus humeralis | 21/04/1988 | 07:45 | abr88-1 |
| C06158 | Ammodramus humeralis | 21/04/1988 | 08:41 | abr88-1 |
| D08121* | Ammodramus humeralis | 21/04/1988 | 18:00 | abr88-1 |
| D08146* | Ammodramus humeralis | 21/04/1988 | 18:00 | abr88-1 |
| D08147* | Ammodramus humeralis | 21/04/1988 | 07:45 | abr88-1 |
| E08478* | Dendroplex picus | 21/04/1988 | 07:35 | abr88-1 |
| D04837 | Elaenia chiriquensis | 21/04/1988 | NA | abr88-1 |
| E08479 | Elaenia cristata | 21/04/1988 | 17:40 | abr88-1 |
| E08451* | Lepdocolaptes angustirostris | 21/04/1988 | 07:35 | abr88-1 |
| D08148* | Elaenia cristata | 22/04/1988 | 08:40 | abr88-1 |
| E08480 | Elaenia cristata | 22/04/1988 | 08:40 | abr88-1 |
| H07446 | Nystalus maculatus | 22/04/1988 | 10:00 | abr88-1 |
| C06106 | Ammodramus humeralis | 24/04/1988 | 07:40 | abr88-1 |

| | | | | | |
|---|---|---|---|---|---|
| D04844* | Ammodramus humeralis | 24/04/1988 | 07:40 | abr88-1 |
| C06159 | Elaenia chiriquensis | 24/04/1988 | 07:40 | abr88-1 |
| D04840* | Elaenia cristata | 24/04/1988 | 07:30 | abr88-1 |
| E08482 | Elaenia flavogaster | 24/04/1988 | 17:40 | abr88-1 |
| NA | Formicivora grisea | 24/04/1988 | 07:40 | abr88-1 |
| NA | Hemitriccus striaticolis | 24/04/1988 | 17:30 | abr88-1 |
| NA | Hylophilus pectoralis | 24/04/1988 | 07:40 | abr88-1 |
| E07047 | Myiarchus tyrannulus | 24/04/1988 | 07:30 | abr88-1 |
| H07433* | Nystalus maculatus | 24/04/1988 | 17:45 | abr88-1 |
| E08481 | Thryothorus leucotis | 24/04/1988 | 16:50 | abr88-1 |
| NA | Turdus leucomelas | 24/04/1988 | 18:20 | abr88-1 |
| G03968 | Columbina passerina | 25/04/1988 | 07:20 | abr88-1 |
| G03969 | Columbina passerina | 25/04/1988 | 07:20 | abr88-1 |
| E08483 | Cychlaris gujanensis | 25/04/1988 | 08:30 | abr88-1 |
| E08463* | Dendroplex picus | 25/04/1988 | 06:10 | abr88-1 |
| NA | Formicivora grisea | 25/04/1988 | 08:30 | abr88-1 |
| E08467 | Lepdocolaptes angustirostris | 25/04/1988 | 08:30 | abr88-1 |
| E07037* | Elaenia cristata | 26/04/1988 | 10:50 | abr88-2 |
| E04632* | Elaenia flavogaster | 26/04/1988 | 07:30 | abr88-2 |
| E08484 | Elaenia flavogaster | 26/04/1988 | 07:30 | abr88-2 |
| E08485 | Elaenia flavogaster | 26/04/1988 | 09:30 | abr88-2 |
| NA | Formicivora grisea | 26/04/1988 | 09:30 | abr88-2 |
| C06163* | Formicivora rufa | 26/04/1988 | 12:00 | abr88-2 |
| E08486 | Lepdocolaptes angustirostris | 26/04/1988 | 10:50 | abr88-2 |
| C06161* | Tangara cayana | 26/04/1988 | 07:30 | abr88-2 |
| C06162 | Tangara cayana | 26/04/1988 | 07:30 | abr88-2 |
| C06165 | Ammodramus humeralis | 27/04/1988 | 18:00 | abr88-2 |
| D08121* | Ammodramus humeralis | 27/04/1988 | 18:00 | abr88-2 |
| C06166 | Elaenia chiriquensis | 27/04/1988 | 17:30 | abr88-2 |
| NA | Elaenia chiriquensis | 27/04/1988 | 17:30 | abr88-2 |
| D08144 | Elaenia cristata | 27/04/1988 | 17:30 | abr88-2 |
| E08487* | Elaenia flavogaster | 27/04/1988 | 10:00 | abr88-2 |
| C06164 | Manacus manacus | 27/04/1988 | 10:00 | abr88-2 |
| H07448 | Nystalus maculatus | 27/04/1988 | 18:00 | abr88-2 |
| H07450 | Nystalus maculatus | 27/04/1988 | 17:30 | abr88-2 |
| C06167 | Ammodramus humeralis | 28/04/1988 | 18:00 | abr88-2 |
| C06168 | Elaenia chiriquensis | 28/04/1988 | 18:00 | abr88-2 |
| C06169 | Elaenia chiriquensis | 28/04/1988 | 18:00 | abr88-2 |
| E08488 | Myiarchus tyrannulus | 28/04/1988 | 18:00 | abr88-2 |
| C06170 | Ammodramus humeralis | 29/04/1988 | 08:00 | abr88-2 |
| C06172 | Chiroxiphia pareola | 30/04/1988 | 08:30 | abr88-2 |
| C06173 | Elaenia cristata | 30/04/1988 | 08:30 | abr88-2 |
| C06127* | Ammodramus humeralis | 14/06/1988 | 17:50 | jun88-1 |
| D08121* | Ammodramus humeralis | 14/06/1988 | 18:00 | jun88-1 |
| D08146* | Ammodramus humeralis | 14/06/1988 | 17:58 | jun88-1 |
| E08462* | Elaenia cristata | 14/06/1988 | 17:15 | jun88-1 |

| | | | | |
|---|---|---|---|---|
| E08404 | Schistoclamys melanopis | 14/06/1988 | 17:15 | jun88-1 |
| C06161* | Tangara cayana | 14/06/1988 | 17:15 | jun88-1 |
| NA | Formicivora rufa | 15/06/1988 | 08:30 | jun88-1 |
| E08494 | Schistoclamys melanopis | 15/06/1988 | 07:00 | jun88-1 |
| E08496 | Cychlaris gujanensis | 16/06/1988 | 07:30 | jun88-1 |
| E08478* | Dendroplex picus | 16/06/1988 | 17:00 | jun88-1 |
| C06187 | Elaenia chiriquensis | 16/06/1988 | 07:22 | jun88-1 |
| C06189 | Elaenia chiriquensis | 16/06/1988 | 17:20 | jun88-1 |
| C06190 | Elaenia chiriquensis | 16/06/1988 | 17:20 | jun88-1 |
| NA | Elaenia chiriquensis | 16/06/1988 | 17:10 | jun88-1 |
| C06188 | Elaenia cristata | 16/06/1988 | 17:00 | jun88-1 |
| D04839 | Elaenia cristata | 16/06/1988 | 17:20 | jun88-1 |
| D10702 | Elaenia cristata | 16/06/1988 | 07:25 | jun88-1 |
| D10703 | Elaenia cristata | 16/06/1988 | 07:30 | jun88-1 |
| E07013* | Elaenia cristata | 16/06/1988 | 17:30 | jun88-1 |
| E08430* | Elaenia cristata | 16/06/1988 | 16:30 | jun88-1 |
| E0497 | Elaenia flavogaster | 16/06/1988 | 07:22 | jun88-1 |
| NA | Elaenia pavirostris | 16/06/1988 | 17:00 | jun88-1 |
| E08451* | Lepdocolaptes angustirostris | 16/06/1988 | 18:05 | jun88-1 |
| E06901 | Suiriri suiriri | 16/06/1988 | 17:20 | jun88-1 |
| E08473 | Suiriri suiriri | 16/06/1988 | 17:20 | jun88-1 |
| E08498* | Suiriri suiriri | 16/06/1988 | 17:20 | jun88-1 |
| E08499 | Suiriri suiriri | 16/06/1988 | 17:20 | jun88-1 |
| E08495 | Thraupis episcopus | 16/06/1988 | 06:15 | jun88-1 |
| D04840* | Elaenia cristata | 17/06/1988 | 08:50 | jun88-1 |
| D04850* | Elaenia cristata | 17/06/1988 | 07:18 | jun88-1 |
| E08422* | Elaenia cristata | 17/06/1988 | 07:18 | jun88-1 |
| D08145* | Formicivora rufa | 17/06/1988 | 08:02 | jun88-1 |
| E06902 | Cychlaris gujanensis | 18/06/1988 | 07:26 | jun88-1 |
| E06903 | Cychlaris gujanensis | 18/06/1988 | 07:26 | jun88-1 |
| D10704 | Elaenia cristata | 18/06/1988 | 08:45 | jun88-1 |
| E07037* | Elaenia cristata | 18/06/1988 | 16:38 | jun88-2 |
| NA | Formicivora grisea | 18/06/1988 | 08:30 | jun88-1 |
| NA | Formicivora grisea | 18/06/1988 | 08:30 | jun88-1 |
| NA | Hemitriccus striaticolis | 18/06/1988 | 01:23 | jun88-1 |
| C06191 | Hylophilus pectoralis | 18/06/1988 | 08:40 | jun88-1 |
| C06192 | Hylophilus pectoralis | 18/06/1988 | 08:40 | jun88-1 |
| E08410 | Myiarchus tyrannulus | 18/06/1988 | 07:20 | jun88-1 |
| E08418 | Thraupis episcopus | 18/06/1988 | 17:40 | jun88-2 |
| E06904 | Cychlaris gujanensis | 19/06/1988 | 09:05 | jun88-2 |
| E08452* | Cychlaris gujanensis | 19/06/1988 | 09:05 | jun88-2 |
| D08141* | Formicivora rufa | 19/06/1988 | 08:40 | jun88-2 |
| C06193 | Manacus manacus | 19/06/1988 | 07:40 | jun88-2 |
| NA | Manacus manacus | 19/06/1988 | 09:05 | jun88-2 |
| H07452 | Nystalus maculatus | 19/06/1988 | 08:40 | jun88-2 |
| NA | Phaeomyias murina | 19/06/1988 | 07:40 | jun88-2 |
| D10705* | Elaenia cristata | 20/06/1988 | 07:15 | jun88-2 |

| | | | | | |
|---|---|---|---|---|---|
| NA | Elaenia pavirostris | 20/06/1988 | 08:55 | jun88-2 |
| E06905 | Thraupis episcopus | 20/06/1988 | 17:10 | jun88-2 |
| C06195 | Ammodramus humeralis | 21/06/1988 | 09:00 | jun88-2 |
| E07100* | Elaenia cristata | 21/06/1988 | 07:40 | jun88-2 |
| C06163* | Formicivora rufa | 21/06/1988 | 07:10 | jun88-2 |
| NA | Hemitriccus striaticolis | 21/06/1988 | 07:25 | jun88-2 |
| E08430* | Elaenia cristata | 22/06/1988 | 07:17 | jun88-2 |
| NA | Manacus manacus | 22/06/1988 | 07:23 | jun88-2 |
| C06196 | Ammodramus humeralis | 11/08/1988 | 17:20 | ago88-1 |
| G03972 | Columbina passerina | 11/08/1988 | 17:10 | ago88-1 |
| G03974 | Columbina passerina | 11/08/1988 | 17:10 | ago88-1 |
| E06911 | Cychlaris gujanensis | 11/08/1988 | 17:20 | ago88-1 |
| NA | Elaenia chiriquensis | 11/08/1988 | 17:20 | ago88-1 |
| C06155 | Elaenia cristata | 11/08/1988 | 17:00 | ago88-1 |
| D04830* | Elaenia cristata | 11/08/1988 | 17:10 | ago88-1 |
| E06910 | Lepdocolaptes angustirostris | 11/08/1988 | 17:10 | ago88-1 |
| NA | Phaeomyias murina | 11/08/1988 | 17:30 | ago88-1 |
| D10706 | Tangara cayana | 11/08/1988 | 17:00 | ago88-1 |
| C06118* | Ammodramus humeralis | 12/08/1988 | 07:20 | ago88-1 |
| D10707 | Elaenia cristata | 12/08/1988 | 07:20 | ago88-1 |
| D10708 | Elaenia cristata | 12/08/1988 | 08:20 | ago88-1 |
| E07040* | Myiarchus tyrannulus | 12/08/1988 | 08:20 | ago88-1 |
| NA | Elaenia chiriquensis | 13/08/1988 | 07:00 | ago88-1 |
| NA | Ammodramus humeralis | 14/08/1988 | 17:58 | ago88-1 |
| D04842 | Elaenia cristata | 14/08/1988 | 17:20 | ago88-1 |
| D08110* | Elaenia cristata | 14/08/1988 | 17:50 | ago88-1 |
| E07064 | Elaenia cristata | 14/08/1988 | 17:55 | ago88-1 |
| E08465 | Elaenia flavogaster | 14/08/1988 | 15:50 | ago88-1 |
| G03976 | Columbina passerina | 15/08/1988 | 07:20 | ago88-1 |
| E06913 | Elaenia flavogaster | 15/08/1988 | 07:25 | ago88-1 |
| NA | Leptotila rufaxilla | 15/08/1988 | 08:25 | ago88-1 |
| D10711 | Tangara cayana | 15/08/1988 | 07:20 | ago88-1 |
| D10712 | Tangara cayana | 15/08/1988 | 07:20 | ago88-1 |
| D10713 | Tangara cayana | 15/08/1988 | 08:30 | ago88-1 |
| C08001 | Ammodramus humeralis | 16/08/1988 | 18:00 | ago88-2 |
| D10714 | Ammodramus humeralis | 16/08/1988 | 06:40 | ago88-1 |
| D08148* | Elaenia cristata | 16/08/1988 | 07:20 | ago88-1 |
| D10705* | Elaenia cristata | 16/08/1988 | 17:25 | ago88-2 |
| E07039 | Elaenia cristata | 16/08/1988 | 16:30 | ago88-2 |
| E08405 | Elaenia cristata | 16/08/1988 | 17:10 | ago88-2 |
| E08424 | Elaenia cristata | 16/08/1988 | 17:00 | ago88-2 |
| E08426 | Elaenia cristata | 16/08/1988 | 17:05 | ago88-2 |
| E08487* | Elaenia flavogaster | 16/08/1988 | 18:00 | ago88-2 |
| NA | Formicivora grisea | 16/08/1988 | 18:00 | ago88-2 |
| NA | Hemitriccus striaticolis | 16/08/1988 | 17:00 | ago88-2 |
| NA | Hemitriccus striaticolis | 16/08/1988 | 18:00 | ago88-2 |
| E07022* | Myiarchus tyrannulus | 16/08/1988 | 07:10 | ago88-1 |

| G03977 | Myiodynastes maculatus | 16/08/1988 | 07:30 | ago88-1 |
|---|---|---|---|---|
| NA | Neopelma palescens | 16/08/1988 | 06:15 | ago88-1 |
| E06914 | Suiriri suiriri | 16/08/1988 | 06:10 | ago88-1 |
| E06915 | Suiriri suiriri | 16/08/1988 | 07:18 | ago88-1 |
| H07418 | Turdus leucomelas | 16/08/1988 | 17:30 | ago88-2 |
| C08002 | Ammodramus humeralis | 17/08/1988 | 08:10 | ago88-2 |
| C08003 | Ammodramus humeralis | 17/08/1988 | 08:50 | ago88-2 |
| G03979 | Columbina passerina | 17/08/1988 | 06:15 | ago88-2 |
| G03980 | Columbina passerina | 17/08/1988 | 09:00 | ago88-2 |
| G08206 | Cychlaris gujanensis | 17/08/1988 | 08:50 | ago88-2 |
| E08478 | Dendroplex picus | 17/08/1988 | 07:15 | ago88-2 |
| D04835 | Elaenia cristata | 17/08/1988 | 09:00 | ago88-2 |
| E07026* | Elaenia cristata | 17/08/1988 | 07:10 | ago88-2 |
| E04632* | Elaenia flavogaster | 17/08/1988 | 09:20 | ago88-2 |
| C06152 | Formicivora grisea | 17/08/1988 | 07:10 | ago88-2 |
| NA | Hemitriccus striaticolis | 17/08/1988 | 09:00 | ago88-2 |
| C06139 | Hylophilus pectoralis | 17/08/1988 | 09:00 | ago88-2 |
| E06916 | Myiarchus tyrannulus | 17/08/1988 | NA | ago88-2 |
| G03982 | Columbina passerina | 18/08/1988 | 07:15 | ago88-2 |
| E08463* | Dendroplex picus | 18/08/1988 | 16:00 | ago88-2 |
| NA | Formicivora grisea | 18/08/1988 | 07:10 | ago88-2 |
| D04845* | Formicivora rufa | 18/08/1988 | 16:50 | ago88-2 |
| NA | Phaeomyias murina | 18/08/1988 | 09:20 | ago88-2 |
| D10715 | Vireo olivaceus | 18/08/1988 | 08:00 | ago88-2 |
| Alum1 | Ammodramus humeralis | 19/08/1988 | 07:40 | ago88-2 |
| D08121* | Ammodramus humeralis | 19/08/1988 | 07:40 | ago88-2 |
| D10716* | Elaenia cristata | 19/08/1988 | 07:40 | ago88-2 |
| C08004 | Ammodramus humeralis | 20/08/1988 | 08:30 | ago88-2 |
| D08146* | Ammodramus humeralis | 20/08/1988 | 08:00 | ago88-2 |
| NA | Phaeomyias murina | 20/08/1988 | 07:15 | ago88-2 |
| C09345* | Ammodramus humeralis | 30/08/1996 | 07:30 | set96-1 |
| E15418 | Elaenia cristata | 30/08/1996 | 08:00 | set96-1 |
| E15419 | Elaenia cristata | 30/08/1996 | 08:00 | set96-1 |
| C09342 | Formicivora grisea | 30/08/1996 | 06:30 | set96-1 |
| C09343 | Formicivora grisea | 30/08/1996 | 06:30 | set96-1 |
| C09344 | Formicivora grisea | 30/08/1996 | 06:30 | set96-1 |
| E15416 | Lepdocolaptis angustirostris | 30/08/1996 | 07:30 | set96-1 |
| E15417* | Lepdocolaptis angustirostris | 30/08/1996 | 7:30 | set96-1 |
| E15420* | Sirystes sibilator | 30/08/1996 | NA | set96-1 |
| NA | Vireo olivaceus | 30/08/1996 | 07:30 | set96-1 |
| C09347 | Ammodramus humeralis | 31/08/1996 | 08:35 | set96-1 |
| E154258 | Elaenia flavogaster | 31/08/1996 | 07:30 | set96-1 |
| C09346 | Formicivora grisea | 31/08/1996 | 08:35 | set96-1 |
| D10896 | Formicivora grisea | 31/08/1996 | 07:20 | set96-1 |
| D04820 | Formicivora rufa | 31/08/1996 | 07:20 | set96-1 |
| D10894 | Formicivora rufa | 31/08/1996 | 07:20 | set96-1 |

| | | | | |
|---|---|---|---|---|
| E15421* | Lepdocolaptis angustirostris | 31/08/1996 | 06:15 | set96-1 |
| E15422 | Myiarchus ferox | 31/08/1996 | 06:15 | set96-1 |
| E15423 | Myiarchus ferox | 31/08/1996 | 07:30 | set96-1 |
| E15424 | Myiarchus tyrannulus | 31/08/1996 | 07:30 | set96-1 |
| H07469 | Nystalus maculatus | 31/08/1996 | 06:30 | set96-1 |
| D10895 | Tangara cayana | 31/08/1996 | 06:30 | set96-1 |
| C09349 | Ammodramus humeralis | 01/09/1996 | 6:00 | set96-1 |
| NA | Ammodramus humeralis | 01/09/1996 | 6:00 | set96-1 |
| C09350 | Elaenia chiriquensis | 01/09/1996 | 7:00 | set96-1 |
| C09351 | Elaenia chiriquensis | 01/09/1996 | 7:00 | set96-1 |
| E15426* | Elaenia flavogaster | 01/09/1996 | 6:30 | set96-1 |
| D10898 | Formicivora rufa | 01/09/1996 | 6:30 | set96-1 |
| E15427* | Myiarchus tyrannulus | 01/09/1996 | 6:00 | set96-1 |
| E15428 | Myiarchus tyrannulus | 01/09/1996 | 6:00 | set96-1 |
| E15448* | Myiarchus tyrannulus | 01/09/1996 | 6:00 | set96-1 |
| H07470 | Nystalus maculatus | 01/09/1996 | 6:30 | set96-1 |
| H07471 | Nystalus maculatus | 01/09/1996 | 7:00 | set96-1 |
| H07472 | Nystalus maculatus | 01/09/1996 | 7:00 | set96-1 |
| E15429 | Schistoclamys melanopis | 01/09/1996 | 6:00 | set96-1 |
| NA | Schistoclamys melanopis | 01/09/1996 | 6:00 | set96-1 |
| C09352 | Tangara cayana | 01/09/1996 | 7:00 | set96-1 |
| C09548 | Troglodytes aedon | 01/09/1996 | 6:00 | set96-1 |
| C09353 | Ammodramus humeralis | 02/09/1996 | 06:00 | set96-1 |
| NA | Ammodramus humeralis | 02/09/1996 | 18:00 | set96-1 |
| G08227 | Columbina passerina | 02/09/1996 | 16:30 | set96-1 |
| C09359 | Elaenia chiriquensis | 02/09/1996 | 17:30 | set96-1 |
| C09363 | Elaenia chiriquensis | 02/09/1996 | 17:30 | set96-1 |
| C09364 | Elaenia chiriquensis | 02/09/1996 | 17:30 | set96-1 |
| C09365 | Elaenia chiriquensis | 02/09/1996 | 17:30 | set96-1 |
| C09370 | Elaenia chiriquensis | 02/09/1996 | 17:00 | set96-1 |
| E15430 | Elaenia chiriquensis | 02/09/1996 | 06:00 | set96-1 |
| C09357* | Elaenia cristata | 02/09/1996 | 16:30 | set96-1 |
| C09361* | Elaenia cristata | 02/09/1996 | 18:00 | set96-1 |
| C09362 | Elaenia cristata | 02/09/1996 | 17:30 | set96-1 |
| C09366* | Elaenia flavogaster | 02/09/1996 | NA | set96-1 |
| C09354* | Formicivora rufa | 02/09/1996 | 07:30 | set96-1 |
| C09355 | Formicivora rufa | 02/09/1996 | 07:30 | set96-1 |
| E15431 | Lepdocolaptis angustirostris | 02/09/1996 | 17:30 | set96-1 |
| E15432* | Lepdocolaptis angustirostris | 02/09/1996 | 17:30 | set96-1 |
| E15433* | Lepdocolaptis angustirostris | 02/09/1996 | 17:30 | set96-1 |
| C09358 | Neopelma pallescens | 02/09/1996 | 17:00 | set96-1 |
| G08228* | Tachyphonus rufus | 02/09/1996 | 17:30 | set96-1 |
| C09356 | Tangara cayana | 02/09/1996 | 07:30 | set96-1 |
| C09360 | Tangara cayana | 02/09/1996 | 17:30 | set96-1 |

| | | | | |
|---|---|---|---|---|
| NA | Tangara cayana | 02/09/1996 | 07:30 | set96-1 |
| C09367 | Elaenia chiriquensis | 03/09/1996 | 16:40 | set96-1 |
| C09368 | Elaenia chiriquensis | 03/09/1996 | 16:40 | set96-1 |
| C09371 | Elaenia chiriquensis | 03/09/1996 | 17:40 | set96-1 |
| C09369* | Elaenia cristata | 03/09/1996 | 17:30 | set96-1 |
| NA | Elaenia cristata | 03/09/1996 | 16:10 | set96-1 |
| E07052 | Myiarchus ferox | 03/09/1996 | 16:40 | set96-1 |
| E15434 | Myiarchus ferox | 03/09/1996 | 17:40 | set96-1 |
| C09347 | Ammodramus humeralis | 22/11/1996 | 17:30 | nov96-1 |
| C09374* | Ammodramus humeralis | 22/11/1996 | 17:30 | nov96-1 |
| C09375 | Ammodramus humeralis | 22/11/1996 | 17:50 | nov96-1 |
| C09372 | Elaenia chiriquensis | 22/11/1996 | 17:30 | nov96-1 |
| E15437 | Elaenia cristata | 22/11/1996 | 17:30 | nov96-1 |
| C09373 | Elaenia flavogaster | 22/11/1996 | 17:30 | nov96-1 |
| D10899* | Elaenia flavogaster | 22/11/1996 | 17:30 | nov96-1 |
| E15426* | Elaenia flavogaster | 22/11/1996 | 18:00 | nov96-1 |
| E15417* | Lepdocolaptis angustirostris | 22/11/1996 | 18:00 | nov96-1 |
| E15435 | Myiarchus tyrannulus | 22/11/1996 | 17:30 | nov96-1 |
| H07433* | Nystalus maculatus | 22/11/1996 | 18:00 | nov96-1 |
| E15420* | Sirystes sibilator | 22/11/1996 | 18:00 | nov96-1 |
| E15439 | Elaenia cristata | 23/11/1996 | 16:30 | nov96-1 |
| E15446 | Elaenia cristata | 23/11/1996 | 18:00 | nov96-1 |
| E15447 | Elaenia cristata | 23/11/1996 | 18:00 | nov96-1 |
| E15425* | Elaenia flavogaster | 23/11/1996 | 16:30 | nov96-1 |
| E15438 | Elaenia flavogaster | 23/11/1996 | 16:30 | nov96-1 |
| E15441* | Elaenia flavogaster | 23/11/1996 | 15:50 | nov96-1 |
| E15442 | Elaenia flavogaster | 23/11/1996 | 17:00 | nov96-1 |
| E15444 | Elaenia flavogaster | 23/11/1996 | 17:30 | nov96-1 |
| C09376 | Formicivora rufa | 23/11/1996 | 18:00 | nov96-1 |
| E15440 | Myiarchus tyrannulus | 23/11/1996 | 17:00 | nov96-1 |
| H07473 | Nystalus maculatus | 23/11/1996 | 18:00 | nov96-1 |
| C09345* | Ammodramus humeralis | 24/11/1996 | 06:15 | nov96-1 |
| D13413 | Ammodramus humeralis | 24/11/1996 | 16:40 | nov96-1 |
| D13416 | Ammodramus humeralis | 24/11/1996 | 18:00 | nov96-1 |
| NA | Ammodramus humeralis | 24/11/1996 | 18:00 | nov96-1 |
| G08236 | Columbina passerina | 24/11/1996 | 07:30 | nov96-1 |
| E15454* | Dendroplex picus | 24/11/1996 | 08:00 | nov96-1 |
| C09361* | Elaenia cristata | 24/11/1996 | 17:50 | nov96-1 |
| E15451* | Elaenia cristata | 24/11/1996 | 06:15 | nov96-1 |
| E15456 | Elaenia cristata | 24/11/1996 | 08:50 | nov96-1 |
| E15460 | Elaenia cristata | 24/11/1996 | 17:15 | nov96-1 |
| C09366* | Elaenia flavogaster | 24/11/1996 | 07:30 | nov96-1 |
| E15449* | Elaenia flavogaster | 24/11/1996 | 05:55 | nov96-1 |
| E15450 | Elaenia flavogaster | 24/11/1996 | 06:00 | nov96-1 |
| E15458* | Elaenia flavogaster | 24/11/1996 | 16:20 | nov96-1 |
| E15459* | Elaenia flavogaster | 24/11/1996 | 17:10 | nov96-1 |
| C09377 | Formicivora rufa | 24/11/1996 | 07:00 | nov96-1 |

| C09378 | Formicivora rufa | 24/11/1996 | 07:15 | nov96-1 |
|---|---|---|---|---|
| C09379 | Hemitriccus striaticollis | 24/11/1996 | 08:55 | nov96-1 |
| D13410 | Hilophylus pectoralis | 24/11/1996 | 08:30 | nov96-1 |
| E06918 | Lepdocolaptis angustirostris | 24/11/1996 | 16:50 | nov96-1 |
| E15421* | Lepdocolaptis angustirostris | 24/11/1996 | 06:00 | nov96-1 |
| E15433* | Lepdocolaptis angustirostris | 24/11/1996 | 08:00 | nov96-1 |
| D13411 | Manacus manacus | 24/11/1996 | 08:40 | nov96-1 |
| D13412 | Manacus manacus | 24/11/1996 | 08:50 | nov96-1 |
| E15427* | Myiarchus tyrannulus | 24/11/1996 | 16:50 | nov96-1 |
| E15452 | Myiarchus tyrannulus | 24/11/1996 | 07:15 | nov96-1 |
| E15457 | Myiarchus tyrannulus | 24/11/1996 | 16:10 | nov96-1 |
| E08498* | Suiriri suiriri | 24/11/1996 | 07:40 | nov96-1 |
| E15453 | Suiriri suiriri | 24/11/1996 | 07:40 | nov96-1 |
| E15461 | Suiriri suiriri | 24/11/1996 | 17:30 | nov96-1 |
| E15462* | Suiriri suiriri | 24/11/1996 | 17:30 | nov96-1 |
| E15463 | Suiriri suiriri | 24/11/1996 | 17:30 | nov96-1 |
| D13414 | Tangara cayana | 24/11/1996 | 17:50 | nov96-1 |
| D13415 | Tangara cayana | 24/11/1996 | 17:50 | nov96-1 |
| D10900 | Tolmomyias flaviventris | 24/11/1996 | 08:10 | nov96-1 |
| D13409 | Tolmomyias flaviventris | 24/11/1996 | 08:10 | nov96-1 |
| H07474 | Turdus leucomelas | 24/11/1996 | 08:50 | nov96-1 |
| E08437 | Tyrannus albogularis | 24/11/1996 | 17:30 | nov96-1 |
| E15455 | Tyrannus albogularis | 24/11/1996 | 07:50 | nov96-1 |
| NA | Ammodramus humeralis | 25/11/1996 | 06:20 | nov96-1 |
| G08238 | Columbina passerina | 25/11/1996 | 08:20 | nov96-1 |
| NA | Columbina passerina | 25/11/1996 | 17:40 | nov96-1 |
| D13419 | Elaenia chiriquensis | 25/11/1996 | 16:40 | nov96-1 |
| D10776* | Elaenia cristata | 25/11/1996 | 17:30 | nov96-1 |
| D13417 | Elaenia cristata | 25/11/1996 | 16:12 | nov96-1 |
| D13418 | Elaenia cristata | 25/11/1996 | 16:12 | nov96-1 |
| D13420* | Elaenia cristata | 25/11/1996 | 16:40 | nov96-1 |
| D13422* | Elaenia cristata | 25/11/1996 | 18:00 | nov96-1 |
| E15475 | Elaenia cristata | 25/11/1996 | 17:50 | nov96-1 |
| E15467 | Elaenia flavogaster | 25/11/1996 | 06:30 | nov96-1 |
| E15469* | Elaenia flavogaster | 25/11/1996 | 08:40 | nov96-1 |
| E15470 | Elaenia flavogaster | 25/11/1996 | 08:40 | nov96-1 |
| E15471* | Elaenia flavogaster | 25/11/1996 | 08:40 | nov96-1 |
| C09380 | Formicivora rufa | 25/11/1996 | 08:10 | nov96-1 |
| E15473 | Lepdocolaptis angustirostris | 25/11/1996 | 17:20 | nov96-1 |
| E15474 | Lepdocolaptis angustirostris | 25/11/1996 | 17:20 | nov96-1 |
| E15466 | Myiarchus tyrannulus | 25/11/1996 | 06:35 | nov96-1 |
| E15468 | Myiarchus tyrannulus | 25/11/1996 | 07:00 | nov96-1 |
| G08239 | Schistoclamys melanopis | 25/11/1996 | 17:05 | nov96-1 |

| E15477* | Suiriri suiriri | 25/11/1996 | 18:00 | nov96-1 |
|---|---|---|---|---|
| D13421 | Tangara cayana | 25/11/1996 | 17:20 | nov96-1 |
| NA | Tangara cayana | 25/11/1996 | 17:20 | nov96-1 |
| NA | Tangara cayana | 25/11/1996 | 17:20 | nov96-1 |
| NA | Tangara cayana | 25/11/1996 | 17:30 | nov96-1 |
| E15476 | Thraupis episcopus | 25/11/1996 | 16:40 | nov96-1 |
| NA | Thraupis episcopus | 25/11/1996 | 16:40 | nov96-1 |
| H07475 | Turdus leucomelas | 25/11/1996 | 08:10 | nov96-1 |
| H07478 | Turdus leucomelas | 25/11/1996 | 17:50 | nov96-1 |
| E15479 | Tyrannus albogularis | 25/11/1996 | 18:00 | nov96-1 |
| G08241 | Tyrannus albogularis | 25/11/1996 | 18:00 | nov96-1 |
| E15478 | Tyrannus melancholicus | 25/11/1996 | 18:00 | nov96-1 |
| C09383 | Ammodramus humeralis | 26/11/1996 | 17:50 | nov96-2 |
| C09382 | Elaenia chiriquensis | 26/11/1996 | 17:20 | nov96-2 |
| D13423 | Elaenia chiriquensis | 26/11/1996 | 16:30 | nov96-2 |
| D13425 | Elaenia chiriquensis | 26/11/1996 | 17:30 | nov96-2 |
| D13427* | Elaenia chiriquensis | 26/11/1996 | 17:30 | nov96-2 |
| D13428* | Elaenia chiriquensis | 26/11/1996 | 17:30 | nov96-2 |
| D13426 | Elaenia cristata | 26/11/1996 | NA | nov96-2 |
| E15481 | Elaenia flavogaster | 26/11/1996 | 06:10 | nov96-2 |
| E15482* | Elaenia flavogaster | 26/11/1996 | 15:20 | nov96-2 |
| C09381 | Formicivora rufa | 26/11/1996 | 07:10 | nov96-2 |
| E15417* | Lepdocolaptis angustirostris | 26/11/1996 | 16:20 | nov96-2 |
| E15432* | Lepdocolaptis angustirostris | 26/11/1996 | 17:20 | nov96-2 |
| E15433* | Lepdocolaptis angustirostris | 26/11/1996 | 17:50 | nov96-2 |
| E15483 | Lepdocolaptis angustirostris | 26/11/1996 | 17:30 | nov96-2 |
| H07477 | Nystalus maculatus | 26/11/1996 | 17:15 | nov96-2 |
| E15477* | Suiriri suiriri | 26/11/1996 | 16:50 | nov96-2 |
| D13424 | Tangara cayana | 26/11/1996 | 16:50 | nov96-2 |
| E15480 | Thamnophilus punctatus | 26/11/1996 | 06:20 | nov96-2 |
| C09374* | Ammodramus humeralis | 27/11/1996 | 17:20 | nov96-2 |
| NA | Columbina passerina | 27/11/1996 | 17:50 | nov96-2 |
| D13430 | Elaenia cristata | 27/11/1996 | 17:40 | nov96-2 |
| E15486 | Elaenia cristata | 27/11/1996 | 08:30 | nov96-2 |
| E 15490 | Elaenia flavogaster | 27/11/1996 | 17:00 | nov96-2 |
| E15469* | Elaenia flavogaster | 27/11/1996 | 17:35 | nov96-2 |
| E15489* | Elaenia flavogaster | 27/11/1996 | 17:00 | nov96-2 |
| E15491* | Elaenia flavogaster | 27/11/1996 | 17:30 | nov96-2 |
| C09385 | Formicivora rufa | 27/11/1996 | 17:50 | nov96-2 |
| E15448* | Myiarchus tyrannulus | 27/11/1996 | 07:30 | nov96-2 |
| H07473 | Nystalus maculatus | 27/11/1996 | 06:55 | nov96-2 |
| E15488 | Schistoclamys melanopis | 27/11/1996 | 16:30 | nov96-2 |
| E15484 | Suiriri suiriri | 27/11/1996 | 07:30 | nov96-2 |
| NA | Tangara cayana | 27/11/1996 | 17:00 | nov96-2 |

| | | | | | |
|---|---|---|---|---|---|
| D13429 | Thamnophilus punctatus | 27/11/1996 | 07:30 | nov96-2 |
| H07479 | Turdus leucomelas | 27/11/1996 | 17:55 | nov96-2 |
| E15485 | Tyrannus albogularis | 27/11/1996 | 08:30 | nov96-2 |
| E15487 | Tyrannus melancholicus | 27/11/1996 | 09:20 | nov96-2 |
| C09387 | Ammodramus humeralis | 28/11/1996 | 08:00 | nov96-2 |
| XXXX (trouble with number) | Elaenia chiriquensis | 28/11/1996 | 07:20 | nov96-2 |
| D13432 | Elaenia cristata | 28/11/1996 | 08:20 | nov96-2 |
| E15494 | Elaenia cristata | 28/11/1996 | 08:20 | nov96-2 |
| E15492* | Elaenia flavogaster | 28/11/1996 | 07:20 | nov96-2 |
| E15462* | Suiriri suiriri | 28/11/1996 | 08:50 | nov96-2 |
| E15493 | Tyrannus albogularis | 28/11/1996 | 07:20 | nov96-2 |
| G08247 | Columbina passerina | 06/02/1997 | 07:20 | fev97-1 |
| D13434 | Elaenia chiriquensis | 06/02/1997 | 06:40 | fev97-1 |
| D13438 | Elaenia chiriquensis | 06/02/1997 | 16:50 | fev97-1 |
| C09357* | Elaenia cristata | 06/02/1997 | 07:20 | fev97-1 |
| C09369* | Elaenia cristata | 06/02/1997 | 08:20 | fev97-1 |
| D13433 | Elaenia cristata | 06/02/1997 | 06:40 | fev97-1 |
| D13440 | Elaenia cristata | 06/02/1997 | 17:30 | fev97-1 |
| E15496 | Elaenia cristata | 06/02/1997 | 06:40 | fev97-1 |
| E15499 | Elaenia cristata | 06/02/1997 | 07:40 | fev97-1 |
| D10899* | Elaenia flavogaster | 06/02/1997 | 08:20 | fev97-1 |
| E15482* | Elaenia flavogaster | 06/02/1997 | 07:20 | fev97-1 |
| C09389 | Formicivora grisea | 06/02/1997 | 08:30 | fev97-1 |
| C09390 | Formicivora grisea | 06/02/1997 | 07:20 | fev97-1 |
| D13439 | Formicivora grisea | 06/02/1997 | 16:50 | fev97-1 |
| H07433* | Nystalus maculatus | 06/02/1997 | 17:30 | fev97-1 |
| E15497 | Schistoclamys melanopis | 06/02/1997 | 07:40 | fev97-1 |
| NA | Tachyphonus rufus | 06/02/1997 | 08:10 | fev97-1 |
| D09388 | Tangara cayana | 06/02/1997 | 07:20 | fev97-1 |
| D13435 | Tangara cayana | 06/02/1997 | 07:40 | fev97-1 |
| D13436 | Tangara cayana | 06/02/1997 | 08:20 | fev97-1 |
| NA | Tangara cayana | 06/02/1997 | 08:10 | fev97-1 |
| E15498 | Thraupis episcopus | 06/02/1997 | 07:40 | fev97-1 |
| H07480 | Turdus leucomelas | 06/02/1997 | 06:40 | fev97-1 |
| E15500 | Tyrannus albogularis | 06/02/1997 | 17:10 | fev97-1 |
| D13441 | Ammodramus humeralis | 07/02/1997 | 06:50 | fev97-1 |
| L27307 | Claravis pretiosa | 07/02/1997 | 08:30 | fev97-1 |
| C09391 | Cyanerpes cyaneus | 07/02/1997 | 08:40 | fev97-1 |
| D13443 | Elaenia chiriquensis | 07/02/1997 | 07:30 | fev97-1 |
| E06707 | Elaenia cristata | 07/02/1997 | 06:50 | fev97-1 |
| E06708 | Elaenia flavogaster | 07/02/1997 | 06:50 | fev97-1 |
| E15449* | Elaenia flavogaster | 07/02/1997 | 08:30 | fev97-1 |
| E15458* | Elaenia flavogaster | 07/02/1997 | 08:20 | fev97-1 |
| E15459* | Elaenia flavogaster | 07/02/1997 | 06:40 | fev97-1 |
| E15489* | Elaenia flavogaster | 07/02/1997 | 06:50 | fev97-1 |
| E15491* | Elaenia flavogaster | 07/02/1997 | 08:40 | fev97-1 |
| E15492* | Elaenia flavogaster | 07/02/1997 | 07:30 | fev97-1 |

| G08228* | Tachyphonus rufus | 07/02/1997 | 06:30 | fev97-1 |
|---|---|---|---|---|
| D13422* | Tangara cayana | 07/02/1997 | 07:10 | fev97-1 |
| D13444 | Tangara cayana | 07/02/1997 | 08:40 | fev97-1 |
| E06709 | Thraupis episcopus | 07/02/1997 | 08:30 | fev97-1 |
| H07481 | Turdus leucomelas | 07/02/1997 | 07:10 | fev97-1 |
| E06710 | Tyrannus melancholicus | 07/02/1997 | 08:50 | fev97-1 |
| C09345* | Ammodramus humeralis | 08/02/1997 | 07:50 | fev97-1 |
| D13460 | Ammodramus humeralis | 08/02/1997 | 17:20 | fev97-1 |
| L27308 | Claravis pretiosa | 08/02/1997 | 08:20 | fev97-1 |
| E15454* | Dendroplex picus | 08/02/1997 | 08:30 | fev97-1 |
| D13427* | Elaenia chiriquensis | 08/02/1997 | 06:50 | fev97-1 |
| D13456 | Elaenia chiriquensis | 08/02/1997 | 08:50 | fev97-1 |
| C09361* | Elaenia cristata | 08/02/1997 | 07:20 | fev97-1 |
| E06719 | Elaenia cristata | 08/02/1997 | 06:50 | fev97-1 |
| E06721 | Elaenia cristata | 08/02/1997 | 07:50 | fev97-1 |
| E06723 | Elaenia cristata | 08/02/1997 | 07:30 | fev97-1 |
| E06725 | Elaenia cristata | 08/02/1997 | 17:30 | fev97-1 |
| E15439 | Elaenia cristata | 08/02/1997 | 07:30 | fev97-1 |
| E15451* | Elaenia cristata | 08/02/1997 | 16:50 | fev97-1 |
| E06720 | Elaenia flavogaster | 08/02/1997 | 07:20 | fev97-1 |
| E15469* | Elaenia flavogaster | 08/02/1997 | 06:50 | fev97-1 |
| E15471* | Elaenia flavogaster | 08/02/1997 | 08:50 | fev97-1 |
| C09354* | Formicivora rufa | 08/02/1997 | 08:10 | fev97-1 |
| E06722 | Thraupis episcopus | 08/02/1997 | 07:18 | fev97-1 |
| E06724 | Thraupis episcopus | 08/02/1997 | 17:50 | fev97-1 |
| D13455 | Troglodytes aedon | 08/02/1997 | 08:20 | fev97-1 |
| C09353 | Ammodramus humeralis | 09/02/1997 | 08:20 | fev97-1 |
| C09374* | Ammodramus humeralis | 09/02/1997 | 08:20 | fev97-1 |
| D13428* | Elaenia chiriquensis | 09/02/1997 | 07:20 | fev97-1 |
| D13463 | Elaenia chiriquensis | 09/02/1997 | 08:20 | fev97-1 |
| D13465 | Elaenia chiriquensis | 09/02/1997 | 08:30 | fev97-1 |
| D08106* | Elaenia cristata | 09/02/1997 | 08:30 | fev97-1 |
| E15441* | Elaenia flavogaster | 09/02/1997 | 07:20 | fev97-1 |
| E06726 | Suiriri suiriri | 09/02/1997 | 08:20 | fev97-1 |
| E15453 | Suiriri suiriri | 09/02/1997 | 07:50 | fev97-1 |
| D13461 | Tangara cayana | 09/02/1997 | 06:50 | fev97-1 |
| D13462 | Tangara cayana | 09/02/1997 | 06:50 | fev97-1 |
| D13464 | Troglodytes aedon | 09/02/1997 | 08:50 | fev97-1 |
| C09393 | Volatinia jacarina | 09/02/1997 | 07:20 | fev97-1 |
| D17801* | Elaenia cristata | 26/08/2009 | tarde | ago09-1 |
| D23015* | Elaenia cristata | 26/08/2009 | tarde | ago09-1 |
| D23016 | Elaenia cristata | 26/08/2009 | tarde | ago09-1 |
| E09966* | Elaenia flavogaster | 26/08/2009 | tarde | ago09-1 |
| E09973 | Elaenia flavogaster | 26/08/2009 | tarde | ago09-1 |
| C09998* | Formicivora grisea | 26/08/2009 | 15:… | ago09-1 |
| C09999* | Formicivora grisea | 26/08/2009 | tarde | ago09-1 |
| C10000* | Hylophilus pectoralis | 26/08/2009 | tarde | ago09-1 |
| C35401* | Hylophilus pectoralis | 26/08/2009 | tarde | ago09-1 |

| E09972* | Lepidocolaptes angustirostris | 26/08/2009 | tarde | ago09-1 |
|---|---|---|---|---|
| E09965 | Myiarchus tyrannulus | 26/08/2009 | tarde | ago09-1 |
| E09974 | Myiarchus tyrannulus | 26/08/2009 | tarde | ago09-1 |
| H13942* | Nystalus maculatus | 26/08/2009 | tarde | ago09-1 |
| H13943* | Nystalus maculatus | 26/08/2009 | tarde | ago09-1 |
| E09967 | Ramphocelus carbo | 26/08/2009 | tarde | ago09-1 |
| E09970 | Ramphocelus carbo | 26/08/2009 | tarde | ago09-1 |
| E09971 | Ramphocelus carbo | 26/08/2009 | tarde | ago09-1 |
| E09975 | Ramphocelus carbo | 26/08/2009 | tarde | ago09-1 |
| E09968 | Schistoclamys melanopis | 26/08/2009 | tarde | ago09-1 |
| E09969 | Schistoclamys melanopis | 26/08/2009 | tarde | ago09-1 |
| C35405* | Camptostoma obsoletum | 27/08/2009 | 06:40 | ago09-1 |
| E09976 | Cyclarhis gujanensis | 27/08/2009 | NA | ago09-1 |
| G09284* | Dendroplex picus | 27/08/2009 | NA | ago09-1 |
| D23020 | Elaenia cristata | 27/08/2009 | NA | ago09-1 |
| D23017 | Formicivora grisea | 27/08/2009 | 06:40 | ago09-1 |
| D23018* | Formicivora grisea | 27/08/2009 | NA | ago09-1 |
| D23022 | Formicivora rufa | 27/08/2009 | 08:00 | ago09-1 |
| C35402 | Hylophilus pectoralis | 27/08/2009 | 06:40 | ago09-1 |
| C35404* | Hylophilus pectoralis | 27/08/2009 | 08:00 | ago09-1 |
| C35403 | Manacus manacus | 27/08/2009 | NA | ago09-1 |
| NA | Neopelma pallescens | 27/08/2009 | 06:40 | ago09-1 |
| H15344 | Nystalus maculatus | 27/08/2009 | 09:00 | ago09-1 |
| D23021 | Tangara cayana | 27/08/2009 | NA | ago09-1 |
| E09993 | Cyclarhis gujanensis | 28/08/2009 | 17:30 | ago09-1 |
| E09992* | Dendroplex picus | 28/08/2009 | 17:30 | ago09-1 |
| D23029 | Elaenia cristata | 28/08/2009 | 08:00 | ago09-1 |
| D23030 | Elaenia cristata | 28/08/2009 | 08:00 | ago09-1 |
| D23032 | Elaenia cristata | 28/08/2009 | 17:30 | ago09-1 |
| D23035* | Elaenia cristata | 28/08/2009 | 17:30 | ago09-1 |
| D23034* | Elaenia flavogaster | 28/08/2009 | 17:30 | ago09-1 |
| D23033* | Formicivora grisea | 28/08/2009 | 17:30 | ago09-1 |
| E09991* | Myiarchus tyrannulus | 28/08/2009 | 16:00 | ago09-1 |
| E09994 | Myiarchus tyrannulus | 28/08/2009 | 17:30 | ago09-1 |
| E09989* | Ramphocelus carbo | 28/08/2009 | 06:30 | ago09-1 |
| D23031* | Tangara cayana | 28/08/2009 | 16:00 | ago09-1 |
| H13948 | Turdus leucomelas | 28/08/2009 | 17:00 | ago09-1 |
| D23028 | Vireo olivaceus | 28/08/2009 | 08:00 | ago09-1 |
| E09996* | Cyclarhis gujanensis | 29/08/2009 | 07:40 | ago09-1 |
| E09997 | Cyclarhis gujanensis | 29/08/2009 | 07:40 | ago09-1 |
| E09998 | Cyclarhis gujanensis | 29/08/2009 | 07:40 | ago09-1 |
| C35408* | Formicivora rufa | 29/08/2009 | 09:00 | ago09-1 |
| D23036 | Formicivora rufa | 29/08/2009 | 07:40 | ago09-1 |
| C35407 | Hylophilus pectoralis | 29/08/2009 | 07:40 | ago09-1 |
| C35409* | Hylophilus pectoralis | 29/08/2009 | 07:40 | ago09-1 |
| E09995 | Schistoclamys melanopis | 29/08/2009 | 06:40 | ago09-1 |
| NA | Schistoclamys melanopis | 29/08/2009 | 06:40 | ago09-1 |

| | | | | | |
|---|---|---|---|---|---|
| NA | Cyclarhis gujanensis | 31/08/2009 | 08:30 | ago09-1 |
| D23045* | Elaenia chiriquensis | 31/08/2009 | 07:00 | ago09-1 |
| D23026 | Elaenia cristata | 31/08/2009 | 08:30 | ago09-1 |
| D23044 | Elaenia cristata | 31/08/2009 | NA | ago09-1 |
| D23047* | Elaenia cristata | 31/08/2009 | 08:00 | ago09-1 |
| NA | Empidonomus varius | 31/08/2009 | 16:40 | ago09-2 |
| C35413* | Formicivora grisea | 31/08/2009 | 17:30 | ago09-2 |
| D23049* | Formicivora grisea | 31/08/2009 | 16:10 | ago09-2 |
| NA | Hemitriccus striaticollis | 31/08/2009 | 17:30 | ago09-2 |
| C35411* | Manacus manacus | 31/08/2009 | 16:40 | ago09-2 |
| C35412 | Manacus manacus | 31/08/2009 | 16:40 | ago09-2 |
| NA | Myiarchus tyrannulus | 31/08/2009 | 17:30 | ago09-2 |
| H13950 | Nystalus maculatus | 31/08/2009 | 17:30 | ago09-2 |
| D23046* | Pachyramphus rufus | 31/08/2009 | 08:00 | ago09-1 |
| E09979 | Ramphocelus carbo | 31/08/2009 | 17:30 | ago09-2 |
| NA | Thamnophilus stictocephalus | 31/08/2009 | 16:10 | ago09-2 |
| D23051 | Elaenia cristata | 01/09/2009 | 09:00 | ago09-2 |
| C35414* | Formicivora grisea | 01/09/2009 | 06:30 | ago09-2 |
| C35415* | Formicivora grisea | 01/09/2009 | 07:00 | ago09-2 |
| C35416 | Formicivora rufa | 01/09/2009 | 07:30 | ago09-2 |
| C35417 | Hylophilus pectoralis | 01/09/2009 | 07:30 | ago09-2 |
| E06780 | Lepidocolaptes angustirostris | 01/09/2009 | 07:00 | ago09-2 |
| NA | Lepidocolaptes angustirostris | 01/09/2009 | 08:30 | ago09-2 |
| D23052 | Neopelma pallescens | 01/09/2009 | 09:30 | ago09-2 |
| D23050 | Pachyramphus polychopterus | 01/09/2009 | 06:30 | ago09-2 |
| D23046* | Pachyramphus rufus | 01/09/2009 | 07:30 | ago09-2 |
| NA | Ramphocelus carbo | 01/09/2009 | 08:30 | ago09-2 |
| D23059 | Dacnis cayana | 02/09/2009 | 08:15 | ago09-2 |
| C35420* | Formicivora grisea | 02/09/2009 | 07:15 | ago09-2 |
| C35422 | Formicivora grisea | 02/09/2009 | 17:00 | ago09-2 |
| C35421* | Hylophilus pectoralis | 02/09/2009 | 09:15 | ago09-2 |
| NA | Legatus leucophaius | 02/09/2009 | 07:15 | ago09-2 |
| NA | Lepidocolaptes angustirostris | 02/09/2009 | 07:15 | ago09-2 |
| E09989* | Ramphocelus carbo | 02/09/2009 | 17:20 | ago09-2 |
| D23056 | Tangara cayana | 02/09/2009 | 06:30 | ago09-2 |
| D23058* | Tangara cayana | 02/09/2009 | 08:00 | ago09-2 |
| D23055 | Thamnophilus stictocephalus | 02/09/2009 | 06:30 | ago09-2 |
| D23061* | Thamnophilus stictocephalus | 02/09/2009 | 17:20 | ago09-2 |
| NA | Thraupis episcopus | 02/09/2009 | 07:15 | ago09-2 |
| NA | Thraupis episcopus | 02/09/2009 | 07:15 | ago09-2 |
| D23060 | Tolmomyias flaviventris | 02/09/2009 | 09:15 | ago09-2 |
| H13949 | Turdus leucomelas | 02/09/2009 | 15:50 | ago09-2 |

| D23057 | Vireo olivaceus | 02/09/2009 | 07:15 | ago09-2 |
|---|---|---|---|---|
| E09992* | Dendroplex picus | 03/09/2009 | 06:05 | ago09-2 |
| G09288* | Dendroplex picus | 03/09/2009 | 06:30 | ago09-2 |
| D23062* | Elaenia cristata | 03/09/2009 | 07:30 | ago09-2 |
| C35428* | Formicivora grisea | 03/09/2009 | 08:00 | ago09-2 |
| C35424 | Hemitriccus striaticollis | 03/09/2009 | 06:50 | ago09-2 |
| C35425 | Hemitriccus striaticollis | 03/09/2009 | 07:30 | ago09-2 |
| C35427 | Hemitriccus striaticollis | 03/09/2009 | 08:00 | ago09-2 |
| C35426 | Hylophilus pectoralis | 03/09/2009 | 08:00 | ago09-2 |
| C35423 | Tolmomyias flaviventris | 03/09/2009 | 06:00 | ago09-2 |
| G09289* | Dendroplex picus | 04/09/2009 | 06:35 | ago09-2 |
| C35430* | Formicivora grisea | 04/09/2009 | 06:35 | ago09-2 |
| G09288* | Dendroplex picus | 07/10/2009 | 15:30 | out09-1 |
| D23062* | Elaenia cristata | 07/10/2009 | 17:30 | out09-1 |
| D23064* | Elaenia cristata | 07/10/2009 | 15:30 | out09-1 |
| D23066* | Elaenia cristata | 07/10/2009 | 16:00 | out09-1 |
| D23077 | Elaenia cristata | 07/10/2009 | 17:30 | out09-1 |
| NA | Elaenia cristata | 07/10/2009 | 17:30 | out09-1 |
| D23034* | Elaenia flavogaster | 07/10/2009 | 16:00 | out09-1 |
| C35408* | Formicivora rufa | 07/10/2009 | 17:30 | out09-1 |
| C35416* | Formicivora rufa | 07/10/2009 | 17:30 | out09-1 |
| D23065* | Hylophilus pectoralis | 07/10/2009 | 16:00 | out09-1 |
| E10002 | Lepidocolaptes angustirostris | 07/10/2009 | 17:30 | out09-1 |
| H13951 | Nystalus maculatus | 07/10/2009 | 16:00 | out09-1 |
| E10003 | Schistoclamys melanopis | 07/10/2009 | 17:30 | out09-1 |
| E10001 | Tachyphonus rufus | 07/10/2009 | 17:30 | out09-1 |
| E10004 | Tachyphonus rufus | 07/10/2009 | 17:30 | out09-1 |
| NA | Tachyphonus rufus | 07/10/2009 | 17:30 | out09-1 |
| D23069* | Elaenia chiriquensis | 08/10/2009 | 06:30 | out09-1 |
| D23068 | Elaenia cristata | 08/10/2009 | 06:30 | out09-1 |
| D23067 | Elaenia flavogaster | 08/10/2009 | 06:00 | out09-1 |
| C35431* | Formicivora rufa | 08/10/2009 | 06:30 | out09-1 |
| C35433 | Formicivora rufa | 08/10/2009 | 06:30 | out09-1 |
| C35421* | Hylophilus pectoralis | 08/10/2009 | 07:30 | out09-1 |
| E06772* | Lepidocolaptes angustirostris | 08/10/2009 | 06:30 | out09-1 |
| E10005 | Tangara cayana | 08/10/2009 | 06:30 | out09-1 |
| C35432 | Tolmomyias flaviventris | 08/10/2009 | 06:30 | out09-1 |
| E10012 | Cyclarhis gujanensis | 09/10/2009 | 08:00 | out09-1 |
| E09966* | Elaenia flavogaster | 09/10/2009 | 06:00 | out09-1 |
| D23033* | Formicivora grisea | 09/10/2009 | 06:30 | out09-1 |
| D23074 | Formicivora grisea | 09/10/2009 | 06:30 | out09-1 |
| D23075* | Formicivora grisea | 09/10/2009 | 07:30 | out09-1 |
| C35434 | Formicivora rufa | 09/10/2009 | 07:30 | out09-1 |
| C35435 | Hylophilus pectoralis | 09/10/2009 | 07:30 | out09-1 |
| NA | Hylophilus pectoralis | 09/10/2009 | 06:30 | out09-1 |
| E09985 | Myiarchus tyrannulus | 09/10/2009 | 07:30 | out09-1 |

| E10009* | Myiarchus tyrannulus | 09/10/2009 | 06:30 | out09-1 |
|---|---|---|---|---|
| E10010 | Myiarchus tyrannulus | 09/10/2009 | 07:30 | out09-1 |
| E10011* | Myiarchus tyrannulus | 09/10/2009 | 07:30 | out09-1 |
| C35445* | Formicivora grisea | 12/10/2009 | 16:00 | out09-1 |
| C35450 | Formicivora grisea | 12/10/2009 | 16:40 | out09-1 |
| C35448* | Hylophilus pectoralis | 12/10/2009 | 16:40 | out09-1 |
| D23085 | Hylophilus semicinereus | 12/10/2009 | 16:40 | out09-1 |
| C35451 | Manacus manacus | 12/10/2009 | 17:30 | out09-1 |
| E10019 | Myiarchus tyrannulus | 12/10/2009 | 16:00 | out09-1 |
| D23084 | Pachyramphus rufus | 12/10/2009 | 16:00 | out09-1 |
| E10021 | Ramphocelus carbo | 12/10/2009 | 17:30 | out09-1 |
| E10022 | Ramphocelus carbo | 12/10/2009 | 17:30 | out09-1 |
| E10020* | Thryothorus leucotis | 12/10/2009 | 17:30 | out09-1 |
| C35449 | Tolmomyias flaviventris | 12/10/2009 | 16:40 | out09-1 |
| NA | Elaenia flavogaster | 13/10/2009 | 06:30 | out09-1 |
| NA | Formicivora rufa | 13/10/2009 | 06:43 | out09-1 |
| C35405* | Hemitriccus striaticollis | 13/10/2009 | 06:30 | out09-1 |
| NA | Hemitriccus striaticollis | 13/10/2009 | 06:30 | out09-1 |
| C10000* | Hylophilus pectoralis | 13/10/2009 | 06:30 | out09-1 |
| C35419* | Manacus manacus | 13/10/2009 | 06:30 | out09-1 |
| C35452 | Myiopagis viridicata | 13/10/2009 | 07:30 | out09-1 |
| C35453 | Myiopagis viridicata | 13/10/2009 | 08:30 | out09-1 |
| D23086 | Pachyramphus polychopterus | 13/10/2009 | 07:30 | out09-1 |
| D23061* | Thamnophilus stictocephalus | 13/10/2009 | 06:00 | out09-1 |
| E09992* | Dendroplex picus | 14/10/2009 | 07:30 | out09-1 |
| D23015* | Elaenia cristata | 14/10/2009 | 06:40 | out09-1 |
| C35458* | Hemitriccus striaticollis | 14/10/2009 | 06:40 | out09-1 |
| C35401* | Hylophilus pectoralis | 14/10/2009 | 07:30 | out09-1 |
| G09292 | Nystalus maculatus | 14/10/2009 | 06:40 | out09-1 |
| E10025 | Schistoclamys melanopis | 14/10/2009 | 06:40 | out09-1 |
| D23031* | Tangara cayana | 14/10/2009 | 06:05 | out09-1 |
| D17841 | Elaenia cristata | 19/10/2009 | 15:50 | out09-2 |
| D17842 | Elaenia cristata | 19/10/2009 | 15:50 | out09-2 |
| D17843 | Elaenia cristata | 19/10/2009 | 17:30 | out09-2 |
| D17845 | Elaenia cristata | 19/10/2009 | 17:30 | out09-2 |
| D17846 | Elaenia cristata | 19/10/2009 | 17:30 | out09-2 |
| D23027 | Elaenia cristata | 19/10/2009 | 17:30 | out09-2 |
| E10037 | Elaenia flavogaster | 19/10/2009 | 17:30 | out09-2 |
| C35461 | Formicivora grisea | 19/10/2009 | 15:50 | out09-2 |
| C35462 | Formicivora grisea | 19/10/2009 | 16:20 | out09-2 |
| E10038* | Lepdocolaptes angustirostris | 19/10/2009 | 17:30 | out09-2 |
| E10040 | Lepdocolaptes angustirostris | 19/10/2009 | 17:30 | out09-2 |
| E10035 | Myiarchus tyrannulus | 19/10/2009 | 15:50 | out09-2 |
| E10039 | Myiarchus tyrannulus | 19/10/2009 | 17:30 | out09-2 |

| | | | | |
|---|---|---|---|---|
| C35464 | Phaeomyias murina | 19/10/2009 | 17:30 | out09-2 |
| C35465 | Phaeomyias murina | 19/10/2009 | 17:30 | out09-2 |
| E10036 | Tachyphonus rufus | 19/10/2009 | 16:20 | out09-2 |
| E10041 | Tachyphonus rufus | 19/10/2009 | 17:30 | out09-2 |
| D17844* | Tangara cayana | 19/10/2009 | 17:30 | out09-2 |
| C35463 | Todirostrum cinereum | 19/10/2009 | 17:30 | out09-2 |
| H13953 | Turdus leucomelas | 19/10/2009 | 17:30 | out09-2 |
| D17847 | Elaenia cristata | 20/10/2009 | 06:30 | out09-2 |
| C35466 | Formicivora grisea | 20/10/2009 | 08:50 | out09-2 |
| D17848 | Tangara cayana | 20/10/2009 | 07:30 | out09-2 |
| G09284* | Dendroplex picus | 21/10/2009 | NA | out09-2 |
| D17852 | Elaenia cristata | 21/10/2009 | 16:20 | out09-2 |
| D17853 | Elaenia cristata | 21/10/2009 | 16:20 | out09-2 |
| D17854 | Elaenia cristata | 21/10/2009 | 16:20 | out09-2 |
| D17855 | Elaenia cristata | 21/10/2009 | 16:20 | out09-2 |
| D17856 | Elaenia cristata | 21/10/2009 | NA | out09-2 |
| D17857 | Elaenia cristata | 21/10/2009 | NA | out09-2 |
| E10033 | Elaenia flavogaster | 21/10/2009 | NA | out09-2 |
| E10047 | Elaenia flavogaster | 21/10/2009 | NA | out09-2 |
| C35468 | Formicivora grisea | 21/10/2009 | 06:30 | out09-2 |
| C35469 | Formicivora grisea | 21/10/2009 | 06:30 | out09-2 |
| C35471 | Formicivora grisea | 21/10/2009 | NA | out09-2 |
| C35472 | Formicivora grisea | 21/10/2009 | NA | out09-2 |
| C35473 | Formicivora grisea | 21/10/2009 | NA | out09-2 |
| NA | Formicivora grisea | 21/10/2009 | 06:30 | out09-2 |
| E10044 | Myiarchus tyrannulus | 21/10/2009 | 16:20 | out09-2 |
| E10045 | Myiarchus tyrannulus | 21/10/2009 | NA | out09-2 |
| E10046 | Myiarchus tyrannulus | 21/10/2009 | NA | out09-2 |
| H13954 | Nystalus maculatus | 21/10/2009 | 06:30 | out09-2 |
| H13955 | Nystalus maculatus | 21/10/2009 | 08:00 | out09-2 |
| D23046* | Pachyramphus rufus | 21/10/2009 | NA | out09-2 |
| D17851 | Thryothorus leucotis | 21/10/2009 | 06:30 | out09-2 |
| C35474 | Troglodytes musculus | 21/10/2009 | NA | out09-2 |
| NA | Dendroplex picus | 22/10/2009 | NA | out09-2 |
| D17858 | Elaenia cristata | 22/10/2009 | 08:00 | out09-2 |
| D13420* | Elaenia cristata | 23/10/2009 | 07:20 | out09-2 |
| D17863* | Elaenia cristata | 23/10/2009 | 17:00 | out09-3 |
| NA | Elaenia cristata | 23/10/2009 | 17:20 | out09-3 |
| C35477 | Formicivora grisea | 23/10/2009 | 17:00 | out09-3 |
| C35478* | Formicivora grisea | 23/10/2009 | 17:00 | out09-3 |
| C35476* | Hylophilus pectoralis | 23/10/2009 | 06:25 | out09-2 |
| E10011* | Myiarchus tyrannulus | 23/10/2009 | 17:00 | out09-3 |
| E10048 | Myiarchus tyrannulus | 23/10/2009 | 17:00 | out09-3 |
| D17862 | Pachyramphus polychopterus | 23/10/2009 | 06:25 | out09-2 |
| E10049 | Myiarchus tyrannulus | 24/10/2009 | 06:30 | out09-3 |
| C35481 | Formicivora rufa | 25/10/2009 | 08:30 | out09-3 |
| E09996* | Cyclarhis gujanensis | 26/10/2009 | 06:30 | out09-3 |

| | | | | |
|---|---|---|---|---|
| G09295 | Dendroplex picus | 26/10/2009 | NA | out09-3 |
| D17870 | Elaenia chiriquensis | 26/10/2009 | 17:10 | out09-3 |
| D17866 | Elaenia cristata | 26/10/2009 | 06:30 | out09-3 |
| D17867 | Elaenia cristata | 26/10/2009 | 06:30 | out09-3 |
| D17868 | Elaenia cristata | 26/10/2009 | 06:40 | out09-3 |
| D17869 | Elaenia cristata | 26/10/2009 | 16:30 | out09-3 |
| D23064* | Elaenia cristata | 26/10/2009 | 06:50 | out09-3 |
| E10052 | Elaenia flavogaster | 26/10/2009 | 16:00 | out09-3 |
| E10050 | Empidonomus varius | 26/10/2009 | 07:50 | out09-3 |
| C35483 | Formicivora grisea | 26/10/2009 | 09:00 | out09-3 |
| E10009* | Myiarchus tyrannulus | 26/10/2009 | 07:50 | out09-3 |
| NA | Pachyramphus polychopterus | 26/10/2009 | NA | out09-3 |
| E10053 | Schistoclamys melanopis | 26/10/2009 | 17:10 | out09-3 |
| D17865 | Tangara cayana | 26/10/2009 | 06:30 | out09-3 |
| H13956 | Turdus leucomelas | 26/10/2009 | 06:40 | out09-3 |
| E10051 | Tyrannus melancholicus | 26/10/2009 | 16:00 | out09-3 |
| C35482 | Volatinia jacarina | 26/10/2009 | 06:20 | out09-3 |
| D17871 | Elaenia cristata | 27/10/2009 | 07:00 | out09-3 |
| D17872 | Elaenia cristata | 27/10/2009 | 07:00 | out09-3 |
| D17873 | Elaenia cristata | 27/10/2009 | 08:10 | out09-3 |
| C35484 | Formicivora grisea | 27/10/2009 | 07:00 | out09-3 |
| C35431* | Formicivora rufa | 27/10/2009 | 08:10 | out09-3 |
| C35433 | Formicivora rufa | 27/10/2009 | 07:00 | out09-3 |
| C35485 | Manacus manacus | 27/10/2009 | 07:00 | out09-3 |
| G09298 | Turdus leucomelas | 27/10/2009 | 07:00 | out09-3 |
| G09297 | Tyrannus albogularis | 27/10/2009 | 07:00 | out09-3 |
| G 05106 | Dendroplex picus | 05/05/2010 | 07:00 | mai10-1 |
| D13420* | Elaenia cristata | 05/05/2010 | NA | mai10-1 |
| D23023* | Elaenia cristata | 05/05/2010 | 16:50 | mai10-1 |
| D23078 | Elaenia cristata | 05/05/2010 | 16:50 | mai10-1 |
| D23091* | Elaenia cristata | 05/05/2010 | 08:00 | mai10-1 |
| C09998* | Formicivora grisea | 05/05/2010 | 16:50 | mai10-1 |
| C09999* | Formicivora grisea | 05/05/2010 | 16:50 | mai10-1 |
| C35486 | Formicivora grisea | 05/05/2010 | 07:30 | mai10-1 |
| C35487* | Formicivora grisea | 05/05/2010 | 07:30 | mai10-1 |
| C35488 | Formicivora grisea | 05/05/2010 | 08:30 | mai10-1 |
| C35489* | Formicivora grisea | 05/05/2010 | NA | mai10-1 |
| C35490 | Formicivora grisea | 05/05/2010 | 08:15 | mai10-1 |
| D23075* | Formicivora grisea | 05/05/2010 | 08:30 | mai10-1 |
| C35410 | Formicivora rufa | 05/05/2010 | NA | mai10-1 |
| C35416* | Formicivora rufa | 05/05/2010 | NA | mai10-1 |
| C35491 | Formicivora rufa | 05/05/2010 | NA | mai10-1 |
| H13943* | Nystalus maculatus | 05/05/2010 | 08:15 | mai10-1 |
| H13957 | Nystalus maculatus | 05/05/2010 | 08:15 | mai10-1 |
| H13958 | Turdus leucomelas | 05/05/2010 | 16:50 | mai10-1 |
| D17801* | Elaenia cristata | 07/05/2010 | 06:20 | mai10-1 |
| D23015* | Elaenia cristata | 07/05/2010 | 07:00 | mai10-1 |

| | | | | |
|---|---|---|---|---|
| D23066* | Elaenia cristata | 07/05/2010 | 16:10 | mai10-1 |
| D17877* | Elaenia flavogaster | 07/05/2010 | 07:00 | mai10-1 |
| E10099* | Elaenia flavogaster | 07/05/2010 | NA | mai10-1 |
| C35495 | Formicivora grisea | 07/05/2010 | 07:00 | mai10-1 |
| C35492 | Hemitriccus striaticollis | 07/05/2010 | 07:00 | mai10-1 |
| C35497 | Hemitriccus striaticollis | 07/05/2010 | 16:50 | mai10-1 |
| C35498 | Hemitriccus striaticollis | 07/05/2010 | 16:50 | mai10-1 |
| C35493 | Hylophilus pectoralis | 07/05/2010 | 08:30 | mai10-1 |
| C35494 | Hylophilus pectoralis | 07/05/2010 | 07:00 | mai10-1 |
| D23065* | Hylophilus pectoralis | 07/05/2010 | 08:30 | mai10-1 |
| E10057 | Myiarchus tyrannulus | 07/05/2010 | NA | mai10-1 |
| E10007 | Schistoclamys melanopis | 07/05/2010 | 07:00 | mai10-1 |
| E10054 | Schistoclamys melanopis | 07/05/2010 | NA | mai10-1 |
| E10100 | Schistoclamys melanopis | 07/05/2010 | 07:00 | mai10-1 |
| E10056 | Tachyphonus rufus | 07/05/2010 | 17:20 | mai10-1 |
| D17844* | Tangara cayana | 07/05/2010 | 16:50 | mai10-1 |
| E10055 | Thamnophilus stictocephalus | 07/05/2010 | 16:50 | mai10-1 |
| D23039* | Elaenia flavogaster | 08/05/2010 | 07:20 | mai10-1 |
| C35500 | Formicivora grisea | 08/05/2010 | 07:20 | mai10-1 |
| D23018* | Formicivora grisea | 08/05/2010 | 07:20 | mai10-1 |
| E06772* | Lepdocolaptes angustirostris | 08/05/2010 | 06:30 | mai10-1 |
| C35499 | Manacus manacus | 08/05/2010 | 06:30 | mai10-1 |
| H13959 | Nystalus maculatus | 08/05/2010 | 07:20 | mai10-1 |
| H13960 | Nystalus maculatus | 08/05/2010 | 07:20 | mai10-1 |
| G09291 | Dendroplex picus | 09/05/2010 | 06:30 | mai10-1 |
| D23040 | Elaenia cristata | 09/05/2010 | 06:30 | mai10-1 |
| E10098 | Elaenia flavogaster | 09/05/2010 | 06:30 | mai10-1 |
| NA | Formicivora grisea | 09/05/2010 | 16:40 | mai10-2 |
| H13961 | Nystalus maculatus | 09/05/2010 | 06:15 | mai10-1 |
| H13962 | Nystalus maculatus | 09/05/2010 | 16:40 | mai10-2 |
| E10058* | Thamnophilus stictocephalus | 09/05/2010 | 06:30 | mai10-1 |
| E10059 | Thamnophilus stictocephalus | 09/05/2010 | 06:30 | mai10-1 |
| D23091* | Elaenia cristata | 10/05/2010 | 07:30 | mai10-2 |
| C35413* | Formicivora grisea | 10/05/2010 | 08:10 | mai10-2 |
| C35415* | Formicivora grisea | 10/05/2010 | 08:10 | mai10-2 |
| D23049* | Formicivora grisea | 10/05/2010 | 07:40 | mai10-2 |
| C35409* | Hylophilus pectoralis | 10/05/2010 | 08:10 | mai10-2 |
| C47949 | Hylophilus pectoralis | 10/05/2010 | 08:10 | mai10-2 |
| D17878 | Hylophilus semicinereus | 10/05/2010 | 08:10 | mai10-2 |
| C35419* | Manacus manacus | 10/05/2010 | 07:40 | mai10-2 |
| E09991* | Myiarchus tyrannulus | 10/05/2010 | 06:30 | mai10-2 |
| C47948 | Chiroxiphia pareola | 11/05/2010 | 07:00 | mai10-2 |
| E09992* | Dendroplex picus | 11/05/2010 | 16:40 | mai10-2 |
| G05107 | Dendroplex picus | 11/05/2010 | 07:30 | mai10-2 |

| D23035* | Elaenia cristata | 11/05/2010 | 07:00 | mai10-2 |
|---|---|---|---|---|
| C35420* | Formicivora grisea | 11/05/2010 | 15:35 | mai10-2 |
| NA | Formicivora grisea | 11/05/2010 | 06:30 | mai10-2 |
| C35448* | Hylophilus pectoralis | 11/05/2010 | NA | mai10-2 |
| D17879 | Hylophilus pectoralis | 11/05/2010 | 16:40 | mai10-2 |
| H13963 | Nystalus maculatus | 11/05/2010 | 06:30 | mai10-2 |
| G05108 | Dendroplex picus | 12/05/2010 | 06:15 | mai10-2 |
| D23039* | Elaenia flavogaster | 12/05/2010 | NA | mai10-2 |
| C35430* | Formicivora grisea | 12/05/2010 | 08:50 | mai10-2 |
| D17882 | Formicivora grisea | 12/05/2010 | 08:10 | mai10-2 |
| D17884 | Formicivora grisea | 12/05/2010 | 08:50 | mai10-2 |
| D17880 | Hylophilus pectoralis | 12/05/2010 | 08:20 | mai10-2 |
| C35411* | Manacus manacus | 12/05/2010 | 06:45 | mai10-2 |
| C35455 | Manacus manacus | 12/05/2010 | 06:45 | mai10-2 |
| C47947 | Manacus manacus | 12/05/2010 | 06:45 | mai10-2 |
| E10060 | Myiarchus tyrannulus | 12/05/2010 | NA | mai10-2 |
| H13964 | Nystalus maculatus | 12/05/2010 | 08:50 | mai10-2 |
| E06764* | Schistoclamys melanopis | 12/05/2010 | 08:50 | mai10-2 |
| D23061* | Thamnophilus stictocephalus | 12/05/2010 | 07:20 | mai10-2 |
| E10061 | Thamnophilus stictocephalus | 12/05/2010 | 08:50 | mai10-2 |
| D17881 | Tolmomyias flaviventris | 12/05/2010 | 08:10 | mai10-2 |
| D17883 | Tolmomyias flaviventris | 12/05/2010 | 08:10 | mai10-2 |
| G09289* | Dendroplex picus | 13/05/2010 | 07:40 | mai10-2 |
| C35445* | Formicivora grisea | 13/05/2010 | 08:30 | mai10-2 |
| H13966 | Nystalus maculatus | 13/05/2010 | 08:30 | mai10-2 |
| E10015 | Thamnophilus stictocephalus | 13/05/2010 | 07:40 | mai10-2 |
| E10058* | Thamnophilus stictocephalus | 13/05/2010 | 07:00 | mai10-2 |
| C47945 | Xenops minutus | 13/05/2010 | 06:15 | mai10-2 |
| C47946 | Xenops minutus | 13/05/2010 | 06:15 | mai10-2 |
| E10020* | Thryothorus leucotis | 15/05/2010 | 17:20 | mai10-3 |
| D17885 | Elaenia cristata | 16/05/2010 | 08:45 | mai10-3 |
| C35454 | Formicivora grisea | 16/05/2010 | NA | mai10-3 |
| C35456 | Formicivora grisea | 16/05/2010 | 06:40 | mai10-3 |
| C35409* | Hylophilus pectoralis | 16/05/2010 | 07:30 | mai10-3 |
| H13942* | Nystalus maculatus | 16/05/2010 | 07:30 | mai10-3 |
| C47901 | Phaeomyias murina | 16/05/2010 | 08:10 | mai10-3 |
| E10065 | Ramphocelus carbo | 16/05/2010 | NA | mai10-3 |
| D17886 | Tangara cayana | 16/05/2010 | 08:10 | mai10-3 |
| D23058* | Tangara cayana | 16/05/2010 | 08:10 | mai10-3 |
| NA | Dendroplex picus | 18/05/2010 | NA | mai10-3 |
| D23048 | Elaenia cristata | 18/05/2010 | 17:00 | mai10-3 |
| NA | Elaenia cristata | 18/05/2010 | 17:30 | mai10-3 |
| C35428* | Formicivora grisea | 18/05/2010 | NA | mai10-3 |
| C35445* | Formicivora grisea | 18/05/2010 | 07:50 | mai10-3 |

| | | | | |
|---|---|---|---|---|
| C35450* | Formicivora grisea | 18/05/2010 | 07:00 | mai10-3 |
| D17890 | Formicivora grisea | 18/05/2010 | 16:00 | mai10-3 |
| NA | Formicivora grisea | 18/05/2010 | 15:40 | mai10-3 |
| C47906 | Hemitriccus striaticollis | 18/05/2010 | 15:40 | mai10-3 |
| E10064 | Tachyphonus rufus | 18/05/2010 | 08:30 | mai10-3 |
| D23061* | Thamnophilus stictocephalus | 18/05/2010 | 16:10 | mai10-3 |
| D17887* | Thryothorus leucotis | 18/05/2010 | NA | mai10-3 |
| D17900 | Thryothorus leucotis | 18/05/2010 | 08:30 | mai10-3 |
| D23062* | Elaenia cristata | 19/05/2010 | 08:30 | mai10-3 |
| E09966* | Elaenia flavogaster | 19/05/2010 | 07:30 | mai10-3 |
| E10099* | Elaenia flavogaster | 19/05/2010 | 06:40 | mai10-3 |
| C35458* | Hemitriccus striaticollis | 19/05/2010 | 06:40 | mai10-3 |
| D17891 | Manacus manacus | 19/05/2010 | 06:40 | mai10-3 |
| D17893 | Manacus manacus | 19/05/2010 | 06:40 | mai10-3 |
| E06764* | Schistoclamys melanopis | 19/05/2010 | 06:40 | mai10-3 |
| C47905 | Tolmomyias flaviventris | 19/05/2010 | 07:30 | mai10-3 |
| D17888 | Tolmomyias flaviventris | 19/05/2010 | 06:05 | mai10-3 |
| D17892 | Vireo olivaceus | 19/05/2010 | 06:40 | mai10-3 |
| D17889 | Cyanerpes cyaneus | 20/05/2010 | 06:30 | mai10-3 |
| E58901 | Elaenia cristata | 20/05/2010 | NA | mai10-3 |
| F00303 | Empidonomus varius | 20/05/2010 | 06:30 | mai10-3 |
| C35404* | Hylophilus pectoralis | 20/05/2010 | 08:00 | mai10-3 |
| E09987 | Myiarchus tyrannulus | 20/05/2010 | NA | mai10-3 |
| C47904 | Pipra rubrocapilla | 20/05/2010 | 07:30 | mai10-3 |
| C47907 | Elaenia pavirostris | 21/05/2010 | 16:00 | mai10-4 |
| C35420* | Formicivora grisea | 21/05/2010 | 16:40 | mai10-4 |
| C35430* | Formicivora grisea | 21/05/2010 | NA | mai10-4 |
| C35414* | Formicivora grisea | 22/05/2010 | 08:00 | mai10-4 |
| C35415* | Formicivora grisea | 22/05/2010 | 06:30 | mai10-4 |
| C35418 | Hemitriccus striaticollis | 22/05/2010 | 07:10 | mai10-4 |
| C47908 | Hemitriccus striaticollis | 22/05/2010 | 07:10 | mai10-4 |
| C35409* | Hylophilus pectoralis | 22/05/2010 | 05:55 | mai10-4 |
| E58902 | Manacus manacus | 22/05/2010 | 06:30 | mai10-4 |
| E58904 | Manacus manacus | 22/05/2010 | 07:10 | mai10-4 |
| E58905 | Manacus manacus | 22/05/2010 | 08:00 | mai10-4 |
| E58903 | Tangara cayana | 22/05/2010 | 06:30 | mai10-4 |
| F00304 | Thryothorus leucotis | 22/05/2010 | 07:10 | mai10-4 |
| F00305 | Thryothorus leucotis | 22/05/2010 | 08:50 | mai10-4 |
| E58907 | Chiroxiphia pareola | 26/05/2010 | 08:30 | mai10-4 |
| G09288* | Dendroplex picus | 26/05/2010 | 06:00 | mai10-4 |
| E58911 | Elaenia chiriquensis | 26/05/2010 | 17:30 | mai10-4 |
| D23023* | Elaenia cristata | 26/05/2010 | 17:30 | mai10-4 |
| E58909 | Elaenia cristata | 26/05/2010 | 16:40 | mai10-4 |
| E58910 | Elaenia cristata | 26/05/2010 | 17:30 | mai10-4 |
| E58912 | Elaenia cristata | 26/05/2010 | 17:30 | mai10-4 |
| D17877* | Elaenia flavogaster | 26/05/2010 | 17:30 | mai10-4 |
| F00307 | Elaenia flavogaster | 26/05/2010 | 17:30 | mai10-4 |

| | | | | | |
|---|---|---|---|---|---|
| C35020 | Formicivora grisea | 26/05/2010 | 06:10 | mai10-4 |
| D23085 | Hylophilus semicinereus | 26/05/2010 | 08:30 | mai10-4 |
| D17887* | Thryothorus leucotis | 26/05/2010 | 17:30 | mai10-4 |
| E58908 | Thryothorus leucotis | 26/05/2010 | 16:00 | mai10-4 |
| C09998* | Formicivora grisea | 27/05/2010 | 07:20 | mai10-4 |
| C09999* | Formicivora grisea | 27/05/2010 | 06:30 | mai10-4 |
| C35450* | Formicivora grisea | 27/05/2010 | 08:10 | mai10-4 |
| C35487* | Formicivora grisea | 27/05/2010 | 07:20 | mai10-4 |
| C35489* | Formicivora grisea | 27/05/2010 | 07:20 | mai10-4 |
| E58913 | Formicivora grisea | 27/05/2010 | 08:10 | mai10-4 |
| NA | Formicivora grisea | 27/05/2010 | 07:20 | mai10-4 |
| E58914 | Manacus manacus | 27/05/2010 | 08:10 | mai10-4 |
| E10067 | Ramphocelus carbo | 27/05/2010 | 06:30 | mai10-4 |
| NA | Ramphocelus carbo | 27/05/2010 | 06:30 | mai10-4 |
| H13969 | Turdus leucomelas | 28/05/2010 | 07:30 | mai10-4 |
| D17866 | Elaenia cristata | 22/11/2010 | 16:40 | nov10-1 |
| E106300 | Elaenia cristata | 22/11/2010 | 16:10 | nov10-1 |
| D23073 | Elaenia flavogaster | 22/11/2010 | 16:10 | nov10-1 |
| E106299 | Elaenia flavogaster | 22/11/2010 | 16:10 | nov10-1 |
| C35478* | Formicivora grisea | 22/11/2010 | 17:10 | nov10-1 |
| D112550 | Formicivora grisea | 22/11/2010 | 17:10 | nov10-1 |
| C35476* | Hylophilus pectoralis | 22/11/2010 | 17:10 | nov10-1 |
| E102413 | Tangara cayana | 22/11/2010 | 16:10 | nov10-1 |
| G57041 | Thraupis episcopus | 22/11/2010 | 16:10 | nov10-1 |
| F28350 | Tyrannus melancholicus | 22/11/2010 | 16:10 | nov10-1 |
| E106297 | Ammodramus humeralis | 23/11/2010 | 07:10 | nov10-1 |
| D23045* | Camptostoma? | 23/11/2010 | 15:55 | nov10-1 |
| J20155 | Claravis pretiosa | 23/11/2010 | 08:20 | nov10-1 |
| J20156 | Claravis pretiosa | 23/11/2010 | 15:30 | nov10-1 |
| F28348 | Cychlaris gujanensis | 23/11/2010 | 08:40 | nov10-1 |
| F28349 | Cychlaris gujanensis | 23/11/2010 | 07:10 | nov10-1 |
| G57020 | Cychlaris gujanensis | 23/11/2010 | 17:10 | nov10-1 |
| D17876 | Elaenia chiriquensis | 23/11/2010 | 06:30 | nov10-1 |
| D17869 | Elaenia cristata | 23/11/2010 | 06:30 | nov10-1 |
| D17875 | Elaenia cristata | 23/11/2010 | 07:10 | nov10-1 |
| E106296 | Elaenia cristata | 23/11/2010 | 07:10 | nov10-1 |
| E106295 | Elaenia flavogaster | 23/11/2010 | 07:10 | nov10-1 |
| C35483 | Formicivora grisea | 23/11/2010 | 17:10 | nov10-1 |
| D112545 | Formicivora grisea | 23/11/2010 | 16:35 | nov10-1 |
| D112546 | Formicivora grisea | 23/11/2010 | 16:35 | nov10-1 |
| D112547 | Formicivora grisea | 23/11/2010 | 16:35 | nov10-1 |
| D112549 | Formicivora grisea | 23/11/2010 | 06:30 | nov10-1 |
| D23047* | Formicivora grisea | 23/11/2010 | 16:35 | nov10-1 |
| E102411 | Formicivora rufa | 23/11/2010 | 07:50 | nov10-1 |
| C47934 | Hemitriccus striaticolli | 23/11/2010 | 17:10 | nov10-1 |
| C47937 | Hemitriccus striaticolli | 23/11/2010 | 17:10 | nov10-1 |
| D112548 | Hylophilus pectoralis | 23/11/2010 | 07:10 | nov10-1 |

| | | | | | |
|---|---|---|---|---|---|
| E09972* | Lepdocolaptis angustirostris | 23/11/2010 | 07:10 | nov10-1 |
| E10038* | Lepdocolaptis angustirostris | 23/11/2010 | 07:55 | nov10-1 |
| XXXX(trouble with number) | Lepdocolaptis angustirostris | 23/11/2010 | 06:30 | nov10-1 |
| H13976 | Nystalus maculatus | 23/11/2010 | 07:55 | nov10-1 |
| E106298 | Pachyramphus policopterus | 23/11/2010 | 06:30 | nov10-1 |
| J20157 | Claravis pretiosa | 24/11/2010 | NA | nov10-1 |
| D17863* | Elaenia cristata | 24/11/2010 | 08:40 | nov10-1 |
| D23069* | Elaenia cristata | 24/11/2010 | 08:40 | nov10-1 |
| E106292 | Elaenia cristata | 24/11/2010 | 09:10 | nov10-1 |
| D112542 | Formicivora grisea | 24/11/2010 | 08:40 | nov10-1 |
| D112543 | Formicivora grisea | 24/11/2010 | 08:40 | nov10-1 |
| D112544 | Formicivora grisea | 24/11/2010 | 07:00 | nov10-1 |
| D23023* | Formicivora grisea | 24/11/2010 | NA | nov10-1 |
| XXXX(trouble with number) | Formicivora grisea | 24/11/2010 | 08:40 | nov10-1 |
| E106293 | Pachyramphus policopterus | 24/11/2010 | 06:00 | nov10-1 |
| G57043 | Thraupis palmarum | 24/11/2010 | 08:40 | nov10-1 |
| H13979 | Turdus leucomelas | 24/11/2010 | 07:40 | nov10-1 |
| NA | Tachyphonus rufus | NA | NA | set87-1 |
| NA | Tangara cayana | NA | 17:30 | nov96-2 |
| NA | Tangara cayana | NA | NA | set87-1 |

823    Table S2: Correlations among environmental variables. The upper diagonal shows the p-values

824    and the lower diagonal the Pearson correlation.

| | Fire frequency | Fire extension | Tree coverage | Forest distance |
|---|---|---|---|---|
| **Fire frequency** | | <0.001 | 0.002 | 0.13 |
| **Fire extension** | 0.96 | | 0.002 | 0.22 |
| **Tree coverage** | -0.8 | -0.79 | | 0.05 |
| **Forest distance** | 0.46 | 0.38 | -0.57 | |

827    Table S3: Pairwise Wilcox-test results for forest-species abundance in the different sampling

828    periods.

|         | 2009/10  | 1987/88 |
|---------|----------|---------|
| **1987/88** | <0.001   | -       |
| **1996/97** | 0.001    | 0.3024  |

829