Title: Trends in Self-citation Rates in High-impact Neurology, Neuroscience, and Psychiatry Journals

Authors: Matthew Rosenblatt[1], Saloni Mehta[2], Hannah Peterson[2], Javid Dadashkarimi[3], Raimundo X. Rodriguez[4], Maya L. Foster[1], Brendan D. Adkinson[4], Qinghao Liang[1], Violet M. Kimble[4], Jean Ye[4], Marie C. McCusker[4], Michael C. Farruggia[4], Max Rolison[5], Margaret L. Westwater[2], Rongtao Jiang[2], Stephanie Noble[2,6,7], Dustin Scheinost[1,2,4,5,8]

[1]Department of Biomedical Engineering, Yale University, New Haven, CT
[2]Department of Radiology & Biomedical Imaging, Yale School of Medicine, New Haven, CT
[3]Department of Computer Science, Yale University, New Haven, CT
[4]Interdepartmental Neuroscience Program, Yale University, New Haven, CT
[5]Child Study Center, Yale School of Medicine, New Haven, CT
[6]Department of Bioengineering, Northeastern University, Boston, MA
[7]Department of Psychology, Northeastern University, Boston, MA
[8]Department of Statistics & Data Science, Yale University, New Haven, CT

Matthew Rosenblatt, Magnetic Resonance Research Center, 300 Cedar St, P.O. Box 208043, New Haven, CT, USA 06520-8043, USA. matthew.rosenblatt@yale.edu

Keywords: self-citation, bibliometrics, neuroscience

Abstract

Citation metrics influence academic reputation and career trajectories. Recent works have highlighted flaws in citation practices in the Neurosciences, such as the under-citation of women. However, self-citation rates—or how much authors cite themselves—have not yet been comprehensively investigated in the Neurosciences. This work characterizes self-citation rates in basic, translational, and clinical Neuroscience literature by collating 100,347 articles from 63 journals between the years 2000-2020. In analyzing over five million citations, we demonstrate four key findings: 1) increasing self-citation rates of Last Authors relative to First Authors, 2) lower self-citation rates in low- and middle-income countries, 3) gender differences in self-citation stemming from differences in the number of previously published papers, and 4) variations in self-citation rates by field. Our characterization of self-citation provides insight into citation practices that shape the perceived influence of authors in the Neurosciences, which in turn may impact what type of scientific research is done and who gets the opportunity to do it.

1. Introduction

Citations are often used as a proxy for how well a researcher disseminates their work, which is important both for spreading knowledge and establishing a scientific reputation [1]. Furthermore, citation counts and other metrics like the h-index are critical for hiring and promotion in an increasingly tenuous academic job market [2–4], necessitating a thorough examination of citation practices across research fields. Existing investigations of citation practices have found, for instance, false inflation of impact factors by specific journals [5]. Others have demonstrated under-citation of racial and ethnic minority groups [6] and women [7–9], including three studies specific to the Neuroscience literature [6,7,9]. These examples of citation manipulations and biases underscore the importance of comprehensively investigating citation practices in the broader Neuroscience literature.

Self-citation, or how frequently authors cite themselves, remains an understudied citation practice in the Neuroscience literature. Self-citation can be calculated from two different

perspectives: 1) as the proportion of an author's total citations that come from their own works
[10,11], or 2) as the proportion of an author's references on which they are also an author [12]. Since
the former accounts for the total number of times an author cites themselves (across all papers)
divided by the total number of citations the author has received, it helps identify when a
particular author only accumulates citations from themselves [10]. However, in this manuscript we
defined self-citation as the latter because one cannot control how much others cite their works.
As such, the second definition of self-citation rate may more closely reflect intention in self-citing
and will allow for more self-reflection about self-citation practices.
59
Self-citations may often be appropriate. For example, in a direct follow-up publication, a
researcher will need to cite their previous work. Yet, h-indices can be strategically manipulated
via self-citation [13], and some scientists may engage in extreme or unnecessary self-citation [10].
While certain citation metrics can be adjusted to remove self-citations, the effect of a single self-
citation extends beyond adding one additional citation to an author's citation count. In a
longitudinal study of self-citation, Fowler and Aksnes [14] found that each self-citation leads to
approximately three additional citations after five years. Given the potential effects of self-
citations on various citation metrics that influence career trajectories, a detailed analysis of self-
citation rates and trends in the Neuroscience literature could benefit the field.
69
This work summarizes self-citation rates in Neurology, Neuroscience, and Psychiatry literature
across the last 21 years, 63 journals, 100,347 articles, and 5,061,417 citations. We then build
upon these calculations by exploring trends in self-citation over time, by seniority, by country, by
gender, and by different subfields of research. We further develop models of the number of self-
citations and self-citation rate. Finally, we discuss the implications of our findings in the
Neuroscience publishing landscape and share a tool for authors to calculate their self-citation
rates: https://github.com/mattrosenblatt7/self_citation.
77
78 *2. Results*
79
80 *2.1 Data*
81
82 We downloaded citation information from 157,287 papers published between 2000 and 2020
83 from Scopus. Articles spanned 63 different journals representing the top Neurology,
84 Neuroscience, and Psychiatry journals (Table S1) based on impact factor. After applying our
85 exclusion criteria (see Methods), 100,347 articles and 5,061,417 citations remained.
86
87 *2.2 Metrics*
88
Using the Scopus database and Pybliometrics API [15], we calculated three metrics for each
individual paper: First Author self-citation rate, Last Author self-citation rate, and Any Author
self-citation rate, where self-citation rate is defined as the proportion of cited papers on which
the citing author is also an author. As an example, consider a hypothetical paper by Author A,
Author B, and Author C that cites 100 references.
● If Author A is an author on 5 of those references, then the First Author self-citation rate is
5/100=5%.
● If Author C is an author on 10 of those references, then the Last Author self-citation rate
is 10/100=10%.
● If at least one of Author A, Author B, OR Author C is an author on 18 of the references,
then the Any Author self-citation rate is 18/100=18%.
We will use the above definitions of self-citation throughout the remainder of the paper.
Furthermore, our estimations via Python code of the above three metrics showed strong

agreement with 906 manually scored articles from a subset of Psychiatry journals (*r*'s>0.9)
(Figure S1).
104
We performed 1,000 iterations of bootstrap resampling to obtain confidence intervals for all
analyses. We additionally performed 10,000 iterations of permutation testing to obtain two-sided
P values for all significance tests. All P values are reported after applying the
Benjamini/Hochberg [16] false discovery rate (FDR) correction, unless otherwise specified.
Importantly, we accounted for the nested structure of the data in bootstrapping and permutation
tests by forming co-authorship exchangeability blocks.
111
Throughout this work, we characterized self-citation rates with descriptive, not causal, analyses.
Our analyses included several theoretical estimands that are descriptive [17], such as the mean
self-citation rates among published articles as a function of field, year, seniority, country, and
gender. We adopted two forms of empirical estimands. First, we showed subgroup means in
self-citation rates. We then developed smooth curves with generalized additive models (GAMs)
to describe trends in self-citation rates across several variables.
118
119 *2.3 Self-citation rates in 2016-2020*
120
In the last five years of our dataset (2016-2020), the overall self-citation rates were 3.98% (95%
CI: 3.87%, 4.07%) for First Authors, 8.15% (95% CI: 7.98%, 8.30%) for Last Authors, and
14.41% (95% CI: 13.99%, 14.74%) for Any Authors (Table 1). In all fields, the Last Author self-
citation rates were significantly higher than that of First Author self-citation rates (P=2.9e-4).
Neuroscience had a significantly lower self-citation rate than Neurology and Psychiatry for First,
Last, and Any Authors (P's=2.9e-4). We found no significant difference between Neurology and
Psychiatry for First Author (P=0.144) and Last Author (P=0.123) self-citation rates. Any Author
self-citation rates were significantly higher in Neurology than Psychiatry before correction but
nonsignificant after correction (P=0.010). When determining fields by each author's publication
history instead of the journal of each article, we observed similar rates of self-citation (Table
S2). The 95% confidence intervals for each field definition overlapped in most cases, except for
Last Author self-citation rates in Neuroscience (7.54% defined by journal vs. 8.32% defined by
author) and Psychiatry (8.41% defined by journal vs. 7.92% defined by author).
134
135 Although there is no clear rule for what levels of self-citation are "acceptable," a histogram of
136 self-citation rates (Figure 1a) and a table of self-citation percentiles (Table S3) both provide
137 insight into the self-citation levels that are typical in the Neuroscience literature.
138

Field	First Author	Last Author	Any Author
Overall	3.98 (3.87, 4.07)	8.15 (7.98, 8.30)	14.41 (13.99, 14.74)
Neurology	4.54 (4.36, 4.70)	8.87 (8.52, 9.14)	16.59 (15.85, 17.16)
Neuroscience	3.41 (3.30, 3.51)	7.54 (7.36, 7.73)	12.61 (12.29, 12.91)
Psychiatry	4.29 (4.11, 4.43)	8.41 (8.16, 8.60)	15.07 (14.48, 15.47)

Table 1. Self-citation rates in 2016-2020 for First, Last, and Any Authors by field.

2.4 Temporal trends in self-citation rates

Furthermore, self-citation rates have changed since 2000 (Figure 1). For example, First Author
self-citation rates were 6.22% (95% CI: 5.97%, 6.47%) in 2000 and 3.68% (95% CI: 3.53%,
3.81%) in 2020. First Author self-citation rates decreased at a rate of -1.21% per decade (95%
CI: -1.30%, -1.12%), Last Author self-citation rates decreased at a rate of -0.18% per decade
(95% CI: -0.31%, -0.05%), and Any Author self-citation rates increased at a rate of 0.32% per
decade (95% CI: 0.05%, 0.55%). Corrected and uncorrected P values for the slopes are
available in Table S11. Further details about yearly trends in self-citation rate by field are
presented in Figure S2 and Table S4.

151
Figure 1. Visualizing recent self-citation rates and temporal trends. **a)** Kernel density estimate of the distribution of
First Author, Last Author, and Any Author self-citation rates in the last five years. **b)** Average self-citation rates over
every year since 2000, with 95% confidence intervals calculated by bootstrap resampling.

2.5 Author seniority and self-citation rate

We also considered that the self-citation rate might be related to seniority. To test this, we
calculated each author's "academic age" as the years between the publication of their first paper
(in any author position) and the current paper. For example, if the Last Author of a 2017 paper
published their first paper in 1995, their academic age would be 22. We averaged the self-
citation rates across each academic age, only including those ages with at least 50 papers in
the dataset, and found marked increases in self-citation rate with greater academic age (Figure
2a). For instance, at ten years, the self-citation rate for First Authors is about 5%, while this
number increases to over 10% at 30 years. Academic age appears to be a more robust
indicator of self-citation than authorship position; for a given academic age, First Author and
Last Author self-citation rates are comparable (Figure 2b). Analyzing self-citations as a fraction
of publication history exhibited a similar trend (Figure S3). First Authors were even more likely
than Last Authors to self-cite when normalized by prior publication history.

170
171

172
Figure 2. Average self-citation rates for each academic age in years 2016-2020. **a)** Self-citation rate vs. academic
age for both First and Last Authors. Shaded regions show 95% confidence intervals obtained via bootstrap
resampling. **b)** Comparison of self-citation rates by academic age for First and Last Authors. For a given academic
age, a single point is plotted as (x=First Author self-citation rate for authors of academic age *a*, y=Last Author self-
citation rate for authors of academic age *a*). The dashed line represents the y=x line, and the coloring of the points
from dark to light represents increasing academic age.
179
180 *2.6 Geographic location and self-citation rate*
181
In addition, we used the country of the affiliated institution of each author to determine the self-
citation rate by institution country over the last five years (2016-2020). We averaged First Author
and Last Author self-citation rates by country and only included countries with at least 50
papers. This analysis is distinct from country self-citation rate because we calculated self-
citation at the level of the author, then averaged across countries. In contrast, previous studies
have operationalized country self-citation rates as when authors from one country cite other
authors from the same country [18]. The results are shown on a map of the world using
GeoPandas [19] (Figure 3) and also presented in Table S5. Self-citation rates in the highest self-
citing countries double that of the lowest for the First and Last Authors. For instance, the First
Author self-citation rate in Italy is 5.65%, while in China, it is 2.52%. We also investigated the
distribution of the number of previous papers and journal impact factor across countries (Figure
S4). Self-citation maps by country were highly correlated with maps of the number of previous
papers (Spearman's *r*=0.576, P=4.1e-4; 0.654, P=1.8e-5 for First and Last Authors). They were
significantly correlated with maps of average impact factor for Last Authors (0.428, P=0.014) but
not Last Authors (Spearman's *r*=0.157, P=0.424). Thus, further investigation is necessary with
these covariates in a comprehensive model.
198
199

a.

First Author self-citation rates by country, min. 50 papers

b.

Last Author self-citation rates by country, min. 50 papers

Figure 3. Self-citation rates by country for First and Last Authors from 2016-2020. First Author data are presented in **(a)**, and Last Author data are shown in panel **(b)**. Only countries with >50 papers were included in the analysis. Country was determined by the affiliation of the author.

2.7 Self-citation rates by subtopic

We next investigated how self-citation rate varies within subfields of Neuroscience research. Based on Scopus abstract data for papers from 2016-2020, we developed a topic model using latent Dirichlet allocation (LDA). In LDA, each abstract is modeled as a distribution of topics, and each topic contains probabilities for many different words.

We assigned each paper to the topic with the highest probability to determine "subtopics" for each paper. The topic number was chosen as 13 with a parameter search (Figure S5). Based

on the most common words of each topic (Figure S6), we assigned 13 overall themes: 1) Aging
& development, 2) Animal models, 3) Cellular, 4) Clinical research, 5) Clinical trials, 6)
Dementia, 7) Depression & anxiety, 8) Functional imaging, 9) Mechanistic, 10) Pain, 11)
Schizophrenia, 12) Social Neuroscience, 13) Stroke. We then computed self-citation rates for
each of these topics (Figure 4) as the total number of self-citation in each topic divided by the
total number of references in each topic, and results with seven topics are also presented in the
SI (Figures S7-8).
221
We generally found that clinical trial research had the highest self-citation rates for First Authors
at 6.07% (95% CI: 5.90%, 6.22%), whereas mechanistic research had the lowest self-citation
rate at 3.10% (95% CI: 3.05%, 3.15%). For Last Authors, self-citation rates were highest for
Dementia research at 10.34% (95% CI: 10.10%, 10.57%) while Social Neuroscience had the
lowest self-citation rate at 6.34% (95% CI: 6.25%, 6.42%). For Any Author, Clinical trials once
again had the highest self-citation rate at 20.99% (95% CI: 20.59%, 21.28%), and Social
Neuroscience had the lowest self-citation rate at 10.71% (95% CI: 10.55%, 10.71%). For Last
Author and Any Author self-citation rates, a different number of authors per field may explain the
differences in self-citation rates (Spearman's r=0.758, P=0.007; r=0.736, P=0.009 for Last and
Any Authors, respectively). The same relationship did not hold for First Authors (Spearman's r=-
0.033, P=0.929).
233

234
235 **Figure 4.** Self-citation rates by topic. Results are presented for **a)** First, **b)** Last, and **c)** Any Authors. Topics were
236 determined by Latent Dirichlet Allocation. Confidence intervals of the average self-citation rate are shown based on
237 1000 iterations of bootstrap resampling.
238
239 *2.8 Self-citation by gender*
240
Several previous works have explored gender differences in self-citation practices. King et al. [20]
found that men self-cited 70% more than women from 1991-2011, but they did not account for
the number of previous papers that the authors had due to limitations of the dataset. More
recent works demonstrated that gender differences in self-citation largely disappear when
accounting for the number of possible works an author may self-cite (i.e., number of previous
publications) [7,21,22]. While Dworkin et al. [7] specifically explored citation by gender in the
Neuroscience literature, we expand the analysis to a wider range of journals to better represent
field-wide self-citation rates (63 journals versus five in the previous work).
249
For each paper, we assigned a probability of a particular name belonging to a woman or a man
using the Genderize.io API. We retained only authors with >80% probabilities. There are clear
limitations to these types of packages, as described by Dworkin et al. [7], because they assume
genders are binary, and they do not account for authors who identify as nonbinary, transgender,

or intersex. As such, the terms "women" and "men" indicate the probability of names being that
gender as opposed to a specific author identifying as a man or woman. Despite these
limitations, we believe these tools can still help broadly uncover gender differences in self-
citation rates.
258
We calculated the proportion of men and women First and Last Authors since 2000 (Figure 5a).
Although the authorship proportions have begun to converge to be equal by gender, the gender
disparity among the Last Authors was more notable than among the First Authors. Men and
women were nearly equally represented as First Authors in 2020 (48.60% women). Based on
linear fits, we estimated that men and women would be equally represented as Last Authors in
2043 (95% CI: 2040, 2046).
265
In 2016-2020, there were significant differences between First Author self-citation rates of men
and women. First authors who were men had average self-citation rates of 4.54% (95% CI:
3.99%, 5.08%), while women authors had average self-citation rates of 3.39% (95%CI: 3.03%,
3.76%), which is significantly different (P=2.9e-4). Similarly, in 2020, Last Authors who were
men had significantly higher self-citation rates than those who were women (P=2.9e-4), with
self-citation rates of 8.53% (95% CI: 7.78%, 8.96%) and 7.42% (95% CI: 6.84%, 8.13%),
respectively.
273
In addition, men persistently had higher self-citation rates than women since 2000 (Figure 5b),
though the gap has slowly decreased. Linear fits were used to estimate that self-citation rates
for men and women would be equal for First Authors in the year 2044 (95% CI: 2036, 2056) and
equal for the Last Authors in 2040 (95% CI: 2030, 2061). Furthermore, we calculated the ratio of
men to women self-citations over the past two decades (Figure 5c). For First Authors, men have
consistently cited themselves more than women by 27.27-55.57% depending on the year.
Among Last Authors, there was a steep decrease in 2002, but since then, men have cited
themselves 11.41-43.00% more than women.
282
Seniority may account for gender differences in self-citation rate, as there are gender disparities
in faculty positions and ranks [23–26]. To explore the effect of seniority, we investigated self-citation
rates by academic age and gender (2016-2020). Gender differences for the same academic age
emerged early in an academic career and were relatively persistent throughout most of the
career (Figure 5d-e). For instance, in the previous five years (2016-2020), there were 10,155
papers by early-career women authors and 10,694 by early-career men authors. Women
authors had 600,262 references and 13,426 self-citations (2.24% self-citation rate), while men
authors had 617,881 references and 18,399 self-citations (2.98% self-citation rate). This
equated to a 33.13% higher self-citation rate for men than women during the first ten years of
their careers (P=2.9e-4).

Figure 5. Gender disparities in authorship and self-citation. **a)** Proportion of papers written by men and women First and Last Authors since 2000. **b)** Average self-citation rates for men and women First and Last Authors. **c)** Ratio of average self-citation rates of men to women for First and Last Authors. **d)** Self-citation rates by academic age for men and women authors, where the dashed line represents men and the solid line women. **e)** Ratio of self-citation rates of men to women by academic age. **f)** Number of papers by academic age for men and women, where the dashed line represents men and the solid line women. **g)** Ratio of average number of papers of men to women by academic age. In all subplots, 95% confidence intervals of the mean were calculated with 1000 iterations of bootstrap resampling.

We considered two factors that might contribute to the gender discrepancy in self-citation rate
by academic age: the number of papers published for authors of a given academic age, which is
greater for men at all career stages [21,22,27,28], and the self-citation rate for a given number of
papers. We compared the number of papers for men and women at a given academic age
(Figure 5f-g) and found that men had a higher number of papers. This trend started early in the
career (academic age<=10 years), where men had significantly more papers than women
(P=2.9e-4). For example, at an academic age of 10 years, men were authors on an average of
42.32 (s.d.: 1.76) papers, and women authored 30.09 (s.d.: 0.96) papers on average. In
addition, we divided the number of papers into groups (Figure S9) and computed self-citation
rate by gender for each group. Although the effect was small, men had significantly higher self-
citation rates for 0-9 papers (P=7.8e-4) and 10-19 papers (P=0.034). All other differences were
not statistically significant. Clearly, accounting for covariates may affect perceived differences in
raw self-citation rates. Thus, we further investigate the role of gender by adjusting for various
other covariates in Sections *2.9* and *2.10.*

Furthermore, we explored topic-by-gender interactions (Figure S10). In short, men and women
were relatively equally represented as First Authors, but more men were Last Authors across all
topics. Self-citation rates were higher for men across all topics.

2.9 Exploring effects of covariates with generalized additive models

Investigating the raw trends and group differences in self-citation rates is important, but several
confounding factors may explain some of the differences reported in previous sections. For
instance, gender differences in self-citation were previously attributed to men having a greater
number of prior papers available to self-cite [7,21,22]. As such, covarying for various author- and
article-level characteristics can improve the interpretability of self-citation rate trends. To allow
for inclusion of author-level characteristics, we only consider First Author and Last Author self-
citation in these models.

We used generalized additive models (GAMs) to model the number and rate of self-citations for
First Authors and Last Authors separately. The data were randomly subsampled so that each
author only appeared in one paper. The terms of the model included several article
characteristics (article year, average time lag between article and all cited articles, document
type, number of references, field, journal impact factor, and number of authors), as well as
author characteristics (academic age, number of previous papers, gender, and whether their
affiliated institution is in a low- and middle-income country). Model performance (adjusted R^2)
and coefficients for parametric predictors are shown in Table 2. Plots of smooth predictors are
presented in Figure 6.

First, we considered several career and temporal variables. Consistent with prior works [21,22],
self-citation rates and counts were higher for authors with a greater number of previous papers.
Self-citation counts and rates increased rapidly among the first 25 published papers but then
more gradually increased. Early in the career, increasing academic age was related to greater
self-citation. There was a small peak at about five years, followed by a small decrease and a
plateau. We found an inverted U-shaped trend for average time lag and self-citations, with self-
citations peaking approximately three years after initial publication. In addition, self-citations
have generally been decreasing since 2000. The smooth predictors showed larger decreases in
the First Author model relative to the Last Author model (Figure 6).

Then, we considered whether authors were affiliated with an institution in a low- and middle-
income country (LMIC). LMIC status was determined by the Organisation for Economic Co-

operation and Development. We opted to use LMIC instead of affiliation country or continent to
reduce the number of model terms. We found that papers from LMIC institutions had
significantly lower self-citation counts (-0.138 for First Authors, -0.184 for Last Authors) and
rates (-12.7% for First Authors, -23.7% for Last Authors) compared to non-LMIC institutions.
Additional results with affiliation continent are presented in Table S6. Relative to the reference
level of Asia, higher self-citations were associated with Africa (only three of four models), the
Americas, Europe, and Oceania.
360
Among paper characteristics, a greater number of references was associated with higher self-
citation counts and lower self-citation rates (Figure 6). Interestingly, self-citations were greater
for a small number of authors, though the effect diminished after about five authors. Review
articles were associated with lower self-citation counts and rates. No clear trend emerged
between self-citations and journal impact factor. In an analysis by field, despite the raw results
suggesting that self-citation rates were lower in Neuroscience, GAM-derived self-citations were
greater in Neuroscience than in Psychiatry or Neurology. Field-based results were comparable
when defining fields by each author's publication history instead of the journal of each article.
The most notable difference was in Neuroscience, where authors had relatively higher self-
citation rates using author-based rather than journal-based definitions of field (Table S7).
371

		Count		Rate		Number of papers	
		First Author	Last Author	First Author	Last Author	First Author	Last Author
Adjusted R^2		0.508	0.351	0.347	0.204	0.565	0.400
Deviance explained		50.1%	38.6%	40.8%	25.4%	72.5%	55.7%
Intercept		0.046** (P=1.1e-6)	0.748*** (P<2e-16)	-3.64*** (P<2e-16)	-2.93*** (P<2e-16)	2.296*** (P<2e-16)	3.727*** (P<2e-16)
Field	Neurology	-0.093*** (P<2e-16)	-0.025* (P=0.046)	-0.131*** (P<2e-16)	-0.062** (P=1.4e-6)	0.026* (P=3.7e-4)	0.068*** (P=4.0e-15)
	Neuroscience	0.147*** (P<2e-16)	0.184*** (P<2e-16)	0.112*** (P<2e-16)	0.186*** (P<2e-16)	-0.195*** (P<2e-16)	-0.122*** (P<2e-16)
	Psychiatry	0	0	0	0	0	0
Low-middle income country status	No	0	0	0	0	0	0
	Yes	-0.116** (P=1.1e-7)	-0.241*** (P<2e-16)	-0.127** (P=1.0e-7)	-0.237*** (P<2e-16)	0.071* (P=2.2e-5)	0.010 (P=0.605)
Gender	Woman	0	0	0	0	0	0
	Man	-0.009 (P=0.253)	-0.033* (P=0.002)	-0.026* (P=0.004)	-0.047* (P=5.8e-5)	0.246*** (P<2e-16)	0.248*** (P<2e-16)
Document type	Article	0	0	0	0	0	0
	Review	-0.042**(P=0.001)	-0.139*** (P<2e-16)	-0.064** (P=7.8e-6)	-0.143*** (P<2e-16)	0.152*** (P<2e-16)	-0.019* (P=0.047)

372 **Table 2.** Coefficients and P values for parametric terms in the models. Separate models were created for First and
373 Last Authors. Models were also made for self-citation counts, self-citation rates, and the number of previously
374 published papers. Quantile-quantile plots are presented in Figure S11. Results from 100 random resamplings are
375 presented in Figure S12. Please note that model covariates were not included in the multiple comparisons correction
376 in Table S11. *P<0.05, **P<1e-5, ***P<1e-10.
377

379
380 **Figure 6.** Smooth predictors for generalized additive models presented in Table 2. Models for **a)** First Authors and
381 self-citation counts, **b)** Last Authors and self-citation counts, **c)** First Authors and self-citation rates, **d)** Last Authors
382 and self-citation rates, **e)** First Authors and publication history, **f)** Last Authors and publication history. The number in
383 parentheses on each y-axis reflects the effective degrees of freedom. All P values were P<2e-16 except year citing
384 for Last Authors for the count (P=5.0e-5) and rate (P=0.176) models.

385
Finally, our results aligned with previous findings of nearly equivalent self-citation rates for men
and women after including covariates, even showing slightly higher self-citation rates in women.
Since raw data showed evidence of a gender difference in self-citation that emerges early in the
career but dissipates with seniority, we incorporated two interaction terms: one between gender
and academic age and a second between gender and the number of previous papers. Results
remained largely unchanged with the interaction terms (Table S8).

392
393 *2.10 Reconciling differences between raw data and models*

394
The raw and GAM-derived data exhibited some conflicting results, such as for gender and field
of research. To further study covariates associated with this discrepancy, we modeled the
publication history for each author (at the time of publication) in our dataset (Table 2). The

model terms included academic age, article year, journal impact factor, field, LMIC status,
gender, and document type. Notably, Neuroscience was associated with the fewest number of
papers per author. This explains how authors in Neuroscience could have the lowest raw self-
citation rates by highest self-citation rates after including covariates in a model. In addition,
being a man was associated with about 0.25 more papers. Thus, gender differences in self-
citation likely emerged from differences in the number of papers, not in any self-citation
practices.
405
406   *2.11 Self-citation code*
407
408   We provide code for authors to evaluate their own self-citation rates at the following link:
409   https://github.com/mattrosenblatt7/self_citation. Please note that this code requires access to
410   Scopus, which may be available through your institution. The code may also be adapted for
411   journal editors to evaluate the author self-citation rates of published articles in their journal.
412   Further details about the outputs of the code are described in Figure S13 and Figure S14.
413
414   *3. Discussion*
415
416   This work analyzed self-citation rates in 100,347 peer-reviewed Neurology, Neuroscience, and
417   Psychiatry papers, with over five million total citations, to dissect the factors associated with
418   self-citation practices.
419
420   *3.1 Temporal trends in self-citation rates*
421
Increasing collaborations and expanding author lists in recent years likely explains the increase
in Any Author self-citation rates. A more concerning trend is the decrease in First Author relative
to Last Author self-citations since 2000. In the Neurosciences, First Authors are typically early-
career researchers (e.g., graduate students, postdoctoral fellows) who perform the majority of
the experiments and analysis, whereas Last Authors are typically professors who oversee the
project and secure funding. As a result, these changes in citation practices could make it harder
for early-career scientists to advance in their academic careers, warranting further investigation
and monitoring. Another possible explanation is that an increasing number of early career
researchers are leaving academia [29]. Thus, early-career researchers may be less incentivized to
self-promote (e.g., self-cite) for academic gains compared to 20 years ago. A third, more
optimistic explanation is that principal investigators (typically Last Authors) are increasingly self-
citing their lab's papers to build up their trainee's citation records for an increasingly competitive
job market.
435
Differences between early- and late-career researchers' self-citation practices is not surprising
because, as one continues in their career, they contribute to more papers and are more likely to
cite themselves. In addition, researchers may often become more specialized throughout their
career, which may necessitate higher self-citation rates later in the career. However, these
results demonstrate a "snowball effect," whereby senior authors continually accumulate a
disproportionate number of self-citations. For example, an author with 30 years of experience
cites themselves approximately twice as much as one with 10 years of experience on average.
Both authors have plenty of works that they can cite, and likely only a few are necessary. As
such, we encourage authors to be cognizant of their citations and to avoid unnecessary self-
citations.
446
447
448

449   *3.2 Geographic differences in self-citation rates*
450
There are several possible explanations for differences in self-citation by geographic region,
including broader cultural differences or academic culture differences. For instance, an analysis
of management journals previously found that self-citation rates of authors from individualist
cultures were higher than that of authors from collectivist cultures [30]. In addition to broader
cultural norms affecting the tendency to self-cite, differences in academic norms likely play a
major role as well. Researchers in the United States, for example, reported feeling more
pressure to publish papers within their organizations compared to researchers from other
countries[31]. The pressure to publish stems from pressure to advance one's career. Similar
pressures that vary by geographic region may drive researchers to unnecessarily self-cite to
improve their citation metrics and make them more competitive candidates for hiring, promotion,
and funding.
462
463   In addition, low- and middle-income countries were associated with fewer self-citations, even
464   after considering numerous covariates. Decreased self-citations may diminish the visibility of
465   researchers from LMIC relative to their peers from non-LMIC. Thus, future research should
466   explore the mechanism behind the decreased self-citations.
467
While hiring and promotion almost universally depend on citation metrics to some extent, an
example of a recent policy in Italy demonstrates how rules regarding hiring and promotion can
influence self-citation behavior. This policy was introduced in 2010 and required researchers to
achieve certain citation metrics for the possibility of promotion, which was followed by increases
of self-citation rates throughout Italy [32]. Ideally, authors, institutions, journals, and policymakers
would work together to establish self-citation guidelines and discourage a "game the system"
mindset. However, requiring all institutions and countries to follow similar values regarding
citation metrics is not practical, so awareness of possible differences in metrics by geographic
region due to self-citation differences is the next best alternative.
477
478   *3.3 Field differences in self-citation rates*
479
Initially, it appeared that self-citation rates in Neuroscience are lower than Neurology and
Psychiatry, but after considering several covariates, the self-citation rates are higher in
Neuroscience. This discrepancy likely emerges because authors in Neuroscience journals in our
dataset tended to be more junior (fewer number of previous papers, slightly lower academic
age) compared to Neurology and Psychiatry, giving the illusion of lower field-wide self-citation
rates. The field-wide differences in self-citation rate likely depend on both necessity and
opportunity. In some research fields, a researcher may need to reference several of their
previous works to properly explain the methodology used in the present study, thus having a
high necessity of self-citation. Depending on the nature of the work across various fields,
researchers may publish more or less frequently, which will affect their number of previous
works and thus their opportunity to self-cite.
491
In addition, while not included in the model to limit the number of terms, the 13 subtopics under
examination had different raw self-citation rates, and "acceptable levels" of self-citation may
vary depending on the subfield. For example, clinical trials had the highest self-citation rate,
which may relate to the relatively high number of authors per paper in clinical trial research or
the fact that clinical trial research often builds upon previous interventions (e.g., Phase 1 or 2
trials). Overall, these field and subfield differences highlight the importance of editors and
researchers understanding common self-citation rates in their specific fields to ensure that they
are not unnecessarily self-citing.

3.4 Self-citation rates by gender
501
The higher self-citation rate of men compared to women, without considering other covariates,
aligns with the previous self-citation literature [7,20–22]. Similar to prior works [7,21,22], we found that
the largest difference in self-citing is explained by the number of previous papers (i.e., number
of citable items) as opposed to differences in self-citation behavior itself. This result overall
points toward a more general underrepresentation of women in science, such as in publication
counts [27,28], collaboration networks [33,34], awards [35], editorial boards [36], and faculty positions [37–39].
We confirmed this idea by modeling the number of previous papers for each author. Women
had significantly fewer papers than men after considering multiple covariates, such as academic
age. In other words, women have a lower self-citation rate than men in the Neuroscience
literature because they are not given the same opportunity, such as through prior publications,
to self-cite. Establishing field-wide influence and scientific prominence may be most crucial in
early career stages, since soon thereafter decisions will be made about hiring, early-career
grants, and promotion. Thus, future work should further consider the downstream effects of
differences in the number of publications by gender.
516
517 *3.5 Limitations*
518
There were several notable limitations of this study. First, our analyses were restricted to the
top-ranked Neurology, Neuroscience, and Psychiatry journals, and the generalizability of these
findings to a wider variety of journals has yet to be determined. Citations of a journal's articles
directly affect the journal's impact factor. As such, it is possible that the selection of journals
based on high impact factor skews the results toward higher self-citation rates compared to the
entire field of Neuroscience. Yet, we found minimal effect of impact factor in our models.
Second, we calculated differences between Neurology, Neuroscience, and Psychiatry journals
by assigning each journal to only one field (Table S1). As some journals publish across multiple
fields (e.g., both Neuroscience and Psychiatry research), this categorization provides a gross
estimate of differences between fields. Third, we reported averages of self-citation rates across
various groups (e.g., academic ages), but there is a wide inter-author and inter-paper variability
in self-citation rate. Fourth, as described above, we evaluated gender differences with gender
assignment based on name, and this does not account for nonbinary, transgender, or intersex
authors. Fifth, selecting subtopics using LDA was subjective because we assigned each
subtopic name based on the most common words. Sixth, our modeling techniques are not
useful for prediction due to the inherently large variability in self-citation rates across authors
and papers, but they instead provide insight into broader trends. In addition, these models do
not account for whether a specific citation is appropriate, as some situations may necessitate
higher self-citation rates. Seventh, the analysis presented in this work is not causal. Association
studies are advantageous for increasing sample size, but future work could investigate causality
in curated datasets. Similarly, this study falls short in several potential mechanistic insights,
such as by investigating citation appropriateness via text similarity or international dynamics in
authors who move between countries. Yet, this study may lay the groundwork for future works
to explore causal estimands [17]. Eighth, authors included in this work may not be neurologists,
neuroscientists, or psychiatrists. However, they still publish in journals from these fields. Ninth,
data were differentially missing (Table S10) due to Scopus coverage and gender estimation.
Differential missingness could bias certain results in the paper, but we hope that the dataset is
large enough to reduce any potential biases. Tenth, while we considered academic age, we did
not consider cohort effects. Cohort effects would depend on the year in which the individual
started their career. Finally, our analysis does not account for other possible forms of excessive
self-citation practices, such as coercive induced self-citation from reviewers [40]. Despite these
limitations, we found significant differences in self-citation rates for various groups, and thus we

encourage authors to explore their trends in self-citation rates. Self-citation rates that are higher
than average are not necessarily wrong, but suggest that authors should further reflect on their
current self-citation practices.
554
555 *3.6 Self-citation policies*
556
According to The Committee on Publication Ethics (COPE), "citations where the motivations are
merely self promotional…violates publication ethics and is unethical" [41]. Excessive and
unnecessary self-citations can possibly be limited by using appropriate citation metrics that
cannot be easily "gamed" [32,40]. Furthermore, while COPE suggests that journals and editors
should make policies about acceptable levels of self-citation [41], many journals have no such
policy. For example, only 24.71% of General Surgery [42] and 14.29% of Critical Care [43] journals
had policies regarding self-citation, most of which were policies discouraging "excessive" or
"inappropriate" self-citations. Although the self-citation policies in the investigated journals had
no significant effect on self-citation rate [42,43], a more appropriate consideration might be whether
these policies significantly reduce excessive self-citations. Self-citation practices are not
typically problematic, but excessive self-citations may falsely establish community-wide
influence [44]. As such, we believe that the self-citation summary statistics presented in this work
could serve as a useful guide in identifying potential cases of excessive self-citation. In practice,
there should be more nuance than a binary threshold of acceptable/unacceptable levels of self-
citation, as some fields may have atypical self-citation patterns [44] or specific articles may require
high levels of self-citation.
573
574 *3.7 Conclusions*
575
Overall, we identified trends in self-citation rates by time, geographic region, gender, and field,
though the extent to which this reflects an underlying problem that needs to be addressed
remains an open question. We do not intend to argue against the practice of self-citation, which
is not inherently bad and in fact can be beneficial to authors and useful scientifically [14,40]. Yet,
self-citation practices become problematic when they are different across groups or are used to
"game the system." Future work should investigate the downstream effects of self-citation
differences to see whether they impact the career trajectories of certain groups. We hope that
this work will help to raise awareness about factors influencing self-citation practices to better
inform authors, editors, funding agencies, and institutions in Neurology, Neuroscience, and
Psychiatry.
586
587 *4. Methods*
588
We collected data from the 25 journals with the highest impact factors, based on Web of
Science impact factors, in each of Neurology, Neuroscience, and Psychiatry. Some journals
appeared in the top 25 list of multiple fields (e.g., both Neurology and Neuroscience), so 63
journals were ultimately included in our analysis. We recognize that limiting the journals to the
top 25 in each field also limits the generalizability of the results. However, there are tradeoffs
between breadth of journals and depth of information. For example, by limiting the journals to
these 63, we were able to look at 21 years of data (2000-2020). In addition, the definition of
fields are somewhat arbitrary. By restricting the journals to a set of 63 well-known journals, we
ensured that the journals belonged to Neurology, Neuroscience, or Psychiatry research. It is
also important to note that the impact factor of these journals has not necessarily always been
high. For example, *Acta Neuropathologica* had an impact factor of 17.09 in 2020 but 2.45 in
2000. To further recognize the effects of impact factor, we decided to include an impact factor
term in our models.

4.1 Dataset collection

The data were downloaded from the Scopus API in 2021-2022 via http://api.elsevier.com and http://www.scopus.com. We obtained information about research and review articles in the 63 journals from 2000-2020. We downloaded two sets of .csv files: 1) an article database and 2) a reference database. For each year/journal, the article database contains last names and first initials of the authors, title, year, and article EID (a unique identifier assigned by Scopus) of all research and review articles. The reference database contains the same information for all articles referenced by any article in the article database.

4.2 Python code using Pybliometrics API

We used the Pybliometrics API [15] to access citation information for each entry in the article database. First, we used the article EID to retrieve a detailed author list, which included full names and Scopus Author IDs, and a list of references for each article. For each reference, we extracted the list of Scopus Author IDs. To count as a self-citation, we required that the Scopus Author IDs matched exactly.

Our self-citation metrics included First Author, Last Author, and Any Author self-citation rates. For First (Last) Author self-citation rates, we computed the proportion of reference papers on which the citing First (Last) author is also an author. We considered papers with only a single author as both First Author and Last Author self-citations. For Any Author self-citation rates, we found the proportion of papers for which at least one of the citing authors (any authorship position) was also an author. For the analyses in this paper, we reported total (or weighted average) self-citation rates for different groups. For example, in Figure 1, the reported self-citation rate for the year 2000 is the total number of self-citations in 2000 across all papers divided by the total number of references in 2000 across all papers.

Other data we collected from Scopus and Pybliometrics included the affiliation of the authors, the number of papers published by the First and Last Authors before the current paper, and academic age of the First and Last Authors, which we defined as the time between the author's first publication and their current publication.

4.3 Data exclusions and missingness

Data were excluded across several criteria: missing covariates, missing citation data, out-of-range values at the citation pair level, and out-of-range values at the article level (Table 3). After downloading the data, our dataset included 157,287 articles and 8,438,733 citations. We excluded any articles with missing covariates (document type, field, year, number of authors, number of references, academic age, number of previous papers, affiliation country, gender, and journal). Of the remaining articles, we dropped any for missing citation data (e.g., cannot identify whether a self-citation is present due to lack of data). Then, we removed citations with unrealistic or extreme values. These included an academic age of less than zero or above 38/44 for First/Last Authors (99th percentile); greater than 266/522 papers for First/Last Authors (99th percentile); and a cited year before 1500 or after 2023. Subsequently, we dropped articles with extreme values that could contribute to poor model stability. These included greater than 30 authors; fewer than 10 references or greater than 250 references; and a time lag of greater than 17 years. These values were selected to ensure that GAMs were stable and not influenced by a small number of extreme values.

In addition, we evaluated whether the data were not missing at random (Table S10). Data were
more likely to be missing for reviews relative to articles, for Neurology relative to Neuroscience
or Psychiatry, in works from Africa relative to the other continents, and for men relative to
women. Scopus ID coverage contributed in part to differential missingness. However, our
exclusion criteria also contribute. For example, Last Authors with more than 522 papers were
excluded to help stabilize our GAMs. More men fit this exclusion criteria than women.
658

	First Author		Last Author	
	# Articles	# Citations	# Articles	# Citations
Prior to exclusions	157,287	8,438,733	157,287	8,438,733
Missing covariates: remaining (% dropped)	133,403 (15.18%)	7,392,638 (12.40%)	132,806 (15.56%)	7,379,581 (12.55%)
Missing citation data: remaining (% dropped)	133,256 (0.11%)	6,773,293 (8.38%)	132,667 (0.10%)	6,769,081 (8.27%)
Extreme values (citation level): remaining (% dropped)	126,938 (4.74%)	6,390,129 (5.66%)	126,168 (4.90%)	6,396,015 (5.51%)
Extreme values (article level): remaining (% dropped)	115,205 (9.24%)	5,794,926 (9.31%)	114,622 (9.15%)	5,801,367 (9.30%)
Data available for First and Last Authors	100,347 Articles; 5,061,417 citations			

659 **Table 3.** Data exclusions. Each cell shows the number of articles or citations remaining after exclusion, as well as the
660 percentage that were dropped by the exclusion criteria.
661

662 *4.4 Country affiliation*
663

For both First and Last Authors, we found the country of their institutional affiliation listed on the
publication. In the case of multiple affiliations, the first one listed in Scopus was used. We then
calculated the total First Author and Last Author self-citation rate by country, only including
countries that had at least 50 First Author or Last Author papers in these select journals from
2016-2020. We then projected the self-citation rates onto a map using Geopandas [19],
specifically using the map with coordinate systems EPSG:6933 (https://epsg.io/6933). We
determined whether a country was considered a low- and middle-income country based on the
Organisation for Economic Co-operation and Development's list (https://wellcome.org/grant-
funding/guidance/low-and-middle-income-countries).

4.5 Topic modeling
674
Latent Dirichlet Allocation (LDA) [45,46] was implemented with the Gensim package [47] in Python.
LDA is a generative probabilistic model that is commonly used in natural language processing to
discover topics in a large set of documents. In LDA, each document is modeled as a distribution
of latent topics, and each topic is represented as a distribution of words. Based on the data
provided, in this case abstracts from all articles in our dataset from 2016-2020, the model finds
distributions of topics and words to maximize the log likelihood of the documents. Further details
about LDA are available in [45–47].
682
For our implementation, we first removed all special characters and numbers from the abstract
data. Then, we lemmatized the words using the Natural Language Toolkit [48]. We excluded
words that appeared in less than 20 documents, words that appeared in over 50% of the
documents, common stop words (e.g., "the", "you", etc.), and some additional words that we felt
would not meaningfully contribute to the topic model (e.g., "associated", "analysis", "effect",
etc.). In addition, we allowed for bigrams (two consecutive words) and trigrams (three
consecutive words) in the model, as long as they appeared at least 20 times in the dataset.
690
Our total corpus included 41,434 documents with 16,895 unique tokens (words + bigrams +
trigrams). We used 90% of the corpus to train our LDA model, and left out 10% to evaluate the
perplexity, where a lower perplexity demonstrates better performance, as described in [45]. For
the a-priori belief on document-topic distribution, we used Gensim's "auto" option. We trained
models with a number of topics ranging from 2-20, passing through the entire train corpus 30
times for each number of topics we evaluated. The number of topics was picked based on two
evaluation metrics. First, we selected 13 topics as the topics that seemed most meaningful, as
assessed qualitatively by word clouds for each topic. Second, we selected seven topics as the
number of topics with the lowest validation perplexity.
700
701   Finally, we assigned each paper a discrete topic by choosing the topic with highest probability.
702   Since we do not necessarily care about the generalization of this model and are instead using it
703   to determine topics of a specific set of papers, we determined topics on the same data on which
704   the model was trained.
705
706   *4.6 Name gender probability estimation*
707
708   To compute gender probabilities, we submitted given names of all First and Last Authors to the
709   Genderize.io API. Each name was assigned a probability of a name belonging to a woman or
710   man, and we only used names for which Genderize.io assigned at least an 80% probability.
711   Details about the Genderize.io database used to calculate probabilities is available at this link:
712   https://genderize.io/our-data.
713
There are clear limitations to probabilistically assigning genders to names with packages such
as Genderize.io, as described in [7], because they assume genders are binary and do not
account for authors who identify as nonbinary, transgender, or intersex. As such, the terms
"women" and "men" indicate the probability of a name being that gender and not that a specific
author identifies as a man or woman. However, these tools are still useful to explore broad
trends in self-citation rates for women and men.
720
721
722
723

724 *4.7 Self-citation rate for a particular author*
725
726 We also calculated the self-citation rate for a particular author, in this case Dr. Dustin Scheinost,
727 in Figure S9. Here, we defined Scheinost-Scheinost self-citation rates as the proportion of
728 references with Dr. Scheinost as one of the authors. Notably, Dr. Scheinost can be in any
729 author position on the citing or cited article. In Figure S9c, we calculated the Any Author self-
730 citation rate for all of Dr. Scheinost's papers.
731
732 *4.8 Confidence Intervals*
733
734 Confidence intervals were computed with 1000 iterations of bootstrap resampling at the article
735 level. For example, of the 100,347 articles in the dataset, we resampled articles with
736 replacement and recomputed all results. The 95% confidence interval was reported as the 2.5
737 and 97.5 percentiles of the bootstrapped values.
738
We grouped data into exchangeability blocks to avoid overly narrow confidence intervals or
overly optimistic statistical inference. Each exchangeability block comprised any authors who
published together as a First Author / Last Author pairing in our dataset. We only considered
shared First/Last Author publications because we believe that these authors primarily control
self-citations, and otherwise exchangeability blocks would grow too large due to the highly
collaborative nature of the field. Furthermore, the exchangeability blocks do not account for co-
authorship in other journals or prior to 2000. A distribution of the sizes of exchangeability blocks
is presented in Figure S15.
747
748 *4.9 P values*
749
P values were computed with permutation testing using 10,000 permutations, with the exception
of regression P values and P values from model coefficients. For comparing different fields
(e.g., Neuroscience and Psychiatry) and comparing self-citation rates of men and women, the
labels were randomly permuted by exchangeability block to obtain null distributions. For
comparing self-citation rates between First and Last Authors, the first and last authorship was
swapped in 50% of exchangeability blocks.
756
757 In total, we made 40 comparisons (not including the models of self-citation). All P values
758 described in the main text were corrected with the Benjamini/Hochberg [16] false discovery rate
759 (FDR) correction. With 10,000 permutations, the lowest P value after applying FDR correction is
760 P=2.9e-4, which indicates that the true point would be the most extreme in the simulated null
761 distribution. Further details about each comparison and P values can be found in Table S9.
762
763 *4.10 Exploring effects of covariates with generalized additive models*
764
765 For these analyses, we used the full dataset size separately for First and Last Authors (Table
766 S3). This included 115,205 articles and 5,794,926 citations for First Authors, and 114,622
767 articles and 5,801,367 citations for Last Authors. We modeled self-citation counts, self-citation
768 rates, and number of previous papers for First Authors and Last Authors separately, resulting in
769 six total models.
770
We found that models could be computationally intensive and unstable when including author-
level random effects because in many cases there was only one author per group. Instead, to
avoid inappropriately narrow confidence bands, we resampled the dataset such that each
author was only represented once. For example, if Author A had five papers in this dataset, then

one of their five papers was randomly selected. The random resampling was repeated 100
times as a sensitivity analysis (Figure S12).

For our models, we used generalized additive models from mgcv's "gam" function in R [49]. The
smooth terms included all the continuous variables: number of previous papers, academic age,
year, time lag, number of authors, number of references, and journal impact factor. The linear
terms included all the categorical variables: field, gender affiliation country LMIC status, and
document type. We empirically selected a Tweedie distribution [50] with a log link function and
p=1.2. The p parameter indicates that the variance is proportional to the mean to the p power [49].
The p parameter ranges from 1-2, with p=1 equivalent to the Poisson distribution and p=2
equivalent to the gamma distribution. For all fitted models, we simulated the residuals with the
DHARMa package, as standard residual plots may not be appropriate for GAMs [51]. DHARMa
scales the residuals between 0 and 1 with a simulation-based approach [51]. We also tested for
deviation from uniformity, dispersion, outliers, and zero inflation with DHARMa. Non-uniformity,
dispersion, outliers, and zero inflation were significant due to the large sample size, but small in
effect size in most cases. The simulated quantile-quantile plots from DHARMa suggested that
the observed and simulated distributions were generally aligned, with the exception of slight
misalignment in the models for the number of previous papers. These analyses are presented in
Figure S11 and Table S9.

In addition, we tested for inadequate basis functions using mgcv's "gam.check()" function [49].
Across all smooth predictors and models, we ultimately selected between 10-20 basis functions
depending on the variable and outcome measure (counts, rates, papers). We further checked
the concurvity of the models and ensured that the worst-case concurvity for all smooth
predictors was less than 0.8.

4.11 Journal-based vs. author-based field sensitivity analyses

We refined our field-based analysis to focus only on authors who could be considered
neuroscientists, neurologists, and psychiatrists. For each author, we examined the number of
articles they had in each subfield, as defined by Scopus. We considered 12 subfields that fell
within Neurology, Neuroscience, and Psychiatry, which are presented in Table S12. For both
First Authors and Last Authors, we excluded them if any of their three most frequently published
subfields did not include one of the 12 subfields of interest. If an author's top three subfields
included multiple broader fields (e.g., both Neuroscience and Psychiatry), then that author was
categorized according to the field in which they published the most articles. Among First
Authors, there were 86,220 remaining papers, split between 33,054 (38.33%) in Neurology,
23,216 (26.93%) in Neuroscience, and 29,950 (34.73%) in Psychiatry. Among Last Authors,
there were 85,954 remaining papers, split between 31,793 (36.98%) in Neurology, 25,438
(29.59%) in Neuroscience, and 28,723 (33.42%) in Psychiatry.

4.12 Code and Data Availability

The data and code are available via GitHub: https://github.com/mattrosenblatt7/self_citation.
The data were downloaded from the Scopus API in 2021-2022 via http://api.elsevier.com and
http://www.scopus.com. The shared dataset has been anonymized such that specific articles
cannot be identified. In addition, the GitHub repository includes code to gather self-citation data
about yourself, with appropriate access to Scopus.
823

824 *4.13 Citation Diversity Statement*
825
Recent work in several fields of science has identified a bias in citation practices such that
papers from women and other minority scholars are under-cited relative to the number of such
papers in the field [6–9,52–56]. Here we sought to proactively consider choosing references that
reflect the diversity of the field in thought, form of contribution, gender, race, ethnicity, and other
factors. First, we obtained the predicted gender of the First and Last Author of each reference
by using databases that store the probability of a first name being carried by a woman [7,57]. By
this measure (and excluding self-citations to the First and Last Authors of our current paper),
our references contain 12.53% woman(first)/woman(last), 19.27% man/woman, 13.17%
woman/man, and 55.03% man/man. This method is limited in that a) names, pronouns, and
social media profiles used to construct the databases may not, in every case, be indicative of
gender identity and b) it cannot account for intersex, non-binary, or transgender people.
Second, we obtained predicted racial/ethnic category of the First and Last Author of each
reference by databases that store the probability of a first and last name being carried by an
author of color [58,59]. By this measure (and excluding self-citations), our references contain
7.46% author of color (first)/author of color(last), 17.45% white author/author of color, 14.81%
author of color/white author, and 60.29% white author/white author. This method is limited in
that a) names, Census entries, and Wikipedia profiles used to make the predictions may not be
indicative of racial/ethnic identity, and b) it cannot account for Indigenous and mixed-race
authors, or those who may face differential biases due to the ambiguous racialization or
ethnicization of their names. We look forward to future work that could help us to better
understand how to support equitable practices in science.
847
References

1. Petersen, A. M. *et al.* Reputation and impact in academic careers. *Proc. Natl. Acad. Sci.*
111, 15316–15321 (2014).
2. Abbott, A. *et al.* Do metrics matter? Many researchers believe that quantitative metrics
determine who gets hired and who gets promoted at their institutions. *Nature* **465**, 860–862
(2010).
3. Else, H. Row erupts over university's use of research metrics in job-cut decisions. *Nature*
592, 19 (2021).
4. Holden, G., Rosenberg, G. & Barker, K. Bibliometrics: a potential decision making aid in
hiring, reappointment, tenure and promotion decisions. *Soc. Work Health Care* **41**, 67–92
(2005).
5. Van Noorden, R. Brazilian citation scheme outed. *Nature* **500**, 510–511 (2013).
6. Bertolero, M. A. *et al.* Racial and ethnic imbalance in neuroscience reference lists and
intersections with gender. *bioRxiv* 2020.10.12.336230 (2020)
doi:10.1101/2020.10.12.336230.
7. Dworkin, J. D. *et al.* The extent and drivers of gender imbalance in neuroscience reference
lists. *Nat. Neurosci.* **23**, 918–926 (2020).
8. Chatterjee, P. & Werner, R. M. Gender Disparity in Citations in High-Impact Journal
Articles. *JAMA Network Open* vol. 4 e2114509 Preprint at
https://doi.org/10.1001/jamanetworkopen.2021.14509 (2021).
9. Fulvio, J. M., Akinnola, I. & Postle, B. R. Gender (Im)balance in Citation Practices in
Cognitive Neuroscience. *Journal of Cognitive Neuroscience* vol. 33 3–7 Preprint at
https://doi.org/10.1162/jocn_a_01643 (2021).
10. Ioannidis, J. P. A., Baas, J., Klavans, R. & Boyack, K. W. A standardized citation metrics
author database annotated for scientific field. *PLoS Biol.* **17**, e3000384 (2019).
11. Aksnes, D. W. A macro study of self-citation. *Scientometrics* **56**, 235–246 (2003).

12. Snyder, H. & Bonzi, S. Patterns of self-citation across disciplines (1980-1989). *J. Inf. Sci.*
Eng. **24**, 431–435 (1998).
13. Bartneck, C. & Kokkelmans, S. Detecting h-index manipulation through self-citation
analysis. *Scientometrics* **87**, 85–98 (2011).
14. Fowler, J. H. & Aksnes, D. W. Does self-citation pay? *Scientometrics* **72**, 427–437 (2007).
15. Rose, M. E. & Kitchin, J. R. pybliometrics: Scriptable bibliometrics using a Python interface
to Scopus. *SoftwareX* **10**, 100263 (2019).
16. Benjamini, Y. & Hochberg, Y. Controlling the False Discovery Rate: A Practical and
Powerful Approach to Multiple Testing. *J. R. Stat. Soc. Series B Stat. Methodol.* **57**, 289–
300 (1995).
17. Lundberg, I., Johnson, R. & Stewart, B. M. What is your estimand? Defining the target
quantity connects statistical evidence to theory. *Am. Sociol. Rev.* **86**, 532–565 (2021).
18. Bardeesi, A. M., Jamjoom, A. A. B., Sharab, M. A. & Jamjoom, A. B. Impact of country self
citation on the ranking of the top 50 countries in clinical neurology. *eNeurologicalSci* **23**,
100333 (2021).
19. Jordahl, K. *et al. Geopandas/geopandas: v0.8.1*. (2020). doi:10.5281/zenodo.3946761.
20. King, M. M., Bergstrom, C. T., Correll, S. J., Jacquet, J. & West, J. D. Men Set Their Own
Cites High: Gender and Self-citation across Fields and over Time. *Socius* **3**,
2378023117738903 (2017).
21. Mishra, S., Fegley, B. D., Diesner, J. & Torvik, V. I. Self-citation is the hallmark of
productive authors, of any gender. *PLoS One* **13**, e0195773 (2018).
22. Azoulay, P. & Lynn, F. Self-Citation, Cumulative Advantage, and Gender Inequality in
Science. Preprint at https://doi.org/10.3386/w26893 (2020).
23. Ginther, D. K. & Hayes, K. J. Gender Differences in Salary and Promotion in the
Humanities. *Am. Econ. Rev.* **89**, 397–402 (1999).
24. Deutsch, F. M. & Yao, B. Gender differences in faculty attrition in the USA. *Community*
Work Fam. **17**, 392–408 (2014).
25. Li, B. *et al.* Gender differences in faculty rank among academic physicians: a systematic
review and meta-analysis. *BMJ Open* **11**, e050322 (2021).
26. Casad, B. J. *et al.* Gender inequality in academia: Problems and solutions for women
faculty in STEM. *J. Neurosci. Res.* **99**, 13–23 (2021).
27. Larivière, V., Ni, C., Gingras, Y., Cronin, B. & Sugimoto, C. R. Bibliometrics: global gender
disparities in science. *Nature* **504**, 211–213 (2013).
28. West, J. D., Jacquet, J., King, M. M., Correll, S. J. & Bergstrom, C. T. The role of gender in
scholarly authorship. *PLoS One* **8**, e66212 (2013).
29. Langin, K. As professors struggle to recruit postdocs, calls for structural change in
academia intensify. *Science* (2022) doi:10.1126/science.caredit.add4693.
30. Deschacht, N. & Maes, B. Cross-cultural differences in self-promotion: A study of self-
citations in management journals. *Journal of Occupational and Organizational Psychology*
vol. 90 77–94 Preprint at https://doi.org/10.1111/joop.12162 (2017).
31. van Dalen, H. P. & Henkens, K. Intended and unintended consequences of a publish-or-
perish culture: A worldwide survey. *J. Am. Soc. Inf. Sci. Technol.* **63**, 1282–1293 (2012).
32. Seeber, M., Cattaneo, M., Meoli, M. & Malighetti, P. Self-citations as strategic response to
the use of metrics for career decisions. *Res. Policy* **48**, 478–491 (2019).
33. Zeng, X. H. T. *et al.* Differences in Collaboration Patterns across Discipline, Career Stage,
and Gender. *PLoS Biol.* **14**, e1002573 (2016).
34. Li, W., Zhang, S., Zheng, Z., Cranmer, S. J. & Clauset, A. Untangling the network effects of
productivity and prominence among scientists. *Nat. Commun.* **13**, 4907 (2022).
35. Melnikoff, D. E. & Valian, V. V. Gender Disparities in Awards to Neuroscience Researchers.
Arch Sci Psychol **7**, 4–11 (2019).
36. Palser, E. R., Lazerwitz, M. & Fotopoulou, A. Gender and geographical disparity in editorial

boards of journals in psychology and neuroscience. *Nat. Neurosci.* **25**, 272–279 (2022).
37. Smith, D. O. Gender disparity in the academic pipeline: women in neuroscience. *Synapse*
14, 332–334 (1993).
38. Nguyen, A. X. *et al.* Gender Gap in Neurology Research Authorship (1946–2020). *Front.*
Neurol. **12**, (2021).
39. Wapman, K. H., Zhang, S., Clauset, A. & Larremore, D. B. Quantifying hierarchy and
dynamics in US faculty hiring and retention. *Nature* **610**, 120–127 (2022).
40. Ioannidis, J. P. A. A generalized view of self-citation: direct, co-author, collaborative, and
coercive induced self-citation. *J. Psychosom. Res.* **78**, 7–11 (2015).
41. COPE Council. *COPE Discussion Document: Citation Manipulation.*
http://dx.doi.org/10.24318/cope.2019.3.1 (2019) doi:10.24318/cope.2019.3.1.
42. Sanfilippo, F. *et al.* Author self-citation policies, the influence on journals' impact factors,
and self-citation rate in general surgery. *European Surgery* vol. 53 329–334 Preprint at
https://doi.org/10.1007/s10353-021-00732-w (2021).
43. Sanfilippo, F., Tigano, S., Morgana, A., Murabito, P. & Astuto, M. Self-citation policies and
journal self-citation rate among Critical Care Medicine journals. *J. Intensive Care Med.* **9**,
15 (2021).
44. Szomszor, M., Pendlebury, D. A. & Adams, J. How much is too much? The difference
between research influence and self-citation excess. *Scientometrics* **123**, 1119–1147
(2020).
45. Blei, D. M., Ng, A. Y. & Jordan, M. I. Latent dirichlet allocation. *J. Mach. Learn. Res.* **3**,
993–1022 (2003).
46. Hoffman, M., Bach, F. & Blei, D. M. Online learning for latent dirichlet allocation. *Adv.*
Neural Inf. Process. Syst. **23**, 856–864 (2010).
47. Rehurek, R. & Sojka, P. Software Framework for Topic Modelling with Large Corpora. in
Proceedings of the LREC 2010 Workshop on New Challenges for NLP Frameworks (2010).
doi:10.1.1.695.4595.
48. Bird, S., Klein, E. & Loper, E. *Natural Language Processing with Python: Analyzing Text*
with the Natural Language Toolkit. ('O'Reilly Media, Inc.', 2009).
49. Wood, S. N. Generalized Additive Models: An Introduction with R. Preprint at (2017).
50. Dunn, P. K. & Smyth, G. K. Series evaluation of Tweedie exponential dispersion model
densities. *Stat. Comput.* **15**, 267–280 (2005).
51. Hartig, F. DHARMa: Residual Diagnostics for Hierarchical (Multi-Level / Mixed) Regression
Models. Preprint at http://florianhartig.github.io/DHARMa/ (2022).
52. Mitchell, S. M., Lange, S. & Brus, H. Gendered citation patterns in international relations
journals. *International Studies Perspectives* **14**, 485–492 (2013).
53. Maliniak, D., Powers, R. & Walter, B. F. The Gender Citation Gap in International Relations.
International Organization vol. 67 889–922 Preprint at
https://doi.org/10.1017/s0020818313000209 (2013).
54. Caplar, N., Tacchella, S. & Birrer, S. Quantitative evaluation of gender bias in astronomical
publications from citation counts. *Nature Astronomy* **1**, 1–5 (2017).
55. Dion, M. L., Sumner, J. L. & Mitchell, S. M. Gendered Citation Patterns across Political
Science and Social Science Methodology Fields. *Political Analysis* vol. 26 312–327 Preprint
at https://doi.org/10.1017/pan.2018.12 (2018).
56. Wang, X. *et al.* Gendered Citation Practices in the Field of Communication. *Ann Int*
Commun Assoc **45**, 134–153 (2021).
57. Zhou, D., Cornblath, E. J., Stiso, J., Teich, E. G. & Dworkin, J. D. Gender diversity
statement and code notebook v1. 0. *Zenodo* (2020) doi:10.5281/zenodo.3672110.
58. Ambekar, A., Ward, C., Mohammed, J., Male, S. & Skiena, S. Name-ethnicity classification
from open sources. in *Proceedings of the 15th ACM SIGKDD international conference on*
Knowledge discovery and data mining 49–58 (Association for Computing Machinery, New

York, NY, USA, 2009). doi:10.1145/1557019.1557032.
59. Sood, G. & Laohaprapanon, S. Predicting Race and Ethnicity From the Sequence of
Characters in a Name. *arXiv [stat.AP]* (2018) doi:10.48550/arXiv.1805.02109.

Supplementary Information

S1. All journals included in these analyses

Table S1 shows all 63 journals included in our dataset. We categorized each journal as
belonging to Neurology, Neuroscience, or Psychiatry. While we recognize that some journals
belong to overlapping fields (e.g., Neurology and Neuroscience), we attempted to select the
most relevant field for each journal.

Field	**Journals** (2020 Impact Factor)
Neurology	Acta Neuropathologica (17.09); Alzheimer's and Dementia (21.57); Alzheimer's Research and Therapy (6.98); Annals of Neurology (10.42); Brain (13.50); Brain Stimulation (8.96); Epilepsy Currents (7.5); JAMA Neurology (18.30); JNNP (10.28); Journal of Headache and Pain (7.28); Journal of Stroke (6.97); Lancet Neurology (44.18); Molecular Neurodegeneration (14.20); Movement Disorders (10.34); Nature Reviews Neurology (42.94); Neuro-Oncology (12.30); Neurology (9.91); Neurology: Neuroimmunology and NeuroInflammation (8.49); Neuropathology and Applied Neurobiology (8.09); Neurotherapeutics (7.62); npj Parkinson's Disease (8.65); Pain (6.96); Sleep Medicine Reviews (11.61); Stroke (7.91); Translational Stroke Research (6.83)
Neuroscience	Annual Review of Neuroscience (12.45); Behavioral and Brain Sciences (12.58); Brain, Behavior, and Immunity (7.22); Frontiers in Neuroendocrinology (8.61); Journal of Neuroinflammation (8.32); Journal of Pineal Research (13.01); Nature Human Behaviour (13.66); Nature Neuroscience (24.88); Nature Reviews Neuroscience (34.87); Neuron (17.17); Neuroscience and Biobehavioral Reviews (8.99); Neuroscientist (7.52); Progress in Neurobiology (11.69); Trends in Cognitive Sciences (20.23); Trends in Neurosciences (13.84)
Psychiatry	Acta Psychiatrica Scandinavica (6.39); Addiction (6.53); American Journal of Psychiatry (18.11); Biological Psychiatry (13.38); Bipolar Disorders (6.74); Body Image (6.41); British Journal of Psychiatry (9.32); Clinical Psychological Science (7.17); Depression and Anxiety (6.51); Epidemiology and Psychiatric Sciences (6.89); Evidence-Based Mental Health (8.54); JAACAP (8.83) JAMA Psychiatry (21.60); JCPP (8.98); Journal of Abnormal Psychology (6.67); Journal of Behavioral Addictions (6.76); Molecular Psychiatry (15.99); Neuropsychopharmacology (7.86); Psychological Medicine (7.72); Psychotherapy and Psychosomatics (17.66); Schizophrenia Bulletin (9.31); The Lancet Psychiatry (26.48); World Psychiatry (49.55)

988 **Table S1.** All journals included in this analysis by field, sorted alphabetically.

990 *S2. Manual scoring, field-based sensitivity analyses, and self-citation percentiles*

992 We manually scored the self-citation rates of 906 articles and compared them to the output of
993 our code.

994
Figure S1. Comparison between manual scoring of self-citation rates and self-citation rates estimated from Python
scripts in 5 Psychiatry journals: American Journal of Psychiatry, Biological Psychiatry, JAMA Psychiatry, Lancet
Psychiatry, and Molecular Psychiatry. 906 articles in total were manually evaluated (10 articles per journal per year
from 2000-2020, four articles excluded for very large author list lengths and thus high difficulty of manual scoring).
For manual scoring, we downloaded information about all references for a given article and searched for matching
author names.

1001
1002 In addition, we computed self-citation rates by field using only authors considers neurologists,
1003 neuroscientists, and psychiatrists.

Field	Field definition	First Author	Last Author
Neurology	By journal	4.54 (4.36, 4.70)	8.87 (8.52, 9.14)
	By author	4.33 (4.14, 4.47)	9.07 (8.71, 9.36)
Neuroscience	By journal	3.41 (3.30, 3.51)	7.54 (7.36, 7.73)
	By author	3.62 (3.47, 3.74)	8.32 (8.13, 8.51)
Psychiatry	By journal	4.29 (4.11, 4.43)	8.41 (8.16, 8.60)
	By author	4.45 (4.24, 4.60)	7.92 (7.58, 8.16)

1004 **Table S2.** Comparisons of self-citation rates whether defining field by paper or by author.

1017 Also, amongst all papers in the dataset from 2016-2020, we computed percentiles of self-
1018 citation rates.

Percentile	First Author self-citation rate (%)	Last Author self-citation rate (%)	Any Author self-citation rate (%)
1%	0.00	0.00	0.00
5%	0.00	0.00	0.00
10%	0.00	0.00	2.38
25%	0.00	2.44	6.67
50%	2.86	7.14	13.51
75%	7.69	13.79	22.72
90%	15.00	21.95	33.33
95%	20.83	28.21	41.18
99%	35.71	41.94	58.33

1019 **Table S3.** Percentiles of self-citation rates in articles from 2016-2020.
1020
1021 *S3. Temporal trends in self-citation rate by field*
1022
1023 We repeated the analysis in Figure 1b after separating the papers into Neurology,
1024 Neuroscience, and Psychiatry. In addition, correlations and slopes between year and self-
1025 citation rate are reported in Table S4. Notably, Last Author and Any Author self-citation rates
1026 are increasing in Neurology and Psychiatry but decreasing in Neuroscience.
1027
1028

1029
1030 **Figure S2.** Temporal trends in First Author, Last Author, and Any Author self-citation rates from 2000-2020 in
1031 Neurology, Neuroscience, and Psychiatry papers. Shaded regions show 95% confidence intervals calculated with
1032 bootstrap resampling.
1033
1034
1035
1036

		Correlation	Slope (% per decade)
Neurology	**First Author**	-0.86 (-0.92, -0.77)	-0.71 (-0.87, -0.54)
	Last Author	0.43 (0.09, 0.67)	0.30 (0.05, 0.53)
	Any Author	0.87 (0.80, 0.93)	1.68 (1.19, 2.08)
Neuroscience	**First Author**	-0.96 (-0.98, -0.94)	-1.40 (-1.51, -1.28)
	Last Author	-0.90 (-0.95, -0.85)	-0.94 (-1.10, -0.77)
	Any Author	-0.82 (-0.91, -0.70)	-0.80 (-1.06, -0.56)
Psychiatry	**First Author**	-0.95 (-0.97, -0.92)	-1.30 (-1.48, -1.15)
	Last Author	0.51 (0.28, 0.68)	0.36 (0.17, 0.53)
	Any Author	0.66 (0.41, 0.80)	0.76 (0.36, 1.06)

Table S4. Correlations between year and self-citation rate and corresponding slopes by field.

Figure S3. Average of normalized self-citation counts for each academic age in years 2016-2020. For the normed self-citation counts, the number of self-citations were divided by the number of previously published papers by the author.

1046   *S4. Self-citation rates by country*
1047

Country	First Author Self-citation Rate	Last Author Self-citation Rate
Argentina	3.04 (2.59, 3.42)	7.11 (5.72, 8.35)
Australia	4.82 (4.51, 5.07)	7.54 (6.96, 7.93)
Austria	4.62 (3.68, 5.20)	8.73 (7.24, 9.62)
Belgium	4.61 (4.10, 5.04)	7.58 (6.58, 8.21)
Brazil	2.92 (2.60, 3.21)	6.37 (5.54, 6.98)
Canada	4.43 (4.23, 4.61)	7.85 (7.55, 8.13)
Chile	3.79 (2.87, 4.67)	8.37 (5.37, 9.57)
China	2.52 (2.31, 2.74)	4.84 (4.51, 5.20)
Czech Republic	3.84 (2.64, 4.93)	4.85 (3.67, 6.16)
Denmark	4.45 (4.07, 4.76)	8.51 (7.69, 9.09)
Finland	5.34 (4.82, 5.79)	8.86 (8.08, 9.56)
France	3.83 (3.63, 4.01)	7.32 (6.97, 7.62)
Germany	4.79 (4.63, 4.95)	8.61 (8.37, 8.83)
Greece	4.36 (3.63, 5.05)	5.91 (4.56, 6.99)
Hong Kong	4.72 (3.32, 5.87)	6.83 (5.74, 8.15)
Hungary	5.10 (4.03, 5.98)	6.44 (5.31, 7.55)
India	3.29 (2.50, 3.96)	5.00 (3.77, 5.89)
Ireland	3.67 (3.20, 4.11)	8.12 (6.93, 8.96)
Iran	1.87 (1.24, 2.42)	3.78 (2.40, 4.90)
Israel	4.68 (4.20, 5.11)	9.00 (8.16, 9.70)
Italy	5.65 (5.35, 5.90)	8.08 (7.57, 8.46)
Japan	5.25 (4.87, 5.55)	8.05 (7.59, 8.43)
South Korea	2.93 (2.50, 3.28)	5.47 (4.92, 5.95)
Mexico	5.92 (3.56, 7.21)	7.01 (4.76, 8.11)

Netherlands	3.97 (3.81, 4.16)	7.92 (7.41, 8.29)
New Zealand	5.34 (4.44, 6.11)	6.52 (5.60, 7.31)
Norway	4.90 (4.23, 5.39)	8.83 (7.43, 9.88)
Poland	3.98 (3.27, 4.63)	6.31 (5.21, 7.36)
Portugal	2.85 (2.31, 3.26)	5.42 (4.39, 6.27)
Singapore	3.80 (2.60, 4.77)	7.54 (4.23, 9.13)
South Africa	3.44 (2.47, 4.40)	4.77 (3.79, 5.89)
Spain	4.47 (4.20, 4.72)	7.83 (7.35, 8.25)
Sweden	4.89 (4.53, 5.24)	9.03 (8.66, 9.42)
Switzerland	4.55 (4.26, 4.85)	7.72 (7.31, 8.18)
Taiwan	4.17 (3.07, 5.01)	6.66 (4.62, 8.02)
Turkey	3.51 (2.72, 4.18)	2.79 (2.20, 3.38)
United Kingdom	5.02 (4.84, 5.18)	8.88 (8.57, 9.10)
United States	5.09 (4.99, 5.17)	8.97 (8.84, 9.08)

Table S5. First Author and Last Author self-citation rates by affiliation country of the author for papers from 2016-2020. 95% confidence intervals obtained via bootstrap resampling are included in parentheses. Only countries with at least 50 papers were included in the analysis.

Figure S4. Mean impact factor by country for **a)** First Authors and **b)** Last Authors. Mean number of previous papers by country for **c)** First Authors and **d)** Last Authors. Normed number of self-citations for **e)** First Authors and **f)** Last Authors. The normed self-citation rate was computed as the number of self-citations divided by the number of previously published papers.

1060 *S5. Latent dirichlet allocation*
1061

1062
1063 **Figure S5.** LDA perplexity on training and validation data for a different number of topics. The lowest validation
1064 perplexity was for seven topics.
1065

Figure S6. Topic word clouds for 13 topics. These are the most common words appearing in each of our LDA model topics. Based on the word clouds, we assigned overall themes, or topic names.

1075
1076 **Figure S7.** Topic word clouds for seven topics. These are the most common words appearing in each of our LDA
1077 model topics. Based on the word clouds, we assigned overall themes, or topic names.
1078
1079
1080 The results for self-citation rates with seven topics show similar trends as the results for 13
1081 topics. For example, both Clinical trials and Dementia have high self-citation rates whether
1082 using seven or 13 topics.

1083
1084 **Figure S8. a)** First Author, **b)** Last Author, and **c)** Any Author self-citation rates for seven topics.

1093 *S6. Comparison of self-citation rates by gender for a given number of papers*
1094
1095 We categorized authors based on the number of previous papers they had at the time of
1096 publication. We then evaluated the self-citation rates by the number of papers for women and
1097 men. This included a binned evaluation (Figure S7a) and an evaluation using a moving average
1098 window (Figure S7b).
1099

1100
1101 **Figure S9.** Self-citation rates by number of papers for women and men. Self-citation rates were grouped in bins by
1102 number of previous papers: 0-9, 10-19, 20-29, 30-39, 40-49, 50-59, 60-69, 70-79, 80-89, 90-99, 100-149, 150-199,
1103 200-249, 250-299, 300-399, 400-499, >500. Error bars reflect 95% confidence intervals obtained with bootstrap
1104 resampling.
1105

Figure S10. Topic and gender interactions. Proportion of men and women authors by each topic for **a)** First Authors and **b)** Last Authors. Average self-citation rates for men and women authors by each topic for **c)** First Authors and **d)** Last Authors. Darker shades (top bar in each pair) are aggregated across men, and lighter shades (bottom bar in each pair) are aggregated across women.

1129 *S7. Self-citation rates models*

		Count		Rate	
		First Author	Last Author	First Author	Last Author
Adjusted R^2		0.507	0.354	0.347	0.208
Deviance explained		50.1%	38.9%	40.9%	25.7%
Intercept		-0.096** (P=4.3e-8)	0.467*** (P<2e-16)	-3.817*** (P<2e-16)	-3.222*** (P<2e-16)
Field	Neurology	-0.089*** (P<2e-16)	-0.021 (P=0.098)	-0.124*** (P<2e-16)	-0.058** (P=6.4e-6)
	Neuroscience	0.150*** (P<2e-16)	0.200*** (P<2e-16)	0.120*** (P<2e-16)	0.204*** (P<2e-16)
	Psychiatry	0	0	0	0
Continent	Africa	0.162 (P=0.069)	0.211* (P=0.027)	0.290* (P=0.001)	0.357* (P=2.1e-4)
	Americas	0.125*** (P=3.1e-15)	0.309*** (P<2e-16)	0.162*** (P<2e-16)	0.320*** (P<2e-16)
	Asia	0	0	0	0
	Europe	0.162*** (P<2e-16)	0.256*** (P<2e-16)	0.198*** (P<2e-16)	0.270*** (P<2e-16)
	Oceania	0.170*** (P=4.7e-12)	0.187** (P=1.7e-10)	0.231*** (P<2e-16)	-.234*** (P=5.0e-14)
Gender	Woman	0	0	0	0
	Man	-0.003 (P=0.703)	-0.024* (P=0.026)	-0.017 (P=0.059)	-0.036* (P=0.002)
Document type	Article	0	0	0	0
	Review	-0.047** (P=1e-4)	-0.139*** (P<2e-16)	-0.073** (P=9.7e-7)	-0.146*** (P<2e-16)

1130 **Table S6.** Models with affiliation continent instead of low- and middle-income country terms. *P<0.05, **P<1e-5,
1131 ***P<1e-10.
1132

Field	Count		Rate		Number of papers	
	First Author	Last Author	First Author	Last Author	First Author	Last Author
Neurology (by journal)	-0.093*** (P<2e-16)	-0.025* (P=0.046)	-0.131*** (P<2e-16)	-0.062** (P=1.4e-6)	0.026* (P=3.7e-4)	0.068*** (P=4.0e-15)
Neurology (by author)	-0.091*** (P=2.9e-16)	-0.002 (P=0.85)	-0.154*** (P<2e-16)	-0.054* (P=2.2e-4)	-0.016* (P=0.034)	0.042* (P=1.7e-5)
Neuroscience (by journal)	0.147*** (P<2e-16)	0.184*** (P<2e-16)	0.112*** (P<2e-16)	0.186*** (P<2e-16)	-0.195*** (P<2e-16)	-0.122*** (P<2e-16)
Neuroscience (by author)	0.248*** (P<2e-16)	0.357*** (P<2e-16)	0.191*** (P<2e-16)	0.312*** (P<2e-16)	-0.340*** (P<2e-16)	-0.253*** (P<2e-16)
Psychiatry (by journal)	0	0	0	0	0	0
Psychiatry (by author)	0	0	0	0	0	0

1133 **Table S7.** Coefficients for field when defining fields based on the publication history of authors rather than the journal.
1134 *P<0.05, **P<1e-5, ***P<1e-10.
1135

		Count		Rate		Number of papers	
		First Author	Last Author	First Author	Last Author	First Author	Last Author
Adjusted R^2		0.509	0.353	0.349	0.204	0.565	0.4
Deviance explained		50.1%	38.6%	40.9%	25.4%	72.5%	55.7%
Intercept		0.034* (P=0.001)	0.748*** (P<2e-16)	-3.645*** (P<2e-16)	-2.926*** (P<2e-16)	2.306*** (P<2e-16)	3.724*** (P<2e-16)
Field	Neurology	-0.094*** (P<2e-16)	-0.026* (P=0.045)	-0.132*** (P<2e-16)	-0.062** (P=1.3e-6)	0.026* (P=3.8e-4)	0.068*** (P=3.8e-15)
	Neuroscience	0.146*** (P<2e-16)	0.185*** (P<2e-16)	0.112*** (P<2e-16)	0.186*** (P<2e-16)	-0.195*** (P<2e-16)	-0.122*** (P<2e-16)
	Psychiatry	0	0	0	0	0	0
Low-middle income country status	No	0	0	0	0	0	0
	Yes	-0.118** (P=7.4e-8)	-0.242*** (P<2e-16)	-0.128** (P=8.0e-8)	-0.237*** (P<2e-16)	0.073* (P=1.4e-5)	0.009 (P=0.628)
Gender	Woman	0	0	0	0	0	0
	Man	0.019 (P=0.107)	-0.031* (P=0.023)	-0.001 (P=0.911)	-0.048* (P=0.001)	0.223*** (P<2e-16)	0.254*** (P<2e-16)
Document type	Article	0	0	0	0	0	0
	Review	-0.040* (P=0.001)	-0.139*** (P<2e-16)	-0.063* (P=1.3e-5)	-0.142*** (P<2e-16)	0.151*** (P<2e-16)	-0.019* (P=0.046)

1136 **Table S8.** Models with interaction terms for between gender/academic age and gender/number of previous papers.
1137 *P<0.05, **P<1e-5, ***P<1e-10.
1138
1139
1140

1141
1142 **Figure S11.** Quantile-quantile plots for all models. The plots were generated with a simulation-based approach using
1143 the DHARMa package in R.
1144
1145

	Count		Rate		Number of papers	
	First Author	Last Author	First Author	Last Author	First Author	Last Author
Uniformity	D=0.010 (P=3.1e-6)	D=0.016 (P=1.4e-9)	D=0.030 (P<2.2e-16)	D=0.041 (P<2.2e-16)	D=0.097 (P<2.2e-16)	D=0.078 (P<2.2e-16)
Outliers	0.009 outlier frequency (P=1.2e-5)	0.010 outlier frequency (P=5.0e-4)	0.011 outlier frequency (P=4.0e-14)	0.009 outlier frequency (P=0.004)	0.013 outlier frequency (P<2.2e-16)	0.012 outlier frequency (P<2.2e-16)
Dispersion	dispersion=1.358 (P<2.2e-16)	dispersion=1.211 (P<2.2e-16)	dispersion=1.251 (P<2.2e-16)	dispersion=1.058 (P<2.2e-16)	dispersion=1.775 (P<2.2e-16)	dispersion=1.258 (P<2.2e-16)
Zero Inflation	ratio=0.977 (P<2.2e-16)	ratio=0.858 (P<2.2e-16)	ratio=0.913 (P<2.2e-16)	ratio=0.806 (P<2.2e-16)	ratio=0.250 (P<2.2e-16)	ratio=0.173 (P<2.2e-16)

Table S9. Tests for uniformity, outliers, and dispersion in models. Tests were performed using the DHARMa package in R. Uniformity: Asymptotic one-sample Kolmogorov-Smirnov test. DHARMa outlier test based on exact binomial test with approximate expectations. DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated. DHARMa zero-inflation test via comparison to expected zeros with simulation under H0 = fitted model

Figure S12. Values for parametric terms in models across 100 random resamplings.

S8. Self-citation tool

Along with evaluating self-citation rates by topic, we also investigated self-citation rates for a particular author, in this case Dustin Scheinost. Dr. Scheinost permitted us to use his name and self-citation data in this work. We show a histogram of self-citations by paper (Figure S9a), the self-citation rates over time (Figure S9b), and the histogram of Any Author self-citation rates for all of Dr. Scheinost's papers (Figure S9c).

Figure S13. Single author self-citation rates for Dustin Scheinost. **a)** Histogram of Scheinost-Scheinost self-citation rates, which were computed as the proportion of references with Scheinost as an author across every paper. **b)** Scheinost-Scheinost self-citation rate over time. **c)** Any Author self-citation rates for all papers with Scheinost as an author.

Self-citation rates for particular authors may be of interest for authors to evaluate and regulate their self-citations and to better understand individual trajectories in self-citation rates. Furthermore, these methods can be extended to evaluate self-citation rates at the level of a country, institute, or journal. For instance, we compared self-citation rates in *Nature Neuroscience* to the overall field of Neuroscience (Figure S10). In general, Last Author and Any Author self-citation rates were higher in *Nature Neuroscience* compared to the field. First Author self-citation rates used to be lower in *Nature Neuroscience* (e.g., Year 2000) but are now approximately equal to that of the field.

Figure S14. Comparison of self-citation rates in the entire field of Neuroscience and the journal *Nature Neuroscience*.

1193 *S9. Additional data details*
1194
1195

		Ratio of prevalence in missing to non-missing data	
		First Author	Last Author
Document type	Article	0.994	
	Review	1.029	
Field	Neurology	1.204	
	Neuroscience	0.888	
	Psychiatry	0.900	
Continent	Africa	1.308	1.329
	Americas	0.973	0.979
	Asia	1.562	1.570
	Europe	0.909	0.908
	Oceania	0.926	0.914
Low-middle income country status	No	0.972	0.976
	Yes	1.615	1.608
Gender	Woman	0.864	0.922
	Man	1.089	1.026

1196 **Table S10.** Data missingness.
1197

1198
1199 **Figure S15.** Distribution of the natural log of exchangeability block size.
1200
1201
1202 *S10. Summary of all comparisons*

Comparison	Method	Uncorrected *P*	Corrected *P*	Finding
First vs Last Author self-citation (all fields)	permutation	1e-4	2.9e-4	* Last > First
First vs Last Author self-citation (Neurology)	permutation	1e-4	2.9e-4	* Last > First
First vs Last Author self-citation (Neuroscience)	permutation	1e-4	2.9e-4	* Last > First
First vs Last Author self-citation (Psychiatry)	permutation	1e-4	2.9e-4	* Last > First
First Author: Neurology vs. Neuroscience	permutation	1e-4	2.9e-4	* Neurology > Neuroscience
First Author: Neuroscience vs. Psychiatry	permutation	1e-4	2.9e-4	* Psychiatry > Neuroscience
First Author: Neurology vs. Psychiatry	permutation	0.095	0.144	No significant difference
Last Author: Neurology vs. Neuroscience	permutation	1e-4	2.9e-4	* Neurology > Neuroscience
Last Author: Neuroscience vs. Psychiatry	permutation	1e-4	2.9e-4	* Psychiatry > Neuroscience
Last Author: Neurology vs. Psychiatry	permutation	0.078	0.123	No significant difference
Any Author: Neurology vs. Neuroscience	permutation	1e-4	2.9e-4	* Neurology > Neuroscience
Any Author: Neuroscience vs. Psychiatry	permutation	1e-4	2.9e-4	* Psychiatry > Neuroscience
Any Author: Neurology vs. Psychiatry	permutation	0.005	0.010	* Neurology > Psychiatry

Slope over the years: First Author	correlation	2.1e-15	9.2e-14	* *m* = -1.21% / decade
Slope over the years: Last Author	correlation	0.074	0.123	No significant correlation
Slope over the years: Any Author	correlation	0.012	0.024	No significant correlation
Country-level self-citation rate and number of previous papers: First Author	correlation	1.5e-4	4.1e-4	*Spearman's *r*=0.576
Country-level self-citation rate and number of previous papers: Last Author	correlation	8.0e-7	1.8e-5	*Spearman's *r*=0.654
Country-level self-citation rate and impact factor: First Author	correlation	0.347	0.424	No significant correlation
Country-level self-citation rate and impact factor: Last Author	correlation	0.007	0.014	*Spearman's *r*=0.428
First Author: Spearman's correlation between topic self-citation and number of authors	correlation	0.915	0.929	No significant correlation
Last Author: Spearman's correlation between topic self-citation and number of authors	correlation	0.003	0.007	*Spearman's *r*=0.758
Any Author: Spearman's correlation between topic self-citation and number of authors	correlation	0.004	0.009	*Spearman's *r*=0.736
Men vs. Women, First Author self-citation rate, 2020	permutation	1e-4	2.9e-4	* Men > Women
Men vs. Women, Last Author self-citation rate, 2020	permutation	4e-4	0.001	* Men > Women
Early career men vs. women, self-citation rate	permutation	1e-4	2.9e-4	* Men > Women
Early career men vs. women, number of papers	permutation	1e-4	2.9e-4	* Men > Women
Early career men vs. women self-citation rate by number of papers	0-9 papers	permutation	3.0e-4	7.8e-4	* Men > Women
	10-19	permutation	0.019	0.034	* Men > Women
	20-29	permutation	0.174	0.248	No significant difference
	30-39	permutation	0.855	0.918	No significant difference
	40-49	permutation	0.035	0.062	No significant difference
	50-59	permutation	0.888	0.929	No significant difference
	60-69	permutation	0.508	0.588	No significant difference
	70-79	permutation	0.272	0.342	No significant difference
	80-89	permutation	0.175	0.248	No significant difference
	90-99	permutation	0.399	0.475	No significant difference

	100-149	permutation	0.929	0.929	No significant difference
	150-199	permutation	0.824	0.906	No significant difference
	200-249	permutation	0.264	0.342	No significant difference
	250-299	permutation	0.196	0.269	No significant difference
	300-399	permutation	0.264	0.342	No significant difference
	400-499	permutation	0.716	0.808	No significant difference
	>=500	permutation	0.075	0.123	No significant difference

Table S11. *P* values for all 44 comparisons performed in this study. *P* values are corrected for multiple comparisons with the Benjamini/Hochberg false discovery rate (FDR) correction with $\alpha=0.05$. For *P* values determined by permutation testing, 10,000 permutations were used. Significant values ($P_{corrected}<0.05$) are marked with an asterisk in the "Finding" column.

S11. Subfield to field mapping

Field	Scopus-defined Subfields
Neurology	Neurology; Neurology (clinical)
Neuroscience	Cognitive Neuroscience; Neuroscience (all); Cellular and Molecular Neuroscience; Behavioral Neuroscience; Neuropsychology and Physiological Psychology; Developmental Neuroscience; Neuroscience (miscellaneous)
Psychiatry	Biological Psychiatry; Psychiatric Mental Health; Psychiatry and Mental Health

Table S12. Mapping of subfields to fields.