Bioschemas Training Profiles: A set of specifications for standardizing training information to facilitate the discovery of training programs and resources

Leyla Jael Castro[1], Patricia M. Palagi[2], Niall Beard[3], Bioschemas Training Profiles Group Members[4], ELIXIR FAIR Training Focus Group[5], The GOBLET Foundation[6], Teresa K. Attwood[7] and Michelle D. Brazas[8].

AFFILIATIONS:

[1]ZB MED Information Centre for Life Sciences, ORCiD 0000-0003-3986-0510
[2]SIB Swiss Institute of Bioinformatics, Switzerland, ORCiD 0000-0001-9062-6303
[3]Department of Computer Science, The University of Manchester, UK, ORCiD 0000-0002-2627-0231
[4]Bioschemas Training Profiles Group Members, https://bioschemas.org/groups/Training
[5]ELIXIR FAIR Training Focus Group, https://elixir-europe.org/focus-groups/fair-training
[6]The GOBLET Foundation, https://www.mygoblet.org/
[7]Department of Computer Science, The University of Manchester, UK, ORCiD 0000-0003-2409-4235
[8]Ontario Institute for Cancer Research, Toronto, CA (corresponding author), Michelle.Brazas@oicr.on.ca; ORCiD 0000-0001-8150-4531

Abstract

Stand-alone life science training events and e-learning solutions are amongst the most sought-after modes of training because they address both point-of-need learning and the limited timeframes available for 'upskilling'. Yet, finding relevant life sciences training courses and materials is challenging because such resources are not marked up for Internet searches in a consistent way. This absence of mark-up standards to facilitate discovery, re-use and aggregation of training resources limits their usefulness and knowledge-translation potential. Through a joint effort between the Global Organisation for Bioinformatics Learning, Education and Training (GOBLET), the Bioschemas Training community and the ELIXIR FAIR Training Focus Group, a set of Bioschemas Training profiles has been developed, published and implemented for life sciences training courses and materials. Here, we describe our development approach and methods, which were based on the Bioschemas model, and present the results for the three Bioschemas Training profiles: *TrainingMaterial, Course* and *CourseInstance*. Several implementation challenges were encountered, which we discuss alongside potential solutions. Over time, continued implementation of these Bioschemas Training profiles by training providers will obviate the barriers to skill development, facilitating both the discovery of relevant training events to meet individuals' learning needs, and the discovery and re-use of training and instructional materials.

Introduction

Research outputs come in numerous formats, including scholarly publications, software, data, workflows, and training courses and materials. Although scholarly publications have long been recognized as the main and official output of research activities, the value of other research outputs such as data, workflows and software are now gaining recognition. Accordingly, efforts to make these other scientific outputs 'Findable, Accessible, Interoperable and Reusable (FAIR)' [1,2,3,4] and to improve 'Research Data Management' [5] have increased in recent years. As a result, new repositories and registries have emerged: for data (e.g., Dryad, RE3Data), for research software (e.g., Software Heritage Foundation archive) and for workflows (e.g., Dockstore, WorkflowHub).

Developing similar repositories or registries for training courses and materials has proven more challenging. Specialized e-learning platforms like FutureLearn, Coursera exist, but are not inclusive of training activities outside their membership organizations. Similarly, institutional portals like EMBL-EBI Training host training resources developed by institutional members. Wider efforts to collate training resources or announcements of training events, such as GOBLET's Training Portal[6], the iAnn.pro project[7] or ELIXIR's Training e-Support System TeSS[8], have not taken hold, primarily because training providers need to register or upload their resources, a step too time-consuming for many to complete. In TeSS, for example, development of custom scripts to 'scrape' training information from different providers' websites, and creation and maintenance of bespoke API clients is required. As a result, it is more difficult for people and search engines to find, aggregate, build upon and re-use training resources.

Yet in the life sciences, there is a growing need for bioinformatics, data science and computational training. Stand-alone events and e-learning solutions are amongst the most sought-after modes

of training delivery, largely owing to the limited time that most individuals have available for
'upskilling', and because most training is sought at the point of need[9,10]. A standardized way to
mark-up and thus discover, collate and analyze these training courses, offerings and training
materials is badly needed.

In this paper, we present results from a joint effort between GOBLET[11], the Bioschemas Training
community[12] and the ELIXIR FAIR Training Focus Group[13] to devise, and facilitate implementation
of, structured (meta)data for training courses and materials. We broadly introduce efforts to create
standards, then focus on our approach and methods based on the Bioschemas working group
model, and present the results for three Bioschemas Training profiles: TrainingMaterial, Course
and CourseInstance. We conclude with a discussion around the implementation challenges and
possible ways to move forward.

Methods: Approaches to Standards Development for Training

Schema.org

Schema.org[14] provides a set of vocabularies to describe a vast array of entities on the Internet
(films, events, people, organizations, *etc*.). The vocabularies comprise properties that define
specific entity attributes: *e.g.*, for a film, who the director is; for a course, when the start date is;
for a person, their place and date of birth. These properties and their attributes, can be used by
developers to annotate their websites, allowing search engines to better understand their content,
and more effectively connect searchers with information sequestered in their pages. For example,
Schema.org-annotated content may be promoted in ranked search results, or used to generate
'knowledge panels' (like those typically provided by Google searches). Vocabularies can be
implemented on websites using three formats: RDFa, Microdata or JSON-LD, the latter being the
most popular.

Although initially established by a consortium of search engines[14], the Schema.org vocabularies
are, in practice, finessed via community consensus. The process for developing extensions and
incorporating them into the main vocabulary is well-documented, thereby facilitating contributions
from a community.

At the heart of our project was the need to collate training-related data for widely dispersed
communities of life-scientists. Specifically, we needed a schema that would facilitate discovery of
marked-up resources (courses, workshops, training materials), that could be readily implemented
with few technical barriers in a structured data format, making the data easy for aggregators to
extract, load and transform. It was expedient to build on an existing standard rather than to
reinvent one, as producing competing standards hinders interoperability.

As a starting point, we began with the Learning Resource Metadata Initiative (LRMI)[15], which
provides a set of schema definitions for marking up and describing educational resources, built
on the Schema.org vocabularies and other standards. The LRMI work embodied in Schema.org
afforded the best fit for our purposes: it has a simple mechanism for implementation, provides
properties well-aligned with our needs, and has a tool ecosystem that makes extraction and re-
use of annotated data straightforward. However, as Schema.org vocabularies are Internet-wide,
they attempt to fulfill a wide variety of use-cases - practically every industry uses them. As such,

their properties are often bloated with niche terms that are not relevant to the life sciences. Other
efforts, such as those from the Australian Research Data Commons[16] and Research Data
Alliance[17], were also used, although neither has described an implementation path.

To leverage the benefits of Schema.org and these other initiatives, and to address their limitations
for the bioinformatics training community, the Bioschemas Training profiles initiative emerged to
customize and propose amendments to Schema.org vocabularies, specifically to encompass
training aspects in the life sciences. Here, we present the status of the Bioschemas Training
initiative, and invite further community input and adoption.

Bioschemas development approach

The Bioschemas approach to create schema specifications puts life science research
communities at the center. A research community in a specific subject or field (*e.g.*, proteins,
chemicals, training) leads the schema development. Whenever a community identifies the need
to have common metadata to describe elements or activities relevant to them, this community can
use the Bioschemas approach to define, share, validate and publish a schema specification.
Based on Schema.org, Bioschemas defines two possible schema specifications: types and
profiles. A Bioschemas type corresponds to something that does not have a type in Schema.org,
such as *Protein* or *Gene*, both of which were types proposed by the Bioschemas community and
have been accepted into the pending section of Schema.org. A Bioschemas profile corresponds
to a usage recommendation for an existing Schema.org type, such as Bioschemas profile for
Schema.org type *Dataset* or *TrainingMaterial*. In Schema.org, the type *Dataset* has more than
100 properties (*i.e.*, relations to other types that help describe a *Dataset,* such as its abstract or
its authors), making it difficult for researchers to figure out which properties are the most relevant
to use. To overcome this limitation, Bioschemas profiles are proposed and supported by
communities.

The Bioschemas development approach to create profiles is provided as a tutorial on the
Bioschemas website[18], and can be summarized as follows:

- A community identifies an element or activity that requires a common set of metadata. The
  community group defines the overall objectives, and names its leaders and members. This
  group is charged with the creation (and subsequent maintenance) of the profile.
- The community group defines the use cases for the profile (*e.g.*, information exchange,
  aggregation, summarization).
- The group conducts a search, identifies relevant metadata schemas (even if not
  formalized) and creates a 'crosswalk'. A crosswalk is a compilation of the existing
  metadata schemas identifying properties, synonyms, similarities, and differences; it also
  includes the properties relevant to the community. The idea behind a crosswalk is to get
  a better understanding of the community needs, current offerings, and gaps.
- Based on the community needs and use cases, the group defines the marginality
  assignments for each property according to community usage. Properties are assigned
  minimum (*e.g.*, mandatory), recommended (*e.g.*, not always available, but when they are,
  they should be provided) or optional (*e.g.*, nice to have) marginality. The group also
  defines the cardinality - one or many - for each property (*e.g.*, a *CourseInstance* has one
  description only, but can have many instructors).

- 147 ● The group searches for a compatible type in Schema.org. A compatible type is one that
- 148 already corresponds to the element or activity to be described. For instance, Schema.org
- 149 *Course* is the type used for the Bioschemas *Course* profile.
- 150 ● If no Schema.org type is identified, the group proposes a new type. The approach to create
- 151 and propose new types is out of the scope of this paper, as training profiles already existed
- 152 in Schema.org.
- 153 ● If a compatible Schema.org type is identified, the group uses a spreadsheet, including all
- 154 the properties for this Schema.org type. Bioschemas provides a template for such
- 155 spreadsheets.
- 156 ● The community group selects those properties corresponding to the identified needs (from
- 157 the crosswalk) and either adopts the use as is from Schema.org, or adds a Bioschemas
- 158 description, if further clarification on how to use this property is necessary.
- 159 ● The group identifies those properties where controlled vocabularies can be used (*e.g.*, for
- 160 disambiguation purposes). A Controlled Vocabulary (CV) can be a recommended list of
- 161 free-text terms (*e.g.*, 'beginner', 'intermediate, 'advanced'), an enumeration (*e.g.*,
- 162 https://schema.org/EventAttendanceModeEnumeration, which includes mixed, offline and
- 163 online attendance modes), a standard (*e.g.*, currency codes, such as USD, EUR or GBP),
- 164 or an ontology (*e.g.*, EDAM[20]).
- 165 ● The group characterizes the properties with respect to marginality (*e.g.*, minimum,
- 166 recommended or optional) and cardinality (one, many) as per the crosswalk exercise.
- 167 ● At this point, the profile is ready for publication. The spreadsheet is published to the Web
- 168 (an option provided by Google spreadsheets) and converted to YAML format[19] (via the
- 169 command interface application provided by Bioschemas). The YAML format is integrated
- 170 into the Bioschemas website by creating a Pull Request for the new profile.
- 171 ● All new profiles (or updates of an existing one) are considered draft. For a profile to
- 172 become a released profile, the group calls for a community consultation, where anyone
- 173 can participate in a discussion to improve or accept the profile as proposed. A minimum
- 174 of two adopters (*i.e.*, two independent organizations using the profile to mark-up their Web
- 175 pages) is also required.

The training community development of Bioschemas Training profiles

A group of training providers, training networks and related organizations (initially encompassing
ELIXIR, GOBLET, Pistoia Alliance, and later joined by EMBL-EBI, SIB Swiss Institute of
Bioinformatics, Bioinformatics.ca, the Carpentries, etc.) came together in 2015 as a community
to establish standards for training resources. When the Bioschemas initiative launched, this
training community formed the Bioschemas community tasked with defining the Training Profiles
in Bioschemas.

The Schema.org vocabularies most suited to helping define training were identified, and their
properties assessed. The group also reviewed the metadata exposed on each of their own
websites and compared their properties against those of the relevant Schema.org vocabulary. To
reduce the complexity of the Schema.org vocabularies, we focused on the applicable training-
specific vocabulary and created profiles for them. The motivation for creating Bioschemas
Training profiles was to supplement the existing Schema.org specifications, thereby improving
their utility for life scientists (*e.g.*, increasing the interoperability of resources annotated with the

profiles, and improving their usability, by offering more support, examples and guidance for
adopters).

Following the Bioschemas development approach above, our community group determined for
each property:

1. Whether the property was used across the metadata schemas of our training community
   websites. This involved identifying properties that appeared to be equivalent, despite using
   different terminology (*e.g.*, the *keyword* property could be referred to as *tags* or *keywords*
   on different provider websites, or the *contributor* property could be referred to as
   contributor, *submitter* or *maintainer*);
2. The prevalence of the property's use across the different websites to guide marginality
   assignments (*e.g.*, the property *name* was used in all the websites, while the *contributor*
   property was used in 70% of them). To help determine marginality categorizations, LRMI
   authors[15] were consulted;
3. The expected property value *types* (*e.g.*, an *author* could be an *Organization* or a *Person;*
   a *version* could be a *Number* or *Text;* an *identifier* could be a *URL* or *Text*);
4. Whether the property values could be constrained by an existing ontology or standard
   (*e.g.*, a topic term could be mapped to the EDAM ontology[20], or a course duration could
   be formatted with reference to the ISO8601 standard[21]), or in the absence of an existing
   ontology or standard, whether a custom vocabulary would be helpful;
5. Whether there were properties used in provider websites that weren't included in the
   Schema.org vocabularies; and
6. Whether the property's description required more specific instructions or interpretations
   for usage by a life scientist.

The resulting matrix of properties formed the basis of three Bioschemas training profiles: *Course*,
CourseInstance and *TrainingMaterial*.

To further refine the draft Training profiles, the Training community group held several in-depth
reviews at the 2017 GOBLET AGM in Lisbon, the 2018 GOBLET AGM in Toronto, at
Biohackathon Europe 2018 in Paris, and at the 2019 Bioinformatics Education Summit in Cape
Town. A series of follow-up discussions were also held online. During these reviews, participants
were given a list of considerations with which to ensure that the standard being produced
conformed with, and supported, the use-cases. For each profile, thought was given to whether:
a) its properties should be regarded as minimum (essential), recommended, optional or irrelevant
for our purposes; b) its property values could be constrained by a CV; and c) an additional
description was necessary to guide the user. As per the Bioschemas process, our decision-
making process was guided by the following Bioschemas definitions:

Minimum properties
1. are essential for helping searchers to discover a training resource(s);
2. must be satisfied if resources are to be Bioschemas compliant (if a minimum property
   cannot be satisfied by a provider, then the resource doesn't comply with the standard);
3. should be small in number, and ubiquitous across providers. There should be an absolute
   maximum of 6 minimum properties.

Recommended properties
1. are not essential, but nevertheless provide additional information to facilitate discovery of
resources, and help searchers make decisions about their relevance;
2. have high priority relative to optional properties.

Optional properties
1. provide additional information that might enhance the granularity of a search;
2. are unlikely either to be available from all providers, or to be used by searchers to find
resources, but might help them to determine their relevance;
3. have relatively low priority.

Unnecessary properties
1. are unlikely either to be employed by providers, or to help searchers to find resources or
make decisions about their relevance.

Controlled Vocabularies
1. are beneficial in making heterogeneous content comparable;
2. are not equally well-established or widespread, so should be recommended advisedly;
3. if custom-made, must cover every potential value that a provider may require, be
maintained over time, and be mapped to other CVs, if they become available.

Descriptions
1. are understandable and applicable to life science users;
2. if new descriptions are added, they are tailored to life science users.

This iterative review process yielded a set of draft specifications for each Training profile. These
were submitted to the Bioschemas governance review panel and remained as drafts until each
profile achieved two adopters, after which the profiles were released into current specifications.

Results

The series of international community reviews led to the development of three Bioschemas
Training profiles, each of which is interlinked (Figure 1). For describing courses, new Bioschemas
profiles were created for *Course* and *CourseInstance* (derived from the *schema.org/Course* and
schema.org/CourseInstance vocabularies, respectively, as defined by the LRMI). For describing
training materials, a new Bioschemas profile was created for *TrainingMaterial*, derived from
schema.org/CreativeWork/LearningResource vocabulary.

The specifications and their linkage
Course represents the concept of any training course, workshop, conference event or e-learning
resource. It defines the content and attributes of the course (including its name, description,
learning outcomes, duration, *etc*.), information about who is providing it (*e.g.*, provider, authors,
contributors), and the intended audience. For example, an organization may have developed a
half-day *Course* for teaching R for a general audience, and named it "Introduction to R".

CourseInstance represents a specific course offering scheduled at a given time or place. Multiple
CourseInstances can be described for any given *Course*. The *Course-CourseInstance* paradigm
allows training providers to describe repeated offerings of the same course without duplicating
other metadata. This is useful for short courses that are offered periodically, or that run in different

locations. Several properties defined in *Course* (*e.g., duration*, *description*, *name*) can be
overridden in *CourseInstance* to allow for variations in a given course offering. In the above
example, the general *Course* for teaching R is agnostic of the audience (*e.g.*, "Introduction to R").
If this generic *Course* is customized for geoscientists, for example, the *name* property within the
root R *Course* may be overridden with the *CourseInstance name* property to indicate a
geoscience-focused course offering (*e.g.*, "Introduction to R for Geoscientists"). To ensure that a
CourseInstance is always associated with a *Course*, the *Course teaches* property, which
describes the learning outcomes, is not a property of *CourseInstance.*

TrainingMaterial represents learning resources such as books, videos, lectures, tutorials, slide-
decks, articles, and so on, which can be linked (where relevant) to their cognate training events,
as per Figure 1. Continuing with the above example, a reference sheet of common R functions is
developed and this training material is used by both the "Introduction to R" and "Introduction to R
for Geoscientists" courses.

The specifications are designed to be used in conjunction with one another, allowing their
relationships and interconnections to be expressed explicitly, as illustrated in Figure 1. Thus, for
example, a *Course* may point to a variety of *CourseInstances*, and to its associated
TrainingMaterials (slides, hand-outs, *etc.*), and *TrainingMaterials* may come from either a *Course*
or a *CourseInstance*, and so on. Relevant profile relationships to point out include:

● *Course* can be linked to *CourseInstance* through the *hasCourseInstance* property, and to
a *TrainingMaterial* through the *hasPart* property;
● *TrainingMaterial* can link to the *Course* to which it belongs via the *isPartOf* property or to
a *CourseInstance* of which it is a part through the *recordedAt* property.

295
Figure 1. Diagram showing how the Training profiles for *Course*, *CourseInstance* and *TrainingMaterial*
interconnect with each other through various properties (blue text). The minimum properties ascribed to
each profile are listed within the dashed boxes. A) describes how to link *TrainingMaterial* within a
CourseInstance for a *Course*, such as for multiple calendar offerings of a course. B) describes how
TrainingMaterial can be associated with a *Course* that does not have a *CourseInstance*, such as for a self-
directed online course. C) describes stand-alone *TrainingMaterial*, such as a recorded presentation.

The profiles and their minimum properties
The full set of specifications is represented in tabular format, grouped according to the marginality
categories: minimum, recommended and optional. The first section sets out the minimum
properties, the number of which is kept as small as possible to encourage more adopters and
avoid becoming a barrier to adoption.

Course and *TrainingMaterial* have the same minimum properties: *description*, *keywords* and
name. These are present in the existing Schema.org specifications, where their descriptions were
deemed suitable for the life science training community. The cardinality (whether a property can
occur only once or multiple times) is set to *one* for each property. This means that implementations
of the schema must have exactly one of each of these properties: one name, one description, one
set of keywords. Note that the latter property - *keywords* - is pluralized to allow for single instances
of comma-separated lists containing multiple keywords.

CourseInstance has minimum properties *courseMode* and *location*. The *courseMode* property
can be of type either *Text* or *URL*. *courseMode* can be defined by several terms describing: i) the
mode of training delivery (online, onsite, hybrid or blended); ii) the mode of training interaction
(synchronous or asynchronous); and iii) the mode of study (full-time or part-time), chosen from
vocabularies defined by the Common Education Data Standard[22] or the Glossary of terms defined
by the Bioschemas Training community[23]. The *location* property can be of type *Place*,
PostalAddress, Text or VirtualLocation.

The complete set of specifications can be viewed on the Bioschemas website
(https://bioschemas.org/groups/Training). Included are examples of usage for each profile and its
properties, as well as the lastest deployments of the specifications, which serve as illustrations to
those who wish to implement the profiles for their own courses and training materials.
Supplementary Data contains figures illustrating how implementation of the profiles improves the
machine readability of web posted training resources.

Discussion

Drivers for and barriers to standards development and implementation
The Bioschemas community group for Training profiles set out to create schemas that could be
implemented in a structured format. The goal was to provide specifications that would not be
technically difficult to implement, that would facilitate discovery of appropriately marked-up life-
science training resources, and would consequently be easy for aggregators to extract, load and
transform.

The success of a standard depends on a variety of factors, but two phases are vitally important:
development and proliferation. If a standard already exists, a new one doesn't need to be
produced, unless the existing standard fails to match the use-case(s) of interest, and its
developers are unable, or unwilling, to participate in their further enhancement. Ultimately,
standard development needs to be driven by real use-cases for which the standard seeks to
provide solutions. To formulate helpful use-cases, it is necessary to include perspectives from a
wide range of potential adopters, consensus from whom is necessary to validate the emerging
standard. This can be difficult to achieve, and disagreements can stall the process if a procedure
for resolution isn't defined, and convincingly and consistently applied.

Once a standard begins to emerge, its proliferation depends on the burden of its technical
implementation measured against the benefits perceived by potential adopters. As such, adoption
by target communities depends on making those benefits clear, and lowering the conceptual and
technical barriers sufficiently to make the adoption process as simple as possible. Wide
participation in the standard-development phase, particularly buy-in from established and
respected stakeholders, helps to expand the network available for disseminating the standard
and for supporting its adoption. From the outset, we therefore engaged and sought input from a
spectrum of training providers from across the globe.

An important conceptual hurdle arose during this process. The empirical assessment by the
reviewers was based on how training courses and materials are currently described or used. Thus
the marginalities they determined were indicative of how training information has been
represented up to now. However, this may not be optimal future practice. We were therefore faced
with the tension between developing a standard reflective of what training providers do now
versus developing a standard that would advance best practices in the future, but importantly,
without setting the barriers to adoption too high. For example, statements of learning outcomes,
and citations of others' work, were not routinely discovered across the websites under review;
both, however, are clearly desirable. It was reasoned that setting their marginalities to Optional
would encourage current practice, allowing such important features to continue to be overlooked.
Conversely, setting them to Minimum might discourage adoption, as this would require more work

from providers. By way of compromise, their marginalities were therefore denoted
Recommended.

A second hurdle encountered during implementation was the requirement to upgrade the logic
and backend of existing, often complex websites to introduce the Bioschemas Training profiles
on large amounts of historical content, while also ensuring future content has the correct minimum
metadata. For many providers, mapping their existing fields to the Bioschemas properties proved
difficult, especially if a minimum property was missing within their websites. The implementation
of the schema, however, is current and forward looking, such that minimum properties should be
populated for all current and future courses and materials. For other providers, who outsource
their website development to external companies and are charged for feature implementation,
updating their websites with a new schema is not a high priority, given the financial cost to do so,
despite the many advantages of having a schema. As a result, adoption of each Training profile
has taken many years, far longer than anticipated when the community embarked on their
development.

Advantages and Challenges of the Bioschemas specifications
The Schema.org vocabularies are extensive and can be difficult to navigate, each participating
sector having contributed its own esoteric properties. The number of properties may appear
advantageous because this facilitates expressivity. However, their sheer quantity breeds
complexity for adopters. In Schema.org's *Course* specification, for example, there are properties
for *Provider* and for *SourceOrganization*. At first sight, although subtly different, these appear to
be very similar, and could be used interchangeably if adopters have not understood their
distinguishing characteristics. Using different properties to refer to the same thing will clearly have
ramifications for search results further down the line. The Bioschemas Training profiles attempt
to remedy this by providing marginality categories and reducing the overall options available,
confining adopters to unique, clearly distinct terms. The specifications thus offer a more digestible
view of Schema.org's numerous broad vocabularies, filtering out terms that are likely to be
irrelevant to the life science training community, and prioritizing those that are likely to be crucial.
Hence, for the example mentioned above, the Bioschemas *Course* profile only offers the term
Provider and not *sourceOrganization*.

Importantly, the Bioschemas Training profiles afford flexibility in terms of how providers can
connect related profiles, thereby accommodating different data models. For example, the principal
aim of an organization may be to disseminate training materials, using these as the basis for
workshops in different locations (*e.g.*, The Carpentries). In this instance, where a provider's data
model is lesson-centric, the focus is likely to be on describing the training materials, the courses
in which they appear being of secondary importance. Conversely, an organization may focus on
providing courses and thus their data model would focus on describing the training opportunities,
their associated training materials being of secondary interest.

It is the reciprocal or inverse properties inherent in the Bioschemas Training specifications that
allow adopters to annotate their data in line with their own data models. Hence, for example, they
can describe their *TrainingMaterials* first, and link to their cognate *Courses* using the *isPartOf*
property; or they can describe their *Course* first, and link to the accompanying *TrainingMaterials*
with the *hasPart* property. The direction of such links can thus be implemented according to which
attributes are considered more critical to a providers' data model.

In turn, the data annotated using the Bioschemas Training specifications can be harvested by
aggregation services like TeSS[24] (the TeSS team, for example, has developed code that takes
the JSON-LD snippets from training providers' Web pages, extracts the property values used by
TeSS's metadata schema, and creates or updates the requisite registry entry using these values).
Such registries could facilitate analyses of archived and current training information from different
providers to identify trends or gaps in training provision, and hence inform future training
strategies (*e.g.*, by targeting under-represented topics or geographic regions). Historic data could
also be used by training organizers to improve their event scheduling, identifying and obviating
potential clashes with other events in order to maximize the availability of attendees.

One implementation difficulty encountered was with online content and resources: were such
resources training materials or courses? Until the Training schemas were developed there was
no clear definition, but the semantics of *Course, CourseInstance* and *TrainingMaterial* make this
distinction explicit: online learning is defined as an open-ended, asynchronous course with
embedded training materials.

Full use of the properties within each profile beyond those with a minimum marginality will be
important drivers to the successful interpretation of training courses and materials by search
engines and data harvesters. For now, it remains to be seen how search engines will interpret
Bioschemas metadata. One particular issue is that search engines may have difficulties
determining the current status of training events unless the *eventStatus* property in
CourseInstance is used. The *eventStatus* property can be used by content providers to indicate
that a particular *CourseInstance* has been modified or canceled. When the *eventStatus* property
is not used, search engines will have no data with which to render information about the
CourseInstance correctly. This could lead to a scenario in which, for example, canceled courses
still appear to be available.

In the absence of standards like the Bioschemas Training profiles, a lot of work is required to
explicitly express the data embedded in websites such that search engines, or other data
harvesters, can capture them. Often, content providers will write APIs to express their data. But
APIs require substantial work: the developers must design the access points, implement new
routes for them, design the resulting data, and write documentation. Data harvesters then have
to write custom API clients to interface with the providers' APIs, essentially repeating work and
creating further code-maintenance overheads. The Schema.org implementation upon which
Bioschemas is based is simpler than implementing an API endpoint. Moreover, the metadata are
encapsulated within websites' existing pages, so no routing of further access points is required.

Schema.org　　has　　an　　extensive　　ecosystem　　of　　support　　tools
(https://bioschemas.org/developer/software) for creating and validating its annotations.
Production-ready validators are being developed for Bioschemas both to make the
implementation easier and to verify that the output complies with the extra restrictions involved in
the standard, such as marginality, cardinality, CVs, *etc*. Resources for supporting
implementations of Bioschemas are thus still needed to ensure that the barriers to adoption
remain low.

Conclusion

The Bioschemas Training profiles initiative set out to make the exchange of training resources easier, breaking down barriers by allowing content providers to more formally structure information on their websites, and effectively 'speak the same language'. The initiative has led to the articulation of customized Training profiles for describing training information in a standardized way, built on the ubiquitous Schema.org specifications. These profiles have been tailored to the training needs of life scientists following the Bioschemas model, in a manner that helps adopters implement the relevant Training profiles for their content. The hope is that by reducing cognitive and technical overheads, more adopters will be able to implement the standards, thereby facilitating the discovery and exchange of training information.

Although the Bioschemas Training profiles are rooted in the needs of life scientists, the 'bio' components of the training specifications are in fact relatively light. There is therefore significant potential for re-use of the specifications, with minimal customisation effort, to represent data across different disciplines.

With four adopters of Course and CourseInstance and eight adopters of TrainingMaterials, the specifications have recently moved from draft to release. We therefore call on the wider training community to embrace and implement these standards as a way to facilitate the global exchange of training information, to make training opportunities and resources easier to discover, and to empower trainers and trainees alike. Their use also embodies the FAIR principles by making training materials and resources Findable-Accessible-Interoperable- Reuseable[25]. Ultimately, we look forward to seeing what new and innovative uses unfold once a web of previously disconnected training data is sewn together to create a more readily navigable and interoperable training landscape.

Acknowledgements

The authors wish to acknowledge advice received by Phil Barker at LRMI, and the substantial efforts made by the early adopters of these Training profiles, including Bioinformatics.ca, Department of Bioinformatics at Maastricht University, German National Library of Medicine (ZB MED), TeSS ELIXIR-Europe, Bioschemas.org, Galaxy Training, NanoCommons project, EMBL-EBI Training and SIB Swiss Institute of Bioinformatics.

Funding

NB was supported by an EXCELERATE grant. This work was carried out with the support of GOBLET who provided workshop and travel support; Nicola Mulder, H3Africa, who organized, facilitated and provided travel support to the Cape Town workshop; and the Canadian Institute for Health Research and Ontario Institute for Cancer Research who organized, facilitated and supported travel to the Toronto workshop. Additional contributions were made at the 2018 ELIXIR BioHackathon Europe.

Competing Interests

The authors declare no competing interests.

References

1. Wilkinson, Dumontier, Aalbersberg, et al. The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data*. 2016;3(1):1-9. doi:10.1038/sdata.2016.18

2. Lamprecht A-L, Garcia L, Kuzak M, et al. Towards FAIR principles for research software - IOS Press. *Data Science*. 2020;3(1):37-59. doi:10.3233/DS-190026

3. Hong C, Katz, Barker, et al. FAIR Principles for Research Software (FAIR4RS Principles). Zenodo. Published May 24, 2022. https://zenodo.org/record/6623556#.YqCJTJNBwlw

4. Goble C, Cohen-Boulakia S, Soiland-Reyes S, et al. FAIR Computational Workflows. *Data Intelligence*. 2020;2(1-2):108-121. doi:10.1162/dint_a_00033

5. Surkis A, Read K. Research data management. *Journal of the Medical Library Association : JMLA*. 2015;103(3):154-156. doi:10.3163/1536-5050.103.3.011

6. Corpas M, Jimenez RC, Bongcam-Rudloff E, et al. The GOBLET training portal: a global repository of bioinformatics training materials, courses and trainers. *Bioinformatics*. 2014;31(1):140-142. doi:10.1093/bioinformatics/btu601

7. Jimenez RC, Albar JP, Bhak J, et al. iAnn: an event sharing platform for the life sciences. *Bioinformatics*. 2013;29(15):1919-1921. doi:10.1093/bioinformatics/btt306

8. Beard N, Bacall F, Nenadic A, et al. TeSS: a platform for discovering life-science training opportunities. *Bioinformatics*. 2020;36(10):3290-3291. doi:10.1093/bioinformatics/btaa047

9. Brazas MD, Brooksbank C, Jimenez RC, et al. *A Global Perspective on Bioinformatics Training Needs*. Cold Spring Harbor Laboratory; 2017. Accessed September 27, 2022. http://dx.doi.org/10.1101/098996

10. Attwood TK, Blackford S, Brazas MD, Davies A, Schneider MV. A global perspective on evolving bioinformatics and data science training needs. *Briefings in Bioinformatics*. 2017;20(2):398-404. doi:10.1093/bib/bbx100

11. Atwood TK, Bongcam-Rudloff E, Brazas MD, et al. GOBLET: The Global Organisation for Bioinformatics Learning, Education and Training. *PLOS Computational Biology*. 2015;11(4):e1004143. doi:10.1371/journal.pcbi.1004143

12. Bioschemas. Training. Accessed September 27, 2022. https://bioschemas.org/groups/Training

13. FAIR Training Focus Group. ELIXIR. Accessed September 27, 2022. https://elixir-europe.org/focus-groups/fair-training

14. Guha RV, Brickley D, Macbeth S. Schema.org. *Communications of the ACM*. 2016;59(2):44-51. doi:10.1145/2844544

15. Barker P, Campbell LM. LRMI, Learning Resource Metadata on the Web. In: *Proceedings of the 24th International Conference on World Wide Web*. ACM; 2015. Accessed September 27, 2022. http://dx.doi.org/10.1145/2740908.2741745

16. Martinez, Unsworth. ARDC Training Materials Metadata Checklist v1. Zenodo. Published June 30, 2021. https://zenodo.org/record/5003934

17. Hoebelheinrich, Biernacka, Brazas, et al. Recommendations for a minimal metadata set to
aid harmonised discovery of learning resources. Zenodo. Published June 9, 2022.
https://zenodo.org/record/6769695#.YrrP9-xBybQ

18. Gray A. How to create a new Bioschemas profile. How to create a new draft profile.
Accessed September 27, 2022.
https://bioschemas.org/tutorials/howto/howto_create_new_profile

19. The Official YAML Web Site. Accessed September 27, 2022. https://yaml.org/

20. Ison J, Kalaš M, Jonassen I, et al. EDAM: an ontology of bioinformatics operations, types of
data and identifiers, topics and formats. *Bioinformatics*. 2013;29(10).
doi:10.1093/bioinformatics/btt113

21. ISO 8601 — Date and time format. ISO. Accessed September 27, 2022.
https://www.iso.org/iso-8601-date-and-time-format.html

22. Common Education Data Standards (CEDS). Common Education Data Standards.
Accessed September 27, 2022. https://ceds.ed.gov/

23. Attwood, Leskosek, Dimec, et al. Defining a lingua franca for the ELIXIR/GOBLET e-
learning ecosystem. Zenodo. Published November 13, 2016. https://zenodo.org/record/166378

24. TeSS (Training eSupport System). Accessed September 27, 2022. https://tess.elixir-
europe.org/

25. Garcia L, Batut B, Burke ML, et al. Ten simple rules for making training materials FAIR.
PLOS Computational Biology. 2020;16(5). doi:10.1371/journal.pcbi.1007854