The role of confidence in decision-making and its pupillary correlate during the interaction with a partner

Rémi Sanchez [1, 2], Anne-Catherine Tomei [1, 2], Pascal Mamassian [4],
Manuel Vidal [2, *] & Andrea Desantis [1, 2, 3, *]

*co-senior authors

[1] Département Traitement de l'Information et Systèmes, ONERA, Salon-de-Provence, France

[2] Institut de Neurosciences de la Timone (UMR 7289), CNRS and Aix-Marseille Université, Marseille, France

[3] Integrative Neuroscience and Cognition Center (UMR 8002), CNRS and Université Paris Cité, Paris, France

[4] Laboratoire des systèmes perceptifs, Département d'études cognitives, École normale supérieure, PSL University, CNRS, Paris, France.

Abstract

Every decision we make is accompanied by a sense of confidence. Confidence mechanisms allow evaluating the evidence that supports our decisions such as the quality of our perceptual representations. Confidence is thought to play a critical role in guiding decision-making, but only a few empirical studies have actually investigated the function of confidence. To address this, we designed a perceptual task in which participants provided a confidence judgment on the accuracy of their perceptual decision. Then, they viewed the response of a machine or human partner, and they were instructed to decide whether to keep or change their initial response. We observed that confidence predicted participants' decision to keep or change their initial responses more than task difficulty and perceptual accuracy. This suggests that confidence, as a subjective evaluation of uncertainty, enables us to weigh our decisions in order to adapt our decision-making behavior driving the interaction with a partner. Furthermore, confidence judgments could be predicted by eye pupil dynamics, suggesting that arousal changes are linked to confidence computations. This study contributes to our understanding of the function of confidence in decision-making and highlights the possibility of using pupil dynamics as a proxy of confidence.

Introduction

Every decision we make is accompanied by a sense of confidence. For instance, when biking at night we might feel less confident about the speed and behavior of incoming traffic, and this leads us to reduce our speed. Accordingly, confidence and metacognition allow evaluating how good our perceptual representations are (Fleming & Daw, 2017), and should not be considered as mere epiphenomena but as playing a central role in guiding our decisions and behavior (cf. Desender et al., 2018; Guggenmos et al., 2016).

In line with the notion that confidence can impact our behavior, recent theoretical accounts have suggested that confidence is critical for learning (Guggenmos et al., 2016; Meyniel, Sigman, & Mainen, 2015) as well as to enable adaptive behavior under uncertainty (Soltani & Izquierdo, 2019). For instance, it is regarded as an internal feedback signal guiding learning strategies (Bjork, Dunlosky, & Kornell, 2013) and memory "offloading" activities, such as writing down the items to buy in a shopping list (Risko & Golbert 2016). Moreover, it is also thought to be critical for human-machine interactions: poor confidence in the decisions of the machine can lead to a lack of cooperation and coordination between the human and the machine, which would hinder the effectiveness of the interaction (Zhang et al., 2020; Steyvers et al., 2022; Dafoe et al., 2021). However, only a few empirical studies have actually investigated the role of *perceptual* confidence in behavior and decision-making. The difficulty in linking perceptual confidence to behavior relies on the fact that decision accuracy and confidence are strongly correlated: the higher the quality of sensory evidence, the higher the accuracy and also the confidence in one's perceptual decisions. Hence, it remains unclear whether it is confidence or the quality of sensory evidence that influences upcoming behavior and individuals' decision strategies (cf. Desender et al., 2018). Recent research started to tackle this issue and highlighted the contribution of perceptual confidence in information seeking behavior (Schulz et al., 2021; Desender et al., 2018) and in change of mind (Gilbert et al., 2020; Pescetelli et al., 2021). Moreover, different empirical results have also recently shown that participants use confidence matching as an effective strategy for group decision-making tasks (Bang et al., 2017).

In the light of recent advances regarding confidence in one's own and other decisions (Bang et al., 2022), we investigated how perceptual confidence regulates interactions with a human or with a machine partner. Are we more influenced by the partner's decisions if we feel less confident in our responses? What information is used to evaluate whether our partner is trustworthy or not, and in particular, will the partner's identity – human or machine – modulate our confidence and behavior? To address these issues, participants completed a perceptual discrimination task with a partner. They were presented with two random dot kinematograms (RDK), presented simultaneously to the left and right of a central fixation point. They reported which one of the two had a coherent motion direction closer to the vertical axis. This perceptual decision task was followed by a confidence judgment. Then, they viewed the perceptual decision of one of two possible (fictive) partners: a human or a machine. They were told that the human partner was another participant that completed the same task and whose responses were replayed. As for the machine partner, participants were told that it was a machine-learning algorithm previously trained to dissociate dot motion directions answering to the same stimulation. They were also told that the machine partner just like human participants was not infallible. After viewing the partner's response, participants could keep or change their initial perceptual decision. They were explicitly instructed to use the response of their partner if they thought this could improve their performance. Unknown to the participants, both partners were programmed to achieve the same level of performance. Importantly, to investigate whether perceptual confidence influences subsequent decisions, we needed to decouple perceptual confidence and participants' first order representation of sensory evidence. Hence, we manipulate the variability of the coherent dot motion, which should impact participants' confidence while leaving accuracy unchanged (de Gardelle & Mamassian, 2014).

In the present study, we were also interested in investigating the relationship between neurophysiological arousal and confidence. Arousal is an important aspect of brain function and plays a role in a wide range of behaviors, including attention, memory, and decision-making (Jing et al., 2009; Kempen et al., 2019). Recent advances in neurophysiology of perceptual decision-making have established a link between neurophysiological arousal and uncertainty (O'Connell & Kelly, 2021). For instance, changes in pupil size resulting from modulation of physiological arousal have been linked to decision uncertainty (Lempert et al., 2015; Urai et al., 2017; Balsdon et al., 2020). The ability to predict decision uncertainty from pupil dilation is important since it would allow monitoring individuals' confidence and uncertainty continuously without explicit confidence

judgments and response times. There is indeed growing interest in the field of neuroergonomics to monitor in real-time different cognitive states of operators while they interact with technology (Dehais et al., 2017, 2020; Gramann et al., 2017), and confidence appears to be a critical factor for optimal human-machine interactions (Lee & Moray, 1992; Parasuraman et al., 1993). Accordingly, this study aimed at providing evidence that pupil dilation can be used to predict individuals' confidence judgments.

Finally, we also investigated the potential link between confidence and eye blink. The motivation for analyzing eye blinks was twofold: firstly, eye blinks may impact pupil dilation (Yoo et al., 2021), hence we wanted to remove this potential confound. Secondly, blinks are also thought to play a role in regulating attention and arousal: individuals tend to blink more frequently when they are engaged in tasks that require sustained attention, and eye blinks have been used as an index of an individual's level of arousal, alertness or even fatigue (Oken et al., 2006; Maffei et al., 2018; Gavas et al., 2020).

In a nutshell, we observed that participants' confidence predicted more reliably individuals' decisions to change or keep their initial perceptual response than accuracy and stimulus uncertainty. Furthermore, pupil changes prior to the response predicted observers' confidence suggesting that pupil variation can be used as an online proxy for confidence in the absence of an explicit response. Finally, eye blinks also correlated with confidence judgments. Their relation and role in decision uncertainty should be further explored.

Materials and Methods

Participants

Based on similar experiments investigating confidence (cf. Gardelle & Mamassian, 2015), the sample size was set to 14 adult participants that fully completed the experiment. In total twenty-one adults were recruited on a voluntary basis and received a financial compensation of 10€ per hour. Seven were not included in the sample size, six participants did not complete the task due to technical problems with the eyelink or difficulties with maintaining fixation during stimulus presentation, and one participant judged s/he was very confident in all her/his responses. The remaining 14 adults (9 female, range of 19 to 36 years of age) completed the experiment and were analyzed. All participants had normal or corrected to normal vision, and were naïve to the hypothesis

under investigation. This study was conducted in agreement with the requirements of the Declaration of Helsinki and approved by the Ethics Committee of Université Paris Descartes. The experiment lasted approximately 2 hours and 30 minutes in total, including instructions, breaks, training, and eye-tracker calibration.

Apparatus

Stimuli were presented on an LCD monitor (Samsung 2232RZ, 47 cm wide) with a refresh rate of 100 Hz and a resolution of 1680×1050 pixels. Stimulus presentation and data collection were performed using MATLAB with the Psychophysics Toolbox (Brainard, 1997) and the Eyelink Toolbox (Cornelissen et al., 2002). Viewing was binocular and movements of the right eye were monitored with an EyeLink 1000 Plus (SR Research, Mississauga, ON, Canada) at a sampling rate of 1000 Hz. Head movements were restrained with a chinrest located 70 cm from the screen.

Stimuli

Stimuli were two random dot kinematograms (RDKs) presented simultaneously to the left and right of a central fixation point (a white empty circle of 0.3° visual angle diameter) at an eccentricity of 4° from fixation. RDKs consisted of 70 white dots displayed within a circular aperture of 3° visual angle diameter. Each dot had a diameter of 5 pixels (0.114° visual angle). Dots of each RDK moved coherently (5°/s speed) upward with a specific tilt angle from the vertical axis that was determined for each participant in a preliminary experiment (see below). The dot lifetime was set to 300 ms after which it was erased and then displayed in the symmetric location relative to the center of the circular aperture.

Procedure

Preliminary experiment

Before starting the main experiment, we assessed participants' tilt discrimination thresholds. Each trial started with the presentation of a fixation point. Two RDKs were displayed on either side of fixation, 500 ms after fixation onset, and for a duration of 1200 ms. The dots on the left RDK moved upward with a slight tilt toward the left, while the dots on the right RDK moved upward with a slight tilt toward the right. While keeping their gaze on the fixation, participants had to report in which RDK (left or right) the global motion moved closer to the vertical axis, by pressing the left or right

arrow key of a keyboard with their right hand. Participants were told that accuracy was more important than rapidity when reporting their perceptual decisions. If fixation was broken or a blink occurred while the stimulus was displayed, an error message appeared on the screen and the trial was interrupted. Participants responded only after the RDKs disappeared and four unfilled black squares (with a side length of 0.3° visual angle) appeared around fixation (eccentricity of 1.5° visual angle) in a cross-like shape (i.e., one square above, one below, one to the left and one to the right of fixation, see Figure 1). Participants' response was shown with the corresponding square filled with a light gray color.

The calibration to the participants' discrimination threshold consisted in controlling the tilt angle of the dot motion direction. In each trial we varied the tilt angle of one RDK while we kept the tilt of the other RDK to 40° (reference). The change of tilt of each RDK was controlled by two interleaved staircases one starting with a difference of 15° and the other with a difference of 30° from the reference value (i.e., 40°). If the participant's response was correct (incorrect) the tilt difference between left and right RDK decreased (increased) in the subsequent trial. The size of this increment/decrement was controlled by an accelerated stochastic approximation algorithm (Kesten, 1958) set to converge at the tilt difference that supported 75% accuracy. Each staircase stopped once the convergence level was reached. The convergence values reached by the two staircases controlling the left (and right) RDK were averaged and used as the participant's tilt discrimination threshold for the left (and right) RDK. Importantly, in the preliminary experiment we also manipulated the variability (standard deviation of the Gaussian distribution) of the dot motion directions. Dots could move coherently in the specified direction with a small (i.e., 3°) or a large variability (i.e., 15°). Separate tilt discrimination thresholds were obtained for these two variability levels. In sum, the preliminary experiment allowed estimating, for each participant, 4 tilt discrimination thresholds: 2 sides (left and right) × 2 variabilities (high and low).

Main experiment

Participants completed the same tilt discrimination task described above. The tilt difference between left and right RDKs could take one of three possible values: 70%, 100% or 140% of the tilt discrimination threshold determined in the preliminary experiment. Hence, participants completed the task under three difficulty levels: hard (70% of threshold), intermediate (100% of threshold), and easy (140% of threshold). Finally, as for the preliminary experiment, we manipulated the

variability of coherent motion, i.e., dots could move coherently with a variability of 3° or 15°. We used different variability values and difficulty levels to prompt individuals to vary their confidence judgments.

After reporting the RDK with the dot motion direction closer to the vertical axis, participants indicated their confidence on a 2-point scale, that is whether they were confident or not about their response, by pressing the up or down arrows of the keyboard, for "I am sure, it was correct" and "I am not sure", respectively. Similarly to the perceptual decisions, participants' confidence judgment was shown by filling the corresponding upper square or lower square (see Figure 1). Confidence judgments were followed by the presentation of the perceptual response of a machine or human partner. To remind the partner who they were interacting with, a black icon of a computer or human was displayed on top of the fixation. The partner's judgment was presented with a black circle (0.3° visual angle diameter) appearing within the square corresponding to the perceptual judgment of the partner (left/right). After visualizing the partner's judgments, participants decided whether to keep or change their initial perceptual response. They were instructed to use the response of their partner if they thought this could improve their discrimination accuracy. They were told that both the human and machine partner viewed the same stimuli and their answers were stored and replayed. They were also told that the machine partner was a machine learning algorithm and just like a human participant it was not infallible. In reality partners' responses had been programmed by the experimenter and both partners were set to achieve the same performance accuracy. In particular, they were programmed to have 80, 90 and 100% accuracy for the hard, intermediate and easy difficulty level, respectively. Hence, partners' accuracy was programmed to be higher than participants' theoretical accuracy (75% threshold in the preliminary experiment). Human and machine partner trials were divided into 4 blocks and were presented alternately with the order of presentation counterbalanced across participants. Each block consisted of 144 trials, with Variability and Difficulty trials being randomized and equiprobable within each block. In total, participants completed 576 trials (48 trials × 3 difficulties × 2 variabilities × 2 partners).

Participants were instructed to maintain fixation and to not blink both during RDKs presentation and before their perceptual response. Fixation was considered broken when the gaze moved more than 1.25° away from the fixation center. If a fixation break or a blink occurred, the trial was interrupted, an error message was displayed ("please fixate") and the same trial repeated at the end of the block.

Figure 1: Schematic illustration of a trial. The two RDKs appeared 500 ms after a display screen that contained only a central fixation point. The dot motion was presented for 1200 ms. Thereafter, the RDKs disappeared and four squares were presented indicating the participants to report which RDK contained the dot motion that was closer to the vertical axis by pressing the left or right arrow. Participants could then report their confidence before viewing the response given by their partner. After the presentation of the partner's response, they could choose whether to keep or change their initial perceptual judgments.

Behavioral analyses

Linear mixed models were fitted using the 'lme4' package (Bates et al., 2015) and the lmerTest package (Kuznetsova et al., 2017) in R (R Core Team, 2018). Factors with two levels were coded using sum contrasts (Schad et al., 2020). The models were adjusted to accommodate convergence issues. Specifically, the parsimony principle guided the selection random effects (Bates et al., 2018). Indeed, for some analyses, the inclusion of the maximal random structure led to convergence failures. In these cases, we performed a Principal Component Analysis (PCA) to isolate the random effects that contributed the least to model fitting and we removed them from the final model. Significance of the fixed effects was determined using type-II Wald tests with the 'car' package in R (Fox & Weisberg, 2011). Post-hoc comparisons were performed with the package 'emmeans' (Searle et al., 1980). When required, a False Discovery Rate (FDR; Benjamini & Hochberg, 1995) correction for multiple comparisons was applied. We used an alpha level of 0.05 for all statistical tests.

Pupil analyses

Raw pupil data were firstly filtered with a high-pass non causal Finite Impulse Response (FIR) filter of 1/12 Hz[1] in order to remove slow oscillations in the pupil response not related to the task. We then extracted two types of segments: 1) from -100 to +1200 ms time-locked to stimulus onset, and 2) from -1400 to +400 ms time-locked to perceptual response onset. Individual segments were corrected with a 100 ms baseline. Specifically, we subtracted the average pupil size observed from -100 ms to 0 ms prior to stimulus onset for each trial from each time point of the corresponding trials. Blinks were linearly interpolated. The correct interpolation of blinks was verified through visual inspection of each segment. Visually inspecting the segment allowed us also to remove trials containing artifacts (e.g. trials containing blinks that were not correctly labelled and interpolated, epochs containing artifactual activity such as sudden spikes of pupil changes, epochs exhibiting pupil changes that exceeded a threshold of 700 units[2] from the baseline). This led to the removal of an average (across participants) of 2 trials in the stimulus-locked segments (i.e., 0.35% of the trials) and to 8.64 trials in the response-locked epochs (i.e., 1.5% of all trials). Pupil segments were then down-sampled by averaging the pupil size of consecutive 100 ms time windows. From the clean segments, we computed pupil velocity ($v = \Delta s/\Delta t$; where s is pupil size and t is time) since recent studies suggest that temporal derivative of pupil size reflect more closely the dynamics of arousal fluctuation (Crombie et al., 2021; Okun et al., 2019; Reimer et al., 2014, 2016).

Pupil data were analyzed in two steps. Firstly, we performed a cluster-based permutation test comparing high confidence and low confidence trials. The aim of this first step was to isolate a temporal cluster where the pupil could dissociate low and high confidence trials. After isolating these temporal clusters, pupil data points of the clusters were averaged and analyzed with linear mixed-effect models to evaluate their relationship to predictors of interest.

Classification analyses

In a series of analyses, we used Linear Discriminant Analyses (LDA; cf. Carlson et al., 2003) to evaluate to what extent pupil velocity measured during stimulus presentation (hence prior to

---

[1] The filter amplitude was determined as 1 divided by twice the average trial duration. On average a trial lasted 6 sec (including the 0.5 sec of ITI). This was done to remove slow oscillations that are not linked to our manipulations

[2] With the EyeLink 1000 Plus, pupil area is calculated as the sum of the number of pixels inside the detected pupil contour.

participants' perceptual responses) could predict individuals' judgment of confidence. We then compared the prediction accuracy of the pupil classifier to the accuracy observed with a classifier predicting confidence judgments from individuals' response times (i.e., confidence strongly correlates with perceptual decision latencies, notably the slower a perceptual decision the lower the confidence, cf. Mamassian, 2016). This comparison would help us evaluate the quality of pupil-based classifier predictions with respect to a well-established proxy of confidence.

LDA classifiers were trained and tested for each time-point of the pupil velocity data to dissociate high and low confidence trials for each participant. Given that the stimulus-locked segment was not contaminated by blinks, we used this time window for the classification. The classification procedure implemented a Monte Carlo cross-validation method (Dubitzky et al., 2007). Notably, each classifier was trained on 90% of the available dataset and tested on each of the remaining trials. This procedure was repeated 1000 times. Each time a random 90% of trials was used as training set and the rest as test set. To avoid classification biases at each repetition of the procedure we matched the number of high and low confidence trials to classify. Classification accuracy was estimated by calculating for each time-point the proportion of trials that the classifier correctly identified as high or low confidence trials. The mean classification performance of the 1000 shuffling within each participant and time-point was taken as the classifier accuracy for that specific participant and time-point. For statistical analyses chance level (a probability of 0.5) was subtracted from classification accuracy. Statistical significance ($\alpha = 0.05$) was then calculated using a cluster-based permutation test performed on the resulting values. The same classification approach was used to classify high and low confidence trials from reaction times, except that for this variable the statistical significance was assessed with a one-sample two-tailed Wilcoxon signed rank test on the resulting values.

Results

Accuracy

Linear-mixed models assessed the influence of the different factors on correct responses. The model included Difficulty, Variability and Partner and their interactions as predictors. Difficulty, Variability and Partner were added as uncorrelated by-participants random slopes and intercepts. A main effect of Difficulty was observed on the first decision ($\chi^2(2) = 218.61$, p < 0.001), with accuracy decreasing gradually with the increase in task difficulty (easy trials: M = 0.85, SD = 0.03;

intermediate trials: M = 0.75, SD = 0.07; hard trials: M = 0.67, SD = 0.05; see Figure 2a). None of the other comparisons was significant.

Confidence

Linear mixed models assessed the influence of the Difficulty, Variability, Partner and Accuracy factors, and how these interact with confidence. Difficulty, Variability, Partner and Accuracy were also included as uncorrelated by-participants random slopes and intercepts. A main effect of Difficulty was found ($\chi^2(2) = 19.61$, p < 0.001; see the unsorted line of Figure 2d), with confidence decreasing with the increase of task difficulty (easy trials: M = 0.67, SD = 0.14; intermediate trials: M = 0.61, SD = 0.17; hard trials: M = 0.55, SD = 0.19). A main effect of Accuracy was also found ($\chi^2(1) = 134.24$, p < 0.001), with lower confidence for incorrect (M = 0.42, SD = 0.18) compared to correct judgments (M = 0.67, SD = 0.16), showing that participants could evaluate the correctness of their responses. The interaction between Accuracy and Difficulty was significant ($\chi^2(2) = 34.47$, p < 0.001; Figure 2d). Simple main effect analyses showed that confidence was higher for correct than incorrect responses for each difficulty level (p < 0.001). In addition, confidence increased with the decrease of task difficulty only in correct response trials (p ≤ 0.010), while no difference in confidence between the three difficulty levels was observed in incorrect trials (p ≥ 0.140). There was no main effect of Variability, but the interaction between Variability and Difficulty was significant ($\chi^2(2) = 13.33$, p = 0.001; Figure 2f). Simple main effect analyses showed that confidence decreased in low Variability trials compared to high Variability trials only for the hard difficulty level (p = 0.014).

Interestingly, a main effect of Partner was also found ($\chi^2(1) = 6.70$, p = 0.01), with lower confidence in the blocks in which participants interacted with a machine (M = 0.59, SD = 0.17) compared to when they interacted with a human partner (M = 0.63, SD = 0.17), and irrespectively of whether the response was correct or incorrect (see Figure 2e).

In sum, confidence was successfully influenced by varying task difficulty and to some extent by varying dot motion Variability. Confidence strongly correlated with accuracy, showing that participants could clearly estimate the correctness of their perceptual decisions. Finally, confidence was also affected by the identity of the interacting partner, while the overall accuracy (and reaction times; see supplementary materials) remained unaffected by the partner's identity. Contrary to

previous study (de Gardelle & Mamassian, 2014) the variability of dot motion only mildly influenced confidence judgments, that is, only when task difficulty was hard.

Figure 2. Plots showing dependent variables averaged across participants, with error bars indicating the standard error of the means. Proportion of correct responses: a) as a function of task difficulty and decision (first and second perceptual decision); b) as a function of confidence and decision; c) as a function of decision and partner. Proportion of high confidence trials: d) as a function of accuracy and difficulty; e) as a function of accuracy and partner; f) as a function of variability and difficulty. Proportion of switches (in conflict trials): g) as a function of partner and task difficulty; h) as a function of partner and accuracy; i) as a function of partner and confidence.

Accuracy before and after partner's report

Linear mixed models assessed the impact of partners' report and confidence on the participants' accuracy in the two successive perceptual decisions of the task. The model included Decision Order (1^{st}, 2^{nd}), Partner (human, machine), Confidence (low, high), Variability (low, high) and Difficulty (hard, intermediate, easy) and the double interactions between Decision and each of these factors[3] as predictors. The same factors and interactions were included as uncorrelated by-participants random slopes and intercepts. The analyses showed a main effect of Decision ($\chi^2(1) = 51.93$, p < 0.001), with higher accuracy in the second decisions, i.e., after viewing the partner's report (accuracy 1^{st} decision: M = 0.76, SD = 0.04; 2^{nd} decision: M = 0.84, SD = 0.03), and similarly across the different difficulty levels (Figure 2a). The interactions between Decision and Partner ($\chi^2(2) = 6.39$, p < 0.011), Decision and Confidence ($\chi^2(2) = 40.50$, p < 0.001), and Decision and Difficulty ($\chi^2(2) = 10.71$, p = 0.005) were also significant. Post-hoc tests showed that accuracy increased in the second decision both when participants interacted with a human and a machine partner (p < 0.001; see Figure 2c). In addition, as illustrated by Figure 2c, accuracy was higher (p < 0.002) in the second decision when participants interacted with a machine (M = 0.87, SD = 0.035) compared to when they interacted with a human partner (M = 0.82, SD = 0.049), while no effect of Partner was observed for the first perceptual decision. This may suggest that participants tended to switch more often for the partner's report when they thought they interacted with a machine compared to when they believed to interact with a human (see switch responses below).

Further post-hoc comparisons showed that accuracy was higher in high compared to low confidence trials for the first perceptual decision (p < 0.001; Figure 2b, left side of the plot). No difference in accuracy between low and high confidence trials was observed for the second decision (p = 0.174; Figure 2b, right side of the plot). Moreover, accuracy was higher for the 2^{nd} decision compared to the first only when participants were not confident about their perceptual decision (p < 0.001). This suggests that participants tended to switch for the partners' response in particular when they were not confident in their decision, which improved their performances (see Figure 2b). Post-hoc comparisons exploring the interaction between Difficulty and Decision showed that accuracy was higher in the second Decision compared to the first for each difficulty level (p < 0.001).

---

[3] A full model including triple, quadruple and quintuple interactions was also tested. None of those interactions were significant. Hence, we report here the result of a simpler model.

In sum, whether participants decided to keep or switch their response depended on the confidence they had on their own perceptual decision and on the identity of the partner. This point is also corroborated by the analyses of switch responses below.

Switch responses

A linear mixed model assessed the impact of confidence, accuracy and partner on participants' decisions to keep their initial perceptual response or change it for the partner's report. The model included Confidence, Accuracy and Partner and their interactions, as well as Variability and difficulty as predictors. The same factors and interactions were used as by-participants uncorrelated random slopes and intercepts. This analysis was performed only on conflict trials, i.e., trials where the participant selected a different response than the one chosen by the partner (in a total of 8064 trials, only once a participant decided to change his/her response even though there was no conflict with the partner's response). The analysis showed three main effects: a main effect of Partner ($\chi^2(2)$ = 18.80, p < 0.001), with a larger proportion of switches when participants interacted with a machine (M = 54%, SD = 19%) compared to when they interacted with a human partner (M = 35%, SD = 17%); a main effect of Accuracy ($\chi^2(1)$ = 4.31, p = 0.04), showing that participants switched more often for the partner's report when they were incorrect (Figure 2h); and a large main effect of Confidence ($\chi^2(1)$ = 61.21, p < 0.001), where participants switched more often when they were little confident regarding their response (Figure 2i).

Interestingly, a Wilcoxon signed rank showed that participants tended to change their initial decision more often based on their confidence than their accuracy. Specifically, participants changed their response on average 49.2% more often when they were low confident compared to high confidence trials, while they changed their initial response 16.4% more often when they were incorrect compared to correct trials. These changes in switch responses were similar when considering the trials in which participants interacted with a machine and the trials where they interacted with a human partner, separately. Finally, no effect of difficulty on the proportion of switches was observed (Figure 2g).

Pupillary response

A cluster-based permutation test showed that pupil velocity observed in high and low confidence trials differed within a time window going from 550 to 1150 ms (Figure 3a). Subsequently, pupil

velocity observed within this time window was averaged and analyzed using linear mixed models. Given the large number of factors and interactions that could show a relationship with pupil dilation, a model comparison approach was used to remove from the model the factors that do not improve model prediction. We started with a complex model including Partner, Variability, Difficulty, Accuracy, Confidence, and their interactions as fixed effects. The model also included Switch response as predictor and the factor Participant as a random intercept. We then compared this model with a simpler model from which we removed all interaction terms. The comparison showed that including the interactions to the model did not significantly improve model fitting $\chi^2(41) = 52.39$, p = 0.109. Consequently, we continued our analyses with the more parsimonious model (i.e., the model including Partner, Variability, Difficulty, Accuracy, Confidence, Switch responses as fixed effects and Participant as a random intercept). We performed a backward elimination of the remaining fixed factors in order to find the subset of parameters leading to the best performing model. This led to a final model with only Accuracy and Confidence as fixed factors. Specifically, pupil velocity was higher for correct compared to incorrect responses ($\chi^2(1) = 17.54$, p < 0.001), and this effect was almost 3 times stronger when comparing high and low confidence ($\chi^2(1) = 41.15$, p < 0.001), with higher dilation velocity for high compared to low confidence judgments.

The same analyses on response-locked segments showed a difference between high and low confidence trials within a time window going from -550 to 50 ms (Figure 3b). Pupil velocity observed within this time window was averaged and analyzed using the same approach described above. Including all the interaction terms in the model did not improve model fitting $\chi^2(41) = 41.75$, p = 0.438. Analyses were then continued with a parsimonious model (i.e., the model including Partner, Variability, Difficulty, Accuracy, Confidence, Switch responses as fixed effects and Participant as a random intercept). The best performing model included Partner, Difficulty, Confidence, Accuracy and Switch response as fixed predictors. Specifically, pupil dilation velocity was higher when participants interacted with a machine compared to when they interacted with a human partner ($\chi^2(1) = 10.08$, p = 0.002), when their response was correct compared to incorrect responses ($\chi^2(1) = 18.94$, p < 0.001), when they did not change their initial response ($\chi^2(1) = 5.83$, p = 0.016), when the task was easy compared to hard trials ($\chi^2(2) = 6.41$, p = 0.041), and finally more than the other factors, pupil dilation velocity predicted very strongly individuals' confidence judgments ($\chi^2(1) = 154.77$, p < 0.001), with faster pupil dilation for high compared to low confidence judgments.

Figure 3. The plots 3a and 3b show the average pupil velocity for high and low confidence trials calculated across participants as a function of the time after stimulus onset (a), and the time around the perceptual decision (b). Shaded areas represent ± 1 standard error of the mean. (c) Accuracy (proportion of correct classification) of a classifier dissociating high and low confidence trials from pupil velocity. The classifier was trained and tested on stimulus-locked segments. The horizontal blue line indicates the time points with a classification accuracy that was significantly above chance level (50%). Shaded area represents bootstrapped 95% confidence intervals. (d) Best classification accuracy (across time) to discriminate high and low confidence from pupil velocity (in red) and from reaction times (in blue). Error bars represent standard errors. (e) Proportion of blinks that occurred in high and low confidence trials.

Classification of pupil and RT

Similarly, to the analyses reported above, pupil-based classifiers could predict significantly above chance level individuals' judgments of confidence within a time window going from 750 to 1150 ms after stimulus onset (Figure 3c, see also supplementary material for additional classification analyses). The best performance (across time) of the pupil classifier was 54%. RT classifier could also predict significantly above chance level individual's judgments of confidence with an average accuracy of 69% (Figure 3d). A Wilcoxon Rank Sum Test showed that classification accuracy was higher with RT compared to the classification accuracy observed with pupil velocity $z(13) = 4.434$, $p < 0.001$.

Blink data

Changes in pupil dilation may partly be caused by eye blinks (Yoo et al., 2021). The response-locked segments contained eye blinks, hence we decided to verify whether the proportion of blinks differed across conditions. The number of blinks observed in the response-locked epochs were analyzed with a mixed linear model including Partner, Difficulty, Confidence, Accuracy and Switch response as fixed predictors (i.e., the same final model used for pupil analyses in the same segments), participants was included as a random intercept. The number of blinks increased with incorrect compared to correct responses $\chi^2(1) = 7.45$, $p = 0.006$, it also increased when participants changed their initial response $\chi^2(1) = 14.80$, $p < 0.001$, and when their confidence was low compared to high confidence trials, $\chi^2(1) = 308.14$, $p < 0.001$ (Figure 3e).

Discussion

This study aimed at better understanding the role of confidence in decision-making, consolidate the link between pupil dilation and confidence judgments, and confront personal confidence judgments associated with perceptual decisions to the ones of other humans and machines. Participants completed a 2-alternative-forced-choice discrimination task where they had to identify the dot display containing a dot motion direction that was closer to the vertical axis. After their perceptual decision, they estimated whether they were confident or not that their decision was correct. They then viewed in different blocks the response of a human or a machine partner. They were told to evaluate the response of their partner and use it to improve their own accuracy on the perceptual task. Specifically, participants could either keep their initial perceptual decision or change it for the

other option. Concomitantly, we recorded participants' pupil dilation to investigate whether it was a good predictor of confidence and whether it was informative about individuals' strategies to keep or change their initial perceptual response.

In agreement with past research on visual confidence, we observed that participants could evaluate the correctness of their visual decision and that confidence was sensitive to the quality of sensory information (cf. Mamassian 2016 for a review). In addition, we found that interacting with a machine or a human partner modulated confidence judgments while decision accuracy remained unchanged. In particular, when participants interacted with a machine, they exhibited lower confidence judgments in their initial decision compared to when they interacted with a human partner. In line with recent models of metacognition (Fleming & Lau, 2014; Mamassian, 2016), this suggests that confidence judgments do not rely only on the quality of current sensory evidence, but also on additional pieces of information that can bias confidence evaluations (Shekhar & Rahnev, 2020). Interestingly, the decrease in confidence that participants exhibited when interacting with a machine was accompanied with a larger tendency to change their initial perceptual responses, thus boosting participants' final performance accuracy. This seems to suggest that independently of accuracy and task difficulty, confidence estimations drove participants' strategies to keep or change their initial perceptual judgments. Specifically, even though the performance accuracy of the two fictive partners was strictly the same across the task, participants may have had prior assumptions that the machine would be more reliable than a human on the task. Hence, to achieve better performances from their subjective perspective, participants may attribute less weight in their own responses compared to those given by the machine through a decrease in the confidence associated with their own responses, which may in turn enable them to adapt their post-decisional strategies based on their confidence evaluations. In line with this notion, recent studies showed that machines inspire overconfidence (Booth, 2017; 2020) or mistrust (Nicodeme, 2020; Lee & Rich, 2021; Seth et al., 2020) depending on the situation. Furthermore, it has been shown that prior beliefs about a task could induce under- and overconfidence (Van Marcke et al., 2022), and that confidence plays a role in shaping certain aspects of decision-making behavior such as the confirmation bias (Rollwage et al., 2020). An alternative hypothesis is that the belief that the machine would perform better would lead participants to pay less attention to the perceptual task and strongly rely on the machine's answers. However, this seems unlikely since no difference in accuracy in their initial

perceptual decision was observed when participants interacted with a machine compared to when they interacted with a human partner.

Further evidence suggesting that confidence evaluations drove participants' post-decisional strategies come from the observation that participants changed their initial response about 49% of the time when they were not confident compared to when they were confident, while about 16% of the time when their response was incorrect compared to when it was correct. Importantly, this behavior was observed both when they interacted with a machine or a human partner. Taken together these findings suggest that subjective confidence estimates strongly impact post-decisional strategies and behavior, more than objective perceptual accuracy or task difficulty. Indeed, we observed no modulation of task difficulty on the decision to keep or change initial responses, reinforcing the idea that what matters for subsequent behavior is the subjective representation of decision uncertainty (i.e., confidence) and not objective uncertainty of the features of the external reality. This seems logical since the brain cannot have direct and complete access to this objective external information, and it must also consider other sources of information such as internal states and prior knowledge. To this end, confidence is the cognitive product of integrated multi-dimensional information, used to address this situation. Our study provides supporting evidence on the notion that confidence control behavior and decision-making, thus corroborating recent studies that suggest that confidence guides information seeking and learning (Desender et al., 2018; Meyniel et al., 2015; Guggenmos et al., 2016) as well as change of mind (Rollwage et al., 2020; Pescetelli et al., 2021), and it may be one of the mechanisms driving human-human (Bang et al., 2017; De Martino et al., 2017) and human-machine interactions (Wright et al., 2020; Zhang et al., 2020).

Contrary to previous studies, confidence was weakly modulated by the variability of the stimulus (de Gardelle & Mamassian, 2014). This could be explained by interindividual differences. Indeed, some participants may prefer stimuli with high variability while others stimuli with low variability stimuli (cf. de Gardelle & Mamassian, 2015).

Decision-making is accompanied by broad neurophysiological changes of the body (O'Connell & Kelly, 2021) including changes in eye pupil activity (Urai et al. 2017). In the present study we also investigated the relation between eye pupil changes and confidence. In particular, we analyzed pupil velocity since recent studies suggest that temporal derivative of pupil dilation reflects closely arousal fluctuations (Crombie et al., 2021; Okun et al., 2019; Reimer et al., 2014, 2016).

The interest in using pupil dilation as a proxy of confidence relies on the fact that it could allow for the monitoring of individuals' confidence and uncertainty through time without the need of collecting confidence judgments or measuring response times. This application can be important in different domains, including the field of human-human and human-machine interactions. There is indeed growing interest in neuroergonomics to monitor through time different cognitive states of operators while they interact with technology and their teammates (Dehais et al., 2017, 2020; Gramann et al., 2017), with the objective among others to conceive and evaluate new technology. In this context confidence appears to be a critical phenomenon for optimal human-machine interactions (Lee & Moray, 1992; Parasuraman et al., 1993), and to that extent, online access to operators' confidence states could be particularly useful.

Interestingly, in agreement with previous studies (e.g. Lempert et al., 2015) confidence could be predicted by changes in pupil dynamics. Specifically, we observed that during the presentation of the visual stimulus (when neither blinks nor responses could occur) pupil velocity was higher when the following response was correct or confident. Interestingly, pupil velocity did not correlate with the difficulty of the task. This dissociation together with the strong relation between pupil velocity and confidence (three times stronger than the relation between accuracy and pupil velocity) suggest that pupil velocity may be associated with the subjective evaluation of uncertainty rather than objective uncertainty, through short-term arousal fluctuations. A possible explanation for this finding would be that in confident trials participants allocated more strongly attentional resources to the stimulus compared to low confidence trials. However, if that was the case, we believe that pupil dynamics would then correlate more importantly with correct responses rather than confidence. Our finding showed exactly the opposite: larger variations of pupil dynamics were observed when confidence varied rather than when accuracy varied. Secondly, pupil dilation dynamics differed between high and low confident trials also when focusing only on correct trials (see supplementary materials). In agreement with confidence-based learning models, another possible explanation is that confidence has a mechanistic role in reward and value-based learning (Guggenmos et al., 2016; Ptasczynski et al., 2022). Interestingly, pupil dilatation, and more generally arousal, is associated with reward anticipation (Schneider et al., 2018; Koelewijn et al., 2018). We speculate that feeling confident of one's own performance during a task may work as a reinforcing and rewarding signal, which would in turn modulate arousal-based pupil fluctuations.

Past research reported relations between pupil dilation and uncertainty post-response (Lempert et al., 2015; Urai et al., 2017; Balsdon et al., 2020). Our study provides new evidence on the link between pre-response pupil changes and confidence. In further analyses we found that pupil dilations predict confidence only weakly (54% correct classification) compared to response latencies related to perceptual decisions (69% correct classification). Hence, reaction time remains a rather reliable proxy of confidence estimations, in line with previous literature (Kiani, 2014). However, in the absence of any overt behavior, pupil dilations may provide useful insight in the confidence state of an individual, better than a random classification that is 50%. Further investigation should be encouraged to better understand the relationship between pupil and confidence and to improve classification accuracy of pupil-based confidence signals.

The analyses of pupil changes around the time of the perceptual response, provided similar findings showing that, starting from -550 ms to +50 ms around the response, pupil velocity correlated strongly with confidence, accuracy, task difficulty and participants' tendency to change their initial response. However, this time window was contaminated by eye blinks which may have driven unwanted changes in pupil dilation velocity, thus making any conclusion regarding the changes in pupil velocity observed during this time period difficult to draw. In fact, we observed a larger proportion of blinks in hard, incorrect and in low confidence trials. It is well known that stress, boredom, and fatigue can induce an increased blink rate (Tanaka et al., 1993; Barbato et al., 2000; Danckert et al., 2018). We speculate that the increase in eye blinks observed either in low confidence trials or in incorrect and hard trials are associated with momentary stress changes associated with low performance and task difficulty. Further studies should corroborate the relationship between confidence and eye blinks.

In summary, our findings bring new evidence supporting the notion that confidence partly drives decision-making and in particular the interaction with another partner. About its functioning, confidence appears to be a subjective evaluation of decision uncertainty, which integrates internal representations including current internal states and context-dependent beliefs about ourselves and others (Lebreton et al., 2019; Carlebach et al., 2023) during situations with incomplete knowledge (Khalvati et al., 2021). About its role, confidence weigh our decisions and perceptions, allowing us to adapt and learn, guiding our behavior. Our results also provide new insight on the relation between eye pupil dilation and confidence. Crucially, eye pupil dynamics seem to provide some online information about ongoing metacognitive processes and could also directly participate in

decision-making and metacognition, in line with recent advances in the neurophysiology of perceptual decision-making (O'Connell & Kelly, 2021).

Acknowledgment

This research was funded by the Agence Nationale de la Recherche, research funding ANR JCJC, project number ANR-18-CE10-0001, awarded to Andrea Desantis.

References

Balsdon, T., Wyart, V., & Mamassian, P. (2020). Confidence controls perceptual evidence accumulation. *Nature Communications*, *11*(1), Article 1. https://doi.org/10.1038/s41467-020-15561-w

Bang, D., Aitchison, L., Moran, R., Herce Castanon, S., Rafiee, B., Mahmoodi, A., ... & Summerfield, C. (2017). Confidence matching in group decision-making. *Nature Human Behaviour, 1*(6), 0117.

Bang, D., Moran, R., Daw, N. D., & Fleming, S. M. (2022). Neurocomputational mechanisms of confidence in self and others. *Nature Communications*, *13*(1), Article 1. https://doi.org/10.1038/s41467-022-31674-w

Barbato, G., Ficca, G., Muscettola, G., Fichele, M., Beatrice, M., & Rinaldi, F. (2000). Diurnal variation in spontaneous eye-blink rate. *Psychiatry Research*, *93*(2), 145–151. https://doi.org/10.1016/S0165-1781(00)00108-6

Bates, D., Kliegl, R., Vasishth, S., & Baayen, H. (2015). Parsimonious mixed models. *arXiv preprint* arXiv:1506.04967.

Bates, D., Kliegl, R., Vasishth, S., & Baayen, H. (2018). Parsimonious Mixed Models (arXiv:1506.04967). *arXiv*. https://doi.org/10.48550/arXiv.1506.04967

Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistical Society: Series B (Methodological)*, *57*(1), 289–300. https://doi.org/10.1111/j.2517-6161.1995.tb02031.x

Bjork, R. A., Dunlosky, J., & Kornell, N. (2013). Self-regulated learning: Beliefs, techniques, and illusions. *Annual Review of Psychology*, *64*, 417-444.

Booth, S. L. (2020). *Explainable AI foundations to support human-robot teaching and learning* (Doctoral dissertation, Massachusetts Institute of Technology).

Booth, S., Tompkin, J., Pfister, H., Waldo, J., Gajos, K., & Nagpal, R. (2017). Piggybacking Robots: Human-Robot Overtrust in University Dormitory Security. *Proceedings of the 2017*

ACM/IEEE International Conference on Human-Robot Interaction, 426–434. https://doi.org/10.1145/2909824.3020211

Brainard, D. H. (1997). The Psychophysics Toolbox. *Spatial Vision*, *10*(4), 433–436.

Carlebach, N., & Yeung, N. (2023). Flexible use of confidence to guide advice requests. *Cognition*, *230*, 105264. https://doi.org/10.1016/j.cognition.2022.105264

Carlson, T. A., Schrater, P., & He, S. (2003). Patterns of Activity in the Categorical Representations of Objects. *Journal of Cognitive Neuroscience*, *15*(5), 704–717. https://doi.org/10.1162/jocn.2003.15.5.704

Cornelissen, F. W., Peters, E. M., & Palmer, J. (2002). The Eyelink Toolbox: Eye tracking with MATLAB and the Psychophysics Toolbox. *Behavior Research Methods, Instruments, & Computers*, *34*(4), 613–617. https://doi.org/10.3758/BF03195489

Crombie, D., Spacek, M. A., Leibold, C., & Busse, L. (2021). Modulation of dLGN firing mode across multiple timescales is predicted by pupil size dynamics (p. 2021.04.30.442134). *bioRxiv*. https://doi.org/10.1101/2021.04.30.442134

Dafoe, A., Bachrach, Y., Hadfield, G., Horvitz, E., Larson, K., & Graepel, T. (2021). Cooperative AI: Machines must learn to find common ground. *Nature*, *593*(7857), 33–36. https://doi.org/10.1038/d41586-021-01170-0

Danckert, J., Hammerschmidt, T., Marty-Dugas, J., & Smilek, D. (2018). Boredom: Under-aroused and restless. *Consciousness and Cognition*, *61*, 24-37.

de Gardelle, V., & Mamassian, P. (2014). Does Confidence Use a Common Currency Across Two Visual Tasks? *Psychological Science*, *25*(6), 1286–1288. https://doi.org/10.1177/0956797614528956

de Gardelle, V., & Mamassian, P. (2015). Weighting mean and variability during confidence judgments. *PLOS ONE*, 10(3), e0120870.

De Martino, B., Bobadilla-Suarez, S., Nouguchi, T., Sharot, T., & Love, B. C. (2017). Social information is integrated into value and confidence judgments according to its reliability. *Journal of Neuroscience*, *37*(25), 6066-6074.

Dehais, F., Causse, M., & Cegarra, J. (2017). Neuroergonomics: Measuring the human operator's brain in ecological settings. *Le travail humain*, *80*(1), 1–6. https://doi.org/10.3917/th.801.0001

Dehais, F., Lafont, A., Roy, R., & Fairclough, S. (2020). A Neuroergonomics Approach to Mental Workload, Engagement and Human Performance. *Frontiers in Neuroscience*, *14*. https://www.frontiersin.org/articles/10.3389/fnins.2020.00268

Desender, K., Boldt, A., & Yeung, N. (2018). Subjective Confidence Predicts Information Seeking in Decision Making. *Psychological Science*, *29*(5), 761–778. https://doi.org/10.1177/0956797617744771

Dubitzky, W., Granzow, M., & Berrar, D. P. (2007). Fundamentals of Data Mining in Genomics and Proteomics. *Springer Science & Business Media*.

Engeler, N. C., & Gilbert, S. J. (2020). The effect of metacognitive training on confidence and strategic reminder setting. *PLOS ONE*, *15*(10), e0240858. https://doi.org/10.1371/journal.pone.0240858

Fleming, S. M., & Daw, N. D. (2017). Self-evaluation of decision-making: A general Bayesian framework for metacognitive computation. *Psychological Review*, 124(1), 91.

Fleming, S. M., & Lau, H. C. (2014). How to measure metacognition. *Frontiers in Human Neuroscience*, *8*, 443.

Fleming, S. M., Maniscalco, B., Ko, Y., Amendi, N., Ro, T., & Lau, H. (2015). Action-Specific Disruption of Perceptual Confidence. *Psychological Science*, *26*(1), 89–98. https://doi.org/10.1177/0956797614557697

Fox, J., & Weisberg, S. (2011). Multivariate linear models in R. *An R Companion to Applied Regression*. Los Angeles: Thousand Oaks.

Gardelle, V. de, & Mamassian, P. (2015). Weighting Mean and Variability during Confidence Judgments. *PLOS ONE*, *10*(3), e0120870. https://doi.org/10.1371/journal.pone.0120870

Gavas, R., Chatterjee, D., Ramakrishnan, R. K., Viraraghavan, V. S., Kumar, A. A., & Chandra, M. G. (2020, September). Blink rate variability: a marker of sustained attention during a visual task. *Adjunct Proceedings of the 2020 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2020 ACM International Symposium on Wearable Computers* (pp. 450-455).

Gramann, K., Fairclough, S. H., Zander, T. O., & Ayaz, H. (2017). Trends in Neuroergonomics. *Frontiers in Human Neuroscience*, *165*. https://www.frontiersin.org/articles/10.3389/fnhum.2017.00165

Guggenmos, M., Wilbertz, G., Hebart, M. N., & Sterzer, P. (2016). Mesolimbic confidence signals guide perceptual learning in the absence of external feedback. *ELife*, *5*, e13388. https://doi.org/10.7554/eLife.13388

J. Jing, R. Gillette, & K. R. Weiss. (2009). Evolving Concepts of Arousal: Insights from Simple Model Systems. *Reviews in the Neurosciences*, *20*(5–6), 405–428. https://doi.org/10.1515/REVNEURO.2009.20.5-6.405

Kesten, H. (1958). Accelerated stochastic approximation. *The Annals of Mathematical Statistics*, 41-59.

Khalvati, K., Kiani, R., & Rao, R. P. N. (2021). Bayesian inference with incomplete knowledge explains perceptual confidence and its deviations from accuracy. *Nature Communications*, *12*(1), Article 1. https://doi.org/10.1038/s41467-021-25419-4

Kiani, R., Corthell, L., & Shadlen, M. N. (2014). Choice Certainty Is Informed by Both Evidence and Decision Time. *Neuron*, *84*(6), 1329–1342. https://doi.org/10.1016/j.neuron.2014.12.015

Koelewijn, T., Zekveld, A. A., Lunner, T., & Kramer, S. E. (2018). The effect of reward on listening effort as reflected by the pupil dilation response. *Hearing Research*, *367*, 106–112. https://doi.org/10.1016/j.heares.2018.07.011

Kuznetsova, A., Brockhoff, P. B., & Christensen, R. H. B. (2017). lmerTest Package: Tests in Linear Mixed Effects Models. *Journal of Statistical Software*, *82*(13). https://doi.org/10.18637/jss.v082.i13

Lebreton, M., Bacily, K., Palminteri, S., & Engelmann, J. B. (2019). Contextual influence on confidence judgments in human reinforcement learning. *PLOS Computational Biology*, *15*(4), e1006973. https://doi.org/10.1371/journal.pcbi.1006973

Lee, H., Yoo, T., Hyun, S., Beck, D., & Park, W. (2021). Development of Eye Blink Rate Level Classification System Utilizing Sitting Postural Behavior Data. *IEEE Access*, *9*, 143677–143689. https://doi.org/10.1109/ACCESS.2021.3121288

LEE, J., & MORAY, N. (1992). Trust, control strategies and allocation of function in human-machine systems. *Ergonomics*, *35*(10), 1243–1270. https://doi.org/10.1080/00140139208967392

Lee, M. K., & Rich, K. (2021). Who Is Included in Human Perceptions of AI?: Trust and Perceived Fairness around Healthcare AI and Cultural Mistrust. *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*, 1–14. https://doi.org/10.1145/3411764.3445570

Lempert, K. M., Chen, Y. L., & Fleming, S. M. (2015). Relating Pupil Dilation and Metacognitive Confidence during Auditory Decision-Making. *PLOS ONE*, *10*(5), e0126588. https://doi.org/10.1371/journal.pone.0126588

Maffei, A., & Angrilli, A. (2018). Spontaneous eye blink rate: An index of dopaminergic component of sustained attention and fatigue. *International Journal of Psychophysiology*, *123*, 58–63. https://doi.org/10.1016/j.ijpsycho.2017.11.009

Mamassian, P. (2016). Visual Confidence. *Annual Review of Vision Science*, *2*(1), 459–481. https://doi.org/10.1146/annurev-vision-111815-114630

Marcke, H. V., Denmat, P. L., Verguts, T., & Desender, K. (2022). *Manipulating prior beliefs causally induces under- and overconfidence* (p. 2022.03.01.482511). bioRxiv. https://doi.org/10.1101/2022.03.01.482511

Martino, B. D., Bobadilla-Suarez, S., Nouguchi, T., Sharot, T., & Love, B. C. (2017). Social Information Is Integrated into Value and Confidence Judgments According to Its Reliability. *Journal of Neuroscience*, *37*(25), 6066–6074. https://doi.org/10.1523/JNEUROSCI.3880-16.2017

Meyniel, F., Sigman, M., & Mainen, Z. F. (2015). Confidence as Bayesian Probability: From Neural Origins to Behavior. *Neuron*, *88*(1), 78–92. https://doi.org/10.1016/j.neuron.2015.09.039

Nicodeme, C. (2020). Build confidence and acceptance of AI-based decision support systems—Explainable and liable AI. *2020 13th International Conference on Human System Interaction (HSI)*, 20–23. https://doi.org/10.1109/HSI49210.2020.9142668

O'Connell, R. G., & Kelly, S. P. (2021). Neurophysiology of Human Perceptual Decision-Making. *Annual Review of Neuroscience*, *44*(1), 495–516. https://doi.org/10.1146/annurev-neuro-092019-100200

Oken, B. S., Salinsky, M. C., & Elsas, S. M. (2006). Vigilance, alertness, or sustained attention: Physiological basis and measurement. *Clinical Neurophysiology*, *117*(9), 1885–1901. https://doi.org/10.1016/j.clinph.2006.01.017

Okun, M., Steinmetz, N. A., Lak, A., Dervinis, M., & Harris, K. D. (2019). Distinct Structure of Cortical Population Activity on Fast and Infraslow Timescales. *Cerebral Cortex*, *29*(5), 2196–2210. https://doi.org/10.1093/cercor/bhz023

Parasuraman, R., Molloy, R., & Singh, I. L. (1993). Performance Consequences of Automation-Induced "Complacency." *The International Journal of Aviation Psychology*, *3*(1), 1–23. https://doi.org/10.1207/s15327108ijap0301_1

Pescetelli, N., Hauperich, A.-K., & Yeung, N. (2021). Confidence, advice seeking and changes of mind in decision making. *Cognition*, *215*, 104810. https://doi.org/10.1016/j.cognition.2021.104810

Ptasczynski, L. E., Steinecker, I., Sterzer, P., & Guggenmos, M. (2022). The value of confidence: Confidence prediction errors drive value-based learning in the absence of external feedback. *PLOS Computational Biology*, *18*(10), e1010580. https://doi.org/10.1371/journal.pcbi.1010580

Shekhar, M. & Rahnev, D. (2020). Sources of Metacognitive Inefficiency. *Trends in Cognitive Sciences, 25*(1), 12–23. https://doi.org/10.1016/j.tics.2020.10.007

Team, R. C. (2018). R: A language and environment for statistical computing. 2014. *R Foundation for Statistical Computing: Vienna, Austria.*

Reimer, J., Froudarakis, E., Cadwell, C. R., Yatsenko, D., Denfield, G. H., & Tolias, A. S. (2014). Pupil Fluctuations Track Fast Switching of Cortical States during Quiet Wakefulness. *Neuron*, *84*(2), 355–362. https://doi.org/10.1016/j.neuron.2014.09.033

Reimer, J., McGinley, M. J., Liu, Y., Rodenkirch, C., Wang, Q., McCormick, D. A., & Tolias, A. S. (2016). Pupil fluctuations track rapid changes in adrenergic and cholinergic activity in cortex. *Nature Communications*, *7*(1), Article 1. https://doi.org/10.1038/ncomms13289

Rollwage, M., Loosen, A., Hauser, T. U., Moran, R., Dolan, R. J., & Fleming, S. M. (2020). Confidence drives a neural confirmation bias. *Nature communications, 11*(1), 2634.

Risko, E. F., & Gilbert, S. J. (2016). Cognitive Offloading. *Trends in Cognitive Sciences*, *20*(9), 676–688. https://doi.org/10.1016/j.tics.2016.07.002

Schad, D. J., Vasishth, S., Hohenstein, S., & Kliegl, R. (2020). How to capitalize on a priori contrasts in linear (mixed) models: A tutorial. *Journal of Memory and Language*, *110*, 104038. https://doi.org/10.1016/j.jml.2019.104038

Schneider, M., Leuchs, L., Czisch, M., Sämann, P. G., & Spoormaker, V. I. (2018). Disentangling reward anticipation with simultaneous pupillometry / fMRI. *NeuroImage*, *178*, 11–22. https://doi.org/10.1016/j.neuroimage.2018.04.078

Schulz, L., Fleming, S. M., & Dayan, P. (2021). Metacognitive computations for information search: confidence in control. *BioRxiv*, 2021-03.

Schwarz, N., Jalbert, M., Noah, T., & Zhang, L. (2021). Metacognitive experiences as information: Processing fluency in consumer judgment and decision making. *Consumer Psychology Review*, *4*(1), 4–25. https://doi.org/10.1002/arcp.1067

Searle, J. R. (1980). Minds, brains, and programs. *Behavioral and Brain Sciences*, *3*(3), 417–424. https://doi.org/10.1017/S0140525X00005756

Seth, A., & Kishore, D. (2020). Artificial Intelligence (AI) and Computer-Mediated Communication in Newsroom: Challenges for the Journalist. *MediaSpace: DME Media Journal of Communication*, *1*(01), Article 01.

Soltani, A., & Izquierdo, A. (2019). Adaptive learning under expected and unexpected uncertainty. *Nature Reviews Neuroscience, 20*(10), 635-644.

Steyvers, M., & Kumar, A. (2022). Three Challenges for AI-Assisted Decision-Making. *PsyArXiv*. https://doi.org/10.31234/osf.io/gctv6

Tanaka, Y., & Yamaoka, K. (1993). Blink Activity and Task Difficulty. *Perceptual and Motor Skills*, *77*(1), 55–66. https://doi.org/10.2466/pms.1993.77.1.55

Urai, A. E., Braun, A., & Donner, T. H. (2017). Pupil-linked arousal is driven by decision uncertainty and alters serial choice bias. *Nature Communications*, *8*(1), Article 1. https://doi.org/10.1038/ncomms14637

van Kempen, J., Loughnane, G. M., Newman, D. P., Kelly, S. P., Thiele, A., O'Connell, R. G., & Bellgrove, M. A. (2019). Behavioural and neural signatures of perceptual decision-making are modulated by pupil-linked arousal. *ELife*, *8*, e42541. https://doi.org/10.7554/eLife.42541

Van Marcke, H., Denmat, P. L., Verguts, T., & Desender, K. (2022). Manipulating prior beliefs causally induces under-and overconfidence. *BioRxiv*, 2022-03.

Wright, J. L., Chen, J. Y. C., & Lakhmani, S. G. (2020). Agent Transparency and Reliability in Human–Robot Interaction: The Influence on User Confidence and Perceived Reliability. *IEEE Transactions on Human-Machine Systems*, *50*(3), 254–263. https://doi.org/10.1109/THMS.2019.2925717

Zhang, Y., Liao, Q. V., & Bellamy, R. K. E. (2020). Effect of confidence and explanation on accuracy and trust calibration in AI-assisted decision making. *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency*, 295–305. https://doi.org/10.1145/3351095.3372852