Engineering Nme2Cas9 Adenine Base Editors with Improved Activity and Targeting Scope

Nathan Bamidele[a], Han Zhang[a], Xiaolong Dong[j], Nicholas Gaston[a], Haoyang Cheng[a], Karen Kelly[a], Jonathan K. Watts[a,b,c], Jun Xie[e,f,g,h], Guangping Gao[e,f,g,h,], and Erik J. Sontheimer[a,d,h,i]

[a]RNA Therapeutics Institute, University of Massachusetts Chan Medical School, Worcester, Massachusetts, 01605, USA

[b]Department of Biochemistry and Molecular Biotechnology, University of Massachusetts Chan Medical School, Worcester, Massachusetts, 01605, USA

[c]NeuroNexus Institute, University of Massachusetts Chan Medical School, Worcester, Massachusetts, 01605, USA

[d]Program in Molecular Medicine, University of Massachusetts Chan Medical School, Worcester, Massachusetts, 01605, USA

[e]Horae Gene Therapy Center, University of Massachusetts Chan Medical School, Worcester, MA, 01605, USA

[f]Viral Vector Core, University of Massachusetts Chan Medical, School, Worcester, MA, 01605, USA

[g]Department of Microbiology and Physiological Systems, University of Massachusetts Chan Medical School, Worcester, MA, 01605, USA

[h]Li Weibo Institute for Rare Diseases Research, University of Massachusetts Chan Medical School, Worcester, Massachusetts, 01605, USA

[i]Correspondence: erik.sontheimer@umassmed.edu

[j]Present address: Tessera Therapeutics, Somerville, Massachusetts, 02143, USA

Abstract

Nme2Cas9 has been established as a genome editing platform with compact size, high accuracy, and broad targeting range, including single-AAV-deliverable adenine base editors. Here, we have engineered Nme2Cas9 to further increase the activity and targeting scope of compact Nme2Cas9 base editors. We first used domain insertion to position the deaminase domain nearer the displaced DNA strand in the target-bound complex. These domain-inlaid Nme2Cas9 variants exhibited shifted editing windows and increased activity in comparison to the N-terminally fused Nme2-ABE. We next expanded the editing scope by swapping the Nme2Cas9 PAM-interacting domain with that of SmuCas9, which we had previously defined as recognizing a single-cytidine PAM. We used these enhancements to correct two common *MECP2* mutations associated with Rett syndrome with little or no bystander editing. Finally, we validated domain-inlaid Nme2-ABEs for single-AAV delivery *in vivo*.

Introduction

CRISPR-Cas9 DNA base editors (BEs) consist of a deaminase fused to a Cas9 nickase (nCas9) enzyme and enable precise nucleotide changes without double-strand breaks (DSBs)[1,2]. Upon single-guide RNA (sgRNA)-mediated target recognition, BEs deaminate specific bases within a defined editing window relative to the protospacer adjacent motif (PAM) in the displaced DNA strand. Currently, three classes of base editors exist: adenine BEs (ABEs), cytosine BEs (CBEs) and cytosine to guanine BEs (CBGEs), which enable A-to-G, C-to-T and C-to-G nucleotide conversion respectively. With the ability to make precise nucleotide changes within the genome, BEs have the potential to address ~72% of disease-causing point mutations[1].

BE delivery remains a central challenge in therapeutic application *in vivo*, especially for extrahepatic tissues. Adeno-associated virus (AAV) vectors hold promise as an *in vivo* delivery approach for a variety of tissues but have a limited cargo capacity of ~4.7kb. Some commonly used Cas9 orthologs (*e.g.*, SpyCas9, which recognizes an NGG PAM) are large and incompatible with single AAV delivery. An avenue to address this issue is the use of smaller Cas9 orthologs. However, many of the initially identified compact Cas9s (*e.g.*, Nme1Cas9, SauCas9 and CjeCas9)[3–5], recognize 4-nucleotide protospacer adjacent motifs (PAMs), significantly reducing their targeting range and utility relative to those of Spy-BEs and their di-nucleotide PAM. Additional efforts have broadened BE targeting scope via engineered SpyCas9 variants with minimal PAM requirements (*e.g.*, SpyCas9-NG, SpG, SpRY, and Spy-NRNH's)[6–8], although with undiminished delivery hurdles. In contrast, the development of compact Cas9 variants with improved PAM ranges (*e.g.*, SauCas9[KKH], SauriCas9, SchCas9)[9–11], potentially increase their utility as BEs, though these are still limited by di-nucleotide and purine-rich PAMs such as N_3RRT, N_2GG and NGR (N = any nucleotide and R = purine).

To expand the targeting scope and improve deliverability for base editing, we and others previously developed and characterized a compact ABE[12,13] composed of Nme2Cas9[14] and the laboratory-evolved tRNA adenosine deaminase, TadA8e[15]. Important properties of Nme2-ABE8e include an N_4CC dinucleotide PAM that can target non-purine-containing sites, high sensitivity to target mismatches, and single -AAV (effector + guide) delivery capabilities. Although Nme2-ABE8e was effective *in vivo* following single-AAV delivery, editing levels were often inconsistent between target sites[12,13].

In this study, we have used structure-based[16] rational engineering approaches to further improve the editing activity and targeting scope of Nme2-ABE8e. We first used domain insertions[17–22] to re-position the deaminase (relative to the target strand) for improved base editing efficiency. As with SauCas9 and SpyCas9 BEs[17–22], we found that domain-inlaid Nme2-ABEs shift editing windows as well as improve editing efficiency. Domain-inlaid Nme2Cas9-deaminase fusions retained higher mismatch sensitivity than Spy-ABEs, and were also compatible with CBEs as well as ABEs. We then expanded the targeting scope of the domain-inlaid Nme2-ABEs by exploiting our previous identification of SmuCas9 and its single-cytidine (N_4C) PAM requirement[23], as well as our demonstration that Nme1Cas9 and Nme2Cas9 can accommodate PAM-interacting domain (PID) swaps with other Cas9 homologs[14]. Specifically, we generated Nme2-BE derivatives with a transplanted SmuCas9 PID and validated it as an effective BE platform at single-C PAMs. Using the improved Nme2-ABE variants, we found that we can correct two common mutations that cause Rett syndrome [c.502 C>T (p.R168X) and c.916 C>T (p.R306C)] with little or no bystander editing. Lastly, we find that the domain-inlaid Nme2-ABE is highly active *in vivo* when delivered via single-AAV vector systems. The results improve the efficacy, targeting scope, and delivery capabilities of base editing systems *in vivo*.

Results

Development and characterization of domain-inlaid Nme2-ABEs

Structural analyses of Nme1Cas9 and Nme2Cas9[16], including the former in its cleavage-poised ternary complex, hinted that the inconsistent activity observed for the N-terminally fused Nme2Cas9 ABE variant (Nme2-ABE8e-nt) may be due to poor positioning of the deaminase domain relative to the predicted path of the displaced ssDNA target. We hypothesized that re-positioning of the deaminase closer to its target site may lead to increased editing efficiencies. A variety of Cas9 protein engineering approaches have been taken to alter the positioning of Cas9-domain fusions[24–26]. We opted for domain insertion, as several groups have shown that both Spy- and SauCas9 are amenable to this type of engineering[17–22]. Additionally, in the context of Cas9-BEs, the internal placement of a deaminase has been shown to decrease Cas9-independent off target deamination, improving their safety profiles. We took a structure-guided approach[16] to select eight domain insertion sites at surface-exposed loops (**Fig. 1a**). Our initial panel of inlaid Nme2-ABE8e effectors (Nme2-ABE8e -i1 through -i8) include the TadA8e deaminase flanked by twenty amino acid (AA) flexible linkers inserted into the RuvC-inactivated Nme2Cas9 nickase mutant (nNme2[D16A]) (**Supplementary Fig. 1a**). To streamline the initial screening of the Nme2-ABE8e constructs, we used a previously described HEK293T ABE mCherry reporter cell line that

is activated upon A-to-G conversion[12,27] (**Fig. 1b**). All domain-inlaid Nme2-ABE8e variants except Nme2-ABE8e-i4 activated the ABE reporter cell line above background levels, with several exhibiting efficiencies greater than that of the N-terminally fused version (**Fig. 1b**).

Domain-inlaid base editors have been shown to shift the editing window depending on the site of deaminase insertion[19,21]. We reasoned that the mCherry reporter, with its single target adenosine at nt 8 of the 24-nt protospacer (A8, counting from the PAM-distal end), would not accurately reflect the editing activity of all Nme2-ABE8e effectors. To provide a more comprehensive view of editing windows, we analyzed the Nme2-ABE8e effectors at 15 endogenous target sites within HEK293T cells via plasmid transfections. Among the target sites tested, we found all domain-inlaid variants improved overall editing efficiencies ranging from a 1.05- to 2.27-fold increase compared to Nme2-ABE8e-nt (describing cumulative average editing for the 15 protospacers, **Supplementary Fig. 1c**). Encouraged by the activities of the domain-inlaid Nme2-ABE effectors, we explored how they compare to Spy-ABE8e at eight dual PAM targeting sites that have NGGNCC PAM regions (**Fig. 1c-e**). For this experiment, we focused on Nme2-ABE8e-i1, -i7, and -i8 because they exhibited the highest activities and most varied editing windows. The inlaid Nme2-ABE8e effectors showed comparable activity as Spy-ABE8e at six out of eight of the target sites (**Fig. 1c-d**). Furthermore, editing windows were altered in the inlaid versions in a manner consistent with the sites of deaminase insertion (**Fig. 1e**). Specifically, Nme2-ABE8e-i1 favored editing of PAM-distal adenosines, whereas the -i7 and -i8 effectors exhibited more PAM-proximal editing windows (**Fig. 1e, Supplementary Fig. 1b**). These results demonstrated that positioning of the deaminase relative to the targeted R-loop can improve the efficiency and alter the editing window of Nme2-ABEs. Because of their editing efficiencies and distinct editing windows, our subsequent analyses of inlaid Nme2-ABE8e variants focused primarily on the -i1, -i7 and -i8 effectors.

Nme2Cas9 tolerates insertion of alternative deaminases

We next investigated whether Nme2Cas9 tolerates the insertion of cytosine deaminases (Nme2-CBEs). For these experiments, we again focused on the inlaid designs with insertion sites -i1, -i7, and -i8. We first turned our attention to the cytidine deaminase evoFERNY[28], which has a similar size as TadA8e (161AA and 166AA respectively). To construct the Nme2-evoFERNY effectors we used the same architecture as the domain-inlaid Nme2-ABEs, with the addition of a C-terminal 10AA linker and a single uracil glycosylase inhibitor (UGI) domain (**Supplementary**

Fig. 2a). In addition to evoFERNY, we also constructed Nme2-CBEs with the larger rAPOBEC1 (rA1, 228AA) cytidine deaminase (Nme2-rA1)[29].

We tested the domain-inlaid Nme2-CBEs against their N-terminal fusion counterparts (Nme2-evoFERNY-nt or Nme2-rA1-nt), at three high-activity target sites in HEK293T cells by plasmid transfection. All Nme2-CBE effectors were functional at the genomic sites tested (**Supplementary Fig. 2b**). Like the domain-inlaid Nme2-ABEs, the Nme2-CBEs exhibited insertion site dependent shifts of their editing windows (**Supplementary Fig. 2c**). In addition, we noticed divergent editing patterns occurring at the same genomic loci between two analogous domain-inlaid Nme2-CBE effectors, some of which is likely attributed to the sequence specificity of the distinct cytidine deaminases (**Supplementary Fig. 2d**). These results demonstrate that Nme2Cas9 is a flexible scaffold for insertion of a variety of deaminase domains enabling C-to-T as well as A-to-G base editing.

Chimeric Nme2^{Smu}-ABEs enable recognition of N$_4$CN PAMs, increasing their target scope
The activity of Cas9-BEs are limited to editing in specific editing windows specified by the distance from the PAM[2]. Here, we sought to increase the targeting scope of Nme2-ABEs by altering their PAM recognition properties. Our group previously demonstrated that PID swapping between closely related Type II-C Cas9 orthologs could alter their PAM preferences[14]. We also discovered and characterized SmuCas9 from *Simonsiella muelleri*, and found that it has a minimal PAM of N$_4$CN, despite having limited nuclease editing activity in HEK293T cells[23]. We reasoned that chimeric, domain-inlaid Nme2-ABEs with an SmuCas9 PID (Nme2^{Smu}-ABEs) could alter the PAM preference from N$_4$CC to N$_4$CN, consequently doubling the number of target sites available for targeting by Nme2-ABEs.

After constructing the Nme2^{Smu}-ABE8e effectors with -i1, -i7 and -i8 designs (**Fig. 2a**), we tested their activities at a panel of six N$_4$CC and twelve N$_4$CD (D = A, G or T) PAM targets in HEK293T cells by plasmid transfection. For this experiment, Nme2-ABE8e-i1 was used as a reference (**Fig. 2b**). For the N$_4$CC targets, Nme2-ABE8e-i1 exhibited average editing of ~38% (describing the average maximally-edited adenine across each protospacer in **Fig. 2b**, **2c**). All three Nme2^{Smu}-ABE8e effectors were also active at the N$_4$CC target sites, but with 1.7- to 2-fold reductions in overall activity compared to Nme2-ABE8e-i1 (**Fig. 2c**). As expected, Nme2-ABE8e-i1 had minimal activity at the N$_4$CD target sites, with mean maximum A-to-G editing efficiencies of >0.1% for N$_4$CA and N$_4$CG PAM targets and ~6% for N$_4$CT (**Fig. 2c**). By contrast, all three PID-swapped,

domain-inlaid Nme2^{Smu}-ABE8e effectors effectively installed A-to-G edits at the N$_4$CD PAM target sites, though with varied efficiencies. For example, Nme2^{Smu}-ABE8e-i1 had mean maximum editing efficiencies of ~18% for N$_4$CA, ~20% for N$_4$CG and ~39% for N$_4$CT (**Fig. 2c**). These results indicate that Nme2^{Smu}-ABEs can target and install precise edits at sites with N$_4$CN PAMs, with a modest preference for N$_4$CT PAMs for the target sites tested in our panel.

Analysis of domain-inlaid Nme2-ABE8e specificity

We then sought to determine the specificities of the domain-inlaid Nme2-ABEs. Guide-dependent off-target editing is driven by Cas9 unwinding and R-loop formation at targets with high sequence similarity[30]. We previously demonstrated that Nme2-ABE8e-nt has a much lower propensity for guide-dependent off-target editing compared to Spy-ABE8e[12]. Using the most active inlaid variant (Nme2-ABE8e-i1) as a prototype, we examined guide-dependent specificity using a series of double-mismatch guides targeting the mCherry reporter, with Spy-ABE8e and Nme2-ABE8e-nt used for comparison. In all cases, the target adenosine was at the eighth nt of the protospacer (**Fig. 3a-b**). To account for differences in on-target activity (especially for Nme2-ABE8e-nt), we normalized the activities of the mismatched guides to that of the respective non-mismatched guide. Consistent with our previous results, Spy-ABE8e significantly outperformed Nme2-ABE8e-nt for on-target activity (**Fig. 3a**), but exhibited far greater activity with mismatched guides (**Fig. 3b**). Nme2-ABE8e-i1 activated the reporter with a similar efficiency as Spy-ABE8e (**Fig. 3a**), but with greater sensitivity to mismatches (**Fig. 3b**). Although the Nme2-ABE8e-i1 variant was less promiscuous than Spy-ABE8e, it exhibited higher activity with mismatched guides than Nme2-ABE8e-nt, illustrating trade-offs between on- and off-target editing efficiencies observed previously elsewhere[30]. We then assayed the mismatch sensitivity of the Nme2-ABE8e -i7 and -i8 effectors, to determine whether their preference for PAM-proximal editing windows would alter the mismatch sensitivity in comparison to the -nt and -i1 effectors for activating the reporter cell line. In this experiment, Nme2-ABE8e-i7 and -i8 exhibited mismatch sensitivities comparable to Nme2-ABE-nt, while retaining high on-target activity (**Fig. 3a-b**). A potential explanation for the increased sensitivity of -i7 and -i8 effectors at this site is that the impact of imperfect base pairing between a guide and target may become more apparent as the optimal editing window shifts away from the target adenine. A recent strategy using imperfectly paired guide RNAs to minimize bystander editing relied on a similar concept, providing some support for this hypothesis[31].

Following the mismatch sensitivity assay, we evaluated the specificity of domain-inlaid Nme2- and Nme2^{Smu}-ABE8e's against their respective ABE8e-nt variants at *bona fide* endogenous off-

target sites. Although Nme2Cas9 off-target sites are rare due to its intrinsic accuracy in mammalian genome editing[14], a few off-target sites have been identified for both nuclease and ABE variants via GUIDE-seq or *in silico* prediction. We selected four target sites for assessment, of which three had been validated as detectably edited off-target sites[12,14,32] (**Fig. 3c**). In agreement with the mismatch sensitivity assay, Nme2-ABE8e variants with domain insertion at the -i1 position exhibited the greatest increase in off-target editing efficiencies, reaching above 1% at two out of the four targets and yielding the least favorable specificity ratio [on-target:off-target editing ratio] of ~23:1. Also in agreement with the mismatch sensitivity assay, the -i7 and -i8 effectors displayed increased accuracy in comparison to the -nt effectors (with specificity ratios of ~200:1 for -i7, ~170:1 for -i8, and ~82:1 for -nt) (**Fig. 3c**).

Next we turned our attention towards guide-independent off-target editing. We hypothesized that similar to other domain-inlaid BE architectures, the internal positioning of the deaminase would limit the propensity for off-target nucleic acid editing that occurs *in trans*. We used the orthogonal R-loop assay with HNH-nicking SauCas9 (nSau^{D10A})[15,21,33] to generate off-target R-loops and capture the guide-independent DNA editing mediated by Spy-ABE8e or the Nme2-ABE8e variants (-nt-and i1). We evaluated the off-target activity of these ABE8e effectors by amplicon deep sequencing at three SauCas9^{D10A}-generated R-loops. We found that Nme2-ABE8e-i1 was less prone to editing the orthogonal R-loops compared to Nme2-ABE8e-nt and Spy-ABE8e (**Supplementary Fig. 3a**). To account for differences in on-target activities of the effectors, we reanalyzed the data by assessing the on-target: off-target editing ratio of each effector. Since Nme2-ABE8e effectors (-nt and -i1) have wider editing windows than Spy-ABE8e, we took the average editing activities across the respective windows of each effector for this target (protospacer positions 1-17nt for Nme2-ABE8e and 3-9nt for Spy-ABE8e), enabling a better comparison between the effectors (**Supplementary Fig. 3b**). In all cases, Nme2-ABE8e-i1 significantly outperformed Nme2-ABE8e-nt and Spy-ABE8e for guide-independent specificity at the orthogonal R-loops tested (**Supplementary Fig. 3c**). For this assay, we also investigated whether the TadA8e^{V106W} mutant further increases the guide-independent DNA specificity with the Nme2-ABE8e-i1 architecture (Nme2-ABE8e^{v106w}-i1). As observed previously with other effectors[15], we observed increased specificity at all orthogonal R-loops with Nme2-ABE8e^{v106w}-i1 compared to Nme2-ABE8e-i1, though the specificity increase was only significant for R-loop 3 (*SSH2*) (**Supplementary Fig. 3c**).

Nme2-ABEs enable correction of common Rett syndrome alleles

Having established several Nme2-ABEs variants with varied editing windows and PAM preferences, we sought to demonstrate their use in a disease-relevant context. We previously showed that Nme2-ABE8e-nt can correct the second-most-common Rett syndrome mutation (c.502 C>T; p.R168X)[12]. The c.502 C>T mutation resides within a pyrimidine-rich region, where the target adenine is not accessible by well-established single-AAV-compatible ABEs (e.g. SauCas9, SauCas9-KKH, and SauriCas9). Although promising, these initial experiments revealed the incidence of bystander editing at an upstream adenine (A16), resulting in a missense mutation of unknown consequence (c.496 T>C; p.S166P).

With the increased activity and shifted editing windows of the domain-inlaid Nme2-ABE8e variants, we hypothesized that we could avoid bystander editing by selecting guide RNAs that shift its position outside the editing window (**Fig. 4a**). To test whether the domain-inlaid Nme2-ABEs could correct c.502 C>T while avoiding bystander editing, we electroporated mRNAs with synthetic guides into Rett patient-derived fibroblasts (PDFs) bearing the c.502 C>T allele. We first tested the editing activities of the various effectors with our previously validated guide[12], denoted 502.G8. Consistent with our previous results, 502.G8 and Nme2-ABE8e-nt effectively corrected the target adenine (19% efficiency), but with substantial (5%) bystander editing (**Fig. 4b**). The domain-inlaid ABE8e variants were also active with 502.G8, with the -i7 and -i8 effectors exhibiting even higher bystander editing (~60%, likely reflecting their shifted editing windows, along with potential bystander editing of the wildtype allele (**Fig. 4b**). We next turned our attention to an additional guide, 502.G6, which places the target and bystander adenine at positions A16 and A22 of the protospacer respectively. With 502.G6, Nme2-ABE8e-nt performed poorly, exhibiting an average on-target editing efficiency of ~4% (**Fig. 4b**), whereas the -i1 and -i8 variants were somewhat more efficient (~14% and ~11% respectively). Importantly, however, 502.G6-guided correction by the domain-inlaid Nme2-ABE8e effectors occurred with undetectable editing at the A22 bystander (**Fig. 4b**).

Although the domain-inlaid Nme2-ABE8e effectors enabled correction of the c.502 C>T mutant with undetectable bystander editing, it came at the consequence of lowered on-target activity when using 502.G6 compared to 502.G8. We thus turned to the Nme2^{Smu}-ABE8e variants which allowed targeting the c.502 C>T with an additional four sgRNAs bearing non-canonical N$_4$CN PAMs, two of which (502.G9, 502.G10) placed the target and bystander adenines in favorable positions. Amplicon sequencing of the Nme2^{Smu}-ABE8e edited Rett PDF cells revealed that all the editors were inefficient at installing edits with sgRNA 502.G9 (**Supplementary Table 1**).

Conversely, sgRNA 502.G10 corrected the mutation more efficiently (~18% and ~16% for the -i7 and -i8 effectors respectively) than 502.G6 while avoiding bystander editing (**Fig. 4b**). We also tested editing of Rett PDF cells bearing the c.916 C>T (p.R306C) missense mutation (**Fig. 4c**). Using the Nme2^{Smu}-ABE8e variants at an N$_4$CT PAM we were also able to induce correction of this mutation. The -nt and -i1 effectors had average on-target editing rates of ~20%, ~22% respectively with bystander editing below 1% (**Fig. 4d**). We also tested an additional guide 916.G3 with an N$_4$CC PAM for the Nme2-ABE effectors, although the on-target editing rate (~17% effeciency) was somewhat comparable to the PID swapped -i1 inlaid ABE variant, bystander editing was more substantial at this site (~5% efficiency) (**Fig. 4d**).

Domain-inlaid Nme2-ABE8e enables *in vivo* base editing with a single AAV vector

We previously developed and optimized a compact AAV design that enables all-in-one delivery of Nme2-ABE8e-nt with a sgRNA for *in vivo* base editing. At 4996 bp, the cassettes harboring the domain-inlaid Nme2-ABE8e variants and a guide RNA are also within the packaging limit of some single AAV vectors, allowing us to test whether they outperform Nme2-ABE8e-*nt* in an *in vivo* setting. For our *in vivo* experiments we designed AAV genomes containing Nme2-ABE8e-nt, Nme2-ABE8e-i1 or Nme2-ABE8e^{v106w}-i1 with a sgRNA targeting the *Rosa26* locus (**Fig. 5a**).

We conducted two *in vivo* editing experiments with 9-week-old mice. First we focused on systemic [intravenous (i.v.)] injection and editing in the liver, whereas the second experiment tested editing in the brain after intrastriatal injection. In both cases, mice were sacrificed 6 weeks after their respective injections and editing was quantified by amplicon sequencing. Within the liver, Nme2-ABE8e-i1 and Nme2-ABE-i1^{v106W} had editing efficiencies of ~49% (p = 0.015) and ~46% (p = 0.04) respectively, outperforming Nme2-ABE8e-nt (editing efficiency ~34% at A6 of the *Rosa26* target site), (one-way ANOVA) (**Fig. 5b**). Within the striatum the trend continued, with both Nme2-ABE8e-i1 and Nme2-ABE-i1^{v106W} exhibiting improved editing activities (~37% and ~34% at A6 of *Rosa26*), compared to Nme2-ABE-nt (~25%), though with substantial efficiency variability that compromises statistical significance (**Fig. 5b**).

We next sought to determine whether the boost in on-target activity in the liver was also accompanied by increased sgRNA-dependent off-target activity. The *Rosa26* sgRNA used in this study is unusual among Nme2Cas9 guides in having a previously validated off-target site (*Rosa26*-OT1)[14]. We conducted amplicon sequencing at *Rosa26*-OT1 on genomic DNA extracted from the mouse livers used for our on-target analysis. We found that both Nme2-ABE8e-i1 and

the V106W variant increased off-target A-to-G editing (up to ~7% and ~5% respectively), compared to Nme2-ABE8e-nt (~0.2%) (**Fig. 5c**). Collectively these results demonstrate that the increased activity of the domain-inlaid ABEs can translate to an *in vivo* setting, though this increase can come at the cost of increased off-target editing.

Discussion

With the ability to enable single-nucleotide changes without genomic DSBs, BEs make exceptional candidates for use in the clinic as precision genome editors. This has been exemplified by the approval of clinical trials using BEs for therapeutic gene editing (clinicaltrials.gov identifiers: NCT05398029 and NCT05456880). Nonetheless, BEs face multiple hurdles to reach their full clinical potential. First, commonly used Spy-BEs are large, complicating delivery with AAV vectors, one of the most clinically advanced *in vivo* delivery vehicles for extrahepatic tissues. Second, the use of compact Cas9 orthologs compatible with single-vector AAV delivery are often limited by restrictive PAMs, limiting the scope of genomic sites that they can target. To this end we[12] and others[13] previously developed a compact ABE, Nme2-ABE-nt, enabling single-AAV delivery with a minimal N_4CC dinucleotide PAM and high specificity. Nonetheless, despite the functionality of Nme2-ABE-nt *in vivo* at clinically relevant AAV doses, we observed inconsistent editing between target sites and significantly reduced editing activity in mammalian cells when compared to its Spy-ABE counterpart.

In this study, we used rational design to develop a panel of domain-inlaid Nme2-ABEs with increased editing activity, distinct editing windows, and a single-nucleotide PAM. Using the improved Nme2-ABE variants, we found that we can address common disease-causing point mutations such as certain *MeCP2* Rett syndrome alleles (c.502 C>T; p.R168X) and (c.916 C>T, p.R306C) with minimal bystander editing. We also found that the domain-inlaid variants are highly active *in vivo*. After systemic injection of Nme2-ABE8e-i1 AAV vector into adult mice at clinically relevant doses ($4×10^{11}$ vg/mouse), we observed nearly 50% editing in the liver. Although Nme2-ABE8e-i1 increased on-target activity within the liver compared to Nme2-ABE8e-nt, this was accompanied by increased off-target activity. Our specificity characterization of Nme2-ABE- i1, -i7 and -i8 demonstrated that in certain contexts they can achieve editing activities comparable to Spy-ABE while reducing guide-dependent and guide-independent off-target activity. Nevertheless, even with improved specificity compared with Spy-ABE, guides should be carefully considered to minimize undesired editing outcomes.

Our development of PID-chimeric Nme2^{Smu}-ABEs that recognize a single-cytidine PAM, further increase the utility of these compact BEs. While our work was in progress, others also demonstrated that the SmuCas9 PID can be used to create chimeric Cas9 nucleases with a N$_4$CN PAM, even though their Nme2^{Smu}Cas9 nuclease exhibited poor efficiency at the target sites they assessed[34]. Although our Nme2^{Smu}-ABEs had detectable activity at all N$_4$CN PAM target sites tested, we observed a reduction in activity at sites with N$_4$CC PAMs when compared to domain-inlaid Nme2-ABE with a wildtype PID. This result suggests that in cases where a target site contains a N$_4$CC PAM, Nme2-ABE with a wildtype PID is the variant of choice. However, when single-cytidine PAMs are required, Nme2^{Smu}-ABEs can allow such sites to be targeted. Further protein engineering efforts, such as structure-guided design, mutational scanning, directed evolution or a combination of all may be employed with Nme2^{Smu}-ABE or Nme2^{Smu}Cas9 as a starting scaffold to develop mutants with improved activity on all N$_4$CN PAM targets[32].

For single-vector AAV delivery of the Nme2^{Smu}-ABE effectors, the slightly larger PID of SmuCas9 adds 24bp (8AA) to the length of Nme2-ABEs, slightly exceeding the AAV packaging limit in our design with the U1a (251bp) promoter. Alternative promoters such as the EF-1α short (EFS, 212bp) promoter can be employed[13], likely enabling efficient packaging of Nme2^{Smu}-ABE effectors into a single AAV vector for *in vivo* editing. Alternatively, further optimization of the linker lengths between the nNme2Cas9 and deaminase domain (including for the domain-inlaid versions) promises to further minimize the sizes of both Nme2- and Nme2^{Smu}-ABE8e constructs.

Although the focus of this study was on the development and characterization of improved Nme2-ABEs, we found that our domain-inlaid architectures were also compatible with multiple CBE deaminases, laying a foundation for expanding the use of Nme2-BEs with improved activity and specificity for C-to-T and potentially C-to-G base editing. Overall, in light of Nme2-ABE's compact size, minimal PAM, specificity, shifted editing windows, and compatibility with single-AAV delivery, we anticipate that these advances will enable additional therapeutic applications with improved safety, efficacy, tissue tropism, and targeting range.

Methods

Molecular cloning. Plasmids expressing Nme2-ABE variants were constructed by Gibson assembly using Addgene plasmid #122610 as a backbone containing the CMV promoter and N- and C-terminal BP-SV40 NLSs. To generate Nme2-ABE-nt, the open reading frame of the N-terminally fused Nme2-ABE[12] was PCR-amplified and cloned into the CMV backbone. The domain-inlaid Nme2-ABEs were constructed with two sequential assemblies: first, nNme2^{D16A} was assembled into the CMV backbone, and second, a gene block encoding the TadA8e domain and linkers was assembled into the assigned insertion sites. The domain-inlaid CBE deaminases were cloned in similar fashion to the ABE constructs, with Addgene #122610 as a backbone containing the CMV promoter, terminal BP-SV40 NLSs and a single UGI domain, with gene blocks encoding the evoFERNY[28] or rAPOBEC1 (rA1)[29] deaminase. Nme2-evoFERNY-nt was constructed via Gibson assembly by replacing nSpy^{D10A} (Addgene #122610) with nNme2^{D16A} and removing one of the UGI domains. Nme2-rA1-nt was subsequently cloned by replacing the eVF domain with rA1 using the Nme2-evoFERNY-nt plasmid. Nme2-ABE-i1^{V106W} was cloned by site-directed mutagenesis (SDM), using NEB's KLD enzyme mix (NEB #M0554S) with the appropriate Nme2Cas9 effector plasmid as a template. The nSauCas9^{D10A} plasmid used for the orthogonal R-loop assay was also cloned by SDM using CMV-dSauCas9 (Addgene #138162) as a template. U6-driven sgRNA plasmids for the various Cas effectors were cloned using pBluescript sgRNA expression plasmids (Addgene #122089, #122090, #122091 for SpyCas9, SauCas9 and Nme2Cas9 respectively). In brief, the sgRNA plasmids were digested with BfuAI, followed by Gibson assembly with ssDNA bridge oligos containing a spacer of interest (G/N23 for Nme2Cas9, G/N19 for SpyCas9 and G/N21 for SauCas9). Nme2^{Smu}-ABE variants were cloned by replacing the Nme2Cas9 PID with the SmuCas9 PID using a gene block and Gibson assembly. The single-vector AAV plasmids were cloned by replacing the Nme2-ABE effector from our previously described AAV-Nme2-ABE8e_V2 plasmid[12] with the described domain-inlaid variants.

***In vitro* mRNA synthesis.** mRNAs used in this manuscript were *in vitro* transcribed as previously described[12], using the Hiscribe T7 RNA synthesis kit (NEB #E2040S). In brief, 500 ng of linearized plasmid template was used for the reaction, with complete substitution of uridine to 1-methylpseudouridine and CleanCap AG analog (N-1081 and N-7113, TriLink Biotechnologies).

Transient transfection. Mouse N2A (ATCC #CCL-131), HEK293T (ATCC #CRL-3216) cells and their reporter-transduced derivatives were cultured in Dulbecco's Modified Eagle's Medium (DMEM; Genesee Scientific #25-500) supplemented with 10% fetal bovine serum (FBS; Gibco

#26140079). All cells were incubated at 37°C with 5% CO_2. For plasmid transfections, cells were seeded in 96-well plates at ~15,000 cells per well and incubated overnight. The following day, cells were transfected with plasmid DNA using Lipofectamine 2000 (ThermoFisher #11668019) following the manufacturer's protocol. For editing the mCherry reporter and endogenous target sites, 100 ng of effector plasmid and 100 ng of sgRNA plasmid was transfected with 0.75 μl Lipofectamine 2000. For the orthogonal R-loop assay, 125 ng of each effector and each sgRNA was used with 0.75 μl Lipofectamine 2000. For editing experiments with amplicon sequencing analysis, genomic DNA was extracted from cells 72 hours post-transfection with QuickExtract (Lucigen #QE0905) following the manufacturer's protocol.

Electroporation. Rett PDF cells were obtained from the Rett Syndrome Research Trust and cultured in Dulbecco's Modified Eagle's Medium (DMEM; Genesee Scientific #25-500) supplemented with 15% fetal bovine serum (Gibco #26140079) and 1x nonessential amino acids (Gibco #11140050). These cells were also incubated at 37°C with 5% CO_2. PDF electroporations were performed using the Neon Transfection System 10 μl kit (ThermoFisher #MPK1096) as previously described[12]. A total of 500ng ABE mRNA and 100 pmol sgRNA were electroporated into ~50,000 PDF cells. 48 hours post-electroporation, genomic DNA was extracted with QuickExtract (Lucigen #QE09050) for amplicon sequencing.

Flow cytometry. 72 hours post-transfection, cells were trypsinized, collected, and washed with FACS buffer (chilled PBS and 3% fetal bovine serum). Cells were resuspended in 300 μl FACS buffer for flow cytometry analysis using the MACSQuant VYB system. 10,000 cells per sample were counted for analysis with Flowjo v10.

Amplicon Sequencing and Data Analysis. Amplicon sequencing, library preparation, and analysis were performed as previously described[12]. Briefly, Q5 High-Fidelity polymerase (NEB #M0492) was used to amplify genomic DNA for library preparation, and libraries were pooled and purified twice after gel extraction with the Zymo gel extraction kit and DNA Clean and Concentrator (Zymo Research #11-301 and #11-303). Pooled amplicons were then sequenced on an Illumina MiniSeq system (300 cycles, Illumina sequencing kit #FC-420-1004) following the manufacturer's protocol. Sequencing data was analyzed with CRISPResso2[35] (version 2.0.40) in BE output batch mode with and the following flags: -w 12, -wc -12, -q 30.

AAV production. AAV vector packaging was done at the Viral Vector Core of the Horae Gene Therapy Center at the UMass Chan Medical School as previously described[12]. Constructs were packaged in AAV9 capsids and viral titers were determined by digital droplet PCR and gel electrophoresis followed by silver staining.

Mouse tail vein injection. All animal study protocols were approved by the Institutional Animal Care and Use Committee (IACUC) at UMass Chan Medical School. The 8-week-old C57BL/6J mice were tail-vein injected with a dosage of 4×10^{11} vg per mouse (in 200 μl saline). Mice were euthanized at 6 weeks post injection and perfused with PBS. Livers were harvested and pulverized in liquid nitrogen, and 15 mg of the tissue from each mouse liver was used for genomic DNA extraction. Genomic DNA from mouse liver or striatum (see below) was extracted using GenElute Mammalian Genomic DNA Miniprep Kit (Millipore Sigma #G1N350).

Stereotactic intrastriatal injection. 8-10-week-old C57BL/6J mice were weighed and anesthetized by intraperitoneal injection of a 0.1 mg/kg Fentanyl, 5mg/kg Midazolam, and 0.25mg/kg Dexmedetomidine mixture. Once pedal reflex ceased, mice were shaved and a total dose of 1×10^{10} vg of AAV was administered via bilateral intrastriatal injection (2 μl per side) performed at the following coordinates from bregma: +1.0 mm anterior-posterior (AP), ±2.0 mm mediolateral, and −3.0 mm dorsoventral. Once the injection was completed, mice were intraperitoneally injected with 0.5mg/kg Flumazenil and 5.0mg/kg Atipamezole and subcutaneously injected with 0.3mg/kg Buprenorphine. Mice were euthanized at 6 weeks post-injection and perfused with PBS. Brains were harvested and biopsies at the striatum were taken for genomic DNA extraction.

Western Blot. Plasmids encoding C-terminal 6X-His tagged Nme2-ABE8e's were delivered with sgRNA into HEK293T cells via transient transfection as described above. Protein lysates were collected 72 hours post-transfection by direct addition of 2x Laemmli sample buffer (BioRad #1610737EDU) followed by lysis at 95°C for 10 mins. Western blots were performed as described previously[36]. Primary mouse-anti-6xHis (ThermoFisher #MA1-21315, 1:2000 dilution) was used for Nme2-ABE8e detection and rabbit-anti-LaminB1 (Abcam #AB16048, 1:10,000 dilution) was used for detection of the loading control. After incubation with secondary antibodies, goat-anti-mouse IRDye®800CW (LI-COR #925-32210, 1:20,000 dilution) and goat-anti-rabbit IRDye®680RD (LI-COR #926-68071, 1:20,000 dilution), blots were visualized using a BioRad imaging system.

Statistical analysis. Statistical analysis was performed using one- or two-way ANOVA using Dunnett's multiple comparisons test for correction in GraphPad Prism 9.4.0.

Data availability

Sequencing data that support the findings of this study will be deposited in SRA upon publication. Source data for the figures are provided as a supplementary data file. Plasmids described in this paper will be available from Addgene. All other data will be made available upon request.

Code availability

All analysis was performed using publicly available programs with parameters indicated in the Methods section.

Acknowledgments

We thank members of the Sontheimer, Gao, Xue, Watts, and Wolfe labs for their time, advice, and feedback during the conception of this manuscript. We also are grateful to the UMCMS Viral Vector Core for AAV packaging services and expertise, and to the Rett Syndrome Research Trust for patient-derived fibroblasts. Support for this work was provided by the National Institutes of Health (Grant Nos. F31GM143879 and R25GM113686 to N.B.), and by funding from the Rett Syndrome Research Trust to E.J.S. and J.K.W.

Author Contributions

N.B., X.D. and E.J.S. conceived the study and designed experiments with input from all authors. N.B., X.D., N.G. performed and analyzed cell culture experiments. H.Z. performed and analyzed *in vivo* experiments. K.K. performed mouse injections. H.C. developed and implemented scripts for computational analysis of sequencing data. N.B. and E.J.S. wrote the manuscript with editing contributions from all co-authors.

Competing interests

The authors declare competing financial interests. The authors have filed patent applications on technologies related to this work. G.G. is a scientific co-founder of Voyager Therapeutics, Adrenas Therapeutics, and Aspa Therapeutics and holds equity in these companies. G.G. is an inventor on patents with potential royalties licensed to Voyager Therapeutics, Aspa Therapeutics, and other biopharmaceutical companies. E.J.S. is a co-founder and scientific advisor of Intellia

Therapeutics, and also a scientific advisor of Tessera Therapeutics. The remaining authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest. The authors declare no competing non-financial interests.

References

1. Rees, H. A. & Liu, D. R. Base editing: precision chemistry on the genome and transcriptome of living cells. *Nat Rev Genet* **19**, 770–788 (2018).

2. Anzalone, A. V., Koblan, L. W. & Liu, D. R. Genome editing with CRISPR–Cas nucleases, base editors, transposases and prime editors. *Nat Biotechnol* **38**, 824–844 (2020).

3. Hou, Z. *et al.* Efficient genome engineering in human pluripotent stem cells using Cas9 from *Neisseria meningitidis*. *Proc. Natl. Acad. Sci. U.S.A.* **110**, 15644–15649 (2013).

4. Esvelt, K. M. *et al.* Orthogonal Cas9 proteins for RNA-guided gene regulation and editing. *Nat Methods* **10**, 1116–1121 (2013).

5. Ran, F. A. *et al.* In vivo genome editing using Staphylococcus aureus Cas9. *Nature* **520**, 186–191 (2015).

6. Nishimasu, H. *et al.* Engineered CRISPR-Cas9 nuclease with expanded targeting space. *Science* **361**, 1259–1262 (2018).

7. Miller, S. M. *et al.* Continuous evolution of SpCas9 variants compatible with non-G PAMs. *Nat Biotechnol* **38**, 471–481 (2020).

8. Walton, R. T., Christie, K. A., Whittaker, M. N. & Kleinstiver, B. P. Unconstrained genome targeting with near-PAMless engineered CRISPR-Cas9 variants. *Science* **368**, 290–296 (2020).

9. Kleinstiver, B. P. *et al.* Broadening the targeting range of Staphylococcus aureus CRISPR-Cas9 by modifying PAM recognition. *Nat Biotechnol* **33**, 1293–1298 (2015).

10. Hu, Z. *et al.* A compact Cas9 ortholog from Staphylococcus Auricularis (SauriCas9) expands the DNA targeting scope. *PLoS Biol* **18**, e3000686 (2020).

11. Wang, S. *et al.* Compact SchCas9 Recognizes the Simple NNGR PAM. *Adv Sci (Weinh)* **9**, 2104789 (2021).

12. Zhang, H. *et al.* Adenine Base Editing *In Vivo* with a Single Adeno-Associated Virus Vector. *GEN Biotechnology* **1**, 285–299 (2022).

13. Davis, J. R. *et al.* Efficient in vivo base editing via single adeno-associated viruses with size-optimized genomes encoding compact adenine base editors. *Nat. Biomed. Eng* (2022) doi:10.1038/s41551-022-00911-4.

14. Edraki, A. *et al.* A Compact, High-Accuracy Cas9 with a Dinucleotide PAM for In Vivo Genome Editing. *Molecular Cell* **73**, 714-726.e4 (2019).

15. Richter, M. F. *et al.* Phage-assisted evolution of an adenine base editor with improved Cas domain compatibility and activity. *Nat Biotechnol* (2020) doi:10.1038/s41587-020-0453-z.

16. Sun, W. *et al.* Structures of Neisseria meningitidis Cas9 Complexes in Catalytically Poised and Anti-CRISPR-Inhibited States. *Molecular Cell* S1097276519307300 (2019) doi:10.1016/j.molcel.2019.09.025.

17. Wang, Y., Zhou, L., Liu, N. & Yao, S. BE-PIGS: a base-editing tool with deaminases inlaid into Cas9 PI domain significantly expanded the editing scope. *Sig Transduct Target Ther* **4**, 36 (2019).

18. Li, S. *et al.* Docking sites inside Cas9 for adenine base editing diversification and RNA off-target elimination. *Nat Commun* **11**, 5827 (2020).

19. Nguyen Tran, M. T. *et al.* Engineering domain-inlaid SaCas9 adenine base editors with reduced RNA off-targets and increased on-target DNA editing. *Nat Commun* **11**, 4871 (2020).

20. Liu, Y. *et al.* A Cas-embedding strategy for minimizing off-target effects of DNA base editors. *Nat Commun* **11**, 6073 (2020).

21. Chu, S. H. *et al.* Rationally Designed Base Editors for Precise Editing of the Sickle Cell Disease Mutation. *The CRISPR Journal* **4**, 169–177 (2021).

22. Villiger, L. *et al.* Replacing the SpCas9 HNH domain by deaminases generates compact base editors with an alternative targeting scope. *Molecular Therapy - Nucleic Acids* **26**, 502–510 (2021).

23. Lee, J. *et al.* Potent Cas9 Inhibition in Bacterial and Human Cells by AcrIIC4 and AcrIIC5

Anti-CRISPR Proteins. *mBio* **9**, e02321-18 (2018).

24. Oakes, B. L. *et al.* Profiling of engineering hotspots identifies an allosteric CRISPR-Cas9 switch. *Nat Biotechnol* **34**, 646–651 (2016).

25. Oakes, B. L. *et al.* CRISPR-Cas9 Circular Permutants as Programmable Scaffolds for Genome Modification. *Cell* **176**, 254-267.e16 (2019).

26. Huang, T. P. *et al.* Circularly permuted and PAM-modified Cas9 variants broaden the targeting scope of base editors. *Nat Biotechnol* **37**, 626–631 (2019).

27. Liu, P. *et al.* Improved prime editors enable pathogenic allele correction and cancer modelling in adult mice. *Nat Commun* **12**, 2121 (2021).

28. Thuronyi, B. W. *et al.* Continuous evolution of base editors with expanded target compatibility and improved activity. *Nat Biotechnol* **37**, 1070–1079 (2019).

29. Komor, A. C., Kim, Y. B., Packer, M. S., Zuris, J. A. & Liu, D. R. Programmable editing of a target base in genomic DNA without double-stranded DNA cleavage. *Nature* **533**, 420–424 (2016).

30. Kim, D., Luk, K., Wolfe, S. A. & Kim, J.-S. Evaluating and Enhancing Target Specificity of Gene-Editing Nucleases and Deaminases. *Annu. Rev. Biochem.* **88**, 191–220 (2019).

31. Zhao, D. *et al.* Imperfect guide-RNA (igRNA) enables CRISPR single-base editing with ABE and CBE. *Nucleic Acids Research* gkac201 (2022) doi:10.1093/nar/gkac201.

32. Huang, T. P. *et al.* High-throughput continuous evolution of compact Cas9 variants targeting single-nucleotide-pyrimidine PAMs. *Nat Biotechnol* (2022) doi:10.1038/s41587-022-01410-2.

33. Doman, J. L., Raguram, A., Newby, G. A. & Liu, D. R. Evaluation and minimization of Cas9-independent off-target DNA editing by cytosine base editors. *Nat Biotechnol* **38**, 620–628 (2020).

34. Wei, J. *et al.* Closely related type II-C Cas9 orthologs recognize diverse PAMs. *eLife* **11**, e77825 (2022).

35. Clement, K. *et al.* CRISPResso2 provides accurate and rapid genome editing sequence analysis. *Nature Biotechnology* **37**, 224–226 (2019).

36. Lee, J. *et al.* Tissue-restricted genome editing in vivo specified by microRNA-repressible anti-CRISPR proteins. *RNA* **25**, 1421–1431 (2019).

Fig. 1 I Design of domain-inlaid Nme2-ABEs

a) Nme1Cas9/sgRNA/DNA ternary complex structure, PDB:6JDV. Nme2Cas9 is 98% identical to Nme2Cas9 outside of the WED and PAM-interacting domains. Black spheres represent N- and C-termini and colored spheres represent sites of domain insertion. Deaminase domain insertion sites (Nme2Cas9 aa numbers) are specified to the right, with colors matching the sites indicated in the structure. **b)** Activities of Nme2-ABE8e constructs in mCherry reporter cells (activated upon A-to-G editing) after plasmid transfection, measured by flow cytometry (n = 3 biological replicates in technical duplicate; data represent mean ± SD). **c)** A-to-G editing following transfection of Spy-ABE8e vs. Nme2-ABE8e plasmids, using PAM-matched, endogenous HEK293T genomic loci. The editing efficiency at the maximally edited adenine for each target was plotted. Editing efficiencies were measured by amplicon deep sequencing (n = 3 biological replicates; data represent mean ± SD). **d)** Data from **(c)** were aggregated and replotted, with each data point representing the maximum A-to-G editing efficiency of an individual target site, as measured by amplicon deep sequencing (n = 3 biological replicates; data represent mean ± SEM). **e)** Summary of mean A-to-G editing activities and editing windows for Spy- and Nme2-ABE8e constructs in HEK293T cells. Numbers provided for each position in the protospacer represent the mean A-to-G editing efficiency across eight PAM-matched endogenous target sites, as measured via amplicon deep sequencing (n = 3 biological replicates). Crossed-out boxes indicate that no adenine was present at the specified position in the target panel tested.

a.

b. Editing Efficiency: HEK293T, N$_4$CN PAM Genomic Target Sites

c. Max Editing Efficiency: HEK293T, Fifteen N$_4$CN PAM Target Sites

Fig. 2 I PAM interacting domain chimeras expand the targeting scope of Nme2Cas9 effectors
a) Cartoon schematic of chimeric Nme2-ABE8e-i1 with the SmuCas9 PID domain (left). Homology model of Nme2SmuCas9 based on PDB:6JDV using the SWISS-MODEL program (right). **b)** A-to-G editing following transfection with WT or chimeric PID Nme2-ABE8e effectors at endogenous HEK293T genomic loci with N4CN PAMs by plasmid transfection. The editing efficiency at the maximally edited adenine for each target was plotted. Editing activities were measured by amplicon sequencing (n = 3 biological replicates; data represent mean ± SD). **c)** Data from **(b)** were aggregated and replotted, with each data point representing the maximum A-to-G editing efficiency of an individual target site, as measured by amplicon deep sequencing (n = 3 biological replicates; data represent mean ± SEM).

Fig. 3 I Specificities of domain-inlaid Nme2Cas9-ABE8e variants
a) Comparison of on-target activity of transfected Spy-ABE8e and Nme2-ABE8e effectors in activating the ABE mCherry reporter, as measured by flow cytometry (n = 3 biological replicates; data represent mean ± SD). **b)** Mismatch tolerance of Spy- or Nme2- ABE8e variants in ABE mCherry reporter cells at an overlapping target site positioning the target adenine for reporter activation at A8. Activities with single-guide RNAs carrying mismatched nucleotides as indicated (MM#, orange) are normalized to those of the fully complementary guides (ON, gray) (n = 3 biological replicates) for each effector, as indicated in the columns to the right. Boxes in each column are shaded according to the colors used in (A). **c)** Comparison of Nme2-ABE8e variants at previously validated genomic targets. A-to-G editing was measured following transfection with WT or chimeric, PID-swapped Nme2-ABE8e plasmids at endogenous HEK293T or mouse N2A genomic loci following transfection. The editing efficiency at the maximally edited adenine for each target was plotted. Editing activities were measured by amplicon sequencing (n = 3 biological replicates; data represent mean ± SD).

Fig. 4 I Correcting Rett syndrome point mutations
a) Schematic of a portion of MeCP2 exon 4, highlighting the (c.502 C>T; p.R168X) nonsense mutation in Rett patient-derived fibroblasts. **b)** A-to-G editing of the MeCP2 502C>T mutation in Rett patient fibroblasts in **(a)**, measured by amplicon deep sequencing, with Nme2-ABE8e effectors delivered as mRNAs with synthetic sgRNAs (n = 3 biological replicates; data represent mean ± SD). Protospacer with target adenine (red), bystander adenine (orange), and PAM (bold, underlined). **c)** Schematic of a portion of MeCP2 exon 4, highlighting the (c.916 C>T; p. R306C) missense mutation in Rett patient-derived fibroblasts. D) A-to-G editing of the MeCP2 916C>T mutation in Rett patient fibroblasts in **(c)**, measured by amplicon deep sequencing, with Nme2-ABE8e effectors delivered as mRNAs with synthetic sgRNAs (n = 3 biological replicates; data represent mean ± SD). Protospacer with target adenine (red), bystander adenine (orange), and PAM (bold, underlined).

a.

AAV9.Nme2-ABE-nt: **4998bp**

ITR | pU1a | TadA | Nme2^{D16A} | U6-SG | ITR

AAV9.Nme2-ABE-i1 (or –i1^{V106W}): **4996bp**

ITR | pU1a | Nme2^{D16A} | TadA | Nme2^{D16A} | U6-SG | ITR

b.

AAV9.Nme2-ABE Editing in the Liver

AAV9.Nme2-ABE Editing in the Striatum

Legend:
- PBS
- AAV9.Nme2-ABE-nt
- AAV9.Nme2-ABE-i1
- AAV9.Nme2-ABE-i1^{V106W}

c. *Rosa26* Off-Target Editing within the Liver

ON: TGAGGACCGCCCTGGGCCTGGGAG**AATCCC**
OFF: GAAGGACCACCCTAGGCCTGGGAG**ACTCCC**

Legend:
- PBS
- AAV9.Nme2-ABE-nt
- AAV9.Nme2-ABE-i1
- AAV9.Nme2-ABE-i1^{V106W}

Fig. 5 I In vivo editing with AAV9.Nme2-ABE8e-nt vs. –i1 vs. –i1V106W
a) Schematic of the AAV constructs for the Nme2-ABE8e effectors. **b)** Editing with AAV Nme2-ABE vectors in mouse liver (left) and striatum (right). Left, quantification of the editing efficiency at the Rosa26 locus by amplicon deep sequencing using liver genomic DNA from mice that were tail-vein injected with the indicated vector at 4 x 10^{11} vg/mouse (n = 3 mice per group; data represent mean ± SD). Right, quantification of the editing efficiency at the Rosa26 locus by amplicon deep sequencing using striatum genomic DNA from mice intrastriatally injected with the indicated vector at 1 x 10^{10} vg/side (n = 3 mice per group; data represent mean ± SD). One-way ANOVA analysis: ns, p > 0.05; **, p < 0.05; ***, p < 0.001; ****, p < 0.0001. **c)** Protospacer of the Rosa26 on-target site ("ON") and a previously validated Nme2-ABE8e off-target site (OT1, "OFF"). Adenines are in red, mismatches in OT1 have asterisks, and PAM regions are bold-underlined. The bar graph shows quantification of A-to-G edits in amplicon deep sequencing reads at the OT1 site using liver genomic DNA from mice tail-vein injected in **(b)**, with vectors indicated in the inset (n = 3 mice per group; data represent mean ± SD).

Supplementary Figure 1

Design of domain inlaid Nme2-ABEs

a) Schematic representation of Nme2Cas9-ABE8e constructs and sites of deaminase domain insertion. **b)** Summary of mean A-to-G editing activities and editing windows for the Nme2-ABE8e constructs in HEK293T cells. Numbers provided for each position in the protospacer represent the mean A-to-G editing efficiency across 15 endogenous target sites in HEK293T cells measured via amplicon deep sequencing (n = 3 biological replicates). **c)** Data from (B) were aggregated and replotted, with each data point representing the maximum A-to-G editing efficiency of an individual target site, as measured by amplicon deep sequencing (n = 3 biological replicates; data represent mean ± SEM). One-way ANOVA analysis: ns, p > 0.05; **p < 0.05; ***p < 0.001 ****p < 0.0001.

Supplementary Figure 2

Editing with CBEs, rAPOBEC1 and evoFERNY

a) Schematic representation of Nme2Cas9-CBE constructs with evoFERNY or rAPOBEC1 deaminase's. **b)** C-to-T editing at endogenous HEK293T genomic loci with Nme2-evoFERNY (top) or Nme2-rAPOBEC1 (bottom) constructs, measured by amplicon deep sequencing. (n = 3 biological replicates per off-target R-loop; data represent mean ± SD). **c)** Summary of Mean C-to-T editing at the three endogenous HEK293T genomic loci with Nme2-evoFERNY or Nme2-rAPOBEC1 constructs. Crossed out boxes denote no cytidine at the position within the target's tested. Measured via amplicon sequencing. n=3 biological replicates.

a. Orthogonal R-Loop Assay Off-Target Activity

b. On-Target Activity, DS12 Dual PAM Site: CCGC**AAA**GCTGC**A**TCC**A**CCCCCCG<u>**AGGACC**</u>

c. Orthogonal R-Loop Assay

Supplementary Figure 3

Specificity of Domain Inlaid Nme2Cas9-ABE8e

a) Guide-independent DNA off target A-to-G editing at the orthogonal SaCas9 R-Loops measured via amplicon deep sequencing. HNH nicking SaCas9 was used to increase the sensitivity of editing at the orthogonal R-loops. (n = 3 biological replicates; data represent mean ± SD). **b)** On-target activity of the ABE8e variants tested for the R-loop assay with a PAM-matched target site for Spy-ABE8e and Nme2-ABE8e effectors, measured via amplicon deep sequencing. Spy-ABE8e editing window is boxed. Overlapping target site sequence from 5' to 3' with adenines (red), and Spy- and Nme2- PAMs bold and underlined.(n = 3 biological replicates per off-target R-loop; data represent mean ± SD). **c)** Ratios of on-target vs. off-target editing of the ABE effectors tested at the overlapping Linc01588 target site (see Supplementary Fig. 2A) and the orthogonal dSauCas9 R-loops (see Supplementary Fig. 2B) (n = 3 biological replicates, data represent mean ± SD). Two-way ANOVA analysis: ns, $p > 0.05$; *, $p < 0.05$; **, $p < 0.01$; ***, $p < 0.001$; ****, $p < 0.0001$. On-target editing efficiency for Spy-ABE8e is derived from the mean editing within its editing window, so as not to skew the ratio when compared to the wider on-target editing window of Nme2-ABE8e.

Supplementary Figure 4

Domain-Inlaid Nme2-ABE Expression
a) Nme2-ABE8e protein expression was confirmed by fluorescent western blot against the 6X-HIS tag epitope. Lamin-B1 (LMNB1) was used as a loading control. **b)** Uncropped images of triplicate data for Nme2-ABE8e variant expression with fluorescent western blot.

a.

Supplementary Figure 5

Flow Cytometry Gating Strategy

a) Example gating strategy used for flow cytometry analysis for an unedited sample (top) or an edited sample (bottom).

Supplementary Notes

Nucleotide sequence of Nme2Cas9 and Nme2^{Smu}Cas9 base editors described in this manuscript.

Nme2-ABE8e-nt: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGGCGGTAGCGGCGGAGGCAGCGGTGGCG
GCAGCGGCTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGG
AGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAA
CAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGAC
ATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGG
GGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATG
AATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACTCC
GGAGGATCTAGCGGAGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGGGGCAGCAGC
GGGGGGGTCAATGGCCGCCTTCAAGCCTAACCCAATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTAT
GGTGGAGATCGACGAGGAGGAGAATCCTATCCGGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGAC
CGGCGATTCTCTGGCTATGGCCCGGAGACTGGCACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGC
ACGCCGGCTGCTGAAGAGAGAGGGCGTGCTGCAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCC
CTGGCAGCTGAGAGCAGCCGCCCTGGACAGGAAGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGC
GGCTACCTGAGCCAGCGGAAGAACGAGGGAGAGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGC
CCACGCCCTGCAGACCGGCGATTTCAGGACACCTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAAC
CAGAGGGGCGACTATAGCCACACCTTCTCCCGCAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTG
GCAATCCACACGTGAGCGGAGGCCTGAAGGAGGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAG
TGCAGAAGATGCTGGGACACTGCACCTTCGAGCCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTG
GCTGACAAAGCTGAACAATCTGAGAATCCTGGAGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGA
TGAGCCTTACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTG
AGATACGGCAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGG
GCCTGAAGGACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGAC
GAGGATATCACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTG
TGCAGATCAGCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCT
ACGGCGATCACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGT
GCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACC
GCCAGAGAAGTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGG
CCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAG
CAGCACGGCAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCC
CTGCCTTTCTCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGAC
ACCATACGAGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGG
AGCAAGAAGCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACC
GGTTCCTGTGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACA
AACCTGCTGAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGC
ATGCAGCACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGAT
AAGGAGACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGT
TCGGCAAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTA
GCAGGCCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGA
CACACTGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGC
CGATCTGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGG
AGGAAATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGA
GAAGACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGT
GTTCTGTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAG
ACATCGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGG
ATGAGAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGC
AGCAAGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCA
GGCCATGTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGA
GGAAAGTC

Nme2-ABE8e-i1: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCC
ACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGC
TGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAG
ACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGC
GCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGC
TGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTAC
CGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAA
GCGAGAGCGCAACACCTGAAAGCAGCGGCGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTT
ACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGG
CAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAG
GACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATAT
CACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCA
GCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATC
ACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGC
CCTGTCCCAGGCAAGAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAA
GTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCA
AGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGG
CAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTC
TCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACG
AGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAA
GCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTG
TGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCT
GAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCA
CCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGA
CAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i2: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGT
TCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGG
GAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCA
ACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGA
CATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACG
GGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGAT
GAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGG
CTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCACCGCCTTCTTTAAGGGCCTGAGATAC
GGCAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGA
AGGACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGAT
ATCACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGAT
CAGCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGA
TCACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGG
GCCCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAG
AAGTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGC
CAAGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACG
GCAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTT
CTCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATAC
GAGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGA
AGCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCT
GTGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTG
CTGAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAG
CACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGA
GACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGC
AAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGG
CCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACAC
TGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATC
TGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGA
AATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAG
ACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCT
GTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACAT
CGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGA
GAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCA
AGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCC
ATGTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGA
AAGTC

Nme2-ABE8e-i3: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGGCGGATCAGGAGGCTCTG
GCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCT
GACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGG
GCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAA
CTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCC
GCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCG
CGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATG
CTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAG
CGGCGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAG
GACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATAT
CACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCA
GCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATC
ACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGC
CCTGTCCCAGGCAAGAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAA
GTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCA
AGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGG
CAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTC
TCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACG
AGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAA
GCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTG
TGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCT
GAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCA
CCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGA
CAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i4: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGAGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCG
GTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACG
CGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCC
TGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCAC
CCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGA
ACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAAT
CCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCT
CCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCTTTCCCAGGAGCAAGAA
GCAGCGGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTG
TGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCT
GAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCA
CCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGA
CAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i5: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTC
CCACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGT
GCTGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTG
AGACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCCACCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCG
GCGCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGT
GCTGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCT
ACCGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACA
AGCGAGAGCGCAACACCTGAAAGCAGCGGCGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGT
GCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCT
GAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCA
CCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGA
CAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i6: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCC
ACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGC
TGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAG
ACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGC
GCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGC
TGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTAC
CGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAA
GCGAGAGCGCAACACCTGAAAGCAGCGGCCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGC
ACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAG
ACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i7: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGGGCGGATCAGGAGGCTCTGGCGGTT
CAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCT
GGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGA
ACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAG
ACTGATTGACGCCCACCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGG
TGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGA
AATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGA
AGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCAC
AGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAG
CCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCA
GAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGA
GAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGG
AGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAAT
GCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACC
CAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2-ABE8e-i8: BPSV40-NLS, Nme2Cas9, TadA8e, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGA
CCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGGCGGATCA
GGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATG
AGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTG
ATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTG
GTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTC
TAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGG
CATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGAC
AGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAAC
ACCTGAAAGCAGCGGCGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGT
AAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCG
ATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGA
AGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAG
GAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCAT
GTCGGCTGAAGAAGCGCCCACCCGTGCGGGAGGATAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAA
GTC

Nme2smu-ABE8e-nt: BPSV40-NLS, Nme2Cas9 – delta PID, TadA8e, SmuCas9 PID, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGGCGGTAGCGGCGGAGGCAGCGGTGGCG
GCAGCGGCTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGG
AGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAA
CAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGAC
ATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGG
GGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATG
AATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACTCC
GGAGGATCTAGCGGAGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGGGGGCAGCAGC
GGGGGGGTCAATGCCGCCTTCAAGCCTAACCCAATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTAT
GGTGGAGATCGACGAGGAGGAGAATCCTATCCGGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGAC
CGGCGATTCTCTGGCTATGGCCCGGAGACTGGCACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGC
ACGCCGGCTGCTGAAGAGAGAGGGCGTGCTGCAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCC
CTGGCAGCTGAGAGCAGCCGCCCTGGACAGGAAGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGC
GGCTACCTGAGCCAGCGGAAGAACGAGGGAGAGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGC
CCACGCCCTGCAGACCGGCGATTTCAGGACACCTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAAC
CAGAGGGGCGACTATAGCCACACCTTCTCCCGCAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTG
GCAATCCACACGTGAGCGGAGGCCTGAAGGAGGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAG
TGCAGAAGATGCTGGGACACTGCACCTTCGAGCCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTG
GCTGACAAAGCTGAACAATCTGAGAATCCTGGAGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGA
TGAGCCTTACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTG
AGATACGGCAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGG
GCCTGAAGGACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGAC
GAGGATATCACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTG
TGCAGATCAGCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCT
ACGGCGATCACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGT
GCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACC
GCCAGAGAAGTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGG
CCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAG
CAGCACGGCAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCC
CTGCCTTTCTCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGAC
ACCATACGAGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGG
AGCAAGAAGCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACC
GGTTCCTGTGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACA
AACCTGCTGAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGC
ATGCAGCACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGAT
AAGGAGACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGT
TCGGCAAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTA
GCAGGCCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGA
CACACTGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGC
CGATCTGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGG
AGGAAATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGA
GAAGACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAACGCCACCATGGTGCGGGTGGACGT
GTACACCAAGGCCGGCAAGAACTACCTGGTTCCTGTGTACGTGTGGCAGGTGGCCCAGGGCATCTTACCCAACCGCGCCGTGACC
AGCGGCAAGTCCGAGGCTGACTGGGACCTGATCGATGAGAGCTTCGAGTTCAAGTTCTCTCTGTCCCGGGGGAGATCTCGTGGAAA
TGATCTCCAACAAGGGCAGAATCTTCGGCTACTACAACGGCCTGGACAGAGCCAACGGCTCTATTGGAATTAGAGAGCACGACCTA
GAGAAGAGCAAGGGCAAAGACGGCGTGCATAGAGTGGGAGTGAAAACAGCTACAGCATTTAACAAGTACCACGTGGATCCCCTG
GGCAAAGAGATCCACAGATGCAGCAGCGAACCCAGACCTACACTGAAAATCAAGTCTAAGAAGGAGGATAAAAGAACCGCCGAC
GGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2^{Smu}-ABE8e-i1: BPSV40-NLS, Nme2Cas9 – delta PID, TadA8e, SmuCas9 PID, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCC
ACGAGTACTGGATGAGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGC
TGAACAATAGAGTGATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAG
ACAGGGCGGCCTGGTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGC
GCCATGATCCACTCTAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGC
TGAACTACCCCGGCATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTAC
CGGATGCCTAGACAGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAA
GCGAGAGCGCAACACCTGAAAGCAGCGGCGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTT
ACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGG
CAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAG
GACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATAT
CACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCA
GCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATC
ACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGC
CCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAA
GTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCA
AGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGG
CAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTC
TCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACG
AGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAA
GCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTG
TGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCT
GAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCA
CCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGA
CAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAA
GCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAACGCCACCATGGTGCGGGTGGACGTGTACAC
CAAGGCCGGCAAGAACTACCTGGTTCCTGTGTACGTGTGGCAGGTGGCCCAGGGCATCTTACCCAACCGCGCCGTGACCAGCGGC
AAGTCCGAGGCTGACTGGGACCTGATCGATGAGAGCTTCGAGTTCAAGTTCTCTCTGTCCCGGGGGAGATCTCGTGGAAATGATCTC
CAACAAGGGCAGAATCTTCGGCTACTACAACGGCCTGGACAGAGCCAACGGCTCTATTGGAATTAGAGAGCACGACCTAGAGAAG
AGCAAGGGCAAAGACGGCGTGCATAGAGTGGGAGTGAAAACAGCTACAGCATTTAACAAGTACCACGTGGATCCCCTGGGCAAA
GAGTCCACAGATGCAGCAGCGAACCCAGACCTACACTGAAAATCAAGTCTAAGAAGGAGGATAAAAGAACCGCCGACGGCAGC
GGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2^{Smu}-ABE8e-i7: BPSV40-NLS, Nme2Cas9 – delta PID, TadA8e, SmuCas9 PID, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGGGCGGATCAGGAGGCTCTGGCGGTT
CAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATGAGACATGCCCTGACCCT
GGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTGATCGGCGAGGGCTGGA
ACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTGGTCATGCAGAACTACAG
ACTGATTGACGCCCACCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTCTAGGATCGGCCGCGTGG
TGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGGCATGAATCACCGCGTCGA
AATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGACAGGTGTTCAATGCTCAGA
AGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCAC
AGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAG
CCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCA
GAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGA
GAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGG
AGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAAT
GCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACC
CAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAACGCCACCATGGTGCGGGTGGACGTGTACACC
AAGGCCGGCAAGAACTACCTGGTTCCTGTGTACGTGTGGCAGGTGGCCCAGGGCATCTTACCCAACCGCGCCGTGACCAGCGGCA
AGTCCGAGGCTGACTGGGACCTGATCGATGAGAGCTTCGAGTTCAAGTTCTCTCTGTCCCGGGGGAGATCTCGTGGAAATGATCTCC
AACAAGGGCAGAATCTTCGGCTACTACAACGGCCTGGACAGAGCCAACGGCTCTATTGGAATTAGAGAGCACGACCTAGAGAAGA
GCAAGGGCAAAGACGGCGTGCATAGAGTGGGAGTGAAAACAGCTACAGCATTTAACAAGTACCACGTGGATCCCCTGGGCAAAG
AGATCCACAGATGCAGCAGCGAACCCAGACCTACACTGAAAATCAAGTCTAAGAAGGAGGATAAAAGAACCGCCGACGGCAGCG
AATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2^Smu^-ABE8e-i8: BPSV40-NLS, Nme2Cas9 – delta PID, TadA8e, SmuCas9 PID, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGA
CCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGGCGGATCA
GGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTCTGAGGTGGAGTTTTCCCACGAGTACTGGATG
AGACATGCCCTGACCCTGGCCAAGAGGGCACGCGATGAGAGGGAGGTGCCTGTGGGAGCCGTGCTGGTGCTGAACAATAGAGTG
ATCGGCGAGGGCTGGAACAGAGCCATCGGCCTGCACGACCCAACAGCCCATGCCGAAATTATGGCCCTGAGACAGGGCGGCCTG
GTCATGCAGAACTACAGACTGATTGACGCCACCCTGTACGTGACATTCGAGCCTTGCGTGATGTGCGCCGGCGCCATGATCCACTC
TAGGATCGGCCGCGTGGTGTTTGGCGTGAGGAACAGCAAACGGGGCGCCGCAGGCTCCCTGATGAACGTGCTGAACTACCCCGG
CATGAATCACCGCGTCGAAATTACCGAGGGAATCCTGGCAGATGAATGTGCCGCCCTGCTGTGCGACTTCTACCGGATGCCTAGAC
AGGTGTTCAATGCTCAGAAGAAGGCCCAGAGCTCCATCAACGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAAC
ACCTGAAAGCAGCGGCGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCC
AGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTG
AGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTG
GAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAA
TGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGAC
CCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAACGCCACCATGGTGCGGGTGGACGTGTACAC
CAAGGCCGGCAAGAACTACCTGGTTCCTGTGTACGTGTGGCAGGTGGCCCAGGGCATCTTACCCAACCGCGCCGTGACCAGCGGC
AAGTCCGAGGCTGACTGGGACCTGATCGATGAGAGCTTCGAGTTCAAGTTCTCTCTGTCCCGGGGGAGATCTCGTGGAAATGATCTC
CAACAAGGGCAGAATCTTCGGCTACTACAACGGCCTGGACAGAGCCAACGGCTCTATTGGAATTAGAGAGCACGACCTAGAGAAG
AGCAAGGGCAAAGACGGCGTGCATAGAGTGGGAGTGAAAACAGCTACAGCATTTAACAAGTACCACGTGGATCCCCTGGGCAAA
GAGTCCACAGATGCAGCAGCGAACCCAGACCTACACTGAAAATCAAGTCTAAGAAGGAGGATAAAAGAACCGCCGACGGCAGC
GGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2-evoFERNY-nt:

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCAGTTTTGAGAGGAACTACGACCCCCGGGAG
CTGAGAAAGGGAGACATACCTGCTGTATGAGATCAAGTGGGGCAAGTCCGGCAAGCTGTGGAGGCACTGGTGCCAGAACAATCGC
ACACAGCACGCCGAGGTGTACTTCCTGGAGAACATCTTTAATGCCCGGAGATTCAATCCATCTACCCACTGTAGCATCACATGGTAT
CTGAGCTGGTCCCCCTGCGCCGAGTGTTCTCAGAAGATCGTGGATTTCCTGAAGGAGCACCCTAACGTGAATCTGGAGATCTATGT
GGCCCGGCTGTACTATCCAGAGAACGAGAGGAATAGGCAGGGCCTGCGGGATCTGGTGAATTCCGGCGTGACCATCAGAATCAT
GGACCTGCCAGATTACAACTATTGCTGGAAGACCTTCGTGAGCGATCAGGGAGGCGACGAGGATTACTGGCCAGGACACTTCGCC
CCTTGGATCAAGCAGTATAGCCTGAAGCTGTCTGGCGGATCTAGCGGAGGATCCTCTGGCAGCGAGACACCAGGAACAAGCGAGT
CAGCAACACCAGAGAGCAGTGGCGGCAGCAGCGGCGGCAGCGCCGCCTTCAAGCCTAACCCAATCAATTACATCCTGGGACTGGC
CATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCCGGCTGATCGATCTGGGCGTGAG
AGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGGCACGGAGCGTGAGGCGCCTGAC
ACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTGCAGGCAGCAGACTTCGATGAGA
ATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGAAGCTGACACCACTGGAGTGGTC
TGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAGAGACAGCAGACAAGGAGCTGGG
CGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACACCTGCCGAGCTGGCCCTGAATAAG
TTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCGCAAGGATCTGCAGGCCGAGCTGA
TCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGAGGGAATCGAGACCCTGCTGATGA
CACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAGCCTGCAGAGCCAAAGGCCGCCAA
GAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGGAGCAGGGATCCGAGAGGCCACTG
ACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGGCC
TGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCA
CGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATC
GGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCC
TGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAA
GCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATC
CCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTAC
GGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAG
GAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAG
GACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACG
AGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGC
AGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAG
GCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGT
GCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAG
AAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAG
ACACCACGCACTGGATGCAGTGGTGGTGGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGA
GATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAG
TTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGC
TGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACC
CAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAA
GAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGA
GGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGG
AGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCG
CCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTA
TGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCT
GCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACG
GCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAA
GTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCATGTCGGCTGAAGAAGCGCCCACCCGTGCGGAGCGGAGGATCCGGAG
GATCTGGAGGCAGCACCAACCTGTCTGACATCATCGAGAAGGAGACAGGCAAGCAGCTGGTCATCCAGGAGAGCATCCTGATGCT
GCCCGAAGAAGTCGAAGAGTGATCGGAAACAAGCCTGAGAGCGATATCCTGGTCCATACCGCCTACGACGAGAGTACCGACGA
AAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATAAGCCCTGGGCTCTGGTCATCCAGGATTCCAACGGGAGAGAACAAAATCA
AAATGCTGTCTGGCGGCTCAAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2-evoFERNY-i1: BPSV40-NLS, Nme2Cas9, EvoFERNY, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTTTGAGAGGAACTACGACC
CCCGGGAGCTGAGAAAGGAGACATACCTGCTGTATGAGATCAAGTGGGGCAAGTCCGGCAAGCTGTGGAGGCACTGGTGCCAGA
ACAATCGCACACAGCACGCCGAGGTGTACTTCCTGGAGAACATCTTTAATGCCCGGAGATTCAATCCATCTACCCACTGTAGCATCA
CATGGTATCTGAGCTGGTCCCCCTGCGCCGAGTGTTCTCAGAAGATCGTGGATTTCCTGAAGGAGCACCCTAACGTGAATCTGGAG
ATCTATGTGGCCCGGCTGTACTATCCAGAGAACGAGAGGAATAGGCAGGGCCTGCGGGATCTGGTGAATTCCGGCGTGACCATCA
GAATCATGGACCTGCCAGATTACAACTATTGCTGGAAGACCTTCGTGAGCGATCAGGGAGGCGACGAGGATTACTGGCCAGGACA
CTTCGCCCCTTGGATCAAGCAGTATAGCCTGAAGCTGGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTG
AAAGCAGCGGCGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGA
CATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGC
CTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTG
AACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGG
ACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGA
AGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAAC
ACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAA
AAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCA
AGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTC
CCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCG
GCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGA
TTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAG
GACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTG
CAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCG
ATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGG
ACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCA
GAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCA
CCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTG
AGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCAGAGGCAGTGCACGAGT
ACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGAGAAGCGCCAAGAGGTT
TGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGGAGAACATGGTGAATTA
CAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAATGCCAAGCAGGCCTTCG
ACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACCCAGGAGAGCGGCGTG
CTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGTAAGGTGGATAAGAAG
GGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCGATTGCAAGGGCTACAG
AATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGAAGTCCAAGGTGGAGTT
TGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAGGAGCAGCAGTTTCGCA
TCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCATGTCGGCTGAAGAAGCG
CCCACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGAGAAGGAGACAGGCAAGCA
GCTGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGCCTGAGAGCGATATCCTGGTC
CATACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATAAGCCCTGGGCTCTGGTCAT
CCAGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAG
AAGAAGAGGAAAGTC

Nme2-evoFERNY-i7: BPSV40-NLS, Nme2Cas9, EvoFERNY, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGGGCGGATCAGGAGGCTCTGGCGGTT
CAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTTTGAGAGGAACTACGACCCCCGGGAGCTGAGAAAGGAGACATACCTGC
TGTATGAGATCAAGTGGGGCAAGTCCGGCAAGCTGTGGAGGCACTGGTGCCAGAACAATCGCACACAGCACGCCGAGGTGTACTT
CCTGGAGAACATCTTTAATGCCCGGAGATTCAATCCATCTACCCACTGTAGCATCACATGGTATCTGAGCTGGTCCCCCTGCGCCGA
GTGTTCTCAGAAGATCGTGGATTTCCTGAAGGAGCACCCTAACGTGAATCTGGAGATCTATGTGGCCCGGCTGTACTATCCAGAGA
ACGAGAGGAATAGGCAGGGCCTGCGGGATCTGGTGAATTCCGGCGTGACCATCAGAATCATGGACCTGCCAGATTACAACTATTG
CTGGAAGACCTTCGTGAGCGATCAGGGAGGCGACGAGGATTACTGGCCAGGACACTTCGCCCCTTGGATCAAGCAGTATAGCCTG
AAGCTGGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCACAGGCAAGGTGCTGCAC
CAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTG
AGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCAGAGGCAGTGCACGAGT
ACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGAGAAGCGCCAAGAGGTT
TGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGGAGAACATGGTGAATTA
CAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAATGCCAAGCAGGCCTTCG
ACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACCCAGGAGAGCGGCGTG
CTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGTAAGGTGGATAAGAAG
GGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCGATTGCAAGGGCTACAG
AATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGAAGTCCAAGGTGGAGTT
TGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAGGAGCAGCAGTTTCGCA
TCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCATGTCGGCTGAAGAAGCG
CCCCACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGAGAAGGAGACAGGCAAGCA
GCTGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGCCTGAGAGCGATATCCTGGTC
CATACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATAAGCCCTGGGCTCTGGTCAT
CCAGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAG
AAGAAGAGGAAAGTC

Nme2-evoFERNY-i8: BPSV40-NLS, Nme2Cas9, EvoFERNY, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGA
CCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGGCGGATCA
GGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTTTTGAGAGGAACTACGACCCCCGGGAGCTGAGA
AAGGAGACATACCTGCTGTATGAGATCAAGTGGGGCAAGTCCGGCAAGCTGTGGAGGCACTGGTGCCAGAACAATCGCACACAG
CACGCCGAGGTGTACTTCCTGGAGAACATCTTTAATGCCCGGAGATTCAATCCATCTACCCACTGTAGCATCACATGGTATCTGAGC
TGGTCCCCCTGCGCCGAGTGTTCTCAGAAGATCGTGGATTTCCTGAAGGAGCACCCTAACGTGAATCTGGAGATCTATGTGGCCCG
GCTGTACTATCCAGAGAACGAGAGGAATAGGCAGGGCCTGCGGGATCTGGTGAATTCCGGCGTGACCATCAGAATCATGGACCTG
CCAGATTACAACTATTGCTGGAAGACCTTCGTGAGCGATCAGGGAGGCGACGAGGATTACTGGCCAGGACACTTCGCCCCCTTGGA
TCAAGCAGTATAGCCTGAAGCTGGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCGA
GTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCAGAGGCAGTGCACGAGTA
CGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGAGAAGCGCCAAGAGGTTT
GTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGGAGAACATGGTGAATTAC
AAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAATGCCAAGCAGGCCTTCGA
CCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACCCAGGAGAGCGGCGTGCT
GCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGTAAGGTGGATAAGAAGGG
CAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCGATTGCAAGGGCTACAGAA
TCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGAGTCCAAGGTGGAGTTTG
CCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAGGAGCAGCAGTTTCGCATC
TCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCATGTCGGCTGAAGAAGCGCC
CACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGAGAAGGAGACAGGCAAGCAGC
TGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGCCTGAGAGCGATATCCTGGTCCA
TACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATAAGCCCTGGGCTCTGGTCATCC
AGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGA
AGAAGAGGAAAGTC

Nme2-rAPOBEC1-nt: BPSV40-NLS, Nme2Cas9, rAPOBEC1, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCAGTAGCTCAGAGACTGGCCCAGTGGCTGTG
GACCCCACATTGAGACGGCGGATCGAGCCCCATGAGTTTGAGGTATTCTTCGATCCGAGAGAGCTCCGCAAGGAGACCTGCCTGCT
TTACGAAATTAATTGGGGGGGCCGGCACTCCATTTGGCGACATACATCACAGAACACTAACAAGCACGTCGAAGTCAACTTCATCG
AGAAGTTCACGACAGAAAGATATTTCTGTCCGAACACAAGGTGCAGCATTACCTGGTTTCTCAGCTGGAGCCCATGCGGCGAATGT
AGTAGGGCCATCACTGAATTCCTGTCAAGGTATCCCCACGTCACTCTGTTTATTTACATCGCAAGGCTGTACCACCACGCTGACCCCC
GCAATCGACAAGGCCTGCGGGATTTGATCTCTTCAGGTGTGACTATCCAAATTATGACTGAGCAGGAGTCAGGATACTGCTGGAGA
AACTTTGTGAATTATAGCCCGAGTAATGAAGCCCACTGGCCTAGGTATCCCCATCGTGGGTACGACTGTACGTTCTTGAACTGTAC
TGCATCATACTGGGCCTGCCTCCTTGTCTCAACATTCTGAGAAGGAAGCAGCCACAGCTGACATTCTTTACCATCGCTCTTCAGTCTT
GTCATTACCAGCGACTGCCCCCACACATTCTCTGGGCCACCGGGTTGAAATCTGGCGGATCTAGCGGAGGATCCTCTGGCAGCGAG
ACACCAGGAACAAGCGAGTCAGCAACACCAGAGAGCAGTGGCGGCAGCAGCGGCGGCAGCGCCGCCTTCAAGCCTAACCCAATC
AATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCCGGC
TGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGGCAC
GGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTGCAG
GCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGAAGC
TGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAGAGA
CAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACACCTG
CCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCGCAA
GGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGAGGG
AATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAGCCT
GCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGGAGC
AGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATGCCCA
GGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCACACTG
ATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTGAGCT
CCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGGTGCA
GCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATCGTGC
CACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAGGAG
AAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGATCAA
CGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCGGAA
GGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTTTGT
GGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGAGAT
CAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTAACA
ATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTCCAG
GGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTTCGA
CGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCCTGC
TGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGAAGG
TGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCACAA
GATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGACCC
ACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGAGTTTGAGGA
GGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGGCCAGAGGCAGTGCACGAGTACGTGACCCCC
ACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACACTGAGAAGCGCCAAGAGGTTTGTGAAGCAC
AACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATCTGGAGAACATGGTGAATTACAAGAACGGC
AGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGAAATGCCAAGCAGGCCTTCGACCCAAAGGAT
AACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAGACCCAGGAGAGCGGCGTGCTGCTGAATAAG
AAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCTGTAAGGTGGATAAGAAGGGCAAGAATCAG
TACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACATCGATTGCAAGGGCTACAGAATCGACGATAG
CTATACATTCTGTTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGAGAAGTCCAAGGTGGAGTTTGCCTACTATAT
CAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCAAGGAGCAGCAGTTTCGCATCTCCACCCAGA
ATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCCATGTCGGCTGAAGAAGCGCCCACCCGTGC
GGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGAGAAGGAGACAGGCAAGCAGCTGGTCATCC
AGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGCCTGAGAGCGATATCCTGGTCCATACCGCCTA
CGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATAAGCCCTGGGCTCTGGTCATCCAGGATTCCA
ACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAGAACCGCCGACGGCAGCGAATTCGAGCCCAAGAAGAAGAGGA
AAGTC

Nme2-rAPOBEC1-i1: BPSV40-NLS, Nme2Cas9, rAPOBEC1, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGCGGATCAGGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTAGCTCAGAGACTGGCCCA
GTGGCTGTGGACCCCACATTGAGACGGCGGATCGAGCCCCATGAGTTTGAGGTATTCTTCGATCCGAGAGAGCTCCGCAAGGAGA
CCTGCCTGCTTTACGAAATTAATTGGGGGGGCCGGCACTCCATTTGGCGACATACATCACAGAACACTAACAAGCACGTCGAAGTC
AACTTCATCGAGAAGTTCACGACAGAAAGATATTTCTGTCCGAACACAAGGTGCAGCATTACCTGGTTTCTCAGCTGGAGCCCATGC
GGCGAATGTAGTAGGGCCATCACTGAATTCCTGTCAAGGTATCCCCACGTCACTCTGTTTATTTACATCGCAAGGCTGTACCACCAC
GCTGACCCCCGCAATCGACAAGGCCTGCGGGATTTGATCTCTTCAGGTGTGACTATCCAAATTATGACTGAGCAGGAGTCAGGATA
CTGCTGGAGAAACTTTGTGAATTATAGCCCGAGTAATGAAGCCCACTGGCCTAGGTATCCCCATCGTGGGTACGACTGTACGTTCT
TGAACTGTACTGCATCATACTGGGCCTGCCTCCTTGTCTCAACATTCTGAGAAGGAAGCAGCCACAGCTGACATTCTTTACCATCGC
TCTTCAGTCTTGTCATTACCAGCGACTGCCCCCACACATTCTCTGGGCCACCGGGTTGAAAGGCTCCTCTGGCTCTGAGACACCTGG
CACAAGCGAGAGCGCAACACCTGAAAGCAGCGGCGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGA
GCCTTACCGGAAGTCTAAGCTGACATATGCCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGA
TACGGCAAGGATAATGCCGAGGCCTCCACACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCC
TGAAGGACAAGAAGTCCCCCCTGAACCTGAGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAG
GATATCACAGGCCGCCTGAAGGACAGGGTGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCA
GATCAGCCTGAAGGCCCTGAGAAGGATCGTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGG
CGATCACTATGGCAAGAAGAACACAGAGGAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGA
GGGCCCTGTCCCAGGCAAGAAAAGTGATCAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAG
AGAAGTGGGCAAGAGCTTCAAGGACCGGAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCC
GCCAAGTTTAGGGAGTACTTCCCTAACTTTGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCA
CGGCAAGTGTCTGTATAGCGGCAAGGAGATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCT
TTCTCCAGAACCTGGGACGATTCTTTTAACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATA
CGAGTATTTCAATGGCAAGGACAACTCCAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAG
AAGCAGCGGATCCTGCTGCAGAAGTTCGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCC
TGTGCCAGTTTGTGGCCGATCACATCCTGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTG
CTGAGGGGATTTTGGGGACTGAGGAAGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAG
CACCGTGGCAATGCAGCAGAAGATCACAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGA
GACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGC
AAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGG
CCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACAC
TGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATC
TGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGA
AATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAG
ACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCT
GTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACAT
CGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGA
GAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCA
AGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCC
ATGTCGGCTGAAGAAGCGCCCACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGA
GAAGGAGACAGGCAAGCAGCTGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAGAAGTCGAAGAAGTGATCGGAAACAAGCC
TGAGAGCGATATCCTGGTCCATACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATA
AGCCCTGGGCTCTGGTCATCCAGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAGAACCGCCGACGG
CAGCGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2-rAPOBEC1-i7: BPSV40-NLS, Nme2Cas9, rAPOBEC1, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGCGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGGGCGGATCAGGAGGCTCTGGCGGTT
CAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTAGCTCAGAGACTGGCCCAGTGGCTGTGGACCCCACATTGAGACGGCGGA
TCGAGCCCCATGAGTTTGAGGTATTCTTCGATCCGAGAGAGCTCCGCAAGGAGACCTGCCTGCTTTACGAAATTAATTGGGGGGGGC
CGGCACTCCATTTGGCGACATACATCACAGAACACTAACAAGCACGTCGAAGTCAACTTCATCGAGAAGTTCACGACAGAAAGATA
TTTCTGTCCGAACACAAGGTGCAGCATTACCTGGTTTCTCAGCTGGAGCCCATGCGGCGAATGTAGTAGGGCCATCACTGAATTCCT
GTCAAGGTATCCCCACGTCACTCTGTTTATTTACATCGCAAGGCTGTACCACCACGCTGACCCCCGCAATCGACAAGGCCTGCGGGA
TTTGATCTCTTCAGGTGTGACTATCCAAATTATGACTGAGCAGGAGTCAGGATACTGCTGGAGAAACTTTGTGAATTATAGCCCGA
GTAATGAAGCCCACTGGCCTAGGTATCCCCATCTGTGGGTACGACTGTACGTTCTTGAACTGTACTGCATCATACTGGGCCTGCCTC
CTTGTCTCAACATTCTGAGAAGGAAGCAGCCACAGCTGACATTCTTTACCATCGCTCTTCAGTCTTGTCATTACCAGCGACTGCCCCC
ACACATTCTCTGGGCCACCGGGTTGAAAGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCAACACCTGAAAGCAGC
GGCACAGGCAAGGTGCTGCACCAGAAGACCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCG
GCAAGCCAGACGGCAAGCCTGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCA
GGCCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACAC
ACTGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGA
TCTGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAG
GAAATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGA
AGACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGT
TCTGTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGAC
ATCGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGAT
GAGAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAG
CAAGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGG
CCATGTCGGCTGAAGAAGCGCCCCACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCG
AGAAGGAGACAGGCAAGCAGCTGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGC
CTGAGAGCGATATCCTGGTCCATACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTAT
AAGCCCTGGGCTCTGGTCATCCAGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAGAACCGCCGACG
GCAGCGAATTCGAGCCCAAGAAGAAGAGGAAAGTC

Nme2-rAPOBEC1-i8: BPSV40-NLS, Nme2Cas9, rAPOBEC1, UGI, Linkers

AAACGGACAGCCGACGGAAGCGAGTTCGAGTCACCAAAGAAGAAGCGGAAAGTCGAAGATATGGCCGCCTTCAAGCCTAACCCA
ATCAATTACATCCTGGGACTGGCCATCGGAATCGCATCCGTGGGATGGGCTATGGTGGAGATCGACGAGGAGGAGAATCCTATCC
GGCTGATCGATCTGGGCGTGAGAGTGTTTGAGAGGGCCGAGGTGCCAAAGACCGGCGATTCTCTGGCTATGGCCCGGAGACTGG
CACGGAGCGTGAGGCGCCTGACACGGAGAAGGGCACACAGGCTGTGAGGGCACGCCGGCTGCTGAAGAGAGAGGGCGTGCTG
CAGGCAGCAGACTTCGATGAGAATGGCCTGATCAAGAGCCTGCCAAACACCCCCTGGCAGCTGAGAGCAGCCGCCCTGGACAGGA
AGCTGACACCACTGGAGTGGTCTGCCGTGCTGCTGCACCTGATCAAGCACCGCGGCTACCTGAGCCAGCGGAAGAACGAGGGAG
AGACAGCAGACAAGGAGCTGGGCGCCCTGCTGAAGGGAGTGGCCAACAATGCCCACGCCCTGCAGACCGGCGATTTCAGGACAC
CTGCCGAGCTGGCCCTGAATAAGTTTGAGAAGGAGTCCGGCCACATCAGAAACCAGAGGGGCGACTATAGCCACACCTTCTCCCG
CAAGGATCTGCAGGCCGAGCTGATCCTGCTGTTCGAGAAGCAGAAGGAGTTTGGCAATCCACACGTGAGCGGAGGCCTGAAGGA
GGGAATCGAGACCCTGCTGATGACACAGAGGCCTGCCCTGTCCGGCGACGCAGTGCAGAAGATGCTGGGACACTGCACCTTCGAG
CCTGCAGAGCCAAAGGCCGCCAAGAACACCTACACAGCCGAGCGGTTTATCTGGCTGACAAAGCTGAACAATCTGAGAATCCTGG
AGCAGGGATCCGAGAGGCCACTGACCGACACAGAGAGGGCCACCCTGATGGATGAGCCTTACCGGAAGTCTAAGCTGACATATG
CCCAGGCCAGAAAGCTGCTGGGCCTGGAGGACACCGCCTTCTTTAAGGGCCTGAGATACGGCAAGGATAATGCCGAGGCCTCCAC
ACTGATGGAGATGAAGGCCTATCACGCCATCTCTCGCGCCCTGGAGAAGGAGGGCCTGAAGGACAAGAAGTCCCCCCTGAACCTG
AGCTCCGAGCTGCAGGATGAGATCGGCACCGCCTTCTCTCTGTTTAAGACCGACGAGGATATCACAGGCCGCCTGAAGGACAGGG
TGCAGCCTGAGATCCTGGAGGCCCTGCTGAAGCACATCTCTTTCGATAAGTTTGTGCAGATCAGCCTGAAGGCCCTGAGAAGGATC
GTGCCACTGATGGAGCAGGGCAAGCGGTACGACGAGGCCTGCGCCGAGATCTACGGCGATCACTATGGCAAGAAGAACACAGAG
GAGAAGATCTATCTGCCCCCTATCCCTGCCGACGAGATCAGAAATCCTGTGGTGCTGAGGGCCCTGTCCCAGGCAAGAAAAGTGAT
CAACGGAGTGGTGCGCCGGTACGGATCTCCAGCCCGGATCCACATCGAGACCGCCAGAGAAGTGGGCAAGAGCTTCAAGGACCG
GAAGGAGATCGAGAAGAGACAGGAGGAGAATCGCAAGGATCGGGAGAAGGCCGCCGCCAAGTTTAGGGAGTACTTCCCTAACTT
TGTGGGCGAGCCAAAGTCTAAGGACATCCTGAAGCTGCGCCTGTACGAGCAGCAGCACGGCAAGTGTCTGTATAGCGGCAAGGA
GATCAATCTGGTGCGGCTGAACGAGAAGGGCTATGTGGAGATCGATCACGCCCTGCCTTTCTCCAGAACCTGGGACGATTCTTTTA
ACAATAAGGTGCTGGTGCTGGGCAGCGAGAACCAGAATAAGGGCAATCAGACACCATACGAGTATTTCAATGGCAAGGACAACTC
CAGGGAGTGGCAGGAGTTCAAGGCCCGCGTGGAGACCTCTAGATTTCCCAGGAGCAAGAAGCAGCGGATCCTGCTGCAGAAGTT
CGACGAGGATGGCTTTAAGGAGTGCAACCTGAATGACACCAGATACGTGAACCGGTTCCTGTGCCAGTTTGTGGCCGATCACATCC
TGCTGACCGGCAAGGGCAAGAGAAGGGTGTTCGCCTCTAATGGCCAGATCACAAACCTGCTGAGGGGATTTTGGGGACTGAGGA
AGGTGCGGGCAGAGAATGACAGACACCACGCACTGGATGCAGTGGTGGTGGCATGCAGCACCGTGGCAATGCAGCAGAAGATCA
CAAGATTCGTGAGGTATAAGGAGATGAACGCCTTTGACGGCAAGACCATCGATAAGGAGACAGGCAAGGTGCTGCACCAGAAGA
CCCACTTCCCCCAGCCTTGGGAGTTCTTTGCCCAGGAAGTGATGATCCGGGTGTTCGGCAAGCCAGACGGCAAGCCTGGCGGATCA
GGAGGCTCTGGCGGTTCAGGTGGATCAGGCGGTAGCGGAGGTTCAGGTGGTAGCTCAGAGACTGGCCCAGTGGCTGTGGACCCC
ACATTGAGACGGCGGATCGAGCCCCATGAGTTTGAGGTATTCTTCGATCCGAGAGAGCTCCGCAAGGAGACCTGCCTGCTTTACGA
AATTAATTGGGGGGGGCCGGCACTCCATTTGGCGACATACATCACAGAACACTAACAAGCACGTCGAAGTCAACTTCATCGAGAAGT
TCACGACAGAAAGATATTTCTGTCCGAACACAAGGTGCAGCATTACCTGGTTTCTCAGCTGGAGCCCATGCGGCGAATGTAGTAGG
GCCATCACTGAATTCCTGTCAAGGTATCCCCACGTCACTCTGTTTATTTACATCGCAAGGCTGTACCACCACGCTGACCCCCGCAATC
GACAAGGCCTGCGGGATTTGATCTCTTCAGGTGTGACTATCCAAATTATGACTGAGCAGGAGTCAGGATACTGCTGGAGAAACTTT
GTGAATTATAGCCCGAGTAATGAAGCCCACTGGCCTAGGTATCCCCATCTGTGGGTACGACTGTACGTTCTTGAACTGTACTGCATC
ATACTGGGCCTGCCTCCTTGTCTCAACATTCTGAGAAGGAAGCAGCCACAGCTGACATTCTTTACCATCGCTCTTCAGTCTTGTCATT
ACCAGCGACTGCCCCCACACATTCTCTGGGCCACCGGGTTGAAAGGCTCCTCTGGCTCTGAGACACCTGGCACAAGCGAGAGCGCA
ACACCTGAAAGCAGCGGCGAGTTTGAGGAGGCCGATACCCCAGAGAAGCTGAGGACACTGCTGGCAGAGAAGCTGTCTAGCAGG
CCAGAGGCAGTGCACGAGTACGTGACCCCACTGTTCGTGTCCAGGGCACCCAATCGGAAGATGTCTGGCGCCCACAAGGACACAC
TGAGAAGCGCCAAGAGGTTTGTGAAGCACAACGAGAAGATCTCCGTGAAGAGAGTGTGGCTGACCGAGATCAAGCTGGCCGATC
TGGAGAACATGGTGAATTACAAGAACGGCAGGGAGATCGAGCTGTATGAGGCCCTGAAGGCAAGGCTGGAGGCCTACGGAGGA
AATGCCAAGCAGGCCTTCGACCCAAAGGATAACCCCTTTTATAAGAAGGGAGGACAGCTGGTGAAGGCCGTGCGGGTGGAGAAG
ACCCAGGAGAGCGGCGTGCTGCTGAATAAGAAGAACGCCTACACAATCGCCGACAATGGCGATATGGTGAGAGTGGACGTGTTCT
GTAAGGTGGATAAGAAGGGCAAGAATCAGTACTTTATCGTGCCTATCTATGCCTGGCAGGTGGCCGAGAACATCCTGCCAGACAT
CGATTGCAAGGGCTACAGAATCGACGATAGCTATACATTCTGTTTTTCCCTGCACAAGTATGACCTGATCGCCTTCCAGAAGGATGA
GAAGTCCAAGGTGGAGTTTGCCTACTATATCAATTGCGACTCCTCTAACGGCAGGTTCTACCTGGCCTGGCACGATAAGGGCAGCA
AGGAGCAGCAGTTTCGCATCTCCACCCAGAATCTGGTGCTGATCCAGAAGTATCAGGTGAACGAGCTGGGCAAGGAGATCAGGCC
ATGTCGGCTGAAGAAGCGCCCACCCGTGCGGAGCGGAGGATCCGGAGGATCTGGAGGCAGCACCAACCTGTCTGACATCATCGA
GAAGGAGACAGGCAAGCAGCTGGTCATCCAGGAGAGCATCCTGATGCTGCCCGAAGAAGTCGAAGAAGTGATCGGAAACAAGCC
TGAGAGCGATATCCTGGTCCATACCGCCTACGACGAGAGTACCGACGAAAATGTGATGCTGCTGACATCCGACGCCCCAGAGTATA
AGCCCTGGGCTCTGGTCATCCAGGATTCCAACGGAGAGAACAAAATCAAAATGCTGTCTGGCGGCTCAAAAAGAACCGCCGACGG
CAGCGAATTCGAGCCCAAGAAGAAGAGGAAAGTC