Functional Tissue Units in the Human Reference Atlas

Supriya Bidanta[1, #], Katy Börner[1, #, *], Bruce W. Herr II[1], Marcell Nagy[2], Katherine S. Gustilo[1], Rachel Bajema[1], Libby Maier[1], Roland Molontay[2], Griffin Weber[3, *]

[1] Department of Intelligent Systems Engineering, Luddy School of Informatics, Computing, and Engineering, Indiana University, Bloomington, IN 47408, USA,

[2] Department of Stochastics, Institute of Mathematics, Budapest University of Technology and Economics, Műegyetem rkp. 3., H-1111 Budapest, Hungary,

[3] Department of Biomedical Informatics, Harvard Medical School, Boston, MA 02115, USA.

* Corresponding authors
# Contributed equally (co-first authors)

Abstract

Functional tissue units (FTUs) form the basic building blocks of organs and are important for understanding and modeling the healthy physiological function of the organ and changes during disease states. In this first comprehensive catalog of FTUs, we document the definition, physical dimensions, vasculature, and cellular composition of 22 anatomically correct, nested functional tissue units (FTUs) in 10 healthy human organs. The catalog includes datasets, illustrations, an interactive online FTU explorer, and a large printable poster. All data and code are freely available. This is part of a larger ongoing international effort to construct a Human Reference Atlas (HRA) of all cells in the human body.

Introduction

The Human Reference Atlas (HRA) is an international effort of 17 consortia to build a freely available map of the healthy adult human body down to the single-cell level. At the highest level are organ systems, whose individual organs contain various tissues, also called anatomical structures. Tissues, in turn, consist of repeating structures known as functional tissue units (FTUs).

Bernard de Bono et al. define FTUs as "a three-dimensional block of cells centered around a capillary, such that each cell in this block is within diffusion distance from any other cell in the same block"[1]. The description of the cells within an FTU and the anatomical location of the FTU

form a so-called primary tissue motif (PTM). An FTU must support both metabolism and
communication between cells. The maximum diffusion distance of oxygen and other molecules
constrains the size of an FTU. Therefore, tissues and organs in the body consist of many
repeating FTUs to perform the overall function of the organ.

We previously generalized this original definition by describing an FTU as "the smallest tissue
organization that performs a unique physiologic function and is replicated multiple times in a
whole organ"[2]. Here, we extend the definition of FTUs by allowing them to form a nested
hierarchy to accomplish various functions.

In this perspective, we present a catalog of the first 22 FTUs for the HRA. The current version of
this atlas contains (1) the length and diameter of each FTU; (2) the vasculature pathways that
connect FTUs to the heart and amongst each other; (3) the cell types within each FTU; and (4)
2D illustrations of each FTU showing their prototypical cell types, cell shapes, sizes, and spatial
arrangement. We map all anatomical structures to their corresponding Uber-anatomy Ontology
(UBERON) ID[3] and all cell types to their Cell Ontology (CL) ID[4] to enable linkage to other
datasets. We reference supporting scholarly paper evidence where applicable. We make the
HRA's catalog of FTUs available as machine-readable downloadable files, through an HRA
Interactive FTU Explorer website, and as a large printable poster.

Much of the information we present here about FTUs exists in the literature but siloed by organ
or tissue type and with no unifying conceptual or data schema framework. The creation of a
catalog of FTUs as an integral part of the HRA, along with standardized descriptions linked to
ontologies, makes it possible to compare and contrast these units throughout the human body.
This way, we can gain a better comprehension of how FTUs function together, and how they
can be integrated into models and simulations.

61   HRA FTU Datasets

This initial release of the atlas contains 22 FTUs across 10 organs, see **Table 1**. The 15 top-
level FTUs by organ are (1) kidney: nephron; (2) large intestine: crypt of Lieberkuhn of colon; (3)
liver: liver lobule; (4) lung: alveolus and bronchus submucosal gland; (5) pancreas: islets of
Langerhans, pancreas acini, and intercalated duct; (6) prostate gland: prostate glandular acinus;
(7) skin: dermal papilla and skin epidermal ridge; (8) small intestine: intestinal villus; (9) spleen:
red pulp and white pulp; and (10) thymus: thymus lobule. The kidney nephron contains 7
additional FTUs: renal corpuscle, inner medullary collecting duct, descending limb of loop of
Henle, loop of Henle ascending limb thin segment, thick ascending limb of loop of Henle, outer
medullary collecting duct, and cortical collecting duct. **Table 1** includes the UBERON ID,
dimensions, and references for each FTU.

HRA FTUs are developed in a five-step process: 1) identify FTU shape, dimensions, and cell
types from experimental data published in scholarly papers; 2) invite organ experts to comment
on these and revise as needed; 3) a professional medical illustrator creates a vector-based
drawing of the FTU and saves it as an SVG file with all metadata; 4) organ experts review the

77	drawings and any existing disclaimers and suggest changes as needed; 5) number of cells per
78	cell type are recorded and the FTU file is published with all metadata together with a crosswalk
79	file as part of an HRA release. Subsequently, we detail key data types and formats.

Geometric Properties

Table 1 lists the 10 organs and their 22 FTUs together with the UBERON ID, spatial
dimensions, and reference paper(s) in which the dimensions were published. For circular-
shaped FTUs, such as the *alveolus of the lung*, a single dimension value (or range) is listed
representing the typical diameter of the FTU. For cylindrical FTUs, such as the *inner medullary*
collecting duct in the kidney, both length and diameter are provided. The diameter of the
intercalated duct is the largest at the head of the pancreas and smallest in the tail.

Vasculature

The HRA-VCCF dataset contains a list of all the blood vessels in the HRA, along with their
branching structure, cell types, biomarkers, and other information[5,6]. **Table 2** lists the vessels in
the HRA-VCCF that directly supply or drain each FTU. Note that the epidermal ridge does not
contain blood vessels, but rather obtains oxygen via diffusion from the underlying dermal
papilla. **Supplemental Table S1** lists the full vasculature pathways from the heart to each FTU
and back to the heart. Where possible, vessels are mapped to their corresponding UBERON ID
or Foundational Model of Anatomy (FMA) ontology IDs [7]. About 63% of the vessels exist in one
or both of these ontologies.

Cell Types

97 A list of the different types of cells in each FTU is available at
98 https://humanatlas.io/assets/table-data/ftu-cell-count-5th-release.csv.
99
Table 3 shows a subset of this list for FTUs within the kidney nephron. Each cell type is
associated with its corresponding Cell Ontology (CL) ID. Ongoing research using methods such
as single-cell RNA sequencing is identifying biomarkers expressed in these cell types and
determining the relative distribution of the cell types in the FTUs. Examples for the liver[8] and
lung[9] are available at
https://www.ebi.ac.uk/gxa/sc/experiments/E-MTAB-10553/results/anatomogram and
https://www.ebi.ac.uk/gxa/sc/experiments/E-GEOD-130148/results/anatomogram.

Spatial Arrangement of Cells

108 The spatial arrangement of cells and their types in each FTU is recorded in 2D illustrations, see
109 https://humanatlas.io/2d-ftu-illustrations.
110
Medical illustrators create these illustrations by compiling information from papers, histology,
and microscopical images of the FTU guided by Standard Operating Procedures (SOP)[3] and the

Style Guide for Human Reference Atlas 2D Functional Tissue Unit (FTU) Illustrations[10]. The
information is validated by Subject Matter Experts (SMEs) with extensive expertise in human
anatomy and single-cell studies. The illustrations are saved in SVG format, and converted to
JSON files using a code that helps to map the drawings to the metadata; and a Crosswalk table
is compiled that associates 2D anatomical structures and cell types in the FTUs with their
proper terms in the HRA. Illustrations of all 22 FTUs are shown in **Fig. 1** at four levels of
magnification, see scale bars.

120 HRA FTU Visualizations

121   In addition to accessing the HRA FTUs through machine-readable data files, users can also
122   explore the data online using the Interactive FTU Explorer or as a printable poster.

123 Interactive FTU Explorer

124   Prior work by the European Bioinformatics Institute (EBI) on interactive anatomograms[11,12] and
125   by the Kidney Precision Medicine Project (KPMP) on the Kidney Tissue Atlas Explorer[13]
126   inspired the design of the lung and kidney FTU illustrations (creating de-facto standards across
127   these three sites) and the design and implementation of the HRA Interactive FTU Explorer at
128   https://hubmapconsortium.github.io/hra-ui/apps/ftu-ui/.
129
As illustrated in **Fig. 2**, the website lets users select any of the 22 FTUs on the left, which brings
up an interactive rendering of the FTU illustration in the middle. Cell types and their biomarkers
derived from experimental data are tabulated in the top right; with circle size indicating the
percentage of cells in the FTU and circle color representing the mean expression value over all
cells of this type in the FTU—averaged over all datasets loaded for this FTU. Users can choose
to explore gene, protein, and lipid biomarkers for different cell types using three tabs; in some
cases, experimental data might not (yet) exist. In the lower right of the FTU Explorer, users can
click on a specific source dataset and go to the portal that serves this dataset. In the next
iteration of the FTU Explorer, users will be able to select specific datasets (e.g., datasets from
different demographics) to understand changes in cell type by biomarker expression values as
we age (young vs. old) or by sex (male vs. female).

141 Printable Poster

To place the FTUs within the larger context of the HRA, we created a printable poster
visualizing all 1,607 anatomical structures and 1,943 cell types available in the 5th release of
the HRA. The visualization is composed of two radial tree graphs: (1) The first graph contains
the nested "partonomy" of the anatomical structures and cell types in the HRA. The human body
serves as the root node in the center, the largest anatomical structures (organs) are placed
further out, and smaller sub-structures and tissue types of branch outwards from the organs'
leaf nodes denoting cell types. (2) The second graph contains all the blood vessels in the HRA,
with the chambers of the heart in the center, and increasing smaller vessels more distal to the

heart again branching outwards from the center. Nodes in the two radial tree graphs meet at
points where the HRA indicates a vessel supplies or drains the corresponding anatomical
structure. Nodes that represent FTUs are highlighted in green. The left side shows the nested
partonomy and blood vessels in females and the right side shows them for males with a
"butterfly-like" appearance that invites closer examination, discussion, and self-portrait photos,
see **Fig. 3**. The 6-foot diameter poster is available in ready-to-print formats via
https://github.com/cns-iu/hra-vccf-ftu-supporting-information.
157
158   Note that there are 54 nodes for the 22 FTUs. This is because some FTUs overlap multiple
159   anatomical structures and therefore appear in more than one location of the partonomy. We
160   plan to update this poster with future releases of the HRA to reflect ongoing development of the
161   partonomy and vasculature graphs and new FTUs added to the catalog.

162   Discussion

FTUs are the basic building blocks of organs. Their distinctive size (relative to diffusion
distances) and physical arrangement of different cell types are key to enabling their
corresponding physiologic function. In this perspective, we described datasets and
visualizations of 22 FTUs in 10 organs interconnected by vasculature as published in the 5th
release of the HRA. To our knowledge, this is the first time that comprehensive data specifically
about FTUs across the human body have been systematically cataloged. At the macro-
anatomical scale, the vascular pathways connecting FTUs to the heart and each other, along
with our HRA poster, show the position of FTUs in the body. At the microscopic scale, the
illustrations and cell type table show the internal structure of the FTUs.
172
Within the HRA effort, we are using this catalog of FTUs for several use cases. For example, we
ran Kaggle competitions to develop scalable and generalizable segmentation code to identify
FTUs in images[2,14]. We use the segmentation code to automatically count the number of FTUs
per unit area and to compute general biomarker expression values for genes, proteins, lipids,
and metabolites. Ongoing research compares hierarchical cell neighborhoods[15] computed from
tissue data with the 22 FTUs in the catalog presented here.
179
More broadly, we envision the FTU catalog and the Interactive FTU Explorer as a framework for
researchers to study how the information presented here (FTU dimensions, cell types, etc.)
varies across donor demographics (e.g., age, sex, race) and in different disease states.
Understanding similarities and differences between FTUs can help predict adverse events of
medications or suggest new drug targets. The FTU Explorer can be used as an educational tool,
especially for comparing the physiology and vasculature of different organs and tissues. Our
downloadable poster is intended for general public outreach.
187
188   A limitation of this work is that the HRA is still in development, with updates planned every six
189   months for the coming three years. As a result, this is not yet a complete map of all FTUs in the
190   body, but rather a starting point demonstrating how various types of data about FTUs, including

191 physical dimensions, vasculature, cell types, and spatial orientation can be interlinked across
192 scales, in support of creating a human reference atlas.

Data availability

194 All data is freely available at https://github.com/cns-iu/hra-vccf-ftu-supporting-information and
195 via the HRA Portal at https://humanatlas.io.

Code availability

197 All code is freely available at https://github.com/cns-iu/hra-vccf-ftu-supporting-information. The
198 FTU Explorer code is hosted at https://github.com/hubmapconsortium/hra-ui. Standard
199 operating procedures are available via the HRA Portal, https://humanatlas.io. HRA learning
200 modules and self-quizzes can be accessed via the Visible Human MOOC at
201 https://expand.iu.edu/browse/sice/cns/courses/hubmap-visible-human-mooc.

Acknowledgments

We thank organ experts Sanjay Jain, Matthias Kretzler, M. Todd Valerius (Kidney), John Hickey,
Yiing Lin (Intestine), Gloria Pryhuber (Lung), Martha Campbell-Thompson (Pancreas), Douglas
Strand (Prostate), Fiona Ginty, Arivarasan Karunamurthy (Skin), Andrea J. Radtke, Maigan
Brusko (Spleen), Maigan Brusko, Andrea J. Radtke (Thymus), Anna Maria Masci, Tim Kendall,
Ayako Suzuki (Liver) who supported FTU designs and revisions. Discussions with Michael
Rose, Todd M. Valerius, and Matthias Kretzler from the KPMP team working on the Kidney
Tissue Atlas Explorer and Silvie Fexova and Irene Papatheodorou from EBI working on the
Anatomogram Explorer informed the design of the Interactive FTU Explorer user interface. The
FTU Explorer was implemented by Daniel Bolin, Edward Lu, Raj Chavan, Rohith Reddy, Sai
Kiran Jella, Himanshu Joshi, Sanket Darwante, Jagrut Chaudhari, Sumedh Salvi, Pranathi
Neerudu, Anita Narayanan, Aditya Rudrawar, Tanu Kansal, Hanuhitha Dondapati, and Akshay
Murthy. Heidi Schlehlein designed the butterfly visualization poster using files provided by the
authors of this paper. Ellen Quardokus helped in validating the cell types and provided guidance
for finalizing the FTU data.
217
This research has been funded by the NIH Common Fund through the Office of Strategic
Coordination/Office of the NIH Director under awards OT2OD033756 and OT2OD026671, by
the Cellular Senescence Network (SenNet) Consortium through the Consortium Organization
and Data Coordinating Center (CODCC) under award number U24CA268108, by the Kidney
Precision Medicine Project grant U2CDK114886, by the NIDDK under awards U24DK135157
and U01DK133090 and by The Multiscale Human CIFAR project. The funders had no role in
study design, data collection and analysis, decision to publish, or preparation of the manuscript.

225 Author contributions

226 SB compiled FTU data; KB lead this work as part of the HRA effort; MN and RM implemented
227 the butterfly visualization; KSG and GW compiled the vasculature data; RB designed the FTU
228 illustrations with expert input by organ experts; LM, BH, and KB developed the design
229 specification for the FTU Explorer; BH led FTU Explorer development; SB, MN, KB, and GW
230 wrote the manuscript. All authors edited the manuscript.

231 Competing interests

232 The authors declare no competing interests.

Figures

Figure 1. 2D illustrations of all 22 FTU with name and size annotations.

Figure 2: HRA Interactive Functional Tissue Unit Explorer showing the 2D illustration of the renal corpuscle of the kidney along with associated experimental data.

244
245
246 **Figure 3**. Poster of the HRA illustrating radial tree graphs of (1) the nested partonomy of organ
247 anatomical structures and cell types of the human body with an overlay of (2) the branching
248 structure of the blood vasculature extending from the heart (center of the figure) to FTUs (outer
249 edge). Illustrations of all 22 FTUs are placed outside of the radial tree visualization for easy
250 reference. One of the authors is posing for a photo.

Tables

Table 1. Functional tissue units by organ, with UBERON ID, and dimensions (length where applicable and diameter in millimeters) as listed in the provided references.

Organ	FTU	UBERON ID	Dimensions	References
kidney	nephron	UBERON:0001285	30-50	[5]
kidney	– renal corpuscle	UBERON:0001229	0.15 - 0.25	[6]
kidney	– inner medullary collecting duct	UBERON:0004205	12 x 0.05	[7]
kidney	– descending limb of loop of Henle	UBERON:0001289	3.2 x 0.026	[7]
kidney	– loop of Henle ascending limb thin segment	UBERON:0004193	5 x 0.026	[7]
kidney	– thick ascending limb of loop of Henle	UBERON:0004193	5 x 0.026	[7]
kidney	– outer medullary collecting duct	UBERON:0004204	5 x 0.040	[7]
kidney	– cortical collecting duct	UBERON:0004203	20 - 22 x 0.02 - 0.05	[7],[8]
large intestine	crypt of Lieberkuhn	UBERON:0001983	0.05 x 0.7	[9]
liver	liver lobule	UBERON:0004647	1 - 2.5	[10],[11]
lung	alveolus of lung	UBERON:0002299	0.184 - 0.2	[12]
lung	bronchus submucosal gland	UBERON:8410043	1 - 2	[13]
pancreas	islets of Langerhans	UBERON:0000006	0.1	[14]
pancreas	pancreas acinus	UBERON:0001263	0.010 - 0.024	[15]
pancreas	intercalated duct	UBERON:0014726	1.5 - 3.5	[16]
prostate gland	prostate glandular acinus	UBERON:0004179	0.5	[17]
skin	dermal papilla	UBERON:0000412	0.1 - 1.5	[18]
skin	epidermal ridge of digit	UBERON:0013487	0.25–0.93	[18]–[20]
small intestine	villus	UBERON:0001213	0.5–1.6	[22]
spleen	red pulp of spleen	UBERON:0001250	0.02 - 0.04	[23]
spleen	white pulp of spleen	UBERON:0001959	0.5 -1	[23]
thymus	thymus lobule	UBERON:0002125	0.5 - 2	[20]–[23]

Table 2. Blood vessels that directly supply or drain each FTU.

Organ	FTU	Vessels
kidney	nephron	ascending vasa recta of kidney; descending vasa recta of kidney; glomerular capillary; peritubular capillary; renal afferent arteriole; renal efferent arteriole; vasa recta of kidney
kidney	– cortical collecting duct	peritubular capillary

kidney	– descending limb of loop of Henle	ascending vasa recta of kidney
kidney	– inner medullary collecting duct	ascending vasa recta of kidney; descending vasa recta of kidney
kidney	– loop of Henle ascending limb thin segment	vasa recta of kidney
kidney	– outer medullary collecting duct	ascending vasa recta of kidney; descending vasa recta of kidney
kidney	– renal corpuscle	glomerular capillary; renal afferent arteriole; renal efferent arteriole
kidney	– thick ascending limb of loop of Henle	peritubular capillary
large intestine	crypt of Lieberkuhn	branch of mucous plexus of colon
liver	liver lobule	central vein of liver; hepatic arteriole; hepatic portal venule; hepatic sinusoid
lung	alveolus of lung	alveolar capillary
lung	bronchus submucosal gland	bronchial capillary
pancreas	intercalated duct	periductal capillary of intercalated duct of pancreas
pancreas	islet of Langerhans	pancreatic islet capillary
pancreas	pancreatic acinus	intralobular arteriole of pancreas; lobular capillary of pancreas
prostate gland	prostate glandular acinus	prostatic capillary
skin	dermal papilla	branch of subpapillary plexus
skin	epidermal ridge of digit	(indirectly via branch of subpapillary plexus in the dermal papilla)
small intestine	intestinal villus	branch of mucous plexus of small intestine
spleen	red pulp of spleen	post-sheath open capillary of spleen; red pulp venule of spleen; splenic venous sinusoid
spleen	white pulp of spleen	branch of superficial white pulp capillary of spleen; secondary follicle arteriole of spleen; spleen central arteriole
thymus	thymus lobule	thymic capillary

261 **Table 3**. Cell types with CL IDs in kidney nephron FTUs.

FTU	Cell Type	CL ID
renal corpuscle	parietal epithelial cell	CL:1000452
renal corpuscle	glomerular visceral epithelial cell	CL:0000653
renal corpuscle	glomerular capillary endothelial cell	CL:1001005
renal corpuscle	glomerular mesangial cell	CL:1000742
renal corpuscle	epithelial cell of proximal tubule	CL:0002306
renal corpuscle	macula densa epithelial cell	CL:1000850
renal corpuscle	kidney afferent arteriole endothelial cell	CL:1001096
renal corpuscle	kidney efferent arteriole endothelial cell	CL:1001099
cortical collecting duct	kidney cortex collecting duct principal cell	CL:1000714
cortical collecting duct	kidney cortex collecting duct intercalated cell type A	CL:4030020

cortical collecting duct	kidney cortex collecting duct intercalated cell type B	CL:4030021
cortical collecting duct	peritubular capillary endothelial cell	CL:1001033
inner medullary collecting duct	kidney inner medulla collecting duct principal cell	CL:1000718
inner medullary collecting duct	peritubular capillary endothelial cell	CL:1001033
outer medullary collecting duct	kidney outer medulla collecting duct intercalated cell type A	CL:1000717
outer medullary collecting duct	peritubular capillary endothelial cell	CL:1001033
outer medullary collecting duct	kidney outer medulla collecting duct principal cell	CL:1000716
thick ascending loop of Henle	kidney loop of Henle thick ascending limb epithelial cell	CL:1001106
thick ascending loop of Henle	peritubular capillary endothelial cell	CL:1001033
descending thin loop of Henle	kidney loop of Henle thin descending limb epithelial cell	CL:1001111
descending thin loop of Henle	vasa recta descending limb	CL:1001285
ascending thin loop of Henle	kidney loop of Henle thin ascending limb epithelial cell	CL:1001107
ascending thin loop of Henle	vasa recta ascending limb	CL:1001131

Supplemental table

Table S1. Vascular pathways from the heart to each FTU and back to the heart
https://github.com/cns-iu/hra-vccf-ftu-supporting-information/tree/main/data

References

1. De Bono, B., Grenon, P., Baldock, R. & Hunter, P. Functional tissue units and their primary tissue motifs in multi-scale physiology. J. Biomed. Semant. 4, 22 (2013).

2. Jain, Y. et al. Segmenting functional tissue units across human organs using community-driven development of generalizable machine learning algorithms. Nat. Commun. 14, 4656 (2023).

3. Börner, K. et al. Anatomical structures, cell types and biomarkers of the Human Reference Atlas. Nat. Cell Biol. 23, 1117–1128 (2021).

4. Osumi-Sutherland, D. et al. Cell type ontologies of the Human Cell Atlas. Nat. Cell Biol. 23, 1129–1135 (2021).

5. Nephron | Definition, Function, Structure, Diagram, & Facts | Britannica. https://www.britannica.com/science/nephron (2023).

6. Physiology Image: Renal corpuscle. - PhysiologyWeb. https://www.physiologyweb.com/figures/physiology_image_TvKcIccyvFuiIvXAWDRXu5GuzkBK8RHt_renal_corpuscle.html.

7. Layton, A. T. & Layton, H. E. A computational model of epithelial solute and water transport along a human nephron. PLOS Comput. Biol. 15, e1006108 (2019).

8. Himmerkus, N. et al. Viewing Cortical Collecting Duct Function Through Phenotype-guided Single-Tubule Proteomics. Function 1, zqaa007 (2020).

9. Wang, Y. et al. Capture and 3D culture of colonic crypts and colonoids in a microarray platform. Lab. Chip 13, 4625–4634 (2013).

10. ajeyaseelan. 2i. The Liver. Collection at Bartleby.com https://www.bartleby.com/lit-hub/anatomy-of-the-human-body/2i-the-liver (2022).

11. Gray, H., Gray, H. & Lewis, W. H. Anatomy of the human body. (Lea & Febiger, 1918). doi:10.5962/bhl.title.20311.

12. Ochs, M. et al. The number of alveoli in the human lung. Am. J. Respir. Crit. Care Med. 169, 120–124 (2004).

13. Ostedgaard, L. S. et al. Lack of airway submucosal glands impairs respiratory host defenses. eLife 9, e59653 (2020).

14. Da Silva Xavier, G. The Cells of the Islets of Langerhans. J. Clin. Med. 7, 54 (2018).

15. Morgan, R. G., Schaeffer, B. K. & Longnecker, D. S. Size and number of nuclei differ in normal and neoplastic acinar cells from rat pancreas. Pancreas 1, 37–43 (1986).

16. R, R. & Weerakkody, Y. Pancreatic duct diameter. in Radiopaedia.org (Radiopaedia.org, 2013). doi:10.53347/rID-24634.

17. Fullwood, N. J., Lawlor, A. J., Martin-Hirsch, P. L., Matanhelia, S. S. & Martin, F. L. An analysis of benign human prostate offers insights into the mechanism of apocrine secretion and the origin of prostasomes. Sci. Rep. 9, 4582 (2019).

18. Lambert, P. H. & Laurent, P. E. Intradermal vaccine delivery: Will new delivery systems transform vaccine administration? Vaccine 26, 3197–3208 (2008).

19. Epidermis (Outer Layer of Skin): Layers, Function, Structure. Cleveland Clinic https://my.clevelandclinic.org/health/body/21901-epidermis.

20.   Lundström, R., Dahlqvist, H., Hagberg, M. & Nilsson, T. Vibrotactile and thermal
perception and its relation to finger skin thickness. Clin. Neurophysiol. Pract. 3, 33–39 (2018).
21.   Fruhstorfer, H., Abel, U., Garthe, C.-D. & Knüttel, A. Thickness of the stratum corneum
of the volar fingertips. Clin. Anat. 13, 429–433 (2000).
22.   Intestinal villus. Wikipedia (2023).
23.   Elmore, S. A. Enhanced histopathology of the spleen. Toxicol. Pathol. 34, 648–655
(2006).
24.   Thymus histology. Kenhub https://www.kenhub.com/en/library/anatomy/histology-of-the-
thymus.
25.   Lobules of thymus - e-Anatomy - IMAIOS. https://www.imaios.com/en/e-
anatomy/anatomical-structure/lobules-of-thymus-1553795620.
26.   Palumbo, C. Embryology and Anatomy of the Thymus Gland. in Thymus Gland
Pathology (eds. Lavini, C., Moran, C. A., Morandi, U. & Schoenhuber, R.) 13–18 (Springer
Milan, 2008). doi:10.1007/978-88-470-0828-1_2.
27.   Boppana, A. et al. Anatomical structures, cell types, and biomarkers of the healthy
human blood vasculature. Sci. Data 10, 452 (2023).
28.   Griffin Weber, Yingnan Ju, & Katy Börner. Considerations for Using the Vasculature as a
Coordinate System to Map All the Cells in the Human Body. Front. Cardiovasc. Med. 7, (2020).
29.   Foundational Model of Anatomy | Structural Informatics Group.
http://si.washington.edu/projects/fma.
30.   Wang, Z.-Y. et al. Single-cell and bulk transcriptomics of the liver reveals potential
targets of NASH with fibrosis. Sci. Rep. 11, 19396 (2021).
31.   Vieira Braga, F. A. et al. A cellular census of human lungs identifies novel cell states in
health and in asthma. Nat. Med. 25, 1153–1163 (2019).
32.   Bajema, R. Style Guide: Human Reference Atlas 2D Functional Tissue Unit (FTU)
Illustrations. (2022) doi:10.5281/ZENODO.6703376.
33.   Experiment < Single Cell Expression Atlas < EMBL-EBI.
https://www.ebi.ac.uk/gxa/sc/experiments/E-MTAB-10553/results/anatomogram.
34.   Moreno, P. et al. Expression Atlas update: gene and protein expression in multiple
species. Nucleic Acids Res. 50, D129–D140 (2022).
35.   Explorer. https://atlas.kpmp.org/explorer/.
36.   Jain, Y. et al. Segmentation of human functional tissue units in support of a Human
Reference Atlas. Commun. Biol. 6, 717 (2023).
37.   Hickey, J. W. et al. Organization of the human intestine at single-cell resolution. Nature
619, 572–584 (2023).
38.   Ginzberg, M. B., Kafri, R. & Kirschner, M. Cell biology. On being the right (cell) size.
Science 348, 1245075 (2015).