Title Page:

The Rise of Open Data Practices Among Bioscientists at the University of

Edinburgh

Haya Deeb 1, Suzanna Creasey 1, Diego Lucini de Ugarte 1, George Strevens 1, Trisha

Usman 1, Hwee Yun Wong 1, Megan A. M. Kutzer 1,2, Emma Wilson 3, Tomasz Zieliński 1,

Andrew J. Millar 1*.

1: Centre for Engineering Biology and School of Biological Sciences, University of

Edinburgh, EH9 3JF, UK.

2: Institute of Ecology and Evolution and School of Biological Sciences, University of

Edinburgh, Edinburgh EH8 9AA, UK

3: Centre for Clinical Brain Sciences, University of Edinburgh, Edinburgh, EH16 4SB

12 Authors:	ORCID	Email
13 Haya Deeb	0000-0002-7044-7321	hdeeb@ed.ac.uk
14 Suzanna Creasey		S.Creasey@sms.ed.ac.uk
15 Diego Lucini de Ugarte	0009-0002-7978-5084	dlucini2@gmail.com
16 George Strevens		G.Strevens@sms.ed.ac.uk
17 Trisha Usman		trishausman174@gmail.com
18 Hwee Yun Wong	0009-0004-9503-9705	hweeyunwong18@gmail.com
19 Megan A. M. Kutzer	0000-0002-8696-6978	mkutzer@ed.ac.uk
20 Emma Wilson	0000-0002-8100-7508	emma.wilson@ed.ac.uk

21   Tomasz Zieliński   0000-0002-0194-5706   Tomasz.Zielinski@ed.ac.uk

22   Andrew J. Millar*   0000-0003-1756-3654   andrew.millar@ed.ac.uk

23   *For Correspondence.

Abstract

Open science promotes the accessibility of scientific research and data, emphasising transparency,

reproducibility, and collaboration. This study assesses the openness and FAIRness (Findable,

Accessible, Interoperable, and Reusable) of data-sharing practices within the biosciences at the

University of Edinburgh from 2014 to 2023. We analysed 555 research papers across biotechnology,

regenerative medicine, infectious diseases, and non-communicable diseases. Our scoring system

evaluated data completeness, reusability, accessibility, and licensing, finding a progressive shift

towards better data-sharing practices. The fraction of publications that share all relevant data

increased significantly, from 7% in 2014 to 45% in 2023. Data involving genomic sequences were

shared more frequently than image data or data on human subjects or samples. The presence of

data availability statement (DAS) or preprint sharing correlated with more and better data sharing,

particularly in terms of completeness. We discuss local and systemic factors underlying the current

and future Open data sharing. Evaluating the automated ODDPub (Open Data Detection in

Publications) tool on this manually-scored dataset demonstrated high specificity in identifying cases

where no data was shared. ODDPub sensitivity improved with better documentation in the DAS. This

positive trend highlights improvements in data-sharing, advocating for continued advances and

addressing challenges with data types and documentation.

Keywords:

Data Sharing, Open Data, FAIR Data, ODDPub, Biological Sciences.

Introduction

Open science is the movement aimed at making scientific research, data, and dissemination more universally accessible. It encompasses a range of practices that promote transparency, reproducibility and collaboration, including open access to publication, open peer review, and open data (1). Open data, in particular, is a critical component of open science, as it ensures that the data underlying research findings are freely available for scrutiny, validation, and reuse by others in the scientific community (2). By making data openly available, researchers can enhance the reproducibility of their findings, facilitate discoveries through data reuse, and promote greater transparency in scientific research (3,4).

The concept of FAIR data – emphasising data that is 'Findable', 'Accessible', 'Interoperable', and 'Reusable' –(5,6) was introduced to promote the transparency and integrity of shared research data, even if those data are not fully Open. While the availability of open data is a positive step towards transparency, the utility of this data often depends on how well it adheres to the FAIR principles (6). Simply being 'open' does not guarantee that data are well-organised, thoroughly documented, or easily usable. Furthermore, while access to certain datasets may be restricted due to privacy or confidentiality concerns, these datasets can still adhere to FAIR principles. This means that even though the data is not openly accessible, it could still be findable, accessible under certain conditions, interoperable, and reusable within those constraints (7).

In recent years, there has been a significant shift in policies regarding data sharing. Major funding agencies and journals have increasingly mandated that researchers share the data underlying their publications. For instance, the National Institutes of Health (NIH) and the European Commission have implemented policies that require data sharing as a condition of funding (8,9). Journals such as PLOS ONE and Nature also require authors to make their data publicly available upon publication

(10,11). These policy changes reflect a growing recognition of the value of open data in advancing

scientific knowledge.

Despite the benefits and policy support, several challenges persist in data sharing. Researchers may

be reluctant to share data due to concerns about data misuse, loss of competitive advantage, or the

significant time and effort required to prepare data for sharing (12). Additionally, issues such as data

privacy, and the lack of standardised formats and repositories can complicate data-sharing efforts

(13–15). Intellectual property rights and considerations surrounding human data disclosure pose

consistent challenges (16,17). Though data anonymisation has been advanced as a solution, risks of

re-identification remain, especially among vulnerable populations (14,15). Additionally, the public

sharing of anonymised data may not always be covered by the original consent agreements, adding

a layer of complexity to privacy protection.

Bioscience research exemplifies the balancing act between open access and data protection. the

University of Edinburgh updated its Research Data Management in 2021 (18). It had evolved to

include adherence to FAIR principles and GDPR compliance, highlighting the importance of data

accessibility, interoperability, privacy, and security. This progression mirrors the broader movement

towards more transparent, accessible, and collaborative research practices. Therefore, our research

aims to assess the openness and FAIRness (Findability, Accessibility, Interoperability, and

Reusability) of data-sharing practices within the biosciences at the University of Edinburgh from

2014 to 2023. We seek to provide a detailed analysis of how different research areas—

biotechnology, regenerative medicine, infectious diseases, and non-communicable diseases—

perform in terms of data sharing. Additionally, we investigate the correlation between Data

Availability Statements (DAS) and preprint status on the quality of data sharing. By highlighting the

current state of data-sharing practices and identifying areas for improvement, this study aims to

contribute to the ongoing efforts to promote transparency and reproducibility in scientific research.

Methods

Definition of Data:

The term "Data" refers to both qualitative and quantitative information necessary to reproduce

research results. This includes primary data, such as raw experimental results; secondary data, like

derived analytical values, and the software code used to derive those values. Data also includes

images and videos used for conducting analyses. When quantitative analysis is performed on

images, these images are considered raw data, and the resulting numerical values are considered

processed data. Images and videos used solely for illustrative purposes are excluded.

Sampling Framework and Selection Process:

Research groups within the biosciences at the University of Edinburgh were selected for study,

based on the educational interests of five student researchers. 57 groups were selected from the

University's public research websites in the following areas: Non-Communicable Diseases (NCDs),

Infectious Diseases and their treatments (InfD), Microbial Biotechnology (BioTech), Stem Cells and

Regeneration (SRM). In each area, all research groups in the School of Biological Sciences were

selected. Research groups in the same areas based in the College of Medicine were included,

forming 17 out 57 research groups. This allowed each student to score and analyse around 100

articles within their project time limit.

Articles from each group were retrieved from the University's public Edinburgh Research Explorer

website (https://www.research.ed.ac.uk/) (19), which is a curated, institutional research information

system. To be included a group needed a substantial publication record, with at least 10 journal

articles published between 2014 and 2023. From each selected group, we randomly chose journal

articles for each year within our study period to ensure a representative sample. Our focus was

strictly on original research papers that generated new datasets, excluding other publication types such as reviews, editorials, and commentaries. This selection process was carried out by five biology students, who manually reviewed and verified each article based on shared scoring criteria, that were documented on an internal wiki site. The selected articles and scores were compiled on spreadsheets and combined, with each article categorised by research areas NCDs, InfD, Biotech, and SRM.

Scoring Criteria:

The scoring system was developed based on those established by Roche et al. (14) and the FAIR Data Self-assessment tool by the Australian Research Data Commons (20). We tailored the scoring criteria, pertinent to our study's objectives. A key adaptation involved refining the scoring scale from five levels, as used by Roche et al., to four. This reduction was motivated by a need to distinctly address file format and metadata quality without conflating them with raw versus processed data considerations, thereby eliminating potential overlap and ambiguities in evaluations.

While Roche et al. (14) sampled from a popular data repository Dryad, where sampling started from archived datasets, this study involved selecting articles while being blinded as to whether any data was shared. When articles reused previously published data, a similar approach to Hamilton et al. (21) was taken. The four criteria – 'Completeness', 'Reusability', 'Accessibility', and 'Licence' – were established to assess independent aspects of data sharing. The Completeness score was based upon the whole article. The criteria for the quality of sharing, Reusability, Accessibility and Licence, were assessed only for the best-shared dataset, in contrast to Roche et al. (14), to avoid confounding these quality criteria with the Completeness of sharing.

1- **Data Completeness:** To evaluate completeness, we assigned scores from 1 to 4, with 4 indicating complete data sharing necessary for reproducing all analyses and results. The highest score did not require sharing the partially processed data at each analysis step,

provided that the raw data and sufficient description of data processing steps were available.

Scores of 2 and 3 indicated minor and major data omissions, respectively. This ranking

accommodated the wide variety of data types and volumes in individual articles and between

articles in our sample (see Discussion), as in Roche et al. (14). When a score of 1 was

assigned, indicating no data sharing, the subsequent criteria were also assigned a score of 1

(Not Scored). The absence of shared data negated the possibility of evaluating reusability,

accessibility, and licence clarity. We assessed the completeness of data sharing, irrespective

of its location - whether in texts, figures, tables, supplementary materials, or external

repositories (Table 1).

2- **Data Reusability:** Reusability scores, ranging from 1 to 4, were based on data being in a

non-proprietary, human- and machine-readable format, and accompanied by informative

metadata. A score of 4 required fulfillment of all these aspects. The criteria for classifying files

according to their non-proprietary, human- or machine-readable format are detailed in Table

S1 of the supplementary material file 1, adapted from Roche et al (14). The inclusion of

metadata in this criterion highlights its indispensable role in preserving the data's long-term

utility (Table 1). Proprietary formats were penalised unless they were community-accepted or

mandated by public repositories (24,25).

3- **Data Accessibility:** Accessibility was assessed on whether the data was accessible, had a

unique or persistent identifier (PID) and was archived in a public repository. Scores ranged

from 1 to 4, with 4 indicating fulfillment of all conditions. Data with a PID in a public repository

but inaccessible or requiring permission received the lowest score, reflecting our focus on

data openness. Scoring details are in Table 1.

4- **Data Licence:** The licence type was scored from 1 to 4. Open licences received the highest

score, restrictive licences scored 3, and data without a specified licence or governed by the

article's licence scored 2. Criteria are detailed in Table 1.

Additional Data Evaluation Criteria:

Our study assessed the sharing of different data types in biosciences research, using a consistent

scoring system. For each data type—image, genomic, and human—scoring was as follows: 'Not

Applicable' (NA) if the data type was irrelevant to the study, 'Not Shared' (0) if it was relevant but not

shared, and 'Shared' (1) if it was both relevant and fully archived. This system applied to

unprocessed images for potential re-analysis, nucleotide sequence-based assays including

transcriptomics for genomic data, and data involving human stem cell lines or human participants for

human data. We further evaluated the storage of shared data with a separate variable, 'Storage',

which identified the location of data sharing: 'Repository' if data was shared in an external repository,

'Supplementary Material' if in the publication's supplementary materials, 'Both' for data shared in

both locations, 'DOI in Methods' for cases where only the dataset DOI is cited in the methods section

without providing the project's actual dataset, and 'NA' for instances where no data was shared.

Additionally, we tracked the publication of corresponding preprints, utilising Google Scholar,

medRxiv and bioRxiv preprint servers for verification.

Data Availability Statements (DAS) in each article were only recognised if explicitly titled as such or

with similar designations. DAS were categorised as 'Shared' when indicating unrestricted data

access, or 'Not Shared' when access was conditional. Articles without a specific DAS section were

marked as 'Not Presented`. We assume that the inclusion of a DAS reflects journal policy more than

researcher preference (20). Journal policies were not scored directly, because the historic policy

versions that applied upon publication back to 2014 were not reliably available. Finally, we assessed

the use of analytical software in the research by recording whether it was mentioned ('Yes' or 'No').

Additionally, for analyses that required coding, we evaluated whether the code was shared

186 ('Shared'), used but not shared ('Used and Not Shared'), or not applicable ('NA'), based on the

187 documentation within the publication.

Table 1: Scoring Criteria used for the Assessment

Data Completeness		
Score	Description	Criteria
4	Exemplary	All the data necessary to reproduce the analyses and results (in practice) are present within the article (e.g. as supplementary information, figures) or archived in external repositories. Both raw and processed datasets from all methods utilised and mentioned in the study are provided.
3	Good	Most of the data necessary to reproduce the analyses and results (in practice) are present within the article (e.g. as supplementary information, figures) or are archived in external repositories. Processed data from all methods utilised and mentioned in the article are provided, lacking only a small amount of raw datasets.
2	Large Omission	Main analyses in the paper cannot be redone because essential datasets are missing AND/OR only summary statistics (e.g. means, standard deviation) obtained from methods utilised and mentioned in the article are archived, no raw data provided.
1	Poor	Neither processed nor raw data are archived/present in the article OR the incorrect data are archived.

Reusability		
Score	Description	Criteria (For best dataset)
4	Exemplary	Good formats and metadata. Data is archived in a (1) non-proprietary, (2) human- and machine-readable file format that facilitates data aggregation and can be processed with both free and proprietary software (e.g. csv, text); other formats were allowed as *de facto* community standards (see Table S1, Supplementary Material File 1). (3) Highly informative metadata (such that column headings, abbreviations, and units can be understood in isolation from the original paper).
3	Good	Data is archived in (1) a non-proprietary OR (2) a human- and machine-readable file format that facilitates data aggregation and can be processed with both free and proprietary software. OR (3) Metadata must at least be sufficiently informative to be understood when combined with the paper.
2	Average	Poor formats and metadata. Data is archived in (1) a proprietary OR (2) human- but not machine-readable file format (e.g., pdf, jpeg). AND (3) Metadata is not sufficiently informative when combined with the paper.
1	Poor	Not Scored

Accessibility

Score	Description	Criteria (For best dataset)
4	Exemplary	Data is accessible, has a Persistent Identifier (PID) assigned or a unique identifier from a high-tier repository (such as a GenBank genInfo number), and is stored in an online public repository (e.g. Figshare).
3	Good	Data is accessible, has either a PID or a unique identifier from a high-tier repository OR is stored in an online public repository.
2	Average	Data is accessible but does not have a PID or unique identifier and is not stored in an online public repository (e.g. data shared in the supplementary information section of the article).
1	Poor	Not Scored

Licence		
Score	Description	Criteria (For best dataset)
4	Exemplary	Data has a permissive licence (e.g. CC0, CC-BY) and code has an Open Software licence (if applicable).
3	Good	Licence(s) are present but not all are permissive. Data has a restrictive licence (e.g. CC-BY-SA/NC) and/or code has a Closed Software licence (if applicable).
2	Average	No explicit licence is provided for data or software.
1	Poor	Not Scored

Data Extraction and Quality Control Assessment

The collected data, including both scoring assessments and supplementary variables, were

cataloged in an Excel spreadsheet. To test the reliability of our assessment, 15% of the papers from

each evaluator's dataset, from a random selection supplemented to cover the entire spectrum of

scoring values and years, was re-scored by another researcher. This blind reassessment returned a

congruence in scoring assessments between the original and secondary evaluations from 86% to

90%. Consequently, the initial assessments were retained for final analysis.

Integration of ODDPub Algorithm for Detection the Open Data Practices

We applied the Open Data Detection in Publications (ODDPub) text mining algorithm to further

evaluate the findings and to explore the automation of open science practice assessment across our

dataset. Originally developed for and applied in biomedical datasets, as documented in Riedel et al.

(22), ODDPub assists in systematically identifying open data and code practices from full text

documents of research articles. We retrieved publication full texts in PDF format from DOIs using the

Find Full Text function in EndNote 20 (RRID:SCR_014001) or hand searching. We converted PDF

files to text format using the pdftools R package (23) for processing by ODDPub, via the ODDPub R

Package. ODDPub provided several key outputs: *is_open_data* is a binary indicator noting whether

open data was detected, and *open_data_category* indicates the type of data sharing (e.g.

supplement, general-purpose repository, field-specific repository), or records 'NA' if no data is found.

Additionally, *is_open_code* denotes whether open code was detected (TRUE/FALSE).

Supplementary to these, *open_data_statements* and *open_code_statements* extract text related to

their respective sharing details, recording 'NA' if no reference is made to sharing in the text.

To evaluate the performance of ODDPub in our context, we calculated its sensitivity and specificity.

Sensitivity, or true positive rate, measures the proportion of actual positives correctly identified by the

algorithm, while specificity, or true negative rate, measures the proportion of negatives correctly

identified (Supplementary material file 2). These metrics were used to compare ODDPub's

automated detection results with our manual assessment.

Statistical Analysis

The descriptive statistics were presented as frequency and percentage. An ordinal regression model

was used to test for changes over time in the four scoring criteria from 2014 to 2023. Additionally,

ordinal regression analysis measured the influence of research area and other sharing variables

such DAS, and preprint status on the scoring criteria. To account for potential intra-group similarities

in data sharing practices, random effects for research groups were included in the regression

models, positing that research groups may exhibit consistent data sharing behaviors. Significance

was set at $p < 0.05$, and results were expressed as odds ratios with corresponding 95% confidence

intervals. Additionally, thorough checks were conducted to validate the assumptions underlying each

statistical model used in this analysis. Details of these assumption checks, along with the complete

analytical methodology, have been documented and are available on Zenodo

(*https://doi.org/10.5281/zenodo.14169649*.). The analyses were performed using R and RStudio

Software (Version 4.2.2).

Results

Paper Characteristics

From 2014 to 2023, the School of Biological Sciences at the University of Edinburgh published 3706

research papers, as recorded in the Edinburgh Research Explorer (19). Our study analysed 555

papers, representing approximately 15% of the total publications. This sample was divided into four

research areas, with each area comprising between 20% and 35% of the sample (Table 2).

We also observed varying levels of openness in research practices. Regarding the Data Availability

Statement, approximately half of the papers did not present this statement in their publication. Most

of the papers (492/555) shared the used analysis programs. Notably, among the 191 papers that

required code for analysis, 112 actively shared their code, indicating a strong tendency towards

openness in computational research. However, our findings show limited adoption of preprints, with

only 124 out of 555 papers (22%) having associated preprints (Table 2).

Variable		Bio-Technology (BioTech) (n= 130)	Infectious Diseases (InfD) (n=198)	Non-Communicable diseases (NCD) (n=121)	Stem Cells and Regeneration (SRM) (n=106)	Total (n=555)
Preprint	Yes	20 (15.38%)	48 (24.24%)	31 (25.62%)	25 (23.58%)	124 (22.34%)
	No	110 (84.62%)	150 (75.76%)	90 (74.38%)	81 (76.42%)	431 (77.66%)
DAS	Open Data	47 (36.15%)	75 (37.88%)	47 (38.84%)	47 (44.34%)	216 (38.92%)
	Restricted Data	9 (6.92%)	21 (10.60%)	21 (17.36%)	14 (13.21%)	65 (11.71%)
	Not presente	74 (56.92%)	102 (51.52%)	53 (43.80%)	45 (42.45%)	274 (49.37%)

	d					
Analysis Program	Yes	97 (74.62%)	183 (92.42%)	120 (99.17%)	92 (86.79%)	492 (88.65%)
	No	33 (25.38%)	15 (7.58%)	1 (0.83%)	14 (13.21%)	63 (11.35%)
Code Sharing	Used and Shared	17 (13.08%)	24 (12.12%)	37 (30.58%)	34 (32.08%)	112 (20.18%)
	Used and not Shared	3 (2.30%)	29 (14.65%)	19(15.70%)	28 (26.42%)	79 (14.23%)
	Not Used	110 (84.62%)	145 (73.23%)	65 (53.72%)	44 (41.51%)	364 (65.59%)
Data-Sharing	Not Shared (Completeness=1)	6 (4.62%)	23 (11.62%)	26 (21.49%)	24 (22.64%)	79 (14.23%)
	Data Shared (Completeness>1)	124 (95.38%)	175 (88.38%)	95 (78.51%)	82 (77.36%)	476 (85.77%)

Table 2: Characteristics of the publications in the sample

Assessment of Openness and FAIRness Criteria in Research Publications:

The analysis of data-sharing practices among the four research areas reveals distinct trends.

Overall, 86% of the publications shared some or all of their data (Completeness Score >1), with

Biotechnology having the highest percentage of papers sharing data (95%). Infectious Diseases

followed with 88% sharing data, while Non-Communicable Diseases and Regenerative Medicine had

the lowest rates at 79% and 77% respectively (Table 1).

In the Completeness criterion (Figure 1), only 105/555 of the publications shared all available data,

achieving a score of 4. Most articles (66%) received scores of 2 or 3, indicating moderate data

sharing, while 14.2% of the publications scored 1, meaning no data were shared. The 79 articles

with a Completeness score of 1 were not scored for the other criteria (where 1 indicates Not Scored).

The quality of data sharing in the remaining 476 articles was assessed by scoring the best-shared

data set, which was often shared very well. The largest segments of publications scored the

maximum (4) for Reusability and Accessibility, with 43% and 46%, respectively. Permissive licensing

was even more widespread, with fully 67% of publications having a permissive license for their

shared data and (if applicable) an open software license (Figure 1).

256
Figure 1: Scores of the four Criteria (Completeness, Reusability, Accessibility, and Licence) in all the

research publications (n=555). Completeness is scored for all datasets required to reproduce the

article, from 1 (no Open data) to 4 (all data are Open). The other criteria only score the best-shared

dataset in each article, to avoid confounding these criteria with Completeness. For scoring details,

please see Methods.

Decadal improvement in sharing, and regression models

Plotting the scores over the past ten years revealed a gradual improvement across all four criteria

(Figure 2). The percentage of publications achieving a completeness score of 4 increased

significantly, rising from 7% in 2014 to 45% in 2023. Similarly, the other criteria—Reusability,

Accessibility, and License—also showed notable improvements over the years, with publications

achieving higher scores. These improvements were statistically significant according to the ordinal

regression models (Table S2, Supplementary Material File 1) and remained significant when the

research groups were included as a random effect in the regression model.

Figure 2: The distribution of scoring criteria over ten years. Increasing (a) Completeness, (b)

Reusability, (c) Accessibility and (d) Licence are shown in the scores of n = 47-62 research

publications per year.

Effect of the research area on the regression model

The distribution of scores varies among the four research areas. The articles in Non-Communicable

Disease research show a higher frequency of lower completeness scores (Figure S1), and articles in

Regenerative Medicine achieve more top scores in reusability. Ordinal regression analysis (Table

S3, Supplementary Material File 1) confirms that Non-Communicable Disease articles show

significantly lower completeness scores, when compared to Biotechnology as the reference research

area, indicating substantial gaps in data sharing. Regenerative Medicine papers demonstrate higher

reusability scores, suggesting better practices in data formatting and description. The Accessibility

scores do not differ significantly across the research areas and Licence scores are high in all areas,

so variation between them is not a pressing concern.

Our approach selects articles to study from the publication lists of research groups that focus on

each research area, rather than assigning each article to a research area. Patterns that emerged at

the research area level might therefore have reflected variations in data sharing among the groups,

rather than varying practices across research areas. However, the findings above remain significant

when the research groups are included as a random effect in the statistical models (Table S3,

Supplementary Material File 1), consistent with differences in data sharing across research areas.

Comparison of Data-Sharing Practices Across Research Areas

The comparison of data-sharing practices across four research areas reveals distinct patterns in the

utilisation and sharing of genomic data. Among the papers that used genomic data, Regenerative

Medicine stands out, with 94.3% actively sharing this data. In contrast, only 50% of the

Biotechnology papers that utilised genomic data (27 out of 54) shared it. The research areas of

Infectious Diseases and Non-Communicable Diseases demonstrated moderate sharing rates, with

74.2% (72 out of 97) and 58.3% (42 out of 72) of their genomic-using papers sharing the data,

respectively (Table S4, Supplementary Material File 1).

For image data, Regenerative Medicine again leads with 29.2% of papers sharing images.

Biotechnology, Infectious Diseases, and Non-Communicable Disease papers share image data at

lower rates. Human data sharing is less common across all research areas, with Infectious Diseases

leading at 14 out of 43 papers. Non-Communicable Disease and Regenerative Medicine papers

have a lower rate of sharing human data, while the Biotechnology papers in our sample do not use

human data (Table S4, Supplementary Material File 1).

In terms of data storage, the article's supplementary materials were the most common storage

location across all research areas, particularly in Biotechnology (53.1%) and Infectious Disease

(37.9%). Regenerative Medicine showed a preference for using both repositories and supplementary

materials, with 45.3% (Table S4, Supplementary Material File 1).

Effectiveness and Accuracy of ODDPub in detecting Open Data Practice

The effectiveness of the ODDPub text mining algorithm in identifying open data and code sharing

practices was evaluated by comparing its results against a manually assessed dataset. ODDPub

employs a dictionary approach to identify terms relevant to data and code sharing and assigns

publications binary TRUE/FALSE scores for several criteria (22). Figure 3 illustrates how ODDPub

outcomes for open data and open code are distributed compared to manual Completeness and code

sharing criteria.

Initially, ODDPub's performance in detecting open data was assessed solely against our

'completeness' criterion, showing a sensitivity of 44% and a specificity of 90%. However, ODDPub

scoring of Open data considers multiple factors, so we aligned the algorithm's full definition of open

data with our four manual criteria (detailed in Supplementary Material File 2). This improved the

sensitivity to 52% while maintaining a high specificity of 90%. These metrics indicate the algorithm's

strong capability to identify non-open data instances. However, it shows limited effectiveness in

identifying all the actual cases of open data.

In terms of open code practices, the algorithm recorded sensitivity and specificity rates of 30% and

97%, respectively. These results highlight ODDPub's challenges in detecting true positive cases of

open code while reaffirming its proficiency in ruling out instances where code is not shared.

Figure 3: Manual and automated evaluation of Open Data and Open Code. (a) Distribution of

ODDPub Open Data scores (Is_Open_Data, True/False) across manually-scored Completeness in

all articles (N=555). (b) Comparison of Open Code evaluation between the Manual assessment and

ODDPub Open Code score (Is_Open_Code, True/False).

Impact of Data Availability Statement (DAS) and Preprint Status on Scoring Criteria

The ordinal regression analysis reveals significant associations between the presence of a Data

Availability Statement (DAS) and preprint status on various data-sharing criteria (Table S5,

Supplementary Material File 1). Papers with a 'Shared' DAS showed significantly higher scores

across the four criteria. Papers with a DAS indicating data available upon request ('Not Shared')

showed a smaller increase in Reusability, Accessibility, and License, but no significant change in

Completeness. The presence of a preprint also significantly increased the odds of higher

Completeness scores (Table S5, Supplementary Material File 1), though its effect on Reusability,

Accessibility, and License clarity was not statistically significant. These findings underscore the

positive correlations among data-sharing practices.

DAS as an indicator of data sharing and its impact on ODDPub detection accuracy

Figure 4 illustrates the same correlation with Data Availability Statements (DAS), from the converse

analysis, stratified by the Completeness score. Papers with higher completeness scores often had a

'Shared' DAS. Specifically, 88 papers with a completeness score of 4 had a 'Shared' DAS, while only

17 papers with a score of 4 had no DAS presented. As completeness scores decreased, the

likelihood of lacking a DAS increased. However, 21 articles that indicated data were available upon

request (a 'Not Shared' DAS) had in fact shared most of their data openly (Completeness 3), and

articles with a 'Shared' DAS were represented in all Completeness categories. At the extreme, ten

papers that claimed all data were available in their DAS paradoxically received a Completeness

score of 1, indicating that no data were shared. These papers were published between 2014 to

2021. This discrepancy highlights a gap between the declared availability of data and the actual

sharing of complete datasets.

Further analysis reveals that the presence of a DAS, irrespective of its content, considerably

enhances the detection capabilities of ODDPub. When a DAS is present, our analysis showed an

increase in the sensitivity of ODDPub to 61.8% from the initial 52%, indicating an improved ability to

correctly identify instances where data is indeed openly available. However, specificity saw a slight

decrease to 85.71% from 90%. This change underscores that while the presence of a DAS generally

improves the accuracy of detecting true positives, there may be a minor trade-off in the specificity

due to the varied nature of DAS content (Supplementary Material File 2).

Figure 4: Manual and automated evaluation of Data Availability Statement (DAS) status. (a)

Distribution of manually-evaluated DAS status across Completeness score categories for the 555

research publications. Most articles that shared all data (88 with Completeness 4) included a DAS

signalling this Open sharing. (b) Comparison of Data Availability Statement (DAS) evaluation

between the Manual assessment and ODDPub detection (extracted from open_data_category as

True/False, see Supplementary Material File 2).

Discussion

Our analysis of 555 bioscience research papers from the University of Edinburgh has shown a progressive shift towards sharing more research data over the last ten years and sharing more FAIRly. Our sample size is larger than most previous studies that assessed research data sharing within medical and health specialities, as discussed in Hamilton et al. (24). However, our colleagues' research ranges from the atomic scale of molecular structures to populations of intact organisms, so there is no common data unit here, like ecological research (14) and in contrast to the individual participant (or patient) data of many human-centric studies (24).

Our 4-level scoring system evaluates data based on Completeness, Accessibility, Reusability, and License, accommodating diverse data types and volumes. The protocol is detailed in a repository for future reference (see Data Availability), this system may benefit from increased precision for targeted sample assessments involving data volumes. While ODDPub, as an automated text mining algorithm, effectively identifies unshared data with high specificity, its ability to accurately detect shared data is comparatively weaker. Apart from Completeness, our criteria evaluated the curation and FAIRness of each article's best-shared dataset, with potential uniform application in future research as demonstrated using a smaller dataset (25).

Survey data suggests that research data sharing was already increasing globally by 2014 (26), when our sample starts. Earlier studies like Roche et al. (14) indicate that 56% of ecology data in the Dryad repository from 2012-2013 was incomplete (Completeness score <3). Although our data starts in 2014, we found similar trends of incompleteness, with 80% of our first year's data scoring below 3 in completeness. In contrast, a 2019 study on global cancer research reported that only 19% of the publications made some or all their data publicly available (21). However, our 2019 sample from diverse domains, including non-communicable diseases like cancer, showed that 52% of papers shared their data (completeness >2). These variations underscore that the initial point of

assessment—whether it is a data repository or publication—and the research domain can

significantly influence the observed rates of data sharing.

Several policy changes have significantly influenced data sharing practices. The articulation of the

FAIR principles in 2016 (6), followed by their progressive adoption, set new standards for data

management. Similarly, the University of Edinburgh updated its 'Research Data Management' policy

in 2021 (27), improving upon its 2011 guidelines to strongly advocate for research data sharing in

alignment with the FAIR principles. Additionally, data-sharing mandates during the COVID-19

pandemic, which impacted the UK from 2020 (28,29), further accelerated these trends. Our results

reflect these influences, showing a rapid increase in data sharing over the last three years. The

proportion of articles fully sharing data nearly doubled, rising from 22% in 2021 to 45% in 2023. The

highest scores for each of our criteria were achieved between 2021 and 2023.

Our manual scoring revealed significant variations in data sharing across different types. Out of 329

papers involving genomic data, 241 shared their data, benefiting from established databases like

GenBank and GEO which promote a strong sharing culture among researchers, publishers, and

funders (30–32). In contrast, only 69 out of 352 papers that used imaging data shared it; the

BioImage Archive (BIA) only recently started accepting significant contributions (33). General data

repositories like Figshare and Zenodo were commonly used, though they lack specialised features

for microscopy images and struggle with large dataset uploads (>50GB) due to reliability issues (34).

Due to these challenges, amongst other factors, sharing data in the article's Supplementary

Materials also remains a common practice (340 out of 555 articles). These technical and

infrastructural challenges extend beyond mere data sharing; they also critically impact data storage

during the research phase. Managing large image datasets, in particular, can become expensive and

logistically demanding, as highlighted by recent findings (35). This reality underscores the need for

more data management and infrastructural support to facilitate data handling and accessibility (36).

Sharing human data presents additional hurdles, including privacy (36,37), ethical considerations

(38), and regulatory challenges (39). Of 159 papers involving human data, only 48 shared their data,

highlighting a need for further exploration of this moderate sharing rate (40). The fact that many

papers in our sample used cell lines may reduce privacy concerns compared to data directly from

human subjects (21). Additionally, there might be varying motivations and skills among researchers

within our organisational framework (41). Our Completeness score focuses on open data sharing,

not considering conditional access that might still meet FAIR standards.

Research publishers' Open data policies have significantly advanced data sharing, which we

measure by the presence of explicit Data Availability Statements (DAS). Our approach, scoring

these explicit statements, contrasts with other studies that assess data availability declarations

regardless of their format or location within the article (42). Importantly, the presence of a DAS

notably enhances the effectiveness of ODDPub, which, like other text detection tools, relies on

explicit reporting. Standardising these statements can greatly improve documentation, making

automated algorithms more accurate—especially as the trends move towards integrating automated

algorithms as the initial step in detecting data sharing (43), whether with or without manual

assessment. This accuracy is critical because any discrepancies in documentation can lead to

missed instances of data sharing.

However, a DAS alone does not guarantee actual data sharing (44). In our sample, 10 papers had a

DAS stating "all data were available," yet they shared no open data, with the latest published in

2021. Sometimes, authors might confuse the visual display of data, like graphs, with sharing

underlying numerical datasets. This continued gap in compliance reflects inadequate enforcement by

editors and peer reviewers (45). The potential for addressing these issues was recognised in a 2023

UK Parliament inquiry (46), highlighting ongoing challenges in both policy development and

implementation, including adequate repository support to meet the demands of modern research and

policymaking.

Acknowledgments

We extend our sincere gratitude to Professor Simon N. Wood, Chair of Computational Statistics at the School of Mathematics, and his PhD student, Antoni Sieminski, for their invaluable support and expert consultation provided through University of Edinburgh statistics drop-in clinics. We also wish to thank Professor Malcolm MacLeod for his research supervision for EW. Additionally, we would like to acknowledge the University of Edinburgh Library Research Support team for their assistance in accessing the information systems that were crucial in identifying our colleagues' publications.

References:

1. Vicente-Saez R, Martinez-Fuentes C. Open Science now: A systematic literature review for an integrated definition. Journal of Business Research. 2018 Jul 1;88:428–36.

2. Kim J. Overview of disciplinary data sharing practices and promotion of open data in science. Sci Ed. 2019 Feb 20;6(1):3–9.

3. Starr J, Castro E, Crosas M, Dumontier M, Downs RR, Duerr R, et al. Achieving human and machine accessibility of cited data in scholarly publications. PeerJ Comput Sci. 2015;1:e1.

4. Tenopir C, Rice NM, Allard S, Baird L, Borycz J, Christian L, et al. Data sharing, management, use, and reuse: Practices and perceptions of scientists worldwide. PLOS ONE. 2020 Mar 11;15(3):e0229003.

5. Musen MA, O'Connor MJ, Schultes E, Martínez-Romero M, Hardi J, Graybeal J. Modeling community standards for metadata as templates makes data FAIR. Sci Data. 2022 Nov 12;9(1):696.

6. Wilkinson MD, Dumontier M, Aalbersberg IjJ, Appleton G, Axton M, Baak A, et al. The FAIR

Guiding Principles for scientific data management and stewardship. Sci Data. 2016 Mar

15;3(1):160018.

7. Mons B, Neylon C, Velterop J, Dumontier M, da Silva Santos LOB, Wilkinson MD. Cloudy,

increasingly FAIR; revisiting the FAIR Data guiding principles for the European Open Science

Cloud. Information Services & Use. 2017 Jan 1;37(1):49–56.

8. Ratajeski M. LibGuides: Data Management: NIH Data Management & Sharing Policy (Effective

2023) [Internet]. [cited 2024 Jul 12]. Available from: https://hsls.libguides.com/data/nihdmsp

9. European Commission. European Open Science Cloud (EOSC) [Internet]. [cited 2022 Aug 25].

Available from: https://research-and-innovation.ec.europa.eu/strategy/strategy-2020-2024/our-

digital-future/open-science/european-open-science-cloud-eosc_en

10.   Announcement: Where are the data? Nature. 2016 Sep;537(7619):138–138.

11.   Best Practices in Research Reporting | PLOS ONE [Internet]. [cited 2024 Jul 12]. Available

from: https://journals.plos.org/plosone/s/best-practices-in-research-reporting

12.   Corti L, Van den Eynden V, Bishop L, Woollard M. Managing and Sharing Research Data: a

Guide to Good Practice. [Sage Publishing Book Webpage] [Internet]. Sage Publishing; 2014 [cited

2024 Jul 12]. Available from: https://repository.oceanbestpractices.org/handle/11329/297

13.   Kaye J, Heeney C, Hawkins N, de Vries J, Boddington P. Data sharing in genomics — re-

shaping scientific practice. Nat Rev Genet. 2009 May;10(5):331–5.

14.   Roche DG, Kruuk LEB, Lanfear R, Binning SA. Public Data Archiving in Ecology and

Evolution: How Well Are We Doing? PLOS Biology. 2015 Nov 10;13(11):e1002295.

15.   Adrian Thorogood. International Data Sharing and Rare Disease: The Importance of Ethics

and Patient Involvement. In: Zhan He Wu, editor. Rare Diseases [Internet]. Rijeka: IntechOpen;

2020 [cited 2024 Jan 16]. p. Ch. 15. Available from: https://doi.org/10.5772/intechopen.91237

16.   Ballantyne A, Stewart C. Big Data and Public-Private Partnerships in Healthcare and

Research. Asian Bioethics Review. 2019 Sep 1;11(3):315–26.

17.   Byrd JB, Greene AC, Venkatesh PD, Jiang Xiaoqian, Greene CS. Responsible, practical

genomic data sharing that accelerates research. Nature Reviews Genetics. 2020 Oct;21(10):615–

29.

18.   Rice R. University of Edinburgh Research Data Management Policy (2021). 2021 [cited 2024

Oct 28]; Available from: https://era.ed.ac.uk/handle/1842/38236

19.   University of Edinburgh Research Explorer [Internet]. [cited 2024 Jul 12]. University of

Edinburgh Research Explorer. Available from: https://www.research.ed.ac.uk/

20.   Australia Data Research Commons. FAIR Data Self Assessment Tool [Internet]. 2022 May.

Available from: https://ardc.edu.au/resource/fair-data-self-assessment-tool/

21.   Hamilton DG, Page MJ, Finch S, Everitt S, Fidler F. How often do cancer researchers make

their data and code available and what factors are associated with sharing? BMC Medicine. 2022

Nov 9;20(1):438.

22.   Riedel N, Kip M, Bobrov E. ODDPub – a Text-Mining Algorithm to Detect Data Sharing in

Biomedical Publications. Data Science Journal. 2020 Oct 29;19(1):42.

23.   Ooms J. GitHub - ropensci/pdftools: Text Extraction, Rendering and Converting of PDF

Documents, v3.2.1 [Internet]. 2022 [cited 2024 Oct 28]. Available from:

https://github.com/ropensci/pdftools/tree/master

24.   Hamilton DG, Hong K, Fraser H, Rowhani-Farid A, Fidler F, Page MJ. Prevalence and

predictors of data and code sharing in the medical and health sciences: systematic review with

meta-analysis of individual participant data. BMJ. 2023 Jul 11;382:e075767.

25.   Deeb H, Zieliński T, Millar A. Data Sharing Practices in the MRC Circadian Mental Health

Network. [Internet]. Zenodo; 2024 [cited 2024 Sep 6]. Available from:

https://zenodo.org/records/13710749

26.   Tenopir C, Dalton ED, Allard S, Frame M, Pjesivac I, Birch B, et al. Changes in Data Sharing

and Data Reuse Practices and Perceptions among Scientists Worldwide. PLoS One.

2015;10(8):e0134826.

27.   The University of Edinburgh. Research Data Management Policy. 2021 Jan.

28.   Besançon L, Peiffer-Smadja N, Segalas C, Jiang H, Masuzzo P, Smout C, et al. Open

science saves lives: lessons from the COVID-19 pandemic. BMC Medical Research Methodology.

2021 Jun 5;21(1):117.

29.   Tse E, Klug D, Todd M. Open science approaches to COVID-19 [version 1; peer review: 2

approved]. F1000Research [Internet]. 2020;9(1043). Available from:

https://f1000research.com/articles/9-1043/v1

30.   Benson DA, Cavanaugh M, Clark K, Karsch-Mizrachi I, Lipman DJ, Ostell J, et al. GenBank.

Nucleic Acids Research. 2017 Jan 4;45(D1):D37–42.

31.   Perez-Riverol Y, Csordas A, Bai J, Bernal-Llinares M, Hewapathirana S, Kundu DJ, et al. The

PRIDE database and related tools and resources in 2019: improving support for quantification

data. Nucleic Acids Research. 2019 Jan 8;47(D1):D442–50.

32.   Kim Y. Data sharing by biologists: A comparative study of genome sequence data and lab

experiment data. Library & Information Science Research. 2022 Jan 1;44(1):101139.

33.   Williams E, Moore J, Li SW, Rustici G, Tarkowska A, Chessel A, et al. Image Data Resource:

a bioimage data integration and publication platform. Nature Methods. 2017 Aug 1;14(8):775–81.

34.   Scorza LCT. Daily life in the Open Biologist's second job, as a Data Curator. Wellcome Open

Research [Internet]. 2024 [cited 2024 Sep 12]; Available from:

https://wellcomeopenresearch.org/articles/9-523/v1

35.   Steinhardt I, Bauer M, Wünsche H, Schimmler S. The connection of open science practices

and the methodological approach of researchers. Quality & Quantity. 2023 Aug 1;57(4):3621–36.

36.   Gomes DGE, Pottier P, Crystal-Ornelas R, Hudgins EJ, Foroughirad V, Sánchez-Reyes LL,

et al. Why don't we share data and code? Perceived barriers and benefits to public archiving

practices. Proc Biol Sci. 2022;289(1987):20221113.

37.   Gymrek M, McGuire AL, Golan D, Halperin E, Erlich Y. Identifying personal genomes by

surname inference. Science. 2013 Jan 18;339(6117):321–4.

38.   Shabani M, Borry P. Rules for processing genetic data for research purposes in view of the

new EU General Data Protection Regulation. Eur J Hum Genet. 2018 Feb;26(2):149–56.

39.   Erlich Y, Narayanan A. Routes for breaching and protecting genetic privacy. Nat Rev Genet.

2014 Jun;15(6):409–21.

40. Rousi AM. Using current research information systems to investigate data acquisition and

data sharing practices of computer scientists. Journal of Librarianship and Information Science.

2023 Sep 1;55(3):596–608.

41. Attenborough R. Finding virtue in open science? Biological scientists' constructions of

openness in historical, advocacy and policy contexts. 2021 Jul 31 [cited 2024 Feb 6]; Available

from: https://era.ed.ac.uk/handle/1842/37875

42. Ebrahimzadeh S, Cobey KD, Presseau J, Alayche M, Willis JV, Moher D. A cross-sectional

audit and survey of Open Science and Data Sharing practices at The Montreal Neurological

Institute-Hospital [Internet]. F1000Research; 2023 [cited 2024 Jul 16]. Available from:

https://f1000research.com/articles/12-1375

43. Iarkaeva A, Nachev V, Bobrov E. Workflow for detecting biomedical articles with underlying

open and restricted-access datasets. PLOS ONE. 2024 May 8;19(5):e0302787.

44. Tedersoo L, Küngas R, Oras E, Köster K, Eenmaa H, Leijen Ä, et al. Data sharing practices

and data availability upon request differ across scientific disciplines. Sci Data. 2021 Jul

27;8(1):192.

45. Christian TM, Gooch A, Vision T, Hull E. Journal data policies: Exploring how the

understanding of editors and authors corresponds to the policies themselves. PLOS ONE. 2020

Mar 25;15(3):e0230281.

46. Science, Innovation and Technology Committee. Reproducibility and Research Integrity.

2023 Apr;

Standpoint

The authors worked either at the School of Biological Sciences, University of Edinburgh during the study, in the Biological Research Data Management team (BioRDM), or for EW and MMcL, in the Collaborative Approach to Meta Analysis and Review of Animal Experimental Studies (CAMARADES) research group in the College of Medicine and Veterinary Medicine. The BioRDM team grew from the need for data management in our interdisciplinary biology research projects in the Centre for Systems Biology at Edinburgh (later SynthSys, now Centre for Engineering Biology), since 2008. The CAMARADES group develops systematic reviews of preclinical neuroscience research. AJM also chaired the UKRI-BBSRC Review of Data-Intensive Bioscience (2020).

Data and Code Availability Statement

All data utilised in this study, along with the detailed code, are available in the Zenodo repository dedicated to this paper (https://doi.org/10.5281/zenodo.14169649) and should be cited as (APA Style):

"*Deeb, H., Creasey, S., de Ugarte, D. L., Strevens, G., Usman, T., Yun Wong, H., Kutzer, M. A. M., Wilson, E., Zieliński, T., & Millar, A. J. (2024). A Decade of Progress: Open Data Practices in Bioscience at the University of Edinburgh (1.0) [Data set]. Zenodo.* *https://doi.org/10.5281/zenodo.14169649.* "

The main repository of the project with all the previous data and output can be found on Github: BioRDM/InsightsOfOpenPracticesInBiosciences [Internet]. BioRDM; 2024 [cited 2025 Jan 7]. Available from: https://github.com/BioRDM/InsightsOfOpenPracticesInBiosciences. The detailed scoring protocol can be retrieved and adapted from the protocols.io repository:

587 https://dx.doi.org/10.17504/protocols.io.kxygxyxmdl8j/v2. The preprint of the article can be found on

588 BioRxiv.

Supplementary Materials Captions

The supplementary materials for this paper are two files attached to the paper and available on the

Zenodo repository:

- Supplementary Material File 1 - Figures and Tables: The additional figures and tables that
support our results.
- Supplementary Material File 2 – ODDPub: This file provides the methodology, the variables
and all the results of using ODDPub in our biological samples.

Authors' Contributions

599 AJM designed the study; HYW and TU adapted scoring criteria and performed primary

600 scoring; GS, DLU and SC performed primary and secondary scoring; HD performed

601 secondary scoring, analysed the data, drafted the manuscript, and shared the outputs; EW

602 performed the ODDPub analysis; HD and MK designed the analysis methods; TZ and AJM

603 edited the manuscript and supervised the work.

Conflict of interest declaration

606 The authors declare no conflicts of interest.

Funding

This project was funded by MRC grant MR/X009726/1. EW is funded by a Simons Initiative for the Developing Brain PhD studentship (SFARI #529085). For the purpose of open access, the authors have applied for a Creative Commons Attribution (CC BY) licence to any Author Accepted Manuscript version arising from this submission.