Executive Resources Shape the Impact of Language Predictability Across the Adult Lifespan

Merle Schuckart[1,2]*, Sandra Martin[3]*, Sarah Tune[1,2], Lea-Maria Schmitt[4],

Gesa Hartwigsen[3,5]★ & Jonas Obleser[1,2]★

[1] Department of Psychology, University of Lübeck, Germany

[2] Center of Brain, Behavior and Metabolism, University of Lübeck, Germany

[3] Research Group Cognition and Plasticity, Max Planck Institute for Human Cognitive and Brain Sciences, Germany

[4] Donders Institute for Brain, Cognition and Behaviour, Radboud University, The Netherlands

[5] Wilhelm Wundt Institute for Psychology, Leipzig University, Germany

* Shared first authorship

★ Shared last authorship

ABSTRACT

Humans routinely anticipate upcoming language, but whether such predictions come at a cognitive
cost remains debated. In this study, we demonstrate the resource-dependent nature of predictive
mechanisms in language comprehension across the lifespan: Experimentally limiting executive
resources through a concurrent task reduces the effect of language predictability on reading time.
Participants (N=175, replication N=96) read short articles presented word-by-word while completing a
secondary font colour n-back task, thus varying cognitive demand. Language predictability was
indexed by word surprisal as derived from a pre-trained large language model (GPT-2). Across two
independent samples, our findings reveal that language predictions are not cost-free: They draw on
executive control resources, and this dependency becomes more pronounced with age (18–85 years).
These results help resolve the debate over cognitive demands in language comprehension and
highlight prediction as a dynamic, resource-dependent process across the lifespan.

INTRODUCTION

We constantly rely on our ability to swiftly yet accurately process linguistic input. When reading a book,

watching television, or navigating a car through busy traffic while following instructions, language

prediction is considered a catalyst that enhances the efficiency of linguistic processing [1–5]. However,

due to the inherent flexibility and richness of natural language, upcoming words can rarely be predicted

from context with complete certainty [6]. Instead, linguistic features are thought to be pre-activated

broadly rather than following an all-or-nothing principle, as there is evidence for predictive processing

even for moderately- or low-restraint contexts [7–10]. This generation of graded predictions is

sometimes described as being passive and cost-free [11]. However, it is still under debate whether

maintaining such an elaborate process really incurs no cognitive cost.

Graded language predictions necessitate the active generation of hypotheses on upcoming

words as well as the integration of prediction errors to inform future predictions [1,5]. Supporting this,

recent evidence suggests that language predictions may indeed impose processing demands. Shain

et al. (2024) found that reading time increases with decreasing word predictability, with even small

drops in predictability of highly expected words leading to significant processing costs. These findings

suggest that language predictions are not entirely automatic or effortless. This aligns with numerous

neuroimaging studies arguing for a strong interaction between language-specific and domain-general

executive brain regions [12–15], particularly in situations that are cognitively demanding [16–20].

In this context, domain-general executive resources refer to higher-level cognitive control

processes, such as working memory, inhibitory control, and cognitive flexibility, that are crucial for

managing and coordinating behavior across a wide range of tasks and modalities [21–23]. These

processes are supported by the multiple-demand (MD) system, a fronto-parietal network that is

recruited in various cognitively challenging situations [22]. However, while numerous studies support

the claim that language prediction relies on such domain-general executive resources, a body of

research suggests the opposite (e.g., [24–27]). This raises the unresolved question to what extent such

resources are taxed by predictive processes [5,28–30].

An interesting test case for the dynamic interplay between language-specific and domain-

general systems is cognitive ageing, as advancing age has been shown to be associated with sensory

and executive decline [31–33]. In the current study, we thus ask: How does language prediction change

when executive resources are limited – both intrinsically due to advanced age, and extrinsically through

increased task demands?

The age-related change in cognitive resources is reflected by longer linguistic processing

times, especially in situations with high cognitive effort, such as dual-task processing [34,35]. However,

previous research presents conflicting results on how cognitive ageing affects the use of linguistic

predictions during language comprehension. Behavioural studies suggest a decline in using context to

make semantic predictions with age [36] while EEG studies present a more nuanced picture. Some

studies indicate heightened neural sensitivity to unexpected information in older adults [37], while

others report no significant age-related differences in neural response [38,39].

Furthermore, it is unclear how the use of language predictions across the adult lifespan might

be affected by increasing cognitive demands. According to the compensation-related utilisation of

neural circuits (CRUNCH) hypothesis [40], older adults might earlier reach a point where their cognitive
load capacity is fully exhausted than young adults, leading to a performance decline. If language
prediction draws on executive resources, its effect on reading time might thus diminish with increasing
cognitive load due to shared cognitive resources. However, this effect might re-emerge once capacity
limits are reached, causing tasks to be processed sequentially, which would result in an increased
effect of language prediction paralleled by slower performance.

Here, we explored the role of executive control in language prediction in two large cohorts across the
adult lifespan. Using a novel dual-task paradigm that couples natural reading with an n-back task that
taxes executive resources, we tested the following hypotheses: First, both increased cognitive load
and reduced word predictability (i.e., increased surprisal) should be reflected by longer reading time
(Fig. 1a and b), alongside a decrease in text comprehension and n-back task performance. Second,
we expected that the formation of language predictions should be contingent upon the availability of
executive resources. Most importantly, a gradual limitation of these resources due to increased task
demands should result in diminished effects of language predictability on reading time (interaction
between cognitive load and surprisal; Fig. 1c).

Lastly, we explored how these previously described effects would be modulated by age (Fig.
1d). Note that the literature allows for contradicting hypotheses: On the one hand, if language
predictions are impaired under limited executive resources, older individuals should rely less on
language predictions due to overall decreased executive resources [31,32]. This should be reflected by
diminished predictability effects. On the other hand, given the presumed stability of language
comprehension across the lifespan [41], older adults might instead rely more heavily on language
predictions, thus fully compensating for any impairments in reading comprehension caused by sensory
and executive decline [31–33]. In this case, we should see strong surprisal effects independent of age,
or even stronger surprisal effects in older than younger adults.

The two large-sample reading-time studies presented here help resolve the ongoing discussion
on the role of executive resources in language predictions with three key findings: First, across our
large age range, we found a general increase in reading time with both low language predictability and
high task demands. Second, higher task demands reduce the influence of language predictability on
reading time, indicating that linguistic prediction relies on executive control resources. Third,
predictability had a more pronounced effect on reading time in older adults compared to younger ones.
These findings highlight the dynamic interaction between language predictability and executive
resources.

Figure 1. Visualisation of hypotheses. We expected main effects on reading time of (a) cognitive load and (b) surprisal, as well as (c) an interaction of surprisal and cognitive load. Additionally, (d) we explored how these effects are modulated by age.

RESULTS

We report data from 175 participants (M = 44.9 ± 17.9, 18-85 years, 51% female) who were either tested online (N_{online} = 80) or in the laboratory ($N_{laboratory}$ = 95) in one session. Moreover, we conducted an internal, pre-registered replication study involving another 96 participants (M = 39.8 ± 14.0, 18-70 years, 51% female) tested online to replicate our main findings (see Fig. S1 for age distributions of all samples). During the experiment, participants engaged in a self-paced reading task. They read 300-word newspaper articles, presented word-by-word in various font colours (Fig. 2a). The task was either performed in isolation (Reading Only) or paired with a competing n-back task on the words' font colour (1-back and 2-back Dual Task). Participants were instructed to read the texts carefully, as content-related multiple-choice questions were asked after each text (see Methods for details).

Figure 2. Experimental design and quantification of predictability as word surprisal using a large language model (GPT-2). (a) Participants were asked to perform a self-paced reading task (Reading Only) which was complemented in some blocks by a secondary n-back task on the font colour of the words (Reading + 1-back, and Reading + 2-back). The order of the blocks was pseudo-randomized, with Reading Only always being the first condition to be presented, followed by the two dual-task conditions, and another main block for each of the three conditions. Both dual-task paradigms (Reading + 1-back and Reading + 2-back) were first introduced in short single-task training sets. **(b)** We generated one surprisal score for each word in the reading material by using context chunks of 2 words as prompts for next-word-predictions in GPT-2. The resulting probability for the actual next word in the text (here: "mail", marked in teal) was then transformed into a surprisal score, which reflected how predictable the respective word was given the context. Additionally, based on the distribution of probabilities for all possible continuations, we computed an entropy score, which reflects the uncertainty in predicting the next word. Please note that the example sentence used here has been translated to English for better comprehensibility, while the original text materials were in German.

Increased Cognitive Load and Older Age Reduce Task Performance

Results from a generalised mixed model (GMM) for text comprehension accuracy showed that
participants read the texts carefully and answered most comprehension questions correctly, with
accuracies of 93% ± 14% (mean ± SD) in the Reading Only condition, and 80% ± 25% in the 1-back
and 73% ± 28% in the 2-back Dual Task conditions (Fig. S2b). Increases in cognitive load ($OR_{1\text{-back vs.}}$
$_{BL}$ = 0.253, $z_{1\text{-back vs. BL}}$ = -8.928, $p_{1\text{-back vs. BL}}$ < 0.001, $OR_{2\text{-back vs. BL}}$ = 0.156, $z_{2\text{-back vs. BL}}$ = -12.403, $p_{2\text{-back vs. BL}}$
< 0.001) and in age (OR = 0.986, z = -2.676, p = 0.013) were associated with poorer performance (see
Methods for model details; Fig. 3a, Table S1).

Similarly, d' values demonstrated good performance in the n-back task, with mean d' of 3.77 ± 0.8 in the 1-back and 2.12 ± 0.87 in the 2-back Dual Task condition (Fig. S2a). The overall high d' values observed here can be attributed to the low target ratio in the experiment, resulting in high correct rejection and low false alarm rates. A linear mixed-effects model revealed n-back performance declined with cognitive load (β = -1.636, t(173.13) = -26.120, $p < 0.001$), with more pronounced effects with advancing age (β = -0.014, t(169.77) = -3.931, $p > 0.001$; Fig. 3b, Table S1).

Reading Time Increases with Age, Surprisal, and Cognitive Load

To operationalise language predictability, we calculated word surprisal scores using a 12-layered
generative pre-trained transformer model (GPT-2; [42]; Fig. 2b). Word surprisal quantifies the
predictability of the current word given its preceding context [10,43,44]. We chose a context length of
two words, as constraining the context has been shown to increase GPT-2's psychometric predictive
power, making its next-word predictions more human-like [45]. In addition to each word's surprisal, we
also computed word entropy, which reflects the uncertainty in predicting the next word. Thus, while
word surprisal indicates the predictability of each word, word entropy reflects the uncertainty
underlying its prediction.
We used linear mixed-effects regression (LMM) to assess the effect of word surprisal on
reading time and its interaction with cognitive load and age (see Methods for model details). Our model
as a whole was able to explain 65% of variance (conditional R^2) in single-word reading time from
surprisal, n-back load, n-back performance and other linguistic and demographic variables, and up to
81% when additionally considering the variability across subjects (marginal R^2; see Table S2).
As hypothesised, we observed significantly longer reading time with advancing age,
independent of cognitive load condition (β = 0.009, t(178.46) = 9.199, $p < 0.001$). For illustration, each
additional year of age increased reading time by roughly 1%, respectively (see Fig. 3c, top; Table 1;
Fig. S3a).
To account for the potential influence of verbal intelligence and education on the observed age
effects, we compared three additional LMMs: a baseline model without these predictors, and two
additional models, one including a verbal intelligence predictor and the other including an education
predictor (please see Methods section "*Control Analysis: Assessing Potential Effects of Verbal*
Intelligence and Education").
Adding verbal intelligence as a predictor to our model did not significantly improve the model
fit (χ^2(1) = 0.769, $p = 0.381$). This implies that verbal intelligence cannot account meaningfully for the
differences in reading time found between younger and older participants.
When including years of education as a predictor, we observed a significant effect on reading
time (β = 0.009, t = 9.199, $p < 0.001$), which led to a modest yet significant improvement in model fit
(χ^2(1) = 4.209, $p = 0.0402$, $AIC_{model\_baseline}$ = 37580, $AIC_{model\_education}$ = 37578). However, the 3-way
interaction of age, surprisal and cognitive load we found in our original model remained significant ($\beta_{1\text{-}back}$
= -0.00007, $t_{1\text{-}back}$(88.61) = -5.229, $p_{1\text{-}back} < 0.001$, $\beta_{2\text{-}back}$ = -0.00004, $t_{2\text{-}back}$(88.90) = -2.784, $p_{2\text{-}back}$ =
0.007), suggesting that while education has a significant effect on reading time, it cannot account for
the age-related effects observed in our models.

Analogous to the effect of age, increased cognitive load was associated with significantly
longer reading time (β_{1-back} = 0.474, t_{1-back}(176.18) = 34.046, p_{1-back} < 0.001, β_{2-back} = 0.792, t_{2-back}(173.76)
= 30.339, p_{2-back} < 0.001; Table 1 and Fig. S2 and S3), indicating participants read more slowly when
faced with a more challenging task. Even after excluding the Reading Only condition from the model
and comparing only the two equally attention-demanding dual-task conditions 1-back and 2-back
(control analysis), hereby controlling for attentional switching costs, this effect still held true (β = 0.339,
t(178.98) = 16.221, p < 0.001; Table S4).

Moreover, in line with our hypothesis, we observed a consistent increase in reading time with
higher surprisal (β = 0.002, t(2361.37) = 11.321, p < 0.001; Table 1 and Fig. 3c, bottom). Highly
predictable words were read more quickly. Specifically, for a change in surprisal by one standard
deviation, reading time increased by about 2.1%. For words and individuals matched in all other
regards, this translates to a mean reading-time difference of approximately 118 ms between words
with the minimum and maximum surprisal values in our dataset (range of surprisal values: 3.56 – 72.19).

Cognitive Load Reduces the Impact of Surprisal

144   In line with our hypotheses, cognitive load significantly modulated the effect of surprisal on reading
145   time (β_{1-back} = -0.001, t_{1-back} (287959.11) = -6.772, p_{1-back} < 0.001, β_{2-back} = -0.001, t_{2-back}(288294.96) = -
146   7.681, p_{2-back} < 0.001). While we observed a clear increase in reading time in the Reading Only condition
147   when surprisal was high, this effect was mitigated in both the 1-back and 2-back Dual-Task condition,
148   where cognitive load was increased (Table 1 and Fig. 3d, left).

Age Modulates the Effect of Cognitive Load

While increased task demands were associated with prolonged reading time across participants, we
found this effect became less pronounced with advancing age (β_{1-back} = -0.003, t_{1-back}(171.99) = -3.606,
p_{1-back} < 0.001; β_{2-back} = -0.002, t_{2-back}(170.79) = -1.690, p_{2-back} = 0.097; Table 1 and Fig. 3d, middle). To
illustrate, when comparing the reading time in the 2-back Dual Task and the Reading Only condition,
we found an increase of 130.48% in an average young (i.e., 27 years old) and an increase of 111.30%
in an average older (i.e., 63 years old) participant.

Age Modulates the Effect of Surprisal

155   Older age was associated with stronger surprisal effects (β = 0.00004, t(287771.27) = 9.287, p <0.001;
156   Table 1 and Fig. 3d, right), indicating that highly unpredictable (i.e. surprising) words were associated
157   with a significantly longer reading time, especially in older adults. This suggests that, as individuals
158   age, the effect of word predictability on their reading time becomes increasingly pronounced instead
159   of remaining constant or diminishing.

Figure 3. **Estimated marginal effects of predictors age, cognitive load and surprisal on task performance and reading time**. Main effects of cognitive load and age on accuracy in the comprehension question task (panel **a**) and on n-back task performance (d-primes; panel **b**). Please note that we do not show *d*-primes for the Reading Only task as there was no n-back task in this condition. Reading time increased with increasing age and word surprisal (panel **c**, left: results from linear mixed model, LMM, right: results from generalised additive model, GAM – for an explanation see section *Modelling Potential Non-Linear Distributions*). In panel d, we show the 2-way interaction of cognitive load and surprisal (left) and cognitive load and age (middle). In both cases, effects were strongest in the Reading Only condition (see barplot insets). Additionally, we show how age modulates the effect of surprisal on reading time (panel **c**, right). For raw and predicted individual trajectories, please see Fig. S2 and S3 in the Supplementary Material. Estimated marginal effects were adjusted for "Reading Only" as the reference level.

Age Modulates the Interaction of Surprisal and Cognitive Load

Finally, we tested whether the observed interaction between cognitive load and surprisal changes with

advancing age: We found that age indeed modulated the joint influence of cognitive load and surprisal

on reading time, as reflected by a significant three-way interaction of surprisal, cognitive load and age

($\beta_{\text{1-back - Reading Only}}$ = -0.00011, $t_{\text{1-back - Reading Only}}(287807.34)$ = -12.2661, $p_{\text{1-back - Reading Only}} < 0.001$, $\beta_{\text{2-back - Reading}}$

$_{\text{Only}}$ = -0.00008, $t_{\text{2-back - Reading Only}}(287771.65)$ = -8.484, $p_{\text{2-back - Reading Only}} < 0.001$; Table 1).

Even after excluding the Reading Only condition from the model and contrasting only the dual-

task conditions 1-back and 2-back (control analysis), results still showed a significant three-way

interaction of age, cognitive load and surprisal ($\beta_{\text{2-back - 1-back}}$ = 0.00003, $t(188203.53)$ = 3.373, $p = 0.001$;

Table S4). Please note the change in reference level caused by the exclusion of the Reading Only

condition, which causes a reversal in the direction of the three-way interaction between age, cognitive

load, and surprisal.

To get a more nuanced understanding of age-related difference in the effect of cognitive load

and surprisal on reading time, we conducted a simple slopes analysis for our original model (Fig. 4, Fig.

S4): Under low cognitive load (condition Reading Only), surprisal significantly influenced reading time

in all but the youngest participants. Put simply, when participants read a text without having to perform

an additional n-back task, predictable (i.e., low surprisal) words yielded significantly shorter reading

time than unpredictable (i.e., high surprisal) words (Fig. 4a, left panel, first plot). This effect was most

pronounced in the oldest participants ($\beta_{\text{85 - 18 years}}$ = 0.006, $p < 0.001$).

As task demands increased, we observed a reversal of this pattern, with younger participants

exhibiting stronger surprisal effects than older participants (condition 1-back; Fig. 4a, left panel, second

plot). Notably, under increased cognitive load, even the youngest participants started showing

significant surprisal effects ($\beta_{\text{85 - 18 years}}$ = -0.0009, $p = 0.04$).

Finally, in the most demanding condition (2-back), the pattern shifted again, with older adults

again showing stronger surprisal effects than their younger counterparts ($\beta_{\text{85 - 18 years}}$ = 0.001, $p = 0.003$;

Fig. 4a, left panel, third plot).

Comparing surprisal effects between cognitive load conditions revealed that older adults

showed the most pronounced reduction in surprisal effects as cognitive load increased (Fig. 4b), which

suggests they were more vulnerable to increased task demands than younger participants (18 year-

old: $\beta_{\text{1-back - Reading Only}}$ = -0.003, $p < 0.001$, $\beta_{\text{2-back - Reading Only}}$ = -0.003, $p < 0.001$, $\beta_{\text{2-back - 1-back}}$ = 0.0004, p =

0.06; 85 year-old: $\beta_{\text{1-back - Reading Only}}$ = -0.011, $p < 0.001$, $\beta_{\text{2-back - Reading Only}}$ = -0.008, $p < 0.001$, $\beta_{\text{2-back - 1-back}}$

= 0.003, $p < 0.001$).

Modelling Potential Non-Linear Contributions

To account for the possibility that age, surprisal, and their interaction with cognitive load might

demonstrate non-linear effects on reading time, we fitted a generalised additive mixed-effects model

(GAM) to our data, using the same model structure as for the linear regression model (see Methods for

model details). Results from the GAM revealed overall similar effects relative to the LMM. The effective

degrees of freedom (EDF) of all continuous predictors were estimated above 1, confirming their non-

linearity. Similar to the LMM, both our predictors of interest, surprisal and age, demonstrated significant

effects on reading time (Fig. 3c, right), with surprisal showing a more non-linear trajectory than age

(EDF for surprisal: 4.107, EDF for age: 3.028, both $p < 0.001$). The smoothing splines for the three-way

interaction of age, surprisal, and cognitive load showed significant effects for all levels of cognitive load

(Fig. S4 and S5). Similar to the LMM, we found the strongest effect for the Reading Only condition (EDF

for Reading Only: 10.248, $p < 0.001$, EDF for 1-back: 2.017, $p = 0.036$, EDF for 2-back: 4.89, $p = 0.024$).

The full model results are reported in Supplementary Table S5 and Figure S4.

Figure 4. Results of the simple slopes analysis and exemplary marginal effects plots for three different ages. In the Johnson-Neyman plot [46] on the left side of panel (**a**), we show the effect of surprisal on reading time across the whole age range separated by cognitive load condition: *Reading Only* (top; blue), *1-back Dual Task* (middle; yellow) and *2-back Dual Task* (bottom; red). The stronger the surprisal effect for a certain age, the higher the value on the y-axis. Grey areas indicate age ranges for which we did not find an effect of surprisal on reading time in the respective condition, whereas blue areas indicate a significant surprisal effect (see inset on the right for a visualisation of a non-significant effect in a younger participant and a significant effect in an older participant). In panel (**b**), we show the predicted surprisal effect in each cognitive load for an average young (average age - 1SD), middle-aged (average age) and older participant (average age + 1SD). The bar plots illustrate the predicted effects of surprisal on reading time across the three cognitive load conditions for those three average participants.

Table 1. Main results for model for reading time (N = 175).

	Predictors	Estimate	Std. Error	CI	t	df	p	
Main Effects	surprisal	0.001707	0.000151	0.001411 – 0.002002	11.320677	2361.37	1.368×10^{-28}	*
	age	0.009113	0.000991	0.007158 – 0.011068	9.199100	178.46	1.751×10^{-16}	*
	cognitive load [1-back vs. Reading Only]	0.473800	0.013916	0.446336 – 0.501264	34.046321	176.18	8.399×10^{-79}	*
	cognitive load [2-back vs. Reading Only]	0.791540	0.026090	0.740046 – 0.843034	30.338989	173.76	7.320×10^{-71}	*
2-way Interactions	surprisal x age	0.000035	0.000004	0.000027 – 0.000042	9.287151	287771.27	3.481×10^{-20}	*
	surprisal x cognitive load [1-back vs. Reading Only]	-0.001093	0.000161	-0.001409 – -0.000776	-6.771521	287959.11	2.043×10^{-11}	*
	surprisal x cognitive load [2-back vs. Reading Only]	-0.001255	0.000163	-0.001575 – -0.000935	-7.681261	288294.96	2.709×10^{-14}	*
	age x cognitive load [1-back vs. Reading Only]	-0.002798	0.000776	-0.004330 – -0.001267	-3.606479	171.99	5.135×10^{-4}	*
	age x cognitive load [2-back vs. Reading Only]	-0.002458	0.001454	-0.005329 – 0.000412	-1.690400	170.79	9.681×10^{-2}	
3-way Interactions	surprisal x age x cognitive load [1-back vs. Reading Only]	-0.000111	0.000009	-0.000129 – -0.000094	-12.266076	287807.34	3.748×10^{-34}	*
	surprisal x age x cognitive load [2-back vs. Reading Only]	-0.000078	0.000009	-0.000096 – -0.000060	-8.483676	287771.65	4.384×10^{-17}	*
Model Fit	Intra-class Correlation (ICC)	0.46						
	Marginal R^2 / Conditional R^2	0.643 / 0.807						

Note. All continuous predictors were centred. Degrees of freedom for *p*-values, standard errors and confidence intervals (CI) were computed using Satterthwaite's approximation. All *p*-values reported here are FDR-corrected and were computed using ANOVAs with type III sum of squares. Results that are significant on an alpha-level of 0.05 are marked with a star.

Disentangling the Effect of Cognitive Load on Pre- and Post-Stimulus Predictive Processing

The present study focuses primarily on surprisal, an information-theoretic measure of how unexpected
an encountered word is given its preceding context. As such, it reflects the post-stimulus integration
of predictions. In an additional control analysis, we considered entropy, which reflects the uncertainty
(and thus the inverse precision) of pre-stimulus predictions, or – put simply – the expected surprisal of
an upcoming word [47]. To examine whether limitations in executive resources constrain prediction
generation before word onset or prediction integration after word onset, we modelled the effects of
entropy on reading times, using the same approach as for modelling the effect of surprisal. Analogous
to the effects of surprisal, we expected reading time to increase with higher entropy, and anticipated
that increased cognitive load would attenuate the effect of entropy on reading time.

Contrary to our hypothesis, results indicated that in the Reading Only condition, with minimal
cognitive load, participants benefitted from higher entropy, as reflected by shorter reading times. As
the reading materials were designed to be as easy to understand as possible, overall entropy was
overall very low, ranging from 0.708 to 6.763 (see [48] for an overview of entropy in natural texts in
different languages). The observed facilitated processing for segments with slightly increased entropy
is thus consistent with previous findings that entropy can have facilitating effects on language
comprehension due to pre-activation of semantic features [49].

Interestingly, as cognitive load increased, this effect reversed: participants showed longer

reading times when entropy was high ($\beta_{1\text{-back}}$ = -0.0066, $t_{1\text{-back}}$(287500.04) = 5.214, $p_{1\text{-back}}$ < 0.001, $\beta_{2\text{-back}}$

= 0.0065, $t_{2\text{-back}}$(287757.94) = 5.026, $p_{2\text{-back}}$ < 0.001), which is in line with our hypotheses. While we found

this pattern – beneficial effect of entropy under minimal cognitive load and detrimental effect under

increased cognitive load – in our younger participants, older participants showed a detrimental effect

of increased entropy across conditions. Moreover, paralleling the results for surprisal, older adults were

more sensitive to variations in entropy than their younger counterparts ($\beta_{1\text{-back}}$ = -0.00004, $t_{1\text{-}}$

$_{\text{back}}$(287440.36) = -5.547, $p_{1\text{-back}}$ < 0.001, $\beta_{2\text{-back}}$ = -0.00002, $t_{2\text{-back}}$(287488.32) = -2.578, $p_{2\text{-back}}$ < 0.001;

see and Fig. S7 and Table S6 for full results).

Interaction of Surprisal and Cognitive Load Generalises to New Sample

To probe the reliability of our findings, we conducted an exact online replication of the original

experiment. The replication model included the main effects of age, cognitive load, and surprisal, and

the two-way interaction between cognitive load and surprisal; the three-way interaction with age was

not modelled. This streamlined model ensured adequate statistical power and yielded stable,

interpretable estimates given the available sample size. When comparing the results of the online

participants from the original and replication samples, we found highly consistent effects (see Fig. 5).

Again, a significant interaction of cognitive load and surprisal emerged ($\beta_{1\text{-back}}$ = 0.001499,

$t_{1\text{-back}}$(161262.31) = 7.377, $p_{1\text{-back}}$ < 0.001; $\beta_{2\text{-back}}$ = 0.001365, $t_{2\text{-back}}$(161923.06) = 6.721, $p_{2\text{-back}}$ < 0.001;

see Table S3 and Fig. S5), despite the smaller sample size (N = 96 vs. 175).

Figure 5. Results of the internal online replication in comparison with the results of the online sample of the original study. Estimates ± CI for the main effects of age, surprisal and cognitive load as well as the 2-way interaction of surprisal and cognitive load are visualized. RO: Reading only. Full results are provided in Table S3. For a comparison of age distributions in the original online and lab sample and the online replication sample, please see Fig. S1. Please note that effects are grouped by their magnitude.

Modelling Cumulative Effects of Surprisal on Reading Time

As noted above (see section *Reading Time Increases with Age, Surprisal, and Cognitive Load*), reading

time increased as a function of word surprisal, with a mean difference of 118 ms between the most

and least predictable word in our text material. This corresponds to approximately 22.91% of the

average per-word reading time in the BL condition (M = 522.04 ± 275.927 ms), highlighting a substantial

effect of surprisal – especially considering that all other predictors were held constant when estimating

the effect of surprisal. The substantial effect of surprisal is particularly notable given that the texts were

edited for ease of comprehension and contained relatively low surprisal values overall (M = 18.165 ±

7.523), indicating that the observed reading time differences between high- and low-surprisal words

likely underestimate the potential effect size in more complex texts with higher surprisal variability.

Notably, in everyday life, we typically encounter sequences of words, ranging from short

phrases to texts of hundreds or thousands of words. Consequently, small word-level effects can

accumulate and yield substantial processing differences over time (cf. [50]). Thus, to quantify this

cumulative effect of surprisal, we predicted reading time for two average participants aged 27 (M -

1SD) and 63 (M + 1SD) years for a short example sentence. Predictions were conducted for the easiest

cognitive load condition Reading Only, in which surprisal effects were most pronounced, and for the

most challenging condition 2-back Dual Task, where surprisal effects were diminished. The example

sentence comprised 14 words and had relatively low surprisal values (M = 15.24 ± 7.65; even slightly

lower than in our original text material), implying that the cumulative effects of surprisal shown here are

rather conservative estimations.

In the condition with the largest surprisal effects (Reading Only), surprisal led to a total

cumulative increase in reading time of 73.6 ms for younger and 648 ms for older participants over the

course of the sentence. In the more challenging 2-back Dual Task condition, we observed a total

increase of 199 ms in younger and 485 ms in older participants (see Fig. 6b for cumulated effects of

surprisal; see Fig. 6a for predicted reading time incorporating all effects for a comparison).

***Figure 6.* Cumulative Effect of Surprisal on Reading Time.** To illustrate the cumulative effect of surprisal on reading time over the course of a text, we predicted reading times for an average younger (27 years, M - 1SD) and average older (63 years, M + 1SD) participant in the easy Reading Only condition (blue) and the most challenging condition 2-back (Dual Task; red) and computed the cumulative sum for a short example sentence. Panel **a** illustrates how reading time gradually increases in total over the course of the sentence, with all predictors being held constant at their average, except for the predictors age, cognitive load and word length. In panel **b**, we again show cumulative reading times, this time isolating the effect of surprisal. Please note that surprisal values are zero for the first two words, as our GPT-2 model estimates surprisal based on the two preceding words, which are unavailable at the beginning of the sentence. The example sentence used in both panels is the German translation of the opening line of *Anna Karenina*, "Happy families are all alike, every unhappy family is unhappy in its own way" [51].

DISCUSSION

Linguistic predictions are a powerful feature of language comprehension. But do they really come 'for
free', or how much do they draw on executive resources? With the present study, we asked how
language predictions change with increasing cognitive load, and how this interaction is modulated by
age. To do so, we paired a self-paced reading task with a secondary n-back task on the font colour of
the words.

First, as expected, and validating our overall approach, high cognitive load was associated
with an increase in reading time as well as a decrease in task performance across age groups. This is
consistent with previous studies using n-back tasks [52,53].

Next, as hypothesised, higher word surprisal slowed down reading, even when controlling for
word length and frequency as well as prediction entropy. This effect of surprisal replicates findings
from previous studies showing that highly unpredictable words are generally associated with a longer
reading time [9,10,54–57].

Finally, we explored the relationship between surprisal and cognitive load across the (cross-
sectional) adult lifespan. We hypothesised that increasing cognitive load should gradually impair the
building of language predictions, which should surface in a diminished surprisal effect on reading time
in conditions with high cognitive load. In line with our hypothesis, we found that the effect of word

surprisal on reading time was modulated by cognitive load. Specifically, when cognitive load was high,
the effect of surprisal on reading time was significantly diminished.
Interestingly, this interaction between surprisal and cognitive load was modulated by age.
While age generally increased the reliance on language prediction, it also increased the susceptibility
of this strategy to changes in available executive resources: Older adults showed the strongest relative
reduction of the surprisal effect with increasing cognitive load. However, under high load, older adults
still showed the strongest surprisal effect in absolute terms (Figure 4b). In a direct replication of the
original experiment, we reproduced this finding, further confirming the reliability of our results.

Disentangling Effects of Attention Versus Executive Resources

When investigating the interaction of cognitive load and language predictability on reading time, we
found that increased cognitive load diminished the effect of word predictability. We take this as
evidence that executive resources are involved in the generation of language predictions.
Predictive processing has not only been suggested to be foundational to language
comprehension [5,9,54], but it is also thought to be a core mechanism of the human brain [4,58,59].
Drawing parallels between domains can thus offer valuable insights into the mechanisms of language
prediction: For instance, there is evidence from the visual domain showing that attending to the
stimulus material is a prerequisite for predictive processing [60,61]. This observation from the visual
domain can potentially be extended to our findings, wherein language predictions were diminished if
attention had to be divided between the reading material and a challenging non-linguistic secondary
task.
However, attention alone cannot fully account for the differences in sensitivity to word
predictability shown here. The predictability effect did not only diminish when a secondary task was
introduced but also decreased with increasing cognitive load even when attentional switching costs
were held constant between conditions (i.e., when comparing the 1-back to 2-back load conditions).
In line with previous literature [62–64], our results thus suggest that executive processes beyond
attention, such as updating and maintenance of context information, shifting between tasks, and
inhibition of irrelevant information [21,23], are integral to language prediction.

Language Prediction as a Compensatory Mechanism in Older Age

Further examining the effect of language predictability across the adult lifespan revealed interesting
age differences. Namely, older adults showed stronger language predictability effects than younger
participants. This effect held true even when controlling for potential differences in verbal intelligence
and education between participants. Our result aligns with previous work on age-related changes in
linguistic predictions, indicating heightened sensitivity to unexpected lexical input in older adults [37].
This finding may reflect a commonly reported pattern of greater reliance on intact vocabulary
and world knowledge with age in the face of declining executive functions [13,32]. Here, we show that
even under increased cognitive load, older adults still rely heavily on their refined system of linguistic
predictions driven by their lifelong experience. This allows them to make more fine-tuned predictions

but also renders them more vulnerable to unexpected information (i.e., high-surprisal words) than their

younger counterparts.

Previous studies have found a larger vocabulary size associated with more rapid processing

of language and improved language comprehension [65–70]. In line with this, older adults exhibit more

advanced language processing abilities compared to children or younger adults due to their

accumulated years of exposure to language and their increased vocabulary [71,72]. This accumulated

skill is thought to serve as a compensatory mechanism for decline in working memory capacities or

reduced executive functioning with age [73,74]. Indeed, speech comprehension appears to remain

largely intact in older adults [41,75].

As a caveat, one should not disregard the possibility of age-related differences between

younger and older adults in utilising formed predictions. While we assumed that formed predictions are

utilised automatically, and that the observed differences in the effect of language predictability on

reading time between individuals might thus be attributable to a difference in executive resources, one

could also argue that individuals might simply weigh their formed predictions differently.

Akin to the longer exposure to language in older individuals, it is reasonable to assume that older

individuals have also had more time to accumulate experience regarding the accuracy of their

predictions, and to refine their predictions through prediction errors. Consequently, older adults might

rely more heavily on their predictions than younger adults [76,77]. Additionally, due to age-related

sensory decline [33], older adults might exhibit a stronger dependence on context-based predictions

to process language, as incoming sensory information might be less informative [78–80]. A stronger

reliance on language predictions could thus serve as a compensatory mechanism to facilitate language

comprehension despite sensory decline in older adults.

How Can Limited Executive Resources Affect Language Prediction?

As shown in Figure 4, the relationship between word predictability and age depends on cognitive load.

Under low load, predictability effects on reading time increased with age; older adults showed robust

effects, while younger adults showed none. Under intermediate load (1-back), this pattern reversed,

with younger adults showing stronger predictability effects than older adults.

This reversal begs for an explanation, and we deem it most likely to reflect differences in how

executive resources are deployed. In low-load settings, young adults may process both predictable

and unpredictable words efficiently, minimizing observable surprisal effects. The absence of a

predictability effect in this group should therefore not be taken as evidence against predictive

processing. Rather, it may indicate that prediction is less necessary when processing is fast and

flexible. Under intermediate load, executive resources are partially taxed, revealing underlying

prediction processes in young adults. At higher loads, predictability effects diminish again, suggesting

resource constraints impair predictive processing.

In older adults, however, predictability effects decline already at intermediate load, consistent

with the CRUNCH model [40], which posits that cognitive capacity limits are reached earlier in aging.

At this point, resources are insufficient to maintain predictive processing while also performing the

secondary task. Behaviourally, this may result in fluctuating performance or trial-wise switching

between the two tasks. As load increases further, older adults continue to show reduced, though still
measurable, predictability effects – indicating sustained but strained processing.

Taken together, the data suggest that both age groups experience a reduction in predictive
processing when executive resources are limited, but the "crunch point" is reached earlier in older
adults.

Limitations and Future Directions

One intriguing question that remains is how n-back performance and language surprisal interrelate. It
is plausible that when texts are highly predictable (i.e., when surprisal is very low on average), the
cognitive load associated with language processing is reduced. This reduction could free up domain-
general executive resources, thereby enhancing n-back performance. Conversely, when surprisal is
high, the increased demands of processing less predictable language may compromise working
memory updating and lead to poorer n-back performance. As we assessed n-back performance at
block-level and maintained equal predictability across texts, analyzing trial-level effects of surprisal on
n-back task performance was not possible. Future studies could address this limitation by
systematically examining the relationship between surprisal and n-back performance at a more
granular level.

Another important area for future research involves exploring potential age-related differences
in task strategies within dual-task designs: We previously hypothesised that the differing effects of
cognitive load on surprisal-driven reading times across age groups may reflect compensatory
strategies in older adults. Given declines in executive control and working memory [31–33], older adults
may prioritise language processing over multitasking under high load, whereas younger adults might
distribute resources more flexibly. Future studies should thus examine how age affects our response
strategies in dual-tasks.

Finally, it is important to note that GPT-2 next-word predictions are not tailored to individual
participants. Large Language Models like GPT-2 are trained on extensive internet corpora [42].
Consequently, this raises the question of whether linguistic content from the internet – and, by
extension, GPT-2's language generation – disproportionately reflects the linguistic patterns of specific
demographic or cognitive groups [81–85]. There is only very limited evidence addressing these
questions directly. However, it has been shown that GPT-3.5 – a later-generation model building on
the same transformer architecture as GPT-2 –, shows performance comparable to children aged 6 to
15 in a language task requiring recollection and inference abilities [86]. Additionally, another study
shows that predictions generated by a German GPT-2 Large model (which we use in our studies as
the smaller version, GPT-2 Small) align more closely with the language patterns of individuals with low
verbal intelligence [82], complementing the findings by Sicilia et al. [86]. Despite the limited number of
studies in this area, the findings from both studies suggest that the language predictions produced by
GPT-2 may reflect certain demographic or cognitive traits, such as a very young age or a low verbal
intelligence. As a result, language predictions generated by GPT-2 may not be equally representative
across different groups, which must be considered when interpreting between-group effects in studies
that rely on GPT-2-generated stimuli. In our study, this potential bias is unlikely to affect the results.

We did not compare adults with children, and in the lab sample where verbal intelligence was measured
(N = 90), it was only mildly correlated with age ($\rho = 0.279$, $p = 0.007$). Including verbal intelligence in
our models did not improve model fits, and all main effects and interactions of age, cognitive load, and
surprisal remained robust. Nevertheless, developing methods to generate individualized next-word
predictions is an interesting direction for future research.

CONCLUSION

In summary, the present study contributes to resolving the debate about the cognitive cost of predictive
language processing. The data offer the following key insights:
First, low language predictability as well as high task demands both have a detrimental effect
on reading time. This holds true across a large age range. Second, we find that higher task demands
diminish the effects of language predictability on reading time, replicably demonstrating that language
prediction draws on resources of executive control. Third, the data reveal age-related differences in
the use of linguistic predictions: High predictability had more leverage on reading efficiency in older
than in younger adults but was also more sensitive to available executive resources.

MATERIALS & METHODS

Participants

We recorded data from 178 participants, who were either tested online (N = 83) or in a controlled lab
environment (N = 95). We excluded data from three participants from the online sample from further
analysis, either due to technical issues (N = 1) or because they reported having been distracted during
the task (N = 2). The resulting final sample comprised 175 participants aged 18 to 85 years (M = 44.9
± 17.9, 18-85 years) with a balanced gender distribution of 51% female, 47% male, and 2% non-binary
identifying participants. All participants were native German speakers with normal or corrected-to-
normal vision, and intact colour vision (assessed by a screening test; Ishihara, 1987). Exclusion criteria
were a history of psychiatric or neurological disorders, drug abuse, dyslexia, illiteracy or any
impairments in language processing. Individuals who had consumed drugs or alcohol immediately prior
to the study were not eligible for participation.
All participants from the online sample enlisted through the recruitment platform *Prolific*,
whereas lab participants were recruited via an existing database of the Max-Planck-Institute. Lab
participants above the age of 40 performed the Mini-Mental State Examination [87] to screen for
cognitive impairments. Middle-aged participants (40-59 years) had a mean score of 29.57 ± 0.84,
whereas older participants (60-85 years) scored 28.23 ± 1.62 points.

Ethics Statement

417 The study was conducted in accordance with the Declaration of Helsinki and was approved by the
418 local ethics committees of the University of Lübeck and Leipzig University, respectively. Participants
419 provided their written informed consent prior to participation, and received financial compensation
420 (12€/h).

Study Design

During the experiment, participants were asked to read short newspaper articles which were adapted
from articles from the news archive of a well-known German magazine ("Der Spiegel"). The nine
selected articles were edited to be easy to understand, neutral in tone and non-emotional in content to
avoid any influences of text content on reading time. Additionally, all texts were limited to a length of
300 words (trials). Participants were instructed to read the texts carefully, as content-related multiple-
choice questions were asked after each one. The comprehension questions served both as a measure
of reading comprehension as well as a motivator to pay close attention to the reading material.

428   During this self-paced reading task (Reading Only task), each word was presented individually
on screen and participants proceeded to the next word by pressing the space bar on their keyboard
(Fig. 2a). To ensure that each word was displayed at least briefly, the response window started after
the word had been shown for a fixed period of 50 ms. Each word was presented centred on screen in
one of four font colours (Hex codes: #D292F3 [lilac], #F989A2 [muted pink], #2AB7EF [cerulean blue]
and #88BA3F [leaf green]) against a white background.

In four of the six main blocks, the self-paced reading task was complemented by a secondary n-back
task (see Fig. 2a), in which participants were instructed to press a target button on the keyboard ("C"
for right-handed, "M" for left-handed participants) whenever the font colour of the current word
matched that of the previous (1-back Dual Task) or the penultimate word (2-back Dual Task).
Participants were still required to press the spacebar to advance to the next word after pressing the
target button. Reaction times were recorded for both kinds of responses. Neither the Reading Only
task nor the 1-back and 2-back Dual Task blocks were speeded, allowing participants to complete the
experiment at their own pace.

442   Before being introduced to this combination of reading and n-back task (see Fig. 2a),
443 participants could familiarise themselves with the n-back paradigm in short, non-linguistic, single-task
444 blocks comprising coloured rectangles as stimuli. These blocks served as an introduction to the nature
445 of an n-back task, and to quantify participants' working memory abilities. For all main blocks with an
446 n-back task, a target ratio of 16.667% was used. The low target-ratio was chosen to prevent an
447 excessive number of n-back reactions during the dual-task blocks.

448   Taken together, the experiment comprised three cognitive load conditions: A baseline
449 condition, comprising a reading task without additional n-back task (Reading Only), a reading task with
450 an additional 1-back task (1-back Dual Task), and a reading task with an additional 2-back task (2-
451 back Dual Task). Each condition was presented in two blocks, each comprising 300 trials. For each
452 block, one of nine texts was randomly selected, with no text occurring more than once.

453   All experiments were implemented using *lab.js* [88]. Online studies were hosted on *OpenLab* –
454 a server-side platform designed specifically for *lab.js* experiments [89] – and data were saved on *OSF*
455 [90].

Generation of Word Surprisal and Entropy Scores

456 The predictability of each word was operationalised via word surprisal (Fig. 2b), which reflects the
457 predictability of the current word given its preceding context [10,43,44]. A word's surprisal score is
458 defined as the negative logarithm of the word's probability given its context [43]:

$$surprisal_{w_n} = -\log\left(P(w_n \mid w_1, \ldots, w_{n-1})\right)$$

If a word w_n has a high surprisal score, its occurrence given its preceding context w_1, w_2,..., w_{n-1} has a
low probability, rendering it highly unpredictable (i.e. surprising).
In addition to each word's surprisal, we also computed the entropy of the probability
distribution for each predicted word given its context (Fig. 2b), which reflects the uncertainty in
predicting the next word. The entropy is defined as the negative sum of the product of the probability
of each word in the vocabulary and its respective logarithm probability [91], or – put simply – as the
average surprisal of all possible continuations in the vocabulary [92]:

$$entropy(p) = -\sum_{w_n \in W} P(w_n | w_1, \ldots, w_{n-1}) \, \log P(w_n | w_1, \ldots, w_{n-1})$$

If entropy is low, only one or a few possible words in the vocabulary are assigned high
probabilities of being the actual next word, hence indicating low uncertainty about which word will
come next. This is usually the case if the previous context is very restricting. Conversely, if a vast
amount of words in the vocabulary would be suited as continuations for the given context, and the
probability distribution across words is fairly uniform, word entropy – and thus uncertainty about which
word will come next – is high. Taken together, word surprisal signifies the predictability of each word
whereas word entropy signifies the uncertainty underlying its prediction.
In the current study, we computed surprisal scores as well as one entropy score for each word
in the experimental texts (mean surprisal: 18.165 ± 7.523, mean entropy: 4.067 ± 0.932; see further
information in the supplementary material).
Entropy and surprisal scores were estimated using a two-word context window. While short
contexts have been shown to enhance GPT-2's psychometric alignment with human predictions,
making next-word predictions more human-like (Kuribayashi et al., 2022), other work suggests that
longer contexts can also increase model–human similarity (Goldstein et al., 2022). To reconcile these
findings in our stimuli and guide the choice of context length, we tested longer windows and found
surprisal scores were highly correlated with the 2-word context (e.g., 10-word vs. 2-word context:
Spearman's $\rho = 0.976$), with the overall pattern of results unchanged. Additionally, employing longer
context windows would have also reduced the number of analysable trials, since surprisal cannot be
computed for the first k words of a text with a k-word context window. Crucially, any additional noise
introduced by the short context biases effect estimates toward zero, making our analyses conservative
rather than inflating them.

To generate word entropy and surprisal scores, we used a 12-layered GPT-2 model [42], which
was pre-trained on German texts by the MDZ Digital Library team (dbmdz) at the Bavarian State Library,
and the corresponding tokenizer, both available from the Hugging Face model hub [93]. Scores were
calculated using Python version 3.10.12 [94].

Analysis

Preprocessing

To gauge participants' response accuracy in the n-back task, we computed the detection-prime (d')
index. This measure quantifies the ability to distinguish between target and non-target stimuli, in our
case trials (i.e. words in dual- and rectangles in single-task blocks) with colour repetitions and trials
where the current colour doesn't match the colour from the nth previous trial. A d' value of 0 signifies
an inability to discriminate between signal and noise stimuli, suggesting that participants indicated they
saw a target in either no or all trials. Thus, we excluded all dual-task blocks with d-primes of 0 from
further analyses, which affected only five participants. In total, we excluded three main blocks in the
online sample and two main blocks in the lab sample.

After each text block, participants were asked to answer three multiple-choice questions as a
measure of reading comprehension. For each question, we showed four response options, with only
one of them being correct. To ensure participants performed the tasks as intended and read the words
on screen, we excluded all blocks where none of the questions were answered correctly. In total, we
excluded one 1-back and seven 2-back Dual Task blocks from the online sample, as well as four 1-
back and eleven 2-back Dual Task blocks from the lab sample, from datasets of six and fourteen
participants, respectively.

Lastly, we preprocessed the reading time data: First, any trial exhibiting a raw reading time exceeding
5000 ms was considered an extended break and subsequently excluded from further analyses. This
cutoff was selected arbitrarily, based on the observation that participants tested in the lab did not
exhibit trial durations exceeding 5000 ms. Therefore, we assume that participants tested online may
have been distracted and less focused on the experiment during trial durations of this length.

To further remove outliers, we followed the procedure recommended by Berger and Kiefer
(2021) to ensure comparable exclusion criteria for long and short outliers in typically skewed reading
time: First, reading times were transformed using the Proportion of Maximum Scaling method (POMS;
[95]). We POMS-transformed the data on block level to account for potential differences in reading time
distributions between blocks. The square root of each value was then taken to ensure a symmetric
distribution. Following this, we z-transformed the data and excluded all trials from further analysis
where z-scores fell outside a range of -2 to 2 [96,97]. Taken together, we excluded 12968 trials (4.117%
of all trials from the main blocks) with an average of 74.103 ± 12.654 excluded trials per participant.

To facilitate interpretability of units in the results, we subsequently continued working with the
raw reading times, which had been cleaned of outliers at this stage, and log-transformed them for
statistical analysis.

Statistical Analysis of n-Back Responses and Comprehension Questions

To ensure the validity of our cognitive load manipulation in the dual-task blocks, we examined whether

increased cognitive load induced a decline both in n-back task performance – as indicated by reduced

d-primes – and the accuracy in the comprehension question task, as reflected by a lower number of

correct answers. We employed a linear mixed-effects model (LMM) for d-primes and a logistic linear

mixed-effects model (GLMM, logit link function) for comprehension question accuracy.

In both models, we included recording location (online vs. lab), cognitive load (1-back and 2-

back Dual Task vs. Reading Only as the reference level) and continuously measured age (centred) in

both models as well as the interaction of age and cognitive load as fixed effects. In the model for the

d-primes, we additionally included measures of comprehension question accuracy (on participant and

block level) as well as the block number as fixed effects to control for different response strategies and

tiredness effects, respectively. Moreover, we included the mean d-primes from the 1-back and 2-back

Single Tasks as a working memory measure.

Please note that we did not control for trial-level stimulus colour here. The n-back task, which

required participants to judge colours, was administered at the single-trial level, with colours

pseudorandomised to prevent any specific colour - or sequence of colours - from occurring more

frequently than others. In contrast, comprehension questions were presented at the end of each block,

meaning that trial-level stimulus colour was unrelated to accuracy on the block-level comprehension

questions.

We assigned simple coding schemes to the factors recording location and cognitive load.

While the model for d-primes included by-participant random slopes for cognitive load, the model for

comprehension question accuracy comprised random intercepts for participants. Both models

included random intercepts for participants and texts.

d-prime ~ mean d-prime from single tasks +

    mean comprehension question accuracy +

   block-level deviation from mean comprehension question accuracy +

   recording location + block number +

   ***age * cognitive load** +*

   (1 + cognitive load | ID) +

   (1 | text number)

Note. Structure of the model for d-primes in the n-back task in dual-task blocks. The variable age was centred and the variable cognitive load encompassed only two levels (1-back and 2-back) as there was no n-back task in the Reading Only condition.

comprehension question accuracy ~ recording location +

               ***age * cognitive load** +*

          (1 | ID) + (1 | text number)

Note. Structure of the model for accuracy in the comprehension question task. The variable age was centred. We used a binomial family distribution with a logit link function for modelling the comprehension question accuracies.

Statistical Analysis of Reading Times

We explored the effects of cognitive load, age and surprisal as well as their 2-way and 3-way
interactions on log-transformed reading times using a LMM. The model included an interaction of age,
surprisal, and cognitive load motivated by our hypotheses as well as additional fixed effects to control
for nuisance effects. The final selection of fixed and random effects structure was based on highest R^2
values. As we only modelled reading times from trials where we had surprisal scores, the first two trials
of each block were not included in the statistical analyses.

We included the reading time of the previous word as a fixed effect to control for potential
nuisance effects such as post-error-slowing following a missed n-back target in the previous trial, or
sequential modulation effects if the previous trial was ended prematurely, leading to an extended
reading time carried over to the current trial. Additionally, it is important to consider that reading times,
like many sequential behavioral measures, exhibit strong autocorrelation [98], meaning that the reading
time of a given word is partially predictable from the reading time of the previous word. Such spillover
effects can confound attempts to isolate trial-specific cognitive processes. As our primary goal was to
model single-word prediction, we explicitly accounted for this autocorrelation by including the reading
time of the preceding trial as a covariate.

As response strategies may differ between individuals, but also within an individual from block
to block, we included two different regressors representing these distinct between- vs. within-
participant effects on reading time. Between-participant effects were modelled by the individual mean
comprehension performance whereas within-participant effects were modelled by the block-level
deviation from this mean (cf. [99,100]). We further included block-wise d-primes and participant-wise
mean single-task d-primes as a proxy of each participant's working memory capacity. By incorporating
block- and participant level performance measures, which are designed to be sensitive to task
difficulty, we accounted for the potential variation in perceived task load between age groups or
samples. For instance, the 2-back task might present a greater challenge for an older individual
compared to their younger counterpart, therefore rendering the tasks not entirely comparable between
age groups if not appropriately controlled for.

The remaining fixed effects entailed the recording location (online vs. lab), word frequency (as
estimated using Python's wordfreq package; [101]), word length, as well as the position of block and
trial in the course of the experiment as main effects. Furthermore, we included entropy as a fixed effect
to account for the uncertainty in the prediction of the next word. Surprisal and entropy values were
weakly correlated ($r = 0.29$, $p < 0.001$). To account for the delay in reaction time associated with n-
back responses, we included n-back reaction (reaction vs. no reaction) as a binary predictor in our
models.

Finally, we included the three-way interaction of age (as a continuous predictor), cognitive load
(on 3 levels: Reading Only, 1-back Dual Task and 2-back Dual Task; contrasted using a simple coding
scheme with the Reading Only condition as the reference level), and surprisal score (continuous
predictor). This entails the implicit inclusion of all two-way interactions of age, cognitive load and
surprisal, as well as the main effects of those variables.

Random effects included random intercepts for participants, the effect of text, the current word, the
colour of the current word, and by-participant random slopes for cognitive load. All continuous
predictors were centred.

log(RT) ~ RT of previous word +

       block-level d-prime + mean d-prime from single tasks +

       mean comprehension question performance +

       block-level deviation from mean comprehension question performance +

       recording location + entropy +

       word frequency + word length (without punctuation) +

       n-back reaction + block number + trial number +

       surprisal * age * cognitive load +

       (1 + cognitive load | ID) + (1 | text number) + (1 | word) + (1 | colour)

Note. Model structure. RT = Reading Time, ID = participant.

To gain a more nuanced understanding of the three-way interaction of age, cognitive load and
surprisal, we performed a subsequent simple slopes analysis. This analysis allows exploring the
interaction of two continuous predictors, in our case quantifying the slope of the surprisal effect in each
of the three cognitive load conditions as a function of age. This way, we determined for which age
range and cognitive load condition we observed a significant effect of surprisal on reading time.

For all models, including control analyses and the internal replication, *p*-values were obtained
using ANOVAs with type III sums of squares. Degrees of freedom for *p*-values and standard errors were
estimated using Satterthwaite's approximation for all LMMs, and Wald's approximation for the GLMM
and GAM [102,103]. All effects reported are significant on an alpha level of 0.05 after FDR-correction
for multiple comparisons [104].

All analyses were carried out in *R* version 4.2.2 [105] using the packages *gratia*, *interactions,*
lmerTest, lme4, mgcv, *modelbased,* and *sjPlot* [106–111].

Control Analysis: Dissociating Cognitive Control from Attention

597 To disentangle attentional and cognitive load effects, we modelled reading times using an additional
598 linear mixed model of the same structure as described before, but contrasting only the 2-back Dual
599 Task condition with the less demanding 1-back Dual Task condition. The two Dual Task conditions
600 only differ in cognitive load, but not attentional switching costs, which means any effects of cognitive
601 load can be attributed to the cognitive load manipulation, with attentional demands held constant.

Control Analysis: Assessing Potential Effects of Verbal Intelligence and Education

To ensure potential effects of verbal intelligence or education did not unduly influence our findings, we
analysed data from 95 lab participants who reported their formal education in years (M = 18.0 ± 3.343,
range = 11–30) and completed a lexical decision task – the Spot-the-Word test [112] –, where they

were asked to identify the word in pairs of words and non-words. Each participant's score on this test
(M = 32.021 ± 2.993, range = 21–37) provided a measure of their verbal intelligence.

To assess the potential effect of education and verbal intelligence on reading time, we fitted
three additional LMMs: The first model mirrored the structure of the original LMM used to analyze log-
transformed reading times (see section *Statistical Analysis of Reading Times* for the model structure),
with one key modification: The predictor for recording location was excluded, as all participants were
tested in a single location. The remaining two models followed the same structure, with the inclusion
of centered education scores and centered Spot-the-Word test scores as additional predictors to
account for education and verbal intelligence, respectively. We then statistically compared the baseline
LMM with the two other LMMs using an ANOVA to determine whether verbal intelligence or education
significantly improved the model fits.

Control Analysis: Modelling Non-Linear Effects of Age

We also fitted a generalised additive model (GAM) to our data to allow for non-linear relationships of
the predictor variables with reading time, as it has been shown that reaction time is oftentimes
modulated by predictor variables in a non-linear way [113,114].

Specifically, we employed a GAM to account for a potential non-linear relationship of age and
surprisal with reading time. To this end, all continuous predictors were fitted with thin-plate regression
splines and the interaction of surprisal, age, and cognitive load was fitted via a tensor product smooth
with individual curves for each level of cognitive load. The number of basis dimensions for each
smoothing spline was checked via model diagnostics available in *mgcv* after the first model set-up and
appropriately updated to reach a k-index > 1.01 and p > 0.05 to avoid oversmoothing. The random
effect structure was set up similarly to the LMM.

It is important to note that the outcomes of GAMs and LMMs can differ: GAMs are particularly
adept at identifying localized, nonlinear changes in predictor effects on reading time that may be
overlooked by LMMs. As a result, the effects obtained from LMMs and those derived from GAMs are
based on distinct metrics, which complicates direct comparisons between the two approaches.

Control Analysis: Disentangling the Effect of Cognitive Load on Pre- and Post-Stimulus Predictive
Processing

Predictive processing can be conceptualized in terms of two complementary information-theoretic
constructs: surprisal and entropy. While surprisal captures the cognitive cost associated with the post-
stimulus integration of a generated prediction and the actual percept, entropy reflects the uncertainty
underlying a next-word prediction [10,43,44,47,91,92]. As such, entropy mirrors the estimated surprisal,
suggesting entropy and surprisal are somewhat related, but do not represent the same construct [47].

While the primary focus of the present study is on predictive processing as indexed by word
surprisal, it is also possible to partially dissociate pre- and post-stimulus predictive mechanisms by
examining entropy. The empirical literature on the effect of entropy on reading time is scarce and
somewhat contradictory, with evidence for both facilitative and inhibitory effects, or even no effects of
next-word entropy over and above surprisal [47,49,115–117]. Accordingly, we sought to investigate the

effect of increased entropy in our dataset, asking whether higher entropy is associated with longer reading times, and whether this relationship is modulated by cognitive load, analogous to the effects observed for surprisal.

To this end, we fitted a linear mixed-effects model structurally analogous to that used for surprisal, substituting surprisal with entropy. Consistent with our approach for surprisal, we also included a 3-way interaction of entropy with age and cognitive load to capture potential age-related changes in the relationship between entropy and cognitive load.

log(RT) ~ RT of previous word +
       block-level d-prime + mean d-prime from single tasks +
       mean comprehension question performance +
       block-level deviation from mean comprehension question performance +
       recording location + surprisal +
       word frequency + word length (without punctuation) +
       n-back reaction + block number + trial number +
       entropy * age * cognitive load +
       (1 + cognitive load | ID) + (1 | text number) + (1 | word) + (1 | colour)

Note. Model structure. RT = Reading Time, ID = participant.

Internal Replication

To ensure the reliability of our findings, we conducted an internal replication of the previously described experiment. This internal replication was preregistered on OSF (doi: 10.17605/OSF.IO/SU6VX).

Replication Sample

As outlined in the preregistration, we conducted an online study with a sample of 100 participants. We excluded data from four participants from further analysis, either due to technical issues (N = 2) or because they reported having been distracted during the task (N = 2). The resulting final sample comprised 96 participants aged 18 to 70 years (M = 39.750 ± 13.996 years) with a balanced gender distribution of 51% female, 48% male, and 1% non-binary identifying participants. As in the original experiment, all participants were native German speakers with normal or corrected-to-normal vision and intact colour vision without dyslexia, illiteracy, a history of psychiatric or neurological disorders or drug abuse. Individuals who had consumed drugs or alcohol immediately prior to the study were not eligible for participation.

Ethics Statement

The study was conducted in accordance with the Declaration of Helsinki and was approved by the local ethics committee of the University of Lübeck. All participants were recruited online through Prolific and only tested upon having provided their written informed consent. Participants received a financial compensation of 12€/h.

Replication Analyses

Analogous to the original experiment, we first cleaned the reading time data of trials exceeding a
duration of 5000 ms as well as outliers (see section *Preprocessing*), which affected 4.036% of all trials
from the main blocks with an average of 72.656 ± 11.089 excluded trials per participant. The structure
of the statistical model for the replication analysis was analogous to the model for the original analysis
of reading times (see section Statistical Analysis of Reading Times), except for the predictor of
recording location, which was excluded as we only analysed data collected online. In addition, we
modelled the two-way interaction between cognitive load and surprisal rather than the higher-order
three-way interaction with age. This more parsimonious model structure was chosen to ensure
adequate statistical power and to yield stable, interpretable estimates given the available sample sizes.

To compare results from the original experiment and the replication, we fitted the model once
using the data of the online sample from the original experiment and once using the new online
replication datasets.

Given that we simplified the analysis approach in the original study after having preregistered
the replication, we deviated from the analysis plan described in the preregistration and made the same
modifications here, resulting in the use of word surprisal for only one context length instead of four
and, consequently, only one LMM instead of several.

Acknowledgements

678   We thank Christian Koblitz and Marcel Blumenthal for their help with data acquisition in the lab.

Funding

679   This work was supported by German Research Foundation (DFG, OB 352/2-2 to JO, and HA 6314/4-
680   2 to GH). GH was supported by Lise Meitner Excellence funding from the Max Planck Society and the
681   European Research Council (ERC-2021-COG 101043747). Open access funding provided by the Max
682   Planck Society. We acknowledge financial support by Land Schleswig-Holstein within the funding
683   programme Open Access Publikationsfond.

Author contributions

M.S.: Conceptualization, data curation, formal analysis, investigation, methodology, project administration, visualisation, writing: original draft, review & editing

S.M.: Conceptualization, data curation, formal analysis, investigation, methodology, project administration, writing: original draft, review & editing

S.T.: formal analysis, methodology, writing: review & editing

L-M.S.: methodology, writing: review & editing

G.H.: Conceptualization, funding acquisition, supervision, methodology, writing: review & editing

J.O.: Conceptualization, methodology, funding acquisition, supervision, writing: review & editing

Declaration of AI and AI-assisted technologies in the writing process

684 During the preparation of this work the authors used ChatGPT 3.5 to rephrase sentences. After using
685 this tool, the authors reviewed and edited the content as needed and take full responsibility for the
686 content of the publication.

Competing interests

687 The authors declare that they have no competing interests.

Data Availability

688 All experimental and analysis scripts are publicly available in the project's Github repository
689 https://github.com/MMarieSchuckart/EXNAT-1. Preprocessed data as well as model outputs will be
690 made available upon publication in the project's OSF repository: https://osf.io/dtwjk/.

Preregistration

691 The internal replication of the main experiment was preregistered on OSF (doi:
692 10.17605/OSF.IO/SU6VX).

REFERENCES

1. Clark A. Whatever next? Predictive brains, situated agents, and the future of cognitive science. Behav Brain Sci. 2013;36: 181–204. doi:10.1017/S0140525X12000477

2. Pickering MJ, Garrod S. Do people use language production to make predictions during comprehension? Trends Cogn Sci. 2007;11: 105–110. doi:10.1016/j.tics.2006.12.002

3. Onnis L, Lim A, Cheung S, Huettig F. Is the mind inherently predicting? Exploring forward and backward looking in language processing. Cogn Sci. 2022;46: e13201. doi:10.1111/cogs.13201

4. Rao RP, Ballard DH. Predictive coding in the visual cortex: a functional interpretation of some extra-classical receptive-field effects. Nat Neurosci. 1999;2: 79–87. doi:10.1038/4580

5. Ryskin R, Nieuwland MS. Prediction during language comprehension: what is next? Trends Cogn Sci. 2023;27: 1032–1052. doi:10.1016/j.tics.2023.08.003

6. Rubenstein H, Aborn M. Learning, prediction, and readability. J Appl Psychol. 1958;42: 28–32. doi:10.1037/h0039808

7. Boston MF, Hale J, Kliegl R, Patil U, Vasishth S. Parsing costs as predictors of reading difficulty: An evaluation using the Potsdam Sentence Corpus. J Eye Mov Res. 2008;2. doi:10.16910/jemr.2.1.1

8. Roland D, Yun H, Koenig J-P, Mauner G. Semantic similarity, predictability, and models of sentence processing. Cognition. 2012;122: 267–279. doi:10.1016/j.cognition.2011.11.011

9. Schmitt L-M, Erb J, Tune S, Rysop AU, Hartwigsen G, Obleser J. Predicting speech from a cortical hierarchy of event-based time scales. Sci Adv. 2021;7: eabi6070. doi:10.1126/sciadv.abi6070

10. Smith NJ, Levy R. The effect of word predictability on reading time is logarithmic. Cognition. 2013;128: 302–319. doi:10.1016/j.cognition.2013.02.013

11. Luke SG, Christianson K. Limits on lexical prediction during reading. Cogn Psychol. 2016;88: 22–60. doi:10.1016/j.cogpsych.2016.06.002

12. Geranmayeh F, Chau TW, Wise RJS, Leech R, Hampshire A. Domain-general subregions of the medial prefrontal cortex contribute to recovery of language after stroke. Brain. 2017;140: 1947–1958. doi:10.1093/brain/awx134

13. Martin S, Saur D, Hartwigsen G. Age-dependent contribution of domain-general networks to semantic cognition. Cereb Cortex. 2022;32: 870–890. doi:10.1093/cercor/bhab252

14. Sliwinska MW, Violante IR, Wise RJS, Leech R, Devlin JT, Geranmayeh F, et al. Stimulating multiple-demand cortex enhances vocabulary learning. J Neurosci. 2017;37: 7606–7618. doi:10.1523/jneurosci.3857-16.2017

15. Wingfield A, Grossman M. Language and the aging brain: patterns of neural compensation revealed by functional brain imaging. J Neurophysiol. 2006;96: 2830–2839. doi:10.1152/jn.00628.2006

16. Erb J, Henry MJ, Eisner F, Obleser J. The brain dynamics of rapid perceptual adaptation to adverse listening conditions. J Neurosci. 2013;33: 10688–10697. doi:10.1523/JNEUROSCI.4596-12.2013

17. Vaden KI Jr, Kuchinsky SE, Cute SL, Ahlstrom JB, Dubno JR, Eckert MA. The cingulo-opercular network provides word-recognition benefit. J Neurosci. 2013;33: 18979–18986. doi:10.1523/JNEUROSCI.1417-13.2013

18. Vaden KI Jr, Kuchinsky SE, Ahlstrom JB, Dubno JR, Eckert MA. Cortical activity predicts which older adults recognize speech in noise and when. J Neurosci. 2015;35: 3929–3937. doi:10.1523/JNEUROSCI.2908-14.2015

19. Vaden KI Jr, Kuchinsky SE, Ahlstrom JB, Teubner-Rhodes SE, Dubno JR, Eckert MA. Cingulo-opercular function during word recognition in noise for older adults with hearing loss. Exp Aging Res. 2016;42: 67–82. doi:10.1080/0361073X.2016.1108784

20. Peelle JE. Listening effort: How the cognitive consequences of acoustic challenge are reflected in brain and behavior. Ear Hear. 2018;39: 204–214. doi:10.1097/AUD.0000000000000494

21. Alvarez JA, Emory E. Executive function and the frontal lobes: a meta-analytic review. Neuropsychol Rev. 2006;16: 17–42. doi:10.1007/s11065-006-9002-x

22. Duncan J. The multiple-demand (MD) system of the primate brain: mental programs for intelligent behaviour. Trends Cogn Sci. 2010;14: 172–179. doi:10.1016/j.tics.2010.01.004

23. Friedman NP, Miyake A. Unity and diversity of executive functions: Individual differences as a window on cognitive structure. Cortex. 2017;86: 186–204. doi:10.1016/j.cortex.2016.04.023

24. Ryskin R, Levy RP, Fedorenko E. Do domain-general executive resources play a role in linguistic prediction? Re-evaluation of the evidence and a path forward. Neuropsychologia. 2020;136: 107258. doi:10.1016/j.neuropsychologia.2019.107258

25. Shain C, Blank IA, van Schijndel M, Schuler W, Fedorenko E. fMRI reveals language-specific predictive coding during naturalistic sentence comprehension. Neuropsychologia. 2020;138: 107307. doi:10.1016/j.neuropsychologia.2019.107307

26. Wehbe L, Blank IA, Shain C, Futrell R, Levy R, von der Malsburg T, et al. Incremental language comprehension difficulty predicts activity in the language network but not the multiple demand network. Cereb Cortex. 2021;31: 4006–4023. doi:10.1093/cercor/bhab065

27. Diachek E, Blank I, Siegelman M, Affourtit J, Fedorenko E. The domain-general multiple demand (MD) network does not support core aspects of language comprehension: A large-scale fMRI investigation. J Neurosci. 2020;40: 4536–4550. doi:10.1523/JNEUROSCI.2036-19.2020

28. MacGregor LJ, Gilbert RA, Balewski Z, Mitchell DJ, Erzinçlioğlu SW, Rodd JM, et al. Causal contributions of the domain-general (multiple demand) and the language-selective brain networks to perceptual and semantic challenges in speech comprehension. Neurobiol Lang (Camb). 2022;3: 665–698. doi:10.1162/nol_a_00081

29. Shain C, Blank IA, Fedorenko E, Gibson E, Schuler W. Robust effects of working memory demand during naturalistic language comprehension in language-selective cortex. J Neurosci. 2022;42: 7412–7430. doi:10.1523/JNEUROSCI.1894-21.2022

30. Xie Z, Brodbeck C, Chandrasekaran B. Cortical tracking of continuous speech under bimodal divided attention. Neurobiol Lang (Camb). 2023;4: 318–343. doi:10.1162/nol_a_00100

31. Idowu MI, Szameitat AJ. Executive function abilities in cognitively healthy young and older adults-A cross-sectional study. Front Aging Neurosci. 2023;15: 976915. doi:10.3389/fnagi.2023.976915

32. Salthouse TA, Atkinson TM, Berish DE. Executive functioning as a potential mediator of age-related cognitive decline in normal adults. J Exp Psychol Gen. 2003;132: 566–594. doi:10.1037/0096-3445.132.4.566

33. Verhaeghen P, Steitz DW, Sliwinski MJ, Cerella J. Aging and dual-task performance: a meta-analysis. Psychol Aging. 2003;18: 443–460. doi:10.1037/0882-7974.18.3.443

34. Liu X, Chin J, Payne BR, Fu W-T, Morrow DG, Stine-Morrow EAL. Adult age differences in information foraging in an interactive reading environment. Psychol Aging. 2016;31: 211–223. doi:10.1037/pag0000079

35. Smiler AP, Gagne DD, Stine-Morrow EAL. Aging, memory load, and resource allocation during reading. Psychol Aging. 2003;18: 203–209. doi:10.1037/0882-7974.18.2.203

36. Häuser KI, Demberg V, Kray J. Effects of aging and dual-task demands on the comprehension of less expected sentence continuations: Evidence from pupillometry. Front Psychol. 2019;10: 709. doi:10.3389/fpsyg.2019.00709

37. Cheimariou S, Farmer TA, Gordon JK. Lexical prediction in the aging brain: The effects of predictiveness and congruency on the N400 ERP component. Neuropsychol Dev Cogn B Aging Neuropsychol Cogn. 2019;26: 781–806. doi:10.1080/13825585.2018.1529733

38. Dave S, Brothers TA, Swaab TY. 1/f neural noise and electrophysiological indices of contextual prediction in aging. Brain Res. 2018;1691: 34–43. doi:10.1016/j.brainres.2018.04.007

39. Payne BR, Federmeier KD. Contextual constraints on lexico-semantic processing in aging: Evidence from single-word event-related brain potentials. Brain Res. 2018;1687: 117–128. doi:10.1016/j.brainres.2018.02.021

40. Reuter-Lorenz PA, Cappell KA. Neurocognitive aging and the compensation hypothesis. Curr Dir Psychol Sci. 2008;17: 177–182. doi:10.1111/j.1467-8721.2008.00570.x

41. Shafto MA, Tyler LK. Language in the aging brain: the network dynamics of cognitive decline and preservation. Science. 2014;346: 583–587. doi:10.1126/science.1254404

42. Radford A, Wu J, Child R, Luan D, Amodei D, Sutskever I. Language Models are Unsupervised Multitask Learners. 2019. Available: https://cdn.openai.com/better-language-models/language_models_are_unsupervised_multitask_learners.pdf

43. Hale J. A probabilistic earley parser as a psycholinguistic model. Second meeting of the North American Chapter of the Association for Computational Linguistics on Language technologies 2001 - NAACL '01. Morristown, NJ, USA: Association for Computational Linguistics; 2001. doi:10.3115/1073336.1073357

44. Levy R. Expectation-based syntactic comprehension. Cognition. 2008;106: 1126–1177. doi:10.1016/j.cognition.2007.05.006

45. Kuribayashi T, Oseki Y, Brassard A, Inui K. Context limitations make neural language models more human-like. arXiv [cs.CL]. 2022. doi:10.48550/ARXIV.2205.11463

46. Johnson PO, Neyman J. Tests of certain linear hypotheses and their application to some educational problems. Statistical Research Memoirs. 1936;1: 57–93.

47. Pimentel T, Meister C, Wilcox EG, Levy R, Cotterell R. On the effect of anticipation on reading times. arXiv [cs.CL]. 2022. Available: http://arxiv.org/abs/2211.14301

48. Bentz C, Alikaniotis D. The word entropy of natural languages. arXiv [cs.CL]. 2016. doi:10.48550/ARXIV.1606.06996

49. Karimi H, Weber P, Zinn J. Information entropy facilitates (not impedes) lexical processing during language comprehension. Psychon Bull Rev. 2024;31: 2102–2117. doi:10.3758/s13423-024-02463-x

50. Funder DC, Ozer DJ. Evaluating effect size in psychological research: Sense and nonsense. Adv Methods Pract Psychol Sci. 2019;2: 156–168. doi:10.1177/2515245919847202

51. Tolstoy L. Anna Karenina. 1878. Available: https://www.gutenberg.org/cache/epub/1399/pg1399-images.html

52. Lamichhane B, Westbrook A, Cole MW, Braver TS. Exploring brain-behavior relationships in the N-back task. Neuroimage. 2020;212: 116683. doi:10.1016/j.neuroimage.2020.116683

53. Kwong See ST, Ryan EB. Cognitive mediation of adult age differences in language performance. Psychol Aging. 1995;10: 458–468. doi:10.1037/0882-7974.10.3.458

54. Heilbron M, Armeni K, Schoffelen J-M, Hagoort P, de Lange FP. A hierarchy of linguistic predictions during natural language comprehension. Proc Natl Acad Sci U S A. 2022;119: e2201968119. doi:10.1073/pnas.2201968119

55. Monsalve IF, Frank SL, Vigliocco G. Lexical surprisal as a general predictor of reading time. Proceedings of the 13th Conference of the European Chapter. France: Association for Computational Linguistics; 2012. pp. 398–408.

56. Shain C, Meister C, Pimentel T, Cotterell R, Levy R. Large-scale evidence for logarithmic effects of word predictability on reading time. Proc Natl Acad Sci U S A. 2024;121: e2307876121. doi:10.1073/pnas.2307876121

57. Wilcox EG, Pimentel T, Meister C, Cotterell R, Levy RP. Testing the predictions of surprisal theory in 11 languages. Trans Assoc Comput Linguist. 2023;11: 1451–1470. doi:10.1162/tacl_a_00612

58. Bubic A, von Cramon DY, Schubotz RI. Prediction, cognition and the brain. Front Hum Neurosci. 2010;4: 25. doi:10.3389/fnhum.2010.00025

59. Friston K. The free-energy principle: a unified brain theory? Nat Rev Neurosci. 2010;11: 127–138. doi:10.1038/nrn2787

60. Larsson J, Smith AT. fMRI repetition suppression: neuronal adaptation or stimulus expectation? Cereb Cortex. 2012;22: 567–576. doi:10.1093/cercor/bhr119

61. Richter D, de Lange FP. Statistical learning attenuates visual activity only for attended stimuli. Elife. 2019;8. doi:10.7554/eLife.47869

62. Huettig F, Janse E. Individual differences in working memory and processing speed predict anticipatory spoken language processing in the visual world. Lang Cogn Neurosci. 2016;31: 80–93. doi:10.1080/23273798.2015.1047459

63. Ito A, Corley M, Pickering MJ. A cognitive load delays predictive eye movements similarly during L1 and L2 comprehension. Biling (Camb Engl). 2018;21: 251–264. doi:10.1017/s1366728917000050

64. Fricke M, Zirnstein M. Predictive processing and inhibitory control drive semantic enhancements for non-dominant language word recognition in noise. Languages. 2022;7: 239. doi:10.3390/languages7030239

65. Borovsky A, Elman JL, Fernald A. Knowing a lot for one's age: Vocabulary skill and not age is associated with anticipatory incremental sentence interpretation in children and adults. J Exp Child Psychol. 2012;112: 417–436. doi:10.1016/j.jecp.2012.01.005

66. Huettig F, Pickering MJ. Literacy advantages beyond reading: Prediction of spoken language. Trends Cogn Sci. 2019;23: 464–475. doi:10.1016/j.tics.2019.03.008

67. Mainz N, Shao Z, Brysbaert M, Meyer AS. Vocabulary knowledge predicts lexical processing: Evidence from a group of participants with diverse educational backgrounds. Front Psychol. 2017;8: 1164. doi:10.3389/fpsyg.2017.01164

68. Matthews J. Vocabulary for listening: Emerging evidence for high and mid-frequency vocabulary knowledge. System. 2018;72: 23–36. doi:10.1016/j.system.2017.10.005

69. Stæhr LS. Vocabulary knowledge and advanced listening comprehension in English as a foreign language. Stud Second Lang Acquis. 2009;31: 577. doi:10.1017/s0272263109990039

70. Stæhr LS. Vocabulary size and the skills of listening, reading and writing. Lang Learn J. 2008;36: 139–152. doi:10.1080/09571730802389975

71. Brysbaert M, Stevens M, Mandera P, Keuleers E. How many words do we know? Practical estimates of vocabulary size dependent on word definition, the degree of language input and the participant's age. Front Psychol. 2016;7: 1116. doi:10.3389/fpsyg.2016.01116

72. Ito A, Sakai H. Everyday language exposure shapes prediction of specific words in listening comprehension: A visual world eye-tracking study. Front Psychol. 2021;12: 607474. doi:10.3389/fpsyg.2021.607474

73. Bunzeck N, Steiger TK, Krämer UM, Luedtke K, Marshall L, Obleser J, et al. Trajectories and contributing factors of neural compensation in healthy and pathological aging. Neurosci Biobehav Rev. 2024;156: 105489. doi:10.1016/j.neubiorev.2023.105489

74. Reuter-Lorenz PA, Festini SB, Jantz TK. Executive functions and neurocognitive aging. Handbook of the Psychology of Aging. Elsevier; 2021. pp. 67–81. doi:10.1016/b978-0-12-816094-7.00019-2

75. Burke DM, Mackay DG. Memory, language, and ageing. Philos Trans R Soc Lond B Biol Sci. 1997;352: 1845–1856. doi:10.1098/rstb.1997.0170

76. Chan JS, Wibral M, Stawowsky C, Brandl M, Helbling S, Naumer MJ, et al. Predictive coding over the lifespan: Increased reliance on perceptual priors in older adults-A magnetoencephalography and dynamic causal modeling study. Front Aging Neurosci. 2021;13: 631599. doi:10.3389/fnagi.2021.631599

77. Moran RJ, Symmonds M, Dolan RJ, Friston KJ. The brain ages optimally to model its environment: Evidence from sensory learning over the adult lifespan. PLoS Comput Biol. 2014;10: e1003422. doi:10.1371/journal.pcbi.1003422

78. Rogers CS. Semantic priming, not repetition priming, is to blame for false hearing. Psychon Bull Rev. 2017;24: 1194–1204. doi:10.3758/s13423-016-1185-4

79. Wingfield A, Amichetti NM, Lash A. Cognitive aging and hearing acuity: modeling spoken language comprehension. Front Psychol. 2015;6: 684. doi:10.3389/fpsyg.2015.00684

80. Wolpe N, Ingram JN, Tsvetanov KA, Geerligs L, Kievit RA, Henson RN, et al. Ageing increases reliance on sensorimotor prediction through structural and functional differences in frontostriatal circuits. Nat Commun. 2016;7: 13034. doi:10.1038/ncomms13034

81. Gustilo LE, Dino CM. Old speak or young speak: An analysis of netspeak features in Filipino netspeak. Adv Sci Lett. 2017;23: 1099–1103. doi:10.1166/asl.2017.7507

82. Haller P, Bolliger LS, Jäger LA. Language models emulate certain cognitive profiles: An investigation of how predictability measures interact with individual differences. arXiv [cs.CL]. 2024. doi:10.48550/ARXIV.2406.04988

83. Hardy JA, Friginal E. Filipino and American online communication and linguistic variation. World Englishes. 2012;31: 143–161. doi:10.1111/j.1467-971X.2011.01728.x

84. Tan YC, Celis LE. Assessing social and intersectional biases in contextualized word representations. arXiv [cs.CL]. 2019. Available: http://arxiv.org/abs/1911.01485

85. Venkit PN, Gautam S, Panchanadikar R, Huang T-H 'kenneth', Wilson S. Nationality Bias in Text Generation. arXiv [cs.CL]. 2023. doi:10.48550/ARXIV.2302.02463

86. Sicilia AB, Gates JC, Alikhani M. HumBEL: A human-in-the-loop approach for evaluating demographic factors of language models in human-machine conversations. Graham Y, Purver M, editors. Conf Eur Chapter Assoc Comput Linguistics. 2023; 1127–1143. Available: https://aclanthology.org/2024.eacl-long.68/

87. Folstein MF, Folstein SE, McHugh PR. Mini-Mental State Examination. PsycTESTS Dataset. American Psychological Association (APA); 2014. doi:10.1037/t07757-000

88. Henninger F, Shevchenko Y, Mertens U, Kieslich PJ, Hilbig BE. lab.js: A free, open, online experiment builder. Zenodo; 2024. doi:10.5281/ZENODO.597045

89. Shevchenko Y. Open Lab: A web application for running and sharing online experiments. Behav Res Methods. 2022;54: 3118–3125. doi:10.3758/s13428-021-01776-2

90. Foster ED, Deardorff A. Open Science Framework (OSF). J Med Libr Assoc. 2017;105. doi:10.5195/jmla.2017.88

91. Shannon CE. A mathematical theory of communication. Bell Syst Tech J. 1948;27: 379–423. doi:10.1002/j.1538-7305.1948.tb01338.x

92. Slaats S, Martin AE. What's surprising about surprisal. PsyArXiv. 2023. doi:10.31234/osf.io/7pvau

93. Schweter S. dbmdz/german-gpt2. In: Hugging Face [Internet]. 2021 [cited 16 May 2023]. Available: https://huggingface.co/dbmdz/german-gpt2

94. Van Rossum G, Drake FL Jr. Python 3 Reference Manual. Createspace; 2009.

95. Little TD. Longitudinal Structural Equation Modeling (Methodology in the Social Sciences). The GuilfordPress; 2013.

96. Berger A, Kiefer M. Comparison of different response time outlier exclusion methods: A simulation study. Front Psychol. 2021;12: 675558. doi:10.3389/fpsyg.2021.675558

97. Cousineau D, Chartier S. Outliers detection and treatment: a review. Int J Psychol Res (Medellin). 2010;3: 58–67. doi:10.21500/20112084.844

98. Schuckart MM, Tune S, Obleser J. Lifespan variation in perceptual style along an autism-schizotypy continuum explains individual responses to external uncertainty. bioRxiv. 2025. doi:10.1101/2025.08.19.670092

99. Tune S, Alavash M, Fiedler L, Obleser J. Neural attentional-filter mechanisms of listening success in middle-aged and older individuals. Nat Commun. 2021;12: 4533. doi:10.1038/s41467-021-24771-9

100. Bell A, Fairbrother M, Jones K. Fixed and random effects models: making an informed choice. Qual Quant. 2019;53: 1051–1074. doi:10.1007/s11135-018-0802-x

101.   Speer R, Chin J, Lin A, Jewett S, Nathan L. LuminosoInsight/wordfreq: v2.2. Zenodo; 2018. doi:10.5281/ZENODO.1443582

102.   Luke SG. Evaluating significance in linear mixed-effects models in R. Behav Res Methods. 2017;49: 1494–1502. doi:10.3758/s13428-016-0809-y

103.   Satterthwaite FE. An approximate distribution of estimates of variance components. Biom Bull. 1946;2: 110. doi:10.2307/3002019

104.   Benjamini Y, Hochberg Y. Controlling the false discovery rate: A practical and powerful approach to multiple testing. J R Stat Soc Series B Stat Methodol. 1995;57: 289–300. doi:10.1111/j.2517-6161.1995.tb02031.x

105.   R Core Team. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing; 2023. Available: https://www.R-project.org/

106.   Simpson GL. Gratia: An R package for exploring generalized additive models. arXiv [stat.CO]. 2024. Available: http://arxiv.org/abs/2406.19082

107.   Bates D, Mächler M, Bolker B, Walker S. Fitting linear mixed-effects models Usinglme4. J Stat Softw. 2015;67. doi:10.18637/jss.v067.i01

108.   Kuznetsova A, Brockhoff PB, Christensen RHB. LmerTest package: Tests in linear mixed effects models. J Stat Softw. 2017;82. doi:10.18637/jss.v082.i13

109.   Wood SN. Fast stable restricted maximum likelihood and marginal likelihood estimation of semiparametric generalized linear models. J R Stat Soc Series B Stat Methodol. 2011;73: 3–36. doi:10.1111/j.1467-9868.2010.00749.x

110.   Makowski D, Ben-Shachar MS, Patil I, Lüdecke D. Estimation of Model-Based Predictions, Contrasts and Means. CRAN. 2020. Available: https://github.com/easystats/modelbased

111.   Long JA. interactions: Comprehensive, User-Friendly Toolkit for Probing Interactions. 2024. doi:10.32614/CRAN.package.interactions

112.   Baddeley A, Emslie H, Nimmo-Smith I. The Spot-the-Word test: a robust estimate of verbal intelligence based on lexical decision. Br J Clin Psychol. 1993;32: 55–65. doi:10.1111/j.2044-8260.1993.tb01027.x

113.   Miwa K, Baayen H. Nonlinearities in bilingual visual word recognition: An introduction to generalized additive modeling. Biling (Camb Engl). 2021;24: 825–832. doi:10.1017/s1366728921000079

114.   Wood SN. Generalized additive models. Chapman and Hall/CRC; 2017. doi:10.1201/9781315370279

115.   van Schijndel M, Schuler W. Approximations of predictive entropy correlate with reading times. CogSci. 2017;39. Available: https://escholarship.org/uc/item/62b0s3tp

116.   Aurnhammer C, Frank SL. Evaluating information-theoretic measures of word prediction in naturalistic sentence reading. Neuropsychologia. 2019;134: 107198. doi:10.1016/j.neuropsychologia.2019.107198

117.   Roark B, Bachrach A, Cardenas C, Pallier C. Deriving lexical and syntactic expectation based measures for psycholinguistic modeling via incremental top-down parsing. Proceedings of the 2009 Conference on Empirical Methods in Natural Language Processing. Association for Computational Linguistics; 2009. pp. 324–333.

118.   Bamberger R, Vanecek E. Lesen - Verstehen - Lernen - Schreiben: Die Schwierigkeitsstufen von Texten in deutscher Sprache. 1984.

List of Legends for the Supplementary Materials

Figure S1. Comparison of age distribution between samples.

Figure S2. Task performance and reading time by age and cognitive load condition. Task performance (d-primes) in conditions with an n-back task (a). Accuracy in the comprehension question performance task (b). Reading Time by age and condition (c). Reading time by condition (d). Solid line: M, shaded area: 95% CI, point: mean reading time for one participant in the respective condition.

Figure S3. Individual predicted reading time. Reading time by age (a) and condition (b).

Figure S4. Comparison of factor smooths for different levels of cognitive load from the three-way interaction of age, surprisal, and cognitive load. The difference smooths show slightly stronger effects of high surprisal in young than older adults for the 1-back relative to the 2-back condition, and stronger effects of high surprisal in older adults for the Reading only relative to the n-back condition.

Figure S5. Comparison of the results of the LMM and GAM control analyses. Panel **c** illustrates the interaction between cognitive load and surprisal for a representative younger and older participant, estimated using the LMM (left) and the GAM (right). For a complementary visualisation of the three-way interaction between age, cognitive load, and surprisal, see Fig. S4. For a visualisation of the main effects of age, surprisal and cognitive load on reading time, please see Fig. 3c.

Figure S6. Three-way interaction of age, surprisal, and cognitive load in the replication sample.

Figure S7. Three-way interaction of age, entropy, and cognitive load in the full sample (N = 175).

Table S1. Results from models for task performance measures (N = 175).

Table S2. Results from models for reading time for full original sample (N = 175).

Table S3. Results from models for reading time for original online sample and online replication sample (N = 80 and N = 96, respectively).

Table S4. Results from models for control analysis (1-back vs. 2-back) of reading time for full original sample (N = 175).

Table S5. Results from GAM for control analysis of reading time for full original sample (N = 175).

Table S6. Results from the model for reading times for full original sample (N = 175) for the effects of entropy, cognitive load and age on reading time.