Training Experimentally Naive Seals for Vocal Learning Experiments

Diandra Duengen[1,2] 🆔 *and Andrea Ravignani[1,3,4]* 🆔

Abstract

Harbor seals (*Phoca vitulina*) are a common zoo species that show a scientifically valuable
propensity for vocal learning. Under human care, the seals can be trained to associate
vocalizations with cues. This ability is termed vocal usage learning and is characterized by
learning to use a vocalization in a specific context. Among mammals, seals are prime
candidates to investigate vocal learning. Yet, only a handful of reports exist on harbor seal
vocal learning abilities and even less document how these were trained or tested. Here, we
investigate how, and if, two experimentally naive harbor seals under human care, can be
trained to participate in scientific experiments. We describe the training and testing of two
seals in two basic vocal learning experiments. We trained the animals to vocalize upon the
presentation of a discriminative stimuli (S_D) through operant conditioning methods and tested
their abilities to i) vocalize and refrain from vocalizing on two distinct S_D's, and ii) produce two
different vocalizations upon the presentation of two different S_D's. Both seals learned the
tasks: the first task was achieved within 118 trials (22 errors to criterion) and 220 trials (40
errors to criterion), the second task within 480 trials (158 errors to criterion) and 380 trials (94
errors to criterion), respectively. Our results confirm that harbor seals are capable of vocal
usage learning and further suggest that associating individually distinct vocalizations with
different S_D's may be more cognitively demanding than vocalizing and being silent on S_D.

Keywords: Animal training, vocal learning, vocal shaping, pinniped, *Phoca vitulina*

Introduction

A single case study found that a male harbor seal can be trained to vocalize on a
discriminative stimulus (S_D) (Schusterman, 2008). In his review of vocal learning in
pinnipeds, Schusterman (2008) for the first time described the fruitful training of vocal
variability in a harbor seal. He brought one vocalization under stimulus control and selectively
shaped it towards a novel 'wa-wa' sound (Goncharova et al., 2024; Schusterman, 2008).
Thereby, his case study demonstrates vocal *usage* learning: the ability to use a vocalization,
be it learned or innate, in a novel context as a result of experience (Janik & Slater, 2000;
Jarvis, 2019). The report provides a valuable foundation to document vocal learning and
shaping, potentially inspiring further research. A remarkable case of mammalian vocal

production learning, plasticity in sound production, was a captive male harbor seal, who in the 1980s showed untrained imitation of human speech (Duengen et al., 2023; Ralls et al., 1985). A later attempt to replicate vocal imitation in this species failed (Moore, 1996). Harbor seals are popular in zoos, amongst others for their comparatively easy husbandry and trainability. This, taken together with their propensity for vocal learning, makes them a good study organism. Beyond the contribution to research, the participation in (e.g., acoustic) experiments can enrich individuals, thereby improving animal welfare (Ortiz et al., 2020).

Under human care, vocal usage learning can be tested through operant conditioning experiments (Adret, 1993; Janik & Slater, 2000; Lattenkamp et al., 2018; Seyfarth & Cheney, 2010; Stoeger & Baotic, 2021; Vernes et al., 2021), in which animals are taught to vocalize upon the presentation of an arbitrary S_D (e.g., a hand sign, see Table 1). Vocal learning via operant conditioning was found in a closely related seal species, the grey seal (*Halichoerus grypus*) (Shapiro et al., 2004; Stansbury et al., 2015). Dissecting vocal learning into its complex features - from 'simple' vocalizing upon the presentation of an S_D to vocalizing and withholding vocalizations upon different S_D's, to producing different vocalizations upon other S_D's - requires a chain of trained behaviors (Janik & Slater, 2000; Shapiro et al., 2004; Vernes et al., 2021).

Building on published work in other species (Shapiro et al., 2004; Vergara & Barrett-Lennard, 2017), we describe the training and testing process to probe vocal learning in two harbor seals. Our approach combines classical training methods (e.g., operant conditioning through positive reinforcement, associative learning, shaping by successive approximations) and randomized trial orders (Gellermann, 1933). We prepared two experimentally naive harbor seals for a series of vocal learning experiments (Duengen, under review) by training them to vocalize, withhold from vocalizing, shaping a novel vocalization type and bringing two different vocalizations under stimulus control.

Material & Methods

Setting

The seals were housed in a 230,000-liter freshwater pool in a 300 m^2 enclosure at Zoo
Cleves, Germany. Two of the six resident harbor seals were selected to participate in this
study as they were vocally active individuals. Seal E was a 6 years old female born at Zoo
Osnabrück, Germany. Seal J was a 16 years old male born at Zoo Duisburg, Germany. A
third, vocally-active seal dropped out of the experiment due to a severe eye condition. All
seals were previously trained to participate in shows, which included behaviors such as
object retrieval or flipper slapping. Shows did not take place during the period of the study.
Training consisted of general training, conducted by zoo staff, and research training,
conducted by the experimenter. All training took place in the main enclosure, where all seals
resided, up to three times/week. Seals were tested separately, up to five times per week in
the research enclosure, a partitioned area attached to the main enclosure. Training and
testing was conducted during visitor hours.

Procedure and Training

Operant conditioning was facilitated through positive reinforcement, where a correct
response was immediately followed by a bridge stimulus (here, a whistle) and fish as a
primary reinforcer. Incorrect behavior resulted in a Least Reinforcing Scenario (neutrality for
ca. 3 seconds). Positive reinforcement was delivered through pre-cut pieces of mackerel
(*Scomber scrombus)* and herring (*Clupea harengus*).

We distinguish between *Training* and *Testing* (see Fig. 1). *Training* sessions were conducted
with all seals in the main enclosure, a phase in which multiple behaviors were trained. These
sessions served to establish novel behaviors and maintain known behaviors. Establishing
novel behaviors was needed for a series of vocal learning experiments (Duengen, under
review) and consisted of e.g., stationing and targeting behaviors, as well as 'go into the
water', and 'follow the trainer'. Much of this training time included habituating the animals to a
novel research enclosure, where testing would later take place (see description below).
Training novel behaviors was facilitated through capturing (e.g., 'go into the water'), or luring
(e.g., 'follow the trainer'), or shaping ('target'). In *Testing*, the seals were exposed to two
dedicated tasks in a separate research enclosure. These tasks consisted of two different
experiments, *Experiment 1: Vocalize vs. Silence* and *Experiment 2: Produce Different*
Vocalizations Upon Different S$_D$s.

<u>Vocal Training</u>

Seal E and Seal J would occasionally vocalize during general training sessions in April and
August 2021. This behavior was captured by opportunistically reinforcing the vocal behavior
with fish to increase its occurrence. Seal E offered one vocalization while Seal J offered two
different vocalizations. Seal E's second vocalization was shaped through successive

approximations: The initial vocalization was rewarded whenever it aurally differed from the
original vocalization and was produced with an opened muzzle. This led to the formation of a
second type of vocalization (E2). When the seals produced vocalizations, we reinforced
these with fish and presented a respective hand sign to facilitate the formation of an
association between the vocal behavior and the hand sign (S_D, see Tab.1, Fig. 1, 2).

Fig. 1: Illustration of the training (black) and testing (brown) timeline for seal E (left) and seal J (right).

We assumed that the seal would have formed a first association when they responded to
approx. 50% of hand signs with the desired behavior. As a next step, we occasionally
reinforced the seals for not vocalizing, i.e., for silence. We then trained the seals to associate
this silence with a hand sign until they responded correctly to approx. 50% of hand signs
(see Fig. 1, Tab. 1). The association of these behaviors and their respective S_Ds were
interspersed in the seals' daily research training sessions. During this stage, only the number
of training sessions was noted, not the number of each cued behaviors. This opportunistic
training approach resulted from the circumstance that at this stage of the study, the seals
could not be separated, and a consistent assistant was not available.

Tab. 1: Description of visual SDs used to elicit the desired behaviors of the seals

Behavior	Seal	S_D
Vocalize	E & J	Hand next to the trainer's right ear
Silence	E & J	Stretched arm in front of the trainer's chest with open hand
Vocalization E1	E	Hand next to the right ear (see *Vocalize*)
Vocalization E2	E	Pointed finger rolling in 90-degree angle in front of the trainer
Vocalization J1	J	Right hand and arm above the trainer's head
Vocalization J2	J	Full hand in front of the trainer's mouth with a slight forward movement

<u>Research Enclosure Training</u>

In order to facilitate one-on-one testing sessions with the seals, a research enclosure was

built. This enclosure accessible through a gate to the main enclosure. Separating the seals

and working with single individuals in the closed research area was trained through

successive approximations to promote a gentle transition from group training to individual

training. Initially, the seals were acquainted with the novel enclosure through occasional

feeding at the gate. Incrementally, the seals were asked to follow into the area, partially

through luring. We took small steps, so that after a short habituation phase and before the

seals showed any signs of nervousness, they were send into the pool (adjacent to the

research enclosure). Sending into the pool served as a secondary reinforcement. The gate

was kept open at all times during this stage. Once the seals' stay in the research enclosure

reached a couple of minutes without any signs of distress, closing the gate was initiated.

Here, one trainer rewarded the seal's behavior (remaining rested), while another trainer

closed and opened the gate in very small increments. After approximately 5 minutes of

remaining rested without any signs of distress, we considered the seals comfortable with the

research enclosure.

Testing

All testing occurred in the separate research enclosure. Trials alternated in a predetermined

randomized order, which featured a counterbalanced number of trials and ≤ 3 trials of the

same type in a row (Gellermann, 1933; Jadoul, Duengen, et al., 2023). Once the seal was

stationed, a trial began and the trainer presented the hand sign for that trial (Fig. 2, Tab 1).

Fig. 2: Illustration of the experimental Setup. The experimenter stands in front of the seal and asks for a pre-

determined behavior (here: Vocalization J1, see Tab. 1). Responses were noted on the sheet, which contained

the randomized order of behaviors (Gellermann, 1933; Jadoul, Duengen, et al., 2023).

In rare cases, when an animal was distracted (e.g., due to disturbance by zoo visitors) or
vocalized incessantly, the trainer repeated the trial. The decision to repeat a trial was taken
immediately by the trainer. Testing was conducted in the months of September and October
2021, and March and April 2022 (see Fig. 1).

Experiment 1: Vocalize -. Silence

Sessions consisted of 20-50 trials/session, depending on the animal's motivation; Sessions
could be terminated when the animal lacked motivation, e.g. was distracted, chewed on fish
rather than swallowing, left the testing area, etc. Trials were counterbalanced between
presenting the S_D for vocalizing and withholding from vocalizing. The learning criterion was
reached when the animal responded ≥ 80% correctly in four consecutive sessions.

Experiment 2: Produce Different Vocalizations Upon Different S_Ds

Each session consisted of 20 trials. Trials were counterbalanced and interchanged between
asking seal E for vocal type E1/E2 and seal J for J1/J2. The learning criterion was reached
when the animal responded ≥ 80% correctly in four consecutive sessions.

Experiment 2 started when the seals had successfully completed *Vocalize -. Silence* (Fig. 1).
Before starting Experiment 2, seal E was trained on a second vocalization. This vocalization,
E2, was established by selectively shaping and reinforcing the initial vocalization (E1) over a
period of roughly four months, see section Vocal Training

Fig. 3: Spectral representation of the four vocalizations: E1, E2, J1 and J2. Frequency (Hz) on the y-axis, time (s)
on the x-axis. Spectrogram was obtained with the Parselmouth package in Python (version 0.4.1, Praat 6.1.38;
window length=0.02s, dynamic range=70 dB, max. frequency=7000 Hz (Boersma & Weenink, 2022; Jadoul, De
Boer, et al., 2023; Jadoul et al., 2018)).

<u>Documentation</u>

During testing, responses were noted on template response sheets (see Fig. 1). A subset of
training and testing sessions were also audio and video recorded (Canon Legria HF25
camcorder). Audio recordings were obtained via a Zoom H6 digital recorder connected to a

Sennheiser ME-67 unidirectional microphone (frequency response 40 – 20.000 Hz +- 2.5 dB)

covered by a foam windshield.

<u>Data Analysis</u>

We annotated audio recordings in Praat v6.1.38 (Boersma & Weenink, 2022). Relevant

acoustic parameters of vocalizations were then batch-extracted with the Parselmouth

package (a Python library for Praat, v0.4.1; Jadoul, De Boer, et al., 2023; Jadoul et al., 2018)

in Python. We chose acoustic parameters that were previously analyzed in harbor seal

vocalizations, i.e., duration, spectral center of gravity, dominant frequency, percentage

voiced, and median harmonicity (Raimondi, under review, see Tab. 2; Van Parijs et al., 2000).

Tab. 2: Definition of the acoustic parameters and description of the extraction procedure

Name of Acoustic Parameter	Description of Acoustic Parameter
Duration (s)	Length of the vocalization in time.
Spectral center of gravity (Hz)	The weighted average frequency of the vocalization's spectrum. The spectrum was calculated with Praat's "Sound: To Spectrum", default parameters. Then, the center of gravity was calculated using "Spectrum: Get center of gravity", default parameters.
Percentage voiced (%)	The pitch was calculated with Praat's "Sound: To Pitch" with default parameters, except pitch floor 50 and pitch ceiling 400). The number of voiced frames was divided by the number of all frames.
Median harmonicity (dB)	Harmonicity was calculated with Praat's "Sound: To Harmonicity (cc)", default parameters except minimum pitch 50). After this the median of the harmonicity values were calculated.
Dominant frequency (Hz)	The spectrum was calculated with Praat's "Sound: To Spectrum" (default parameters). Then, we selected the frequency bin with the highest power.

Results

Experiment 1: Vocalize - Silence

Seal E completed Experiment 1 within 5 sessions i.e., 118 trials (23.6 trials/session ± 4.5)

with 22 errors to criterion, the amount of false trials until reaching the learning criterion. Seal

J completed Experiment 1 within 6 sessions i.e. 220 trials (36.6 trials/session ± 9.4) with 40

errors to criterion (see Fig. 4, 5 and 6). Before testing, Seal E had 9 preceding training
sessions, and seal J had 15 preceding training sessions.

Experiment 2: Produce Different Vocalizations Upon Different S_Ds

Seal E completed Experiment 2 within 480 trials (24 sessions with 20 trials/session) with 158
errors to criterion. Seal J completed Experiment 2 within 380 trials (19 sessions with 20
trials/session) with 94 errors to criterion (see Fig. 4, 5 and 6). Four sessions were omitted
from analysis as these were terminated early by seal J after a few trials. Before testing, Seal
E had 47 preceding training sessions; this number includes the extra training she required to
establish a novel vocalization type. Seal J had 23 preceding training sessions.

197
198   **Fig. 4:** The upper graphs depict the learning curves of seals E (brown) and J (dark green). The solid line at 80 %
199   on the y-axis marks the learning criterion's threshold. The lower graph shows the seals' errors to criterion (dotted
200   line). Note that the overall trial number per session (solid line) varied for Experiment 1, but was consistent with 20
201   trials/session in Experiment 2.

202
Fig. 5: The lineplot graphs (left, one per seal, seal E: shades of brown, seal J: shades of blue) depict the error to

criterion over each session for each S_D (Vocalize vs. Silence) separately. The barplots (right, seal E: top, seal J:

bottom) show the overall scores for each S_D over all sessions.

Fig. 6: The lineplot graphs (left, one per seal, seal E: shades of brown, seal J: shades of blue) depict the error to

criterion over each session for each S_D (Vocalize vs. Silence) separately. The barplots (right, seal E: top, seal J:

bottom) show the overall scores for each S_D over all sessions.

Discernibility of Vocalization Types

To confirm that the seals produced different vocal types (E1 vs. E2 and J1 vs. J2) and that

the types were not mere human subjective categories, we inspected the acoustic parameter

composition between call types and within seals (Fig. 7).

A Mann-Whitney-U test revealed that seal E's two vocalization types differed significantly in
three of the five extracted spectral parameters, namely center of gravity (statistic=52608.0,
p<0.0001), percentage voiced (statistic=171.5, p<0.0001), and median harmonicity
(statistic=457.0, p<0.0001). Seal J's two vocalization types differed significantly in four of the
five extracted spectral parameters, namely center of gravity (statistic=939.0, p<0.0001),
percentage voiced (statistic=4349.5, p<0.0001), median harmonicity (statistic=3825.0,
p<0.0001), and dominant frequency (statistic=4470.0, p<0.0001). These significant
differences were not affected when correcting for multiple comparisons (five per seal,
corresponding to the number of parameters tested).

Discussion

This study provides a protocol to train experimentally naive seals to a vocal learning
experiment. In particular, we show how two harbor seals can be trained to associate different
S_Ds with different vocal behaviors, which indicates their ability of vocal usage learning.

The task in experiment 1, *Vocalize - Silence*, was learned fairly fast, i.e., within 118 and 220
trials (seal E and J respectively). The task in experiment 2, *Produce Different Vocalizations*
Upon Different S_Ds, was learned within 480 trials and 380 trials (seal E and J, respectively). A
qualitative comparison between the average trial number of each experiment (*Vocalize and*
Silence, x̄ = 169 trials; *Produce Different Vocalizations Upon Different S_Ds*, x̄ = 430 trials)
reveals that the seals needed >2.5 times more trials to learn to *Produce Different*
Vocalizations Upon Different S_Ds. Perhaps, experiment 2 was more cognitively demanding
than experiment 1; this difference would support the hypothesis that vocal usage learning
features components of varying complexity (Janik & Slater, 2000; Shapiro et al., 2004;
Vergara & Barrett-Lennard, 2017), which reflects in the time required to learn tasks.

During experiment 1, the seals were asked to vocalize or remain silent on S_D. Both seals
succeeded at this task (Fig. 4). Investigating the error to criterion (ETC) value separated per
S_D revealed that seal J responded almost equally correct (or incorrect) to either of the SDs.
Seal E, however, showed a preference for vocalizing over silence (Fig. 4). In experiment 2
the seals had to produce different vocalizations upon presentation of different S_Ds. Here,
especially seal E showed a much higher ETC value for the E2 vocalization, than for the E1
vocalization (Fig. 6). A reason for this may be the active shaping of the E1 vocalization. This
shaping directly preceded experiment 2, causing a temporarily higher exposition of
vocalization E1 over E2, which could have led to a type preference. However, seal J showed

similarly higher ETC values for one vocal type (J1) over the other (J2). It is not rare that

animals show side or S_D preferences (Erdsack et al., 2022; Ortiz et al., 2019; Schluessel et

al., 2014).

In classical cognition tasks, considering the Clever Hans effect is important to avoid falsified

results. The Clever Hans effect occurs, when an experimenter involuntary cues an animal. It

leads to the animal learning a task based on other cues than intended (Sebeok & Rosenthal,

1981). Vocal usage learning, however, is independent of this phenomenon, as it is per

definition learning to vocalize in association with a certain context (Janik & Slater, 2000;

Janik & Slater, 1997). Whether or not the tested animals picked up on the intended S_Ds or

unintended cues is irrelevant. Vocal usage learning would be displayed in any case, solely on

other cues than anticipated (Shapiro et al., 2004).

To study the learning process will require more fine-grained documentation of the training

sessions from the moment of capturing a novel behavior, including trial numbers. This was

unfortunately not possible in this study during Training. Further, a consistent number of trials

per session enables the comparison of learning processes. Following such guidelines will

further facilitate the direct comparison of vocal learning abilities in different individuals or

species (Lattenkamp et al., 2021). Future studies should address this and track stimulus

exposition during training to better understand underlying (vocal) learning mechanisms.

Overall, our study shows that harbor seals, just like the closely related grey seal (Shapiro et

al., 2004; Stansbury et al., 2015), can be trained to participate in vocal learning experiments.

Through successive approximations they can be trained to remain rested in an external

enclosure and there tested for the behavior of interest. Experiment 1 shows fast learning of

differentiating vocalizing and remaining silent upon demonstration of different visual S_Ds.

Experiment 2 shows that the seals are further capable of distinguishing two different

vocalization types in response to different S_Ds. Future studies should investigate whether

harbor seals are also capable of vocal comprehension learning, i.e., understanding

vocalizations in specific contexts.

Conclusion

This study aimed at preparing two experimentally naive harbor seals for vocal learning

experiments. Our report complements a previous one on vocal shaping and usage learning

in a male harbor seal (Schusterman, 2008). Here, we show that harbor seals are good

candidates for research as they can be readily trained for participating scientific experiments.

Further, this report confirms that male harbor seals are capable of vocal usage learning, and

adds that female harbor seals are also capable of it. Our results further suggest that vocal

learning may imply different levels of complexity, which to the best of our knowledge, has not

been shown before in this species. Future studies should incorporate a tracking of the
learning progress for a quantitative documentation of vocal usage learning, i.e., during
training all presented S_Ds should be noted. It would be further interesting to build on Shapiro
et al. (2004) and Stansbury et al. (2015) experimental design on higher levels of usage
learning, to see whether harbor seals are capable of such 'more complex' vocal usage
learning.

Author Contributions

292 Conceptualization: DD, AR; Data Curation: DD; Formal Analysis: DD; Funding Acquisition:
293 AR; Investigation: DD; Methodology: DD, AR; Project Administration: DD; Resources: DD,
294 AR; Software: DD; Supervision: AR; Validation: DD; Visualization: DD; Writing – Original
295 Draft Preparation: DD; Writing – Review & Editing: DD, AR

Funding

297 Center for Music in the Brain was funded by the Danish National Research Foundation
298 (DNRF117). The Comparative Bioacoustics Group was funded by Max Planck Group Leader
299 funding to AR.

Ethical Statement

301 Ethical review and approval were waived for this study, due to no permit requirement of the
302 general training procedures that were conducted (Az. 81-04.78, Landesamt für Natur,
303 Umwelt und Verbraucherschutz NRW).

Informed Consent Statement

305 Not applicable

Data Availability Statement

307 The data can be obtained from the corresponding author upon request.

Acknowledgments

309 We thank Dr. Sara Torres Ortiz and Prof. Dr. Vera Schluessel for providing helpful comments
310 on the manuscript. We thank Yannick Jadoul for helpful thoughts along the way, the
311 discussions on stimulus randomization, and the brainstorming on plotting. Center for Music in
312 the Brain was funded by the Danish National Research Foundation (DNRF117). The
313 Comparative Bioacoustics Group was funded by Max Planck Group Leader funding to A.R.

Conflicts of Interest

315 The authors declare no conflict of interest.

References

References

Adret, P. (1993). Vocal learning induced with operant techniques: an overview. *Netherlands*
Journal of Zoology, *43*, 125-125.

Boersma, P., & Weenink, D. (2022). *Praat: doing phonetics by computer* In *Glot International*
(Version 6.2.12) retrieved 17 April 2022 from http://www.praat.org/

Duengen, D., Fitch, W. T., & Ravignani, A. (2023). Hoover the talking seal. *Current Biology*,
33(2), R50-R52. https://doi.org/10.1016/j.cub.2022.12.023

Duengen, D., Jadoul, Y., Ravignani, A. (under review). Vocal usage learning and vocal
comprehension learning in harbor seals.

Erdsack, N., Dehnhardt, G., & Hanke, F. D. (2022). Serial visual reversal learning in harbor
seals (Phoca vitulina). *Animal cognition*, 1-11.

Gellermann, L. W. (1933). Chance orders of alternating stimuli in visual discrimination
experiments. *The journal of genetic psychology*, *42*, 206-208.

Goncharova, M., Jadoul, Y., Reichmuth, C., Fitch, W. T., & Ravignani, A. (2024). Vocal tract
dynamics shape the formant structure of conditioned vocalizations in a harbor seal.
Annals of the New York Academy of Sciences.

Jadoul, Y., De Boer, B., & Ravignani, A. (2023). Parselmouth for bioacoustics: automated
acoustic analysis in Python. *Bioacoustics*, 1-17.

Jadoul, Y., Duengen, D., & Ravignani, A. (2023). PyGellermann: a Python tool to generate
pseudorandom series for human and non-human animal behavioural experiments.
BMC research notes, *16*(1), 135.

Jadoul, Y., Thompson, B., & De Boer, B. (2018). Introducing parselmouth: A python interface
to praat. *Journal of Phonetics*, *71*, 1-15. https://doi.org/10.1016/j.wocn.2018.07.001

Janik, V. M., & Slater, P. J. (2000). The different roles of social learning in vocal
communication. *Animal Behaviour*, *60*(1), 1-11.
https://doi.org/10.1006/anbe.2000.1410

Janik, V. M., & Slater, P. J. B. (1997). Vocal learning in mammals. In P. J. B. Slater, J. S.
Rosenblatt, C. T. Snowdon, & M. Milinski (Eds.), *Advances in the Study of Behavior,*
Vol 26 (Vol. 26, pp. 59-99). Elsevier Academic Press Inc.
https://doi.org/10.1016/s0065-3454(08)60377-0

Jarvis, E. D. (2019). Evolution of vocal learning and spoken language. *Science*, *366*(6461),
50-54.

Lattenkamp, E. Z., Hörpel, S. G., Mengede, J., & Firzlaff, U. (2021). A researcher's guide to the comparative assessment of vocal production learning. *Philosophical Transactions of the Royal Society B*, *376*(1836), 20200237.

Lattenkamp, E. Z., Vernes, S. C., & Wiegrebe, L. (2018). Volitional control of social vocalisations and vocal usage learning in bats. *J Exp Biol*, *221*(Pt 14). https://doi.org/10.1242/jeb.180729

Moore, B. R. (1996). The evolution of imitative learning. In C. Heyes & B. Galef Jr (Eds.), *Social learning in animals: The roots of culture*. Academic Press.

Ortiz, S. T., Maxwell, A., Hernandez, A., & Hansen, K. A. (2020). *Does participation in acoustic experiments improve welfare in captive animals? A case study of three grey seals (Halichoerus grypus)*. Cold Spring Harbor Laboratory. https://dx.doi.org/10.1101/2020.08.15.252460

Ortiz, S. T., Maxwell, A., Krasheninnikova, A., Wahlberg, M., & Larsen, O. N. (2019). Problem solving capabilities of peach-fronted conures (Eupsittula aurea) studied with the string-pulling test. *Behaviour*, *156*(5-8), 815-846.

Raimondi, T., Haas, C.E., et al. (under review). Less variable auditory input increases vocal individuality in harbour seal pups (*Phoca vitulina*).

Ralls, K., Fiorelli, P., & Gish, S. (1985). Vocalizations and vocal mimicry in captive harbor seals, *Phoca vitulina*. *Canadian Journal of Zoology*, *63*(5), 1050-1056. https://doi.org/10.1139/z85-157

Schluessel, V., Kraniotakes, H., & Bleckmann, H. (2014). Visual discrimination of rotated 3D objects in Malawi cichlids (Pseudotropheus sp.): a first indication for form constancy in fishes. *Animal cognition*, *17*, 359-371.

Schusterman, R. J. (2008). Vocal learning in mammals with special emphasis on pinnipeds. *The evolution of communicative flexibility: Complexity, creativity, and adaptability in human and animal communication*, 41-70.

Sebeok, T. A., & Rosenthal, R. E. (1981). The Clever Hans phenomenon: Communication with horses, whales, apes, and people. *Annals of the New York Academy of Sciences*.

Seyfarth, R. M., & Cheney, D. L. (2010). Production, usage, and comprehension in animal vocalizations. *Brain and Language*, *115*(1), 92-100.

Shapiro, A. D., Slater, P. J., & Janik, V. M. (2004). Call usage learning in gray seals (*Halichoerus grypus*). *Journal of Comparative Psychology*, *118*(4), 447-454. https://doi.org/10.1037/0735-7036.118.4.447

Stansbury, A. L., de Freitas, M., Wu, G.-M., & Janik, V. M. (2015). Can a gray seal (*Halichoerus grypus*) generalize call classes? *Journal of Comparative Psychology*, *129*(4), 412. https://doi.org/10.1037/a0039756

Stoeger, A. S., & Baotic, A. (2021). Operant control and call usage learning in African
elephants. *Philosophical Transactions of the Royal Society B: Biological Sciences*,
376(1836), 20200254. https://doi.org/10.1098/rstb.2020.0254
Van Parijs, S. M., Hastie, G. D., & Thompson, P. M. (2000). Individual and geographical
variation in display behaviour of male harbour seals in Scotland. *Animal Behaviour*,
59, 559-568. https://doi.org/10.1006/anbe.1999.1307
Vergara, V., & Barrett-Lennard, L. (2017). Call Usage Learning by a Beluga (Delphinapterus
leucas) in a Categorical Matching Task. *International Journal of Comparative*
Psychology, *30*. https://doi.org/10.46867/ijcp.2017.30.01.08
Vernes, S. C., Kriengwatana, B. P., Beeck, V. C., Fischer, J., Tyack, P. L., Ten Cate, C., &
Janik, V. M. (2021). The multi-dimensional nature of vocal learning. *Philosophical*
Transactions of the Royal Society B, *376*(1836), 20200236.
https://doi.org/10.1098/rstb.2020.0236

401