Probing visual literacy skills reveals unexpected student conceptions of chromosomes

Crystal Uminski[1], Dina L. Newman[1], L. Kate Wright[1]

[1]Thomas H. Gosnell School of Life Sciences, Rochester Institute of Technology; Rochester, NY,
14623, United States.

Corresponding author:
Dina Newman (dina.newman@rit.edu)

Keywords: visual literacy, undergraduate, biology education, drawing, chromosome, chromatid,
misconceptions, sketch, visual representations

Abstract

Molecular biology can be challenging for undergraduate students because it requires

visual literacy skills to interpret abstract representations of submicroscopic concepts, structures

and processes. The Conceptual-Reasoning-Mode framework suggests that visual literacy relies

on applying conceptual knowledge to appropriately reason with the different ways of

representing concepts in molecular biology. We used this framework to specifically explore

visual literacy related to chromosomes. We conducted 35 semi-structured interviews with

students who had taken at least a year of college-level biology courses, and we asked them to

sketch chromosomes, interpret an abstract representation of chromosomes, and use the abstract

representation to answer a multiple-choice question about meiosis. While many participants used

the correct vocabulary to describe chromosome structure and function, probing their visual

literacy skills revealed gaps in their understanding. Notably, 97% of participants (34 of 35) held

conceptual errors related to chromosome structure and function, which were often only revealed

in their sketches or explanations of their sketches. Our findings highlight the importance of

scaffolding visual literacy skills into instruction by teaching with a variety of visual models and

engaging students in using and interpreting the conventions of abstract representations of

chromosomes.

INTRODUCTION

Molecular biology is often a difficult subject for students because the concepts in the curricula cannot be directly visualized (Johnstone, 1991; Newman et al., 2023). To make the invisible visible, biologists often create abstract models to represent molecular biology concepts. Abstract models are composed of shapes and symbols that highlight the salient structures and features that convey contextually important information (Fan et al., 2023). As such, abstract models are useful teaching tools in molecular biology because they allow instructors and students to focus on the most relevant information rather than extraneous or superfluous details. Biology instructors can use abstract models in their teaching to create meaningful opportunities for model-based reasoning that encourage students to deeply think about the purpose and efficacy of particular representations (Quillin & Thomas, 2015).

Abstract models are an important and necessary part of molecular biology education, but they can be a source of challenge or confusion for students, especially when considering how biologists often use different abstract shapes and symbols to emphasize varying aspects of the same concept (Kindfield, 1994b; Offerdahl et al., 2017; Schönborn & Anderson, 2006; Wright et al., 2022). For example, a biologist may choose to represent a gene as a sequence of letters to discuss a mutation, as boxes to point out the positions of exons, or as a double helix to explain the shape of the molecular structure. Given that there are a range of ways that biologists use abstraction in molecular biology, students need to develop skills to understand how, why, and when to use abstract models. The importance of these skills is underscored by their inclusion in the "Modeling" and "Communication and Collaboration" core competencies for undergraduate biology outlined in the *Vision and Change* report (American Association for the Advancement of Science, 2011; Clemmons et al., 2020a, 2020b).

The skills that biologists use to create and interpret abstract representations are also

aligned with the broader set of skills associated with visual literacy. Visual literacy describes a

viewer's awareness of how conventions in visual representations convey meaning (Messaris &

Moriarty, 2004), and definitions of visual literacy are typically refined to reflect the conventions

and perspectives in a specific disciplinary context (Avgerinou & Pettersson, 2011; Trumbo,

1999). In molecular biology, visual literacy is often defined as the ability to "read" and "write

with" the conventions and symbols that encode meaning in biochemical representations

(Offerdahl et al., 2017; Schönborn & Anderson, 2006; Towns et al., 2012).

We can characterize the processes involved in visual literacy using the Conceptual-

Reasoning-Mode (C-R-M) framework (Schönborn & Anderson, 2009, 2010). This framework

proposes that accurately interpreting the many types or modes (M) of biochemical

representations requires an understanding of the content knowledge relevant to the concepts

being represented (C) and appropriately applying cognitive processes or reasoning (R) to

perceive and decode visual conventions in the representation. These three factors (C, R, and M)

are interactive, and the integration of all three factors is necessary for successful interpretation of

a representation (Schönborn & Anderson, 2009). We provide an example of how the C-R-M

framework can be applied to interpret an abstract representation of chromosomes in Figure 1.

Expert-level visual literacy skills encompassed within the Reasoning factor of the C-R-M

framework include the abilities to evaluate the power and limitations of representations, use

representations to solve problems, and translate across multiple representations of a concept

(Schönborn & Anderson, 2010). While these skills are necessary for reasoning and

communication in molecular biology, they take time, practice, and scaffolded support to develop

(Offerdahl et al., 2017). Experts develop visual literacy skills through their experiences

interpreting, creating, and communicating with a breadth of visual representations (Arneson &

Offerdahl, 2018; Kozma & Russell, 1997), so helping students develop expert-like visual literacy

requires intentional allocation of class time for students to practice evaluating abstract

representations, complete formative assessments using models to solve a problems, and draw a

variety of representations of the same concept.

Instructors who create opportunities for students to develop visual literacy skills ought to

be attentive to places where students may benefit from additional support. Previous research

found that students may encounter challenges in maneuvering between different abstract

representations of the same concept (Cho et al., 1985; Newman et al., 2023). Students may focus

on the particular shapes, colors, and symbols that are used in a representation (i.e., the "surface

features") without necessarily decoding the meaning of the features in the representation

(Newman et al., 2023). In some cases, such as in situations where students are using familiar

scenarios and representations, finding patterns in the surface features may be a productive

strategy, but solely relying on surface features may steer students away from understanding why

a particular representation of a concept was chosen (Arneson & Offerdahl, 2018).

Instructors should also consider that students may need more structured support when

they are using visual representations to reason across levels of organization or biological scale

(Schönborn & Anderson, 2009). DNA is often a uniquely challenging topic for students to learn

because the structure is both incredibly small and incredibly big in terms of the physical size and

the number of base pairs, respectively. As such, biologists may choose to represent DNA at the

scale of a nucleotide, a gene, or a chromosome, depending on what information they intend to

communicate. Because there are multiple representations of nucleotides, genes, and

chromosomes, the challenge of understanding visual conventions of scale can frequently be

compounded with the challenges of abstraction.

We can better understand how students' visual literacy in molecular biology is related to

their conceptions of scale and abstraction in visual representations by applying a conceptual

framework called the DNA Landscape (Wright et al., 2022). The DNA Landscape categorizes

the different representations of DNA in a 3-by-3 matrix to show variation in representations

across scale (nucleotide, gene, and chromosome) and abstraction (very abstract, elements of

shape and abstraction, and literal shape). Students who are fluent in molecular biology visual

literacy should be able to understand the relationships between images that are presented at

different levels of abstraction and between representations at different scales, but to develop this

fluency students must have previously productively engaged and appropriately reasoned with

multiple representations at each scale (Schönborn & Anderson, 2006).

We focus here on how students conceptualize abstraction in representations of

chromosomes. Conceptual knowledge of chromosomes is necessary for students to understand

the *Vision and Change* core concept of Information Flow, Exchange, and Storage (American

Association for the Advancement of Science, 2011; Brownell et al., 2014), but historically

students often struggle with course content related to chromosomes (Etobro & Banjoko, 2017;

Kindfield, 1991; Newman et al., 2012; Saka et al., 2006). Chromosome structure can be a

particularly difficult topic for students (Kindfield, 1991, 1994a, 1994b; Newman et al., 2012;

Wright et al., 2021), and misunderstandings related to the function and behavior of chromosomes

in mitosis and meiosis are so common among students that these concepts are targeted on

concept assessments such as the Introductory Molecular and Cell Biology Concept Assessment

(Shi et al., 2010), the Genetics Concept Assessment (Smith et al., 2008), and the Meiosis

Concept Inventory (Kalas et al., 2013). Although these misunderstandings are commonly

identified in the literature, little work has been done to examine the relationship between how

students' conceptualization of chromosomes may be associated with their visual literacy skills in

molecular biology (Newman et al., 2023). Thus, we set out to answer the following research

question: How do students conceptualize chromosomes and apply visual literacy skills to

interpret abstract images of chromosomes?

METHODS

Participants: We conducted semi-structured interviews with 35 students from two different

institutions—a primarily undergraduate institution and an R2 research institution (Table 1). All

research participants had completed at least a year of biology coursework. We used several

recruitment methods to achieve a broad sample of participants, including emailing biology

majors at each institution, posting flyers in science buildings, and soliciting volunteers in person

during sessions of upper-division biology courses. We also used snowball sampling by asking

participants to refer their peers to register for the study after they had concluded the interview

protocol. Participants consented to this research and were compensated with a $20 Amazon gift

card for their participation. Pseudonyms were selected by the participant or assigned by the

researcher. This research was approved and classified as exempt from human-subjects review by

Rochester Institute of Technology (protocol 01090823).

Interview Protocol: We developed the prompts in our interview protocol to align with two

frameworks to target specific visual literacy skills (Table 2). First, we designed interview

prompts to target the factors from the Conceptual-Reasoning-Mode (C-R-M) framework that are

associated with the ability to interpret and visualize biological representations (Schönborn &

Anderson, 2009, 2010; Figure 1). We wrote our interview prompts in ways that could elicit

evidence of participants' conceptual understanding of chromosomes (Conceptual) as well as the

cognitive skills participants engaged (Reasoning) to make sense of visual representations (Mode)

of chromosomes. The C-R-M framework indicates that there is a minimum amount of prior

conceptual knowledge that is necessary for the interpretation of visual representations

(Schönborn & Anderson, 2010), so we scaffolded our interview questions to target conceptual

understanding before asking participants to reason about the visual representation we presented

in the interview. Second, we refined our use of the Reasoning component of the C-R-M model

by classifying cognitive skills according to Bloom's Taxonomy (Anderson et al., 2001; Bloom et

al., 1956). We used the Visualization Blooming Tool (Arneson & Offerdahl, 2018) to design

interview prompts that target visual literacy skills across a range of Bloom's Taxonomy

cognitive skills. As with any prompts or questions designed to target specific cognitive skills, the

mental processes that a participant engages may not always align with the targeted cognitive skill

level (Monrad et al., 2021).

We incorporated an item from the validated and widely-used Genetics Concept

Assessment (GCA; Smith et al., 2008) into our interview protocol. Items that compose concept

assessments like the GCA are typically evaluated for statistical measures that indicate item

difficulty (i.e., the number of correct responses divided by the total number of responses) and

item discrimination (i.e., the ability of the item to distinguish between high- and low-scoring

students). We used item #2 from the GCA, which had posttest item difficulty of approximately

0.7 and item discrimination index of approximately 0.4 (Smith et al., 2008). These values

indicate that this item is sufficiently difficult and can effectively discriminate between students

with high and low test scores.

Our interview protocol (Table 2) used a scaffolded structure to prompt research

participants to engage in higher-order cognitive skills. We first asked participants to provide a

verbal definition of chromosomes and then to draw a chromosome and explain their drawing.

Some participants drew additional sketches to supplement their explanations. Next we prompted

participants to interpret the illustration that accompanied item #2 from the GCA. The GCA item

includes an abstract representation of two pairs of unreplicated homologous chromosomes within

a cell (see reproduction of this representation in Figure 1). In this representation, the

chromosomes are depicted as single vertical lines with large black dots for centromeres, and

alleles on the chromosomes are represented using letters (F,f, Q, q). We asked participants to

evaluate the effectiveness of the representation of chromosomes and to describe any confusing

elements within the representation. Then we asked them to compare and contrast their drawing to

the GCA representation. We next provided participants with the full item #2 from the GCA. The

item includes a written description of the image that explains that it contains two pairs of

chromosomes on which are two different genes, and it asks them to select the possible sperm

genotypes if the cell divides normally. After participants selected their answer from a multiple-

choice list, we asked them to draw a picture that represents the option they selected.

We conducted and recorded interviews using the video conferencing software Zoom. Of

the 35 interviews, 11 participants (31%) created drawings using the Zoom whiteboard and 24

participants (69%) drew on their own paper and sent us photos or scans of their sketches via

email. The quality of drawings and sketches on the Zoom whiteboards may have varied

depending on the familiarity and comfort with the virtual medium. Audio recordings were

transcribed by Otter.ai and then cleaned manually.

This interview protocol was part of a larger interview probing visual literacy across a

range of molecular biology concepts. Participants completed the chromosome protocol in

approximately ten minutes, while the entire interview was approximately 45 minutes in length.

After 35 interviews, the emergence of new insights or concepts from interviews had

slowed, so we judged that we had reached a theoretical saturation of conceptions and reasoning

about chromosome structure.

Codebook development: We used initial coding (Saldaña, 2013) to develop our codebook from

the interview data. We shared our initial codebook with a group of biology education researchers

consisting of two biology professors, two postdoctoral researchers, and four undergraduate

students. The group of researchers used the codebook to code one interview transcript that was

selected based on a random-number generator. We compared interpretations of the codebook

across the members of the research group, discussed areas of disagreement, and subsequently

refined our codebook to its present version.

Our codebook consists of sets of codes to categorize participants' verbal definitions of

chromosomes, sketches of chromosomes, the accuracy of their description of their sketch, the

accuracy of their interpretation of the concept assessment image, the accuracy of their answer to

the concept assessment item, and the sketches that represent their response to the concept

assessment item.

Verbal definitions of chromosomes: We coded verbal descriptions of chromosomes based on

whether they described the shape (e.g. "X-shaped"), structure (e.g. "made of DNA"), and/or

function (e.g. "involved in meiosis") of chromosomes.

Sketches of chromosomes: We categorized sketches of chromosomes based on both shape and

the style representing the curvature or complexity of the shape. Participants drew chromosomes

as either an X-shape (consisting of two structures that cross or intersect at a specific point that

may or may not have a visible centromere indicated), an I-shape (a single vertical structure that

may or may not have a centromere indicated), or as a side-by-side shape (two structures that do

not intersect). For style, participants drew chromosomes consisting of loops (a rounded,

continuous curve that creates an enclosed shape), lines (a single continuous pen stroke without

additional details), or coils (tightly-would spirals or twists). We also coded sketches for their

level of abstraction based on their location on the DNA Landscape matrix (Wright et al., 2022

Accuracy of description of sketch: We classified participants' descriptions of their sketches as

either correct (participants used the correct vocabulary to describe the elements in their sketch,

like correctly stating that their X-shaped chromosome was a replicated chromosome) or incorrect

(participants used incorrect vocabulary or concepts to describe their sketch, like identifying an

X-shaped chromosome sketch as a pair of homologous chromosomes).

Concept assessment image interpretation: We classified participants' interpretation of the image

from the GCA item #2 as either correct (stated the image consisted of four chromosomes or two

pairs of homologous chromosomes and that the letters in the image represented genes or alleles)

or incorrect (stated the number of chromosomes was something other than four, mistook the

homologous chromosomes for sister chromatids, or said the homologous chromosomes should be

connected at the centromere).

Answer to concept assessment: We coded three types of answers to the GCA item #2: the correct

answer with the correct reasoning, the correct answer with incorrect reasoning, or an incorrect

answer.

Interrater reliability: To establish interrater reliability between coders, two members of the

research team (CU and LKW) used the codebook to independently code eight randomly selected

interview transcripts (23% of the sample). There was 93% agreement between the two raters

across 160 coding decisions. The Cohen's kappa coefficient was 0.83, which indicates strong

agreement between raters (McHugh, 2012). The two raters discussed any disagreements until

consensus.

Positionality: Author CU conducted the interviews and acknowledges the limitations in this

research because of the power differential inherent in their position as an education researcher

who is older and has more formal education training relative to the interviewees. This power

differential may inadvertently reinforce traditional power structures and hierarchies, thereby

shaping the ways in which participants perceived and responded to the interview.

All members of the research team are trained in biology education research, have studied

visual representations in biology, and have taught courses where we observed students making

errors about chromosome structure and/or function. As such, we had preexisting ideas about how

research participants might respond which consciously and unconsciously shaped our analysis

and interpretation of participant responses.

RESULTS

We conducted 35 semi-structured interviews to understand how students conceptualize

chromosomes. The participants in our study brought with them a wealth of experiences in

biology that allowed them to thoughtfully engage in interpreting, evaluating, and creating

abstract representations of chromosomes. While it was not directly part of our structured

interview protocol to ask students where they previously encountered representations of

chromosomes, many participants volunteered information about their experiences learning about

chromosomes in high school (n = 2), in their undergraduate courses in introductory biology (n =

3), molecular biology (n = 1), genetics (n = 5), as well as in biology classes or lectures in a

broader sense (n = 9). In addition to their courses as sources of information, participants

discussed seeing chromosomes represented in textbooks (n = 5), microscopy (n = 5), and

karyotypes (n = 2). Although many participants openly discussed their experiences learning

about chromosomes, our results as a whole indicate that most participants likely left these

experiences with an incomplete understanding of the representations they had encountered.

When we look across the entirety of participant's interview, we found that 97% of

participants (34 of 35) demonstrated at least one error in their conceptual knowledge of

chromosomes. Using the Conceptual-Reasoning-Mode (C-R-M) framework as a lens for our

research, we frequently found that most participants knew the correct vocabulary to describe

chromosomes (C) and were familiar with the shapes and symbols used in common abstract

models of chromosomes (M). However, we observed mismatches between participants' verbal

statements and their drawings that indicated an incomplete conceptual understanding of why and

how expert biologists typically use abstract shapes and symbols to convey meaning (C-M). We

further probed participants' understanding of chromosomes using an item from the Genetics

Concept Assessment and found participants often had difficulties reasoning with the unfamiliar

chromosome representation in the item (R-M). Despite misinterpreting the GCA image, the

majority of participants correctly answered the associated concept assessment item; however,

when asked to explain their thinking, most participants provided an incorrect line of reasoning to

justify their answer.

How do undergraduate students define chromosomes?

To investigate what conceptual knowledge of chromosomes participants were bringing

into the interview (the C in C-R-M), we first asked them "What is a chromosome?". The

majority of participants (86%, n = 30) provided definitions related to chromosome structure

(Figure 2). Most participants correctly noted structural elements of chromosomes, such as the

fact that chromosomes consist of DNA and contain histones. Participants less frequently

mentioned chromosome functions (e.g., the role of chromosomes in gene expression or meiosis)

or chromosome shape (e.g., an "X" shape), but when they did mention function or shape, it was

typically paired with content related to chromosome structure.

While participants frequently provided factually correct definitions of chromosomes, we

noted several unrefined ideas, often relating to the size and scale of chromosomes. For example,

Jimmy (sophomore biotechnology major) stated, "A chromosome is I guess like a collection of

DNA and genes that are—they're like the encapsulation of all your DNA." Jimmy inaccurately

implies that a single chromosome contains all the DNA within what is presumed to be a

eukaryotic cell. In other cases, participants confused the scale of chromosomes and genes. For

example, Evelyn (junior biology major) said, "A chromosome is part of the DNA that can lead to

a gene," and Mia (sophomore biology major) said of chromosomes, "basically I think it's like

part of the genes."

Additionally, we uncovered inaccurate ideas related to chromosome function during cell

division. For example, Norma (senior biotechnology major) said, "A chromosome is basically

like an X. It can be single, it can also be like the X shape, and it contains genetic information and

just I guess, a shaped form. And the DNA can be double stranded—is double stranded—and then

if it goes through like the other processes, it could become single stranded and whatnot." While

Norma understood that genetic information is divided in "other processes," such as mitosis and

meiosis, division does not make DNA into a single-stranded molecule.

How do undergraduate students draw chromosomes?

We asked participants to draw a chromosome to explore how they used shapes and

symbols to represent features of chromosomes that convey biological meaning (the M in C-R-

M). When asked to sketch a chromosome, 100% of participants drew images that aligned to the

"very abstract" representation of chromosomes on the DNA Landscape and drew symbolic

loops, lines, or coils to represent X-shaped, I-shaped, or side-by-side chromosomes (Figure 3).

We found that participants most commonly drew X-shaped chromosomes (74%) and

most frequently represented these X-shaped chromosomes using loops. Participants less

commonly drew I-shaped (23%) and side-by-side (17%) chromosome structures. We did not

observe any participants drawing I-shaped chromosomes with lines in ways that resembled the

representational style used in the Genetics Concept Assessment image.

Why do students draw chromosomes that way?

To understand how participants were representing their conceptual knowledge of

chromosomes in their sketches, we asked them to explain the reasons why they drew

chromosomes in the way that they did. We group these explanations based on the shape and style

of the chromosome sketch.

X-shaped loops: We found that X-shaped loops were the most frequently drawn

representation. In some cases, participants focused the explanation of their sketches on their prior

experiences with similar representations. "Well, that's just how I've always seen it in any of my

classes—it's always two sister chromatids held together by a centromere," Maddy (junior

biology major). For participants like Maddy, their description aligns more closely with how an

expert might describe and use this representational form.

For other participants, their description of the meaning of the X-shaped loops was more

ambiguous or did not entirely align with how experts conventionally use this mode of

representing chromosomes (Figure 4). For example, Nadine (senior environmental science

major) describes her X-shaped loops as consisting of "two halves that kind of fit together," but it

is unclear how or by what process she thought that this "fit" occurs. In another example, Annie

(sophomore biochemistry and molecular biology major) described that her sketch contained

"four parts" across two sections of genetic code (Figure 4). When the interviewer asked for

clarification about this statement and whether the "two sections" (i.e., the two p-arms in a

replicated chromosome) that Annie referenced were identical, she responded "Um, no. So like,

for example, if you have like, if you are homozygous it'd be like your big E and then like the

little e like that." Here, Annie is not only uncertain about the correct vocabulary (i.e.,

homozygous compared to heterozygous), but conflated sister chromatids (which must contain the

same allele) in her drawing with homologous chromosomes (which could have two different

alleles).

We found that some participants used the X-shaped loops to productively reason about

chromosome structure. Evelyn (junior biology major), whose sketch is the exemplar of the

dimensional X-shape in Figure 3, described it as a "circular thing [so] that you could probably

see that there is more like their stuff inside it." Here, the loops are meaningful symbols that

reflect her understanding that chromosomes are structures that are composed of "stuff," which

we interpret as DNA and proteins.

X-shaped lines: Participants less commonly represented chromosomes using two crossed

lines in an X-shape (Figure 4). Even though participants like Pluto (sophomore general science

major) asserted that "everyone knows" the X-shaped line style of representing chromosomes,

only 14% of participants chose to use this representation in their drawing.

X-shaped coils: We identified two instances of X-shaped coils which seemed to contain

both elements of both the "very abstract" and "very literal" portions of the DNA Landscape

(Figure 4). These sketches were both X-shaped but used coils as a way of representing the more

realistic literal structure of chromosomes at the microscopic level. Jack (senior mechanical

engineering major) rationalized that his coiled chromosome could be "filled," which was similar

to how participants used X-shaped loops to represent how chromosomes could have "stuff

inside."

I-shaped loops: Nine participants drew sketches of I-shaped loops. Two participants

referred back to the interview prompt, "Can you sketch a chromosome?," in their explanations.

Josie (junior biochemistry and molecular biology major) asked the interviewer "Should I do like

— I'll just do one?" and proceeded to draw what we interpreted as a single unreplicated

chromosome using I-shaped loops. Similarly, Lacie (junior biotechnology and molecular

bioscience major) referred back to the interview question, "'cause I was like 'just one

chromosome.'" Both Josie and Lacie mentioned their sketches were not reflecting what they

"normally" thought about for chromosomes. Josie remarked that "The way I normally picture

them is double. Because we talked about them with like, the replication, but that's—I'm pretty

sure they just exist as single." Lacie said that "I was thinking, you know, normally in human

beings, chromosomes are drawn in pairs." Neither of these participants used the terms

"replicated" or "unreplicated" or discussed the total number of DNA molecules when deciding

which type of chromosome structure to draw.

I-shaped lines: We did not observe any participants using I-shaped lines in their sketches

of chromosomes. The lack of this representational style in the initial drawings tracks closely with

the first-impressions that participants had to the I-shaped line chromosomes in the GCA image.

For example, Donna (sophomore biology and environmental science major) viewed the GCA

image and immediately stated "If I saw this, I would not recognize it as a chromosome."

I-shaped coils: Ristan (senior biochemistry and molecular biology major) was the only

participant to draw a chromosome using I-shaped coils (see Ristan's sketch as the exemplar for I-

shaped coils in Figure 3). He initially said "I think that's to sort of show that it's not like one

strand." Ristan provided a second sketch of a single line for comparison to better illustrate that

his first sketch contained "many, many strands of DNA all compressed on top of each other,"

suggesting that numerous individual molecules of DNA make up an unreplicated chromosome.

Participants sometimes drew coiled chromosomes during follow-up questioning which

provided unique insights into their understanding of chromosome structure (Figure 5). These

sketches are not included in the initial counts in Figure 3, but they provide contextual

information about how students are illustrating meaning with I-shape coils. In Figure 5, we see

that Norma's initial sketches include X- and I-shaped loops, stating that a chromosome "becomes

an X-shape throughout the process of meiosis." When probed further, Norma produced the

follow-up sketch and said "DNA is just coiled up, so it's like this," suggesting a robust

understanding of chromosome structure. Conversely, Teresa (junior individualized study major)

created follow-up sketches that indicate a *misunderstanding* of chromosome structure. Teresa

modified her sketch by filling in the p-arm of the chromosome with the narration that "This is

like the clusters of the DNA, big clusters." She stopped at the centromere then continued in a

separate pen stroke to fill in the q arm of the chromosome, saying "Yeah, and this is also another

cluster of like DNA." Her description shows that she thought of chromosomes as consisting of

two separate units of DNA partitioned by the centromere.

Side-by-side loops: There was variability in the participants' rationale for their side-by-

side chromosomes (Figure 6). Alex (senior biology major) drew the side-by-side chromosome

with a separate box to represent the centromere, inappropriately indicating that the centromere is

a structure separate from the structure of the chromatids. Mia (sophomore biology major) said

that she drew side-by-side chromosomes to resemble X and Y chromosomes. Participants Socks

(sophomore biomedical science major) and Leo (junior biology pre-med major) both used side-

by-side representations, but offered very different explanations as to why. Socks said they drew

side-by-side loops "because that's usually how we see it on a karyotype—they're usually paired

together like that for mitosis," which we interpreted as a description of unreplicated homologous

chromosomes. While homologous chromosomes are typically shown paired in a karyotype, this

participant is mistaken because homologous chromosomes do not pair for mitosis. This quote is

also interesting because chromosomes in karyotypes are replicated (but sister chromatids are not

visible as separate entities), so Socks is likely interpreting the chromosomes in karyotypes as

single DNA molecules even though they are not. Leo, on the other hand, said "that would be a

set of sister chromatids." We highlight Socks and Leo as two examples of how the same sketch

of a chromosome can be ambiguous if a verbal or written description is not provided.

Side-by-side lines: Christin (sophomore environmental science major) and Regina (post-

baccalaureate continuing education) drew chromosomes with side-by-side lines, which they used

to indicate different numbers of chromosomes. Christin referenced a centromere in her

explanation of her drawing, even though her sketch did not include a centromere, suggesting that

she intended the two lines to represent chromatids in a single replicated chromosome (Figure 6).

Regina said "When I think of chromosomes, I think of mitosis and meiosis, and they're always

paired up with their buddies." To clarify this explanation, Regina drew an arrow pointing to only

one of the lines in the sketch and indicated that there were two chromosomes but "they're like a

pair." While Christin used the lines to represent one chromosome, Regina used the same style of

lines to represent two.

While we focus on what participants did draw in their sketches of chromosomes, it is also

important to note what they did not draw. None of the participants in our sample drew

chromosomes in a circular shape that might resemble bacterial chromosomes. We did not

observe any participants drawing chromosomes with banding patterns like a karyotype or

drawing a map with positions of genes.

We necessarily focus our results on the errors related to chromosomes, as these errors

provide novel insights into student thinking, but we also want to emphasize many participants

(63%, n = 22) used appropriate terms and vocabulary to describe the chromosome structure that

they drew.

How do undergraduate students interpret an abstract model of chromosomes?

To determine how participants use their conceptual knowledge to reason about an

abstract model of chromosomes, we asked them to interpret an image from the Genetics Concept

Assessment. To correctly interpret the image, participants needed to appropriately engage all

three factors in C-R-M and apply their conceptual knowledge (Figure 1). While many students

correctly decoded certain symbols, such as the capital and lowercase letters representing

dominant and recessive alleles, students may have had incomplete content knowledge and/or an

unfamiliarity with the abstract image that prevented them from accurately interpreting all of the

key information encoded in the image. Overall, we found that 71% of participants (n = 25)

incorrectly interpreted the image from the concept assessment (Table 3).

For some participants, accurate interpretation of the GCA image was most directly

limited by an unfamiliarity with the mode of representation. G (sophomore biotechnology major)

and Donna (sophomore biology and environmental science major) compared the unfamiliar

representation in the GCA to the X-shapes they were more familiar with. For example, Donna

said "I'm used to seeing chromosomes where they're crossed over and in an X formation, so

that's kind of the only reason I wouldn't recognize this because it doesn't have the X formation."

Donna and G also held conceptual misunderstandings about the difference between

homologous chromosomes and sister chromatids. Upon seeing the GCA image, G immediately

asked "The chromatids aren't paired together?". G subsequently described the image as having

"all the information needed—it has two different chromatids." These types of conceptual

misunderstandings—thinking that sister chromatids can exist independently or that parental

origins are mixed in a replicated chromosome—are misunderstandings that underpinned the

majority of the misinterpretations of the GCA image, occurring in 19 of the 25 incorrect

interpretations.

This confusion of homologous chromosomes and sister chromatids persisted even with

the visual scaffolding provided by the heterozygous alleles labeled for each chromosome pair

(F/f and Q/q). Maddy (junior biology major) incorrectly used the alleles to justify her

interpretation of the image as chromatids, stating that the labeled alleles are "just like to specify

that they're the same chromosome but different sister chromatids." Heather (sophomore

biotechnology and molecular bioscience major) similarly struggled to differentiate chromosomes

and chromatids, stating that "in terms of chromosomes that have already been replicated, there's

two. So that would be a total of four." In other words, Heather arrived at the correct number of

chromosomes in the image by applying the wrong reasoning.

In many cases, this misunderstanding of homologous chromosomes stemmed from the

idea that the unreplicated homologous chromosomes in the image were "separated" sister

chromatids. Participants tended to view the centromere as the place where the chromatids

"should have been paired together" or connected. Numerous quotes illustrate this point:

"The two halves of the chromosome just pulled apart—Instead of being in that X,

they're just portrayed separately" – Eileen (sophomore environmental science major)

"I usually imagine [chromosomes] like connected like I did [in my sketch of a

replicated chromosome]. Because they're like separate—might be something that I

thought was a little confusing at first." – Quentin (junior biology/pre-med major)

"[The image is] like showing that there's two separate chromatids, and because like on

the initial drawing that I drew [this participant initially drew a replicated chromosome],

a lot of people would just see it as like one X structure and not like two structures that

are together." – Jimmy (sophomore biotechnology major)

"In both sketches [participant sketch and the GCA image], it's made out of two parts

and you can kind of see that they're supposed to be attached together with the dots on

that sketch and on my sketch." – Sylvia (sophomore biochemistry and molecular

biology major)

"Typically, I think they're [the chromatids] kind of fused together, so maybe that's one

thing that might be confusing to people [who] just started learning." – Jay (Master's

student in bioinformatics)

Some participants misapplied conceptual knowledge in how they reasoned about the

length of the chromosomes in the image. For example, Annie conflated the length of the

chromosomes with dominance in alleles: "Could the longer strands mean it's dominant?"

Brittany (senior biology major), interpreted the different lengths as being related to a mutation.

"My first thought was that there was like a weird mutation at first on the top part, but then it

could have just been like a smaller chromosome or like chromatid or something and they just

combined the small." Donna said: "I'm more confused what the small one and what the tall one

is? Like why—like, is this one chromosome I'm looking at? I don't know. I guess I'm confused of

is this how many chromosomes am I looking at? Is this one? Is this two? Is this the same

chromosome?"

Participants also produced unexpected interpretations of the labeled alleles. Jimmy

interpreted the two lines for each homologous pair as the "two strands, like the double stranded

DNA for each chromatid," and related the capital and lowercase letters from the heterozygous

pair of chromosomes as "the uppercase is for the leading strand and the lowercase is for the

lagging strand." The allele "q" was confusing for participants like Donna, who said: "I know

there's a q arm. So I'm going to assume that's what the two Qs are. And then I thought it was q

and p, but I guess not."

While we focus our analysis here on areas of student misunderstanding to highlight

concepts that may need additional instructional scaffolding, we briefly want to emphasize that

many participants had productive and insightful ideas about the effectiveness and limitations of

the abstract model of chromosomes. Claire (sophomore biotechnology and molecular bioscience

major) noted that abstract models are often made when you need to quickly express an idea, such

as when making sketches during class: "Sometimes people, will you know, like if they're

sketching on the whiteboard, they're not going to draw out the full thing, right? They might just

draw lines. And drawing the dots helps you kind of see, oh, like 'top half, bottom half,'

especially if you're talking about the location of where a certain gene might be on the

chromosome—it kind of helps you see it better." Piper (senior biology secondary education

major) emphasized that in addition to the allele labels, the abstract sketch could benefit from

additional symbols or notations to emphasize the difference between homologous chromosomes:

"I think, like, if I was representing it differently, I'd probably do like maybe a different squiggly

line or like a different color—something just because they might get mixed up, especially when

people are redrawing them." By evaluating the abstract model, these participants demonstrated

their understanding of the conventions used to represent chromosomes and genes as well as their

metacognitive abilities for reflecting on how they or their peers might be thinking about visual

representations of chromosomes.

How do undergraduate students use visual literacy skills to reason about the division of

chromosomes during meiosis?

Three-quarters of participants (26 of 35) selected the correct answer to the GCA multiple

choice question, indicating an item difficulty on par with what was previously reported (Smith et

al., 2008); however, we found that most participants selected the correct answer for the wrong

reasons (Table 3). Only 23% of participants (8 of 35) answered the concept assessment question

by correctly representing the division of chromosomes during meiosis in their sketches and

associated verbal descriptions.

We were surprised to see that 37% of participants (13 of 35) justified their answer using a

Punnett square and that 11 of the 13 participants who drew a Punnett square selected the correct

answer to the GCA item. Although Punnett squares were the most common way for participants

to approach this concept assessment question, there was a wide range in how participants

misunderstood the symbols and misapplied the logic of Punnett squares (Figure 7). Participants

like Peggy (junior biomedical science major), Leland (junior biology major), and Piper (senior

biology secondary education major) recognized that a two-by-two matrix could generate the four

different allele combinations present in the correct answer but did not realize that Punnett

squares are not appropriate for identifying combinations of alleles from a single parent. Piper

initially had inklings that Punnett squares were associated with a single allele, reflected in her

drawings of two separate matrixes for the F and Q genes, but rationalized her final answer with a

take on a Punnett square that combined both the F and Q genes. Participants who misapplied

Punnett squares tended to demonstrate other novice-like ideas, such as Peggy's conflation of

genotype and phenotype, Leland's inconsistent ordering of alleles inside the matrix, and Piper's

use of the term "monohybrid" to describe a Punnett square for a meiotic event rather than a

cross.

We also saw participants who drew Punnett squares arrive at the incorrect answer to the

concept assessment (Figure 7). The participant G (sophomore biotechnology major) drew the

structure for two Punnett squares, one which shows F and Q alleles on separate axes (pictured on

the left) and one which has a combination of F and Q alleles on each axis (pictured on the right).

G then selected the answer which indicated the possible sperm genotypes included Ff, Qq, FQ,

fq, Fq, and fQ, and provided the rationale that "I think that's the closest to what I got" based on

their completed Punnett square. The rationale of the "closest to what I got" is interesting here, as

the Punnett square only provides four combinations of alleles while the answer G selected

contains six possible combinations.

In addition to puzzling uses of Punnett squares, we saw participants arriving at the correct

answer for other unexpected reasons (Figure 8). Many times, participants answered thequestion

based on their initial (often incorrect) conceptions of chromosomes even though the text from the

item states "two pairs of chromosomes." Heather (sophomore biotechnology and molecular

bioscience major) drew the dividing cell with X-shapes consisting of both homologous

chromosomes. Each X-shaped structure in Heather's drawing contains both the dominant and

recessive alleles, and she completed meiosis without replicating the chromosomes and with only

one cell division. This may be related to Heather's initial interpretation of the GCA image where

she stated "in terms of chromosomes that have already been replicated, there's two." Ristan

(senior biochemistry and molecular biology major) produced a similar drawing of the crossed

homologous chromosomes. During the initial interpretation of the concept assessment image,

Ristan said "I'm assuming that later, we're going to get to the point where the chromosomes start

connecting, and we get into sort of these X shapes. So this figure kind of lends itself to that as

well, because you can imagine those two sort of coming together, forming that X." Ristan's

drawing here reflects his initial idea of the "connecting" chromosomes.

We saw more unique interpretations of connecting chromosomes in Annie and Christin's

drawings (Figure 8). Annie only included two chromosomes in her sketch, and the Q and F genes

(initially on separate chromosomes) were now depicted on the same chromosome. Annie also

used the telling phrase "when these replicate," indicating that she believed crossing over of

alleles occurs during the replication process. We see a similar misunderstanding of crossing over

in Christin's sketch in which she stated that two non-homologous chromosomes are connected at

the centromere to represent the process by which chromosomes "cross over." Notably, both

students chose the correct answer choice.

When we asked participants to create sketches to represent their selected answer to the

GCA item, we found that many (n = 12) adopted the visual conventions of the GCA item. Even

though none of the participants initially represented chromosomes with the I-shaped lines (Figure

3), we saw many students translating their understanding of chromosomes into this

representational format in their follow-up sketches. Four of the participants used this shape and

style of chromosomes to correctly answer the GCA item for the correct reasons. The remaining

eight participants sometimes arrived at the correct answer but their sketches indicated an

incomplete or incorrect reasoning, such as failing to replicate the I-shaped chromosomes,

resulting in the products of meiosis as only two cells (rather than four) or as containing only a

single chromosome (as a result of dividing non-homologous chromosomes in meiosis I and

dividing homologous chromosomes during meiosis II).

DISCUSSION

Chromosome structure and function is foundational knowledge in biology and is

necessary to understand the *Vision and Change* core concept of "Information Flow, Exchange,

and Storage" (AAAS, 2011). As chromosomes are microscopic and their structural elements

(genes, nucleotides) are submicroscopic, biologists often emphasize their relevant features using

abstract models. The ability to interpret and use such abstract models are key to *Vision and*

Change competencies related to modeling and scientific communication (AAAS, 2011). Despite

the importance of these topics in undergraduate education, our findings suggest that

chromosomes are parts of introductory biology curricula where college students may need

additional instructional support. By probing visual literacy skills, we found a mismatch between

declarative knowledge about chromosomes and mental models of chromosomes. Similar to

previous research (Newman et al., 2012), our findings here suggest that students' mental models

of chromosomes often need additional refinement to align with how experts typically use

abstract models of chromosomes. Our work also mirrors findings in chemistry in which

undergraduate students presented with multiple representations of the same concept had

difficulties interpreting the main features of abstract models and offered conflicting

interpretations across representations (Allred & Bretz, 2019). In this discussion, we highlight

particular concepts participants misunderstood and how biology instructors might choose to

address these concepts in their teaching.

Confronting conceptual misunderstandings of chromosomes

While many students were familiar with the mode of representing chromosomes (M in C-

R-M), they differed from experts in their conceptual understanding (C) and the ways in which

they used their conceptual understanding to reason about the abstract representations (C-R).

Here, we focus on where students' chromosome visual literacy skills were primarily hampered

by errors in their conceptual knowledge. For a full list of the conceptual misunderstandings we

encountered in this study, see the Supplemental Material.

The most common conceptual misunderstanding was the idea that sister chromatids can

be separated and exist as independent structures within the same cell prior to cell division—

conflating a sister chromatid with an unreplicated homologous chromosome. This conflation was

evident in participants who made the statement that sister chromatids are supposed to be "paired

together," which at face value is a correct statement, but is incorrect when applied as a

description of the pair of unreplicated homologous chromosomes in the GCA image. We have

previously documented this confusion of homologous chromosomes for sister chromatids

(Wright & Newman, 2011), and our finding here bolsters existing evidence that the distinction

between chromatids and chromosomes remains a persistent point of conceptual difficulty for

students (Clark & Mathis, 2000; Dikmenli, 2010; Kindfield, 1994c).

Similar to how we observed participants identifying homologous chromosomes as

"separate" sister chromatids, we also saw the tendency for participants to want to combine two

homologous chromosomes into single structure. Previous research has shown that students

produced similar representations of "two-DNA-molecule chromosomes" to represent the process

of fertilization (Kindfield, 1991). In the previous study, students joined two haploid gametes,

each containing a chromosome with the allele "A" or "a," into a single X-shaped chromosome

with both "A" and "a" alleles upon fertilization, but here we saw participants using this "two-

DNA-molecule chromosome" representation *at the start of meiosis.*

One way to address some of this confusion about chromatid and chromosome structure is

to incorporate active learning opportunities in which students use physical, hand-held models as

reasoning tools for visually distinguishing between sister chromatids and homologous

chromosomes (Newman & Wright, 2017; Smith & Kindfield, 1999; Wright et al., 2021; Wright

& Newman, 2011). Instructors may also consider asking students to reason about the purpose of

centromeres in abstract models as a way to clarify the difference between chromatids and

chromosomes. Instructors can present multiple models of replicated and unreplicated

chromosomes and ask students to determine the total number of chromosomes, emphasizing that

biologists often include centromeres in abstract models because counting the number of

centromeres is a way to quickly determine the number of chromosomes in a representation.

We were surprised by students who merged non-homologous chromosomes into a single

chromosome structure. For example, participants took the two non-homologous chromosomes

(denoted with alleles F/f and Q/q), and merged them into a single chromosome containing both F

and Q alleles (Figure 8). Interestingly, we provided participants with a representation of

chromosomes in a single straight line, but participants that combined homologous chromosomes

adopted representations with bowling-pin shapes or curved lines that were not present in the

GCA image. It is possible that the students who did not adopt the conventions of the I-shaped

line model of chromosomes from the GCA image did not fully understand what the straight lines

represented, highlighting the importance of explicitly asking students to evaluate the conventions

of chromosome representations when using them as a visual aid when teaching.

Curiously, many participants solved the GCA question by creating Punnett squares to

describe the outcomes of one cell undergoing meiosis. These participants were relying on their

understanding that Punnett squares are associated with alleles, but Punnett squares are used to

predict allele combinations of offspring from a cross between two individuals, not one individual

cell undergoing specialized division. While a two-by-two matrix can be a productive strategy for

visually sorting combinations when one item in each of two pairs will be part of a combination,

referring to the model as a "Punnett square" is problematic. Our finding provides a chain of

evidence that students are misapplying Punnett squares in many different genetics contexts

(Newman et al., 2021; Shaw et al., 2008; Stewart, 1983; Strand & Boes, 2019). To reinforce the

intended purpose of Punnett squares, we suggest that instructors encourage students to make a

drawing that indicates each allele on the "outside" of the Punnett square is representative of a

sperm or an egg.

We anticipate that many of these conceptual errors result from the phenomenon that

chromosome-related concepts are often presented in "twos." The "twos" occur in the two

chromatids within a replicated chromosome, two chromosomes in a pair of homologous

chromosomes, and two different pairs of chromosomes (i.e., $2n = 4$) that frequently appear in

common diagrams of chromosomes (including the one in the GCA). This series of "twos" may

in-part explain why participants often conflated two homologous chromosomes in the GCA

image for two sister chromatids. To remove one "two" from this challenge, we encourage

instructors to use examples with at least 3 pairs of chromosomes (i.e., $2n = 6$). Using examples

with three pairs of chromosomes may create dissonance with the intuitive ideas that students

have about using monohybrid Punnett squares, and may lead to more productive methods of

reasoning about the behavior of chromosomes during meiotic events.

Reckoning with unexpected reasoning about chromosomes

We were surprised at apparent mismatches between participants' conceptual knowledge

about the common modes of representing chromosomes (C-M) and how they reasoned about the

meaning of the shapes and symbols in those abstract representations (R-M). We describe several

examples here of unexpected ways that participants used shapes and symbols, and provide a full

list of the unexpected reasoning we encountered in this study in the Supplemental Material.

One of the most common instances of unexpected reasoning was how several of the

participants used loop symbols to indicate that chromosomes were like vessels that could be

"filled" with DNA or that each loop was a separate "chunk" of DNA. We speculate that

participants' reasoning about the meaning of the loops may be related their prior experiences and

their intuitive sense for symbolism. Multiple participants (Jimmy, Ristan, Ronette, Norma, Andi)

described chromosomes as structures that "contain information" or "contain alleles," and it is

possible the colloquial use of the word "contain" may evoke intuitive ideas of chromosomes as

"containers" that can be filled. We also saw that some participants thought of separate loops as

representing distinct molecules of DNA. Participants described replicated chromosomes as

consisting of "four parts" or represented unreplicated chromosomes as two separate "clusters" of

DNA separated by the centromere. The misconception that chromosomes contain multiple

molecules of DNA has been previously documented (Kindfield, 1991) and was even the subject

of an item on the Introductory Cell and Molecular Biology Concept Assessment (Shi et al.,

2010), but exactly how we saw participants conceptualizing loops as "chunks" of DNA is a new

finding. Our work here provides further support that students may be confused by chromosome

structure in ways that hinder their understanding of the nature of the relationship between DNA

and chromosomes (Saka et al., 2006). To clarify how loops are used to represent chromosome

structure, we recommend that instructors verbally and pictorially explain that each unreplicated

chromosome is a single continuous strand of DNA. Instructors may also ask students to work in

small groups to compare and contrast models where chromosomes are represented as loops and

as lines, particularly using this comparison to probe how students are thinking about what the

loops exactly mean.

We highlight another example of unexpected reasoning in the side-by-side chromosomes

that several participants drew. Some participants used side-by-side structures to represent a

replicated chromosome, while to others these structures symbolized a pair of unreplicated

homologous chromosomes. Because the drawings lacked centromeres, it was impossible to know

whether the participant was using their drawing to represent one chromosome or two without a

verbal explanation. This finding echoes previous work which emphasized the importance of

including centromeres in chromosome models as a way to clearly signal the intended number of

chromosomes (Smith & Kindfield, 1999). While the purpose of abstraction is to make

simplifications, we suggest that abstract chromosome representations should not be simplified to

the point of erasing centromeres as a visible feature. As biology students are likely to encounter a

variety of chromosome models, we recommend that instructors ask students to evaluate the

benefits and limitations of representing chromosomes with and without centromeres. In these

instructional exercises, we encourage instructors to be intentional about describing the

centromere as a specific segment of DNA within the chromosome to avoid reinforcing the

misconception that the centromere is a separate structure or introducing confusion between

centromeres and kinetochores.

Incorporating visual literacy into instruction and assessment

During our interviews, many participants justified their drawings or interpretations of
chromosomes by referring to what they had seen in their biology classes or in textbooks. Given
the number of conceptual misunderstandings that we encountered, we suggest that there is room
to improve how students engage with representations of chromosomes in their classes and course
materials. Traditionally, students are likely to have seen prepared graphics in their textbooks and
in PowerPoint slides, and this way of presenting graphics and images reinforces an intrinsically
passive method of learning via images (Higley et al., 2024; Rotbain et al., 2005; Wright et al.,
2022). Teaching using visual representations should go beyond putting an image up on a slide or
labeling visual structures. While labeling visual representations may help students memorize
structures such as components of a nucleotide in a chemical structure (Rotbain et al., 2005),
using visual representations to memorize facts about science is not an end goal. Rather, the
Vision and Change core competency of "Ability to Communicate and Collaborate with Other
Disciplines," suggests an end goal of science education is for students to be able to *engage with*
visual representations and build conceptual models that help them participate in the *processes of*
science (American Association for the Advancement of Science, 2011; Clemmons et al., 2020b).

We encourage biology instructors to adopt a more active approach to using visual
representations in their courses. We have provided a few sample active learning tasks in this
discussion (e.g., asking students to work in small groups to evaluate models). We recommend
instructors consult the Visualization Blooming Tool (Arneson & Offerdahl, 2018) for example
active learning tasks that can help foster the development of visual literacy skills.

Incorporating visual literacy into instruction does not need to take much class time.
Asking students to consider strengths and limitations of a chromosome model requires less than
five minutes. In addition to using active learning to teach visual literacy, we encourage

instructors to take a few seconds to verbally explain the diagrams, figures, and visuals they use in

class. When drawing an X-shaped chromosome, instructors can quickly tell students that the "X"

represents a replicated chromosome and circle the two sister chromatids represented within that

shape. When drawing a centromere using a circle, instructors can mention that even though they

made a separate drawing stroke to create the centromere, it is still part of the same single DNA

molecule in that condensed chromosome structure.

761   While interpreting pre-fabricated visual representations is an important part of biology

education, we also encourage both instructors and students to be engaged in creating visual

representations during class time. Historically, students are rarely asked to sketch in their science

classes (Ainsworth et al., 2011; Van Meter & Garner, 2005), but there is tremendous educational

value in drawing (Quillin & Thomas, 2015). Drawing is an important process for biological

literacy that is associated with understanding representations, developing scientific reasoning,

and effectively communicating science (Ainsworth et al., 2011). While some instructors and

students may believe drawing requires a strong artistic talent, we emphasize that sketches do not

need to be of the highest artistic quality to be meaningful representations in biology (Quillin &

Thomas, 2015). In fact, quickly-constructed "bad" drawings that require interpretation can

increase student interaction with the representation and help to reinforce that sketches are useful

and acceptable in biology (Higley et al., 2024). These quick sketches that use abstract

representations can be powerful learning tools because they distill complexity to show only what

is most essential to understand a concept.

775   In line with principles of Backward Design (Wiggins & McTighe, 2005), instructors who

teach visual literacy should also assess visual literacy. Instructors can assess visual literacy with

formative assessments, such as evaluating the drawings and explanations that students make on

whiteboards during class time, but instructors should also assess visual literacy on summative

assessments (e.g., exams) as well. Because content on summative assessments signals to students

the knowledge and skills that instructors value and prioritize (Jensen et al., 2014; Scouller, 1998;

Uminski et al., 2024), if visual literacy skills are something an instructor wants students to

develop, visual literacy skills need to be incorporated into summative assessments. When asking

students to draw on an exam is not feasible, assessments may effectively measure student

understanding of abstract models if they integrate pre-fabricated models into multiple choice

options rather than relying on options that are only based in text. We suggest instructors consult

the Drawing-to-Learn framework (Quillin & Thomas, 2015) for a robust set of recommendations

about facilitating assessment of visual literacy skills.

Our work underscores the importance of valid and reliable visual literacy assessments.

We found that the majority of participants in our study selected the correct answer to the GCA

item for the wrong reasons. By asking them to create a visual representation of their answer to

the GCA item, we uncovered that the majority of participants had incomplete or incorrect mental

models of chromosomes or meiosis and were getting the item right even though they had an

incomplete understanding of the content the item was designed to assess. Had we relied on the

multiple-choice answer alone, we would have vastly overestimated our participants' true

conceptual understanding of chromosomes and meiosis. Our finding here emphasizes both the

limitations of traditional multiple-choice assessments in which students can select the right

answer for the wrong reasons (Cerchiara et al., 2019; Fisher et al., 2011; Fulmer et al., 2015;

Haudek et al., 2012) and the importance of assessing students' visual literacy skills as a robust

method of gauging conceptual understanding (Arneson & Offerdahl, 2023; Offerdahl et al.,

2017; Schönborn & Anderson, 2006). We emphasize the need for biology education researchers

801 to develop valid and reliable assessment instruments that specifically measure visual literacy

802 skills in biology.

804 ***The DNA Landscape provides a framework for visual literacy in molecular biology***

805   We highlight the DNA Landscape (Wright et al., 2022) as a useful framework for

806 instructors looking to teach visual literacy skills and for researchers investigating visual literacy

807 in the context of molecular biology. For example, we found evidence of student

808 misunderstanding of chromosomes when their drawings mixed abstract representational

809 conventions. We observed that participants who drew representations of chromosomes that

810 mixed the abstract X-shapes with the more realistic string representations (Figures 4 and 5)

811 tended to have incorrect ideas about chromosome structure and function, often confusing how

812 more experienced biologists traditionally use the string representation. Identifying where

813 students are mixing representations within columns of the DNA Landscape can provide insights

814 into where students may be facing conceptual challenges in molecular biology.

815   We suggest that instructors use the DNA Landscape to inform their choices related to

816 *what* and *how* they are visually representing molecular biology concepts. For example,

817 instructors teaching about chromosomes should attend to asking students to interpret multiple

818 representations within the same column, making sure to clarify that chromosomes can be

819 represented using abstract lines, as maps or ideograms, or more realistically as strings. In

820 addition to providing opportunities for students to reason with multiple representations within a

821 column of the DNA Landscape, we encourage instructors to incorporate small group discussion

822 and ask students discuss with each other why biologists might use one representation over

823 another. We also suggest instructors take a moment of class time to ask students to reason across

the columns of the DNA Landscape to help illuminate the relationships between nucleotides,

genes, and chromosomes. Instructors can ask students to consider why it is inappropriate to use a

Punnett square to answer a question about meiosis or to think about the relationship between the

double helix and chromosome structures. Instructors might ask students if the helix "fills" the

chromosome, as some of our participants here have suggested. By giving students opportunities

to grapple with multiple representations across scale and abstraction in the DNA Landscape,

instructors can help their students develop the fluency in visual literacy that is necessary for deep

understanding of the foundational concepts in molecular biology.

Biology education researchers can use the DNA Landscape as a framework for designing

research studies and assessment tasks. Researchers may design future work to study how biology

students are thinking about the similarities and differences between representations within

columns of the DNA Landscape. There are also opportunities for future work to study how

students are conceptualizing scalar relationships across the columns of the DNA Landscape.

When developing research studies or assessment tasks related to visual literacy in molecular

biology, we suggest researchers consider incorporating representations across the DNA

Landscape.

Future directions

We found that misunderstandings of chromosome structure and function are "sticky,"

often persisting in students who have already entered advanced undergraduate coursework in

their third and fourth year of college. Our findings emphasize areas for future research to

investigate where students may have derived some of their incorrect ideas and misconceptions

about chromosomes. We anticipate that some of these misunderstandings we observed may be

related to the colloquial ways that students see chromosomes discussed and represented in K-12

life science curricular materials (Cho et al., 1985). We highlight the use of the word "half" to

describe chromatids as one example of this imprecise language that we suspect created confusion

in students' understanding of chromosomes. Multiple students referred to sister chromatids (or,

in a few cases, a pair of unreplicated homologous chromosomes) as being two "halves" of a

replicated chromosome. While our participants frequently used the word "half," and the term

"half" appears in open education resources about genetics geared towards a K-12 audience

(National Human Genome Research Institute, 2024), this term was never used to describe

chromatids in undergraduate biology textbooks (Brooker, 2011; Freeman et al., 2017; Lodish,

2008; Morris et al., 2022; Solomon et al., 2015; Urry et al., 2016). Learning theory suggests that

schemas are established based on initial learning and these schemas can be difficult to change

(Piaget, 1952); thus the incomplete ideas about chromosomes that are assimilated during middle

and high school can persist even when more correct information is presented in undergraduate

courses. As the first learning about chromosomes can shape what is understood (or

misunderstood) in future learning, we recommend further investigation into the representations

of chromosomes in K-12 contexts.

We also recommend future research efforts to uncover additional insights into the types

of representations, learning activities, and assessments that are most beneficial to the

development of visual literacy skills across a variety of molecular biology contexts. Our work

leaves questions about how different types of models in molecular biology may help or hinder

student understanding of particular concepts. While it was not a focus of our research, we found

that that many students mentioned seeing representations of chromosomes in their classes and

textbooks, but no students mentioned seeing such models on exams or on other class

assignments. This leads to questions as to how students are engaging with the abstract

representations in these in-class, out-of-class, and assessment contexts. There are remaining

questions about how is learning in molecular biology is affected by the ways students engage

with models during class time, impacted by the frequency with which models are used in a

course, and influenced by how models are integrated into summative assessments.

Limitations

We necessarily focus our results on the errors in student conceptualizations of

chromosomes, as these errors provide novel insights into student thinking that may be useful for

informing instruction and further education research on conceptual understanding in molecular

biology.

We recruited participants from two institutions. It is possible that biology instructors at

other institutions may emphasize different aspects when teaching about chromosomes, and as

such, we do not make claims that the misunderstandings we observed in our sample population

are representative of what misunderstandings might be present in other student populations.

We informed the participants in our study prior to the interview that they would be asked

to draw during the interview protocol. As a student's attitude, self-efficacy, and interest in

drawing biological models can affect their use and engagement with models (Quillin & Thomas,

2015), we likely only recruited students who already had a positive attitude, high self-efficacy,

and high interest in drawing biological models. Given this self-selection bias in our recruitment

and sampling, we highlight the need of additional visual literacy research conducted in ways that

can capture a wider range of student affect towards drawing.

CONCLUSION

Understanding chromosomes is necessary for understanding more complex concepts in genetics. Even though the notion of chromosomes begins as early as middle school, it remains a difficult concept for many undergraduate biology students, which may be tied to their incomplete or incorrect mental models of chromosome structure and function. These difficulties may not be evident in students' verbal descriptions of chromosomes and are only revealed when probing students' visual literacy skills. Asking students to create drawings and interpret visual representations provides key insights into students' conceptualizations of chromosomes. We encourage biology instructors to incorporate opportunities to develop students' visual literacy skills in molecular biology by using multiple representations of chromosomes at different levels of abstraction, engaging students in sketching representations during class, and asking students to evaluate conventions used in visual representations.

Acknowledgements

Funding provided by NSF DGE 2222337. We thank Christian Cammarota, Meredith Michetti, Shreya Sujith, Aneesh Nallani and Jupiter Chen for help validating the codebook. We are grateful to the research participants for sharing their ideas with us. We thank Michelle Smith and Jenny Knight for their permission to publish a reproduction of a figure from The Genetics Concept Assessment.

References

Ainsworth, S., Prain, V., & Tytler, R. (2011). Drawing to learn in science. *Science*, *333*(6046), 1096–1097. https://doi.org/10.1126/science.1204153

Allred, Z. D. R., & Bretz, S. L. (2019). University chemistry students' interpretations of multiple representations of the helium atom. *Chemistry Education Research and Practice20*, *20*, 358–368. https://doi.org/10.1039/c8rp00296g

American Association for the Advancement of Science. (2011). *Vision and Change in Undergraduate Biology Education: A Call to Action*. AAAS. https://live-visionandchange.pantheonsite.io/wp-content/uploads/2011/03/Revised-Vision-and-Change-Final-Report.pdf

Anderson, L. W., Krathwohl, D. R., & Bloom, B. S. (2001). *A Taxonomy for Learning, Teaching, and Assessing: A Revision of Bloom's Taxonomy of Educational Objectives*. Longman.

Arneson, J. B., & Offerdahl, E. G. (2018). Visual Literacy in Bloom: Using Bloom's Taxonomy to support visual learning skills. *CBE—Life Sciences Education*, *17*(1), ar7. https://doi.org/10.1187/cbe.17-08-0178

Arneson, J. B., & Offerdahl, E. G. (2023). Assessing the load: Effects of visual representation and task features on exam performance in undergraduate molecular life sciences. *Research in Science Education*, *53*(2), 319–335. https://doi.org/10.1007/s11165-022-10057-7

Avgerinou, M. D., & Pettersson, R. (2011). Toward a Cohesive Theory of Visual Literacy. *Journal of Visual Literacy*, *30*(2), 1–19. https://doi.org/10.1080/23796529.2011.11674687

Bloom, B. S., Krathwohl, D. R., & Masia, B. B. (1956). *Taxonomy of Educational Objectives: The Classification of Educational Goals*. McKay.

Brooker, R. J. (Ed.). (2011). *Biology* (2nd ed). McGraw-Hill.

Brownell, S. E., Freeman, S., Wenderoth, M. P., & Crowe, A. J. (2014). BioCore Guide: A tool for interpreting the core concepts of Vision and Change for biology majors. *CBE—Life Sciences Education*, *13*(2), Article 2. https://doi.org/10.1187/cbe.13-12-0233

Cerchiara, J. A., Kim, K. J., Meir, E., Wenderoth, M. P., & Doherty, J. H. (2019). A new assessment to

monitor student performance in introductory neurophysiology: Electrochemical Gradients

Assessment Device. *Advances in Physiology Education*, *43*(2), 211–220.

https://doi.org/10.1152/advan.00209.2018

Cho, H.-H., Kahle, J. B., & Nordland, F. H. (1985). An investigation of high school biology textbooks as

sources of misconceptions and difficulties in genetics and some suggestions for teaching

genetics. *Science Education*, *69*(5), 707–719. https://doi.org/10.1002/sce.3730690512

Clark, D. C., & Mathis, P. M. (2000). Modeling mitosis & meiosis: A problem-solving activity. *The*

American Biology Teacher, *62*(3), 204–206. https://doi.org/10.2307/4450874

Clemmons, A. W., Timbrook, J., Herron, J. C., & Crowe, A. J. (2020a). BioSkills Guide. *QUBES*

Educational Resources. https://doi.org/10.25334/156H-T617

Clemmons, A. W., Timbrook, J., Herron, J. C., & Crowe, A. J. (2020b). BioSkills Guide: Development

and national validation of a tool for interpreting the Vision and Change core competencies.

CBE—Life Sciences Education, *19*(4), Article 4. https://doi.org/10.1187/cbe.19-11-0259

Dikmenli, M. (2010). Misconceptions of cell division held by student teachers in biology: A drawing

analysis. *Scientific Research and Essay*, *5*(2), 235–247. https://doi.org/10.5897/SRE.9000654

Etobro, A. B., & Banjoko, S. O. (2017). Misconceptions of genetics concepts among pre-service teachers.

Global Journal of Educational Research, *16*(2), 121. https://doi.org/10.4314/gjedr.v16i2.6

Fan, J. E., Bainbridge, W. A., Chamberlain, R., & Wammes, J. D. (2023). Drawing as a versatile

cognitive tool. *Nature Reviews Psychology*, *2*(9), 556–568. https://doi.org/10.1038/s44159-023-

00212-w

Fisher, K. M., Williams, K. S., & Lineback, J. E. (2011). Osmosis and Diffusion Conceptual Assessment.

CBE—Life Sciences Education, *10*(4), 418–429. https://doi.org/10.1187/cbe.11-04-0038

Freeman, S., Quillin, K., Allison, L. A., Black, M., Podgorski, G., Taylor, E., & Carmichael, J. (2017).

Biological Science (Sixth edition). Pearson.

Fulmer, G. W., Chu, H.-E., Treagust, D. F., & Neumann, K. (2015). Is it harder to know or to reason?

Analyzing two-tier science assessment items using the Rasch measurement model. *Asia-Pacific*

Science Education, *1*(1), 1–16. https://doi.org/10.1186/s41029-015-0005-x

Haudek, K. C., Prevost, L. B., Moscarella, R. A., Merrill, J., & Urban-Lurain, M. (2012). What are they

thinking? Automated analysis of student writing about acid–base chemistry in introductory

biology. *CBE—Life Sciences Education*, *11*(3), 283–293. https://doi.org/10.1187/cbe.11-08-0084

Higley, L. G., Higley, P. M., & Brosius, T. (2024). The value of "bad" drawing in teaching. *The*

American Biology Teacher, *86*(3), 136–142. https://doi.org/10.1525/abt.2024.86.3.136

Jensen, J. L., McDaniel, M. A., Woodard, S. M., & Kummer, T. A. (2014). Teaching to the test…or

testing to teach: Exams requiring higher order thinking skills encourage greater conceptual

understanding. *Educational Psychology Review*, *26*(2), Article 2. https://doi.org/10.1007/s10648-

013-9248-9

Johnstone, A. H. (1991). Why is science difficult to learn? Things are seldom what they seem. *Journal of*

Computer Assisted Learning, *7*, 75–83. https://doi.org/10.1111/j.1365-2729.1991.tb00230.x

Kalas, P., O'Neill, A., Pollock, C., & Birol, G. (2013). Development of a meiosis concept inventory.

CBE—Life Sciences Education, *12*(4), Article 4. https://doi.org/10.1187/cbe.12-10-0174

Kindfield, A. C. H. (1991). Confusing chromosome number and structure: A common student error.

Journal of Biological Education, *25*(3), 193–200.

https://doi.org/10.1080/00219266.1991.9655206

Kindfield, A. C. H. (1994a). Assessing understanding of biological processes: Elucidating students'

models of meiosis. *The American Biology Teacher*, *56*(6), 367–371.

https://doi.org/10.2307/4449854

Kindfield, A. C. H. (1994b). Biology diagrams: Tools to think with. *Journal of the Learning Sciences*,

3(1), 1–36. https://doi.org/10.1207/s15327809jls0301_1

Kindfield, A. C. H. (1994c). Understanding a basic biological process: Expert and novice models of

meiosis. *Science Education*, *78*(3), 255–283. https://doi.org/10.1002/sce.3730780308

Kozma, R. B., & Russell, J. (1997). Multimedia and Understanding: Expert and Novice Responses to

Different Representations of Chemical Phenomena. *Journal of Research in Science Teaching*,

34(9), 949–968.

Lodish, H. F. (Ed.). (2008). *Molecular Cell Biology* (6th ed). W.H. Freeman.

McHugh, M. L. (2012). Interrater reliability: The kappa statistic. *Biochemia Medica*, *22*(3), Article 3.

https://doi.org/10.11613/BM.2012.031

Messaris, P., & Moriarty, S. (2004). Visual Literacy Theory. In K. Smith, S. Moriarty, G. Barbatsis, & K.

Kenney (Eds.), *Handbook of Visual Communication* (pp. 479–502). Routledge.

Monrad, S. U., Zaidi, N. L. B., Grob, K. L., Kurtz, J. B., Tai, A. W., Hortsch, M., Gruppen, L. D., &

Santen, S. A. (2021). What faculty write versus what students see? Perspectives on multiple-

choice questions using Bloom's Taxonomy. *Medical Teacher*, *43*(5), Article 5.

https://doi.org/10.1080/0142159X.2021.1879376

Morris, J., Hartl, D., Knoll, A., Lue, R., Michael, M., Berry, A., Biewener, A., Farrell, B., Holbrook, N.

M., Liu, J., Heitz, J., Hens, M., Lozovsky, E., Merrill, J., Phillis, R., & Pires, D. (2022). *Biology:*

How Life Works (Fourth). W. H. Freeman.

National Human Genome Research Institute. (2024, June 25). *Chromatid*. National Human Genome

Research Institute. https://www.genome.gov/genetics-glossary/Chromatid

Newman, D. L., Catavero, C. M., & Wright, L. K. (2012). Students fail to transfer knowledge of

chromosome structure to topics pertaining to cell division. *CBE—Life Sciences Education*, *11*(4),

425–436. https://doi.org/10.1187/cbe.12-01-0003

Newman, D. L., Coakley, A., Link, A., Mills, K., & Wright, L. K. (2021). Punnett squares or protein

production? The expert-novice divide for conceptions of genes and gene expression. *CBE— Life*

Sciences Education, *20*(4), ar53:1-10. https://doi.org/10.1187/cbe.21-01-0004

Newman, D. L., Spector, H., Neuenschwander, A., Miller, A. J., Trumpore, L., & Wright, L. K. (2023).

Visual Literacy of Molecular Biology Revealed through a Card-Sorting Task. *Journal of*

Microbiology & Biology Education, *0*(0), e00198-22. https://doi.org/10.1128/jmbe.00198-22

Newman, D. L., & Wright, L. K. (2017). Meiosis: A play in three acts, starring DNA sequence.

CourseSource, *https://doi.org/10.24918/cs.2017.9*.

Offerdahl, E. G., Arneson, J. B., & Byrne, N. (2017). Lighten the load: Scaffolding visual literacy in

biochemistry and molecular biology. *CBE – Life Sciences Education*, *16*(1), es1.

https://doi.org/10.1187/cbe.16-06-0193

Piaget, J. (1952). *The Origins of Intelligence in Children* (M. Cook, Trans.; p. 419). W W Norton & Co.

https://doi.org/10.1037/11494-000

Quillin, K., & Thomas, S. (2015). Drawing-to-Learn: A Framework for Using Drawings to Promote

Model-Based Reasoning in Biology. *CBE—Life Sciences Education*, *14*(1), es2.

https://doi.org/10.1187/cbe.14-08-0128

Rotbain, Y., Marbach-Ad, G., & Stavy, R. (2005). Understanding molecular genetics through a drawing-

based activity. *Journal of Biological Education*, *39*(4), 174–178.

https://doi.org/10.1080/00219266.2005.9655992

Saka, A., Cerrah, L., Akdeniz, A. R., & Ayas, A. (2006). A cross-age study of the understanding of three

genetic concepts: How do they image the gene, DNA and chromosome? *Journal of Science*

Education and Technology, *15*(2), 192–202. https://doi.org/10.1007/s10956-006-9006-6

Saldaña, J. (2013). *The coding manual for qualitative researchers* (2nd ed). SAGE.

Schönborn, K. J., & Anderson, T. R. (2006). The importance of visual literacy in the education of

biochemists. *Biochemistry and Molecular Biology Education*, *34*(2), 94–102.

https://doi.org/10.1002/bmb.2006.49403402094

Schönborn, K. J., & Anderson, T. R. (2009). A model of factors determining students' ability to interpret

external representations in biochemistry. *International Journal of Science Education*, *31*(2), 193–

232. https://doi.org/10.1080/09500690701670535

Schönborn, K. J., & Anderson, T. R. (2010). Bridging the educational research-teaching practice gap.

Biochemistry and Molecular Biology Education, *38*(5), 347–354.

https://doi.org/10.1002/bmb.20436

Scouller, K. (1998). The influence of assessment method on students' learning approaches: Multiple

1042   choice question examination versus assignment essay. *Higher Education*, *35*(4), Article 4.

1043   https://doi.org/10.1023/A:1003196224280

1044   Shaw, K. R. M., Van Horne, K., Zhang, H., & Boughman, J. (2008). Essay contest reveals

1045   misconceptions of high school students in genetics content. *Genetics*, *178*(3), 1157–1168.

1046   https://doi.org/10.1534/genetics.107.084194

1047   Shi, J., Wood, W. B., Martin, J. M., Guild, N. A., Vicens, Q., & Knight, J. K. (2010). A diagnostic

1048   assessment for introductory molecular and cell biology. *CBE — Life Sciences Education*, *9*(4),

1049   Article 4. https://doi.org/10.1187/cbe.10-04-0055

1050   Smith, M. K., Wood, W. B., & Knight, J. K. (2008). The Genetics Concept Assessment: A new concept

1051   inventory for gauging student understanding of genetics. *CBE—Life Sciences Education*, *7*(4),

1052   Article 4. https://doi.org/10.1187/cbe.08-08-0045

1053   Smith, M. U., & Kindfield, A. C. H. (1999). Teaching cell division: Basics & recommendations. *The*

1054   *American Biology Teacher*, *61*(5), 366–371. https://doi.org/10.2307/4450699

1055   Solomon, E. P., Martin, C. E., Martin, D. W., & Berg, L. R. (2015). *Biology* (Tenth edition). Cengage

1056   Learning.

1057   Stewart, J. (1983). Student problem solving in high school genetics. *Science Education*, *67*(4), 523–540.

1058   Strand, S., & Boes, K. E. (2019). Drawing a link between genetic inheritance and meiosis: A set of

1059   exercises for the undergraduate biology classroom. *Journal of Microbiology & Biology*

1060   *Education*, *20*(2), 10.1128/jmbe.v20i2.1733. https://doi.org/10.1128/jmbe.v20i2.1733

1061   Towns, M. H., Raker, J. R., Becker, N., Harle, M., & Sutcliffe, J. (2012). The biochemistry tetrahedron

1062   and the development of the taxonomy of biochemistry external representations (TOBER).

1063   *Chemistry Education Research and Practice*, *13*(3), 296–306.

1064   https://doi.org/10.1039/C2RP00014H

1065   Trumbo, J. (1999). Visual literacy and science communication. *Science Communication*, *20*(4), 409–425.

1066   https://doi.org/10.1177/1075547099020004004

Uminski, C., Burbach, S. M., & Couch, B. A. (2024). Undergraduate biology lecture courses

predominantly test facts about science rather than scientific practices. *CBE—Life Sciences*

Education, *23*(2), ar19. https://doi.org/10.1187/cbe.23-12-0244

Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Reece, J. B. (Eds.). (2016). *Campbell*

Biology in Focus (Second edition). Pearson.

Van Meter, P., & Garner, J. (2005). The promise and practice of learner-generated drawing: Literature

review and synthesis. *Educational Psychology Review*, *17*(4), 285–325.

https://doi.org/10.1007/s10648-005-8136-3

Wiggins, G. P., & McTighe, J. (2005). *Understanding by Design*. Association for Supervision and

Curriculum Development.

Wright, L. K., Cortez, P., Franzen, M. A., & Newman, D. L. (2021). Teaching meiosis with the DNA

triangle framework: A classroom activity that changes how students think about chromosomes.

Biochemistry and Molecular Biology Education, *49*(6). https://doi.org/10.1002/bmb.21583

Wright, L. K., & Newman, D. L. (2011). An interactive modeling lesson increases students'

understanding of ploidy during meiosis. *Biochemistry and Molecular Biology Education*, *39*(5),

344–351. https://doi.org/10.1002/bmb.20523

Wright, L. K., Wrightstone, E., Trumpore, L., Steele, J., Abid, D. M., & Newman, D. L. (2022). The

DNA Landscape: Development and application of a new framework for visual communication

about DNA. *CBE—Life Sciences Education*, *21*(3), ar47. https://doi.org/10.1187/cbe.22-01-0007

1086

Figure Legends:

Figure 1. Application of the Conceptual-Reasoning-Mode framework to explain how a student might interpret an abstract representation of chromosomes. The representation of chromosomes in the top left is reproduced from item #2 in the Genetics Concept Assessment (Smith et al., 2008).

Figure 2. Percent of participants defining chromosomes based on structure, function, or shape. Overlapping regions indicate definitions that met two criteria, with the central overlap indicating a definition met criteria for chromosome structure, function, and shape. This Venn diagram uses blue color to indicate that definitions are located in the Conceptual factor of the C-R-M framework as shown in Figure 1.

Figure 3. Categorization of participants' initial sketches of chromosomes. Sketches of chromosomes are categorized by shape (X-shaped, I-shaped, side-by-side) and symbolic style (loops, lines, coils). Examples of each representation type are reproduced from participant sketches when available. From left to right, example sketches were from interviews with the participants Evelyn, Catherine, Mia, Donna, Christin, Jack and Ristan. There were no sketches for I-shaped lines or side-by-side coils. Some participants produced several different sketches in response to the interview prompt, so the sum of percentages exceeds 100%.

Figure 4. Initial sketches of X-shaped chromosomes and the associated verbal description of the sketch. Nadine, Annie, and Andi drew chromosomes with X-shaped loops. Andi and Pluto drew chromosomes with X-shaped lines. Jack and Heather drew chromosomes with X-shaped coils.

Figure 5. Participant sketches of coiled chromosomes generated during follow-up questioning. Participants' initial sketches are in the first column. The second column shows the follow-up sketches. Note that in Teresa's follow-up sketch, she modified her original drawing.

Figure 6. Initial sketches of side-by-side chromosomes and the associated verbal description of the sketch. Alex and Mia drew chromosomes with side-by-side loops, and Christin drew side-by-side lines.

Figure 7. Participant sketches of Punnett squares and associated reasoning to explain their answer to the GCA item. Participants Peggy, Leland, and Piper selected the correct answer to the GCA item. Participant G selected the incorrect answer to the GCA item.

Figure 8. Participant sketches of their answer to the GCA item and associated reasoning to explain their answer. Participants Heather, Ristan, Annie, and Christin selected the correct answer to the GCA item.

Shape

| | X-shaped | I-shaped | Side-by-side |

Sketch of X-shaped chromosome	Participant's description of sketch
	They just are like two halves that kind of fit together, and I just, that's how I see them in all my biology textbooks, they kind of have two halves together. - Nadine
	Because I know that it has like four parts. Well, your, your code, one section of the code will be on this end and one section will still be on that side. It's double. - Annie
	Why did I draw it [the chromosome on the left] that way? Um, it's simple…it's the simplest way. I mean, okay, really the simplest way to draw a chromosome's like the old school way, but it's when chromosomes are condensed. That's kind of what they look like, if we were to, like, image them [referencing the chromosome on the right]. - Andi
	I mostly drew it like that because like, when you see it in class you see all like the different ones, and the most prominent one is usually one that looks like that 'cause that's like the standard one everyone knows. - Pluto
	I thought of filling it in with like, kind of just zigzag lines to represent that it's like not just the solid shape—it's composed of like strings and coils. - Jack
	I drew it kind of like with like the squiggles instead of just straight lines to represent the condensed chromatin. - Heather

Initial sketch of chromosome	Follow-up sketches of chromosomes	Participant's description of sketches
		It's usually single when the process starts, and then it becomes an X-shape throughout the process of meiosis… I guess that's just how we've learned it, and DNA is just coiled up, so it's like this [follow-up sketch]. - Norma
		One's just how they are normally [initial sketch on left]. They kind of just exist and the other one's for when it's being replicated into daughter cells [initial sketch on right]…This is like the clusters of the DNA, big clusters [follow-up sketch on top]. Yeah, and this is also another cluster of like DNA [follow-up sketch on bottom]. - Teresa

Sketch of side-by-side chromosome	Participant's description of sketch
	I drew it with the sister chromatid with the centromere binding the two pieces together. - Alex
	I just drew it like that, because like, that's how I like I saw, like my professors drawing chromosomes and stuff. And like, I think they are explained like, you know, and like in females and males, there's like an X and a Y and or X and an X, you know, and so, something like that, but it could like probably has to do with, I don't know, like, maybe pairs or something. - Mia
	I know they have two I think they're called chromatids and they're connected in the middle, I think it was called a centromere or something like that. - Christin

Sketch of GCA answer	Participant's description of sketch
	And if we're talking about how I got there, I imagined a Punnett Square, because [the item] talks about if [the cell is] undergoing normal cell division, then in theory, there should be equal chance of getting all four types of phenotypes with, there should be two options with a capital F and two options with an uppercase Q and then two with a lowercase of each. And then they should just be matched so that there's no one of the same pair. - Peggy
	I guess the most common way to do [this] is just the Punnett Square. All different. And since it's asking for genotype and not phenotype, this would be all of it. - Leland
	If you're saying that these are just dividing normally, I was going to do a Punnett Square to find all of my variations of the genotypes...So I decided to do them separately, but then I was like, you don't have both. And since it's just to produce sperm, then I was like, 'Oh, well, I can't do that'. And I knew it was monohybrid. So I didn't attempt to do a dihybrid, even though I would never do that by hand. - Piper
	I kind of drew like a [bad] Punnett Square. I put the capital F, capital Q on one, lowercase on the other side, and I got capital F—heterozygous F, heterozygous Q, and then lowercase f capital Q, capital F lowercase q. So I think that's the closest to what I got. - G

Sketch of GCA answer	Participant's description of sketch
	Yeah, so this is kind of just one example of how it could divide. So I started kind of with how it's represented [in the item]. I kind of mixed the way it's represented on the screen and kind of my representation of more that X. And then the, the, the mitotic spindles-- Well, this, the chromosomes lineup in the center of the cell independently, and then it's the mitotic spindles that come in and pull the pull the sister chromatids apart. And then that splits into two separate cells. - Heather
	There are a host of proteins that will actually pull the combined chromosomes apart, right? So you'll initially look sort of like this. And so if it were to continue, that would be f. And this would be the capital F, which looks very similar, but I promise they're different. That's a little better. So those will be pulled apart. And then in the new daughter cell, it'll only contain the one chromosome with the F. - Ristan
	So it says it's dividing normally to produce the sperm so it would be, I would think it's one allele of one of the half of the chromosome with the other one, or with the other... Okay, so if—when these replicate, this, so this Q [top left] could go with this f [bottom right] and this F [bottom left] can go with that q [top right], but at the same time, yeah, this F [bottom left] could also go with this Q [top left] in this, this f [bottom right] could also go this q [top right], if that makes sense. - Annie
	My first thought would be, I guess that like they cross over. So I guess combining the letters. - Christin

Table 1. Research participant demographics			
	PUI	**R2**	**%**
Gender			
Man	3	3	17
Woman	8	18	74
Non-binary or gender queer	1	2	9
Year in college			
Sophomore	4	9	37
Junior	5	6	31
Senior	3	5	23
Master's or Continuing Education	0	3	9

Table 2. Interview protocol and alignment of interview prompts to visual literacy frameworks		
Interview Prompt	**C-R-M[a]**	**Bloom's Level(s)[b]**
"What is a chromosome?"	C	Knowledge
"Can you sketch a chromosome?"	C-M	Knowledge
"Why did you draw the chromosome this way?"	C-R-M	Knowledge/ Comprehension
Participant is presented with the image of chromosomes from Genetics Concept Assessment item #2. "Please explain what you think about this representation of chromosomes."	C-R-M	Comprehension
"What about this image makes this an effective representation of chromosomes?"	C-R-M	Evaluation
"Is there anything surprising or confusing about this representation of chromosomes?"	C-R-M	Evaluation
"How does your sketch of a chromosome compare to this representation? What is similar and what is different between your sketch and this image?"	C-R-M	Analysis
Participant is presented with the text from the GCA item #2. "Please talk through how you answered this question."	C-R-M	Comprehension/ Application
"Can you sketch a representation of the answer you selected?"	C-R-M	Application
Notes [a]Abbreviations: C = Conceptual; R = Reasoning; M = Mode (Schönborn & Anderson, 2009) [b]Bloom's levels classified based on the Visualization Blooming Tool (Arneson & Offerdahl, 2018)		

Table 3. Participant interpretation and responses to an item from the Genetics Concept Assessment			
	Incorrect interpretation of image	Correct interpretation of image	Total
Correct response to item with correct reasoning	3	5	8
Correct response to item with incorrect reasoning	16	2	18
Incorrect response to item	6	3	9
Total	25	10	35