Alpha and beta desynchronization during consolidation of newly learned words

*Zappa, A. [1], *León-Cabrera, P [2]., Ramos-Escobar [1], N., Laine [3], M.,

Rodriguez-Fornells, A. [1,4],François, C. [5]

1. Department of Psychology, University of Barcelona, Barcelona, Spain.

2. Department of Psychology, Universitat Internacional de Catalunya (UIC), Sant Cugat del Vallès, Barcelona, Spain.

3. Department of Psychology, Åbo Akademi University, Turku, Finland

4. Aix-Marseille University, Iméra, Marseille, F-13000, France

5. Aix-Marseille University, CNRS, LPL, Aix-en-Provence, France

* Co-first authors

** Co-senior authors

Corresponding authors:

Clément François, Laboratoire Parole et Langage, Aix-Marseille University, CNRS, UMR7309, Aix-en-Provence, France. Email: clement.francois@cnrs.fr

Antoni Rodriguez-Fornells, Department of Cognition, Development and Educational Science, University of Barcelona, Campus de Bellvitge - Pavelló de Govern, 08908 L'Hospitalet de Llobregat (Barcelona - Spain). Email: antoni.rodriguez@icrea.cat

Abstract

While a growing body of literature exists on initial word-to-meaning mapping and retrieval of fully

lexicalized words, our understanding on the consolidation that occurs between these two stages

remains limited. The current study investigated the neural correlates of retrieving newly learned

word meanings using oscillatory brain dynamics. Participants learned to associate new words with

unknown objects and performed overt and covert naming tasks during the first and last days of a

five-day training period. Behavioral results showed improved overt naming on Day 5 compared to

Day 1. Selecting only words that were successfully produced in the overt naming task, we examined

oscillatory activity associated with word retrieval while participants produced new words covertly,

both pre- (Day 1) and post (Day 5) learning. The results showed a robust alpha (8-12 Hz) and lower

beta (13-25 Hz) power decrease during covert naming after learning. We hypothesize that this

alpha-beta power decrease indexes successful word retrieval following consolidation.

1. Introduction

Associating novel verbal labels to referents is a core learning mechanism essential for language acquisition. Following initial word-referent mapping, new lexical candidates eventually become integrated into existing semantic networks, allowing us to retrieve words from memory during language comprehension and production. Several studies have shown rapid cortical changes after very little exposure to lexical items in sentential contexts (Batterink & Neville, 2011; Borovsky et al., 2010; Lemhófer et al., 2025; Mestres-Missé et al., 2007; Perfetti et al., 2005; Shtyrov et al., 2010), which is sometimes interpreted as indexing new lexical entries (Gaskell & Dumay, 2003). However, it is a matter of debate whether these words have entered learners' lexical-semantic network or whether they are temporarily associated with known concepts (for different perspectives, see Tamminen & Gaskell, 2013 or Rodriguez-Fornells et al., 2009). Indeed, it has been argued that lexicalization, or the integration of new items into a speaker's existing lexicon, only occurs after a period of consolidation (Bakker et al., 2015a; Davis & Gaskell, 2009; Kaczer et al., 2018; Korochkina et al., 2024; Hulme & Rodd, 2023; Liu & van Hell, 2020; Schimke et al., 2022; Tamminen & Gaskell, 2013 but see Mestres-Misse et al., 2007 for a different perspective). Although a growing number of studies have investigated initial word encoding and the semantic processing of fully integrated words, the semantic processes unfolding between early word-to-meaning mapping and full lexicalization are still not fully understood.

The current study targets this intermediate phase, during which lexical candidates are progressively stabilized and integrated into long-term memory via consolidation mechanisms. According to the Complementary Learning Systems (CLS) framework (Davis & Gaskell, 2009; Gore et al., 20221; Singh et al., 2022), new information is initially encoded rapidly via the hippocampal system but only becomes fully integrated into neocortical memory networks over time, typically through offline consolidation during sleep. This gradual shift allows newly learned lexical items to be accessed more efficiently during comprehension and production. By investigating the retrieval of newly learned words after a multi-day learning period, the present study seeks to illuminate the neurophysiological mechanisms that support this transition toward stable lexical-semantic integration.

A number of previous studies investigating word learning have employed electroencephalography (EEG), a method that records electrical activity from the scalp and captures both time-locked responses to stimuli, known as event-related potentials (ERPs), and ongoing oscillatory activity across different frequency bands. Much of this work has focused the N400 ERP component as a neural marker of novel word learning (Bakker et al., 2015a; Batterink & Neville, 2011; Borovsky et al., 2010; Davis & Gaskell, 2009; Dittinger et al., 2016; Elmer et al., 2022; McLaughlin et al., 2017; Mestres-Missé et al., 2007). For instance, McLaughlin et al. (2004) observed a progressive emergence of the N400 to semantically related L2 word pairs over the course of a year-long French course, reflecting growing semantic integration. Other studies have demonstrated that N400 modulations can emerge after even brief exposures, with novel word forms acquiring semantic associations through contextual learning (Borovsky et al., 2010; Mestres-Missé et al., 2007; Batterink & Neville, 2011). Word learning has also been shown to engage predictive mechanisms, whereby pictures can pre-activate associated word forms. In a recent ERP study, N400 amplitudes to predictive pictures decreased as learning progressed, highlighting the N400's sensitivity to emerging form-based associations (Elmer et al., 2022). Finally, a few studies have examined the emergence of semantic ERP effects following a period of consolidation after associative word learning (Davis & Gaskell, 2009), with mixed findings: some reported robust post-sleep semantic integration (Bakker et al., 2015a), while others failed to observe consistent effects (Takashima et al., 2019).

Importantly, the topography of the learning-related N400 varies across studies. For instance, differences in N400 spatial distribution have been associated with learning performance (Elmer et al., 2021) and cognitive control vs more automatic processing (Rodriguez-Fornells et al., 2009). The original study for which the current dataset was collected tracked changes in lexical-semantic processing across five training sessions via N400 modulations (Ramos-Escobar et al., 2021). In the first experiment, learners exhibited a frontal N400 during the initial stages of learning, which gradually decreased in amplitude and shifted to parietal sites during later stages. A second experiment teased apart learning and repetition effects by separating participants into a learning group and a non-learning control group, and replicated the initial findings in the learning group

only. The change in N400 topography was interpreted as indicating that word learning requires

both domain-general and language-specific mechanisms and involves distinguishable neural

generators, depending on the learning stage.

The current study delved deeper into the neural correlates of consolidating new lexical

items into memory. We used oscillatory brain dynamics, a decrease or increase in the power of

neural activity in different frequency bands, thought to subserve cognitive processes as measured by

EEG and magnetoencephalography (MEG), and more specifically event-related spectral

perturbation (ERSP). Importantly, whereas ERPs only show phase-locked activity, ERSP shows

both phase-locked and non-phase locked activity (Pfurtscheller & Silva, 1999, for a review see

Hobson & Bishop, 2016) and could shed light on how lexical items are retrieved from memory

during the early phases of word learning. A number of studies have examined word learning using

brain oscillations and resting-state measures. Both Prat and colleagues (2016, 2019) and Huang and

colleagues (2022, 2023) reported that individual differences in resting-state alpha and beta

oscillations predicted success in artificial language learning. Küssner and colleagues (2016) also

found that resting-state beta power predicted performance in a foreign vocabulary learning task.

Kliesch et al. (2021, 2022) and Elmer et al. (2023) further explored the role of frequency-specific

oscillatory dynamics and connectivity patterns in supporting word learning and memory

consolidation. As a whole, these studies suggest that oscillatory activity during both resting state

and learning tasks can provide valuable insights into neurocognitive readiness and plasticity during

language acquisition. While the ERP and oscillation-based studies described above have been

instrumental in identifying early neural markers of learning, our study shifts the focus to the

outcomes of learning by investigating how newly formed word–referent associations are accessed

during retrieval as understood in the prediction coding framework.

A growing body of literature relates alpha (8-12 Hz) and beta (13-25 Hz) power decreases

to the encoding and retrieval of semantic representations (Branzi et al., 2023; Gastaldon et al., 2020;

Griffiths et al., 2019; Hanslmayr et al., 2009, 2012; Khader & Rösler, 2011; Klimesch et al., 1999;

León-Cabrera et al., 2022; Piai et al., 2014, 2015; Piai & Zheng, 2019). The magnitude of alpha and

beta desynchronization has been shown to correlate with the amount of information retrieved from

memory (Khader & Rösler, 2011) and is associated with greater semantic encoding and elaboration

(Hanslmayr et al., 2009; Klimesch et al., 1999). This has brought about a comprehensive

interpretation of alpha-beta desynchronization as reflecting the richness of the information

represented in the system during semantic encoding and retrieval (Hanslmayr, Staudilg & Fellner,

2012; Griffiths et al., 2019). Within the framework of predictive language processing,

desynchronization in these bands precedes contextually predictable words (Gastaldon et al., 2020;

Momsen & Abel, 2022; Piai et al., 2014, 2015; Piai & Zheng; Wang, Hagoort, & Jensen, 2018).

Indeed, recent studies in language comprehension have linked alpha and beta power decreases to

the pre-activation (or, put differently, the anticipated retrieval) of the lexical-semantic features of

final words in strongly constraining sentences, compared to weakly constraining ones (León-

Cabrera et al., 2022; Li et al., 2017; Rommers et al., 2017; Terporten et al., 2019; Wang, Hagoort &

Jensen, 2018). This pattern of oscillatory activity has been noted in both written and spoken

language comprehension studies (León-Cabrera et al., 2022) and both for comprehension and

production (Gastaldon et al., 2020). In short, alpha and beta decreases are widely interpreted as

markers of semantic memory retrieval (Hanslmayr et al., 2012; Klimesch, 1999), including lexical-

semantic retrieval (Branzi et al., 2023; Piai et al., 2015; Piai & Zheng, 2019; Hubbard & Federmeier,

2004). However, inconsistencies remain as to whether beta (Bakker et al., 2015b; Bastiaansen et al.,

2005; Momsen et al., 2002), alpha (León-Cabrera et al., 2022; Strauß et al., 2014; Lago et al., 2023)

or both frequency bands (Gastaldon et al., 2020; Hustá et al., 2021; Klimesch et al., 2001; Momsen

& Abel, 2022; Piai et al., 2015) underlie these semantic-related processes. During the task used in

this study, participants viewed pictures and were asked to name them covertly. We were particularly

interested in the neural signature of the word retrieval process elicited by picture viewing.

Although the present study centers on alpha and beta band activity, previous studies have

also implicated theta oscillations (4 -7 Hz) in the encoding and retrieval of verbal information.

Increases in theta power have been linked to successful memory formation (Klimesch et al., 1996;

Caplan & Glaholt, 2007; Hanslmayr et al., 2009; Osipova et al., 2006) and interpreted as reflecting

hippocampo-cortical interactions that support the integration of new lexical items (Klimesch, 1999;

for a review see Nyhus & Curran, 2010). Theta synchronization is often associated with the

encoding of novel information, particularly in tasks requiring active learning or contextual

integration (Zion-Golumbic et al., 2010; Momsen & Abel, 2022), though its role during post-

consolidation word retrieval remains less well understood.

Only one previous oscillatory study examined the lexicalization of newly learned words

post-consolidation using a word-learning task. Bakker and colleagues (2015b) taught participants

novel words based on their native language and tested them during three different stages of

lexicalization: before (untrained new words), right after training (recently learned new words), and

24 hours after training (new words trained one day before). Interestingly, decreased lower beta band

power (16-21 Hz) and increased theta power (4-8 Hz) was induced for new words trained one day

before when compared to untrained or recently learned new words. However, this consolidation

effect was less clear or non-existent for upper beta (21-28 Hz) and alpha oscillatory bands. Indeed,

recently learned words showed a decrease in power in the upper beta band, similar to new words

trained one day before, raising doubts about the exact role of beta oscillatory activity in the

consolidation of newly learned words. Although they tried to avoid motor artifacts by making it

unpredictable whether participants had to answer or not, their task required a motor response and

may have elicited confounding preparatory beta motor effects (Alegre et al., 2004). Importantly for

the present study, Bakker-Marshall et al. (2018) followed up on the previous EEG study using

MEG recordings and failed to observe a decrease in power in beta associated with new word

consolidation. The authors noted the need to further investigate the intriguing role of beta power as

an index of new word consolidation. More recently, Momsen and Abel (2022) used a contextual

learning paradigm that allowed to build up the meaning of new words from context progressively

(based on Mestres-Missé et al., 2007). They observed a decrease in alpha (8-12 Hz) and beta power

(14-20 Hz) preceding the last presentation of the new word, which they interpreted as reflecting

successful identification of the meaning of this word. These findings align in a compelling way with

the abovementioned studies linking alpha and beta desynchronization prior to the pre-activation of

contextually predictable words (León-Cabrera et al., 2022; Rommers et al., 2017; Wang et al., 2017;

Terporten et al., 2019; Li et al., 2017), most probably associated with retrieving lexical and/or

semantic features in highly constrained contexts (León-Cabrera et al., 2022; Gastaldon et al., 2020; Hustá et al., 2021; Klimesch et al., 2001; Momsen & Abel, 2022; Piai et al., 2015).

To gain a further understanding of the neurophysiological mechanisms of new word retrieval after learning, we used a covert naming task that aimed to isolate language-related alpha-beta desynchronization from motor-related effects often associated with overt articulation (Pfurtscheller & Lopes da Silva, 1999; Alegre et al., 2004; Piai et al., 2020), allowing a clearer interpretation of oscillatory activity as reflecting word retrieval. We performed analyses on the word-learning dataset collected on the first and fifth day of the study described above (Ramos-Escobar et al., 2021; see Fig. 1 for the task design). Word learning was measured pre- and post-training by covert naming (Figure 1), a form of internal word production that requires word-form retrieval from corresponding semantic representations (Dell & O'Seaghdha, 1992; Schmitt et al., 2000; Levelt, 1989; Rodriguez-Fornells et al., 2002; Piai & Zheng, 2019; Schriefers et al., 1990). Based on the previous literature cited above, we hypothesized that if novel word forms had been integrated into learners' lexicon on Day 5, this would be indexed by a decrease in alpha and beta power during covert naming as compared to Day 1 (pre-training) due to participants having fully or partially created associations between new object representations and potential new words.

2. Methods

2.1. Participants

A total of 25 healthy volunteers (13 females, mean age: 22 ± 3.19 years) participated in the study. The data of three participants was lost due to technical problems during the covert naming task. In addition, since we were interested in tracking learning-related changes, we only kept the trials of items that were successfully learned by the participant (i.e., correctly named in the last overt naming task of Day 5), excluding those that were already learned on Day 1 (i.e., correctly named in the last overt naming task of Day 1) and thus not expected to undergo learning-related changes. Three participants were excluded because they had less than 35 correct trials available that fulfilled this criteria for analysis on Day 1 or Day 5. Therefore, 19 participants were included in the final data analyses (10 females, mean age = 21.8 ± 3.2 years).

Participants were all Spanish-Catalan bilinguals, except two Spanish monolinguals. They all had

normal or corrected-to-normal vision, reported no history of neurological deficits, and were right-

handed. Participants were briefed on the study procedure, provided written informed consent, and

received a compensation of 60€ for their participation in the 5-day training sessions. The study

received approval from the local ethics committee.

2.2. Procedure

The study consisted of five consecutive daily training sessions. On the first and last days,

participants were first exposed to novel objects and new words during a pre-exposure task.

Following this, they performed a learning task and an overt-naming task in the middle of learning.

They then performed a covert-naming task, an overt-naming task, and a 2-alternative forced-choice

(2-AFC) new word object matching task. On the second, third, and fourth days, participants

engaged in the learning phase and the 2-AFC task. EEG data were recorded on Day 1 and Day 5

(**Figure 1**).

Before beginning the training sessions on the first day, participants completed a Language History

Questionnaire (Bilingualism and Language Switching, Rodríguez-Fornells et al., 2012) and two tasks

related to cognitive control and working memory: semantic and phonological fluency tasks (animal

fluency and words starting with the letter 'p') and the WAIS-III Digit Span (mean score of forward

and backward auditory span; see the original study for more details, Ramos-Escobar et al., 2021).

248
249 **Figure 1.** Adapted from the original study from Ramos-Escobar and colleagues (2021). Task design for the four
250 different tasks used in the original study. B shows the the Overt naming task, from which we used the results to
251 select the items that participants correctly named in our Covert naming analysis. Highlighted and framed in red is the
252 Covert Naming task we focused on in the current study.
253

2.3. Stimuli and Task

A set of 139 unfamiliar black-and-white images depicting farming-related artifacts was
selected from the Ancient Farming Equipment (AFE) word-learning paradigm (Laine & Salmelin,
2010). Twenty students from the University of Barcelona who did not participate in the present
study rated these objects for familiarity (on a scale from 0, 'totally unfamiliar,' to 5, 'very familiar',
mean rating: 2.58; SD: 0.61). Based on these ratings, the 120 least familiar objects were selected. A
corresponding set of 120 tri-syllabic new words were created using the B-Pal software (Davis and
Perea, 2005). These new words were phonotactically legal in Spanish and followed six different
Consonant-Vowel (CV) structures (CVCVCV, VCVCVC, VCVCV, VCCVCV, CVCVCCV, and
VCVCCV). They were presented visually.

Pre-exposure phase. Participants first completed a pre-exposure phase. In this stage, 120 novel objects
were shown randomly for 2 seconds each. Additionally, five familiar objects from the AFE
paradigm (those with the highest familiarity scores) were included. Participants were instructed to
press a button when these target objects appeared to maintain a constant level of attention during
this phase. This familiarization task (not reported here) was designed to examine brain responses to

novel stimuli (both new words and images) when participants were instructed to observe rather

than explicitly learn them. It was also intended to mitigate novelty-related ERP effects during the

learning phase for the original study.

Learning phase. The 120 object-new word pairs were presented randomly in a blocked design.

Participants were instructed to pay attention to object-new word associations and learn as many as

possible. During learning trials, participants saw a novel object on the screen for 2 seconds. For the

first second, the object appeared alone, and during the last second, the associated new word was

displayed above it (**Figure 1A**). The initial part of the learning phase comprised 480 trials divided

into four blocks, followed by a second part (after the overt naming task) of 240 trials organized into

two blocks. To minimize fatigue, a short break was provided after every 30 trials.

Overt-naming task. This task was used to assess learning, testing learners' ability to produce recently

learned new words. Overt naming engages retrieval processes (Costa et al., 2009; Laine & Martin

2023), which facilitate learning when retrieval is suitably difficult (Agarwal et al., 2012; Pyc &

Rawson, 2009; Roediger & Butler, 2011). 120 objects were displayed on the screen for 3 seconds,

and participants were instructed to name the new word associated with the object overtly (**Figure

1B**). Feedback was not provided between trials. Eight randomized sequences of the images were

created, with their presentation counterbalanced across sessions and participants to control for

order effects. Behavioural responses were digitally recorded. Objects named without syllable or

phoneme errors were considered correct. No mispronunciations were made as the new words

respected the phonotactic rules of Spanish. However, when participants failed to pronounce a

syllable or phoneme, the overt naming was considered incorrect. Participants completed two overt

naming tasks on each day (Day 1 and Day 5). Only the behavioural (and not the EEG) results of

the last overt naming task of each day are included in the current study.

Covert-naming task. The current study focused on this task, which was introduced before the last

overt naming task. It was designed to induce active retrieval processes while recording EEG activity

without the muscular artifacts that can occur during overt naming (Strijkers et al., 2011). As

mentioned above, inducing retrieval under demanding conditions is also believed to facilitate

learning, which was our second aim. Participants saw the 120 objects on the screen for 3 seconds

and were instructed to think about the new word without overtly naming it (**Figure 1C**). A red

square appeared around the object in 10% of the trials to maintain participants' attention during the

task. During these trials, participants were asked to name that object overtly. To avoid list effects,

five randomized lists were created (one list for each time the task was administered) and

counterbalanced across sessions and participants.

2.4. Behavioral data analysis

All responses in the overt naming tasks were transcribed and categorized as either correct or

incorrect. Responses were only considered correct if the participant uttered exactly the same name.

We computed the percentage of correct responses in the last overt naming task of Day 1 and Day 5

for every participant and subjected them to a dependent-samples t-test to assess differences in

performance before and after the learning protocol.

2.5. EEG data acquisition and analyses

The EEG signal was recorded with tin electrodes mounted in an electrocap (Electro-Cap

International) arranged in 29 standard positions (FP1/2, F3/4, C3/4, P3/4, F7/8, T3/4, T5/6, Fz,

Cz, Pz, FC1/2, FC5/6, CP1/2, CP5/6, PO1/2, Oz) and using a BrainAmp amplifier (BrainVision

acquisition software, Brain Products) with a sampling rate of 250 Hz. All electrode impedances

were checked and kept below 5 kΩ during the recording session. The input signal was filtered with

a high-pass filter at 0.01 Hz and a notch filter at 50 Hz to attenuate power line noise. The electrode

in the FCz position served as the ground, an external electrode placed at the lateral outer canthus of

the right eye was used as the online reference, and an electrode located in the infraorbital ridge of

the right eye served to monitor vertical eye movements.

We analyzed the electrophysiological data recorded during the covert naming task on Day 1 and

Day 5. The data were analyzed using the Fieldtrip toolbox version 20230108 (Oostenveld et al.,

2011) running under MATLAB version 9.11 (R2021B). EEG data were re-referenced off-line to

mean activity at the two mastoidal electrodes. For each participant and covert naming session (Day

1 and Day 5), the continuous EEG data were segmented into epochs of 3.1 s, encompassing 1.1 s

before and 2 s after picture onset. The 10% of trials in the task where the participant had to name

the object overtly were excluded from further analysis. Then, we performed artifact detection and

rejection. First, we excluded epochs with voltage amplitudes ±100 microvolts in any electrode

within the -0.1 to 1 s interval (time-locked picture onset). Additionally, any remaining epochs with

artifacts (eye blinks, eye movements, electrode drifting, or muscle activity) were rejected through

visual inspection. After artifact rejection, there were no statistically significant differences between

the average number of trials on Day 1 (mean = 87.1 trials, SD = 10.4 trials) and Day 5 (mean =

87.8 trials, SD = 12.8 trials) [$t(1,21) = -.263, p = .795$].

As a result, and after applying the exclusion criteria (see the section on Participants above), the final

sample (N = 19) had an average of 57 valid trials available per participant and session, i.e., on Day 1

or Day 5 (SD = 13.9 trials; min = 35 trials, max = 91 trials). There were no statistical differences in

the number of available trials on Day 1 (mean = 56.7 trials; SD = 13.4 trials) and Day 5 (mean =

57.3 trials; SD = 14.7 trials) [$t(1,18) = -.308, p = .761$].

2.6. Time-frequency analyses

For every participant and session (Day 1 and Day 5), we computed the time-locked event-related

potential and subtracted it from every trial-level time-locked data to keep only induced activity

(Kalcher & Pfurtscheller, 1995; Rommers & Federmeier, 2017). Time-resolved power was

computed by applying a Hanning taper with fixed length of 300 ms. This taper provided a spectral

resolution of 3 Hz and temporal resolution of 300 ms, which was considered a good time-

frequency trade-off to include a sufficient number of cycles considering the frequency bands of

main interest (alpha/beta; alpha from 8-12 Hz and beta from 13-25 Hz approximately) and the

probable onset and duration of the word retrieval processes (at or above 300 ms) that were at focus

in the current study. Specifically, since we lacked an objective measure of naming onset, the

expected time course of word retrieval was based on estimates suggesting that articulation for

known objects can begin around 600 ms, and therefore word retrieval processes (i.e., conceptual

preparation, lexical and phonological retrieval) are achieved within 200-600 ms post-picture onset

(i.e., 400 ms average duration) (Indefrey, 2014). Accordingly, the taper was applied from 1 to 40 Hz

in steps of 20 ms in the -1.1 to 2 s time-window, time-locked to the onset of the picture. The 1-

second interval at the onset (-1 to -0.1 s) and offset (1 to 2 s) of the selected epoch served as a

buffer to prevent edge artifacts. Frequencies below and above the alpha/beta band (from 1-7 Hz

and above 25 Hz) were also decomposed to perform a data-driven, blind analysis, as described

below.

For statistical analyses, the grand-averaged time-frequency data was baseline corrected to the 100

ms pre-stimulus period, and a cluster-based permutation analysis was applied on the -0.1 to 1-

second interval time-locked to picture onset, including all electrodes and frequencies from 2 to 35

Hz. In brief, this statistical test identifies adjacent time points, electrodes and frequencies with

similar differences between experimental conditions while successfully controlling for the family-

wise error rate (FWER) (Maris & Oostenweld, 2007). Specifically, every sample (frequency x time x

channel) was compared between the two sessions (Day 1 and Day 5) using a paired-sample-statistic.

All samples that exceeded the t-value threshold of $\pm$ 2.10 (for an alpha level of 0.05 with 18 degrees

of freedom) were selected and clustered on the basis of spectral, temporal and spatial adjacency.

The t-values within every cluster were summed and the maximum cluster-level sum was used to

compute the permutation p-value through the Monte Carlo method involving 5000 random

permutations. Only effects with a permutation p-value below 5% (two-tailed testing) were

considered significant.

3. Results

3.1. Behavioral results

For the overt naming task, we computed the percentage of correct responses for Day 1 and Day 5

and compared their means with a dependent samples t-test. There was a clear learning effect with

participants increasing their number of correct responses between Day 1 (mean = 13.6%; SD =

11.3) and Day 5 (mean = 76.9%; SD = 18.9; t(1,18) = -18.6, p < .001, see **Figure 2**).

Performance in the overt naming task

Figure 2. Violin plots of the performance (percentage of correct responses, y-axis) in the overt naming task on Day 1
and Day 5 (x-axis). The black dots represent individual participants and the lines connect data points from the same
participant in each session. The blue diamond-shaped symbol indicates the group mean performance.

3.2. Time-frequency results

Figure 3 shows the grand-averaged time-frequency maps of the covert naming task in each session

(Day 1 and Day 5). As can be seen, picture presentation induced a long-lasting power decrease

(strong desynchronization) of alpha (8-12 Hz) and lower beta (18-25 Hz) power after 150-200 ms

on both days. This effect was predominant over posterior and occipital electrodes. In addition,

there was a broadly distributed power increase in the theta band (4-8 Hz) approximately from 50-

150 ms after picture presentation on both days.

Critically, the power decrease in the alpha and beta bands was more pronounced on Day 5 than on

Day 1, suggesting that desynchronization in these frequency bands may reflect cognitive processes

associated with the retrieval of the learnt new words. Accordingly, results of the cluster-based

permutation test revealed one statistically significant negative cluster (p < .001), indicating a more

pronounced power decrease on Day 5 compared to Day 1 (**Figure 4A**). The cluster mainly

encompassed the alpha and lower beta bands and was most prominent at posterior and occipital

sites within an interval ranging from about 150 ms to 1 second after picture presentation, although

it also encompassed central and frontal electrodes (**Figure 4B**). In turn, the power changes in the

theta band were not statistically significant between sessions.

Importantly, for each participant, we only kept the trials of words that were not learnt by Day 1 but

that were eventually learnt on Day 5 (the learning status was evaluated through the performance in

an overt naming task, see **Figure 2**). Therefore, it is likely that any difference between sessions

reflects learning-related activity. Noteworthily, we performed an exploratory analysis on a smaller

set of participants using incorrect trials. This additional analysis replicated the pattern of results and

relevantly showed no evidence of reduced alpha-beta power on Day 5 on incorrect trials (i.e., items

that were not produced or were incorrectly produced in the overt naming task; see **Supplementary**

Materials). However, these results should be interpreted with caution given the small number of

participants and trials involved in the analysis.

Figure 3. Grand-averaged time-frequency plots showing the oscillatory activity in the covert naming task of Day 1
and Day 5 (in dB) relative to baseline (-0.1 to 0 s time-locked to picture presentation) for frontal (F3, Fz, F4), central
(C3, Cz, C4), posterior (P3, Pz, P4), and posterior-occipital (PO1, Oz, PO2) electrode positions. All plots encompass
the frequency range from 0 to 35 Hz (y-axis) and the temporal interval from -0.1 to 1 second (x-axis) time-locked to
picture onset. Picture onset is indicated by white vertical lines at 0 s.

Figure 4. A) Grand-averaged time-frequency plots showing learning-related power changes (Day 5 minus Day 1) (in
dB) relative to baseline (-0.1 to 0 ms time-locked to picture presentation). The statistically significant cluster is
outlined in white. B) Raster plot of the time course of the significant cluster in the 8-25 Hz frequency range across all
electrodes in the interval from 0 to 1 second after picture presentation.

The finding of a single significant cluster supports an interpretation of concurrent alpha-beta

desynchronization as a unitary phenomenon in this study. However, power decreases in these two

frequency bands has also been associated with independent cognitive processes in the sensorimotor

domain. For example, posterior-occipital power decreases in the alpha (but not in the beta) band

have been associated with anticipatory attention (Foxe et al., 1998). Also, while both frequency

bands support movement, they show spatial and functional dissociations (Brinkman et al., 2016;

Stolk et al., 2019). Of special interest is the robust involvement of the beta band in motor-related

processing (e.g., Salmelin & Sams, 2002), which is often a confound in production studies that seek

to disassociate motor-related activity from semantic and lexical processing. Thus, to gain a deeper

understanding of the cognitive processes involved in this task, we also inspected the spatial and

temporal dynamics of these two frequency bands separately. **Figure 5** shows the evolution of the

topographical distribution of mean power changes (Day 5 minus Day 1) at picture onset for the

alpha and beta range individually. From 200 ms after picture onset, both frequency bands exhibited

relatively enduring power decreases at parieto-occipital electrodes with a similar time-course

(**Figure 6**). In addition, in the alpha band (8-12 Hz), right frontal electrodes exhibited a power

decrease approximately from 400 to 1000 ms after picture onset. In turn, in the beta band (18-25

Hz), power desynchronized at left frontal sites from 200 ms to 1000 ms. Therefore, each frequency

band might have contributed distinctly to the frontal effects captured by the cluster.

Figure 5. Topographical maps of the mean power changes (Day 5 minus Day 1; in dB) for the alpha (8-12 Hz) (top)
and beta range (18-25 Hz) (bottom) in the 0 to 1 second interval time-locked to picture onset, in steps of 100 ms. In
every time interval, asterisks mark the electrodes that were part of the s significant cluster which encompassed both
frequency bands.

Figure 6. Time course of learning-related power changes in the alpha (8-12 Hz) (right) and lower beta (18-25 Hz)
(left) bands for Day 1 (discontinuous lines) and Day 5 (continuous lines) at posterior-occipital electrodes (average of
activity at Pz, P3, P4, PO1, PO2 and Oz electrodes).

4. Discussion

The current study explored the oscillatory activity in alpha and beta bands as participants retrieved

newly learned words after consolidation. Previous studies provided conflicting results regarding the

role of these frequency bands in new word learning (Bakker et al., 2015b; Bakker-Marshal et al.,

2018; Momsen et al., 2022). Here, participants were taught to associate new words with unknown

objects and asked to overtly and covertly name visually presented items during the first and last day

of a five-day training experiment. We analyzed oscillatory brain activity related to retrieving new

words focusing on alpha (8-12 Hz) and beta (13-25 Hz) band desynchronization while participants

saw images and covertly retrieved new words, pre and post consolidation. We compared cortical

oscillatory activity during covert naming at the first and fifth learning sessions, observing a robust

concurrent alpha (8-12 Hz) and lower beta (18-25 Hz) power decrease 200-1000 ms post picture

presentation. For both the alpha and beta frequency ranges, the effect was distributed over the

parieto-occipital sites. When inspecting each frequency band separately, the power decrease in the

alpha band encompassed left frontal electrodes from 400 to 1000 ms and the lower beta band (18-

25 Hz) showed decreases in left frontal sites from 200 ms to 1000 ms.

One challenge in previous studies examining cortical oscillations during the retrieval of

newly learned words is the potential confound introduced by motor responses (Bakker et al.,

2015b). Alpha-beta desynchronization, while often linked to semantic processing, can also reflect

visual processes (Hanslmayr et al., 2011) and cortical-subcortical motor activity (Neuper et al., 2006;

Pfurtscheller & Lopes da Silva, 1999). Notably, in tasks requiring language articulation, alpha-beta

desynchronization has been localized in the motor and premotor cortex and the left inferior frontal

gyrus pre-speech, associated with verbal motor planning, even in the absence of semantic

processing (Herman et al., 2013; Jenson et al., 2014). In the current study, we used a covert naming

task that minimized overt motor activity, reducing the likelihood of motor-related confounds

(Alegre et al., 2004; Pfurtscheller & Lopes da Silva, 1999). As such, we interpret the observed alpha

and beta desynchronization as primarily reflecting word retrieval as opposed to motor activation or

preparation (Hanslmayr et al., 2009). Nonetheless, we acknowledge that even covert naming may

involve some degree of motor simulation or internal articulation.

To distinguish motor from language-related contributions of beta desynchronization,

Scaltritti et al. (2020) compared silent reading and copy-typing tasks using emotionally valenced

words. While motor-related beta desynchronization was specific to typing, both tasks elicited an

earlier beta desynchronization linked to language processing. Similarly, Piai et al. (2020) used MEG

to differentiate lexical-semantic retrieval from motor processes in tasks involving picture naming

and conceptual judgment. For picture naming, beta desynchronization was localized to left

temporal and ventral premotor areas, implicating lexical retrieval and verbal motor planning. By contrast, the judgment task elicited beta desynchronization in left posterior temporal and inferior parietal areas, alongside right motor cortex activation, associated with conceptual processing and manual response preparation. Another MEG study by Gastaldon et al. (2020) examined alpha-beta desynchronization during language comprehension and production in high- and low-constraint contexts. In comprehension tasks, highly constraining sentences elicited alpha-beta desynchronization in left lateralized language production areas, suggesting overlap between comprehension and production mechanisms. This activity also appeared over right posterior temporo-parietal regions, linked to internal modeling and contextual updating. Across these tasks, alpha-beta desynchronization indexed rich linguistic information encoding and retrieval, with its spatial distribution varying by task demands -whether lexical retrieval, language production, or motor preparation. Our findings show alpha and beta desynchronization in right frontal, left frontal and mainly parieto-occipital electrodes. Although EEG does not allow for specific localization claims, this does suggest that these effects did not occur in motor-related areas (i.e., ventral premotor areas as in Piai et al. 2020). This highlights the utility of alpha-beta desynchronization as a marker of language processing, distinct from motor contributions, and advances our understanding of the neurophysiological correlates of lexical-semantic retrieval.

As outlined in the introduction, alpha and beta desynchronization has been linked to the encoding and retrieval of semantic information, with greater power decreases reflecting richer or more elaborated lexical-semantic representations (Branzi et al., 2023; Gastaldon et al., 2020; Griffiths et al., 2019; Hanslmayr et al., 2009, 2012; Khader & Rösler, 2011; Klimesch et al., 1999; León-Cabrera et al., 2022; Piai et al., 2014, 2015; Piai & Zheng, 2019). Our results align particularly well with comprehension studies reporting alpha and beta power decreases over left frontal (Gastaldon et al., 2020; Wang et al., 2017; Rommers et al., 2017; León-Cabrera et al., 2022) and parieto-occipital electrodes (Rommers et al., 2017; León-Cabrera et al., 2022). Similarly, the alpha-beta desynchronization observed in this study might reflect lexical-semantic retrieval of newly learnt words that have been integrated into semantic memory after consolidation. This interpretation could also account for recent findings in other word learning studies linking alpha and/or beta to

word learning (Bakker et al., 2015b; Momsel & Abel, 2022; but see Bakker-Marshal et al., 2018 for discrepant results). Although not directly related to word-learning, alpha power decreases have also been observed in a lexical decision task for real words versus ambiguous new words and for ambiguous new words versus full new words (Strauß et al., 2014).

Many previous studies investigating the neural correlates of retrieving newly learned novel words through oscillations have relied on lexical competition or semantic priming to measure word acquisition (Bakker et al., 2015b; Batterink & Neville, 2011; Havas et al., 2017; Hawkins & Rastle, 2016; Kaczer et al., 2018; Liu & van Hell, 2020; Tamminen & Gaskell, 2013). However, semantic priming does not necessarily indicate full lexicalization (see Korochkina et al. 2024 for a detailed discussion). In contrast, our study required participants to produce learned words overtly, and only those that could be explicitly recalled were included in the time-frequency analysis of covert naming. We believe this approach offers a more robust measure of novel word lexicalization, allowing for a clearer interpretation of the processes reflected in our time-frequency results. Similarly, in a recent study that used an incidental learning task, new words were learned through a dialogue-like situation and the final production of the new word was used as a potential measure of fast lexicalization (Lemhöfer et al., 2025).

Furthermore, a key distinction between our study and previous oscillatory ones (Bakker et al., 2015b; Momsen & Able, 2022) is our use of explicit word-to-referent associations to link new words to *unknown* objects – a task considered more demanding than associating novel words with familiar items or definitions (see Laine & Salmelin, 2010). In relation to this paradigm, it has recently been shown that learners tend to automatically assign meaning to unfamiliar referents quite rapidly after initial exposure (Laine et al., *in press*). Nonetheless, overnight consolidation likely plays an important role in processing information involving completely novel objects, as they cannot be readily associated with pre-existing familiar object representations (James et al., 2017; Schimke et al., 2021). Indeed, in a previous study, the pairing of new words to unfamiliar objects showed less beneficial sleep consolidation effects than when new words were associated with familiar objects (Havas et al., 2018). Thus, the capacity to use existing knowledge schemas to encode new representations might enhance the potential consolidation of the new traces. In the present study,

new associative links are needed to be established between the new lexical candidate and the new

unfamiliar object, as well as potential associations between this new object with already existing

semantic information and other words in lexical-semantical networks (e.g., *"this new object resembles a*

tool I know") (Laine et al., *in press*). It is reasonable to conclude that during word learning, learners

access and retrieve newly formed and progressively consolidated lexical-semantic representations

that facilitate optimal information processing. This is in line with the CLS model (Davis & Gaskell,

2009), whereby new word representations become stabilized and integrated into existing networks

during sleep (Gilboa & Moscovitch, 2021). Therefore, in our study, the observed alpha-beta

desynchronization during the retrieval of newly learned words likely reflects the successful

consolidation of these words.

Finally, several limitations must be considered. Firstly, the experimental design did not enable

a comparison between learned and unlearnt items, which would have served as an optimal control

for the contribution of stimulus repetition in the observed effects. Of note, we replicated the same

pattern of alpha-beta power desynchronization while at least partially controlling for stimulus

repetition effects (see **Supplementary Materials**). However, to appropriately control for this

confound, future studies on covert naming could incorporate a within-subject manipulation that

includes items that cannot be learned (i.e., random associations) (Elmer et al., 2021, 2022).

Secondly, we lacked an objective estimate of the onset of word retrieval processes in the covert

naming task. Instead, we based the decision to analyze the 1-second interval post-picture onset on

the time course of word production stages, whereby conceptual preparation occurs approximately

at 200 ms, followed by word retrieval processes that lead to articulation at 600 to 1200 ms post-

picture onset (Indefrey, 2011). However, articulation times are highly variable depending on the

nature of the task. Future studies could collect mean reaction times during the overt naming task to

pinpoint the onset of covert naming processes.

To conclude, our study highlights the oscillatory patterns associated with the successful

integration of newly learned words into existing lexical-semantic networks through learning. We

hypothesize that our findings showing a pattern of alpha-beta desynchronization during the covert

naming of learned words reflects retrieval after successful consolidation. This evidence aligns with

previous research linking alpha and beta activity to lexical-semantic retrieval in different tasks. Our

study also paves the way for future investigation into the neural correlates of word retrieval across

different phases of language learning. Although we focused on new word retrieval during the first

and fifth day of training, future studies could benefit from measuring retrieval over several days and

weeks post-training, to better elucidate the time course of lexicalization.

Acknowledgements
We thank all the participants for their engagement in the present study. We also thank two anonymous reviewers for their constructive comments on a previous version of the manuscript. This work was supported and co-funded by the BrainTrain Research Center of Excellence at the Åbo Akademi University (2015-2018, grant to M.L.) and the Ministerio de Economía, Industria y Competitividad, through the project PSI2015-69132-P to C.F. and the project PGC2018-099859-B-I00 to A.R.F. Moreover, M.L. was supported by funds from the Academy of Finland (Grants No. 260276 and 323251). P.L.C. was funded by a Margarita Salas postdoctoral grant (Ministerio de Universidades, Spain). A.Z. was funded by the European Union's H2021-MSCA-IF-2021 (project BraSILL No. 101062671). ARF has been suported by the FIAS fellowship Program, co-funded by the European Commission, Marie-Skłodowska-Curie Actions - COFUND Program (Grant #945408). Finally, this work, carried out within the Institute of Convergence ILCB, was supported by grants from France 2030 (ANR-16-CONV-0002) and the Excellence Initiative of Aix-Marseille University (A*MIDEX)

Authors contribution
NRE, CF, ML, and ARF planned the study. NRE performed the EEG measurements. PLC analyzed the data and performed the statistical analyses. AZ, PLC, CF, ML, and ARF contributed to the interpretation of the data and wrote the manuscript.

Data and code availability statement
The anonymized data and Matlab scripts necessary to reproduce the analyses presented here are available on the OSF platform (https://osf.io/jzwb2). The materials necessary to attempt to replicate the findings presented here are not publicly accessible but are available from the corresponding author upon request.

References
Agarwal, P. K., Bain, P. M., & Chamberlain, R. W. (2012). The value of applied research: Retrieval practice improves classroom learning and recommendations from a teacher, a principal, and a scientist. *Educational Psychology Review*, *24*(3), 437–448. https://doi.org/10.1007/s10648-012-9210-2

Alegre, M., de Gurtubay, I. G., Labarga, A., Iriarte, J., Malanda, A., & Artieda, J. (2004). Alpha and beta oscillatory activity during a sequence of two movements. *Clinical Neurophysiology*, *115*(1), 124–130. https://doi.org/10.1016/S1388-2457(03)00311-0

Bakker, I., Takashima, A., Hell, J. G. van, Janzen, G., & McQueen, J. M. (2015a). Tracking lexical consolidation with ERPs: Lexical and semantic-priming effects on N400 and LPC responses to newly-learned words. *Neuropsychologia*, 79, 33-41. https://doi.org/10.1016/j.neuropsychologia.2015.10.020

Bakker, I., Takashima, A., van Hell, J. G., Janzen, G., & McQueen, J. M. (2015b). Changes in theta and beta oscillations as signatures of novel word consolidation. *Journal of Cognitive Neuroscience*, 27(7), 1286–1297. https://doi.org/10.1162/jocn_a_00801

Bakker-Marshall, I., Takashima, A., Schoffelen, J.-M., van Hell, J. G., Janzen, G., & McQueen, J. M. (2018). Theta-band Oscillations in the Middle Temporal Gyrus Reflect Novel Word Consolidation. *Journal of Cognitive Neuroscience*, *30*(5), 621–633. https://doi.org/10.1162/jocn_a_01240

Bastiaansen, M. C. M., van der Linden, M., Ter Keurs, M., Dijkstra, T., & Hagoort, P. (2005). Theta responses are involved in lexical-semantic retrieval during language processing. *Journal of Cognitive Neuroscience*, *17*(3), 530–541. https://doi.org/10.1162/0898929053279469

Batterink, L., & Neville, H. (2011). Implicit and explicit mechanisms of word learning in a narrative context: An event-related potential study. *Journal of Cognitive Neuroscience*, *23*(11), 3181–3196. https://doi.org/10.1162/jocn_a_00013

Borovsky, A., Kutas, M., & Elman, J. (2010). Learning to use words: Event-related potentials index single-shot contextual word learning. *Cognition*, *116*(2), 289–296. https://doi.org/10.1016/j.cognition.2010.05.004

Branzi, F. M., Martin, C. D., & Biau, E. (2023). Activating words without language: Beta and theta oscillations reflect lexical access and control processes during verbal and non-verbal object recognition tasks. *Cerebral Cortex*, *33*(10), 6228–6240. https://doi.org/10.1093/cercor/bhac499

Brinkman, L., Stolk, A., Marshall, T. R., Esterer, S., Sharp, P., Dijkerman, H. C., de Lange, F. P., & Toni, I. (2016). Independent causal contributions of alpha-and beta-band oscillations during movement selection. *Journal of Neuroscience*, *36*(33), 8726-8733. https://doi.org/10.1523/JNEUROSCI.0868-16.2016

Costa, A., Strijkers, K., Martin, C., & Thierry, G. (2009). The time course of word retrieval revealed by event-related brain potentials during overt speech. *Proceedings of the National Academy of Sciences*, *106*(50), 21442–21446. https://doi.org/10.1073/pnas.0908921106

Davis, M. H., & Gaskell, M. G. (2009). A complementary systems account of word learning: Neural and behavioural evidence. *Philosophical Transactions of the Royal Society B: Biological Sciences*, *364*(1536), 3773–3800. https://doi.org/10.1098/rstb.2009.0111

Dell, G. S., & O'Seaghdha, P. G. (1992). Stages of lexical access in language production. *Cognition*, *42*(1–3), 287–314. https://doi.org/10.1016/0010-0277(92)90046-k

Elmer, S., Besson, M., Rodriguez-Fornells, A., & Giroud, N. (2023). Foreign speech sound discrimination and associative word learning lead to a fast reconfiguration of resting-state networks. *NeuroImage*, *271*, 120026. https://doi.org/10.1016/j.neuroimage.2023.120026

Elmer, S., Besson, M., & Rodríguez-Fornells, A. (2022). The electrophysiological correlates of word pre-activation during associative word learning. *International Journal of Psychophysiology*, *182*, 12–22. https://doi.org/10.1016/j.ijpsycho.2022.09.007

Elmer, S., Dittinger, E., Brocchetto, J., François, C., Besson, M., Jäncke, L., & Rodríguez-Fornells, A. (2021). Phonetic Skills and Verbal Memory Capacity Predict Phonetic-based Word Learning: An Event-related Potential Study. *Journal of Cognitive Neuroscience*, *33*(10), 2093–2108. https://doi.org/10.1162/jocn_a_01745

Foxe, J. J., Simpson, G. V., & Ahlfors, S. P. (1998). Parieto-occipital 10Hz activity reflects anticipatory state of visual attention mechanisms. *Neuroreport*, *9*(17), 3929-3933. https://doi.org/10.1097/00001756-199812010-00030

Gaskell, M. G., & Dumay, N. (2003). Lexical competition and the acquisition of novel words. *Cognition*, *89*(2), 105–132. https://doi.org/10.1016/S0010-0277(03)00070-2

Gastaldon, S., Arcara, G., Navarrete, E., & Peressotti, F. (2020). Commonalities in alpha and beta neural desynchronizations during prediction in language comprehension and production. *Cortex*, *133*, 328–345. https://doi.org/10.1016/j.cortex.2020.09.026

Gilboa, A., & Moscovitch, M. (2021). No consolidation without representation: Correspondence between neural and psychological representations in recent and remote memory. *Neuron*, *109*(14), 2239–2255. https://doi.org/10.1016/j.neuron.2021.04.025

Gore, K. R., Woollams, A. M., Bruehl, S., Halai, A. D., & Lambon-Ralph, M. A. (2022). Direct neural evidence for the contrastive roles of the complementary learning systems in adult acquisition of native vocabulary. *Cerebral Cortex*, *32*(16), 3392-3405. https://doi.org/10.1093/cercor/bhab422

Hanslmayr, S., Spitzer, B., & Bäuml, K.-H. (2009). Brain oscillations dissociate between semantic and nonsemantic encoding of episodic memories. *Cerebral Cortex*, *19*(7), 1631–1640. https://doi.org/10.1093/cercor/bhn197

Hanslmayr, S., Gross, J., Klimesch, W., & Shapiro, K. L. (2011). The role of alpha oscillations in temporal attention. *Brain Research Reviews*, *67*(1), 331–343. https://doi.org/10.1016/j.brainresrev.2011.04.002

Hanslmayr, S., Staudigl, T., & Fellner, M.-C. (2012). Oscillatory power decreases and long-term memory: The information via desynchronization hypothesis. *Frontiers in Human Neuroscience*, *6*. https://doi.org/10.3389/fnhum.2012.00074

Havas, V., Laine, M., & Rodríguez Fornells, A. (2017). Brain signatures of early lexical and morphological learning of a new language. *Neuropsychologia*, *101*, 47–56. https://doi.org/10.1016/j.neuropsychologia.2017.04.005

Hawkins, E. A., & Rastle, K. (2016). How does the provision of semantic information influence the lexicalization of new spoken words? *The Quarterly Journal of Experimental Psychology*, *69*(7), 1322–1339. https://doi.org/10.1080/17470218.2015.1079226

Huang, Y., Deng, Y., Jiang, X., Chen, Y., Mao, T., Xu, Y., Jiang, C., & Rao, H. (2022). Resting-state occipito-frontal alpha connectome is linked to differential word learning ability in adult learners. *Frontiers in Neuroscience*, *16*. https://doi.org/10.3389/fnins.2022.953315

Huang, Y., Deng, Y., Kong, L., Zhang, X., Wei, X., Mao, T., Xu, Y., Jiang, C., & Rao, H. (2023). Vigilant attention mediates the association between resting EEG alpha oscillations and word learning ability. *NeuroImage*, *281*, 120369. https://doi.org/10.1016/j.neuroimage.2023.120369

Hulme, R. C., & Rodd, J. M. (n.d.). The Role of Sleep in Learning New Meanings for Familiar Words through Stories. *Journal of Cognition*, *6*(1), 27. https://doi.org/10.5334/joc.282

Hustá, C., Zheng, X., Papoutsi, C., & Piai, V. (2021). Electrophysiological signatures of conceptual and lexical retrieval from semantic memory. *Neuropsychologia*, *161*, 107988. https://doi.org/10.1016/j.neuropsychologia.2021.107988

James, E., Gaskell, M. G., Weighall, A., & Henderson, L. (2017). Consolidation of vocabulary during sleep: The rich get richer? *Neuroscience & Biobehavioral Reviews*, *77*, 1–13. https://doi.org/10.1016/j.neubiorev.2017.01.054

Kaczer, L., Bavassi, L., Petroni, A., Fernández, R. S., Laurino, J., Degiorgi, S., Hochman, E., Forcato, C., & Pedreira, M. E. (2018). Contrasting dynamics of memory consolidation for novel word forms and meanings revealed by behavioral and neurophysiological markers. *Neuropsychologia*, *117*, 472–482. https://doi.org/10.1016/j.neuropsychologia.2018.07.001

Kalcher, J., & Pfurtscheller, G. (1995). Discrimination between phase-locked and non-phase-locked event-related EEG activity. *Electroencephalography and Clinical Neurophysiology*, *94*(5), 381–384. https://doi.org/10.1016/0013-4694(95)00040-6

Khader, P. H., & Rösler, F. (2011). EEG power changes reflect distinct mechanisms during long-term memory retrieval. *Psychophysiology*, *48*(3), 362–369. https://doi.org/10.1111/j.1469-8986.2010.01063.x

Klimesch, W. (1996). Memory processes, brain oscillations and EEG synchronization. *International Journal of Psychophysiology*, *24*(1–2), 61–100. https://doi.org/10.1016/s0167-8760(96)00057-8

Klimesch, W. (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: A review and analysis. *Brain Research Reviews*, *29*(2–3), 169–195. https://doi.org/10.1016/s0165-0173(98)00056-3

Klimesch, W. (2012). Alpha-band oscillations, attention, and controlled access to stored information. *Trends in Cognitive Sciences*, *16*(12), 606–617. https://doi.org/10.1016/j.tics.2012.10.007

Klimesch, W., Doppelmayr, M., Yonelinas, A., Kroll, N. E. A., Lazzara, M., Röhm, D., & Gruber, W. (2001). Theta synchronization during episodic retrieval: Neural correlates of conscious awareness. *Cognitive Brain Research*, *12*(1), 33–38. https://doi.org/10.1016/S0926-6410(01)00024-6

Korochkina, M., Nickels, L., & Bürki, A. (2024). What can we learn about integration of novel words into semantic memory from automatic semantic priming? *Language, Cognition and Neuroscience*, *39*(4), 455–488. https://doi.org/10.1080/23273798.2024.2328586

Lago, S., Pezzetta, R., Gastaldon, S., Peressotti, F., & Arcara, G. (2023). Trial-by-trial fluctuations of pre-stimulus alpha power predict language ERPs. *Psychophysiology*, *60*(12), e14388. https://doi.org/10.1111/psyp.14388

Laine, M., & Salmelin, R. (2010). Neurocognition of new word learning in the native tongue: Lessons from the Ancient Farming Equipment paradigm. *Language Learning*, *60*(2), 25–44. https://doi.org/10.1111/j.1467-9922.2010.00599.x

Laine, M., & Martin, N. (2023). *Neural basis of naming* (pp. 65–94). https://doi.org/10.4324/9781003222057-4

Laine, M., Peñaloza, C., Eräste, T., Kunnari, A., & Rodríguez-Fornells, A. (in press) Spontaneous strategies used during novel word learning. Language Learning

Lemhöfer, K., Lei, A., & Mickan, A. (2025). Electrophysiological correlates of incidental L2 word learning from dialogue. *Journal of Memory and Language*, *140*, 104585. https://doi.org/10.1016/j.jml.2024.104585

León-Cabrera, P., Hjortdal, A., Berthelsen, S. G., Rodríguez-Fornells, A., & Roll, M. (2024). Neurophysiological signatures of prediction in language: A critical review of anticipatory negativities. *Neuroscience & Biobehavioral Reviews*, *160*, 105624. https://doi.org/10.1016/j.neubiorev.2024.105624

León-Cabrera, P., Piai, V., Morís, J., & Rodríguez-Fornells, A. (2022). Alpha power decreases associated with prediction in written and spoken sentence comprehension. *Neuropsychologia*, *173*, 108286. https://doi.org/10.1016/j.neuropsychologia.2022.108286

Levelt, W. J. M. (1989). *Speaking: From Intention to Articulation*. The MIT Press. https://doi.org/10.7551/mitpress/6393.001.0001

Liu, Y., & van Hell, J. G. (2020a). Learning novel word meanings: An ERP study on lexical consolidation in monolingual, inexperienced foreign language learners. *Language Learning*, *70*(Suppl 2), 45–74. https://doi.org/10.1111/lang.12403

Liu, Y., & van Hell, J. G. (2020b). Learning Novel Word Meanings: An ERP Study on Lexical Consolidation in Monolingual, Inexperienced Foreign Language Learners. *Language Learning*, *70*, 45–74. https://doi.org/10.1111/lang.12403

Maris, E., & Oostenveld, R. (2007). Nonparametric statistical testing of EEG-and MEG-data. *Journal of neuroscience methods*, *164*(1), 177-190. https://doi.org/10.1016/j.jneumeth.2007.03.024

McLaughlin, J., Osterhout, L., & Kim, A. (2004). Neural correlates of second-language word learning: Minimal instruction produces rapid change. *Nature Neuroscience*, *7*(7), 703–704. https://doi.org/10.1038/nn1264

Mestres-Missé, A., Rodriguez-Fornells, A., & Münte, T. F. (2007). Watching the brain during meaning acquisition. *Cerebral Cortex*, *17*(8), 1858–1866. https://doi.org/10.1093/cercor/bhl094

Momsen, J. P., & Abel, A. D. (2022). Neural Oscillations Reflect Meaning Identification for Novel Words in Context. *Neurobiology of Language*, *3*(1), 132–148. https://doi.org/10.1162/nol_a_00052

Momsen, J., Schneider, J. M., & Abel, A. D. (2022). Developmental differences in EEG oscillations supporting the identification of novel word meaning from context. *Developmental Cognitive Neuroscience*, *58*, 101185. https://doi.org/10.1016/j.dcn.2022.101185

Neuper, C., Wörtz, M., & Pfurtscheller, G. (2006). ERD/ERS patterns reflecting sensorimotor activation and deactivation. *Progress in Brain Research*, *159*, 211–222. https://doi.org/10.1016/S0079-6123(06)59014-4

Nyhus, E., & Curran, T. (2010). Functional role of gamma and theta oscillations in episodic memory. *Neuroscience and Biobehavioral Reviews*, *34*(7), 1023–1035. https://doi.org/10.1016/j.neubiorev.2009.12.014

Osipova, D., Takashima, A., Oostenveld, R., Fernández, G., Maris, E., & Jensen, O. (2006). Theta and gamma oscillations predict encoding and retrieval of declarative memory. *Journal of Neuroscience*, *26*(28), 7523–7531. https://doi.org/10.1523/JNEUROSCI.1948-06.2006

Perfetti, C. A., Landi, N., & Oakhill, J. (2005). The Acquisition of Reading Comprehension Skill. In *The science of reading: A handbook* (pp. 227–247). Blackwell Publishing. https://doi.org/10.1002/9780470757642.ch13

Pfurtscheller, G., & Lopes da Silva, F. H. (1999). Event-related EEG/MEG synchronization and desynchronization: Basic principles. *Clinical Neurophysiology*, *110*(11), 1842–1857. https://doi.org/10.1016/s1388-2457(99)00141-8

Piai, V., Klaus, J., & Rossetto, E. (2020). The lexical nature of alpha-beta oscillations in context-driven word production. *Journal of Neurolinguistics*, *55*, 100905. https://doi.org/10.1016/j.jneuroling.2020.100905

Piai, V., Roelofs, A., Jensen, O., Schoffelen, J.-M., & Bonnefond, M. (2014). Distinct Patterns of Brain Activity Characterise Lexical Activation and Competition in Spoken Word Production. *PLOS ONE*, *9*(2), e88674. https://doi.org/10.1371/journal.pone.0088674

Piai, V., Roelofs, A., Rommers, J., & Maris, E. (2015). Beta oscillations reflect memory and motor aspects of spoken word production. *Human Brain Mapping*, *36*(7), 2767–2780. https://doi.org/10.1002/hbm.22806

Piai, V., & Zheng, X. (2019). Speaking waves: Neuronal oscillations in language production. In *The psychology of learning and motivation* (pp. 265–302). Elsevier Academic Press. https://doi.org/10.1016/bs.plm.2019.07.002

Prat, C. S., Yamasaki, B. L., Kluender, R. A., & Stocco, A. (2016). Resting-state qEEG predicts rate of second language learning in adults. *Brain and Language*, *157–158*, 44–50. https://doi.org/10.1016/j.bandl.2016.04.007

Prat, C. S., Yamasaki, B. L., & Peterson, E. R. (2019). Individual Differences in Resting-state Brain Rhythms Uniquely Predict Second Language Learning Rate and Willingness to Communicate in Adults. *Journal of Cognitive Neuroscience*, *31*(1), 78–94. https://doi.org/10.1162/jocn_a_01337

Pyc, M. A., & Rawson, K. A. (2009). Testing the retrieval effort hypothesis: Does greater difficulty correctly recalling information lead to higher levels of memory? *Journal of Memory and Language*, *60*(4), 437–447. https://doi.org/10.1016/j.jml.2009.01.004

Ramos-Escobar, N., Laine, M., Sanseverino-Dillenburg, M., Cucurell, D., François, C., & Rodriguez-Fornells, A. (2021). The interplay between domain-general and domain-specific mechanisms during the time-course of verbal associative learning: An event-related potential study. *NeuroImage*, *242*, 118443. https://doi.org/10.1016/j.neuroimage.2021.118443

Rodriguez-Fornells, A., Schmitt, B. M., Kutas, M., & Münte, T. F. (2002). Electrophysiological estimates of the time course of semantic and phonological encoding during listening and naming. *Neuropsychologia*, *40*(7), 778–787. https://doi.org/10.1016/s0028-3932(01)00188-9

Rodríguez-Fornells, A., Cunillera, T., Mestres-Missé, A., & de Diego-Balaguer, R. (2009). Neurophysiological mechanisms involved in language learning in adults. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, *364*(1536), 3711–3735. https://doi.org/10.1098/rstb.2009.0130

Roediger III, H. L., & Butler, A. C. (2011). The critical role of retrieval practice in long-term retention. *Trends in Cognitive Sciences*, *15*(1), 20–27. https://doi.org/10.1016/j.tics.2010.09.003

Rommers, J., Dickson, D. S., Norton, J. J. S., Wlotko, E. W., & Federmeier, K. D. (2017). Alpha and theta band dynamics related to sentential constraint and word expectancy. *Language, Cognition and Neuroscience*, *32*(5), 576–589. https://doi.org/10.1080/23273798.2016.1183799

Rommers, J., & Federmeier, K. (2017). *Electrophysiological Methods*. https://doi.org/10.1002/9781394259762.ch13

Salmelin, R., & Sams, M. (2002). Motor cortex involvement during verbal versus non‐verbal lip and tongue movements. *Human brain mapping*, *16*(2), 81-91. https://doi.org/10.1002/hbm.10031

Scaltritti, M., Suitner, C., & Peressotti, F. (2020). Language and motor processing in reading and typing: Insights from beta-frequency band power modulations. *Brain and Language*, *204*, 104758. https://doi.org/10.1016/j.bandl.2020.104758

Schimke, E. A. E., Angwin, A. J., Gomersall, S. R., & Copland, D. A. (2023). The effect of sleep and semantic information on associative novel word learning. *Memory*, *31*(2), 234–246. https://doi.org/10.1080/09658211.2022.2142243

Schmitt, B. M., Münte, T. F., & Kutas, M. (2000). Electrophysiological estimates of the time course of semantic and phonological encoding during implicit picture naming. *Psychophysiology*, *37*(4), 473–484. https://doi.org/10.1111/1469-8986.3740473

Schimke, E. A. E., Angwin, A. J., Cheng, B. B. Y., & Copland, D. A. (2021). The effect of sleep on novel word learning in healthy adults: A systematic review and meta-analysis. *Psychonomic Bulletin & Review*, 28(6), 1811–1838. https://doi.org/10.3758/s13423-021-01980-3

Schriefers, H., Meyer, A. S., & Levelt, W. J. M. (1990). Exploring the time course of lexical access in language production: Picture-word interference studies. *Journal of Memory and Language*, *29*(1), 86–102. https://doi.org/10.1016/0749-596X(90)90011-N

Shtyrov, Y., Nikulin, V. V., & Pulvermüller, F. (2010). Rapid Cortical Plasticity Underlying Novel Word Learning. *Journal of Neuroscience*, *30*(50), 16864–16867. https://doi.org/10.1523/JNEUROSCI.1376-10.2010

Singh, D., Norman, K. A., & Schapiro, A. C. (2022). A model of autonomous interactions between hippocampus and neocortex driving sleep-dependent memory consolidation. *Proceedings of the National Academy of Sciences of the United States of America*, *119*(44), e2123432119. https://doi.org/10.1073/pnas.2123432119

Strauß, A., Kotz, S. A., Scharinger, M., & Obleser, J. (2014). Alpha and theta brain oscillations index dissociable processes in spoken word recognition. *NeuroImage*, *97*, 387–395. https://doi.org/10.1016/j.neuroimage.2014.04.005

Strijkers, K., Holcomb, P. J., & Costa, A. (2011). Conscious intention to speak proactively facilitates lexical access during overt object naming. *Journal of Memory and Language*, *65*(4), 345–362. https://doi.org/10.1016/j.jml.2011.06.002

Stolk, A., Brinkman, L., Vansteensel, M. J., Aarnoutse, E., Leijten, F. S., Dijkerman, C. H., Knight, R. T., de Lange, F. P., & Toni, I. (2019). Electrocorticographic dissociation of alpha and beta rhythmic activity in the human sensorimotor system. *Elife*, 8, e48065. https://doi.org/10.7554/eLife.48065

Tamminen, J., & Gaskell, M. (2012). Novel word integration in the mental lexicon: Evidence from unmasked and masked semantic priming. *Quarterly Journal of Experimental Psychology (2006)*, *66*. https://doi.org/10.1080/17470218.2012.724694

Takashima, A., Bakker-Marshall, I., van Hell, J. G., McQueen, J. M., & Janzen, G. (2019). Neural correlates of word learning in children. *Developmental Cognitive Neuroscience*, 37, 100649. https://doi.org/10.1016/j.dcn.2019.100649

Wang, L., Hagoort, P., & Jensen, O. (2018). Language Prediction Is Reflected by Coupling between Frontal Gamma and Posterior Alpha Oscillations. *Journal of Cognitive Neuroscience*, *30*(3), 432–447. https://doi.org/10.1162/jocn_a_01190

Zion-Golumbic, E., Kutas, M., & Bentin, S. (2010). Neural dynamics associated with semantic and episodic memory for faces: Evidence from multiple frequency bands. *Journal of Cognitive Neuroscience*, *22*(2), 263–277. https://doi.org/10.1162/jocn.2009.21251