Age-related Inhibitory Decline: Examining Inhibition Sub-Components and their Impact on Sustained Attention in Healthy Ageing

Ciara Treacy, Sophie C. Andrews and Jacob M. Levenstein

Thompson Institute, University of the Sunshine Coast, Birtinya, QLD, Australia

Author Note

Ciara Treacy https://orcid.org/0000-0003-2468-127X

Sophie C. Andrews https://orcid.org/0000-0002-2103-7748

Jacob Levenstein https://orcid.org/0000-0002-4867-4886

Data analysis/experiment code and materials are openly available at the project's Open Science Framework page (https://osf.io/xze4d/?view_only=bb6c327dd851463e9745cb74736b3993). The data appearing in this manuscript was presented as a poster at the Australasian Cognitive Neuroscience Society conference held in Newcastle, Australia (November 2024). We have no conflicts of interest to disclose. This work was completed with support from a Research Training Program Scholarship (University of the Sunshine Coast). We extend our sincere thanks to the participants who volunteered their time to contribute to this research.

Correspondence concerning this article should be addressed to Ciara Treacy, Thompson Institute, University of the Sunshine Coast, 12 Innovation Pathway, 4575, Birtinya, Qld, Australia. Email: ctreacy@usc.edu.au

Abstract

The inhibition deficit hypothesis postulates that inhibitory functioning declines with age, which negatively impacts other cognitive abilities. Yet still, the influence of healthy ageing on inhibitory functioning remains unclear, with the multifaceted nature of inhibition often an overlooked factor. Moreover, no prior study has empirically tested whether inhibition explains differential age-effects in sustained attention. Thus, we cross-sectionally investigated the inhibition deficit hypothesis in eighty healthy older adults (mean age = 67.78 years, 44f) administering three inhibition tasks (i.e., flanker, Stroop, and go/no-go), each measuring a distinct sub-component process, and one sustained attention task (i.e., SART) via the PsyToolkit platform. No significant bivariate relationships were identified among the inhibition measures. Semi-partial correlations (rho) of the three inhibition sub-component measures (correcting for gender and education) with age resulted in significant positive relationships with task performance on the Stroop and go/no-go, such that older individuals had more pronounced Stroop effects and worse go/no-go accuracy, respectively. Lastly, go/no-go performance completely mediated the relationship between ageing and sustained attention performance, whilst Stroop effects partially mediated this association. The lack of significant inter-task correlations supports the independence of these sub-component processes of inhibition and cautions against conflating these sub-components into a generalised concept of inhibition. Further, age-related declines were observed in specific inhibition tasks, which speaks against a *general* inhibition deficit in healthy ageing. The mediation findings demonstrate that inhibitory sub-components account for age-related declines in sustained attention, over and beyond ageing itself via an indirect path, representing an important cognitive domain to maintain throughout ageing.

Keywords: healthy ageing, inhibition, inhibition deficit hypothesis, sustained attention

Public significance statement:

We identify that three commonly used inhibition tasks are indeed measuring different sub-component processes, underlining the importance of considering the non-unitary nature of inhibition. Age-related decrements in inhibition were identified among a subset of inhibitory measures, challenging the notion of global inhibitory decline during healthy. Our mediation results provide evidence that inhibition can explain differential age-effects in sustained attention in healthy older adults, lending support for the inhibition deficit hypothesis.

Age-related Inhibitory Decline: Examining Inhibition Sub-Components and their

Impact on Sustained Attention in Healthy Ageing

Inhibition represents a core executive function that underlies the ability to voluntarily suppress impulses toward environmental interference and ignore competing distractions, building resistance against task-irrelevant information (Diamond, 2013.). Inhibition is crucial for achieving goal-oriented behaviour and managing the demands of everyday life. As a result, the study of inhibitory functioning has garnered much consideration, with evidence suggesting inhibition may also influence additional cognitive functions (Zacks et al., 2000; Zanto & Gazzaley, 2014). The inhibitory deficit hypothesis postulates that inhibitory functioning declines with age, and negatively influences broader cognitive domains (Hasher & Campbell, 2020; Hasher & Zacks, 1988). Behavioural evidence supporting an age-related inhibitory decline is found across a variety of commonly used experimental tasks, such as, the flanker (Colcombe et al., 2005; Zhu et al., 2010), Stroop (Andrés et al., 2008; Fong et al., 2021) and go/no-go (Nielson et al., 2002; Rey-Mermet & Gade, 2018) tasks. However, a consensus on the influence of age on inhibitory functioning has not been adopted fully. Several studies have demonstrated no specific age-related deficits in inhibition (for flanker, see Hsieh and Fang (2012) & Salthouse (2010); for Stroop, see Borella et al. (2009); for go/no-go, see Grandjean and Collette (2011) & Vallesi (2011)), with two meta-analytical reviews exemplifying these contradictory findings. Verhaeghen (2011) analysed eight tasks across 119 studies and failed to identify any specific age-related deficits in inhibitory control, concluding that suggested declines in older adults have been largely overstated and that inhibition may only have a minor role in the decline of cognition with age. More recently, Rey-Mermet and Gade (2018) examined eleven tasks across 196 studies and identified age-related impairments in only a select number of tasks (i.e., go/no-go and stop-signal task), calling the general inhibition deficit hypothesis into question. However, an often overlooked

factor is that inhibition is not unitary, as evidenced by the numerous theoretical taxonomies that have been proposed (Friedman & Miyake, 2004; Nigg, 2000; Pettigrew & Martin, 2014; Stahl et al., 2014; Tiego et al., 2018). For example, Rey-Mermet and Gade (2018) propose three sub-components of inhibition: the ability to inhibit i) distracting information, ii) response interference, and iii) prepotent responding. Neglecting the different classifications of inhibition, assuming generalisability beyond a particular sub-component process, likely exacerbates the apparent lack of consensus regarding age effects.

Further complicating behavioural assessment of inhibition is the understanding that individuals, particularly older adults (Starns & Ratcliff, 2010), tend to behave cautiously and prudently on response tasks, a strategy coined as the speed-accuracy trade-off (SAT). When a SAT is present, longer response times relate to preserved accuracy, depicted by a negative correlation between reaction times and error rates (Heitz, 2014). This concept is not a new phenomenon (Wickelgren, 1977), nor is it restricted to the study of inhibition (Kardos et al., 2020), for example, SATs have also been evidenced in sustained attention (Helton et al., 2009; Vallesi et al., 2021). Thus, not accounting for SATs also contributes to inconsistent findings and/or spurious effects.

In the context of healthy ageing, the inhibition deficit hypothesis has support (Fong et al., 2021; Persad et al., 2002), and opposition (Nicosia & Balota, 2020), however, deliberate attempts to determine whether inhibition can explain differential age-effects in other cognitive domains remain scarce. In sustained attention, the influence of ageing on performance is also a matter of ongoing debate (Lufi et al., 2015; Robison et al., 2022; Treacy et al., 2024). *Attention* requires top-down, goal-driven regulatory processes to resist distractions (Sarter et al., 2001), and therefore, inhibitory principles may form the foundation of sustaining attentional performance (Demeter et al., 2011). Thus, it is plausible that an age-related decline in inhibition may impact sustained attention abilities. To our knowledge, no

study has empirically tested whether the inhibition deficit hypothesis extends to the domain of sustained attention, which may help explain the age-related disparities also prevailing in research on sustained attention and ageing.

Here, we acquired three distinct measures of inhibition, administering a different, commonly utilised task to index each theoretical sub-component. Specifically, the letter flanker task was utilised to assess the inhibition of distracting information, the Stroop colour and word test was utilised to evaluate the inhibition of response interference, and finally, a visuomotor go/no-go task was utilised to assess one's capacity to inhibit prepotent motor responses. We compute standard performance outcome measures related to inhibition (i.e., reaction time and error rate congruence scores for flanker and Stroop, error rate for go/no-go) and, where appropriate, we compute SAT scores. The aims of the current study were three-fold. First, we examined bivariate relationships among the three tasks probing different sub-components of inhibition, to assess the generalizability of performance across the three task paradigms. We hypothesised that these different tasks of inhibition would not relate to one-another, supporting the constructs' independence. Second, we investigated the hypothesis of an age-related inhibitory deficit, predicting that age would be associated with worse performance on all three tasks of inhibition. Third, we examined whether measures of inhibition explain age-related performance deficits in sustained attention. Consistent with the inhibition deficit hypothesis, it was hypothesised that inhibition would mediate the effects of age on sustained attention performance.

Method

Transparency and Openness

This study was approved by the University of the Sunshine Coast (UniSC) Human Research Ethics Committee (S211620), and all participants provided written, informed

consent prior to study commencement. The study design, hypotheses, and analysis plan were not preregistered. All data pre-processing and analyses were performed using R Statistical Software v4.3.2 (R Core Team, 2023). The data analysis/behavioural experiment code and materials are available at https://osf.io/xze4d/?view_only=bb6c327dd851463e9745cb74736b3993. Data sharing has not yet been approved by the UniSC Human Research Ethics Committee but the data can be made available upon reasonable request by contacting the corresponding author. We report how we determined our sample size, any data inclusions/exclusions, measures and manipulations.

Participants

Healthy older adults aged 50-85 years were recruited from the general community through a study specific webpage, media announcements and local community groups. Eligible participants were right hand dominant, English-speaking, generally healthy individuals without a diagnosis of mild cognitive impairment, psychiatric disorders (e.g., schizophrenia or bipolar), or major neurological conditions (e.g., dementia or Parkinson's). Additionally, participants were absent of magnetic resonance imaging (MRI) contraindications (e.g., pacemaker, stents), colour-blindness, respiratory conditions (e.g., COPD), cardiovascular conditions (e.g., stroke, myocardial infarction), prior head injuries (loss of consciousness >60mins), poorly controlled diabetes, current substance abuse or misuse, and usage of medications known to impact the central nervous system (e.g., anti-depressant or anti-anxiety medication). Eligibility criteria were operationalized via online self-report questionnaires and telephone interviews. A priori power analysis using G*Power software estimated that for correlation analyses (two-tailed bivariate model), with $r=0.35$, power = 0.80 and $\alpha = 0.05$, a sample size of 61 was required. In total, eighty-one individuals satisfied eligibility screening and were enrolled in this cross-sectional study. One individual

was excluded post-hoc due to cognitive difficulties, thus, the final behavioural cohort

consisted of eighty community-dwelling healthy older adults (M_{age} = 67.78 years, 44f) which

was adequate to test the hypotheses (see Table 1 for descriptive statistics). Included

participants were born in the following countries: 78.75% Australia, 12.5% England, 3.75%

New Zealand, 1.25% Germany, 1.25% China, 1.25% Papua New Guinea, 1.25% Scotland. Of

the Australian participants, 1.59% were of Aboriginal origin. Participants attended a single, 4-

hour session at the UniSC Thompson Institute to complete the study, with all data collection

occurring between 30th January 2023 and 20th September 2023.

Behavioural tasks

Participants were seated in a quiet room at arm's length from a DELL laptop screen

(15.6" Precision 5530 model, intel UHD graphics 630), which was used to administer the

behavioural experiments. All behavioural data was acquired via the PsyToolkit platform

v3.4.2 (Stoet, 2010, 2017). For each task, participants were directed to maintain finger

contact with the response key/s for the duration to ensure accurate record of reaction times

and detection of slips of action. Further, participants were also instructed to give equal

importance to both the speed and accuracy of their responses. Participants could take a short

break (~ 5 minutes) in between each task before the next set of instructions were given.

Behavioural task diagrams are presented in Figure 1.

Flanker task

To assess distractor processing, participants completed a letter flanker paradigm

(Eriksen & Eriksen, 1974), a non-search congruence task, involving 5 white coloured letters

presented in a string above a white fixation cross in the centre of a black background (see

Figure 1). Participants were instructed to register a response for the central letter only (i.e.,

the target), ignoring the two flanking distractor letters on either side (i.e., non-targets), by

pressing the left arrow key if "X" or "C" were presented in the centre position, or, by pressing the right arrow key if "V" or "B" were presented in the centre position. Each 5-letter stimulus was displayed for 2000ms, which was also the maximum response window, followed by a fixation cross, incorporating performance feedback. More specifically, the inter-stimulus-interval (ISI) of the presented fixation cross varied depending on the prior response accuracy, such that correct responses presented a green fixation cross for 450ms, whereas incorrect responses were followed by a red fixation cross for 900ms. Participants completed a practice block (30 trials) before completing the 150 experimental trials. This task involved approximately equal proportions of congruent (47.3 – 52.7% of total) and incongruent (47.3 – 52.7% of total) trials, where congruent trials facilitate target responding, whilst response-incongruent trials incorporate visual conflict impacting target response execution. Flanker performance was measured by comparing congruent and incongruent trials in terms of median reaction times and error rates. Of note, we chose to include a congruence score for error rate to address a gap highlighted by Rey-Mermet and Gade's (2018) meta-analysis, who found there was insufficient research to determine age-related deficits in flanker task accuracy. Flanker effect difference scores were calculated for each metric, such that flanker $\text{effect}_{reaction\ time} = \text{incongruent}_{reaction\ time} - \text{congruent}_{reaction\ time}$ and flanker $\text{effect}_{error\ rates} = \text{incongruent}_{error\ rates} - \text{congruent}_{error\ rates}$. Flanker effects >0 reflect delayed and/or less accurate responding for incongruent trials, indicating that irrelevant flanking distractors (which are not compatible with the required response) influence task performance. Statistical summaries for the probability of reaction time and error rates for each trial type constituting the flanker effect scores are provided in the Supplemental Material (see Table S1).

Stroop task

To assess inhibition of response interference, participants completed a Stroop paradigm (Golden, 1978), a colour-word interference task incorporating congruent and

incongruent trials, involving one of four colour words (red, green, blue, yellow) being

presented in the centre of a black background (see Figure 1). These colour words were

presented in print colours which matched (i.e., response-congruent) or contradicted (i.e.,

response-incongruent) the meaning of the word itself. Participants were tasked to register a

response relating only to the print colour (ignoring the colour word itself) by pressing the

corresponding colour on the keyboard. Red, green, blue and yellow coloured stickers were

placed over the h, j, k, and l keys, respectfully. Each colour-word stimulus was presented for

2000ms, which was also the maximum response window, followed by an 800ms white

fixation cross (digit to digit onset was 2800ms maximum). Following a practice block of 16

trials, incorporating performance feedback, participants completed 120 experimental trials

absent of performance feedback. This task involved equal proportions of congruent and

incongruent trials, where congruent trials facilitated automatic responding, whilst incongruent

trials introduced interference on automatic processing. In parallel with the flanker task,

Stroop performance was also measured by comparing congruent and incongruent trials in

terms of median reaction time and error rates, yielding Stroop effect difference scores for

each metric. Likewise, we included a congruence score for errors in line with a recent meta-

analysis that found more research was necessary to determine age-related deficits in Stroop

task accuracy (Rey-Mermet & Gade, 2018). Stroop effects >0 reflect delayed and/or less

accurate responding for incongruent trials, indicating that performing a less automated task,

whilst inhibiting interference, influenced task performance. Statistical summaries for the

probability of reaction time and error rates for each trial type constituting the Stroop effect

scores are provided in the Supplemental Material (see Table S1).

Go/no-go task

To assess the inhibition of prepotent responding, participants completed a go/no-go

task, whereby a red or green coloured ellipse were presented one at a time in a pseudorandom

order in the centre of a black background (see Figure 1). Each stimulus was presented for

2000ms, which was also the maximum response window, followed by a 500ms white fixation

cross mask. Participants were instructed to register a response, by pressing the spacebar, for

the green coloured ellipse (the "go" signal) and to withhold a response for the red coloured

ellipse (the "no-go" signal). This task design involves frequent go events and rare no-go

stimuli in a ratio of 4:1 (respectively), designed to build a prepotency to respond. Following a

practice block of 25 trials, which incorporates performance feedback, participants completed

225 experimental trials (45 x no-go signals), absent of performance feedback. Trials with a

response time greater than 700ms or less than 200ms were removed. Go/no-go performance

was measured using *er*, determined as the proportion of commission errors (i.e., erroneous

response to no-go stimuli), a metric frequently used as an index of response inhibition.

Additionally, a balanced integrated score (bis), which attenuates SAT's, was calculated using

the standardised mean difference between the proportion of correct responses and mean

reaction times on correct trials, such that bis = $z(\bar{x}$ percentage correct$) - z(\bar{x}$ reaction time$)$

(Liesefeld & Janczyk, 2019). The bis thereby represents a performance measure that controls

for SAT's and maintains "real" effects, with higher scores indicating better performance.

Statistical summaries for reaction time and accuracy data constituting the bis density measure

are also provided in the Supplemental Material (see Table S2).

Sustained attention to response task (SART)

To assess sustained attention, participants completed the SART, which involves white

coloured digits, ranging from 1 – 9, presented one at a time with equal probability in the

centre of a black background in varying Arial font sizes (48, 72, 94, 100, 120), see Figure 1.

Each digit was presented for 250ms followed by a 900ms mask (white fixation cross), with a

maximum response window of 1150ms. Participants were asked to register a response, by

pressing the spacebar, for all digits except 3, which represents the no-go target. Following a

practice block of 18 trials, which incorporates performance feedback, participants completed

225 experimental trials (25 blocks of 9 trials), absent of feedback. For each block, a single

digit was randomly chosen without repeating, therefore, over the course of the experimental

phase no-go targets represent 11.1% of total trials. SART performance was measured using

the discrimination index (*d'*), calculated using the standardised difference between the means

of omission error (hit rate (h)) and commission error (false alarms (f)) distributions, such that

d' = Z(h) – Z(f). The *d'* represents the ability to detect targets from non-targets, with higher

scores indicating better signal detection/sustained attention performance. Log-linear

correction was applied to the full dataset to address the issue in signal detection theory

regarding participants with extreme values (i.e., h=1; f=0). Additionally, a bis was also

calculated as previously described to provide a comparative measure which controls for

SAT's. Statistical summaries for the probability of omission and commission errors as well as

reaction time data constituting the density performance measures (i.e., *d'* and bis) are

provided in the Supplemental Material (see Table S3).

Statistical Analyses

Outlier adjustment was performed as required using the z-score standard deviation

transformation method, such that z-scores >3.29 or <3.29 were considered extreme cases and

subsequently adjusted to one unit above or below the nearest value existing within acceptable

ranges (Tabachnick et al., 2013). Three univariate outliers were adjusted in the Stroop data,

and one univariate outlier was adjusted in the flanker and go/no-go data. Univariate analyses

were performed to generate descriptive summaries. For aim 1, bivariate correlations were

performed across the three tasks' inhibition measures using Spearman's rho (2-tailed). For

aim 2, semi-partial correlations between age and inhibition measures were performed,

correcting behavioural performance metrics for gender and education to isolate age-effects.

To account for multiple comparisons, we applied a Bonferroni correction resulting in a more

conservative alpha for behaviour-behaviour correlations (8 tests) of p≤0.006 and age-behavioural correlations (6-tests) of p≤0.008. For aim 3, mediation analyses were performed using the PROCESS macro for R (version 4.3.1; mediation model 4 with a bootstrapping 5000; Preacher and Hayes (2008)). For each mediation model, gender and years of education were entered as covariates, age was entered as the independent variable, one inhibition measure per analysis was entered as the mediator, with a measure of sustained attention (SART *d'* or SART bis) representing the dependent variable in each instance. Mediation effects were only tested for significant age-inhibition relationships resulting from the semi-partial correlations. Mediation was determined if the indirect effects were significant (i.e., *t*-values > 1.96 and the confidence intervals do not cross zero).

Results

All participants completed the flanker and Stroop tasks, one individual did not complete the go/no-go task whilst two individuals did not complete the SART (Table 1). Thus, the following analyses were run for the complete datasets available, applying pairwise deletion.

Bivariate Relationships Among Inhibition Tasks

After controlling for multiple comparisons (adjusted p≤0.006), no significant correlations were identified between the flanker, Stroop or go/no-go measures (Table 2).

Age Relationships with Behavioural Inhibition

After correcting behavioural inhibition measures for gender and education, age was negatively correlated with go/no-go bis, such that higher age was associated with poorer overall go/no-go performance (see Table 3, Figure 2A). Conversely, age was positively correlated with Stroop effects in terms of reaction time (see Table 3, Figure 2B) and errors (see Table 3, Figure 2C), such that higher age was associated with slower and less accurate

performance on the Stroop (more pronounced Stroop effect). These three significant

relationships held following a Bonferroni correction for multiple comparisons (p≤0.006). As

shown in Table 3, no significant correlations were observed between age and flanker effects,

or a traditional measure of go/no-go performance (i.e., commission errors).

Mediation Models

We conducted mediation analyses to test whether task specific inhibitory measures

mediate the relationship between age and sustained attention, as measured using the *d'* and

bis (see Table 4 for effect models and Figure 3 for path diagrams). Inhibitory measures were

independently entered as mediators in separate models.

Mediation Analysis of Age, Response Inhibition, and Sustained Attention

When go/no-go bis was entered as a mediator of the relationship between age and

SART bis (Figure 3A), significant total effects were identified ($R^2 = 0.201$, $p = 0.001$), as

shown in Table 4. The results revealed significant indirect effects ($t = -2.296$, CI = -0.045 to -

0.008) and non-significant direct effects (p = 0.118), with the mediator accounting for an

additional 11.89% of the variance ($R^2 = 0.320$). In this model, age was negatively associated

with go/no-go performance (such that older individuals had poorer performance), which in

turn was positively associated with sustained attention performance (such that individuals

with better go/no-go performance also had better sustained attention performance). In

contrast, when the dependent variable was replaced with SART *d'* (instead of the SART bis

measure), go/no-go performance no longer mediated the relationship between age and

sustained attention (all effects were non-significant).

Mediation Analysis of Age, Interference Inhibition, and Sustained Attention

For the model with Stroop effect (error rates) mediating the impact of age and SART

bis (Figure 3B), significant total effects were identified ($R^2 = 0.203$, $p = 0.001$), see Table 4.

The results revealed significant indirect effects ($t = -2.156$, CI = -0.027 to -0.002) and direct effects ($p = 0.03$), with the mediator accounting for an additional 6.34% of the variance ($R^2 = 0.267$). In this model, age was positively associated with Stroop performance (such that older individuals had poorer performance), which in turn was negatively associated with sustained attention performance (such that individuals with worse Stroop performance also had worse SART performance), but age also had a direct negative association with sustained attention performance (such that older individuals had poorer performance). In contrast, when the dependent variable was replaced with SART d' (instead of the SART bis measure), Stroop performance no longer mediated the relationship between age and sustained attention (all effects were non-significant). For the model with Stroop effect (reaction time) entered as a mediator between age and SART bis (Figure 3C), significant total effects were seen ($R^2 = 0.203$, $p = 0.001$), as shown in Table 4. The results revealed a non-significant indirect effect ($t = -1.133$, CI = -0.02 to 0.003); however, a significant direct effect was observed ($DR^2 = 0.021$). $p = 0.008$) Similarly, for the model with Stroop effect (reaction time) mediating the relationship between age and SART d', no significant effects were identified.

Discussion

In the present work, we tested the inhibition deficit hypothesis in a group of healthy ageing older adults (50-84 years) by investigating the specificity of inhibition measures, the hypothesis of an age-related decline and whether inhibition can explain age-related differences in other aspects of cognition (i.e., sustained attention). When traditional performance metrics were assessed, we found that three commonly used tasks to measure inhibition (i.e., the flanker, Stroop, and go/no-go) did not significantly correlate with one-another, supporting the independence of these sub-component processes of inhibition, as indexed with these tasks. Furthermore, age-related declines were observed in Stroop and go/no-go performance, but not flanker performance, which suggests that age only impacts

certain sub-component processes of inhibition, speaking against a *general* inhibition deficit in ageing. Importantly, we identified that go/no-go performance completely mediates the relationship between ageing and sustained attention performance, whilst Stroop effects were found to partially mediate this association. These findings are in alignment with inhibition deficit hypothesis, demonstrating that inhibitory functions may account for age-related declines in other aspects of cognitive functioning, more than ageing itself. This provides evidence that inhibition can explain differential age-effects in healthy older adults, representing an important cognitive domain to accurately maintain and monitor as we age.

Are tasks of inhibition measuring a common construct?

We did not identify significant correlations among any of inhibition task pairs, consistent with previous work (Pettigrew & Martin, 2014; Stahl et al., 2014) and our first hypothesis. These findings are in general alignment with the taxonomy which separates the ability to inhibit prepotent motor responses from the ability to inhibit interfering and distracting task-irrelevant information (Stahl et al., 2014). By extension then, this indicates that these tasks, which are often described in general as, "inhibition tasks", are indeed measuring different types of inhibition, challenging the routine assumption that these typically used tasks are measuring a common underlying construct. These findings demonstrate the potential pitfall of using a singular task to represent general inhibitory functioning, rather than the specific sub-component. Ultimately, the lack of inter-task correlations here and elsewhere leads to the proposition that performance outcomes do not satisfy generalization beyond the inhibitory sub-component being measured (Rey-Mermet et al., 2018; Rush et al., 2006). Put differently, performance on a particular "inhibition" task does not inherently reflect one's overall inhibitory ability, rather, these behavioural measures simply offer insight into one's proficiency in a specific inhibitory process. To confound this appreciation of differences further, previous work by Raud and colleagues (2020) concluded

that even tasks assumed to measure the same form of inhibition (in this case, a stop-signal and go/no-go task to measure response inhibition) seem to rely on different mechanisms which highlights their non-interchangeability. Taken together, these potentially overlooked details need to be considered when reviewing evidence of inhibition in ageing. Additionally, the utility of task paradigms with more complex manipulations has gained traction in ageing contexts (Hsieh et al., 2016; Puccioni & Vallesi, 2012; Servant & Evans, 2020), which may provide more insight into inhibitory functioning than comparably simpler effects obtained from classic tests.

Age-related inhibitory decline is not general

Partially confirming our second hypothesis, the results revealed a positive correlation between age and Stroop effects, aligning with previous work (Andrés et al., 2008; Fong et al., 2021). Furthermore, when a SAT score was considered, we identified a negative correlation between age and go/no-go performance. This finding reiterates the importance of accounting and/or controlling for SATs, which may well be "masking" age-inhibition relationships, leading to inadequately informed conclusions. This finding introduces yet another element of complexity to the study of inhibition, highlighting a caveat in ageing research which could be exacerbating the inconsistency, and task-dependency, of reported findings. An ageing relationship with go/no-go performance has been reported previously, however, these studies used typical dependant measures, such as reaction times and/or error rates (Nielson et al., 2002; Rey-Mermet & Gade, 2018). Here, no age relationships were identified with flanker performance or go/no-go error rates. Of note, these semi-partial correlations were run with the contributions of gender and education regressed out of the behavioural metrics, in an effort to isolate age-effects. As such, these findings suggest that the ability to inhibit response interference and prepotent responding is vulnerable to the ageing process, whilst the ability to ignore distracting, off-task information appears to be preserved in our healthy adult cohort.

These findings contrast recent work by Kouwenhoven and Machado (2024), who identified age-related deficits in both flanker and Stroop performance. Our results also misalign with meta-analytic reviews by Verhaeghen (2011), who reported no age-related inhibitory decline, and Rey-Mermet and Gade (2018), who identified age-related decrements in go/no-go performance only. Although our age-inhibitory findings (i.e., age-related declines in Stroop and go/no-go, but not flanker performance) are incongruent with the task-particular outcomes of these meta-analyses, their overarching concluding criticisms, which challenge the notion of global inhibitory decline in ageing, are echoed here. The findings of the current study also speak against the hypothesis of a general inhibition deficit in ageing, but rather support the notion of inhibitory decrements with ageing among a subset of inhibitory performance measures.

The mediating role of inhibitory sub-components

According to inhibition deficit hypothesis, inhibition can account for age-related differences in other cognitive domains (Hasher & Campbell, 2020; Hasher & Zacks, 1988). To test this, we performed a mediation analysis (controlling for gender and education) to determine whether differences in inhibition could explain age-related changes in sustained attention, over and beyond ageing itself. The results showed significant indirect effects and non-significant direct effects for go/no-go performance (SAT score) mediating the relationship between age and sustained attention performance (SAT score). This suggests that once this sub-component process of inhibition was taken into account, the relationship of age on sustained attention performance was substantially weakened, demonstrating that the ability to inhibit a prepotent response completely mediates age-related variance in attentional competencies. Thus, adequate suppression of inappropriate actions acts in service of an individuals' capacity to be goal-directed. Further, the results demonstrated significant indirect and direct effects for Stroop effects (error rates) mediating the relationship between age and

sustained attention performance (SAT score). This finding indicates that the ability to inhibit interference explains age-related differences in sustained attention alongside the direct impact of ageing itself. This implies that inhibiting interfering information may prevent attentional resources being misallocated to task-irrelevant matters, which supports the ability to sustain performance. Altogether, this asserts that specific sub-component processes of inhibition are key regulatory mechanisms subserving sustained attention in ageing, aligning with inhibition deficit hypothesis. Importantly, this also reveals a more intricate relationship between age and sustained attention which may explain disparate findings regarding direct age-attention relationships in healthy older adults (Vallesi et al., 2021), underlining the apparent role of inhibition in clarifying these associations.

The inhibition deficit hypothesis, though rarely empirically tested, has found support previously, accounting for age-related variance in vigilance (using an auditory task) and verbal-list learning (Persad et al., 2002), as well as semantic fluency (Fong et al., 2021). To our knowledge, this is the first study to provide specific evidence that this theory extends to the domain of sustained attention (as measured using SART). That said, it is important to mention these mediation findings were again contingent on the performance measure used. When using a typical performance measure to assess sustained attention (i.e., discrimination index, d'), no mediation was observed, thus, these mediation effects were only identified when SATs were accounted for. The task and measure dependency of these findings, and the broader literature, emphasises the potential risk of overlooking important components of age-related change, which, depending on the task/measure used, may consequently minimise the role of inhibition in the maintenance of general and cognitive health. This highlights a nuance in ageing research, revealing the importance of targeting sub-component processes of inhibition and accounting for SATs when investigating healthy ageing, which necessitates consideration in future research.

Strengths and Limitations

By investigating inhibition deficit hypothesis in a well-powered study of healthy older adults (n=80, 44f), utilising multiple measures of inhibition and several performance metrics, we were able to demonstrate the non-unitary nature of inhibition, it's specific age-related decline and the role of inhibitory sub-components in mediating the effects of age on sustained attention. However, several potential limitations require consideration. This study was cross-sectional in design which impedes enquiry into causal relationships and/or temporal changes. Further, our sample of predominantly Western healthy older adults were generally very highly functioning and well-educated, which might not be truly representative of the general older adult population.

Conclusion

The present work investigated inhibition deficit hypothesis in a group of healthy ageing older adults. We identified that three behavioural tasks measuring different sub-components of inhibition did not significantly correlate amongst one another, pointing to the non-unitary nature of commonly implemented inhibition tasks to measure "inhibition", and the limitation of using one behavioural measure. As such, we identify that only specific inhibition tasks were observed to have age-related relationships, calling into question the hypothesis of a general inhibition deficit in ageing. Finally, mediation analysis revealed that specific inhibitory sub-components account for differential age-effects in other cognitive domains (here, sustained attention), over and beyond ageing itself, via an indirect path. Though we provide partial support for inhibition deficit hypothesis with sub--component processes of inhibition, it is important to emphasise the task and measure dependency of these highly nuanced findings, underscoring the pitfall of conflating these sub-components into a generalised concept of inhibition. This is coupled with the need to attenuate speed-

accuracy trade-offs in ageing research, which likely mask age-effects. Bearing these cautions in mind, it is reasonable to conclude that inhibitory sub-components and SAT scores must be considered in ageing contexts to reveal associations which may be otherwise obscured or overlooked.

References

Andrés, P., Guerrini, C., Phillips, L. H., & Perfect, T. J. (2008). Differential effects of aging on executive and automatic inhibition. *Dev Neuropsychol*, *33*(2), 101-123. https://doi.org/10.1080/87565640701884212

Borella, E., Delaloye, C., Lecerf, T., Renaud, O., & de Ribaupierre, A. (2009). Do age differences between young and older adults in inhibitory tasks depend on the degree of activation of information? *European Journal of Cognitive Psychology*, *21*(2-3), 445-472. https://doi.org/10.1080/09541440802613997

Colcombe, S. J., Kramer, A. F., Erickson, K. I., & Scalf, P. (2005). The Implications of Cortical Recruitment and Brain Morphology for Individual Differences in Inhibitory Function in Aging Humans. *Psychology and Aging*, *20*(3), 363-375. https://doi.org/10.1037/0882-7974.20.3.363

Demeter, E., Hernandez-G, L., Sarter, M., & Lustig, C. (2011). Challenges to attention: A continuous arterial spin labeling (ASL) study of the effects of distraction on sustained attention. *NeuroImage*, *54*(2), 1518-1529. https://doi.org/10.1016/j.neuroimage.2010.09.026

Diamond, A. (2013). Executive functions. *Annual review of psychology*, *64*(1), 135-168. https://doi.org/10.1146/annurev-psych-113011-143750

Eriksen, B. A., & Eriksen, C. W. (1974). Effects of noise letters upon the identification of a

    target letter in a nonsearch task. *Perception & Psychophysics*, *16*(1), 143-149.

    https://doi.org/10.3758/BF03203267

Fong, M. C.-M., Law, T. S.-T., Ma, M. K.-H., Hui, N. Y., & Wang, W. S. (2021). Can inhibition

    deficit hypothesis account for age-related differences in semantic fluency?

    Converging evidence from Stroop color and word test and an ERP flanker task. *Brain*

    and Language, *218*, 104952.

    https://doi.org/https://doi.org/10.1016/j.bandl.2021.104952

Friedman, N. P., & Miyake, A. (2004). The relations among inhibition and interference control

    functions: a latent-variable analysis. *J Exp Psychol Gen*, *133*(1), 101-135.

    https://doi.org/10.1037/0096-3445.133.1.101

Golden, C. (1978). Stroop color and word test. *Stoelting Company*.

Grandjean, J., & Collette, F. (2011). Influence of response prepotency strength, general

    working memory resources, and specific working memory load on the ability to

    inhibit predominant responses: A comparison of young and elderly participants.

    Brain and Cognition, *77*(2), 237-247.

    https://doi.org/https://doi.org/10.1016/j.bandc.2011.08.004

Hasher, L., & Campbell, K. L. (2020). Inhibitory theory: Assumptions, findings, and relevance

    to interventions.

Hasher, L., & Zacks, R. T. (1988). Working memory, comprehension, and aging: A review and

    a new view. In *The psychology of learning and motivation: Advances in research and*

    theory, Vol. 22. (pp. 193-225). Academic Press. https://doi.org/10.1016/S0079-

    7421(08)60041-9

Heitz, R. P. (2014). The speed-accuracy tradeoff: history, physiology, methodology, and

behavior. *Front Neurosci*, *8*, 150. https://doi.org/10.3389/fnins.2014.00150

Helton, W. S., Kern, R. P., & Walker, D. R. (2009). Speed-Accuracy Tradeoffs and the Role of

Emotional Stimuli on the Sustained Attention to Response Task (SART). *Proceedings*

of the Human Factors and Ergonomics Society Annual Meeting, *53*(17), 1052-1056.

https://doi.org/10.1177/154193120905301702

Hsieh, S., & Fang, W. (2012). Elderly adults through compensatory responses can be just as

capable as young adults in inhibiting the flanker influence. *Biol Psychol*, *90*(2), 113-

126. https://doi.org/10.1016/j.biopsycho.2012.03.006

Hsieh, S., Wu, M., & Tang, C.-H. (2016). Adaptive Strategies for the Elderly in Inhibiting

Irrelevant and Conflict No-Go Trials while Performing the Go/No-Go Task [Original

Research]. *Frontiers in aging neuroscience*, *7*.

https://doi.org/10.3389/fnagi.2015.00243

Kardos, Z., Kóbor, A., & Molnár, M. (2020). Accurate response selection and inhibition in

healthy aging: An event-related potential study. *Psychol Aging*, *35*(5), 720-728.

https://doi.org/10.1037/pag0000466

Kouwenhoven, M., & Machado, L. (2024). Age differences in inhibitory and working memory

functioning: limited evidence of system interactions. *Aging, Neuropsychology, and*

Cognition, *31*(3), 524-555. https://doi.org/10.1080/13825585.2023.2214348

Liesefeld, H. R., & Janczyk, M. (2019). Combining speed and accuracy to control for speed-

accuracy trade-offs(?). *Behavior Research Methods*, *51*(1), 40-60.

https://doi.org/10.3758/s13428-018-1076-x

Lufi, D., Segev, S., Blum, A., Rosen, T., & Haimov, I. (2015). The Effect of Age on Attention

Level:A Comparison of Two Age Groups. *The International Journal of Aging and*

Human Development, *81*(3), 176-188. https://doi.org/10.1177/0091415015614953

Nicosia, J., & Balota, D. (2020). The consequences of processing goal-irrelevant information

during the Stroop task. *Psychol Aging*, *35*(5), 663-675.

https://doi.org/10.1037/pag0000371

Nielson, K. A., Langenecker, S. A., & Garavan, H. (2002). Differences in the functional

neuroanatomy of inhibitory control across the adult life span. *Psychol Aging*, *17*(1),

56-71. https://doi.org/10.1037//0882-7974.17.1.56

Nigg, J. T. (2000). On inhibition/disinhibition in developmental psychopathology: Views from

cognitive and personality psychology and a working inhibition taxonomy.

Psychological Bulletin, *126*(2), 220-246. https://doi.org/10.1037/0033-

2909.126.2.220

Persad, C. C., Abeles, N., Zacks, R. T., & Denburg, N. L. (2002). Inhibitory changes after age 60

and their relationship to measures of attention and memory. *J Gerontol B Psychol Sci*

Soc Sci, *57*(3), P223-232. https://doi.org/10.1093/geronb/57.3.p223

Pettigrew, C., & Martin, R. C. (2014). Cognitive declines in healthy aging: evidence from

multiple aspects of interference resolution. *Psychol Aging*, *29*(2), 187-204.

https://doi.org/10.1037/a0036085

Preacher, K. J., & Hayes, A. F. (2008). Asymptotic and resampling strategies for assessing and

comparing indirect effects in multiple mediator models. *Behavior Research Methods*,

40(3), 879-891. https://doi.org/10.3758/BRM.40.3.879

Puccioni, O., & Vallesi, A. (2012). Conflict resolution and adaptation in normal aging: The role

of verbal intelligence and cognitive reserve. *Psychology and Aging*, *27*(4), 1018-1026.

https://doi.org/10.1037/a0029106

R Core Team. (2023). *R: A Language and Environment for Statistical Computing*. In R

Foundation for Statistical Computing. https://www.R-project.org/

Raud, L., Westerhausen, R., Dooley, N., & Huster, R. J. (2020). Differences in unity: The

go/no-go and stop signal tasks rely on different mechanisms. *NeuroImage*, *210*,

116582. https://doi.org/https://doi.org/10.1016/j.neuroimage.2020.116582

Rey-Mermet, A., & Gade, M. (2018). Inhibition in aging: What is preserved? What declines?

A meta-analysis. *Psychonomic bulletin & review*, *25*(5), 1695-1716.

https://doi.org/10.3758/s13423-017-1384-7

Rey-Mermet, A., Gade, M., & Oberauer, K. (2018). Should we stop thinking about inhibition?

Searching for individual and age differences in inhibition ability. *J Exp Psychol Learn

Mem Cogn*, *44*(4), 501-526. https://doi.org/10.1037/xlm0000450

Robison, M. K., Diede, N. T., Nicosia, J., Ball, B. H., & Bugg, J. M. (2022). A multimodal

analysis of sustained attention in younger and older adults. *Psychol Aging*, *37*(3), 307-

325. https://doi.org/10.1037/pag0000687

Rush, B. K., Barch, D. M., & Braver, T. S. (2006). Accounting for cognitive aging: context

processing, inhibition or processing speed? *Neuropsychol Dev Cogn B Aging

Neuropsychol Cogn*, *13*(3-4), 588-610. https://doi.org/10.1080/13825580600680703

Salthouse, T. A. (2010). Is flanker-based inhibition related to age? Identifying specific

influences of individual differences on neurocognitive variables. *Brain Cogn*, *73*(1),

51-61. https://doi.org/10.1016/j.bandc.2010.02.003

Sarter, M., Givens, B., & Bruno, J. P. (2001). The cognitive neuroscience of sustained

attention: where top-down meets bottom-up. *Brain Research Reviews*, *35*(2), 146-

160. https://doi.org/10.1016/S0165-0173(01)00044-3

Servant, M., & Evans, N. J. (2020). A diffusion model analysis of the effects of aging in the

Flanker Task. *Psychol Aging*, *35*(6), 831-849. https://doi.org/10.1037/pag0000546

Stahl, C., Voss, A., Schmitz, F., Nuszbaum, M., Tüscher, O., Lieb, K., & Klauer, K. C. (2014).

Behavioral components of impulsivity. *Journal of Experimental Psychology: General*,

143(2), 850-886. https://doi.org/10.1037/a0033981

Starns, J. J., & Ratcliff, R. (2010). The effects of aging on the speed-accuracy compromise:

Boundary optimality in the diffusion model. *Psychol Aging*, *25*(2), 377-390.

https://doi.org/10.1037/a0018022

Stoet, G. (2010). PsyToolkit: A software package for programming psychological experiments

using Linux. *Behavior Research Methods*, *42*(4), 1096-1104.

https://doi.org/10.3758/BRM.42.4.1096

Stoet, G. (2017). PsyToolkit: A novel web-based method for running online questionnaires

and reaction-time experiments. *Teaching of Psychology*, *44*(1), 24-31.

https://doi.org/10.1177/0098628316677643

Tabachnick, B. G., Fidell, L. S., & Ullman, J. B. (2013). *Using multivariate statistics* (Vol. 6).

pearson Boston, MA.

Tiego, J., Testa, R., Bellgrove, M. A., Pantelis, C., & Whittle, S. (2018). A Hierarchical Model of

Inhibitory Control [Original Research]. *9*(1339).

https://doi.org/10.3389/fpsyg.2018.01339

Treacy, C., Campbell, A. J., Anijärv, T. E., Lagopoulos, J., Hermens, D. F., Andrews, S. C., &

Levenstein, J. M. (2024). Structural brain correlates of sustained attention in healthy

ageing: Cross-sectional findings from the LEISURE study. *Neurobiol Aging*, *144*, 93-

103. https://doi.org/https://doi.org/10.1016/j.neurobiolaging.2024.09.010

Vallesi, A. (2011). Targets and non-targets in the aging brain: A go/nogo event-related

potential study. *Neurosci Lett*, *487*(3), 313-317.

https://doi.org/https://doi.org/10.1016/j.neulet.2010.10.046

Vallesi, A., Tronelli, V., Lomi, F., & Pezzetta, R. (2021). Age differences in sustained attention

tasks: A meta-analysis. *Psychon Bull Rev*, *28*(6), 1755-1775.

https://doi.org/10.3758/s13423-021-01908-x

Verhaeghen, P. (2011). Aging and Executive Control: Reports of a Demise Greatly

Exaggerated. *Curr Dir Psychol Sci*, *20*(3), 174-180.

https://doi.org/10.1177/0963721411408772

Wickelgren, W. A. (1977). Speed-accuracy tradeoff and information processing dynamics.

Acta Psychologica, *41*(1), 67-85. https://doi.org/https://doi.org/10.1016/0001-

6918(77)90012-9

Zacks, R., Hasher, L., Li, K., Craik, F., & Salthouse, T. (2000). The handbook of aging and

cognition. *Human Memory*, *293*.

Zanto, T. P., & Gazzaley, A. (2014). Attention and ageing. In *The Oxford handbook of

attention.* (pp. 927-971). Oxford University Press.

Zhu, D. C., Zacks, R. T., & Slade, J. M. (2010). Brain activation during interference resolution

in young and older adults: An fMRI study. *NeuroImage*, *50*(2), 810-817.

https://doi.org/https://doi.org/10.1016/j.neuroimage.2009.12.087

Table 1

Participant Sample Characteristics

Characteristic	n	Mean(±SD)	Median	Min - Max
Age (years)	80	67.78(9.64)	70.00	50.00 – 84.00
Gender (f, m)	44, 36	-	-	-
Education (years)	80	16.16(3.76)	15.50	9.00 – 26.00
Flanker Effect (error rate)	80	0.58(2.97)	1.13	-7.67 – 8.00
Flanker Effect (reaction time)	80	23.68(31.01)	25.50	-73.00 – 109.00
Stroop Effect (error rate)	80	1.89(4.04)	0.00	-3.33 – 16.00
Stroop Effect (reaction time)	80	89.12(63.62)	79.00	-11.50 – 290.00
Go/no-go (error rate)	79	9.49(8.34)	6.67	0.00 – 34.33
Go/no-go (bis)	79	0.02(1.11)	-0.06	-3.53 – 2.15
SART (*d'*)	78	1.40(0.42)	1.38	0.36 – 2.52
SART (bis)	78	0.09(1.15)	0.23	-2.37 – 2.85

n (sample size); female(f); male(m); balanced integrated score (bis); Sustained Attention to

Response Task (SART); discrimination index (*d'*).

Table 2

Bivariate Correlations (Spearman's rho) of Inhibition Measures

	Flanker Effect (error rate)	Flanker Effect (reaction time)	Stroop Effect (error rate)	Stroop Effect (reaction time)	Go/no-go (error rate)	Go/no-go (bis)
Flanker Effect (error rate)	-	-	$rho = -0.042$ $p_{raw} = 0.710$ $p_{cor} = 5.683$	$rho = -0.020$ $p_{raw} = 0.857$ $p_{cor} = 6.860$	$rho = -0.057$ $p_{raw} = 0.617$ $p_{cor} = 4.934$	$rho = 0.177$ $p_{raw} = 0.118$ $p_{cor} = 0.946$
Flanker Effect (reaction time)	-	-	$rho = 0.160$ $p_{raw} = 0.158$ $p_{cor} = 1.264$	$rho = 0.005$ $p_{raw} = 0.966$ $p_{cor} = 7.731$	$rho = -0.102$ $p_{raw} = 0.370$ $p_{cor} = 5.116$	$rho = 0.051$ $p_{raw} = 0.654$ $p_{cor} = 5.233$
Stroop Effect (error rate)	$rho = -0.042$ $p_{raw} = 0.710$ $p_{cor} = 5.683$	$rho = 0.160$ $p_{raw} = 0.158$ $p_{cor} = 1.264$	-	-	$rho = 0.042$ $p_{raw} = 0.714$ $p_{cor} = 5.710$	$rho = -0.282$ $p_{raw} = 0.012$ $p_{cor} = 0.095$
Stroop Effect (reaction time)	$rho = -0.020$ $p_{raw} = 0.857$ $p_{cor} = 6.860$	$rho = 0.005$ $p_{raw} = 0.966$ $p_{cor} = 7.731$	-	-	$rho = 0.187$ $p_{raw} = 0.099$ $p_{cor} = 0.790$	$rho = 0.230$ $p_{raw} = 0.041$ $p_{cor} = 0.329$
Go/no-go (error rate)	$rho = -0.057$ $p_{raw} = 0.617$ $p_{cor} = 4.934$	$rho = -0.102$ $p_{raw} = 0.370$ $p_{cor} = 5.116$	$rho = 0.042$ $p_{raw} = 0.714$ $p_{cor} = 5.710$	$rho = 0.187$ $p_{raw} = 0.099$ $p_{cor} = 0.790$	-	-
Go/no-go (bis)	$rho = 0.177$ $p_{raw} = 0.118$ $p_{cor} = 0.946$	$rho = 0.051$ $p_{raw} = 0.654$ $p_{cor} = 5.233$	$rho = -0.282$ $p_{raw} = 0.012$ $p_{cor} = 0.095$	$rho = 0.230$ $p_{raw} = 0.041$ $p_{cor} = 0.329$	-	-

balanced integrated score (*bis*). p_{raw} = uncorrected *p* value, p_{cor} = corrected *p* value.

Table 3

Semi-Partial Correlations (Spearman's rho) between Age and Inhibition Measures

	Age (years)		
	Coefficient (rho)	*P-value (raw)*	*P-Value (corrected)*
Flanker Effect (error rate)	-0.030	0.792	1.000
Flanker Effect (reaction time)	-0.051	0.654	1.000
Stroop Effect (error rate)	0.337	**0.002**	**0.014**
Stroop Effect (reaction time)	0.313	**0.005**	**0.028**
Go/no-go (error rate)	0.059	0.607	1.000
Go/no-go (bis)	-0.471	**<0.001**	**<0.001**

Performance measures were residual corrected for gender and education; balanced integrated score (*bis*). Significant correlations are bolded.

Table 4

Mediation Effect Models Examining the Intervening Role of Inhibitory Functioning on the

Relationship between Ageing and Sustained Attention Performance

Relationship			Effect	Estimate	SE	95% Confidence Interval		T-statistic	*p-value*
IV	M	DV				Lower	Upper		
Age	Go/no-go (bis)	SART (bis)	Indirect	-0.0225	0.0098	**-0.0454**	**-0.0078**	**-2.2959**	-
			Direct	-0.0217	0.0137	-0.0490	0.0056	-1.5814	0.1182
			Total	-0.0441	0.0131	**-0.0702**	**-0.0181**	**-3.3738**	**0.0012**
Age	Stroop Effects (error rates)	SART (bis)	Indirect	-0.0138	0.0064	**-0.0273**	**-0.0024**	**-2.1563**	-
			Direct	-0.0300	0.0135	**-0.0570**	**-0.0030**	**-2.2183**	**0.0296**
			Total	-0.0438	0.0128	**-0.0693**	**-0.0183**	**-3.4180**	**0.0010**
Age	Stroop Effects (reaction times)	SART (bis)	Indirect	-0.0068	0.0060	-0.0198	0.0033	-1.1333	-
			Direct	-0.0369	0.0136	**-0.0641**	**-0.0098**	**-2.7119**	**0.0083**
			Total	-0.0438	0.0128	**-0.0693**	**-0.0183**	**-3.4180**	**0.0010**
Age	Go/no-go (bis)	SART (*d'*)	Indirect	0.0060	0.0033	0.0009	0.0140	1.8182	-
			Direct	-0.0073	0.0058	-0.0189	0.0042	-1.2712	0.2078
			Total	-0.0013	0.0053	-0.0118	0.0092	-0.2539	0.8003
Age	Stroop Effects (error rates)	SART (*d'*)	Indirect	0.0014	0.0027	-0.0040	0.0069	0.5185	-
			Direct	-0.0031	0.0057	-0.0144	0.0082	-0.5464	0.5864
			Total	-0.0017	0.0052	-0.0120	0.0085	-0.3360	0.7378
Age	Stroop Effects (reaction times)	SART (*d'*)	Indirect	0.0007	0.0021	-0.0034	0.0050	0.3333	-
			Direct	-0.0024	0.0056	-0.0135	0.0087	-0.4309	0.6678
			Total	-0.0017	0.0052	-0.0120	0.0085	-0.3360	0.7378

All models controlled for gender and education. Sustained Attention to Response Task

(SART); balanced integrated score (bis); discrimination index (*d'*): Independent variable

(IV); Mediator variable (M); Dependent variable (DV). Total effect, relationship between the

independent and dependent variable (c); Direct effect, relationship between independent and

dependent variables in the presence of the mediator (c'); Indirect effect, relationship that

flows from the independent variable, through the mediator to the dependent variable (a*b).

Confidence intervals, Standard Error (SE) and estimates are reported as unstandardised

values. Significant effects are presented in bold.

Figure 1

Behavioural Task Diagrams for Measures of Inhibition and Sustained Attention

Inter-stimulus-interval (ISI); Sustained Attention to Response Task (SART).

Figure 2

Significant Semi-Partial Correlations (Spearman's Rank) of Age and Inhibitory Sub-

Components

Behavioural inhibition measures are presented as standardised residuals, corrected for gender

and education. Balanced integrated score (bis); correlation coefficient (rho); corrected p-value

(p_{cor}). 2A, age relationship with Go/no-go (bis); 2B, age relationship with Stroop effects

(reaction time); 2C, age relationship with Stroop effects (error rates). The grey shaded area

indicates the 95% confidence interval of the linear regression line. * $p_{cor} \leq 0.05$, *** $p_{cor} \leq$

0.001.

Figure 3

Path Diagrams for Mediation Analyses

R PROCESS macro (model 4). Sustained Attention to Response Task (SART); balanced integrated score (bis); discrimination index (d'). 3A, Relationship between age and SART bis as mediated by go/no-go bis; 3B, Relationship between age and SART bis as mediated by Stroop effects (error rates); 3C, Relationship between age and SART bis as mediated by Stroop effects (reaction time); 3D, Relationship between age and SART d' as mediated by go/no-go bis; 3E, Relationship between age and SART d' as mediated by Stroop effects (error rates); 3F, Relationship between age and SART d' as mediated by Stroop effects (reaction time). Significant paths are represented by bolded arrows. Path values are reported as standardised beta coefficients (β). Green shade represents complete mediation, tan shade represents partial mediation, red shade indicates no mediation. *p<0.05, **p<0.01, ***p<0.001.