Complex Traces: Using a Complex Adaptive Systems approach to examine morbidity and mortality among 19th Century migrants to South Australia

Angela Gurr[1], Matthew Brook O'Donnell[2], Alan Henry Brook[1]

[1] Adelaide Dental School, University of Adelaide, Frome Road, Adelaide, South Australia, Australia

[2] Annenberg School for Communication, University of Pennsylvania, Walnut Street, Pennsylvania, United States of America

Corresponding author

Email: angela.gurr@adelaide.edu.au (AG)

Abstract

In multidisciplinary research interpreting interactions between diverse data sources requires a Complexity approach. A Complex Adaptive Systems (CAS) framework allows the relationships of multiple factors to be explored and may provide a more holistic and nuanced understanding. This study is innovative in explaining the potential benefits in a CAS approach to combining bioarchaeological and historical data when examining a rare archaeological skeletal sample of early migrants to South Australia (SA).

Macroscopic, radiographic and micro-CT methods were used for the analysis of the skeletal remains of a group of 19th century migrants buried in an unmarked area of St Mary's Anglican Church Cemetery. The relevant historical records explored were from British emigrant ships to SA (1836 to 1885) and the Church burial records (1847-1885).

Evidence of poor oral and general health was present in the skeletal material. Dental developmental defects indicated earlier health insults. Pathological manifestations in bone were compatible with joint and infectious diseases, and metabolic deficiencies. Historical documents recorded that the voyages to SA were challenging, with some ships experiencing a high death rate. Diseases e.g., measles and scarlet fever, and diarrhoea were frequently recorded as causes of death at sea for both subadults and adults. In the Colony, burial records showed similar causes of death for subadults, but for adults, accidents and tuberculosis were often reported.

The CAS approach provided insights beyond those from analysis of the individual sources. It increased understanding of emergent, non-predicted outcomes that resulted from interactions between multiple factors e.g., the impact of fluctuating economy, political instability and ideological pressures, on the health of migrants. The CAS framework is a valuable methodology for interpreting health patterns and can be further developed for a range of historical and contemporary health contexts.

Keywords

Complex Adaptive Systems, Health, Mortality, Migrants, South Australia

Introduction

A Complex Adaptive Systems Approach

Multidisciplinary research that integrates and interprets different types of data from diverse sources can be challenging. These challenges are seen across a range of scientific and other disciplines. Different methods have been developed to address them [1], such as the Complex Adaptive Systems (CAS) framework approach, which has become more widely adopted [2-8]. The application of this approach, particularly within medical domains, to analyse findings from varied sources and investigate their relationships may provide a more holistic and nuanced understanding [2, 4, 7].

The characteristics of a Complex Adaptive System (CAS) are seen with the formation, development and ongoing functions of a social group, such as a new migrant colony [7]. Key components of a social CAS framework include interactions at multiple levels e.g., between individuals, small groups, families, neighbours, companies and government structures in networks at multiple timescales that give rise to emergent properties i.e., outcomes that cannot be predicted or anticipated from the interacting parts. The value of this perspective is that it can be used to guide the selection, organisation, analysis and interpretation of various data sources and may provide a fuller context for these findings, enhancing understanding of individuals and groups studied.

A vital tool that guides research thorough progressive stages or steps is the Wisdom Hierarchy [9]. First raw data collected from different sources are grouped or categorised. This produces information. Information is analysed to provide new knowledge, which is then interrogated and integrated to enhance understanding. It is in this final step of the Wisdom

81 Hierarchy that key aspects of CAS are used to look at the interactions between the different

82 sources of knowledge. The CAS approach results in new insights and subtleties beyond that

83 arising from the independent treatment of each source. In Fig. 1, we develop further a

84 Wisdom Hierarchy.

Fig. 1. The Wisdom Hierarchy – a progression of steps from raw data is categorised and organised to create information. This is analysed to produce knowledge. Knowledge is interrogated to produce understanding. Further developed from Brook and Brook O'Donnell [10].

This study investigates multiple sources of data e.g., findings from the examination of

archaeologically excavated human skeletal remains and diverse historical records, to

understand the challenges faced by early migrants during the voyage and after arrival in the

new colony of South Australia (SA). The years investigated are 1836 to 1885. These dates

cover the initial period of *establishment* (1836-1848), followed by *settlement* of the province

(1849 - 1866). The colony *matured* during the subsequent years (1867 - 1885).

Background for the new colony of South Australia

The American Revolution and independence from British rule (1773-1775/6) had caused

political and commercial instability in Britain, arising from the loss of those colonies [11-13].

In Europe, the French Revolution of 1789-1794 brought civil unrest, social upheaval, and

radical political changes [14, 15], while the war with Napoleon had required substantial

capital and resources [16, 17]. The British aristocracy and political establishment were now

greatly sensitized to the dangers of revolution by an oppressed populace. This was

exemplified by the excessive use of force against a peaceful public protest that resulted in the

Peterloo massacre (1819) [18].

The underpinning concepts and the formal establishment of the Provence of South Australia

are well documented. Edward Gibbon Wakefield's theoretical publication in 1829 proposed a

systematic approach to establishing new colonies [19-21]. In these, rather than transporting

convicts, voluntary emigration would be encouraged, and the British class system could be

reproduced. Such new colonies could offer fresh opportunities for those affected by the gross

overcrowding in the cities and towns of Britain and the greatly increased inequalities

resulting from both international and national events.

The migration of workers from rural areas of Britain to urban industrial centres from

approximately 1760 to 1850 followed the introduction of mass manufacturing of goods in

factories using machinery [22-24]. Influxes of people in towns and cities without the

infrastructure to cope produced overcrowding, unsanitary conditions, and the spread of

disease [23-25]. Air and water pollution from factories adjacent to the workers' housing also

affected the health of the surrounding population [25-27].

During this period the coast and rivers of South Australia were being explored by Matthew

Flinders (1801-1803) [28, 29], Charles Sturt (1828-1831) [30], and Collette Barker (1831)

[31]. This region was seen as highly suitable for a new colony. With commercial backing in

place from the formation of the South Australian Company [32, 33], the British Parliament passed the South Australian Colonisation Act (1834) [34]. An emigration fund, suggested by Wakefield (1829) [21], for the conveyance of healthy young migrants and their families to a new colony was planned and the 'assisted passage' scheme, sponsored by the Colonial Commissioners became available for migrants who were able to comply with the selection criteria [20, 34-38].

The first emigration ships for South Australia left Britain in 1836 [39-41]. These ships often carried different classes of passengers – e.g., cabin, intermediate and steerage/ assisted passage and had a Superintendent Surgeon to attend to the health of the migrants during the long voyages. The Passengers Act of 1835 [42], states that any ship conveying more than 100 people must have "some person duly authorised by law to practise in the UK as a Physician or Apothecary…taking with him a Medicine Chest and a proper supply of medicine, and instruments…". This position was independent from the ship's crew, the Surgeon being employed by the Colonial Commissioner. The logs kept by these Surgeons provide a valuable but under explored data source of the health of the migrants during the voyage.

Arrival in the new Province of South Australia did not end the challenges faced by the new migrant settlers. General environmental factors such as insufficient employment, a fluctuating economy and political instability [38], could have influenced their economic status and health as well as the eventual location of their burial.

While these historical events and decisions provide the necessary context for the migrant colony under investigation, viewing their interactions and the emergent outcomes they produced from a CAS perspective adds considerable value. There were short, medium and long-term outcomes from the interactions of the various decisions and actions, driven by ideological, economic, and political factors that were not, and likely could not have been,

predicted at the outset. These outcomes could be either positive and negative and affect

different individuals in different ways, the outcome in large part relating to individual

resilience and the context. Therefore, the aim of this study is to explore if there are benefits in

a CAS approach to combining bioarchaeological and historical data when analysing a rare

skeletal sample of migrant settlers to SA.

Materials and Methods

Data sources

A summary of the different data sources used in this study are given in Table 1.

Table 1: A summary of the data sources investigated in this study.

	Data Source	Type of Data	Date Range
1	**Bioarchaeological** • St Mary's Cemetery Human Skeletal Material	Biological data from: • Macroscopic & • Radiographic examinations, • Micro-CT scanning	1847-1927
2	**Historical Documents** • Ships Records • Government • Ship's Surgeon's Logs:	• Documentary	1836-1885
3	**Historical Documents** • St Mary's Church Burial Records	• Documentary	1847-1885

1. Bioarchaeological investigation of human skeletal remains

Ethics

St Mary's Anglican Church requested the excavation of the unmarked section of the cemetery and approved the study of this rare historical skeletal sample. Flinders University Social and Behavioural Research Ethics Committee provided ethics approval (SBREC Project number 8169). As this sample consisted of historical skeletal material of individuals whose identity are not known, there was no possibility or requirement to obtain informed consent.

Skeletal sample

The skeletal remains of 70 individuals (20 adults and 50 subadults - all migrant settlers to South Australia), were excavated from the unmarked section of St Mary's Anglican Church Cemetery, near Adelaide, in 2000 [43]. The burials in this section of the cemetery took place between 1847-1927, but previous studies have shown that most of the burials in the unmarked section took place during the first decades after the establishment of the colony in 1836 [44-46].

The skeletal remains were accessed for research purposes from the 5th of January 2021 to 31st of November 2023, and between 22nd January and 25th July of 2024. Data derived from the macroscopic examination of the teeth and bones of the St Mary's sample, and the radiographic examination and micro-CT scanning of just the dentitions were used [45-47]. Details of the scoring systems, and standards followed for estimation of age range, determination of sex, and the identification of pathological manifestation of disease are available from Anson [43] and Gurr et al., [45-47]. Criteria for the identification of, and systems followed to categorise tooth wear and/or pathologies related to oral health such as

evidence of caries, and periodontal disease, and to measure dental developmental defects e.g.

enamel hypoplastic defects and interglobular dentine, can be found in Gurr et al. [47].

Information and setting for the radiographic and Micro-CT scanning systems used e.g., Small

Volume Micro-CT system - Bruker SkyScan 1276 [48], and the Nikon XT H 225 ST Large

Volume Micro-CT system [49], as well as the different setting are published by Gurr et al.,

[47, 50].

2. Historical documentation - Ships records

This study investigates two types of historical ships records, the government records and the

ship's Surgeons logs. Firstly, available documents relating to the emigrant ships that carried

more than ten passengers from the United Kingdom (UK) to South Australia (SA) from 1836

to 1885 [51, 52], to provide information about the number of passengers and the conditions

onboard e.g., the Summary Report and the Certificate of Final Departure [52, 53].

The documents completed by the Superintendent Surgeon assigned to each migrant ship from

1849 to 1865, as published in the South Australian Government Gazette [54], were used as

they often recorded the cause of death for passengers who died at sea. The time periods

covered by these two historical data sources differ slightly (Table 1) due to the availability of

the data sources.

3. Historical documentation – St Mary's Church Records

Parish burial records for St Mary's Anglican Church Cemetery, SA, began in 1847 [55] . To

reflect the temporal period of the emigrant ships' logs i.e., 1836-1885, the burial records have

also been analysed until 1885. These documents provide insights into the morbidity and

mortality during the early decades of the colony for a specific group of migrant settlers.

These burial documents record that N=143 individuals were interred *either* in i) the unmarked

section of the cemetery often written as the 'free ground', 'common ground', or 'unleased

ground', *or* ii) the location of their burial was not recorded, *or* iii) the location of their burial

is unknown due to damage to the church records.

Results

222 Table 2 provides an overview of the analysis and types of results obtained from the three data

223 sources. The key variables from each source and how they were prepared for analysis and

224 modelling are summarised.

226 **Table 2:** A summary of the different data sources used in this study, the key variables from
227 each source and how they were prepared for analysis and modelling.
228
229

Data Source		Unit of Analysis	Key Variables	Analysis & Modelling
1	**Bioarchaeological** • St Mary's Church Cemetery - human skeletal material	Individual	Age, sex, dental development defects, tooth wear, caries, periodontal disease, antemortem tooth loss. Skeletal pathologies, joint diseases & metabolic disturbances	Age group, descriptive observations, potential causes & future health implications
2	**Historical Documents** • Ships records • Government records • Ship's Surgeon's logs:	Voyage Passenger	Date, count data by passenger type, number of deaths. Year of death, Age, Cause of death.	Aggregation by time period & time series/trend analysis Aggregation by cause of death & time series/trends analysis
3	**Historical Documents**	Individual	Estimated age, Cause of death	Grouped counts & aggregation by time period

	• St Mary's Church Burial records			

1.Bioarchaeological investigation of human skeletal remains

The demographic profile i.e., estimation of age range and determination of sex of the

excavated skeletal remains from the unmarked section of St Mary's Cemetery is available in

the supplementary material as Table S1. It shows that many of these individuals were infants

and subadults: This sample consisted of 21 infants of unknown age, 11 infants of 0-11

months, 19 subadults between 1-18 years and 19 adults of 19-50+ years of age. The identity

of the 70 individuals is not known due to the lack of identifying markers such as gravestones.

The multiple bioarchaeological techniques used for the analyses of the skeletons and

dentitions (i.e., macroscopic, radiographic, and large and small volume micro-CT scanning),

identified evidence of poor oral and general health conditions, as well as signs of earlier

health insults in the form of dental developmental defects (Fig. 2).

Fig. 2. Small Volume Micro-CT – An image of a human tooth with developmental defects.
This transverse (cross-sectional) view of the exterior and interior surfaces of a permanent
upper incisor. Enamel hypoplastic defects (black arrows) and areas of interglobular dentine
(white arrows) which are mineralisation defects of the dentine are highlighted.

Pathological manifestations and changes to the teeth and bones due to disease and/or

deficiencies are listed in Table 3. Column 1 of Table 3 lists the health conditions that affected

individuals in this group, with column 2 listing the observed evidence for the condition or

defect. Column 3 provides information describing the potential outcome of such a condition/s

on the health of the affected person.

Table 3. 1847-1927 – St Mary's Cemetery skeletal sample - Evidence of previous health
conditions and insults observed on teeth and bones.

Condition/s affecting: *Adults*		
Condition/s	**Observed Evidence**	**Potential causes and/ or implication for future health**
Poor Oral Health	Caries –extensive	Poor oral hygiene - dentine/ pulp exposure – pain/infection, tooth loss
	Dental abscess/es	Poor oral hygiene -chronic infection, pain, tooth loss
	Calculus –build-up/ bone recession	Poor oral hygiene - gingivitis/periodontal disease/ systemic health issues
	Periodontal disease	Tooth loss/ systemic health issues
	Antemortem tooth loss	Inability to eat certain food types - reduced nutritional intake/ systemic health issues
	Smoking – pipe notch	Change oral biome – increase systemic health issues
Extreme Tooth Wear	Diet/ health related- coarse food/ grinding teeth/GORD	Dentine exposure - pain- infection - tooth loss
	Environmental e.g. abrasion/ attrition/ erosion	Loss of dental tissues – increase caries/ poor oral health, systemic health issues
	Using teeth as tools	Trauma to teeth – infection – pain- tooth loss
Joint Disease	Vertebral osteophytes/ eburnation/ Schmorl's nodes	Repetitive hard labour of a long period of time, reduced mobility– pain- disability
	Morphological changes in bones - observed: radial notch of ulna, trochlear, olecranon, acetabulum, femoral head, talus head, navicular, & calcaneus	Reduced movement of the joints– pain- disability
Dental Developmental Defects	Enamel hypoplastic defects -	Reduction or cessation of tooth enamel production, evidence of systemic ill health during dental development
	Interglobular dentine	Reduction in or cessation of the mineralisation of dentine, evidence of systemic ill health during dental development

Condition/s affecting: *Subadults*		
Metabolic Deficiencies	Folic Acid – Vitamin B9 deficiency during pregnancy	Spina bifida occulta – failure of neural tube to completely close – mild – vulnerability in the posterior section of the sacrum
	Vitamin. C deficiency –	Inflammation, bleeding, poor quality & quantity collagen – pain- potentially fatal - porous lesions in the cortical bone
	Iron deficiency -	Fatigue- lack of oxygen to brain & muscles – weakness. Porous lesions in the cortical bone of the orbital roof
Infectious Disease/s	Periosteal reaction/ new bone growth	Chronic infection-inflammation- pain – poor systemic health – potentially fatal depending on condition
	Congenital syphilis/ Dental morphological changes/ abnormalities	
	Tuberculosis/ Destructive lesions of the vertebral bodies & other bones	
Ingested Toxins	Mercury - dental morphological changes/ abnormalities	Reduction or cessation of tooth enamel production, systemic ill health due to toxins.
Dental Developmental Defects	Enamel hypoplastic defects	Reduction or cessation of tooth enamel production, evidence of systemic conditions during dental development
	Interglobular dentine	Reduction of the mineralisation of dentine, evidence of systemic conditions during dental development.

265 Note: Further details of the conditions listed in Table 3 are available in previous studies [43,
266 45-47, 56, 57]

2.Ships records

Number of voyages and passengers over time -1836–1885

In total there were 885 voyages carrying more than ten passengers from the UK to SA from 1836 to 1885. The number of ships arriving in SA each year are shown in Fig. 3. The dashed line shows the accumulation of passengers from these voyages using a rolling 10-year window as a way of illustrating the impact of new arrivals in the growing colony over this time. There are no recorded emigrant ships arriving in SA for 1861, 1868 and 1872 and a single voyage in each of 1871 and 1885 [51, 52]. The busiest years were: 1849 (83 voyages), 1850 (76), 1854 (64), 1853 (60), and 1855 (57), all within the second period (1849-1870) (Fig. 3).

During the first period (1836-1848), in which the colony was being established, the average number of voyages per year was 16.5 (SD 13.0), driven by two key years 1839-1840 followed by a return to ten or less voyages per year until 1846. This is reflected in the flat accumulation line in Fig. 3. The second period (1849-1866) saw the settling and stabilization of the colony with a high demand for workers in the initial period up until 1855. The average number of voyages per year during this period was 29.1 (SD 28.2). However, dividing this period into an early section (1849-1855), with an average of 61.6 (SD 14.2) voyages per year and a later section (1856-1866), with an average of 8.5 (SD 5.3), better captures the complex dynamics of the settling period.

Fig. 3. 1836 - 1885. Number and distribution of emigrant voyages, carrying more than ten passengers from the United Kingdom to South Australia, in relation to the year of arrival. [51, 52]. Cumulative addition of individuals to the colony shown in the orange dashed line using a 10-year rolling window.

The accumulation of new arrivals (over a ten-year period) peaks towards the middle of the

second period (around 1857) fitting with communities becoming established and organised.

The final section (1867-1885) sees the colony maturing and requiring fewer external workers

to sustain growth and development. This is reflected in the lowest average number of voyages

per year of 7.7 (SD 10.0).

Number and type of mortality at sea over time - 1836–1885

There were many risks to the health of the 19[th] century migrants bound for South Australia

with some passengers dying during the long voyage. The number of infant, subadult and adult

deaths per year from 1836 -1885 as recorded for British emigrant ships (with more than 10

passengers) to South Australia is shown in Fig. 4. The most vulnerable age groups were

infants and younger children.

Fig. 4. 1836 - 1885. Number of infant and subadult, and adult deaths by year as recorded on emigrant voyages to South Australia from the United Kingdom, broken down by age group. [51, 52].

Table 4 provides the findings for the ships with high mortality rates on emigrant voyages

from the UK to SA from 1836-1885 [51, 52]. It presents a breakdown of the number of

passengers and deaths on each ship, along together with the percentage of fatalities recorded.

Table 4. 1836 -1885. Emigrant Ships by year of departure with a high percentage of deaths at sea carrying more than ten passengers from the United Kingdom to South Australia. (State Records of South Australia, 2016, 2022).

Name of Ship	Year of Departure	Number of Passengers	Number of deaths	Death %
Prince Regent	1839	199	20	10%
Resource	1839	211	30	14%
Fairfield	1840	186	35	19%
Himalaya	1849	176	29	16%
Douglas	1850	125	21	17%
Shackamaxon	1852	696	65	9%
John Bunyan	1854	340	29	9%
James Fernie	1854	376	30	8%
Morning Star	1862	452	26	6%
Lochee	1877	524	26	5%

Superintendent Surgeons' Logs - Causes of Death at Sea - 1849–1865

325 Investigation of the Superintendent Surgeons' logs for the period 1849-1865 provides the

326 number of deaths at sea for the study period. These data are divided into different age groups:

327 0-4 years, 5-18years and 19-50+ years. Infants and younger subadults were impacted the

328 most during the voyage as highlighted in Fig. 5.

Fig. 5. 1849-1865. Number of deaths by age range in years for passengers on board emigrant

ships to South Australia from the United Kingdom [54].

The death of a passenger at sea (1849-1865) (Government of South Australia, 1866), could

have been caused by multiple interacting factors including infectious and non-infectious

conditions. Table 5. lists the frequently recorded non-infectious and infectious conditions for

all age groups on emigrant voyages from the UK to S A during this period.

Table 5 1849 – 1865. Non-infectious and infectious conditions recorded for all age groups on
emigrant voyages from the United Kingdom to South Australia [54].

Common causes of death at sea	
Non-infectious conditions/ Symptoms	**Example/s of recorded causes**
Fever	Allergic reaction, sunstroke
Cerebral	Hydrocephalus; effusion of the brain, meningitis
Chest	Heart disease/ failure
Abdomen - Liver, Kidney, Bowel	Organ failure, mesenteric disease – (small intestine)
Wasting & deficiency	Sea sickness, vomiting, atrophy
Convulsions	Epilepsy
Debility	Decay of strength
Marasmus	Progressive emaciation - malnutrition
Maternal	Miscarriage, haemorrhage
Neonatal	Premature birth, stillbirth
Croup	Coughing, inability to breath
Accident- trauma	Falling overboard, crushed
Suicide	Jumping overboard
Natural causes	Found dead
No cause recorded	N/A
Infectious conditions/ Symptoms	**Example/s recorded causes**
Fever	Viral, bacterial
Diarrhoea, Dysentery	Intestinal parasites, bacterial, viral
Putrid sore throat	Cynanche maligna; quinsy
Viral infection	Rubella, measles, smallpox
Bacterial infection	Scarlet fever, scarlatina, cholera, typhoid typhus, teething
Upper respiratory	Phthisis, tabes mesenterica, whooping cough, bronchitis, pneumonia
Maternal	Puerperal -postpartum infection
Sexually transmitted	Syphilis

Documentation for 142 emigrant ships that sailed from the UK to SA (1849 to 1865) show

that from the 89165 passengers recorded in voyage records during this period, 1141 deaths

were logged. Therefore, around 1.3% or 1 of every 80 died before arrival [54]. From the total

number of deaths, 387 (34%) have no cause or explanation recorded. Analysis of this data is

further complicated due to a variety of spellings and terms used to record the cause of death

[54].

The most commonly documented 'causes' of death for each age group on board of the 142

voyages are given in Table 6. These are shown in the order of the frequency that they were

recorded in the ships' logs e.g., numerous infants under one year of age died due to diarrhoea

or dysentery followed by 'debility', convulsions and bronchitis. Fig. 6 breaks down this data

further showing the number of deaths for each 'cause' and in which year/s had the highest

number or a 'peak' in the recorded deaths on emigrant voyages to South Australia from the

United Kingdom from 1849-1865.

Table 6. 1849-1865. Causes of death at sea in order of most frequently recorded by age group
on migrant ships from the United Kingdom to South Australia [54].

Age range (years)	Causes of death at sea in order of most frequently recorded					
0-4	Diarrhoea/ Dysentery	Convulsions	Marasmus	Debility	Pneumonia	Measles
5-18	Diarrhoea/ Dysentery	Cholera	Phthisis Bronchitis/ Pneumonia	Scarlatina	Fever	Marasmus
19-50+	Fever	Diarrhoea/ Dysentery	Cholera	Phthisis, Bronchitis/ Pneumonia	Typhus	Pregnancy/ childbirth

Cause of death	Count	1849-1865	Peak of	In year
Diarrhoea	155		42	1854
Fever	71		30	1854
Convulsions	41		20	1854
Debility	40		10	1854
Measles	38		10	1854
Marasmus	32		10	1855
Dysentery	29		11	1854
Cholera	29		29	1854
Bronchitis	24		6	1854
Typhoid fever	24		17	1854
Scarlatina	23		7	1863
Pneumonia	19		7	1855
Consumption	13		3	1854 & 1856
Croup	12		3	1855 & 1858
Atrophy	12		9	1854

Fig. 6. Top 15 causes of death on emigrant voyages to South Australia from the United Kingdom from 1849-1865 (Total Deaths: 1141) [54].

3.Church burial records

Burial records for St Mary's Anglican Church, SA, show that a group of 143 individuals

could have been interred in the unmarked 'free ground' area of the cemetery(see materials for

details) [55]. These burials, paid for by the SA government, fluctuated between 1847 and

1885 (Fig. 7), with the majority of them taking place before the 1870s. The number of

internments in the unmarked section declined after this time i.e., the 1870s (Fig. 7) [43, 55].

The highest number of deaths/burials for this group of 143 individuals where amongst the

infants - age range 0-11 months (67/143), followed by the subadults – age range 1-3 years

(38/143), (Table 7) [43].

Records frequently listed diarrhoea and dysentery as a cause of death for the St Mary's

infants and subadults (Table 7). Phthisis (tuberculosis) and natural decay were commonly

listed as causes of death for some adult males, and accidents caused the death of three adult

males from this group (Table 7). For the adult females, conditions related to the womb and

the brain were listed (Table 7) [43].

Fig. 7. 1847-1885. St Mary's Church Burial Records -Year of burial and number of
individuals – (total N=143) listed as interred in the unmarked section of St Mary's Cemetery,
South Australia, (or the location of their burial was not recorded, or is unknown due to
damage to records) [55].

Table 7. 1847-1885. St Mary's Cemetery Records– Most frequently recorded causes of deaths with age ranges of the deceased [43].

Commonly Recorded Cause of death	Age range - years			Number of individuals listed
	Infant / young subadult 0-4	Subadult 5-18	Adult 19-50+	
Unknown Causes	28	2	5	35
Dysentery, Gastritis	18	0	0	18
Atrophy	11	0	0	11
Teething	9	0	0	9
Pulmonary conditions	2	1	5	8
Convulsions	8	0	0	8
Accident	0	2	3	5
Mesenteric disease	4	0	0	4
Disease of the brain, insanity	1	0	2	3
General decay/ old age	0	0	3	3

Discussion

Integration of the multiple data sources

The integration of multiple data sources (Table 1) provided an insight into the morbidity and mortality rates for early migrants both at sea and in South Australia. Further, the multi-methodological approach used for the analyses of the dentition and other skeletal materials, provided an improved understanding of the health conditions experienced as well as an insight for some of the challenges faced by this specific group of migrants. In this way the application of the Wisdom Hierarchy and the CAS framework to the three diverse data

sources provided new, more nuanced insights than would result from the independent

treatment of each source.

The findings for the combined data sources showed a general trend for high infant and

subadult mortality both at sea during the migrants' voyage and after arrival and settlement

during the early years of the colony. The young demographic profile of the individuals who

represented the highest number of passenger deaths at sea (Fig. 4), was reflected in the burial

records associated with St Mary's Church's (Table 7). This documentary trend was

confirmed by the high number of infants and subadults excavated from the unmarked section

of St Mary's Church Cemetery (Table S1).

During the voyage to SA, for some passengers', health issues such as sea sickness, and/or

poor conditions onboard the ship, lack of ventilation, and contaminated food and water

supplies would have increased their susceptibility to further health insults. The environment

on board also meant that diseases such as measles and smallpox were likely to spread quickly

due to the concentration of individuals in a confined space compared to on land.

In the colony during the early period (1836-1848), rudimentary health care was available in

the city [58], but for the individuals living in communities away from these facilities reduced

access to a doctor could prove fatal. The health of the younger age groups would have been

impacted more than the adults due to their small body size and the reduction of the maternal

antibodies combined with a still developing immune system. These factors would have

reduced their ability to recover from the effects of disease such as gastrointestinal conditions

and associated dehydration compared to an adult [59].

The background of the individuals in this study i.e., the excavated sample and those listed in

St Mary's burial records, is unknown, but the majority of them are likely to have been born in

Britain. Some may have had a low socioeconomic status, working in a factory or as labourers.

Having survived the voyage to South Australia, they went on to settle and experience a new

lifestyle. Many individuals thrived in the colony, seizing new opportunities, building

commercial enterprises or substantial landholdings. However, the financial position when

they died of those buried in the unmarked 'free ground' section of St Mary's Cemetery and

the evidence from their skeletal remains show that they did not prosper in the early decades

of this colony. Rather the challenges of the new life, the volatility of the economy and the

limitations of the infrastructure proved overwhelming.

439   Bioarchaeological investigation of St Mary's Cemetery Sample

Poor oral health, such as extensive carious lesions, periodontal disease, evidence of pipe

smoking and widespread antemortem tooth loss affected the majority of the adults in this

skeletal sample (Table 3) [47]. This poor oral health would have negatively influenced the

individual's general systemic health. Dental developmental defects e.g., enamel hypoplasia

and interglobular dentine (Table 3), seen in many subadults and adults confirmed that these

individuals had suffered but survived one or more health insult during the development of

their dentitions. Whether these conditions occurred before migration in the UK, during the

voyage or in SA is unknown.

Evidence of the skeletal developmental defect sacral spina bifida occulta was observed in

several individuals (Table 3). This condition is compatible with a lack of folic acid (Vitamin.

B9), which leads to the failure of the vertebral arches of the sacrum to fuse and is linked to a

deficiency in the pregnant woman's diet [60]. This condition and other metabolic deficiencies

e.g., lack of Vitamin C and/ or iron (Table 3), may have occurred due to limited access to

necessary nutrients, education and/ or poor antenatal health care. These conditions highlight

some of the many challenges that the migrants faced.

Morphological changes to the bones due to diseases such as vertebral osteophytes, Schmorl's

nodes, and eburnation of vertebral facets and/or other surfaces, were identified on several of

the adults from this excavated sample (Table 3) [45, 46]. Bony outgrowths and/or changes to

the structure of the joints would have caused pain and reduced the mobility of the sufferer

and suggest that the affected individuals had undertaken hard physical labour over a long

period of time. Changes to the bone/s due to infectious disease e.g., tuberculosis was also

identified in the excavated skeletal remains (Table 3) [43, 56, 57]. All these factors, poor oral

health, systemic diseases and deficiencies, and excessive demands of some types of hard

physical labour, would have contributed to poor general health and shorter lifespans of this

group.

Ships Records

The Voyage – UK to SA

The number of voyages from the United Kingdom to South Australia between 1836 -1885

were influenced by multiple interacting factors including political instability, economic

fluctuations and environmental events i.e., a dip in the number of ships arriving in SA were

linked to the colony's first economic depression, the multiple changes of colonial Governors

and periods of drought (Fig. 3) [20, 38, 61, 62]. Increases in immigration trends were also

closely tied to the colony's evolving needs, for instance tradesmen, engineers, and builders

were likely to be required to support infrastructure growth and development projects, whereas farm labours would have been needed to develop agricultural industries. Economic booms and crises prompted or reduced the number of emigrant voyages to the colony. British colonial policy, trade dynamics, and changes to the UK labour market could also influence the recruitment of migrants.

Superintendent Surgeon and documented causes of death at sea

Large emigrant ships travelling from the UK to SA could convey between 500-700 passengers at one time. This high number of people would mean there was limited space onboard, and that disease could quickly spread through a vessel [51, 52]. The cramped conditions, quality of nutrition and sanitation on the ship, as well as the competency of the Captain, Surgeon and the crew would have all impacted the health status of the passengers, with some of the early voyages having a high mortality rate (Table 5).

The system of appointing a Superintendent Surgeon to each emigrant ship carrying more than 100 passengers aimed to reduce mortality rates at sea [42]. Excessive deaths during the voyage meant not only financial penalties for the surgeon but also risked damaging his medical reputation and that of the Captain and British Government. High mortality rates could even deter future migrants from travelling to SA, with the roll-on effect of potentially reducing political, and economic gains.

Over time, the initial anticipated role of the Superintendent Surgeon evolved with emergent duties that encompassed numerous concerns and was not limited to attending sick and injured passengers. Dr George Mayo on board the emigrant ship 'Asia' [63, 64] was called upon to settle a dispute between passengers. He notes, "this morning, I was called to Mr Letts whom

Mr. C. Olliver had struck and made his face bleed and as the complaint came it was done without provocation. I had the parties into the cabin before myself and the captain…" [64]. He also recorded concerns about the migrants' attitude, their food provisions and health in his diary, "I have great trouble to get the emigrants on deck" and "The rotten potatoes in the hold I think occasioned dysentery amongst the emigrants, spoken to Captain. Fredeman." [64]. These multiple duties are illustrative of non-predictive outcomes, both positive and negative and are consistent with a CAS framework.

The pattern of passenger deaths at sea by year (Fig. 4) did not closely follow that of the number of voyages per year (Fig.3) e.g., the years with the highest number of voyages (1849 and 1850) did not have the highest number of deaths. This suggests that other factors influenced the death rate at sea. On occasion, particular conditions such as diarrhoea or cholera could affect a large number of the migrants during a voyage (Fig. 6) [51, 52, 54]. It is possible that these deaths were linked to similar epidemics on land such as the Broad Street cholera outbreak in London during the same year [54, 65, 66]. Could contaminated water have been brought aboard this ship? While the limits of this data do not give a clear answer, many deaths recorded as caused by diarrhoea or cholera did occur in 1854 (Fig. 6) [54, 63]. There may have been concern that ships affected by such conditions arriving in SA would affect the population of the new colony. However, available SA newspaper accounts relating to voyages with recorded cases of cholera suggest no active cases disembarked and that cases with this condition had previously been diagnosed in the colony [67-70].

The age of an individual and their health status at the time of the voyage to SA meant that any infectious or non-infections conditions encountered on the ships could develop into fatal illnesses. Infectious and non-infectious conditions such as measles, whooping cough, and/ or

consuming contaminated water, lack of cleanliness, and at times insufficient medical supplies

on board have been recorded (Table 5) [51, 52, 54]. Other risks to the health and safety of the

passengers during the voyage were connected to inadequate ventilation below decks, and

flooding of their quarters. Severe weather conditions, leading to a shipwreck, were also a

possibility [71].

Diarrhoea was recorded as a major cause of death for infants and young subadults by

Superintendent Surgeons between 1849 and 1865 (Table 6) [54]. These infants and subadults

under the age of 4 years represented the largest demographic on the voyage and the most

vulnerable age groups due to their developing immune system and the reduction of the

maternal antibodies that had protected them during their first year of life (Fig 4).

For many adults the major causes of death at sea were fever and 'phthisis' a term used in the

19[th] century for tuberculosis [72] (Table 5). It is highly likely that some migrants were

suffering from medical conditions before embarking, from which they subsequently died at

sea [54]. The recorded cause of death in the ship's log could have occurred due to multiple

interacting conditions. The diagnoses recorded as diarrhoea and/or fever are symptoms rather

than diseases; and may be indications of more than one underlying disease.

The loss of young individuals had a sub-generational impact on the forming colony in South

Australia. In addition, the specific disease outbreaks at sea that were not fatal for the majority

of subadults and adults may well still have had lasting health impacts.

The number of deaths on emigrant ships decreased over time suggesting an improvement in

cleanliness, the storage of food and water, and a growing awareness of how diseases were

transmitted (Fig. 4. and Table 4) [41, 73]. The reduction in mortality rates could also be

related to amendments to the Passenger Act of 1835, as well as technological advances such

as ventilation machines for the lower decks of the ships and distillation of water [65, 73-75].

Life in the new Colony – St Mary's Burial Records

While some migrants overcame the challenges and flourished in the new Province of South

Australia there were others who had difficulties [33, 76]. Complex dynamic interests that

interacted to influence the colony's development could have also influenced and affected the

health of the population [20, 38, 62].

The arrival of emigrant ships with large numbers of passengers should have provided the

colony with a varied work force, but the time delay involved in communicating between

Adelaide and London often led to the arrival of substantial numbers of immigrants all with

similar skills for whom there was no employment [77]. This could be due to the rapidly

changing economy and added further to health and socioeconomic pressures. For example,

records show that several groups of unmarried Irish women and girls arrived in SA, between

1848 -1856, perhaps with a promise of work 'in service' as a maid or housekeeper and a

future far from famine [53, 78-80]. Their arrival, over a short period of time would have

flooded the local labour market for domestic servants [80].

This unsustainable situation created by increased unemployment in the colony corresponds

with a rise in the number of people seeking financial support from the Government and

charitable organisations [81-86]. Official government returns for 1853 states that 464 people

received relief from the Destitute Asylum, while in 1854 it was 685 people but by 1855 the

number was 3,027 [61, 87]. As the colony matured a 'Constitution for South Australia' was

developed (Fig. 3) and elections held for a new Parliament [88-90]. This enabled some of the

populace to vote and the colony to exercise self-rule. South Australia was now starting to

generate its own future workforce but during this period a change in the 'Regulations for the

selection of Persons in Britain for Free Passage' to the colony in 1858 also reduced the

number of emigrants arriving from the UK (Fig. 3) [90, 91]. These changes are seen in the

returns for the SA census of 1860, which confirms that one third of the population had now

been born in the colony [92]. The newly formed Parliament of South Australia was now

exploring the issue of social security through the Destitute Person's Relief Act of 1866/ 67

[93], and the advance of tertiary education with the foundation of the University of Adelaide

in 1874.

Limitations of this Study

The data used and the findings of this study relating to migrant deaths at seas could be

skewed as many of the emigrant ships from the UK to SA during the study period (1836-

1885) had no fatalities. However, the length of the journey, condition on route such as the

weather and/or overcrowding onboard ship meant that there was loss of life on many

voyages.

Limits of historical records associated with emigrant ships to SA, include variability in the

details recorded in the Superintendent Surgeons' logs. Analysis relating to the causes of death

at sea was limited to 1849 to 1865 due to the nature of the sources themselves. Historical

sources are rarely a complete and comprehensive record and may contain bias due to both

individual perspective and prejudices of the broader political and social culture.

Damage to and loss of records over time was also a problem. A fire at St Mary's Anglican

Church destroyed many historical records stored in the building, which could have affected

the availability of data relating to burials in the unmarked section of the church cemetery [94,

95]. There were limits regarding the extent to which information relating to the health of the

excavated individuals could be collected from the skeletal remains. For example, no data

relating to conditions that affect the soft tissues of the body could be gained.

Conclusion

The Complex Adaptive Systems approach increased knowledge of the general health of 19th

century migrants from the UK to SA and has resulted in additional insights that could not

have been gained using a single analytical methodology.

This methodology provided a deeper understanding of the emergent and unpredicted

outcomes that occur with the interaction of multiple factors in varied data sources related to a

rare colonial South Australian skeletal sample and diverse historical texts. This study

demonstrates that a multidisciplinary/ multi-methodological/ CAS approach and analysis can

now be undertaken to explore the identities and life histories of specific individuals in this

sample. It can be further developed and applied to other archaeological and modern samples.

Acknowledgements

The authors wish to thank: Dr Kiera Lindsey, South Australia's History Advocate, for her encouragement of this study and her expert advice related to the history of this early colony. Rev. Canon William Deng, Priest of St Mary's Anglican Church, South Australia, who provided access to the St Mary's skeletal sample and the parish records. As indicated in the text of this paper the excavation of the skeletal sample was undertaken by Dr Timothy Anson in 2000 under the supervision of Prof. Maciej Henneberg and Emeritus Prof. Don Pate.

The authors acknowledge the instruments and expertise of Microscopy Australia (ROR: 042mm0k03) at Adelaide Microscopy, University of Adelaide, enabled by NCRIS, university, and state government support. Dr Agatha Lambrinidis provided assistance with the Bruker SkyScan 1276 Small Volume Micro-CT system. Associate Prof. Egon Perillli and Dr Sophie Rapagna from the Medical Device Research Institute, College of Science and Engineering, Flinders University, shared their expertise regarding the Large Volume Micro-CT system. Flinders Microscopy and Microanalysis (FMMA) provided access to the Nikon XT H 225 Micro-CT scanning system. The Australian Research Council (LE180100136) provided funding contribution for the procurement of the Large Volume Micro-CT system.

REFERENCES

1. Page SE. The model thinker: what you need to know to make data work for you. New York: Basic Books; 2018.

2. Brook AH, Brook O' Donnell M. Modelling the compexity of the dentition. In: Townsend GC, Kanazawa E, Takayama H, editors. New Directions in Dental Antropology. Adelaide, South Australia: University of Adelaide Press; 2011. p. 1-9.

3. Brook AH, Brook O' Donnell M, Hone A, Hart E, Hughes TE, Smith RN, Townsend GC. General and craniofacial development are complex adaptive processes influenced by diversity. Australian Dental Journal. 2014;59(s1):13-22. doi: 10.1111/adj.12158.

4. Brook AH, Liversidge HM, Wilson D, Jordan Z, Harvey G, Marshall RJ, Kitson AL. Health research, teaching and provision of care: Applying a new approach based on complex systems and a knowledge translation complexity network model. International journal of design & nature and ecodynamics. 2016;11(4):663-9. doi: 10.2495/DNE-V11-N4-663-669.

5. Hannigan B. Connections and consequences in complex systems: Insights from a case study of the emergence and local impact of crisis resolution and home treatment services. Social science & medicine. 2013;93:212-9. Doi 10.1016/j.socscimed.2011.12.044.

6. Keshavarz N, Nutbeam D, Rowling L, Khavarpour F. Schools as social complex adaptive systems: A new way to understand the challenges of introducing the health promoting schools concept. Social science & medicine (1982). 2010;70(10):1467-74. doi: 10.1016/j.socscimed.2010.01.034.

7. McGill E, Er V, Penney T, Egan M, White M, Meier P, et al. Evaluation of public health interventions from a complex systems perspective: A research methods review. Social science & medicine (1982). 2021;272:113697-. doi: 10.1016/j.socscimed.2021.113697.

8. Nugus P, Carroll K, Hewett DG, Short A, Forero R, Braithwaite J. Integrated care in the emergency department: A complex adaptive systems perspective. Social science & medicine (1982). 2010;71(11):1997-2004. doi: 10.1016/j.socscimed.2010.08.013.

9. Rowley J. The wisdom hierarchy: representations of the DIKW hierarchy. Journal of Information Science. 2007;33(2):163-80. doi: 10.1177/0165551506070706.

10. Brook AH, Brook O' Donnell M. Complexity, Networking and Many Model Thinking Enhance Understanding of Patterning, Variation and Ineractions of Human Teeth and

Dental Arches. In: D. Chen, P. Ahlberg, editors. Odontodes: The Developmental and

Evolutionary Building Blocks of Dentitions: CRC Press; 2024.

11.   Greene JP. Understanding the American Revolution: issues and actors. Charlottesville:

University Press of Virginia; 1995.

12.   Greene JP. The American Revolution. The American historical review. 2000;105(1):93.

13.   Wahrman D. The English Problem of Identity in the American Revolution. The

American Historical Review. 2001;106(4):1236. doi: 10.2307/2692947.

14.   Blackman RH. 1789 : the French Revolution begins. Cambridge: Cambridge University

Press; 2019.

15.   Philp M. Reforming Ideas in Britain: Politics and Language in the Shadow of the

French Revolution, 1789–1815. 1st ed. New York: Cambridge University Press; 2013.

1-319 p.

16.   O'Brien PK. The Impact of the Revolutionary and Napoleonic Wars, 1793-1815, on the

Long-Run Growth of the British Economy. Review - Fernand Braudel Center for the

Study of Economies, Historical Systems, and Civilizations. 1989;12(3):335-95.

17.   Sutcliffe RK. British Expeditionary Warfare and the Defeat of Napoleon, 1793–1815.

NED - New edition ed. Woodbridge: Boydell & Brewer; 2016.

18.   Demson M, Hewitt R. Commemorating Peterloo : violence, resilience, and claim-

making during the Romantic era. Edinburgh: Edinburgh University Press; 2020.

19.   Bunker R. Systematic colonization and town planning in Australia and New Zealand.

Planning perspectives. 1988;3(1):59-80. doi: 10.1080/02665438808725652.

20.   Price AG. Founders & pioneers of South Australia : life studies of Edward Gibbon

Wakefield, Charles Sturt, George Fife Angas, Sir John Hindmarsh, William Light,

George Gawler, David McLaren, Augustus Kavell, and Francis Cadell. Adelaide:

Preece; 1929.

21.   Wakefield EG. A Letter from Sydney, the principal town of Australasia. London: Joseph

Cross; Simpkin and Marshall; 1829.

22.   Long J. Rural-Urban Migration and Socioeconomic Mobility in Victorian Britain. The

Journal of economic history. 2005;65(1):1-35. doi: 10.1017/S0022050705050011.

23.   Szreter S. Economic growth, disruption, deprivation, disease, and death: on the

importance of the politics of public health for development. Population and

Development Review. 1997;23(4):693. doi: 10.2307/2137377.

24. Szreter S. Urbanization, Mortality, and the Standard of Living Debate: New Estimates
of the Expectation of Life at Birth in Nineteenth-Century British Cities. 6. United
States: Boydell & Brewer; 2005. p. 165-202.

25. Brimblecombe P. London air pollution, 1500–1900. Atmospheric Environment (1967).
1977;11(12):1157-62. doi: 10.1016/0004-6981(77)90091-9.

26. Dewitte SN, Hughes-Morey G, Bekvalac J, Karsten J. Wealth, health and frailty in
industrial-era London. Annals of Human Biology. 2016;43(3):241-54. doi:
10.3109/03014460.2015.1020873.

27. Newman SL, Gowland RL. Dedicated Followers of Fashion? Bioarchaeological
Perspectives on Socio-Economic Status, Inequality, and Health in Urban Children from
the Industrial Revolution (18th–19th C), England. International Journal of
Osteoarchaeology. 2017;27(2):217-29. doi: 10.1002/oa.2531.

28. Flinders M, Libraries Board of South A. Observations on the coasts of Van Diemen's
Land, on Bass's Strait and its islands, and on part of the coasts of New South Wales :
intended to accompany the charts of the late discoveries in those countries. Adelaide:
Libraries Board of South Australia; 1965.

29. Flinders M, Westall W, Brown R. A voyage to Terra Australis : undertaken for the
purpose of completing the discovery of that vast country, and prosecuted in the years
1801, 1802, and 1803, in His Majesty's ship the Investigator. London: G. and W. Nicol;
1814.

30. Sturt C. Two expeditions into the interior of southern Australia, during the years 1828,
1829, 1830, and 1831 : with observations on the soil, climate, and general resources of
the colony of New South Wales. Adelaide: Public Library of South Australia; 1834.

31. Mulvaney DJ, Green N. Commandant of solitude: the journals of Captain Collet
Barker, 1828-1831. Miegubyah Press, Melbourne, Australia: Melbourne University
Press; 1992. 431 p.

32. Prest W, Round K, Kearney S, O'Neil B. The Wakefield Companion to South Australian
History. Adelaide, South Australia: Wakefield Press; 2024. 824 p.

33. Sutherland G. The South Australian Company : a study in colonisation. London:
Longmans, Green, and Co.; 1898.

34. Parliament of Great Britain HoC. An Act to empower His Majesty to erect South
Australia into a British Province or Provinces and to provide for the Colonization and
Government thereof. In: Parliament Ho, editor. Great Britain: Parliament of the United
Kingdom; 1834.

35.   Haines R. Nineteenth century government assisted immigrants from the United

Kingdom to Australia : schemes, regulations and arrivals, 1831-1900 and some vital

statistics 1834-1860. Bedford Park, S. Aust: Flinders University of South Australia;

1995.

36.   Haines R. Emigration and the labouring poor : Australian recruitment in Britain and

Ireland, 1831-60. 1997.

37.   Haines R, Shlomowitz R. Nineteenth Century Government-Assisted and total

immigration from the United Kingdom to Australia: Quinquennial estimates by colony.

Journal of population research (Canberra, ACT). 1991;8(1):50-61. doi:

10.1007/BF03029555.

38.   Price AG. The foundation and settlement of South Australia, 1829-1945 : a study of the

colonization movement, based on the records of the South Australian Government and

on other authoritative documents. Adelaide: Libraries Board of South Australia; 1973.

39.   Ing H. Occupational class mobility among the sons and daughters of South Australia's

first expedition of 1836. Journal of Australian colonial history. 2021;23:129-58.

40.   Opie EAD. South Australian records prior to 1841. Adelaide: Hussey & Gillingham;

1917.

41.   Parsons R. Migrant ships for South Australia, 1836-1860. Gumeracha, S.A: Gould

Books; 1988.

42.   Parliament of Great Britain HoC. A Bill to repeal an Act of the Ninth Year of his late

Majesty, for regulating the Carriage of Passengers in Merchant Vessels from the United

Kingdom to the British Possessions on the Continent and Islands of North American,

and to make further Provision for regulating the same. United Kingdom: Not identified;

1835. p. 14.

43.   Anson TJ. The bioarchaeology of the St. Mary's free ground burials : reconstruction of

colonial South Australian lifeways: Thesis (Ph.D.)--University of Adelaide, Dept. of

Anatomical Sciences, 2004.; 2004.

44.   Impact of the French Revolution and the Napoleon Wars on Industry Mobility, The

Military and The Economy in England Country. doi: 10.52690/jswse.v4i2.399.

45.   Gurr A, Brook AH, Kumaratilake J, Anson TJ, Pate FD, Henneberg M. Was it worth

migrating to the new British industrial colony of South Australia? Evidence from

skeletal pathologies and historic records of a sample of 19th-century settlers.

International journal of paleopathology. 2022;37:41-52. doi:

10.1016/j.ijpp.2022.04.002.

46.   Gurr A, Kumaratilake J, Brook AH, Ioannou S, Pate FD, Henneberg M. Health effects

766   of European colonization: An investigation of skeletal remains from 19th to early 20th

767   century migrant settlers in South Australia. PloS one. 2022;17(4):e0265878-e. doi:

768   10.1371/journal.pone.0265878.

769   47.   Gurr A, Henneberg M, Kumaratilake J, Lerche D, Richards L, Brook AH. The Oral

770   Health of a Group of 19th Century South Australian Settlers in Relation to Their

771   General Health and Compared with That of Contemporaneous Samples. Dentistry

772   journal. 2023;11(4):99. doi: 10.3390/dj11040099.

773   48.   Bruker. Position, Scan, Reconstruct and Analyze: Bruker; 2022 [cited 2022 22.06.].

774   Available from: https://www.bruker.com/en/products-and-solutions/microscopes/3d-x-

775   ray-microscopes/skyscan-1272.html.

776   49.   Nikon Metrology. Products: X-ray and CT Technology: X-ray and CT systems: 225kV

777   and 320kV CT inspection and metrology. 2021 [cited 2022 20.06.]. Available from:

778   https://www.nikonmetrology.com/de/roentgen-und-ct-technik/x-ray-ct-syteme-225kv-

779   und-320kv-ct-inspektion-und-messtechnik.

780   50.   Gurr A, Higgins D, Henneberg M, Kumaratilake J, O'Donnell MB, McKinnon M, et al.

781   Investigating the dentoalveolar complex in archaeological human skull specimens:

782   Additional findings with large volume micro-CT compared to standard methods.

783   International journal of osteoarchaeology. 2023;33(2):235-50. doi: 10.1002/oa.3204.

784   51.   State Records of South Australia. Deaths On-board Immigrant Ships 1849-1865. In:

785   Attorney-General GoSA, editor. South Australia: Government of South Australia,

786   Attorney-General's Dept.; 2016. p. 34.

787   52.   State Records of South Australia. Passenger Lists 1845-1940 South Australia:

788   Government of South Australia; 2022 [cited 2024 01.05].

789   53.   Cummings D. South Australian Passenger Lists 1836-1851 2017 [cited 2024 09.08.].

790   Available from: https://bound-for-south-

791   australia.collections.slsa.sa.gov.au/SAShips1836-1840.htm.

792   54.   Government of South Australia. South Australian Government Gazette Adelaide: South

793   Australian Government; 1866 [cited 2024 01.03.]. Available from:

794   https://classic.austlii.edu.au/au/other/sa_gazette/.

795   55.   British Parliament. Register of Burials in the Parish of Saint Mary's, South Road in the

796   County of Adelaide, South Australia. London1847-1953.

797   56.   Ioannou S. Dental crown morphology variations associated with congenital syphilis and

798   their importance in paleopathological diagnosis. 2017.

57. Ioannou S, Henneberg M. Dental signs attributed to congenital syphilis and its
treatments in the Hamann-Todd Skeletal Collection. Anthropological review (Poznań,
Poland). 2017;80(4):449-65. doi: 10.1515/anre-2017-0032.

58. Hughes JE, Royal Adelaide Hospital . Board of M. A history of the Royal Adelaide
Hospital. 2nd (rev.) ed. Adelaide: Board of Management, Royal Adelaide Hospital;
1982.

59. Wittenberg DF. Management guidelines for acute infective diarrhoea/gastroenteritis in
infants : guideline. South African medical journal. 2012;102(2):104-7.

60. Graham P. Spina Bifida Occulta. Orthopaedic nursing. 2021;40(4):259-61. doi:
10.1097/NOR.0000000000000775.

61. Dickey B. Rations, residence, resources : a history of social welfare in South Australia
since 1836 / by Brian Dickey ; with contributions from Elaine Martin and Rod
Oxenberry. Martin E, Oxenberry R, editors. Netley, S. Aust.: Netley, S. Aust. :
Wakefield Press; 1986.

62. Pike D. Paradise of dissent : South Australia 1829-1857. London: Longmans, Green
and Co.; 1957.

63. Royal South Australian Almanack for 1839. Containing a daily calendar ...and all useful
information regarding the province of South Australia. Adelaide: Libraries Board of
South Australia; 1969.

64. Mayo G. Diary of DR George Mayo. Adelaide: Adelaide transcription Bureau; 1839.

65. Haines R. Doctors at Sea: Emigrant Voyages to Colonial Australia. 1 ed. London:
Palgrave Macmillan UK; 2005.

66. Vinten-Johansen P. Cholera, chloroform, and the science of medicine : a life of John
Snow. 1st ed. Oxford ;: Oxford University Press; 2003.

67. Adelaide Observer. The Cholera. Adelaide Observer. 1851 11.01.1851;Sect. Letters to
the Editor.

68. Adelaide Times. The James Fernie. Adelaide Times. 1854 18.11.1854.

69. South Australia Register. The Lord of the Isles. South Australian Register. 1854
04.12.1854.

70. South Australia Register. The Star Queen. South Australian Register. 1855 01.01.1855.

71. Callen JH. The wreck of the Nashwauk, Moana, SA 1855. Journal of the Historical
Society of South Australia. 2004;(32):43-50.

72. Frith J. History of tuberculosis. Part 1 - phthisis, consumption and the white plague.
Journal of military and veterans' health. 2014;22(2):29-35.

73. Smith EJ. 'Cleanse or Die': British Naval Hygiene in the Age of Steam, 1840–1900.
Medical history. 2018;62(2):177-98. doi: 10.1017/mdh.2018.3.
74. Diamond EM, Farrer KTH. Watering the Fleet and the Introduction of Distillation.
Mariner's mirror. 2005;91(4):548-53. doi: 10.1080/00253359.2005.10656970.
75. Parliament of Great Britain HoC. The Statues of The United Kingdom of Great Britain
and Ireland 18 & 19 Victoria. London: Her majesty's Printers; 1854-5.
76. Sumner La C, Harris E. Prices, Wages, and Welfare in Early Colonial South Australia,
1836-1850. St. Louis: Federal Reserve Bank of St. Louis; 2019.
77. Government of South Australia. The South Australian Gazette: Average Daily Returns
of Unemployed Immigrants, Destitute Poor and Sick, Supported by Government. The
Government Printing Office, Adelaide, South Australia: W.C. Cox; 1858. p. 32.
78. Arthure S. Irish women in the Antipodes : foregrounded. Mile End, SA: Wakefield
Press; 2024.
79. Parkin CW. Irish female immigration to South Australia during the Great Famine:
Thesis (B.A.Hons.)-University of Adelaide, Dept. of History, 1964.; 1964.
80. Steiner MA. Servants depots in colonial South Australia. Kent Town, S. Aust:
Wakefield Press; 2008.
81. Geyer M. Behind the wall : the women of the destitute asylum Adelaide, 1852-1918.
Adelaide, S. Aust: Axiom, in association with the Migration Museum; 1994.
82. Piddock S. Accommodating the Destitute. An Historical and Archaeological
Consideration of the Destitute Asylum of Adelaide. Australian archaeology.
1997;(45):63.
83. Piddock S. "An Irregular and Inconvenient Pile of Buildings": The Destitute Asylum of
Adelaide, South Australia and the English Workhouse. International journal of
historical archaeology. 2001;5(1):73-95. doi: 10.1023/A:1009597226492.
84. Piddock S. Possibilities and realities: South Australia's asylums in the 19th century.
Australasian psychiatry : bulletin of the Royal Australian and New Zealand College of
Psychiatrists. 2004;12(2):172-5. doi: 10.1080/j.1039-8562.2004.02089.x.
85. Piddock S. A Space of Their Own: The Archaeology of Nineteenth Century Lunatic
Asylums in Britain, South Australia and Tasmania. Orser CE, editor. New York, NY:
New York, NY: Springer New York; 2007.
86. Piddock S. To Each a Space: Class, Classification, and Gender in Colonial South
Australian Institutions. Historical archaeology. 2011;45(3):89-105. doi:
10.1007/BF03376849.

87. Destitute Board of South Australia SroSA. Register of cases of destitution - Destitute
board, GRG28/4 Volume 1, 1846-1857. British Digital2021. p. 153.

88. Castles AC, Harris MC. Lawmakers and wayward whigs : government and law in South
Australia, 1836-1986. Adelaide: Wakefield Press; 1987.

89. Jaensch D. The Flinders history of South Australia. Political history. Netley, S. Aust:
Wakefield Press; 1986.

90. Legislative Council of South Australia. An Act to establish a Constitution for South
Australia and to grant a Civil List to Her Majesty (No. 2 of 1855–56). Adelaide, South
Australia: Government of South Australia; 1855-56.

91. Government of South Australia. Free Passage Regulations: Regulations for the selection
of Persons in Britain for Free Passages to this Colony. Governmnet Printing Office,
Adelaide South Australia: W.C. Cox; 1858. p. 26.

92. Government of South Australia. Census of South Australia 1860. Population Tables,
Ages of the People, Civil or Conjugal Relations, Birth Place , Occupation, Religion,
&C., &C. Goverment Printing Office, Adelaide South Australia: W.C. Cox; 1860 [cited
2024 02.10.2024]. Australian Data Archive (ADA)]. Available from:
https://hccda.ada.edu.au/Collated_Census_Tables/SA-1860-
census.html#:~:text=The%20total%20population%20of%20the,being%2015%2C958%
2C%20and%20of%20females.

93. Government of South Australia. An Act to Provide for the Relief and Maintaince of
Deserted and Destitute Persons, and the Education and Advancement in Life of
Orphans and Neglected, Criminal Children, and for the Establishment and Government
of Asylums, Schools, and other Institutions for the better carrying into effect the above
objects, and for other like purposes. Government Printing Office, Adelaide, South
Australia: W.C. Cox; 1866-67. p. 109.

94. The Advertiser. Fire Badly Damages Old Church. The Advertiser. 1953
03.06.1953;Sect. News.

95. Advertiser T. Arrest Expected in Church Fire. The Advertiser. 1953 06.10.1953.

Supporting Information

Table S1. 1847-1927 – Demographic profile: Estimation of age range from the analysis of dentition and skeletal remains with the number of individuals within the different age ranges. Estimation of sex with the number of individuals.