Effects of experimentally induced fatigue on motor learning: A scoping review

Bahram Ghafari Goushe[a,b,c], Layale Youssef[a,b,c], Thomas Mangin[a,b,c], Denis Arvisais[d], Jason L. Neva[a,b,c#], Benjamin Pageaux[a,b,c*#]

[#] equally contributed to this work

[a] École de kinésiologie et des sciences de l'activité physique (EKSAP), Faculté de médecine, Université de Montréal, Montréal, Canada

[b] Centre de recherche de l'Institut universitaire de gériatrie de Montréal (CRIUGM), Montréal, Canada

[c] Centre interdisciplinaire de recherche sur le cerveau et l'apprentissage (CIRCA), Montréal, Canada

[d] Direction des bibliothèques, École de kinésiologie et des sciences de l'activité physique, Université de Montréal, Montréal, Canada

Total number of words: 9224
Total number of figures: 7
Total number of tables: 2
Supplemental materials: 4

*Corresponding author

Benjamin Pageaux

École de kinésiologie et des sciences de l'activité physique, Centre d'éducation physique et des sports (CEPSUM), Faculté de médecine, Université de Montréal, 2100, boul Édouard-Montpetit, Montreal, Qc, Canada, H3T 1J4. Tel : +1 514-343-6111 ; benjamin.pageaux@umontreal.ca

Abstract

The literature on the effect of fatigue on motor learning is limited and marked by inconsistent

findings. This scoping review aimed to explore the available knowledge on the effects of fatigue

induced by physical and cognitive exertion on motor learning, and to compile and understand how

it is studied. A comprehensive search strategy using relevant index terms and keywords was

conducted across MEDLINE, EMBASE, SPORTDiscus, Web of Science, PsycINFO, CINAHL,

ERIC, and Dissertations & Theses Global. Twenty-two studies met the inclusion criteria. The

findings revealed considerable inconsistencies in how fatigue and motor learning were defined and

measured. None of the studies examined the effect of fatigue induced by combined physical and

cognitive exertion, and only 27% investigated fatigue induced by cognitive exertion. Acuity tasks

were the most frequently used to assess motor learning, employed in 59% of the studies. Notably,

all participants were between 19 and 31 years of age, and reporting of key demographic and

physiological characteristics such as sex, gender, physical activity level, and body mass index was

inconsistent or absent. This review highlights the need for comprehensive definitions of both

fatigue and motor learning to improve consistency and reproducibility across studies. Given the

limited research on the effects of fatigue induced by cognitive and combined physical and cognitive

exertion, future studies should prioritize using these experimental manipulations. Also, future

studies should diversify the motor learning tasks used in research to allow both direct and

conceptual replication. Additionally, broader age ranges and comprehensive participant profiling

should be prioritized.

250 words

Keywords: skill acquisition, cognitive exertion, physical exertion, effort, human performance

1. Introduction

Skill is defined as the ability to accomplish a task with maximum certainty and minimum energy expenditure (Guthrie, 1935). We have certain innate skills such as walking, running, and balancing that fully develop with maturation and experience (Pringle, 2000). However, to achieve proficiency in other skills that are not innate, we need substantially more practice. Therefore, our lives as human beings are characterized by the performance and learning of skills (Schmidt, 2016; Schmidt, Wrisberg, & Mcdonald, 2006). Since motor skills encompass a large part of human life, for centuries, scientists and educators have been trying to understand the determinants of motor skill learning and the factors that affect their performance (Pringle, 2000).

Motor performance is defined as the observable production of a voluntary motor action at a given moment (Schmidt, 1991). Motor learning is associated with practice and experience that results in long-lasting changes in a person's capability to respond to task demands (Schmidt, 1991). These changes in capability are inferred from improvements in motor performance. Motor learning has two crucial aspects: 1) skill acquisition - the practice-induced improvement in our ability to rapidly select and then precisely execute appropriate actions; and 2) skill maintenance - the ability to maintain performance levels for a longer period of time beyond skill acquisition and under changing conditions (Krakauer et al., 2019).

Motor learning should be inferred from performance during a delayed retention test that reflects skill maintenance over time. Retention tests allow for the demonstration of maintained performance level, following short- or long-time delays in which the task is not practiced (Magill & Anderson, 2010). Thus, a retention test principally measures performance persistence over time. Another approach to assess motor learning focuses on the generalizability of performance changes. This assessment method involves using transfer tests, which include some novel situation (e.g., novel task parameters), testing the generalizability of the learned task to the characteristics of this new situation (Magill & Anderson, 2010; Pringle, 2000).

Although the most critical requirement to acquire proficiency in a motor skill is practice, fatigue resulting from long bouts of task repetition can be detrimental to motor learning (Branscheidt et al., 2019). Since individuals in the workforce are required to learn and adapt complex motor skills, investigating the interconnection between fatigue and motor learning is of great practical relevance. This is especially critical in fields where mastering intricate fine motor

skills is paramount, such as surgery and piloting. Despite a growing interest in the topic of fatigue,
many inconsistent findings arise from 1) the lack of a universal definition of fatigue, and 2) the
lack of validated experimental designs to induce and measure fatigue (Dong et al., 2022; Enoka &
Duchateau, 2016; Mangin & Pageaux, 2025). Fatigue can be induced by physical exertion,
cognitive exertion, and a combination of physical and cognitive exertion (Dong et al., 2022;
Mangin & Pageaux, 2025). When fatigue is induced by prolonged engagement in physical exertion,
it is traditionally defined as muscle or neuromuscular fatigue, which is associated with a reduction
in the force production capacity of the working muscles (Gandevia, 2001; Pageaux & Lepers,
2016). When fatigue is induced by prolonged engagement in cognitive exertion, it is traditionally
defined as mental or cognitive fatigue, which is associated with a reduction in cognitive
performance and/or an increase in subjective feelings of tiredness and lack of energy (Boksem &
Tops, 2008; Pageaux & Lepers, 2016; Pageaux & Lepers, 2018). Fatigue is associated with
subjective and objective manifestations, and the occurrence of fatigue can be evaluated based on
changes in subjective measures (e.g., increases in self-reported fatigue or in the perceived effort
required to maintain performance in its presence) and in objective physiological and behavioral
measures (e.g., increases in heart rate with a constant workload or increases in reaction time) (Dong
et al., 2022; Mangin & Pageaux, 2025).

To the best of our knowledge, few studies have investigated the effect of fatigue induced
by physical exertion on motor learning, and results are inconsistent (Alderman, 1965; Carron, 1969;
Cotten et al., 1972). Regarding fatigue induced by cognitive exertion, to the best of our knowledge,
only one study has been published, and it suggests a positive effect of fatigue (Borragan et al.,
2016). There is also a large variability in the methods used to infer the presence of fatigue that may
contribute to the heterogeneity of the results observed in the literature. Therefore, a systematic
exploration of the methodologies and findings of the relevant literature is needed for a better
understanding of the effects of fatigue on motor learning.

In this context, this scoping review aimed to explore the available knowledge on the effects
of fatigue induced by physical and cognitive exertion on motor learning. It synthesized the key
concepts and definitions in the fields of fatigue and motor learning, examined the methodologies
used to induce and measure fatigue, and to infer motor learning. Finally, this scoping review
identified gaps in the existing literature and proposed recommendations for future research. More

specifically, this review sought to investigate (1) the methods used to induce and quantify fatigue,

(2) the methods used to assess motor learning, (3) how fatigue and motor learning were defined,

and (4) the target populations that had been examined.

2. Methods

The protocol was pre-registered in the Open Science Framework (https://osf.io/39m2a/resources) and was conducted according to the JBI scoping review guidelines and recommendations (Peters et al., 2020). Any deviation from the pre-registration is reported.

2.1 Search strategy and data extraction

A three-step search strategy was used. A preliminary search of OSF, MEDLINE, Cochrane Database of Systematic Reviews, and the JBI Evidence Synthesis conducted in September 2021 yielded no completed or ongoing scoping and systematic reviews on the topic. The text words contained in the titles and abstracts of relevant articles, as well as the index terms used to describe the papers, were analyzed. After that, a second search was conducted in collaboration with a librarian (DA) in November 2021. A final search was conducted by DA in June 2025. For the concept of fatigue, included terms were "mental fatigue," "physical fatigue," "cognitive fatigue," "cognitive exertion," and "physical exertion." For the concept of motor learning, terms such as "motor learning," "motor skill," "motor adaptation," "motor acuity," and "motor sequence" were included. All the identified index terms and keywords were used to search across the databases, including MEDLINE (1946-), EMBASE (1974-), PsychINFO (1806), SPORTDiscus (1975-), CINAHL (1937-), Web of Science (1945-), ProQuest (1966), and Dissertations & Theses Global. The detailed search equations are provided in supplementary material 1.

2.1.1 Screening and selection of sources of evidence

All identified articles were uploaded to the screening and data extraction tool Covidence. Duplicates were removed, and titles and abstracts were screened according to the review inclusion criteria by two independent researchers, BGG and LY. Full texts of the remaining studies were retrieved and examined according to the review inclusion criteria by the same two independent researchers. Studies that did not meet the inclusion criteria were excluded, and reasons for the exclusion were provided and reported in the flowchart. In case the two reviewers failed to reach a consensus, JN and BP were brought in to resolve the disagreement. A detailed flowchart of the inclusion process is available in Figure 1.

148   **_Figure 1._** _PRISMA flow chart for the identification, screening, and inclusion of articles. k_

149   _represents the number of texts._

2.1.2 Data extraction

Data extraction was conducted using a data extraction table. The data extraction table presented in the pre-registration was updated to capture more detailed information about the articles. A preliminary data extraction table was piloted on the first three studies by the authors (BGG, LY, JN, and BP). The finalized data extraction table, available in supplementary material 2 was used by BGG and LY to extract the information from each full-text article. Disagreements were resolved through discussion.

2.2 Inclusion criteria

2.2.1 Sources of evidence

All types of fully published peer-reviewed articles (systematic reviews, quantitative, qualitative, conference proceedings, theses, and dissertations), as well as the gray literature, were eligible for inclusion. The language was restricted to English and French.

2.2.2 Population

This scoping review included studies that involved healthy participants of any gender and sex. This scoping review focused on fatigue induced by voluntary engagement in a task and not fatigue resulting from pathological conditions (e.g., chronic fatigue syndrome, stroke, etc.). This choice was made to control for the confounding effects of the pathologies on fatigue.

2.2.3 Motor learning

Motor learning is associated with practice and experience that results in long-lasting changes in a person's capability to respond to task demands (Schmidt, 1991). Studies were included if they required participants to practice a motor task and/or incorporated either a retention or transfer test to confirm that motor learning had occurred. To classify the motor learning tasks used across the included studies, we identified four main categories based on task characteristics and learning objectives (e.g., Krakauer et al., 2019). This classification is used in a scoping review of our research group on the effect of physical exercise on motor learning (Youssef et al., 2025).

Sequence learning, often referred to as sequence-specific learning, was defined as motor tasks that

involve comparing performance on repeated sequences with that on random sequences (e.g., serial

reaction time task; Robertson, 2007). This comparison is essential to identify learning that is

specific to the practiced sequence, distinguishing it from general improvements in other aspects of

the motor skill. However, when only repeated sequences were practiced without a random

condition for comparison, the task was classified as motor acuity. Motor acuity refers to

improvements in the accuracy and/or precision of performing a particular movement or sequence

of movements through practice (e.g., Rho task; Alderman, 1965), with a focus on refining the

ability to execute the motor task more precisely and/or accurately. Motor adaptation included tasks

in which participants adjusted their movements in response to external perturbation (e.g.,

visuomotor rotation task; Neva et al., 2019). Associative learning included tasks requiring

participants to form arbitrary associations between stimuli and responses (e.g., conditional learning

task; Balsters & Ramnani, 2011). The primary objective of each task category is shown in Figure

2. Although these task categories were not always mutually exclusive, for the sake of this review,

we classified each study into a single category. In cases where categorization conflicts arose, the

authors resolved them through discussion and consensus. As a deviation from the pre-registration,

the classification of motor learning task categories has been added to enable us to identify the gaps

in the methods used to study motor learning.

Figure 2. Classification of the task categories investigated to infer motor learning. This figure illustrates four commonly used motor learning task categories, classified according to their primary objective. The examples shown represent typical experimental tasks used within each category to assess motor learning. The figure is reproduced with permission from the supplementary material of a scoping review of our research group (preprint license CC-BY-NC-ND 4.0) on the effect of physical exercise on motor learning (Youssef et al., 2025).

2.2.4 Fatigue

Fatigue is a psychobiological phenomenon induced by prolonged engagement in physical and/or cognitive exertion (Behrens et al., 2023; Mangin & Pageaux, 2025; Pageaux & Lepers, 2016). The presence of fatigue had to be confirmed by measurement of subjective and/or objective manifestations of fatigue. Subjectively, fatigue manifests as increased feelings of tiredness or exhaustion (e.g., increases in self-reported fatigue over time). Objectively, if the level of engagement in a task remains constant, fatigue impairs physical and cognitive performance (e.g., behavioral: increase in reaction time; or physiological: increased heart rate with the same workload). The included studies had to apply a fatiguing protocol performed during the same session as the motor learning task and include at least one criterion to verify that fatigue had been

successfully induced (i.e., manipulation check to confirm fatigue induction). Figure 3 shows the

classification used to describe the fatigue induced. As a deviation from the pre-registration, the

classification of combined physical and mental fatigue has been added to enable us to identify the

gaps in the methods used to study fatigue. Moreover, self-reported measures of effort were

considered, as effort is related to fatigue in such a way that, in the presence of fatigue, performance

can be maintained through compensatory mechanisms involving an increased investment of effort

in the task (Wright & Mlynski, 2019). Incorporating self-reported measures of effort is also an

update to the pre-registration.

Figure 3. *Classifications used to describe the fatigue induced. This figure illustrates three*

sources of fatigue along with corresponding descriptions. The examples provided represent

typical experimental tasks used in the literature to induce fatigue.

3. Results

3.1 Studies included

The flow chart in Figure 1 presents the results of the search along with reasons for exclusion. The initial database search returned 2709 references, of which 36 full texts were screened for inclusion. An additional article was identified through forward citation searching. The updated search in June 2025 returned 1142 references, of which 3 full texts were included.

In total, 24 sources were included: 22 primary sources (original research articles) and 2 secondary sources (1 MSc thesis and 1 book chapter). These 24 sources were categorized for analysis as 22 experimental studies, 1 MSc thesis, and 1 book chapter.

A timeline of published articles is presented in Figure 4A. The topic of fatigue's effect on motor learning was initially studied in the 1960s with 3 studies (Alderman, 1965; Carron, 1969; Nunney, 1963). This research topic received more attention in the 1970s, with 5 studies (Cotten et al., 1974; Cotten et al., 1972; Dickinson, Medhurst, & Whittingham, 1979; Godwin & Schmidt, 1971; Whitley, 1975), then slowed down, with only one study published almost every decade (Arnett, DeLuccia, & Gilmartin, 2000; Berger & Smith-Hale, 1991; Dwyer, 1984) until the early 2000s (Masters, Poolton, & Maxwell, 2008; Takahashi et al., 2006). Interest in the topic increased again between 2011 and 2025, with 9 studies (Anguera et al., 2012; Apreutesei & Cressman, 2024; Banihosseini, Abdoli, & Kavyani, 2025; Borragan et al., 2016; Branscheidt et al., 2019; Hoskens et al., 2022; Khojasteh Moghani et al., 2021; Siekirk, Lai, & Kendall, 2019; Zabihhosseinian et al., 2020).

All 22 articles were in English. The origin of the study is defined based on the corresponding author information. Included articles originated from the United States of America (k = 13), Canada (k = 4), Iran (k = 2), Belgium (k = 1), New Zealand (k = 1), and China (k = 1). The geographical origin of the included studies is presented in Figure 4B. All the articles were laboratory studies. Twenty articles (91%) included both within and between-subject designs, and two included a within-subject design (9%). For the 2 secondary sources, the MSc thesis (Datla, 2016) originated from the United States of America, and the book chapter (Taylor, 2013) originated from Australia (Figure 4C).

260   We extracted data from 22 experimental studies to address our specific research questions.
261 The following sections address our review questions. An overview of the main characteristics of
262 all experimental studies is presented in Table 1. Detailed characteristics of all experimental studies
263 are provided in Table S1 of the supplementary material 3.

265   **Table 1.** *Characteristics of the included studies related to the review questions*

Study	(1) How was fatigue induced?			(2) How was motor learning evaluated		(3) Were fatigue and motor learning defined?		(4) What populations were investigated?
	Source of fatigue	Fatiguing task	Fatigue manipulation check	Motor learning category	Motor task	Fatigue	Motor learning	
Alderman (1965)	Physical exertion	Continuous circular arm movement	Yes	Acuity	Rho learning test Pursuit rotor task	No	No	Students
Anguera et al., (2012)	Cognitive exertion	Spatial working memory fatigue task	Yes	Adaptation	Visuomotor adaptation task	No	No	Students
Apreutesei and Cressman (2024)	Cognitive exertion	Time load dual-back task	Yes	Adaptation	Visuomotor rotation task	Yes	Yes	Students
Arnett et al., (2000)	Physical exertion	Wingate Test	Yes	Acuity	Bachman ladder	No	No	Students
Banihosseini et al., (2025)	Cognitive and physical exertion	Stroop tasks & isometric contraction	Yes	Acuity	Tennis ball throwing	No	No	Students
Berger and Smith-hale, (1991)	Physical exertion	Leg press	Yes	Sequence	Jumping task	Yes	No	Students
Borragan et al., (2016)	Cognitive exertion	Time load dual-back task	Yes	Sequence	Serial reaction time task	Yes	No	Not reported
Branscheidt et al., (2019)	Physical exertion	Isometric pinch task	Yes	Sequence	Isometric pinch task Key pressing task	Yes	No	Not reported
Carron (1969)	Physical exertion	Arm ergometer	Yes	Acuity	Pursuit rotor task	No	No	Students
Cotten et al., (1974)	Physical exertion	Stool stepping task Reverse curling	Yes	Adaptation	Mirror target toss test	No	No	Students
Cotten et al., (1972)	Physical exertion	Stool stepping task	Yes	Adaptation	Mirror target toss test	No	No	Students
Dickinson et al., (1979)	Physical exertion	Bicycle ergometer	Yes	Acuity	Fitts' reciprocal tapping task	No	No	Students
Dwyer (1984)	Physical exertion	Step up task	Yes	Acuity	Bachman ladder	No	No	Students
Godwin and Schmidt, (1971)	Physical exertion	Arm ergometer	Yes	Acuity	Sigma task	No	No	Students
Hoskens et al., (2022)	Cognitive exertion	Victoria Stroop Task	Yes	Acuity	Shuffleboard Task	No	No	Not reported
Khojasteh Moghani et al., (2021)	Cognitive exertion	Stroop task	Yes	Acuity	Force production task	Yes	No	Students
Siekirk et al., (2018)	Physical exertion	Standing elbow flexion	Yes	Acuity	Joint position matching task	No	Yes	Students
Masters et al., (2008)	Physical exertion	VO2 max running test	Yes	Acuity	Rugby passing	No	No	Not reported
Nunney (1963)	Physical exertion	Bicycle ergometer	Yes	Acuity	Snoddy stabilometer Pursuit rotor task	Yes	No	Students
Takahashi et al., (2006)	Physical exertion	Reaching with elastic band	Yes	Adaptation	Force skill adaptation reaching task	Yes	No	Not reported
Whitley (1975)	Physical exertion	Heavy mass	Yes	Acuity	Foot rotational tracking task	No	No	Students
Zabihhosseinian et al., (2020)	Physical exertion	Neck fatigue	Yes	Sequence	Tracing task	Yes	Yes	Not reported

267
268

269
270
Figure 4. (A) Timeline of studies investigating the effect of fatigue on motor learning from
the 1960s to 2025. (B) Geographical distribution of the experimental studies included (k), with the
corresponding number of participants (n). (C) Geographical distribution of the other sources
included. One MSc thesis from the United States of America and one book chapter from Australia.

3.2 Methods to induce and measure fatigue

3.2.1 Source of fatigue

Figure 5A shows the data on sources of fatigue. One study involved two tasks to induce
physical fatigue, stool stepping task and reverse curling task (Cotten et al., 1974), and one study
(Banihosseini, Abdoli, & Kavyani, 2025) used both mental and physical exertion to induce fatigue,
employing a Stroop task and an isometric contraction task, respectively. In 26% of studies (k = 6),
fatigue was induced by cognitive exertion. The cognitive exertion involved spatial working
memory task (Anguera et al., 2012), time load dual-back task (Apreutesei & Cressman, 2024;
Borragan et al., 2016), and Stroop task (Banihosseini, Abdoli, & Kavyani, 2025; Hoskens et al.,
2022; Khojasteh Moghani et al., 2021). In 74% of the studies (k =17), fatigue was induced by

physical exertion. The physical exertion included the use of an arm ergometer (Carron, 1969;
Godwin & Schmidt, 1971), a bicycle ergometer (Dickinson, Medhurst, & Whittingham, 1979;
Nunney, 1963), continuous circular arm movements (Alderman, 1965), moving a heavy mass
(Whitley, 1975), an isometric pinch task (Branscheidt et al., 2019), leg press (Berger & Smith-
Hale, 1991), neck contractions (Zabihhosseinian et al., 2020), reaching with an elastic band
(Takahashi et al., 2006), standing elbow flexion (Siekirk, Lai, & Kendall, 2019), a step up task
(Dwyer, 1984), a $\dot{V}O_{2max}$ running test (Masters, Poolton, & Maxwell, 2008), a Wingate test (Arnett,
DeLuccia, & Gilmartin, 2000), a stool stepping task (Cotten et al., 1974; Cotten et al., 1972),
reverse biceps curls (Cotten et al., 1974), and an isometric contraction task (Banihosseini, Abdoli,
& Kavyani, 2025). No study employed a combined cognitive and physical exertion method to
induce fatigue.

3.2.2 Criterion to verify the successful fatigue induction

Figure 5B shows the data on the criterion to verify the successful fatigue induction. Of all the
designs of the 22 included studies, 9% of the studies (k = 2) attested to the presence of fatigue by
exclusively measuring its subjective manifestation. These studies measured subjective feelings of
fatigue using multidimensional fatigue inventory (Khojasteh Moghani et al., 2021) and nine-point
subjective rating scale (Nunney, 1963). Seventy-three percent of the studies (k = 16) verified the
presence of fatigue by exclusively measuring its objective manifestation. All these studies
measured changes in task performance, i.e., behavioral manipulation check (Alderman, 1965;
Anguera et al., 2012; Arnett, DeLuccia, & Gilmartin, 2000; Berger & Smith-Hale, 1991;
Branscheidt et al., 2019; Whitley, 1975; Zabihhosseinian et al., 2020), and volitional exhaustion
tests (Carron, 1969; Cotten et al., 1974; Cotten et al., 1972; Dickinson, Medhurst, & Whittingham,
1979; Dwyer, 1984; Godwin & Schmidt, 1971; Masters, Poolton, & Maxwell, 2008; Siekirk, Lai,
& Kendall, 2019; Takahashi et al., 2006). Thirteen percent (k = 3) of the included studies confirmed
the presence of fatigue by measuring both objective (behavioral) and subjective manifestations
(Apreutesei & Cressman, 2024; Banihosseini, Abdoli, & Kavyani, 2025; Borragan et al., 2016).
One study (Hoskens et al., 2022) employed a physiological measurement (electroencephalography;
EEG T7-Fz connectivity) in addition to behavioral and subjective measurements to further
demonstrate the presence of fatigue. No study utilized a self-reported measure of effort.

Figure 5. (A) Number of studies (k) that used physical tasks only, cognitive *tasks only, or a combination of both, with the corresponding number of participants (n). (B) Number of studies that used objective (behavioral or physiological), subjective, and a combination of both objective (behavioral or physiological) and subjective manipulation checks to confirm the successful induction of fatigue. (C) Number of studies that investigated a sequence, adaptation, association, or acuity task category, with the corresponding number of participants. (D) Number of studies that used retention test, transfer test, and a combination of both retention and transfer tests to confirm learning has occurred.*

3.3 Methods to assess motor learning

3.3.1 Task categories investigated to infer motor learning

Figure 5C shows the data on task categories to infer motor learning. Two studies used more
than one task to assess motor learning. One of these studies used two sequence tasks (Branscheidt
et al., 2019) and the other one used the acuity and adaptation tasks (Nunney, 1963). Eighteen
percent of the studies (k = 4) employed tasks falling within the sequence task category. The
sequence task category involved the use of the serial reaction time task (Borragan et al., 2016),
isometric pinch task (Branscheidt et al., 2019), key-pressing task (Branscheidt et al., 2019), tracing
task (Zabihhosseinian et al., 2020), and jumping task (Berger & Smith-Hale, 1991). Twenty-three
percent of the articles (k = 5) employed a sensorimotor adaptation task. The studies investigating
the sensorimotor adaptation category included the visuomotor adaptation task (Anguera et al.,
2012), mirror target toss test (Cotten et al., 1974; Cotten et al., 1972), Snoddy stabilometer
(Nunney, 1963), force-field adaptation reaching task (Takahashi et al., 2006), and visuomotor
rotation task (Apreutesei & Cressman, 2024). Fifty-nine percent of the articles (k = 13) adopted
tasks that fell into the acuity task category. Within the acuity task category, tasks included the Rho
learning test (Alderman, 1965), pursuit rotor task (Alderman, 1965; Carron, 1969; Nunney, 1963),
Bachman ladder (Arnett, DeLuccia, & Gilmartin, 2000; Dwyer, 1984), Fitts' reciprocal tapping task
(Dickinson, Medhurst, & Whittingham, 1979), Sigma task (Godwin & Schmidt, 1971), force
production task (Khojasteh Moghani et al., 2021), rugby passing skill (Masters, Poolton, &
Maxwell, 2008), foot rotational tracking task (Whitley, 1975), joint-position matching task
(Siekirk, Lai, & Kendall, 2019), Tennis ball throwing task (Banihosseini, Abdoli, & Kavyani,
2025), and Shuffleboard task (Hoskens et al., 2022).

The time interval between the fatiguing task and motor learning task was reported in 18%
of the studies (k = 4). This time interval ranged from 3-5 seconds (Arnett, DeLuccia, & Gilmartin,
2000; Carron, 1969; Godwin & Schmidt, 1971) to 45 seconds (Masters, Poolton, & Maxwell,
2008). All 4 studies involved fatigue induced by physical exertion.

3.3.2 Motor learning assessment

Figure 5D shows the data on motor learning assessment methods. Sixty-three percent of the studies (k = 14) exclusively employed a retention test to confirm the occurrence of motor learning (Alderman, 1965; Anguera et al., 2012; Apreutesei & Cressman, 2024; Berger & Smith-Hale, 1991; Borragan et al., 2016; Carron, 1969; Cotten et al., 1974; Cotten et al., 1972; Dickinson, Medhurst, & Whittingham, 1979; Dwyer, 1984; Nunney, 1963; Takahashi et al., 2006; Whitley, 1975; Zabihhosseinian et al., 2020). One study used a transfer test exclusively to infer motor learning (Arnett, DeLuccia, & Gilmartin, 2000). Twenty-seven percent of the articles (k = 6) used a transfer test in addition to a retention test (Banihosseini, Abdoli, & Kavyani, 2025; Branscheidt et al., 2019; Godwin & Schmidt, 1971; Khojasteh Moghani et al., 2021; Masters, Poolton, & Maxwell, 2008; Siekirk, Lai, & Kendall, 2019). One study measured motor acquisition and did not include any retention or transfer tests (Hoskens et al., 2022).

3.4 How are fatigue and motor learning defined?

Table 2 reports whether a definition of fatigue and motor learning was provided for each included study, as well as the definition reported. Among all the reviewed articles, 9% (k = 2) included both the definitions of fatigue and motor learning (Apreutesei & Cressman, 2024; Zabihhosseinian et al., 2020). However, the definition given for fatigue by Zabihhosseinian et al., (2020) describes the concept of fatigability, i.e., specific information related to the declined performance component of fatigue (Kluger, Krupp, & Enoka, 2013; Skau, Sundberg, & Kuhn, 2021) rather than defining fatigue. Twenty-seven percent of the studies (k = 6) only included a definition of fatigue (Berger & Smith-Hale, 1991; Borragan et al., 2016; Branscheidt et al., 2019; Khojasteh Moghani et al., 2021; Nunney, 1963; Takahashi et al., 2006), and one article only included a definition of motor learning (Siekirk, Lai, & Kendall, 2019). Fifty-nine percent of the articles (k = 13) included neither a definition of fatigue nor motor learning (Alderman, 1965; Anguera et al., 2012; Arnett, DeLuccia, & Gilmartin, 2000; Banihosseini, Abdoli, & Kavyani, 2025; Carron, 1969; Cotten et al., 1974; Cotten et al., 1972; Dickinson, Medhurst, & Whittingham, 1979; Dwyer, 1984; Godwin & Schmidt, 1971; Hoskens et al., 2022; Masters, Poolton, & Maxwell, 2008; Whitley, 1975). While 59% (k = 13) of articles did not include an explicit definition of fatigue, it is nonetheless possible to use some information provided by the authors to infer the

fatigue framework used in each study. Across all included articles, 9% (k = 2) did not provide

sufficient information to determine the fatigue framework used in their study. The remaining 91%

(k = 20) of articles could be classified into three main conceptual frameworks, as reported in Table

S2 of the supplementary material 4. In 40% (k = 8) of these articles, fatigue is conceptualized as

an objective performance decrement, and 15% (k = 3) specific to motor performance only. In 10%

(k = 2) of articles, fatigue is conceptualized as a depletion of cognitive resources. In 10% (k = 2)

articles, fatigue is conceptualized as subjective feelings of tiredness or lack of energy. Twenty

percent (k = 4) combined the objective performance decrement and the depletion of cognitive

resources. Finally, only 5% (k = 1) of articles combined the objective performance decrement with

the subjective feelings of tiredness or lack of energy framework.

Overall, the definitions of fatigue and motor learning were inconsistent across studies. The

definitions provided for fatigue are confined within a specific discipline rather than encompassing

fatigue as a multidomain phenomenon. Similarly, the two definitions of motor learning lacked a

core element, i.e., its characterization as a process leading to long-lasting improvements in

performance (Table 2).

Table 2. *Studies that included a definition for fatigue, motor learning, or both.*

A dash (-) represents the absence of a definition in the manuscript		
Study	**Fatigue definition**	**Motor learning definition**
Studies investigating the effect of fatigue induced by physical exertion		
Alderman 1965	-	-
Arnett et al. 2000	-	-
Banihosseini et al. 2025	-	-
Berger and Smith-Hale 1991	Inability to generate the required or expected force (Edwards, 1981) or any reduction in maximum force-generating capacity (Bigland-Ritchie et al., 1983) (p. 156)	-

Branscheidt et al. 2019	The degradation of maximal force output induced through voluntary physical exertion of task-relevant muscles (no reference) (p. 1)	-
Carron 1969	-	-
Cotten et al. 1974	-	-
Cotten et al. 1972	-	-
Dickinson et al. 1979	-	-
Dwyer 1984	-	-
Godwin and Schmidt 1971	-	-
Hoskens et al. 2022	-	-
Siekirk et al. 2018	-	The cognitive processes that occur as a result of practice (no reference) (p. 1)
Masters et al. 2008	-	-
Nunney 1963	Fatigue is considered a psychological phenomenon manifested in the subjective feelings of the individual, leading to a disinclination toward any form of work (no reference). (p. 370)	-
Takahashi et al. 2006	Fatigue is a commonly experienced condition that results from a period of intense or prolonged physical activity and is characterized by a reduced capacity to exert muscular force (no reference) (p. 695)	-
Whitley 1975	-	-
Zabihhosseinian et al. 2020	Fatigability (operationally defined as an inability to maintain task performance following an exercise intervention) (no reference) (p. 845)	Motor learning refers to motor skill enhancement with practice (Manto & Bastian, 2007) (p. 9)

Studies investigating the effect of fatigue induced by cognitive exertion

Anguera et al. 2012	-	-
Apreutesei and Cressman 2024	A psychobiological state caused by prolonged and/or intense periods of demanding cognitive activity and characterized by feelings of tiredness and lack of energy (Jacquet et al., 2021) (p. 2)	The ability to maintain movement performance under changing conditions (Krakauer et al., 2019) (p. 1)
Banihosseini et al. 2025	-	-
Borragan et al. 2016	Decrease in cognitive resources developing over time on sustained cognitive demands independently of sleepiness (Trejo et al., 2015) (p. 2)	-
Khojasteh Moghani et al. 2021	Mental fatigue is a psychological state that results from constant cognitive activity; it is characterized by feelings of tiredness and lack of energy (Boksem & Tops, 2008; Marcora, Staiano, & Manning, 2009) (p. 2400)	-

3.5 Participants

Figure 6 shows the data on participant characteristics. Twenty-two studies with 30 participant groups were considered. Regarding sex, 36% of the studies (k = 8) exclusively involved male participants (Alderman, 1965; Berger & Smith-Hale, 1991; Cotten et al., 1974; Cotten et al., 1972; Dwyer, 1984; Khojasteh Moghani et al., 2021; Nunney, 1963; Whitley, 1975). Fourteen percent of studies (k = 3) recruited both male and female participants (Apreutesei & Cressman, 2024; Dickinson, Medhurst, & Whittingham, 1979; Hoskens et al., 2022). Fifty percent of studies (k = 11) did not report any information about the participants' sex (Anguera et al., 2012; Arnett, DeLuccia, & Gilmartin, 2000; Banihosseini, Abdoli, & Kavyani, 2025; Borragan et al., 2016; Branscheidt et al., 2019; Carron, 1969; Godwin & Schmidt, 1971; Masters, Poolton, & Maxwell, 2008; Siekirk, Lai, & Kendall, 2019; Takahashi et al., 2006; Zabihhosseinian et al., 2020) (Figure

6A&B). Although we categorized the available data under "sex" or "gender" based on the original

reporting in each article, we acknowledge that these terms are often used interchangeably in the

literature, despite referring to distinct concepts (e.g., Diamond, 2002).

Regarding gender, 9% of the studies (k = 2) exclusively recruited women (Carron, 1969;

Godwin & Schmidt, 1971). Furthermore, 32% of studies (k = 7) included both men and women

(Anguera et al., 2012; Arnett, DeLuccia, & Gilmartin, 2000; Banihosseini, Abdoli, & Kavyani,

2025; Borragan et al., 2016; Branscheidt et al., 2019; Takahashi et al., 2006; Zabihhosseinian et

al., 2020). Fifty-nine percent of studies (k = 13) did not provide any information about participants'

gender (Alderman, 1965; Apreutesei & Cressman, 2024; Berger & Smith-Hale, 1991; Cotten et al.,

1974; Cotten et al., 1972; Dickinson, Medhurst, & Whittingham, 1979; Dwyer, 1984; Hoskens et

al., 2022; Khojasteh Moghani et al., 2021; Masters, Poolton, & Maxwell, 2008; Nunney, 1963;

Siekirk, Lai, & Kendall, 2019; Whitley, 1975) (Figure 6C&D). This lack of reporting is particularly

notable in older studies when gender considerations were not as systematically integrated into study

design as they are nowadays.

Sixteen studies recruited college/university students, while 6 studies did not report

participants' occupations (Figure 6E). None of the studies reported any information about

participants' level of physical activity (Figure 6F), sedentariness (Figure 6G), defined as any

waking behavior that requires low energy expenditure (Panahi & Tremblay, 2018), or ethnicity

(Figure 6H). The mean reported age of participants was 22.5 years. No study included participants

above 31 years old. Ages ranged between 19 years old (Seidler, Bo, & Anguera, 2012) and 31 years

old (Takahashi et al., 2006). Seventy-three percent of studies (k = 16) included participants aged

19-29 years old. Five percent of studies (k = 1) included participants aged 31 years (Takahashi et

al., 2006). Twenty-two percent of studies (k = 5) did not report participant age at all (Alderman,

1965; Dickinson, Medhurst, & Whittingham, 1979; Godwin & Schmidt, 1971; Nunney, 1963;

Whitley, 1975) as presented in Figure 6I. Only 9% of studies (k = 2) reported participants' body

mass index (Dwyer, 1984; Zabihhosseinian et al., 2020). Ninety-one percent of articles (k = 20)

had no report of participants' body mass index (Figure 6G).

Figure 6. (A) Number of female and male participants (n) in the included studies (k).

(B) Number of men and women participants (n) in the included studies (k). (C) Number of

studies (k) that included the participants' occupation (n). (D) Number of studies (k) that

included the participants' ethnicity (n). (E) Number of studies (k) that included the participants'

physical activity level (n). (F) Number of studies (k) that included the participants'

sedentariness (n). (G) Participants age. (H) Participants' body mass index.

3.6 Fatigue effects on motor learning

Figure 7 shows the effect of fatigue on motor learning, as reported and interpreted by the

authors of each study. When there was no effect, fatigue was induced by physical exertion in 27%

(k = 6) of the studies (Alderman, 1965; Carron, 1969; Cotten et al., 1974; Cotten et al., 1972;

Dickinson, Medhurst, & Whittingham, 1979; Masters, Poolton, & Maxwell, 2008). When there

was a negative effect of fatigue on motor learning, physical exertion accounted for 45% (k = 10)

(Arnett, DeLuccia, & Gilmartin, 2000; Berger & Smith-Hale, 1991; Branscheidt et al., 2019;

Dwyer, 1984; Godwin & Schmidt, 1971; Nunney, 1963; Siekirk, Lai, & Kendall, 2019; Takahashi

et al., 2006; Whitley, 1975; Zabihhosseinian et al., 2020), and cognitive exertion accounted for

14% (k = 3) (Anguera et al., 2012; Apreutesei & Cressman, 2024; Khojasteh Moghani et al., 2021)

of instances, respectively. Nine percent of studies (k = 2) showed a positive effect of fatigue on

motor learning, and it was after fatigue induced by cognitive exertion (Banihosseini, Abdoli, &

Kavyani, 2025; Borragan et al., 2016), and physical exertion (Banihosseini, Abdoli, & Kavyani,

2025). Banihosseini et al. (2025) employed both mental and physical exertion to induce fatigue and

found an increase in motor learning inferred via an acuity task. One study investigated motor

acquisition and did not include retention or transfer tests to assess motor learning (Hoskens et al.,

2022).

Figure 7. Effect of fatigue on motor learning, based on how the authors of each study
interpreted their results.

3.7 Other sources

An MSc thesis (Datla, 2016) and a book chapter (Taylor, 2013) were included in this scoping
review in addition to the experimental studies. The MSc thesis investigated the effects of fatigue
on proprioception and motor learning. However, there was no published article associated with the
MSc thesis; therefore, no data extraction was conducted on the thesis. The included book chapter
(Taylor, 2013) focuses on defining fatigue induced by physical exertion and its effect on
neuromuscular function, and then introduces the effect of fatigue induced by physical exertion on
neuromuscular function, motor control, and motor performance. The last part of the chapter focuses
on the effect of fatigue induced by physical exertion on motor learning, stating that the effect is
unclear.

4. Discussion

This scoping review aimed to explore the available knowledge on the effects of experimentally induced fatigue on motor learning. This scoping review focused on the populations studied, the methodologies used to induce and measure fatigue, the methodologies used to infer motor learning, as well as the definitions provided for motor learning and fatigue. Twenty-four sources were systematically identified, including 22 experimental studies, 1 MSc thesis, and 1 book chapter. The main outcomes of this scoping review highlight several critical gaps in the literature: (1) the absence of studies exploring fatigue resulting from a combination of physical and cognitive exertion and the impact on motor learning, coupled with limited research on fatigue induced by cognitive exertion alone, (2) a narrow range of motor learning task categories investigated in laboratory settings, (3) inconsistencies in the definitions of fatigue and motor learning across studies, underscoring the need for standardized operational definitions, (4) a notable absence of studies including middle-aged and older adults, and (5) an inconsistent reporting of participant characteristics, such as sex, gender, ethnicity, physical activity level, sedentariness, and body mass index.

4.1 Fatigue

4.1.1 How was fatigue experimentally induced?

This scoping review revealed that the majority of studies investigated fatigue in the physical domain by focusing on fatigue induced by physical exertion. However, the effect of fatigue induced by cognitive exertion remains relatively unclear despite its growing relevance. Fatigue induced by cognitive exertion is increasingly recognized as a distinct construct from fatigue induced by physical exertion (Dong et al., 2022; Russell et al., 2020). Some daily life motor performance experiences, such as typing, require substantially intense and/or prolonged cognitive exertion. This reflects the importance of measuring the impact of fatigue resulting from cognitive exertion on motor learning. However, the current literature on fatigue and motor learning remains limited, leaving a significant gap in studying the effect of fatigue resulting from cognitive exertion on motor learning.

In addition to the limited research on fatigue induced by cognitive exertion, no study
investigating motor learning has explored fatigue resulting from a combination of both physical
and cognitive exertion. Studying how these combined sources of fatigue influence motor learning
is critical, as it reflects real-world scenarios such as firefighting, where individuals must perform
motor tasks under high physical and cognitive loads. This area remains unexplored, leaving a
significant gap in the literature. Future research should prioritize developing standardized protocols
that account for individual differences and explore the mechanisms through which combined
physical and cognitive exertion influences motor learning. However, methodological challenges
further complicate research in this area (Dong et al., 2022). These challenges underscore the need
to introduce innovative methodologies.

Furthermore, only 4 out of the 22 studies reported the time interval between the fatiguing
task and the motor learning task. This is a critical piece of information, as the timing of the motor
learning task relative to fatigue induction can significantly influence outcomes. While the recovery
dynamics following cognitively induced fatigue remain poorly understood, it is well known that
muscle fatigue tends to recover rapidly (Doyle-Baker et al., 2018; Pageaux et al., 2015). Therefore,
without reporting this time interval, it becomes difficult to interpret the extent to which fatigue was
present during motor task practice.

4.1.2 What criteria were used to verify the successful fatigue induction?

Fatigue alters cognitive and physical functioning and can manifest subjectively and
objectively (REF). Additionally, interindividual differences can lead to unique manifestations of
fatigue (Dong et al., 2022; Wilson et al., 2021). Therefore, capturing both manifestations is
essential for accurately characterizing the nature and extent of fatigue induced by a given task.
Given the absence of a universally accepted gold standard for measuring fatigue (Behrens et al.,
2023; Dong et al., 2022; Mangin & Pageaux, 2025) it is essential to incorporate both subjective
and objective manifestations to comprehensively assess fatigue (Mangin & Pageaux, 2025).

Among all the studies in this scoping review, 13% of the included designs (k = 3) verified
the presence of fatigue by measuring both objective (behavioral) and subjective manifestations
(Apreutesei & Cressman, 2024; Banihosseini, Abdoli, & Kavyani, 2025; Borragan et al., 2016).
Another study (Hoskens et al., 2022) used both subjective and objective (behavioral and
physiological) criteria to verify the successful induction of fatigue induced by cognitive exertion;

however, this study did not include retention or transfer tests to infer motor learning, and they
merely studied motor acquisition. In two studies (Khojasteh Moghani et al., 2021; Nunney, 1963),
the presence of fatigue was confirmed using self-reported measures of fatigue exclusively, and the
rest of the studies only used a behavioral criterion to verify successful fatigue induction. Moreover,
none of the studies utilized a self-reported measure of effort. Given the interplay between the
perception of effort with motor learning (Ghafari Goushe et al., 2024) and fatigue (Pageaux &
Lepers, 2016), measuring the perception of effort can provide valuable insights into the
mechanisms through which fatigue influences motor learning.

4.1.3 Towards a unifying definition of fatigue

As highlighted in the previous section, inconsistencies in the definition of fatigue and the
framework used are evident across the literature (see supplementary material 4). These
inconsistencies are reflected in the heterogeneous methods used and the variability of findings
reported. While the literature still does not agree on a definition of fatigue across disciplines
(Behrens et al., 2023; Kluger, Krupp, & Enoka, 2013), this scoping review provides a valuable
opportunity to clarify and standardize the conceptualization of fatigue.

The use of varied concepts for the same phenomenon, both within and across different
research fields, impedes interdisciplinary collaboration and can lead to confusion and
miscommunication (Mangin & Pageaux, 2025; Skau, Sundberg, & Kuhn, 2021). Researchers
investigating fatigue from a physiological standpoint often overlook its subjective manifestations,
whereas those approaching it from a psychological perspective frequently neglect its objective
indicators. This holds true even when the authors do not provide an explicit definition of fatigue,
but the conceptual framework can nonetheless be inferred from their writing. A comprehensive
definition of fatigue should avoid being overly discipline-specific to ensure cross-disciplinary
applicability and enhance generalisability (Briand et al., 2025). At the same time, the definition
should specify the primary measure of interest (Briand et al., 2025), enabling the monitoring of
both the objective and subjective manifestations of fatigue, as well as the origin of fatigue (e.g.,
depletion of resources).

Mangin and Pageaux (2025) defined fatigue as a psychobiological phenomenon induced by
prolonged engagement in physical and/or cognitive exertion or illness, and characterized by
depletion or inaccessibility of resources. The presence of fatigue can be assessed through both

subjective and objective measures. Subjectively, fatigue manifests as increased feelings of tiredness

or exhaustion, often accompanied by an unwillingness or inability to continue the current task or

initiate new ones (Boksem & Tops, 2008; Müller & Apps, 2019; Pageaux & Lepers, 2016).

Objectively, if the level of engagement (i.e., effort) in a task remains constant, fatigue impairs

physical and cognitive performance. The performance declines may or may not be linked to

impairments in physiological responses to the task (Behrens et al., 2023; Boksem & Tops, 2008;

Gandevia, 2001; Mangin & Pageaux, 2025). In the presence of fatigue, performance may still be

maintained through compensatory mechanisms, such as increasing the effort invested in the task

(Wright & Mlynski, 2019). We propose that future research interested in a multidisciplinary

investigation of the fatigue phenomenon uses such a definition and description. Using such a

definition and description would likely unify the different frameworks of fatigue identified in this

scoping review: depletion of resources, decrement in performance and subjective feeling of

tiredness.

4.2 Motor learning

4.2.1 What task categories were used to study motor learning?

The study of motor learning often relies on a limited set of laboratory-based tasks, which

simplify the vast diversity of real-world motor behaviors into controlled, repeatable experimental

categories (Krakauer et al., 2019). While these task categories provide valuable insights, a critical

question concerns how interchangeable they are when it comes to drawing general conclusions

about motor learning. This raises important considerations about the generalizability of results and

whether insights from one task can truly apply to the broader spectrum of motor learning (Krakauer

et al., 2019).

More than half of the studies included in this scoping review employed an acuity task to

infer motor learning. However, none of the articles involved the association task category. Few

studies investigated adaptation and sequence task categories. This narrow focus can limit the

generalizability of findings. To address this gap, future research should prioritize the investigation

of sequence, adaptation, and association task categories. The use of diverse motor tasks is not only

essential for enhancing ecological validity but also for improving the replicability of results

(Ranganathan et al., 2021). When a result is observed within a single task category, future studies
should aim to either directly or conceptually replicate the finding (Derksen & Morawski, 2022).
Direct replication serves to confirm the reliability of the effect within the same task category,
helping to determine whether the observed effect is valid and/or reliable. In contrast, conceptual
replication is crucial for evaluating the generalisability of the effect across different task categories,
thereby shedding light on its broader relevance to motor learning beyond the confines of a specific
experimental context.

4.2.2 What methods were used to infer motor learning?

Since the performance level achieved during acquisition may not always accurately reflect
motor learning, it is critical to assess performance in post-practice phases using retention and/or
transfer tests (Christina, 1997; Kantak & Winstein, 2012). A retention test principally measures
performance persistence over time. A transfer test mainly measures the generalizability of
performance (Christina, 1997; Kantak & Winstein, 2012). Both retention and transfer tests can be
used to infer motor learning; however, they serve different purposes depending on the specific
aspect of learning being assessed, i.e., persistence over time or generalizability (Christina, 1997;
Kantak & Winstein, 2012). According to the traditional definition, motor learning refers to long-
lasting improvements in the capability to respond to the demands of a motor task (Schmidt, 1991).
This definition inherently requires the inclusion of a delayed retention test to verify that
performance improvements are not merely transient but reflect long-lasting changes. Without a
retention test, observed gains in performance may simply represent short-term improvements rather
than learning (Schmidt, 1991). Our findings indicate that the majority of studies in this scoping
review included a retention test, which is a crucial component for assessing motor learning.

Beyond assessing the persistence aspect of motor learning, studies also employ transfer
tests to evaluate generalizability of motor learning (Seidler, 2010). Generalization refers to the
extent to which a learned skill can be expressed under novel conditions, for example, with a
different effector (e.g., transferring from the dominant to the non-dominant hand; Chase & Seidler,
2008), in a new spatial context (e.g., a different workspace; Shadmehr & Mussa-Ivaldi, 1994), or
using a different mode of movement or a variation of a task (e.g., transferring from a continuous
tracking task to a discrete pointing task; Abeele & Bock, 2003). Transfer tests assess the learner's

capability to generalize what has been learned to performance situations and contexts that were not
experienced during practice (Magill & Anderson, 2010; Schmidt, 1991).

4.2.3 Motor learning definition

Of the 22 studies included, only 3 defined motor learning, and all definitions failed to
capture its core characteristic, i.e., the long-lasting improvement in performance. A unified
definition is critical, as it largely determines how we study and assess the variable of interest (e.g.,
Christina, 1997). A comprehensive definition of motor learning must encompass two key
characterizations of the motor learning process (Christina, 1997): (1) it involves a set of processes
that lead to long-lasting improvements in an individual's capacity to meet the task requirements,
and (2) it is inferred from long-term performance enhancements that result from practice or
experience (Christina, 1997). Schmidt and Lee (1991) defined motor learning as a set of processes
associated with practice or experience leading to long-lasting improvement in the capacity to
respond to task demands (p. 51). This definition captures the key characteristics of motor learning.
Indeed, Schmidt and Lee (1991) used the term "relatively permanent" to refer to the persistent
aspect of improved performance, emphasizing the need for a delayed retention test. We encourage
future research to use such an accepted definition, while also explicitly reporting the definition.

4.3 What populations were investigated?

The findings of this scoping review revealed a significant limitation in the demographic
representation of participants across the included studies. All participants fell within the age range
of 19-31 years, highlighting a critical gap in understanding how fatigue impacts motor learning in
middle-aged and older adults. Furthermore, it is important to dissociate middle-aged adults from
older adults due to age-related differences in fatigue (e.g., Meng, Hale, & Friedberg, 2010) and
motor learning (e.g., Boyd, Vidoni, & Siengsukon, 2008). Investigating how fatigue affects motor
learning across the lifespan will provide valuable insights into age-specific challenges and inform
targeted interventions for older populations (e.g., Zengarini et al., 2015). Future studies should
expand their participant pools to include these unrepresented age groups.

Additionally, the reporting of participant characteristics was inconsistent and often absent.
More than half of the studies failed to report any information about participants' sex and gender.

Given the relatively recent findings demonstrating the influence of these factors on motor learning

and fatigue (e.g., Albert et al., 2006; Demura, Nakada, & Nagasawa, 2008; Hunter, 2009), we

strongly encourage future studies to report such information. Moreover, reporting information

about participants' physical activity level and sedentariness that can influence fatigue (e.g.,

Bogdanis, 2012; Panahi & Tremblay, 2018) and motor learning (e.g., Holfelder & Schott, 2014;

Kuo et al., 2023) was overlooked. Research suggests that individuals who are more physically

active exhibit greater hippocampal, prefrontal cortex, and basal ganglia volumes, stronger white

matter integrity, and superior executive and memory function (e.g., Erickson, Hillman, & Kramer,

2015). Furthermore, randomized controlled trials offer evidence linking moderate-to-vigorous

physical activity to cognitive improvements, including enhanced processing speed, memory, and

executive function (Erickson et al., 2019). Given the critical role of cognition in motor learning,

accounting for participants' physical activity levels and sedentariness is relevant and important to

report. Furthermore, none of the studies included information about participants' ethnicity, limiting

the generalizability of findings across diverse populations (Cordero et al., 2012; Meng, Hale, &

Friedberg, 2010).

Only 9% of studies (k = 2) reported participants' body mass index (BMI), despite its

potential relevance to physical and cognitive performance (Dewi, Rimawati, & Purbodjati, 2021;

Kim, Kim, & Park, 2016). The BMI is widely used in population-based studies due to its broad

acceptance as a tool for categorizing body mass in relation to health risks (Nuttall, 2015). However,

it has become increasingly evident that BMI is a poor indicator of actual body fat percentage

(Nuttall, 2015). More importantly, it fails to provide information on fat distribution across different

regions of the body (Nuttall, 2015). Therefore, whenever feasible, we recommend including

additional anthropometric measures, such as percent lean and fat mass, waist circumference, and

similar metrics to obtain a more accurate and comprehensive assessment of body composition.

These gaps underscore the need for more comprehensive and standardized reporting of

demographic and anthropometric data in future research. To address these gaps, future studies

should prioritize inclusivity by recruiting participants from a wider range of ages, sexes, genders,

and ethnic backgrounds. Reporting key demographic and physiological characteristics, such as

BMI, physical activity level, and sedentariness, should also become standard practice. By doing

so, researchers can ensure that findings are more representative of the broader population and

provide a stronger foundation to investigate the effects of fatigue on motor learning across diverse

groups.

4.4 What conclusions did the included studies draw regarding the effects of experimentally induced fatigue on motor learning?

Although our scoping review did not aim to conduct a meta-analysis due to the

methodological heterogeneity by which fatigue and motor learning were studied in the literature,

it is still possible to discuss the findings as reported by the original authors. The effects of fatigue

on motor learning varied depending on the type of exertion used to induce fatigue. When fatigue

was induced by physical exertion, the included studies reported either a negative effect (k = 10),

no effect (k = 6), or a positive effect (k = 1). When fatigue was induced by cognitive exertion, the

included studies reported either a negative effect (k = 3) or a positive effect (k = 2). When sequence

tasks were employed, the included studies reported either a negative effect (k = 2) or a positive

effect (k = 1). When adaptation tasks were employed, the included studies reported either a negative

effect (k = 4) or no effect (k = 2). When acuity tasks were employed, the included studies reported

a negative effect (k = 7), a positive effect (k = 2), and no effect (k = 4).

This finding suggests that the relationship between fatigue and motor learning may be more

nuanced than previously thought, with potential moderating factors such as the source of fatigue

and the specific motor learning tasks employed influencing outcomes. These results underscore the

need for future research to explore a broader range of motor learning categories and fatigue-

induction methods. By diversifying both the motor learning task categories and fatigue-induction

methods used in future studies, researchers can gain a more comprehensive understanding of how

fatigue impacts motor learning across different contexts and populations.

4.5 Limitations

This review focused on experimentally induced fatigue, given the need to isolate the effects of

fatigue on motor learning under both physical and cognitive exertion. While this approach allowed

us to examine task-induced fatigue, it excluded studies in which fatigue arises from pathological

conditions. Future scoping reviews should extend this work by specifically addressing fatigue

associated with pathological states. Additionally, it is important to note that fatigue is highly task-
specific, even within the same domain. For example, the underlying mechanisms of fatigue differ
between whole-body versus isolated muscle exercise (e.g., Sidhu, Cresswell, & Carroll, 2013) and
between different cognitive tasks, such as the n-back task versus the Stroop task (Smith et al.,
2019). In our review, we categorized fatigue studies by domain rather than by task. This decision
was driven by the limited number of studies available for each specific task. As the literature grows,
future reviews should aim to examine task-specific differences in fatigue mechanisms to provide a
more nuanced understanding of how fatigue influences motor learning across diverse contexts.

4.6 Conclusions and recommendations

This scoping review highlights the current state of research on the effects of fatigue on
motor learning, revealing critical gaps in the literature. Inconsistencies in methodology and a lack
of clear definitions of fatigue and motor learning are evident in the literature, highlighting the need
for standardized, operational definitions to improve conceptual clarity and cross-study
comparisons. Furthermore, the overreliance on one motor learning task category and the
underrepresentation of other categories may limit the direct and conceptual replication of studies.
Finally, the narrow demographic representation, with participants predominantly aged 19-31 years,
and inconsistent reporting of key participant characteristics, restricts the generalizability of
findings to broader populations.

Future studies should adopt a comprehensive definition of fatigue and avoid being overly
discipline-specific to ensure cross-disciplinary applicability. At the same time, the definition should
specify the primary measure of interest, enabling the monitoring of both the objective and
subjective manifestations of fatigue. Standardized protocols for fatigue induction and motor
learning assessment should be developed to enhance ecological validity and reproducibility.
Moreover, future studies should expand their participant pools to include middle-aged and older
adults, as well as individuals from diverse demographic backgrounds. Consistent reporting of key
participant characteristics should be prioritized.

5. References

Abeele, S., & Bock, O. (2003). Transfer of sensorimotor adaptation between different movement categories. *Experimental Brain Research*, *148*, 128-132.

Albert, W., Wrigley, A., McLean, R., & Sleivert, G. (2006). Sex differences in the rate of fatigue development and recovery. *Dynamic Medicine*, *5*, 1-10.

Alderman, R. B. (1965). Influence of Local Fatigue on Speed and Accuracy in Motor Learning. *Research Quarterly. American Association for Health, Physical Education and Recreation*, *36*(2), 131-140. https://doi.org/10.1080/10671188.1965.10614670

Anguera, J. A., Bernard, J. A., Jaeggi, S. M., Buschkuehl, M., Benson, B. L., Jennett, S., Humfleet, J., Reuter-Lorenz, P. A., Jonides, J., & Seidler, R. D. (2012). The effects of working memory resource depletion and training on sensorimotor adaptation. *Behav Brain Res*, *228*(1), 107-115. https://doi.org/10.1016/j.bbr.2011.11.040

Apreutesei, D., & Cressman, E. K. (2024). The effects of mental fatigue on explicit and implicit contributions to visuomotor adaptation. *PLoS One*, *19*(8), e0307739.

Arnett, M. G., DeLuccia, D., & Gilmartin, K. (2000). Male and female differences and the specificity of fatigue on skill acquisition and transfer performance. *Res Q Exerc Sport*, *71*(2), 201-205. https://doi.org/10.1080/02701367.2000.10608899

Balsters, J. H., & Ramnani, N. (2011). Cerebellar plasticity and the automation of first-order rules. *Journal of Neuroscience*, *31*(6), 2305-2312.

Banihosseini, R., Abdoli, B., & Kavyani, M. (2025). Implicit and explicit learning strategies and fatigue: an evaluation of throwing task performance. *Frontiers in Psychology*, *16*, 1438313.

Behrens, M., Gube, M., Chaabene, H., Prieske, O., Zenon, A., Broscheid, K. C., Schega, L., Husmann, F., & Weippert, M. (2023). Fatigue and Human Performance: An Updated Framework. *Sports Med*, *53*(1), 7-31. https://doi.org/10.1007/s40279-022-01748-2

Berger, R. A., & Smith-Hale, L. A. (1991). Effects of fatigue on performance and learning of a gross motor task. *The Journal of Strength & Conditioning Research*, *5*(3), 155-161.

Bigland-Ritchie, B., Johansson, R., Lippold, O., & Woods, J. (1983). Contractile speed and EMG changes during fatigue of sustained maximal voluntary contractions. *Journal of Neurophysiology*, *50*(1), 313-324.

Bogdanis, G. C. (2012). Effects of physical activity and inactivity on muscle fatigue. *Frontiers in physiology*, *3*, 142.

Boksem, M. A., & Tops, M. (2008). Mental fatigue: costs and benefits. *Brain research reviews*, *59*(1), 125-139.

Borragan, G., Slama, H., Destrebecqz, A., & Peigneux, P. (2016). Cognitive Fatigue Facilitates Procedural Sequence Learning. *Front Hum Neurosci*, *10*, 86. https://doi.org/10.3389/fnhum.2016.00086

Boyd, L. A., Vidoni, E. D., & Siengsukon, C. F. (2008). Multidimensional motor sequence learning is impaired in older but not younger or middle-aged adults. *Phys. Ther.*, *88*(3), 351-362.

Branscheidt, M., Kassavetis, P., Anaya, M., Rogers, D., Huang, H. D., Lindquist, M. A., & Celnik, P. (2019). Fatigue induces long-lasting detrimental changes in motor-skill learning. *Elife*, *8*. https://doi.org/10.7554/eLife.40578

Briand, J., Mangin, T., Tremblay, J., & Pageaux, B. (2025). Bridging Inductive and Deductive Reasoning: A Proposal to Enhance the Evaluation and Development of Models in Sports and Exercise Science: J. Briand et al. *Sports Medicine*, 1-13.

Carron, A. V. (1969). Physical Fatigue and Motor Learning. *Research Quarterly. American Association for Health, Physical Education and Recreation*, *40*(4), 682-686. https://doi.org/10.1080/10671188.1969.10614902

Chase, C., & Seidler, R. (2008). Degree of handedness affects intermanual transfer of skill learning. *Experimental Brain Research*, *190*(3), 317-328.

Christina, R. W. (1997). Concerns and issues in studying and assessing motor learning. *Measurement in physical education and exercise science*, *1*(1), 19-38.

Cordero, E. D., Loredo, J. S., Murray, K. E., & Dimsdale, J. E. (2012). Characterizing Fatigue: The Effects of Ethnicity and Acculturation 1. *Journal of applied biobehavioral research*, *17*(1), 59-78.

Cotten, D. J., Spieth, W., Thomas, J. R., & Biasiotto, J. L. (1974). Local and total body fatigue effects on learning and performance of a gross motor skill. *Medicine and science in sports*, *6*(2), 151-153.

Cotten, D. J., Thomas, J. R., Spieth, W. R., & Biasiotto, J. (1972). Temporary fatigue effects in a gross motor skill. *J Mot Behav*, *4*(4), 217-222. https://doi.org/10.1080/00222895.1972.10734937

Datla, G. (2016). Effects of local muscle fatigue on proprioception and motor learning.

Demura, S., Nakada, M., & Nagasawa, Y. (2008). Gender difference in subjective muscle-fatigue sensation during sustained muscle force exertion. *The Tohoku journal of experimental medicine*, *215*(3), 287-294.

Derksen, M., & Morawski, J. (2022). Kinds of replication: Examining the meanings of "conceptual replication" and "direct replication". *Perspectives on psychological science*, *17*(5), 1490-1505.

Dewi, R. C., Rimawati, N., & Purbodjati. (2021). Body mass index, physical activity, and physical fitness of adolescence. *Journal of public health research*, *10*(2), jphr. 2021.2230.

Diamond, M. (2002). Sex and gender are different: Sexual identity and gender identity are different. *Clinical child psychology and psychiatry*, *7*(3), 320-334.

Dickinson, J., Medhurst, C., & Whittingham, N. (1979). Warm- and fatigue in skill acquisition and performance. *J Mot Behav*, *11*(1), 81-86. https://doi.org/10.1080/00222895.1979.10735175

Dong, L., Pageaux, B., Romeas, T., & Berryman, N. (2022). The effects of fatigue on perceptual-cognitive performance among open-skill sport athletes: A scoping review. *Int. Rev. Sport Exerc. Psychol.*, 1-52. https://doi.org/10.1080/1750984x.2022.2135126

Doyle-Baker, D., Temesi, J., Medysky, M. E., Holash, R. J., & Millet, G. Y. (2018). An innovative ergometer to measure neuromuscular fatigue immediately after cycling. *Medicine and science in sports and exercise*, *50*(2), 375-387.

Dwyer, J. (1984). Influence of physical fatigue on motor performance and learning. *Physical Educator*, *41*(3), 130.

Edwards, R. H. (1981). Human muscle function and fatigue. Ciba Foundation Symposium 82-Human Muscle Fatigue: Physiological Mechanisms,

Enoka, R. M., & Duchateau, J. (2016). Translating Fatigue to Human Performance. *Med Sci Sports Exerc*, *48*(11), 2228-2238. https://doi.org/10.1249/MSS.0000000000000929

Erickson, K. I., Hillman, C., Stillman, C. M., Ballard, R. M., Bloodgood, B., Conroy, D. E., Macko, R., Marquez, D. X., Petruzzello, S. J., & Powell, K. E. (2019). Physical activity, cognition, and brain outcomes: a review of the 2018 physical activity guidelines. *Medicine and science in sports and exercise*, *51*(6), 1242.

Erickson, K. I., Hillman, C. H., & Kramer, A. F. (2015). Physical activity, brain, and cognition. *Current opinion in behavioral sciences*, *4*, 27-32.

Gandevia, S. C. (2001). Spinal and supraspinal factors in human muscle fatigue. *Physiological*
reviews, *81*(4), 1725-1789.
Ghafari Goushe, B., Mangin, T., Pageaux, B., & Neva, J. (2024). Perception of effort decreases
with motor sequence learning [*priprint*]. https://doi.org/10.31234/osf.io/3whne
Godwin, & Schmidt. (1971). Muscular Fatigue and Learning a Discrete Motor Skill. *Research*
Quarterly. American Association for Health, Physical Education and Recreation, *42*(4),
374-382. https://doi.org/10.1080/10671188.1971.10615084
Guthrie, E. R. (1935). Psychology of Learning.
Holfelder, B., & Schott, N. (2014). Relationship of fundamental movement skills and physical
activity in children and adolescents: A systematic review. *Psychology of Sport and Exercise*,
15(4), 382-391.
Hoskens, M. C., Uiga, L., Cooke, A., Capio, C. M., & Masters, R. S. (2022). The effects of fatigued
working memory functions on hypothesis testing during acquisition of a motor skill.
Journal of Experimental Psychology: General, *151*(6), 1306.
Hunter, S. K. (2009). Sex differences and mechanisms of task-specific muscle fatigue. *Exercise*
and sport sciences reviews, *37*(3), 113-122.
Jacquet, T., Poulin-Charronnat, B., Bard, P., & Lepers, R. (2021). Persistence of mental fatigue on
motor control. *Frontiers in Psychology*, *11*, 588253.
Kantak, S. S., & Winstein, C. J. (2012). Learning-performance distinction and memory processes
for motor skills: a focused review and perspective. *Behav. Brain Res.*, *228*(1), 219-231.
https://doi.org/10.1016/j.bbr.2011.11.028
Khojasteh Moghani, M., Zeidabadi, R., Shahabi Kaseb, M. R., & Bahreini Borujeni, I. (2021).
Mental Fatigue Reduces the Benefits of Self-Controlled Feedback on Learning a Force
Production Task. *Percept Mot Skills*, *128*(5), 2398-2414.
https://doi.org/10.1177/00315125211037306
Kim, S., Kim, Y., & Park, S. M. (2016). Body mass index and decline of cognitive function. *PLoS*
One, *11*(2), e0148908.
Kluger, B. M., Krupp, L. B., & Enoka, R. M. (2013). Fatigue and fatigability in neurologic
illnesses: proposal for a unified taxonomy. *Neurology*, *80*(4), 409-416.
Krakauer, J. W., Hadjiosif, A. M., Xu, J., Wong, A. L., & Haith, A. M. (2019). Motor Learning.
Compr. Physiol., *9*(2), 613-663. https://doi.org/10.1002/cphy.c170043
Kuo, H.-I., Hsieh, M.-H., Lin, Y.-T., & Nitsche, M. A. (2023). Acute aerobic exercise at different
intensities modulates motor learning performance and cortical excitability in sedentary
individuals. *Eneuro*, *10*(11).
Magill, R., & Anderson, D. I. (2010). *Motor learning and control*. McGraw-Hill Publishing New
York.
Mangin, T., & Pageaux, B. (2025). It is time to stop using the terminology "passive" fatigue. *Motiv.*
Sci., *11*(1), 125-132. https://doi.org/10.1037/mot0000375
Manto, M., & Bastian, A. J. (2007). Cerebellum and the deciphering of motor coding. *The*
Cerebellum, *6*(1), 3-6.
Marcora, S. M., Staiano, W., & Manning, V. (2009). Mental fatigue impairs physical performance
in humans. *J Appl Physiol (1985)*, *106*(3), 857-864.
https://doi.org/10.1152/japplphysiol.91324.2008
Masters, R. S., Poolton, J. M., & Maxwell, J. P. (2008). Stable implicit motor processes despite
aerobic locomotor fatigue. *Conscious Cogn*, *17*(1), 335-338.
https://doi.org/10.1016/j.concog.2007.03.009

Meng, H., Hale, L., & Friedberg, F. (2010). Prevalence and predictors of fatigue among middle-aged and older adults: evidence from the Health and Retirement study. *Journal of the American Geriatrics Society*, *58*(10), 2033.

Müller, T., & Apps, M. A. (2019). Motivational fatigue: A neurocognitive framework for the impact of effortful exertion on subsequent motivation. *Neuropsychologia*, *123*, 141-151.

Neva, J. L., Ma, J. A., Orsholits, D., Boisgontier, M. P., & Boyd, L. A. (2019). The effects of acute exercise on visuomotor adaptation, learning, and inter-limb transfer. *Exp Brain Res*, *237*(4), 1109-1127. https://doi.org/10.1007/s00221-019-05491-5

Nunney, D. N. (1963). Fatigue, impairment, and psycho-motor learning. *Perceptual and motor skills*, *16*(2), 369-375.

Nuttall, F. Q. (2015). Body mass index: obesity, BMI, and health: a critical review. *Nutrition today*, *50*(3), 117-128.

Pageaux, B., Angius, L., Hopker, J. G., Lepers, R., & Marcora, S. M. (2015). Central alterations of neuromuscular function and feedback from group III-IV muscle afferents following exhaustive high-intensity one-leg dynamic exercise. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, *308*(12), R1008-R1020.

Pageaux, B., & Lepers, R. (2016). Fatigue Induced by Physical and Mental Exertion Increases Perception of Effort and Impairs Subsequent Endurance Performance. *Front Physiol*, *7*, 587. https://doi.org/10.3389/fphys.2016.00587

Pageaux, B., & Lepers, R. (2018). The effects of mental fatigue on sport-related performance. *Progress in brain research*, *240*, 291-315.

Panahi, S., & Tremblay, A. (2018). Sedentariness and health: is sedentary behavior more than just physical inactivity? *Frontiers in public health*, *6*, 389159.

Peters, M. D., Marnie, C., Tricco, A. C., Pollock, D., Munn, Z., Alexander, L., McInerney, P., Godfrey, C. M., & Khalil, H. (2020). Updated methodological guidance for the conduct of scoping reviews. *JBI evidence synthesis*, *18*(10), 2119-2126.

Pringle, R. K. (2000). Motor learning and performance: A problem-based learning approach. *Journal of Manipulative and Physiological Therapeutics*, *23*(4), 300-301. https://doi.org/10.1067/mmt.2000.106091

Ranganathan, R., Tomlinson, A. D., Lokesh, R., Lin, T.-H., & Patel, P. (2021). A tale of too many tasks: Task fragmentation in motor learning and a call for model task paradigms. *Experimental Brain Research*, *239*, 1-19.

Robertson, E. M. (2007). The serial reaction time task: implicit motor skill learning? *J Neurosci*, *27*(38), 10073-10075. https://doi.org/10.1523/JNEUROSCI.2747-07.2007

Russell, S., Kelly, V. G., Halson, S. L., & Jenkins, D. G. (2020). Cognitive load in sport. In *Human factors and ergonomics in sport* (pp. 181-200). CRC Press.

Schmidt, R. A. (1991). *Motor learning & performance: From principles to practice.* Champaign, IL, US: Human Kinetics Books. https://psycnet.apa.org/record/1993-97677-000

Schmidt, R. A. (2016). The acquisition of skill: Some modifications to the perception-action relationship through practice. In *Perspectives on perception and action* (pp. 77-103). Routledge.

Schmidt, R. A., Wrisberg, C. A., & Mcdonald, A. (2006). Motor learning and performance: a problem-based learning approach. *Physiotherapy Canada*, *58*(3), 234-235.

Seidler, R. D. (2010). Neural correlates of motor learning, transfer of learning, and learning to learn. *Exercise and sport sciences reviews*, *38*(1), 3-9.

Seidler, R. D., Bo, J., & Anguera, J. A. (2012). Neurocognitive contributions to motor skill learning: the role of working memory. *J Mot Behav*, *44*(6), 445-453. https://doi.org/10.1080/00222895.2012.672348

Shadmehr, R., & Mussa-Ivaldi, F. A. (1994). Adaptive representation of dynamics during learning of a motor task. *Journal of Neuroscience*, *14*(5), 3208-3224.

Sidhu, S. K., Cresswell, A. G., & Carroll, T. J. (2013). Corticospinal responses to sustained locomotor exercises: moving beyond single-joint studies of central fatigue. *Sports Medicine*, *43*, 437-449.

Siekirk, N., Lai, Q., & Kendall, B. (2019). Effects of Limb-Specific Fatigue on Motor Learning during an Upper Extremity Proprioceptive Task. *International Journal of Motor Control and Learning*, *1*(1), 76-81. https://doi.org/10.29252/ijmcl.1.1.76

Skau, S., Sundberg, K., & Kuhn, H. G. (2021). A Proposal for a Unifying Set of Definitions of Fatigue. *Front Psychol*, *12*, 739764. https://doi.org/10.3389/fpsyg.2021.739764

Smith, M. R., Chai, R., Nguyen, H. T., Marcora, S. M., & Coutts, A. J. (2019). Comparing the effects of three cognitive tasks on indicators of mental fatigue. *The Journal of psychology*, *153*(8), 759-783.

Takahashi, C. D., Nemet, D., Rose-Gottron, C. M., Larson, J. K., Cooper, D. M., & Reinkensmeyer, D. J. (2006). Effect of muscle fatigue on internal model formation and retention during reaching with the arm. *J Appl Physiol (1985)*, *100*(2), 695-706. https://doi.org/10.1152/japplphysiol.00140.2005

Taylor, J. L. (2013). Motor control and motor learning under fatigue conditions. In *Routledge handbook of motor control and motor learning* (pp. 353-383). Routledge.

Trejo, L. J., Kubitz, K., Rosipal, R., Kochavi, R. L., & Montgomery, L. D. (2015). EEG-based estimation and classification of mental fatigue. *Psychology*, *6*(5), 572-589.

Whitley, J. D. (1975). Effects of Maximizing Inertial Resistance on Performing and Learning a Motor Task. *Research Quarterly. American Alliance for Health, Physical Education and Recreation*, *46*(1), 110-119.

Wilson, M. K., Ballard, T., Strickland, L., Boeing, A. A., Cham, B., Griffin, M. A., & Jorritsma, K. (2021). Understanding fatigue in a naval submarine: Applying biomathematical models and workload measurement in an intensive longitudinal design. *Applied Ergonomics*, *94*, 103412.

Wright, R. A., & Mlynski, C. (2019). Fatigue determination of inhibitory strength and control: A babe in a bath. *Motivation Science*, *5*(1), 66.

Youssef, L., O'Farrell, A., Arvisais, D., Neva, J. L., & Pageaux, B. (2025). Physical exercise and motor learning: A scoping review. *bioRxiv*, 2025.2007. 2025.666852.

Zabihhosseinian, M., Yielder, P., Berkers, V., Ambalavanar, U., Holmes, M., & Murphy, B. (2020). Neck muscle fatigue impacts plasticity and sensorimotor integration in cerebellum and motor cortex in response to novel motor skill acquisition. *J Neurophysiol*, *124*(3), 844-855. https://doi.org/10.1152/jn.00437.2020

Zengarini, E., Ruggiero, C., Pérez-Zepeda, M. U., Hoogendijk, E. O., Vellas, B., Mecocci, P., & Cesari, M. (2015). Fatigue: relevance and implications in the aging population. *Experimental Gerontology*, *70*, 78-83.

Funding sources

This work is supported by the Natural Sciences and Engineering Research Council of Canada
(NSERC; RGPIN-2019-05057 to BP and RGPIN-2020–05263 to JLN). BGG is supported by
scholarships from the Centre de recherche de l'Institut universitaire de gériatrie de Montréal
(CRIUGM), the Centre interdisciplinaire de recherche sur le cerveau et l'apprentissage (CIRCA),
and the Faculté de médecine at Université de Montréal. BP and JLN are supported by the Chercheur
Boursier Junior 1 award from the Fonds de Recherche du Québec - Santé. TM is supported by the
Fonds de recherche du Québec – Nature et Technologies with a Postdoctoral scholarship. LY is
supported by Centre de Recherche de l'Institut Universitaire de Gériatrie de Montréal (CRIUGM),
the Faculté de médecine at Université de Montréal and the Fonds de Recherche du Québec - Nature
et Technologies.